

CATERPILLAR MACHINE PRICE LIST

CB7

CB7 VIBRATORY ASPHALT COMPACTOR
XUZHOU, CHINA

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

CAT, inline four-cylinder, turbo-charged
aftercooled, diesel engine
Cyclonic air cleaner
Water separator
Ultra clean fuel filter with integrated
electric priming pump
ECO mode throttle system
Dual braking systems (service & parking)
Two-speed hydrostatic transmission

ELECTRICAL

12-volt electric starting
Maintenance free battery - 1000 CCA
Backup alarm and forward warning horn
Cat engine and vehicle ECM's - ET
compatible
Product link ready

OPERATOR ENVIRONMENT

Isolated ROPS/FOPS structure
Platform handrails / guardrails
Four heavy-duty isolation mounts
Power steering
Adjustable, suspension, seat
Adjustable, steering console and
control/display console
Indicator light package with audible
warning alarm for:
-hydraulic oil pressure
-hydraulic oil temperature
-engine oil pressure
-engine coolant temperature
-glow plugs
-service fault indicator
Fuel level gauge
Water level gauge
Service hour meter
Sliding, rotating seat
Automatic speed control
Auto-vibe with adjustable on/off control
Automatic mode for water pump
activation
Vibe tachometer
Speedometer

DRUMS

Smooth drum
1500 mm (59") wide x 1100 mm (43")
diameter
Front and rear self adjusting scraper
blades
Pod-style eccentric weight housing

FLUIDS

Premixed 50% concentration of extended
life coolant with freeze protection
to -37C (-35F)

OTHER STANDARD EQUIPMENT

Locking engine enclosure
Sealed for life hitch bearings
Sight gauges:
-hydraulic tank level
-air restriction indicator
Cap lock for hydraulic tank
Articulated frame with safety lock
Transport tie-down and lift points
Quick connect hydraulic pressure test
ports
SOS ports:
-engine oil
Dual spray bar pumps
Single water spray bar per drum

CATERPILLAR MACHINE PRICE LIST

CB7

CB7 VIBRATORY ASPHALT COMPACTOR XUZHOU, CHINA	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the
Base Order Management program.**

587-3810 CB7 02A VIB COMP DCA4 0 \$162,450
 LANE 1 - AVAILABLE FROM SAVANNAH EPC

- INCLUDES:
- 541-9919 CB7 02A VIBRATORY COMPACTOR
 - 550-7871 ENGINE, CAT C3.6
 - 541-9992 BELT, ENG
 - 556-3447 HITCH, STANDARD
 - 556-4403 DUAL SYSTEM, 2A/2F
 - 546-4792 HYDRAULICS, SOLID DRUM, STD
 - 583-4156 LIGHTS, WORKING W/SIGNALS
 - 587-9551 COVER, NO LED LIGHTS
 - 556-4308 PLATFORM, ROPS/FOPS
 - 583-4761 ROTATION, FULL
 - 560-1623 SWITCH, STD IGNITION
 - 586-7552 CONTROL, STANDARD
 - 561-2140 STEERING WHEEL, STD
 - 556-4371 SEAT, STANDARD VINYL
 - 585-8769 PRODUCT LINK, CELLULAR PLE743
 - 570-4247 BUMPER COVER, STD
 - 556-7020 OIL, HYD, STANDARD
 - 556-3657 INSTRUCTIONS, ANSI
 - 564-2040 FREEZE PROTECTION, ROPS/FOPS
 - 593-9841 SEAT BELT, 76MM (3")
 - 581-6845 STEPS, REFILL ASSIST, FRONT

NOTE: Please refer to the Lane 1 section to complete your order.

541-9919 CB7 02A VIBRATORY COMPACTOR 0 \$158,320
 LANE 2 - AVAILABLE FROM SAVANNAH EPC
 LANE 3 - AVAILABLE FROM SAVANNAH EPC

AVAILABLE FOR: ADSD-N and Puerto Rico

OP-4184 CB7 MISC MATL 0 NC
 AVAILABLE FROM XUZHOU FACTORY
 Only reference numbers that have the text
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

CB7

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM PDC

0P-9001	LANE 1 ORDER	0	NC
---------	------------------------	---	----

INSTRUCTIONS - PICTOGRAPH FILMS

P	556-3659	INSTRUCTIONS, ISO ISO picto warning decals using symbols only as required for all non-North American countries and Quebec, Canada.	0	NC
---	----------	--	---	----

PACKING

0P-0210	PACK, DOMESTIC TRUCK	0	NC
---------	--------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

CB7

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

ELECTRICAL

AUXILIARY LIGHTING

P	556-6097	LIGHTS, LED, BASIC	0	\$1,540
P	556-6100	LIGHTS, LED, PREMIUM	0	\$3,110

TECHNOLOGY PRODUCTS

CAT COMPACTION CONTROL

L	552-1722	SENSORS, MAT TEMPERATURE REQUIRES: 567-6815 MOUNT, OPTIONAL SENSOR(S)	0	\$3,595
---	----------	--	---	---------

OTHER ATTACHMENTS

OPERATOR ENVIRONMENT

P	556-4354	MIRRORS, EXTERNAL.	0	\$685
---	----------	----------------------------	---	-------

WATER SYSTEM - UPGRADES

P	577-1902	MATS, COCOA	0	\$1,500
P	577-2393	MATS, WATER DISTRIBUTION	0	\$1,905

MISC ATTACHMENTS

P	567-6815	MOUNT, OPTIONAL SENSOR(S) ONLY FOR USE WITH: 552-1722 SENSORS, MAT TEMPERATURE	0	\$228
---	----------	---	---	-------

CERTIFICATES

P	0P-4990	CERTIFICATE OF ORIGIN.	0	\$196
P	524-1948	COMPLIANCE FILM,ELECT-MAGNETIC Film indicates EMC compliance. REQUIRED BY: CANADA	0	NC

CATERPILLAR MACHINE PRICE LIST

CB7

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0		NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.			
OP-9003	LANE 3 ORDER	0		NC

POWERTRAIN

ENGINE

L	550-7871	ENGINE, CAT C3.6	0	NC
		Meets U.S. EPA Tier 4 Final and EU Stage V emission standards.		
		ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		

HITCH

L	556-3447	HITCH, STANDARD	0	NC
		Standard hitch without offset.		
		ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		
L	556-3448	HITCH, OFFSET	0	\$3,915
		Switch control on propel lever gives + / - 170 mm (6.6") of drum offset.		
		ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		

HYDRAULICS

CONVENTIONAL VIBRATION

May select 1 Dual System OR 1 Front and 1 Rear System

L	556-4403	DUAL SYSTEM, 2A/2F	0	NC
		Frequency of 53.3 Hz (3200 vpm) and 63.3 Hz (3800 vpm) for countries outside the governance of CE certification; 50 Hz (3000 vpm) and 57 Hz (3420 vpm) for countries requiring CE certification.		
		Console switch control for amplitude/frequency setting.		
		ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		
L	556-4400	FRONT SYSTEM, 2A/2F	0	NC
		Frequency of 53.3 Hz (3200 vpm) and 63.3 Hz (3800 vpm) for countries outside the governance of CE certification; 50 Hz (3000 vpm) and 57 Hz (3420 vpm) for countries requiring CE certification.		
		Console switch control for amplitude/frequency setting.		
		ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		
L	556-4410	REAR SYSTEM, OSCILLATION STD	0	\$4,910
		Oscillatory vibration at a frequency of 33 Hz (1980 vpm) and 40 Hz (2400 vpm) on the rear drum.		
		ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		

CORE MACHINE HYDRAULICS

L	546-4792	HYDRAULICS, SOLID DRUM, STD	0	NC
		Hydraulic system for machines with solid drums and no chipperspreaders controls.		
		ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR and 556-4403 DUAL SYSTEM, 2A/2F or 556-4400 FRONT SYSTEM, 2A/2F		

CATERPILLAR MACHINE PRICE LIST

CB7

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

LIGHTING

L	556-6075	LIGHTS, WORKING 0 Includes 2 front and 2 rear facing bezel mounted, clear, LED flood lights located in the bumpers. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
L	583-4156	LIGHTS, WORKING W/SIGNALS 0 Includes 4 rear facing LED flood lights, front and rear LED turn signals, and front and rear LED indicator/parking lights. All lights are mounted to bezels located in the bumpers. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		\$1,085

AUXILIARY LIGHTING

P	556-6097	LIGHTS, LED, BASIC 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes 10 LED flood lamps: 2 front facing and 2 rear facing lamps mounted to the roof with 1000 lumens of output each; 2 LED light bars, 1 facing the front drum surface and 1 facing the rear drum surface with 1,800 lumens of output each; and 4 lights facing the lower drum edge, mounted to each of the machine's folded drum supports with 1000 lumens of output each. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR	0	\$1,540 \$1,540 NI
P	556-6100	LIGHTS, LED, PREMIUM 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes 10 LED flood lamps, 2 front facing and 2 rear facing lamps mounted to the roof with 2,000 lumens of output each; 2 LED light bars, 1 facing the front drum surface and 1 facing the rear drum surface with 1,800 lumens of output each; and 4 lights facing the lower drum edge, mounted to each of the machine's folded drum supports with 1000 lumens of output each. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR	0	\$3,110 \$3,110 NI
P	587-9551	COVER, NO LED LIGHTS 0 Includes 4 covers for shrouding the cavities in the canopy to where auxiliary lighting options would have been. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC

OPERATOR ENVIRONMENT

OPERATOR STATION

L	556-4308	PLATFORM, ROPS/FOPS 0 Includes grab handrails and foundation for the sliding and rotating operator station. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
---	----------	--	--	----

OPERATOR STATION MOVEMENT

L	583-4760	ROTATION, HALF 0 Includes operator station slide and 180 deg rotate mechanism. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

CB7

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

OPERATOR STATION MOVEMENT (Cont.)

L	583-4761	ROTATION, FULL 0 Includes operator station slide and 359 deg rotate mechanism, and position sensors. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		\$2,355
---	----------	---	--	---------

IGNITION SWITCH

L	560-1623	SWITCH, STD IGNITION 0 Key switch engine start and stop. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
---	----------	--	--	----

PROPEL LEVER

L	586-7552	CONTROL, STANDARD 0 Basic 4 button propel lever for propel control, vibratory on/off selection, water on/off spray, and offset hitch left/right adjustment. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
---	----------	--	--	----

STEERING WHEEL

L	561-2140	STEERING WHEEL, STD 0 Steering wheel, on the left-hand side of the operator station, is mounted in a fixed, horizontal location. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
L	556-4489	STEERING WHEEL, ELEVATED 0 Steering wheel, on the left-hand side of the operator station, can rotate upwards towards (or away from) the operator to offer a more traditional placement and feel of machine steering control. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR CANNOT BE USED WITH: 552-1727 MAPPING, GNSS		\$1,370

SEAT SELECTION

L	556-4371	SEAT, STANDARD VINYL 0 Vinyl suspension seat with fold-up arm rest, weight adj., and tilt back. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
L	583-7947	SEAT, HEATED VINYL 0 Heated vinyl suspension seat with fold-up arm rest, weight adj., and tilt back. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		\$364

SEAT BELT

L	593-9841	SEAT BELT, 3" 0 76 mm (3") wide, high visibility orange, polyester fiber webbed belt. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

CB7

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

FRONT STEPS

P	581-6845	STEPS, REFILL ASSIST, FRONT 0		NC
		Fold down steps mounted to the left-hand side of the machine. Step mounts to the front drum support and have a grab handle mounted to the frame side plate for assisting with water refilling. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the cost of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	585-7224	PRODUCT LINK, DUAL PLE783 0		\$500
		Product Link Elite series dual mode PLE783 (consisting of PL083 radio and PLE702 network manager) uses a combination of cellular and satellite networks to transmit, location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		
L	585-8769	PRODUCT LINK, CELLULAR PLE743 0		NC
		Product Link Elite series PLE743 (consisting of PL243 radio and PLE702 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services and other advanced feature. Cellular technology enables more frequent transmission and larger volumes of data. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		

RADAR INSTALLATION

L	570-4247	BUMPER COVER, STD 0		NC
		Bumper covers for machine without the optional radar system. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		

FLUIDS

HYDRAULIC OIL

L	556-7020	OIL, HYD, STANDARD 0		NC
		ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		
L	556-7021	OIL, HYD, BIODEGRADABLE 0		\$725
		FOR USE WITH LANE 3 ONLY Biodegradable oil recommended for hydraulic system when environmental compliance is required or desired. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		

CATERPILLAR MACHINE PRICE LIST

CB7

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

INSTRUCTIONS

DECAL PACKAGES

L	556-3657	INSTRUCTIONS, ANSI 0 ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada). ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR	NC
---	----------	---	----

CATERPILLAR MACHINE PRICE LIST

CB7

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

CAT COMPACTION CONTROL

This is a factory designed and integrated SBAS accuracy level pass count and temperature mapping system which requires no off-board infrastructure. For higher level accuracy consult your Dealer Technology Representative to order the necessary base station, data radio and options keys for RTK corrected position signal. Additionally, the machine connectivity identified below, requires cellular data plan sold separately. To view IC Mapping data in the office, a VisionLink subscription with the 3D Project Monitoring module (an add-on to VisionLink) is required.

L	552-1722	SENSORS, MAT TEMPERATURE	0	\$3,595
			0	\$3,595 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
Includes bumper mounted (front and rear) infrared temperature sensors. Temperature information is displayed on the machine display.

REQUIRES: 567-6815 MOUNT, OPTIONAL SENSOR(S)
ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR

L	510-4015	SENSOR, ACCELEROMETER.	0	\$6,220
			0	\$6,220 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER.
Hardware and an accelerometer mounted within the front drum. Output is a unit-less CMV stiffness indication displayed at the operator station.

ONLY FOR USE WITH: 539-2601 DRUM, SOLID or
539-2608 DRUM, SOLID W/OSCILLATION STD
556-4403 DUAL SYSTEM, 2A/2F or
556-4400 FRONT SYSTEM, 2A/2F

L	552-1727	MAPPING, GNSS	0	\$16,140
---	----------	--------------------------------	---	----------

Factory install of all components needed for mapping of temperature and machine pass count. Includes front and rear bumper mounted infrared temperature sensors, harnesses, system electronic controls including CB460 Display (17.8 cm/7.0 in) and MS952 antenna/receiver. Includes: Sensor, Mat Temperature
REQUIRES: 567-6815 MOUNT, OPTIONAL SENSOR(S)
ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR and 556-4309 PLATFORM, ROPS/FOPS
CANNOT BE USED WITH: 556-4489 STEERING WHEEL, ELEVATED

MACHINE VISION

L	551-6365	CAMERAS, FRONT & REAR.	0	\$1,315
---	----------	---	---	---------

Bumper mounted cameras (front and rear) increase operator confidence and safety when working around people and/or obstacles. Views are integrated into the main operating display.

REQUIRES: 567-6815 MOUNT, OPTIONAL SENSOR(S)
ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR

L	560-7075	CAMERAS, 360 VIEW, CANOPY	0	\$4,465
---	----------	--	---	---------

Four cameras mounted to the top of the ROPS canopy provide a top-down, 360 degree view of the machine surroundings. Independent, high-definition display with swivel mounting enables viewing from multiple operator seating positions.

ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR and 556-4308 PLATFORM, ROPS/FOPS

CATERPILLAR MACHINE PRICE LIST

CB7

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS

OPERATOR ENVIRONMENT

L	594-9448	HEADREST, SEAT, VINYL	0	\$171
			0	\$171 NI
		ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR and 556-4371 SEAT, STANDARD VINYL or 583-7947 SEAT, HEATED VINYL		
P	556-4354	MIRRORS, EXTERNAL	0	\$685
			0	\$685 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes 2 external adjustable mirrors on the front frame. Secondary set may be purchased and is to be mounted on the rear frame. Mounting provisions are provided standard on the front and rear frames. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		

WATER SYSTEM - UPGRADES

P	577-1902	MATS, COCOA	0	\$1,500
			0	\$1,500 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR CANNOT BE USED WITH: 577-2393 MATS, WATER DISTRIBUTION		
P	577-2393	MATS, WATER DISTRIBUTION	0	\$1,905
			0	\$1,905 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR CANNOT BE USED WITH: 577-1902 MATS, COCOA		
P	564-2040	FREEZE PROTECTION, ROPS/FOPS	0	\$685
		Includes a reservoir that holds windshield washer or RV antifreeze that protects water lines, pumps, filters, and nozzles from freezing. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR and 556-4309 PLATFORM, ROPS/FOPS		

MISC ATTACHMENTS

P	567-6815	MOUNT, OPTIONAL SENSOR(S)	0	\$228
			0	\$228 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Bracket for mounting optional radar, bumper camera, and/or asphalt mat temperature sensors. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR and 552-1722 SENSORS, MAT TEMPERATURE or 552-1727 MAPPING, GNSS and/or 551-6365 CAMERAS, FRONT & REAR		
P	594-4643	STEPS, REFILL ASSIST, REAR	0	\$457
			0	\$457 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Fold down steps mounted to the left-hand side of the machine. Step mounts to the rear drum support and includes a grab handle mounted to the frame side plate for assisting with water refilling. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		

CATERPILLAR MACHINE PRICE LIST

CB7

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FACTORY SOURCED KITS

P	577-7283	DRUM KIT, REAR, OSC, FLD 0 ONLY AVAILABLE ON A MISCELLANEOUS ORDER. 1500 mm (59") solid drums, front drum with conventional vibration and rear drum with oscillatory vibration. Both drums shells are comprised of standard material for field installation into CB7, CB44B, CD8, or CD44B. ONLY FOR USE WITH: 541-9919 CB7 02A VIBRATORY COMPACTOR		\$17,460 NI
---	----------	---	--	--------------------

DOCUMENTATION

CERTIFICATES

P	354-8706	YEAR OF MANUFACTURE PLATE 0 Plate attached to PIN plate showing year of Final Plant Shipping date. Required for all machines shipping to Brazil. CANNOT BE USED WITH: 434-1984 CE CERTIFICATION		NC
P	0P-4990	CERTIFICATE OF ORIGIN 0		\$196

PACKING

EXPORT PACKING

	0P-4507	ROLL ON-ROLL OFF 0		\$690 NET
--	---------	---------------------------------	--	------------------

MISCELLANEOUS PACKING

	0P-6706	BUNDLE EXPORT PACKING 0 This OP should be ordered for all miscellaneous orders.		NC
--	---------	---	--	-----------

PREPARATION ADDITIONAL

	0P-2046	PREPARATION FOR INSPECTION 0 Inspector is sent by dealer to review the machine. Plant must be contacted 2 weeks before the ARTS date.		\$469 NET
--	---------	--	--	------------------