

CATERPILLAR MACHINE PRICE LIST

# WT-HEX

---

HEX WORK TOOLS

Ship Weight  
lbs

List Price  
At Factory

---

Standard Equipment:

THE WT-HEX PRICE LIST CONTAINS WORK TOOLS FOR 320 THROUGH 395 HYDRAULIC EXCAVATOR.

BUCKETS INCLUDE ADJUSTER GROUP AND LIFTING EYE, UNLESS NOTED IN THE DESCRIPTION.

320, 321, 323 & 325F EXCAVATOR

Primary Linkage "B"

- Buckets
- Compaction Wheel
- Couplers
- Grapples
- Rakes
- Thumbs

324, 326, 328, 329, 330 & 335 EXCAVATOR

Primary Linkage "CB"

- Buckets
- Compaction Wheel
- Couplers
- Grapples
- Rakes
- Thumbs

336 EXCAVATOR

Primary Linkage DB

- Buckets
- Compaction Wheel
- Couplers
- Grapples
- Rakes
- Thumbs

349 EXCAVATOR

Primary Linkage "TB"

- Buckets
- Compaction Wheel
- Couplers
- Grapples
- Rakes
- Thumbs

374 EXCAVATOR

Primary Linkage "VB2"

- Buckets
- Couplers
- Grapples
- Rakes

395 EXCAVATOR

Primary Linkage "HB2"

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

---

HEX WORK TOOLS	Ship Weight lbs	List Price At Factory
----------------	--------------------	--------------------------

---

- Buckets
- Couplers
- Rippers

538 FORESTRY EXCAVATOR

Primary Linkage "B"

- Buckets
- Thumbs
- Rakes
- Rippers
- Couplers : For use with the attachments listed above

548 558 FORESTRY EXCAVATOR

Primary Linkage "CB"

- Buckets
- Thumbs
- Rakes
- Rippers
- Couplers : For use with the attachments listed above

568 FORESTRY EXCAVATOR

Primary Linkage "DB"

- Buckets
- Thumbs
- Rakes
- Rippers

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

HEX WORK TOOLS	Ship Weight lbs	List Price At Factory
----------------	--------------------	--------------------------

<b>OP-0671</b>	<b>HYDRAULIC EXCAVATOR WORK TOOLS . . . . . 0</b> PLEASE USE THE OP REFERENCE NUMBER LISTED ABOVE WHEN ORDERING.	<b>NC</b>
----------------	---	-----------

**FOR QUESTIONS, SUPPORT AND QUOTATIONS  
PLEASE CONTACT THE SALES SUPPORT TEAM  
VIA EMAIL AT WORKTOOLS@CAT.COM**

**OP-0210**  
**Please use this packing code to orders from this Price List.**

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX**

**BUCKETS, GENERAL DUTY (GD) PIN ON**

THE FOLLOWING SECTION CONTAINS BUCKETS FOR THE PRIMARY "B" FAMILY LINKAGE

W	552-8206	<b>BKT GD 24" 0.72YD3 B</b> ..... 1,321 REQUIRES: 3 Advansys 80 size tips Does NOT include Adjuster Group		\$7,583 NI
W	552-8207	<b>BKT GD 30" 0.98YD3 B</b> ..... 1,519 REQUIRES: 4 Advansys 80 size tips Does NOT include Adjuster Group		\$8,208 NI
W	552-8208	<b>BKT GD 36" 1.24YD3 B</b> ..... 1,671 REQUIRES: 5 Advansys 80 size tips Does NOT include Adjuster Group		\$8,736 NI
W	552-8209	<b>BKT GD 42" 1.52YD3 B</b> ..... 1,792 Lane 1 Work Tool NOT FOR USE WITH: 320GC with Std Undercarriage Does NOT include Adjuster Group REQUIRES: 5 tips Advansys 80 size		\$9,444 NI
W	552-8210	<b>BKT GD 48" 1.80YD3 B</b> ..... 1,947 Lane 1 Work Tool REQUIRES: 6 Advansys 80 size tips Does NOT include Adjuster Group NOT FOR USE WITH: 320GC with Standard Undercarriage		\$10,014 NI
W	552-8211	<b>BKT GD 54" 2.08YD3 B</b> ..... 2,103 Lane 1 Work Tool REQUIRES: 7 Advansys 80 size tips Does NOT include Adjuster Group NOT FOR USE WITH: 320GC with Standard Undercarriage		\$10,681 NI

**BUCKETS, GENERAL DUTY WIDE TIP (GDC) PIN ON**

W	552-8218	<b>BKTA GDWT 24" 0.72YD3 B</b> ..... 1,365 INCLUDES: 3 Advansys 80 size tips (505-4080) Does NOT include Adjuster Group		\$8,125 NI
W	552-8219	<b>BKTA GDWT 30" 0.98YD3 B</b> ..... 1,583 INCLUDES: 4 Advansys 80 size tips (505-4080) Does NOT include Adjuster Group		\$8,792 NI
W	552-8220	<b>BKTA GDWT 36" 1.24YD3 B</b> ..... 1,750 INCLUDES: 5 Advansys 80 size tips (505-4080) Does NOT include Adjuster Group		\$9,458 NI
W	552-8221	<b>BKTA GDWT 42" 1.52YD3 B</b> ..... 1,909 INCLUDES: 6 Advansys 80 size tips (505-4080) Does NOT include Adjuster Group NOT FOR USE WITH: 320GC with Standard Undercarriage		\$10,139 NI
W	552-8222	<b>BKTA GDWT 48" 1.80YD3 B</b> ..... 2,079 Lane 1 Work Tool INCLUDES: 7 Advansys 80 size tips (505-4080) Does NOT include Adjuster Group		\$10,792 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)**

***BUCKETS, GENERAL DUTY WIDE TIP (GDC) PIN ON (Cont.)***

W	552-8223	<b>BKTA GDWT 54" 2.08YD3 B</b> ..... 2,253 INCLUDES: 8 Advansys 80 size tips (505-4080) Does NOT include Adjuster Group NOT FOR USE WITH: 320GC with Standard Undercarriage		<b>\$11,458 NI</b>
---	----------	--	--	--------------------

***BUCKETS, GENERAL DUTY (GD) LONG REACH "A" FAMILY***

W	571-2943	<b>BKT GD 36" 0.69YD3 312</b> .....871 REQUIRES: 6 Advansys 70 size tips Does NOT include Adjuster Group		<b>\$5,042 NI</b>
---	----------	--	--	-------------------

***BUCKETS, HEAVY DUTY (HD) PIN ON***

W	552-8236	<b>BKT HD 24" 0.60YD3 B</b> ..... 1,367 Lane 1 Work Tool REQUIRES: 3 Advansys 90 size tips Does NOT include Lifting Eye and Adjuster Group		<b>\$8,028 NI</b>
W	552-8237	<b>BKT HD 30" 0.84YD3 B</b> ..... 1,578 Lane 1 Work Tool REQUIRES: 4 Advansys 90 size tips Does NOT include Adjuster Group		<b>\$8,667 NI</b>
W	552-8238	<b>BKT HD 36" 1.06YD3 B</b> ..... 1,742 Lane 1 Work Tool REQUIRES: 5 Advansys 90 size tips Does NOT include Adjuster Group		<b>\$9,153 NI</b>
W	552-8239	<b>BKT HD 42" 1.31YD3 B</b> .....1,867 Lane 1 Work Tool REQUIRES: 5 Advansys 90 size tips		<b>\$9,833 NI</b>
W	552-8240	<b>BKT HD 48" 1.56YD3 B</b> ..... 2,030 Lane 1 Work Tool REQUIRES: 6 Advansys 90 size tips Does NOT include Adjuster Group NOT FOR USE WITH: 320GC with Standard Undercarriage		<b>\$10,528 NI</b>
W	552-8241	<b>BKT HD 54" 1.81YD3 B</b> ..... 2,198 Lane 1 Work Tool REQUIRES: 7 Advansys 90 size tips Does NOT include Adjuster Group NOT FOR USE WITH: 320GC with Standard Undercarriage		<b>\$11,097 NI</b>

***BUCKETS, HEAVY DUTY SPADE (HDS) PIN ON***

W	550-9547	<b>BKT HD 54" 1.83YD3 B</b> ..... 2,161 REQUIRES: 5 Advansys 80 size tips Does NOT include Lifting Eye NOT FOR USE WITH: 320GC with Standard Undercarriage		<b>\$11,125 NI</b>
---	----------	---	--	--------------------

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)**

***BUCKETS, HEAVY DUTY POWER (HDP) PIN ON***

W	552-8259	<b>BKT HDP 42" 1.26YD3 B</b> ..... 1,881 REQUIRES: 5 Advansys 90 size tips Does NOT include Adjuster Group		<b>\$10,306 NI</b>
W	552-8260	<b>BKT HDP 48" 1.49YD3 B</b> ..... 2,048 REQUIRES: 6 Advansys 90 size tips Does NOT include Adjuster Group NOT FOR USE WITH: 320GC with Standard Undercarriage		<b>\$10,944 NI</b>

***BUCKETS, HEAVY DUTY PIN GRABBER PERFORMANCE (HD-PGP)***

FOR USE WITH: "B" linkage Cat Pin Grabber

W	550-9563	<b>BKT HD 24" 0.57YD3 PG</b> ..... 1,444 INCLUDES: Stick and Link Pin Assembly (371-9128) REQUIRES: 3 Advansys 90 size tips Does NOT include Lifting Eye and Adjuster Group		<b>\$8,861 NI</b>
W	550-9564	<b>BKT HD 30" 0.79YD3 PG</b> ..... 1,656 INCLUDES: Stick and Link Pin Assembly (371-9128) REQUIRES: 4 Advansys 90 size tips Does NOT include Lifting Eye and Adjuster Group		<b>\$9,528 NI</b>
W	550-9565	<b>BKT HD 36" 1.00YD3 PG</b> ..... 1,832 INCLUDES: Stick and Link Pin Assembly (371-9128) REQUIRES: 5 Advansys 90 size tips Does NOT include Lifting Eye and Adjuster Group		<b>\$10,181 NI</b>
W	550-9566	<b>BKT HD 42" 1.22YD3 PG</b> ..... 1,973 INCLUDES: Stick and Link Pin Assembly (371-9128) REQUIRES: 5 Advansys 90 size tips Does NOT include Lifting Eye and Adjuster Group		<b>\$10,917 NI</b>
W	550-9567	<b>BKT HD 48" 1.45YD3 PG</b> ..... 2,154 INCLUDES: Stick and Link Pin Assembly (371-9128) REQUIRES: 6 Advansys 90 size tips Does NOT include Lifting Eye and Adjuster Group NOT FOR USE WITH: 320GC with Standard Undercarriage		<b>\$11,583 NI</b>
W	550-9568	<b>BKT HD 54" 1.67YD3 PG</b> ..... 2,335 INCLUDES: Stick and Link Pin Assembly (371-9128) REQUIRES: 7 Advansys 90 size tips Does NOT include Lifting Eye and Adjuster Group NOT FOR USE WITH: 320GC with Standard Undercarriage		<b>\$12,222 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)**

**BUCKETS, HEAVY DUTY (HD) PIN LOCK COUPLER**

FOR USE WITH: Pin Lock Coupler 514-9167  
 COMPATIBLE WITH: WainRoy XLS System Couplers  
 ACCEPTS: Sidecutters 380-1204, Sold Separately

W	557-3459	<b>BKTA HD 24" 0.50YD3 PL</b> ..... 1,076 INCLUDES: Fit Adjustment Shim Pack & Hardware INCLUDES: 3 Advansys 80 size tips (505-4086) Does NOT include Lifting Eye and Adjuster Group		<b>\$6,181 NI</b>
W	550-9703	<b>BKTA HD 36" 0.80YD3 PL</b> ..... 1,389 INCLUDES: Fit Adjustment Shim Pack & Hardware INCLUDES: 4 Advansys 80 size tips (505-4086) Does NOT include Lifting Eye and Adjuster Group		<b>\$7,806 NI</b>
W	557-3460	<b>BKTA HD 48" 1.20YD3 PL</b> ..... 1,675 INCLUDES: Fit Adjustment Shim Pack & Hardware INCLUDES: 5 Advansys 80 size tips (505-4086) Does NOT include Lifting Eye and Adjuster Group		<b>\$8,764 NI</b>

**BUCKETS, SEVERE DUTY (SD) PIN ON**

NOT FOR USE WITH: 320GC with Std Undercarriage

W	552-8248	<b>BKT SD 24" 0.60YD3 B</b> ..... 1,446 Lane 1 Work Tool REQUIRES: 3 Advansys 90 size tips		<b>\$9,208 NI</b>
W	552-8249	<b>BKT SD 30" 0.84YD3 B</b> ..... 1,673 REQUIRES: 4 Advansys 90 size tips Does NOT include Adjuster Group		<b>\$9,708 NI</b>
W	552-8250	<b>BKT SD 36" 1.06YD3 B</b> ..... 1,852 Lane 1 Work Tool REQUIRES: 5 Advansys 90 size tips		<b>\$10,250 NI</b>
W	552-8251	<b>BKT SD 42" 1.31YD3 B</b> ..... 1,991 Lane 1 Work Tool REQUIRES: 5 Advansys 90 size tips		<b>\$10,875 NI</b>
W	552-8252	<b>BKT SD 48" 1.56YD3 B</b> ..... 2,169 Lane 1 Work Tool REQUIRES: 6 Advansys 90 size tips Does NOT include Adjuster Group		<b>\$12,764 NI</b>

**BUCKETS, SEVERE DUTY POWER (SDP) PIN ON**

NOT FOR USE WITH: 320GC with Std Undercarriage

W	552-8264	<b>BKT SDP 36" 1.03YD3 B</b> ..... 1,781 REQUIRES: 5 Advansys 90 size tips Does NOT include Adjuster Group		<b>\$10,097 NI</b>
---	----------	--	--	--------------------

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)**

***BUCKETS, CLEAN-UP (CU) PIN ON***

W	439-7308	BUCKET-CU, 72" 2.09 YD3 (B) ..... 2,158 Lane 1 Work Tool INCLUDES: BOCE 436-5520 Does NOT include Lifting Eye Does NOT accept sidecutters or sidebar protectors		\$11,319 NI
---	----------	---	--	-------------

***BUCKETS, DITCH CLEANING (DC) PIN ON***

W	441-6074	BUCKET-DC, 60" 1.32 YD3 (B) ..... 1,436 Lane 1 Work Tool INCLUDES: Drain holes INCLUDES: BOCE 442-5329 Does NOT include Lifting Eye and Adjuster Group Does NOT accept sidecutters or sidebar protectors		\$7,042 NI
---	----------	---	--	------------

W	441-6075	BUCKET-DC, 72" 1.62 YD3 (B) ..... 1,630 Lane 1 Work Tool INCLUDES: Drain holes INCLUDES: BOCE 442-5330 Does NOT include Lifting Eye and Adjuster Group Does NOT accept sidecutters or sidebar protectors		\$7,986 NI
---	----------	---	--	------------

***BUCKETS, DITCH CLEANING (DC) LONG REACH "A" FAMILY***

W	441-6077	BKTA DC 48" 0.74YD3 A ..... 852 Lane 1 Work Tool INCLUDES: Drain holes INCLUDES: BOCE 443-4366 Does NOT Include Lifting Eye and Adjuster Group Does NOT accept sidecutters or sidebar protectors		\$5,125 NI
---	----------	---	--	------------

***BUCKETS, DITCH CLEANING TILT (DCT) PIN ON***

Does NOT accept sidecutters or sidebar protectors

W	511-5334	BUCKET-DCT, 60" 1.18YD3 ..... 2,090 Lane 1 Work Tool INCLUDES: BOCE 442-5329 INCLUDES: Back Grading Edge Does NOT Include Lifting Eye and Adjuster Group REQUIRES: DCT Connector Lines		\$14,889 NI
---	----------	---	--	-------------

W	511-5335	BUCKET-DCT, 72" 1.45YD3 ..... 2,343 Lane 1 Work Tool INCLUDES: BOCE 442-5330 INCLUDES: Back Grading Edge Does NOT Include Lifting Eye and Adjuster Grou REQUIRES: DCT Connector Lines		\$15,208 NI
---	----------	--	--	-------------



CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)**

***BUCKETS, DITCH CLEANING TILT (DCT) PIN ON (Cont.)***

W	511-5337	<b>BUCKET-DCT, 72" 1.83YD3</b> . . . . . 2,436 Lane 1 Work Tool INCLUDES: BOCE 442-5330 INCLUDES: Back Grading Edge Does NOT Include Lifting Eye and Adjuster Group REQUIRES: DCT Connector Lines		<b>\$16,417 NI</b>
W	516-6671	<b>BUCKET-DCT, 79" 1.61YD3</b> . . . . . 2,496 Lane 1 Work Tool INCLUDES: BOCE 442-5331 INCLUDES: Back Grading Edge Does NOT Include Lifting Eye and Adjuster Group REQUIRES: DCT Connector Lines		<b>\$15,514 NI</b>

***LINES, CONNECTOR, DITCH CLEANING TILT (DCT)***

NOTE: For lines groups for non current Ditch Cleaning buckets please contact GWTS

W	513-7228	<b>LINES, CONNECTOR, DCT BUCKET</b> . . . . . 21 Lane 1 Work Tool FOR USE WITH: B-Linkage HEX w/ PG FOR USE WITH: B-Linkage w/ PG FOR USE WITH: High pressure machine circuit NOT FOR USE WITH: Direct pin-on application NOT FOR USE WITH: Medium pressure machine circuit OPTIONAL: Flow control valve (FCV) compatible for machine w/o tool control!		<b>\$392 NI</b>
W	513-7232	<b>LINES, CONNECTOR, DCT BUCKET</b> . . . . . 17 FOR USE WITH: B-Linkage HEX w / pin-on FOR USE WITH: High pressure machine circuit NOT FOR USE WITH: B-Linkage machines w/ PG NOT FOR USE WITH: Medium pressure machine circuit OPTIONAL: Flow control valve (FCV) compatible for machine w/o		<b>\$392 NI</b>
W	513-7229	<b>LINES, CONNECTOR, DCT BUCKET</b> . . . . . 16 Lane 1 Work Tool FOR USE WITH: B-Linkage HEX w/ PG FOR USE WITH: Medium pressure machine circuit NOT FOR USE WITH: Direct pin-on application NOT FOR USE WITH: High pressure machine circuit OPTIONAL: Quick disconnect (QD)		<b>\$392 NI</b>
W	513-7231	<b>LINES, CONNECTOR, DCT BUCKET</b> . . . . . 13 Lane 1 Work Tool FOR USE WITH: B-Linkage HEX w/ pin-on FOR USE WITH: Medium pressure machine circuit NOT FOR USE WITH: B-Linkage HEX machines w/ PG NOT FOR USE WITH: High pressure machine circuit OPTIONAL: Quick disconnect (QD)		<b>\$392 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)**

***LINES, CONNECTOR, DITCH CLEANING TILT (DCT) (Cont.)***

**FITTING, DITCH CLEANING TILT (DCT)**

W	499-3172	FITTING GP, QD, DCT BUCKET . . . . . 3 Lane 1 Work Tool FOR USE WITH: B-Linkage HEX machines FOR USE WITH: Medium pressure machine circuit NOT FOR USE WITH: High pressure machine circuit		\$392 NI
---	----------	--	--	----------

**VALVE, DITCH CLEANING TILT (DCT)**

W	492-1555	VALVE, FLOW CONTROL, DCT BUCKET . . . . . 4 Lane 1 Work Tool FOR USE WITH: B-Linkage HEX w/o tool control FOR USE WITH: High pressure machine circuit NOT FOR USE WITH: Medium pressure machine circuit		\$392 NI
---	----------	---	--	----------

***BUCKETS, DITCH CLEANING (DC) LONG REACH "A" FAMILY***

W	441-6077	BKTA DC 48" 0.74YD3 A . . . . . 852 Lane 1 Work Tool INCLUDES: Drain holes INCLUDES: BOCE 443-4366 Does NOT Include Lifting Eye and Adjuster Group Does NOT accept sidecutters or sidebar protectors		\$5,125 NI
---	----------	---	--	------------

***BUCKETS, DITCH CLEANING DEDICATED COUPLER (DCQ)***

W	441-6076	BUCKET-DCQ, 60" 1.32 YD3 (B) . . . . . 1,511 INCLUDES: Drain holes INCLUDES: BOCE 442-5330 Does NOT include Lifting Eye Does NOT accept sidecutters or sidebar protectors		\$7,042 NI
---	----------	---	--	------------

***BUCKETS, GRADING FOR USE WITH S COUPLERS AND TILT-ROTATORS***

**FOR S70 COUPLER INTERFACE:**

W	512-8404	BUCKET-GR, 71" 1.44YD3 (QC) . . . . . 1,819		\$12,653 NI
W	512-8405	BUCKET-GR, 79" 1.50YD3 (QC) . . . . . 1,976		\$13,764 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)**

***BUCKETS, TRENCHING FOR USE WITH S COUPLERS AND TILT-ROTATORS***

**FOR S70 COUPLER INTERFACE:**

W	512-8406	BUCKET-TR, 24" 0.72YD3 (QCS) . . . . .	1,181	\$8,236 NI
---	----------	--	-------	------------

***BUCKETS, DIGGING FOR USE WITH S COUPLERS AND TILT-ROTATORS***

**FOR S70 COUPLER INTERFACE:**

W	596-1840	BUCKET-HD, 53" 1.50YD3 (S70) . . . . .	2,663	\$16,194 NI
W	596-1841	BUCKET-HD, 55" 1.65YD3 (S70) . . . . .	2,778	\$16,861 NI
W	596-1842	BUCKET-HD, 57" 1.76YD3 (S70) . . . . .	2,935	\$17,778 NI

***TIPS, G.E.T. ADVANSYS 70***

W	539-5673	TIP, PENETRATION PLUS ADVANSYS . . . . .	10	\$65
W	539-5678	TIP, GENERAL DUTY ADVANSYS . . . . .	10	\$64

***TIPS, G.E.T. ADVANSYS 80***

W	505-4083	TIP, PENETRATION PLUS ADVANSYS . . . . .	17	\$99
W	505-4086	TIP, GENERAL DUTY ADVANSYS . . . . .	16	\$99

***TIPS, G.E.T. ADVANSYS 90***

W	505-4097	TIP, PENETRATION PLUS ADVANSYS . . . . .	23	\$121
W	505-4096	TIP, GENERAL DUTY ADVANSYS . . . . .	20	\$119

***SIDECUTTERS***

NOT FOR USE WITH SIDEBAR PROTECTORS

W	7Y-0366	SIDECUTTERS, GENERAL PURPOSE. . . . . INCLUDES: LH and RH general purpose sidecutters. FOR USE WITH: GD buckets	35	\$1,069
W	357-2698	SIDECUTTERS, HEAVY DUTY . . . . . FOR USE WITH: All HD, SD and HDP buckets	108	\$1,306
W	380-1204	SIDECUTTERS, GENERAL PURPOSE. . . . . INCLUDES: LH and RH general purpose sidecutters FOR USE WITH: All HD Pin Lock Buckets	56	\$736

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)**

**PROTECTORS**

NOT FOR USE WITH: Sidecutters

W	357-2691	<b>PROTECTORS, SIDEBAR, SET OF 4</b> . . . . . 159 INCLUDES: Upper and Lower LH and RH protectors FOR USE WITH: All HD, SD and HDP buckets		<b>\$1,431</b>
---	----------	--	--	----------------

**PIN GROUPS "B" FAMILY LINKAGE**

W	172-8444	<b>PIN GROUP, SPARE</b> . . . . . 94 Lane 1 Work Tool INCLUDES: Two pins and hardware for each additional work tool used with the hydraulic pin grabber coupler.		<b>\$1,257 NI</b>
---	----------	--	--	-------------------

**COMPACTION WHEEL**

W	592-6572	<b>WHEEL, COMPACTOR 24" B</b> . . . . . 2,231 INCLUDES: B Linkage Mounting Bracket (592-4554) with Pins. INCLUDES: Back Grading Leveling Edge		<b>\$13,514 NI</b>
W	592-6574	<b>WHEEL, COMPACTOR 36" B</b> . . . . . 2,807 INCLUDES: B Linkage Mounting Bracket (592-4554) with Pins. INCLUDES: Back Grading Leveling Edge		<b>\$15,181 NI</b>
W	592-4554	<b>BRACKET, MOUNTING B</b> . . . . . 470 FOR USE WITH: 592-6572 and 592-6574 Compaction Wheels INCLUDES: Pins NOT REQUIRED: Compaction Wheels include a bracket. Only needed if extra or replacement bracket is required.		<b>\$4,431 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)**

**COUPLERS, CAT PIN GRABBER (PG)**

The use of a quick coupler on an excavator with certain combinations of linkages (boom & stick) and work tool attachments has the potential for interference with the cab and or the front of the machine during operation. Always check for interference when first operating the machine with a quick coupler and a new work tool.

For more information on Cat Pin Grabber Couplers and hydraulics refer to media number GEJQ1298 or contact the sales support team in Americas North via email at worktools@cat.com

NOT FOR USE WITH: Mechanical Pulverizers or Mechanical Shear

W	388-0067	COUPLER, PG W/O PINS B . . . . .	837	\$9,306 NI
		Lane 1 Work Tool		
		DOES NOT INCLUDE: Pin Group		
		FOR USE WITH: -B- Family Linkage Worktools		
		NOT FOR USE WITH: Center-Lock Coupler Hydraulic Circuit		
		REQUIRES: New Pin Grabber Hydraulic Kit & Connector Lines		
		REQUIRES: Conversion kit if being used with previously installed Center-Lock Coupler Kit		

**PIN GRABBER COUPLER CLAMPING SPACER "B" FAMILY**

W	343-4532	CLAMPING SPACER. . . . .	7	\$240 NI
		INCLUDES: Two solid steel spacers and two locking rings.		
		Used to adapt tools with wider face spreads to ensure coupler stays centered on select tools.		
		See product bulletin for complete information.		

**PIN GRABBER COUPLER SPARE PINS FOR "B" FAMILY LINKAGE**

W	172-8444	PIN GROUP, SPARE . . . . .	94	\$1,257 NI
		Lane 1 Work Tool		
		INCLUDES: Two pins and hardware for each additional work tool used with the hydraulic pin grabber coupler.		

**PIN GRABBER COUPLER HYDRAULIC KITS**

For Hydraulics kits pricing please refer to WT-HYD for D,E,F series machines and WT-HYDNGH for Next Gen Hex Models. For Configuration information please refer to Hydraulic Kit Reference Guide GEJQ9215

**LINES, CONNECTOR PIN GRABBER**

W	449-1136	LINES, CONNECTOR, PIN GRABBER . . . . .	7	\$321 NI
		Lane 1 Work Tool		
		FOR USE WITH: B-Linkage Cat Pin Grabber Coupler 388-0067		

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)**

**COUPLER, DEDICATED "B" FAMILY LINKAGE**

W	398-0796	COUPLER, DEDICATED HYD B . . . . .	728	\$9,556 NI
		REQUIRES: 348-8771 Hydraulic Kit		
W	397-2438	COUPLER, DEDICATED MANUAL B . . . . .	715	\$7,708 NI

**COUPLERS, S**

W	566-2349	COUPLER, S HYDRAULIC S70 B . . . . .	0	\$9,111 NI
		INCLUDES: Lifting Hook		
		INCLUDES: Securelock		
		REQUIRES: Securelock Control		
		REQUIRES: Connecting Lines (574-9323)		
W	574-9323	LINES, CONNECTING . . . . .	7	\$297 NI
		For Use With: 566-2349 Coupler		
W	588-8983	CABLE GRP-ELECTRIC S-LOCK . . . . .	0	\$174 NI
		REQUIRED: As of APU2022 NGH Excavators for Securelock Control		

**COUPLER, HCS**

W	582-8929	COUPLER, HCS HYD HCS70 B . . . . .	650	\$23,986 NI
		INCLUDES: HYDRAULIC CONNECTION ( 2 x 1/2", 2 x 1")		
		INCLUDES: Lifting Hook		
		INCLUDES: Securelock		
		REQUIRES: Securelock Control		
		REQUIRES: Control and lines hydraulic for quick coupler		
		FOR USE WITH : 320 323 325 320GC, 323GC, 325GC		
W	582-9886	COUPLER, HCS HYD HCS70/55 B . . . . .	728	\$25,194 NI
		INCLUDES: HYDRAULIC CONNECTION ( 2 x 1/2", 2 x 1")		
		INCLUDES: Lifting Hook		
		INCLUDES: Securelock		
		REQUIRES: Securelock Control		
		REQUIRES: Control and lines hydraulic for quick coupler		
		FOR USE WITH : 320 323 325 320GC, 323GC, 325GC		
W	584-5489	LINES, CONNECTING . . . . .	57	\$1,938 NI
		INCLUDES: High Pressure, Medium Pressure and Q (Internal) Hoses		
		FOR USE WITH: 582-8929, 582-9886 HCS Couplers.		
		FOR USE WITH: 320, 323, 325, 320GC, 323GC, 325GC		
W	606-7018	LINES, CONNECTING PREMIUM . . . . .	55	\$3,875 NI
		INCLUDES: High Pressure, Medium Pressure (Internal), Q (Internal) and Drain Line Hoses		
		REQUIRES: Valve-QDC Drain installed in Coupler		
		REQUIRES: Case-Drain installed on machine		
		FOR USE WITH: 582-8929, 582-9886 HCS coupler		
		FOR USE WITH: 320, 323, 325, 320GC, 323GC, 325GC		
W	580-0421	VALVE, DRAIN QDC FEMALE . . . . .	2	\$465 NI
		Quick disconnect valve for drain line 3/4" Female		
		FOR USE WITH: HCS70 HCS70/55		
		2 Valve, drain QDC can be used on HCS70/55		

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)**

**COUPLER, HCS (Cont.)**

W	617-2076	<b>GREASE KIT</b> ..... 2 Female and Male Grease Valves & Mounting Grease Kit 1/2" FOR USE WITH: HCS70, HCS70/55 Coupler FOR USE WITH: Mounting Brackets HCS70, HCS70/55		\$1,035 NI
W	617-2079	<b>GREASE KIT</b> ..... 4 Female and Male Grease Valves & Mounting Grease Kit 3/4" FOR USE WITH: HCS70, HCS70/55 Coupler FOR USE WITH: Mounting Brackets HCS70, HCS70/55		\$1,035 NI
W	588-8983	<b>CABLE GRP-ELECTRIC S-LOCK</b> ..... 0 REQUIRED: As of APU2022 NGH Excavators for Securelock Control		\$174 NI

**TILT-ROTATOR 320, 323, 325**

**THE CAT TILT-ROTATORS LISTED IN THIS SECTION ARE COMPATIBLE WITH NGH-SERIES**

**- WHEN USING A PIN-ON CAT TILT-ROTATOR MODEL, CROSS BOLT PINS (PIN, BUCKET, ADJ) ARE REQUIRED INSTEAD OF THE TEARDROP PINS**

**Adapter harness is needed to connect TRS coupler and machine. See at the bottom of this section.**

W	516-6779	<b>TILT ROTATOR TRS18 S70-Q</b> ..... 1,468 CONFIGURATION: - MACHINE SIDE (TOP): S70 Linkage - REQUIRES: S70 Coupler - ATTACHMENT SIDE (BOTTOM): S70 Coupler - INTEGRATED CONTROL SYSTEM W/ SECURELOCK AND AUTO-CALIBRATION - DOUBLE ACTING TILT CYLINDERS W/ LOAD HOLDING VALVES - CENTRAL LUBRICATION - ELECTRIC SWIVEL AND 2 EXTRA FUNCTION FOR USE WITH: 320, 323, 325 NOT FOR USE WITH: GC series REQUIRES: 601-1601 CABLE GROUP, ELECTRIC TRS, connecting lines and fittings. OPTION: POSITIONING SYSTEM AND GRAPPLE MODULE		\$43,472 NI
W	516-6780	<b>TILT ROTATOR TRS18 S70-P</b> ..... 1,504 CONFIGURATION: - MACHINE SIDE (TOP): PIN ON - ATTACHMENT SIDE (BOTTOM): S70 Coupler - INTEGRATED CONTROL SYSTEM W/ SECURELOCK AND AUTO-CALIBRATION - DOUBLE ACTING TILT CYLINDERS W/ LOAD HOLDING VALVES - CENTRAL LUBRICATION - ELECTRIC SWIVEL AND 2 EXTRA FUNCTION FOR USE WITH: 320, 323, 325 NOT FOR USE WITH: GC series REQUIRES: 601-1601 CABLE GROUP, ELECTRIC TRS, connecting lines and fittings. OPTION: POSITIONING SYSTEM AND GRAPPLE MODULE		\$44,250 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
<b>320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)</b>				
<b><i>TILT-ROTATOR 320, 323, 325 (Cont.)</i></b>				
W	605-4771	TILT ROTATOR TRS18 HCS70-HC . . . . .	1,731	\$58,778 NI
		CONFIGURATION: - MACHINE SIDE (TOP): HCS70 Linkage - REQUIRES: HCS70 Coupler - ATTACHMENT SIDE (BOTTOM): HCS70 Coupler INCLUDES : HYDRAULIC CONNECTION ( 2 x 1", 1 x 3/4") INCLUDES: Secure Lock INCLUDES: Double Acting Load holding valve INCLUDES: 1E & 2E (Hydraulic function) INCLUDES: ICS Innovative Control System INCLUDES: ILS Innovative lubrication System INCLUDES: Drain function REQUIRES: TRS Control, Retro Fit or Integrated. REQUIRES: V90 10Pin electric connector For both Machine Coupler and Tilt Rotator FOR USE WITH : 320 323 325		
W	605-4772	TILT ROTATOR TRS18 S70-HC . . . . .	1,706	\$50,139 NI
		CONFIGURATION: - MACHINE SIDE (TOP): HCS70 Linkage - REQUIRES: HCS70 Coupler - ATTACHMENT SIDE (BOTTOM): S70 Coupler INCLUDES : HYDRAULIC CONNECTION ( 2 x 1", 1 x 3/4") INCLUDES: Secure Lock INCLUDES: Double Acting Load holding valve INCLUDES: 1E & 2E (Hydraulic function) INCLUDES: ICS Innovative Control System INCLUDES: ILS Innovative lubrication System INCLUDES: Drain function REQUIRES: TRS Control, Retro Fit or Integrated. REQUIRES: V90 10Pin electric connector For both Machine Coupler and Tilt Rotator FOR USE WITH : 320 323 325		
W	605-4773	TILT ROTATOR TRS18 HCS70-P . . . . .	1,636	\$56,778 NI
		CONFIGURATION: - MACHINE SIDE (TOP): PIN ON - ATTACHMENT SIDE (BOTTOM): HCS70 Coupler INCLUDES : HYDRAULIC CONNECTION ( 2 x 1", 1 x 3/4") INCLUDES: Lifting Hook INCLUDES: Secure Lock INCLUDES: Double Acting Load holding valve INCLUDES: 1E & 2E (Hydraulic function) INCLUDES: ICS Innovative Control System INCLUDES: ILS Innovative lubrication System INCLUDES: Drain function REQUIRES: TRS Control, Retro Fit or Integrated. REQUIRES: Lines hydraulic for TRS FOR USE WITH : 320 323 325		



CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
<b>320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)</b>				
<b>TILT-ROTATOR 320, 323, 325 (Cont.)</b>				
W	605-4775	TILT ROTATOR TRS18 HCS70/55-HC . . . . .	1,885	\$62,389 NI
		CONFIGURATION: - MACHINE SIDE (TOP): HCS70/55 Linkage - REQUIRES: HCS70/55 Coupler - ATTACHMENT SIDE (BOTTOM): HCS70/55 Coupler INCLUDES : HYDRAULIC CONNECTION ( 2 x 1", 1 x 3/4") INCLUDES: Secure Lock INCLUDES: Double Acting Load holding valve INCLUDES: 1E & 2E (Hydraulic function) INCLUDES: ICS Innovative Control System INCLUDES: ILS Innovative lubrication System INCLUDES: Drain function REQUIRES: TRS Control, Retro Fit or Integrated. REQUIRES: V90 10Pin electric connector For both Machine Coupler and Tilt Rotator FOR USE WITH : 320 323 325		
W	605-4776	TILT ROTATOR TRS18 S70/55-HC . . . . .	1,858	\$54,819 NI
		CONFIGURATION: - MACHINE SIDE (TOP): HCS70/55 Linkage - REQUIRES: HCS70/55 Coupler - ATTACHMENT SIDE (BOTTOM): S70/55 Coupler INCLUDES : HYDRAULIC CONNECTION ( 2 x 1", 1 x 3/4") INCLUDES: Secure Lock INCLUDES: Double Acting Load holding valve INCLUDES: 1E & 2E (Hydraulic function) INCLUDES: ICS Innovative Control System INCLUDES: ILS Innovative lubrication System INCLUDES: Drain function REQUIRES: TRS Control, Retro Fit or Integrated. REQUIRES: V90 10Pin electric connector For both Machine Coupler and Tilt Rotator FOR USE WITH : 320 323 325		
W	605-4777	TILT ROTATOR TRS18 HCS70/55-P . . . . .	1,737	\$59,222 NI
		CONFIGURATION: - MACHINE SIDE (TOP): PIN ON - ATTACHMENT SIDE (BOTTOM): HCS70/55 Coupler INCLUDES : HYDRAULIC CONNECTION ( 2 x 1", 1 x 3/4") INCLUDES: Lifting Hook INCLUDES: Secure Lock INCLUDES: Double Acting Load holding valve INCLUDES: 1E & 2E (Hydraulic function) INCLUDES: ICS Innovative Control System INCLUDES: ILS Innovative lubrication System INCLUDES: Drain function REQUIRES: TRS Control, Retro Fit or Integrated. REQUIRES: Lines hydraulic for TRS FOR USE WITH : 320 323 325		

**OPTIONS, TILT-ROTATOR**

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)**

**TILT-ROTATOR 320, 323, 325 (Cont.)**

W	540-2979	INSTALLATION GROUP-RPS . . . . . 2 ENABLES TRS TO WORK WITH GRADING SOLUTIONS FROM CAT OR THIRD PARTY FOR USE WITH: QUICK COUPLER TILT-ROTATOR		\$2,285 NI
W	512-3107	KIT, MODULE-GRAPPLE . . . . . 238 PROVIDES AN INTEGRATED PICKING AND HANDLING TOOL FOR USE WITH: QUICK COUPLER TILT-ROTATOR FOR USE WITH: TRS 18 with S70 and HCS70 type bottom		\$8,403 NI
W	567-7344	KIT, MODULE-GRAPPLE . . . . . 0 PROVIDES AN INTEGRATED PICKING AND HANDLING TOOL FOR USE WITH: TRS 18 with S70/55 and HCS70/55 type bottom FOR USE WITH: QUICK COUPLER TILT-ROTATOR		\$9,847 NI

**CONNECTING LINES, TILT-ROTATOR**

W	556-8495	LINES, CONNECTING . . . . . 0 PROVIDES CONNECTING LINES FOR QUICK COUPLER TILT-ROTATOR WITH FOLLOWING CONFIGURATION: - MACHINE SIDE (TOP): S QUICK COUPLER MODEL S70 - ATTACHMENT SIDE (BOTTOM): S QUICK COUPLER MODEL S70 FOR USE WITH: QUICK COUPLER TILT-ROTATOR 516-6779 REQUIRES: QUICK DISCONNECTS AND ADAPTERS (NOT INCLUDED)		\$549 NI
W	556-1870	LINES, CONNECTING . . . . . 0 PROVIDES CONNECTING LINES FOR QUICK COUPLER TILT-ROTATOR WITH FOLLOWING CONFIGURATION: - MACHINE SIDE (TOP): PIN ON - ATTACHMENT SIDE (BOTTOM): S70, HCS70 AND HCS70/55 QUICK COUPLER MODEL. FOR USE WITH: 516-6780 TILT ROTATOR TRS18 S70-P 605-4773 TILT ROTATOR TRS18 HCS70-P 605-4777 TILT ROTATOR TRS18 HCS70/55-P		\$549 NI
W	556-8545	FITTING, QUICK DISCONNECT . . . . . 0 PROVIDES ISO16028 QUICK DISCONNECTS, FLANGES AND ADAPTERS FOR USE WITH: CONNECTING LINES 556-8495 REQUIRED: For Sandwich TRS configurations 516-6779		\$1,021 NI
W	601-1601	TRS HARNESS KIT . . . . . 9 REQUIRED: As of APU2021 NGH Excavators for TRS Control		\$785 NI
W	607-2416	V90 10PIN ELECTR CON MACH CPLR . . . . . 2 FOR USE WITH: TRS18 with HCS70 TOP		\$1,306 NI
W	607-2418	V90 10PIN ELECTR CON MACH CPLR . . . . . 2 FOR USE WITH: TRS18 with HCS70/55 TOP		\$1,306 NI
W	607-2411	V90 10PIN ELECTR CON MACH CPLR . . . . . 2 FOR USE WITH: HCS Machine Coupler		\$979 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)**

**HOOKS**

W	134-0784	BLANK HOOK . . . . . 270 Lane 1 Work Tool FOR USE WITH: 283-1629, 172-8479, 160-8296, 397-2438, 398-0796 or 397-5470 coupler REQUIRES: 2 per tool		\$1,118 NI
---	----------	---	--	------------

**COUPLER, DEDICATED HYDRAULIC KITS "B" FAMILY LINKAGE**

For Hydraulics kits pricing please refer to WT-HYD for D,E,F series machines and WT-HYDNGH for Next Gen Hex Models. For Configuration information please refer to Hydraulic Kit Reference Guide GEJQ9215

**GRAPPLES, G120 CONTRACTOR**

Ensure that the host machine is configured with a Extreme Service Stick designed for hydro mechanical work tool applications. If the host machine is not configured with the heavier stick then install line relief valves that are typically used for Thumb applications such as 6E-5234 for the work tool (bucket) cylinder circuit. The lower pressure setting will reduce the amount of torsional force applied and greatly increase the reliability of the lighter stick.

For the 320GC with Standard Under Carriage contact your WT Specialist for compatibility

W	590-1858	GRAPPLE, CONTRACTOR G120 . . . . . 3,481 INCLUDES: Stick Bracket and Pin Group FOR USE WITH: "CB" Linkage FOR USE WITH: Pin on or pin grabber coupler NOT FOR USE WITH: Thumb Stick Bracket		\$29,569 NI
W	590-1856	GRAPPLE, CONTRACTOR G120 . . . . . 3,483 Lane 1 Work Tool INCLUDES: Stick Bracket and Pin Group FOR USE WITH: Pin on or pin grabber coupler FOR USE WITH: "B" Linkage NOT FOR USE WITH: Thumb Stick Bracket		\$29,569 NI

**G120 PIN GROUPS**

W	281-0357	PIN GROUP . . . . . 238 Required to convert G120, G126 Grapple for use on B Linkage.		\$4,292 NI
---	----------	---	--	------------

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)**

**G120 PIN GROUPS (Cont.)**

W	281-0356	<b>PIN GROUP</b> . . . . . 246 Required to convert G120, G126 Grapple for use on CB Linkage.		<b>\$4,292 NI</b>
---	----------	---	--	-------------------

**G120 STICK BRACKET**

W	320-7415	<b>BRACKET, STICK</b> . . . . . 114 Weld on stick bracket for use with stiff link on G120, G126 and G136		<b>\$1,306 NI</b>
---	----------	---	--	-------------------

**G120 WEAR PACKAGE**

Optional wear package or can be used for rebuild

W	268-9679	<b>PLATE GP-WEAR</b> . . . . . 38 FOR USE WITH: G120 Grapple		<b>\$1,326 NI</b>
---	----------	---	--	-------------------

**GRAPPLES, G126 CONTRACTOR**

**For the 320GC with Standard Under Carriage contact your WT Specialist for compatibility**

W	590-1859	<b>GRAPPLE, CONTRACTOR G126</b> . . . . . 4,279 Lane 1 Work Tool INCLUDES: Stick Bracket and Pin Group FOR USE WITH: Pin on or pin grabber coupler FOR USE WITH: "B" Linkage NOT FOR USE WITH: Thumb Stick Bracket		<b>\$34,667 NI</b>
---	----------	---	--	--------------------

W	590-1862	<b>GRAPPLE, CONTRACTOR G126</b> . . . . . 4,274 INCLUDES: Stick Bracket and Pin Group FOR USE WITH: "CB" Linkage FOR USE WITH: Pin on or pin grabber coupler NOT FOR USE WITH: Thumb Stick Bracket		<b>\$34,667 NI</b>
---	----------	--	--	--------------------

**G126 PIN GROUPS**

W	281-0357	<b>PIN GROUP</b> . . . . . 238 Required to convert G120, G126 Grapple for use on B Linkage.		<b>\$4,292 NI</b>
W	281-0356	<b>PIN GROUP</b> . . . . . 246 Required to convert G120, G126 Grapple for use on CB Linkage.		<b>\$4,292 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)**

**G126 STICK BRACKET**

W	320-7415	BRACKET, STICK . . . . .	114	\$1,306 NI
		Weld on stick bracket for use with stiff link on G120, G126 and G136		

**G126 WEAR PACKAGE**

Optional wear package or can be used for rebuild

W	268-9670	PLATE GP-WEAR . . . . .	55	\$1,493 NI
		FOR USE WITH: G126 Grapple		

**GRAPPLES, TRASH GRAPPLES**

Ensure that the host machine is configured with a Extreme Service Stick designed for hydro mechanical work tool applications. If the host machine is not configured with the heavier stick then install line relief valves that are typically used for Thumb applications such as 6E-5234 for the work tool (bucket) cylinder circuit. The lower pressure setting will reduce the amount of torsional force applied and greatly increase the reliability of the lighter stick.

**For the 320GC with Standard Under Carriage contact your WT Specialist for compatibility**

W	141-0732	GRAPPLE, TRASH 3.60YD3 . . . . .	2,700	\$29,278 NI
		INCLUDES: Stick Bracket and Stick Pin FOR USE WITH: "B" Linkage FOR USE WITH: Pin on NOT FOR USE WITH: Thumb bracket		
W	259-6213	GRAPPLE, TRASH 4.5 YD3 . . . . .	3,069	\$30,750 NI
		INCLUDES: Stick Bracket and Stick Pin FOR USE WITH: "B" Linkage FOR USE WITH: Pin grabber coupler NOT FOR USE WITH: Thumb bracket		

**RAKES**

For the 320GC with Standard Under Carriage contact your WT Specialist for compatibility

W	289-4648	RAKE, 36" . . . . .	1,273	\$11,375 NI
		INCLUDES: 3 K90 spike tips NUMBER OF TEETH: 3 TOOTH SPACING: 15.75"(400mm) FOR USE WITH: Pin on or pin grabber coupler		

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)**

***RAKES (Cont.)***

W	289-4649	<b>RAKE, 48"</b> ..... 1,502 INCLUDES: 4 K90 spike tips NUMBER OF TEETH: 4 TOOTH SPACING: 15.75"(400mm) FOR USE WITH: Pin on or pin grabber coupler		<b>\$13,875 NI</b>
W	289-4650	<b>RAKE, 60"</b> ..... 1,950 INCLUDES: 5 K90 spike tips NUMBER OF TEETH: 5 TOOTH SPACING: 15.75"(400mm) FOR USE WITH: Pin on or pin grabber coupler		<b>\$16,264 NI</b>

***RIPPERS***

W	364-9152	<b>RIPPER, PENETRATION 43"</b> ..... 1,013 INCLUDES: Shank protector and replaceable tip 51.6" (1310mm) Tip Radius FOR USE WITH: Pin On or Pin Grabber Coupler FOR USE WITH: B linkage		<b>\$10,014 NI</b>
---	----------	--	--	--------------------

***HYDRAULIC THUMBS***

**MINIMUM STICK LENGTH OF 2.9M**

To have an Operational Thumb you will need to order one part number from each group:

- Thumb Group
- Bracket Group (if machine does not have thumb ready stick)
- Thumb Connector Lines

Machines REQUIRE these Hydraulic Functions to Operate the Thumb:

1. Double or Combined Function Hydraulics

For ordering assistance for both Thumbs and Hydraulics

1. dWING: <https://gwtapps.cat.com/dWING/>
2. Refer to the following media numbers:
  - a. GEJQ2365: Thumb Product Bulletin
  - b. GEJQ0215 for hydraulics
3. For ordering assistance please contact the sales support team via email at [worktools@cat.com](mailto:worktools@cat.com)

**NOTE:**

For the 320GC with Standard Under Carriage contact your WT Specialist for compatibility

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)**

***THUMBS, PRO PLUS (LINK WITH FULL ROTATION) - PIN ON***

W	583-4537	THUMB GROUP . . . . . Lane 3 Work Tool	1,740	\$16,250 NI
W	583-4538	THUMB GROUP . . . . . Lane 1 Work Tool	1,767	\$16,250 NI
W	583-4540	THUMB GROUP . . . . .	1,818	\$16,250 NI
W	583-4541	THUMB GROUP . . . . .	1,868	\$16,250 NI

***THUMBS, PRO PLUS - (LINK WITH FULL ROTATION) Pin Grabber Coupler***

W	533-0877	THUMB GROUP . . . . .	1,780	\$16,250 NI
W	533-0878	THUMB GROUP . . . . .	1,803	\$16,250 NI
W	524-9702	THUMB GROUP . . . . .	1,922	\$16,250 NI
W	584-5100	THUMB GROUP . . . . .	1,753	\$16,250 NI

***THUMBS, PRO (NO LINK) - PIN ON***

W	583-4543	THUMB GROUP . . . . .	1,344	\$13,625 NI
W	583-4544	THUMB GROUP . . . . .	1,371	\$13,625 NI
W	583-4545	THUMB GROUP . . . . .	1,423	\$13,625 NI
W	583-4546	THUMB GROUP . . . . .	1,473	\$13,625 NI

***THUMBS, PRO (NO LINK) Pin Grabber Coupler***

W	584-5110	THUMB GROUP . . . . .	1,002	\$13,625 NI
W	418-0304	THUMB GROUP . . . . .	1,389	\$13,625 NI
W	418-0306	THUMB GROUP . . . . .	1,411	\$13,625 NI
W	418-0308	THUMB GROUP . . . . .	1,530	\$13,625 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)**

**BRACKET GROUP**

IF MACHINE IS EQUIPPED WITH THUMB READY STICK, BRACKET NOT REQUIRED

W	386-3919	<b>BRACKET GP.</b> . . . . . 72 Lane 1 Work Tool FOR USE WITH: PRO LINK THUMBS FOR USE WITH: 320D/E/F, 320, 320GC, 323F, 323, 324D/E, 325F		<b>\$1,076 NI</b>
---	----------	---	--	-------------------

**THUMB CONNECTOR LINES**

W	418-0310	<b>CONNECTOR LINES, THUMB</b> . . . . . 47 Lane 1 Work Tool INCLUDES: Ball Valves FOR USE WITH: 320E/F, 320, 320GC, 323F, 323, 325F FOR USE WITH: Connection to stick lines		<b>\$1,306 NI</b>
W	418-0311	<b>CONNECTOR LINES, THUMB</b> . . . . . 49 Lane 1 Work Tool INCLUDES: Ball Valves FOR USE WITH:320D & 321D Machines FOR USE WITH: Connection to stick lines		<b>\$1,306 NI</b>
W	420-3637	<b>CONNECTOR LINES, THUMB</b> . . . . . 34 Lane 1 Work Tool FOR USE WITH: 320D/E/F, 320, 320GC, 323F, 323, 325F Machines equipped with 2.9m(9'6") stick FOR USE WITH: Connection to boom lines		<b>\$593 NI</b>
W	420-3638	<b>CONNECTOR LINES, THUMB</b> . . . . . 42 Lane 1 Work Tool FOR USE WITH: 320D/E/F, 320, 320GC, 323F, 323 Machines equipped with 3.9M(12'10") stick FOR USE WITH: Connection to boom lines		<b>\$593 NI</b>

**THUMBS, UTILITY**

MINIMUM STICK LENGTH OF 2.9M

**For the 320GC with Standard Under Carriage contact your WT Specialist for compatibility**

W	450-7025	<b>THUMB, UTILITY</b> . . . . . 968 INCLUDES: Thumb, bracket, cylinder, & thumb pins. FOR USE WITH: Pin on or wide tip buckets. REQUIRES: Thumb connector lines 428-5965		<b>\$8,972 NI</b>
W	450-7026	<b>THUMB, UTILITY</b> . . . . . 1,075 Lane 1 Work Tool INCLUDES: Thumb, bracket, cylinder, & thumb pins. FOR USE WITH: Caterpillar Pin grabber coupler and wide tip buckets. REQUIRES: Thumb connector lines 428-5965		<b>\$8,972 NI</b>



CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**320,320GC,321,323,325F,325 HEX, 538 FEX (CONT.)**

***THUMBS, UTILITY HYDRAULIC LINES***

W	428-5965	LINES, CONNECTOR . . . . . 22 Lane 1 Work Tool FOR USE WITH: Utility thumbs		\$722 NI
---	----------	---	--	----------

***THUMBS, STIFF LINK***

**MINIMUM STICK LENGTH OF 2.9M**

**For the 320GC with Standard Under Carriage contact your WT Specialist for compatibility**

**Thumb Group- Pin On**

W	584-7229	THUMB GROUP . . . . . 958		\$6,215 NI
W	584-7230	THUMB GROUP . . . . . 1,000		\$6,215 NI
W	584-7232	THUMB, STIFF LINK . . . . . 1,084		\$6,215 NI

**Thumb Group - Pin Grabber**

W	378-2290	THUMB, STIFF LINK . . . . . 1,099		\$6,215 NI
W	584-7235	THUMB, STIFF LINK . . . . . 1,032		\$6,215 NI

**324/326/335/329/330/330GCHEX,548,558 FEX**

**PLEASE CONSULT THE 336 SECTION FOR "DB" FAMILY BUCKET OPTIONS FOR THE 330 MASS EX MACHINES.**

***BUCKETS, GENERAL DUTY (GD) PIN ON BUCKETS "CB" FAMILY***

W	552-8266	BKT GD 24" 0.82YD3 CB . . . . . 1,605 INCLUDES: Stick and Link Pin Assembly (279-4076) REQUIRES: 3 Advansys 90 size tips Does NOT include Adjuster Group		\$10,111 NI
W	552-8267	BKT GD 30" 1.12YD3 CB . . . . . 1,764 REQUIRES: 4 Advansys 90 size tips Does NOT include Adjuster Group		\$9,583 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

***BUCKETS, GENERAL DUTY (GD) PIN ON BUCKETS "CB" FAMILY (Cont.)***

W	552-8268	<b>BKT GD 36" 1.43YD3 CB</b> ..... 1,980 REQUIRES: 5 Advansys 90 size tips Does NOT include Adjuster Group		\$10,139 NI
W	552-8269	<b>BKT GD 42" 1.75YD3 CB</b> ..... 2,130 Lane 1 Work Tool REQUIRES: 5 Advansys 90 size tips Does NOT include Adjuster Group		\$10,847 NI
W	552-8270	<b>BKT GD 48" 2.07YD3 CB</b> ..... 2,319 Lane 1 Work Tool REQUIRES: 6 Advansys 90 size tips Does NOT include Adjuster Group		\$11,458 NI
W	552-8271	<b>BKT GD 54" 2.40YD3 CB</b> ..... 2,511 Lane 1 Work Tool REQUIRES: 7 Advansys 90 size tips Does NOT include Adjuster Group		\$12,083 NI

***BUCKETS, GENERAL DUTY (GD) LONG REACH "A" FAMILY***

W	571-2943	<b>BKT GD 36" 0.69YD3 312</b> ..... 871 REQUIRES: 6 Advansys 70 size tips Does NOT include Adjuster Group		\$5,042 NI
---	----------	---	--	------------

***BUCKETS, GENERAL DUTY WIDE TIPS (GDC) "CB" FAMILY***

W	552-8278	<b>BKTA GDWT 24" 0.83YD3 CB</b> ..... 1,671 INCLUDES: Stick and Link Pin Assembly (279-4076) INCLUDES: 3 Advansys 90 size tips (505-4090) Does NOT include Adjuster Group		\$10,486 NI
W	552-8279	<b>BKTA GDWT 30" 1.13YD3 CB</b> ..... 1,863 INCLUDES: 4 Advansys 90 size tips (505-4090) Does NOT include Adjuster Group		\$10,194 NI
W	552-8280	<b>BKTA GDWT 36" 1.43YD3 CB</b> ..... 2,103 INCLUDES: 5 Advansys 90 size tips (505-4090) Does NOT include Adjuster Group		\$10,917 NI
W	552-8281	<b>BKTA GDWT 42" 1.75YD3 CB</b> ..... 2,251 INCLUDES: 5 Advansys 90 size tips (505-4090) Does NOT include Adjuster Group		\$11,653 NI
W	552-8282	<b>BKTA GDWT 48" 2.07YD3 CB</b> ..... 2,467 INCLUDES: 5 Advansys 90 size tips (505-4090) Does NOT include Adjuster Group		\$12,375 NI
W	552-8283	<b>BKTA GDWT 54" 2.40YD3 CB</b> ..... 2,672 INCLUDES: 7 Advansys 90 size tips (505-4090) Does NOT include Adjuster Group		\$13,111 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

***BUCKETS, HEAVY DUTY (HD) "CB" FAMILY***

W	541-1744	BKT HD 24" 0.68YD3 CB ..... Lane 1 Work Tool INCLUDES: Pin Assembly REQUIRES: 3 Advansys 100 size tips	1,618	\$10,458 NI
W	541-1745	BKT HD 30" 0.93YD3 CB ..... Lane 1 Work Tool REQUIRES: 3 Advansys 100 size tips	1,792	\$10,208 NI
W	541-1746	BKT HD 36" 1.19YD3 CB ..... Lane 1 Work Tool REQUIRES: 4 Advansys 100 size tips	1,978	\$10,861 NI
W	541-1747	BKT HD 42" 1.46YD3 CB ..... Lane 1 Work Tool REQUIRES: 5 Advansys 100 size tips	2,156	\$11,486 NI
W	541-1748	BKT HD 47" 1.74YD3 CB ..... Lane 1 Work Tool REQUIRES: 5 Advansys 100 size tips	2,313	\$12,333 NI
W	541-1750	BKT HD 54" 2.01YD3 CB ..... Lane 1 Work Tool REQUIRES: 6 Advansys 100 size tips	2,504	\$12,986 NI
W	541-1752	BKT HD 60" 2.30YD3 CB ..... Lane 1 Work Tool REQUIRES: 7 Advansys 100 size tips	2,683	\$13,653 NI
W	550-2251	BKT HD 66" 2.58YD3 CB ..... Lane 1 Work Tool REQUIRES: 7 Advansys 100 size tips	2,853	\$14,458 NI

***BUCKETS, HEAVY DUTY POWER (HDP) "CB" FAMILY***

W	541-1759	BKT HDP 42" 1.46YD3 CB ..... REQUIRES: 5 Advansys 100 size tips	2,220	\$11,986 NI
W	541-1760	BKT HDP 48" 1.74YD3 CB ..... REQUIRES: 5 Advansys 100 size tips	2,392	\$12,833 NI
W	541-1761	BKT HDP 54" 2.01YD3 CB ..... REQUIRES: 6 Advansys 100 size tips	2,595	\$13,514 NI

***BUCKETS, HEAVY DUTY PIN GRABBER PERFORMANCE (HD-PG) "CB" FAMILY***

FOR USE WITH: "CB" linkage Cat Pin Grabber

W	541-1762	BKT HDPG 30" 0.90YD3 CB ..... REQUIRES: 3 Advansys 100 size tips	1,854	\$12,139 NI
W	541-1764	BKT HDPG 48" 1.67YD3 CB ..... REQUIRES: 5 Advansys 100 size tips	2,487	\$14,764 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

**BUCKETS, HEAVY DUTY PIN GRABBER PERFORMANCE (HD-PG) "CB" FAMILY (Cont.)**

W	541-1765	BKT HDPG 54" 1.95YD3 CB ..... REQUIRES: 6 Advansys 100 size tips	2,696	\$14,958 NI
W	541-1766	BKT HDPG 60" 2.21YD3 CB ..... REQUIRES: 7 Advansys 100 size tips	2,903	\$16,069 NI

**BUCKETS, SEVERE DUTY (SD) "CB" FAMILY**

W	541-1767	BKT SD 24" 0.68YD3 CB ..... INCLUDES: Pin Assembly REQUIRES: 3 Advansys 100 size tips	1,702	\$11,111 NI
W	541-1768	BKT SD 30" 0.93YD3 CB ..... REQUIRES: 3 Advansys 100 size tips	1,933	\$10,903 NI
W	541-1769	BKT SD 36" 1.19YD3 CB ..... Lane 1 Work Tool REQUIRES: 4 Advansys 100 size tips	2,092	\$11,681 NI
W	541-1770	BKT SD 42" 1.46YD3 CB ..... Lane 1 Work Tool REQUIRES: 5 Advansys 100 size tips	2,284	\$12,403 NI
W	541-1771	BKT SD 48" 1.74YD3 CB ..... Lane 1 Work Tool REQUIRES: 5 Advansys 100 size tips	2,456	\$13,306 NI

**BUCKETS, SEVERE DUTY POWER (SDP) PIN ON**

W	550-2252	BKT SDP 54" 2.04YD3 CB ..... REQUIRES: 4 Advansys 100 size tips Does NOT include Lifting Eye	2,723	\$14,889 NI
---	----------	--	-------	-------------

**BUCKETS, SEVERE DUTY PIN GRABBER PERFORMANCE (SD-PGP) "CB" FAMILY**

FOR USE WITH: "CB" linkage Cat Pin Grabber

W	541-1773	BKT SDPG 24" 0.67YD3 CB ..... REQUIRES: 3 Advansys 100 size tips	1,751	\$11,750 NI
W	541-1774	BKT SDPG 36" 1.15YD3 CB ..... REQUIRES: 4 Advansys 100 size tips	2,229	\$13,306 NI
W	541-1775	BKT SDPG 42" 1.41YD3 CB ..... REQUIRES: 5 Advansys 100 size tips	2,441	\$14,042 NI

**BUCKETS, CLEAN-UP (CU) "CB" FAMILY**

W	439-7314	BUCKET-CU, 72" 2.37 YD3 (CB) ..... INCLUDES: BOCE 436-5550 Does NOT include Lifting Eye	2,527	\$13,250 NI
---	----------	---	-------	-------------

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

***BUCKETS, DITCH CLEANING (DC) LONG REACH "A" FAMILY***

W	441-6077	BKTA DC 48" 0.74YD3 A ..... 852 Lane 1 Work Tool INCLUDES: Drain holes INCLUDES: BOCE 443-4366 Does NOT Include Lifting Eye and Adjuster Group Does NOT accept sidecutters or sidebar protectors		\$5,125 NI
---	----------	---	--	------------

W	439-7300	BKTA DC 60" 0.97YD3 (A) ..... 1,005 Lane 1 Work Tool - Ships loose from Caterpillar Work Tool & Services INCLUDES: Drain holes INCLUDES: BOCE 443-4367 Does not accept sidecutters or sidebar protectors FOR USE WITH: 330 LRE		\$5,778 NI
---	----------	---	--	------------

***BUCKETS, DITCH CLEANING (DC) "CB" FAMILY***

W	439-7315	BUCKET-DC, 60" 1.61 YD3 (CB) ..... 1,850 Lane 1 Work Tool INCLUDES: Drain holes INCLUDES: BOCE 436-5519 Does NOT Include Lifting Eye and Adjuster Group		\$7,653 NI
---	----------	---	--	------------

W	439-7316	BUCKET-DC, 72" 1.99 YD3 (CB) ..... 2,094 Lane 1 Work Tool INCLUDES: Drain holes INCLUDES: BOCE 436-5520 Does NOT Include Lifting Eye and Adjuster Group		\$8,681 NI
---	----------	---	--	------------

***BUCKETS, DITCH CLEANING TILT (DCT) "CB" FAMILY***

W	277-4044	BUCKET, 72" 1.50 YD3 (DC-TILT) ..... 2,357 INCLUDES: Drain holes, bolt on cutting edge and jumper lines Does NOT Include Lifting Eye and Adjuster Group Please consult CWTS for hydraulics required for this tilt bucket		\$26,889 NI
---	----------	---	--	-------------

***BUCKETS, DITCH CLEANING (DC) DEDICATED COUPLER***

W	439-7317	BUCKET-DCQ, 72" 1.99 YD3 (CB) ..... 2,529 INCLUDES: Drain holes INCLUDES: BOCE 436-5520 Does NOT include Lifting Eye and Adjuster Group		\$8,708 NI
---	----------	--	--	------------

***BUCKETS, GRADING FOR USE WITH S COUPLERS AND TILT-ROTATORS***

**FOR S70 and S80 COUPLER INTERFACE:**

W	512-8407	BUCKET-GR, 79" 1.90YD3 (S70) ..... 2,392		\$13,250 NI
---	----------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

**BUCKETS, GRADING FOR USE WITH S COUPLERS AND TILT-ROTATORS (Cont.)**

W	512-8408	BKT GR 79" 2.09YD3 QC-S70	2,591	\$14,361 NI
W	514-7847	BUCKET-GR, 79" 2.09YD3 (S80)	2,624	\$14,542 NI

**BUCKETS, DIGGING FOR USE WITH S COUPLERS AND TILT-ROTATORS**

**FOR S70 and S80 COUPLER INTERFACE:**

W	596-1844	BUCKET-HD, 65" 2.22YD3 (S70) INCLUDES: 4 x TIP Penetration plus ADVANSYS 110	3,909	\$23,653 NI
W	596-1845	BUCKET-HD, 65" 2.22YD3 (S80) INCLUDES: 4 x TIP Penetration plus ADVANSYS 110	4,130	\$24,944 NI
W	596-1846	BUCKET-HD, 65" 2.35YD3 (S80) INCLUDES: 4 x TIP Penetration plus ADVANSYS 110	4,190	\$25,292 NI

**TIPS, G.E.T. ADVANSYS 90**

W	505-4097	TIP, PENETRATION PLUS ADVANSYS	23	\$121
W	505-4096	TIP, GENERAL DUTY ADVANSYS	20	\$119

**TIPS, G.E.T. ADVANSYS 100**

W	505-4103	TIP, PENETRATION PLUS ADVANSYS	28	\$157
W	505-4002	TIP, HEAVY DUTY ADVANSYS	30	\$167
W	505-4106	TIP, GENERAL PURPOSE ADVANSYS	26	\$157

**SIDECUTTERS**

NOT FOR USE WITH: Side Bar Protectors

W	7Y-0366	SIDECUTTERS, GENERAL PURPOSE. INCLUDES: LH and RH general purpose sidecutters	35	\$1,069
W	357-2698	SIDECUTTERS, HEAVY DUTY FOR USE WITH: All HD, SD and buckets	108	\$1,306

**PROTECTORS**

NOT FOR USE WITH: Sidecutters

W	357-2691	PROTECTORS, SIDEBAR, SET OF 4 INCLUDES: Upper and Lower LH and RH protectors FOR USE WITH: All HD, SD buckets	159	\$1,431
---	----------	---	-----	---------

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

***PIN GROUPS***

W	268-4450	PIN GROUP, SPARE ..... Lane 1 Work Tool FOR USE WITH: CB FAMILY WORK TOOLS	135	\$1,688 NI
---	----------	---	-----	------------

***COMPACTION WHEEL***

W	592-6575	WHEEL, COMPACTOR 24" CB ..... INCLUDES: CB Linkage Mounting Bracket (592-9774) with Pins. INCLUDES: Back Grading Leveling Edge	3,217	\$16,708 NI
W	592-6576	WHEEL, COMPACTOR 36" CB ..... INCLUDES: CB Linkage Mounting Bracket (592-9774) with Pins. INCLUDES: Back Grading Leveling Edge	4,046	\$19,444 NI
W	592-9774	BRACKET, MOUNTING CB ..... FOR USE WITH: 592-6575 and 592-6576 Compaction Wheels INCLUDES: Pins NOT REQUIRED: Compaction Wheels include a bracket. Only needed if extra or replacement bracket is required.	659	\$4,743 NI

***COUPLERS, CAT PIN GRABBER COUPLER***

The use of a quick coupler on an excavator with certain combinations of linkages (boom & stick) and work tool attachments has the potential for interference with the cab and or the front of the machine during operation. Always check for interference when first operating the machine with a quick coupler and a new work tool. For more information on Cat Pin Grabber Couplers and hydraulics refer to media number GEJQ1298 or contact the sales support team in Americas North via email at [worktools@cat.com](mailto:worktools@cat.com)

**NOT FOR USE WITH: Mechanical Pulverizers or Mechanical Shear**

**For Mass Ex Configuration with DB linkage please refer to the 336 Pin Grabber section. For Pin Grabber Hydraulic Kits please refer to the WT-HYD or WT-HYDNGH**

W	389-7189	COUPLER, PG W/O PINS CB ..... Lane 1 Work Tool DOES NOT INCLUDE: Pin Group FOR USE WITH: CB-Linkage Machine & Bucket Family NOT FOR USE WITH: Center-Lock Coupler Hydraulic Circuit REQUIRES: New Pin Grabber Hydraulic Kit & Connector Lines 422-2974 REQUIRES: Conversion kit if being used with previously installed Center-Lock Coupler Kit	1,028	\$9,375 NI
---	----------	--	-------	------------

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

**COUPLERS, CAT PIN GRABBER COUPLER (Cont.)**

W	389-7526	COUPLER, PG W PINS TRENCH CB ..... 1,070 CAT PIN GRABBER TRENCHING COUPLER INCLUDES: Pin Group FOR USE WITH: CB-Linkage Machine & Bucket Family FOR USE WITH: Bucket width of 24" NOT FOR USE WITH: Center-Lock Coupler Hydraulic Circuit REQUIRES: New Pin Grabber Hydraulic Kit & Connector Lines 422-2974 REQUIRES: Conversion kit if being used with previously installed Center-Lock Coupler Kit		\$10,750 NI
---	----------	--	--	-------------

**PIN GRABBER COUPLER SPARE PINS "CB" FAMILY LINKAGE**

W	268-4450	PIN GROUP, SPARE ..... 135 Lane 1 Work Tool FOR USE WITH: CB FAMILY WORK TOOLS		\$1,688 NI
---	----------	--	--	------------

**PIN GRABBER COUPLER CLAMPING SPACER "CB" FAMILY**

W	343-4533	CLAMPING SPACER. .... 10 INCLUDES: Two solid steel spacers and two locking rings. Used to adapt tools with wider face spreads to ensure coupler stays centered on select tools. See product bulletin for complete information.		\$281 NI
---	----------	---	--	----------

**LINES, CONNECTOR PIN GRABBER**

W	422-2974	LINES, CONNECTOR, PIN GRABBER ..... 7 Lane 1 Work Tool FOR USE WITH: CB-Linkage Cat Pin Grabber Couplers 389-7189 and 389-7526		\$321 NI
---	----------	---	--	----------

**PIN GRABBER COUPLER HYDRAULIC KITS**

For Hydraulics kits pricing please refer to WT-HYD for D,E,F machines and WT-HYDNGH for Next Gen Hex Models. For Configuration information please refer to Hydraulic Kit Reference Guide GEJQ9215

**DEDICATED COUPLERS "CB" FAMILY**

W	397-6608	COUPLER, DEDICATED HYD. CB ..... 797 REQUIRES: 348-8771 Hydraulic kit REQUIRES: Lifting eye removed from power link OR 248-1842, OR 521-8020 power links		\$9,306 NI
---	----------	--	--	------------



CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

**DEDICATED COUPLERS "CB" FAMILY (Cont.)**

W	397-5470	COUPLER, DEDICATED MANUAL CB . . . . . 780 REQUIRES: Lifting eye removed from power link OR 248-1842, OR 521-8020 power links		\$7,944 NI
---	----------	--	--	------------

**COUPLERS, S**

W	566-2351	COUPLER, S HYDRAULIC S70 CB . . . . . 628 INCLUDES: Lifting Hook INCLUDES: Securelock REQUIRES: Securelock Control REQUIRES: Connecting Lines (574-9323)		\$9,111 NI
W	573-3169	COUPLER, S HYDRAULIC S80 CB . . . . . 939 INCLUDES: Securelock REQUIRES: Securelock Control REQUIRES: Connecting Lines (574-9323)		\$12,250 NI
W	574-9323	LINES, CONNECTING . . . . . 7 For Use With: 566-2349, 573-3169, 566-2351 and 573-3171 S Couplers		\$297 NI
W	588-8983	CABLE GRP-ELECTRIC S-LOCK. . . . . 0 REQUIRED: As of APU2022 NGH Excavators for Securelock Control		\$174 NI

**COUPLERS, HCS**

W	580-0407	COUPLER, HCS HYD HCS70 CB . . . . . 705 INCLUDES: HYDRAULIC CONNECTION ( 2 x 1/2", 2 x 1") INCLUDES: Lifting Hook INCLUDES: Securelock REQUIRES: Securelock Control REQUIRES: Control and lines hydraulic for quick coupler FOR USE WITH : 326 330 335 326GC 330GC		\$23,986 NI
W	582-9976	COUPLER, HCS S70/55 CB . . . . . 774 INCLUDES: HYDRAULIC CONNECTION ( 2 x 1/2", 2 x 1") INCLUDES: Lifting Hook INCLUDES: Securelock REQUIRES: Securelock Control REQUIRES: Control and lines hydraulic for quick coupler FOR USE WITH : 326 330 335 326GC 330GC		\$25,194 NI
W	583-0203	COUPLER, HCS HYD HCS80 CB . . . . . 959 INCLUDES: HYDRAULIC CONNECTION ( 2 x 1/2", 2 x 1") INCLUDES: Lifting Hook INCLUDES: Securelock REQUIRES: Securelock Control REQUIRES: Control and lines hydraulic for quick coupler FOR USE WITH : 326 330 335 326GC 330GC		\$30,264 NI
W	606-3330	LINES, CONNECTING . . . . . 60 INCLUDES: High Pressure, Medium Pressure and QC (Internal) Hoses FOR USE WITH: 580-0407, 582-9976, 583-0203 HCS Couplers. FOR USE WITH: 326 330 335 326GC 330GC		\$1,938 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
<b>324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)</b>				
<b>COUPLERS, HCS (Cont.)</b>				
W	605-9617	<b>LINES, CONNECTING PREMIUM</b> . . . . . 88 INCLUDES: High Pressure, Medium Pressure (Internal), QC (Internal) and Drain Line Hoses REQUIRES: Valve-QDC Drain installed in Coupler REQUIRES: Case-Drain installed on machine FOR USE WITH: 580-0407, 582-9976, 583-0203 HCS Couplers FOR USE WITH: 326 330 335 326GC 330GC		<b>\$3,875 NI</b>
W	580-0421	<b>VALVE, DRAIN QDC FEMALE</b> . . . . . 2 Quick disconnect valve for drain line 3/4" Female FOR USE WITH: HCS70 HCS70/55 HCS80 2 Valve, drain QDC can be used on HCS70/55 and HCS80		<b>\$465 NI</b>
W	617-2076	<b>GREASE KIT</b> . . . . . 2 Female and Male Grease Valves & Mounting Grease Kit 1/2" FOR USE WITH: HCS70, HCS70/55 and HCS80 Coupler FOR USE WITH: Mounting Brackets HCS70, HCS70/55 or HCS80		<b>\$1,035 NI</b>
W	617-2079	<b>GREASE KIT</b> . . . . . 4 Female and Male Grease Valves & Mounting Grease Kit 3/4" FOR USE WITH: HCS70, HCS70/55 and HCS80 Coupler FOR USE WITH: Mounting Brackets HCS70, HCS70/55 or HCS80		<b>\$1,035 NI</b>
W	588-8983	<b>CABLE GRP-ELECTRIC S-LOCK</b> . . . . . 0 REQUIRED: As of APU2022 NGH Excavators for Securelock Control		<b>\$174 NI</b>

**TILT-ROTATOR 326, 330, 335**

**THE CAT TILT-ROTATORS LISTED IN THIS SECTION ARE COMPATIBLE WITH NGH-SERIES**

**- WHEN USING A PIN-ON CAT TILT-ROTATOR MODEL, CROSS BOLT PINS (PIN, BUCKET, ADJ) ARE REQUIRED INSTEAD OF THE TEARDROP PINS**

**Adapter harness is needed to connect TRS coupler and machine. See at the bottom of this section.**

W	558-8925	<b>TILT ROTATOR TRS23-S70-Q</b> . . . . . 0 CONFIGURATION: - MACHINE SIDE (TOP): S70 Linkage - REQUIRES: S70 Coupler - ATTACHMENT SIDE (BOTTOM): S70 Coupler - INTEGRATED CONTROL SYSTEM W/ SECURELOCK AND AUTO-CALIBRATION - DOUBLE ACTING TILT CYLINDERS W/ LOAD HOLDING VALVES - CENTRAL LUBRICATION - ELECTRIC SWIVEL AND 2 EXTRA FUNCTIONS FOR USE WITH: 326, 330, 335 NOT FOR USE WITH: GC series REQUIRES: 601-1601 CABLE GROUP, ELECTRIC TRS, connecting lines and fittings. OPTION: POSITIONING SYSTEM AND GRAPPLE MODULE		<b>\$45,472 NI</b>
---	----------	--	--	--------------------

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

***TILT-ROTATOR 326, 330, 335 (Cont.)***

W	558-8926	<b>TILT ROTATOR TRS23-S80-Q . . . . . 0</b> CONFIGURATION: - MACHINE SIDE (TOP): S80 Linkage - REQUIRES: S80 Coupler - ATTACHMENT SIDE (BOTTOM): S80 Coupler - INTEGRATED CONTROL SYSTEM W/ SECURELOCK AND AUTO-CALIBRATION - DOUBLE ACTING TILT CYLINDERS W/ LOAD HOLDING VALVES - CENTRAL LUBRICATION - ELECTRIC SWIVEL AND 2 EXTRA FUNCTIONS FOR USE WITH: 326, 330, 335 NOT FOR USE WITH: GC series REQUIRES: 601-1601 CABLE GROUP, ELECTRIC TRS, connecting lines and fittings. OPTION: POSITIONING SYSTEM AND GRAPPLE MODULE		<b>\$50,583 NI</b>
W	567-6085	<b>TILT ROTATOR TRS23-S70-P . . . . . 0</b> CONFIGURATION: - MACHINE SIDE (TOP): PIN ON - ATTACHMENT SIDE (BOTTOM): S70 Coupler - INTEGRATED CONTROL SYSTEM W/ SECURELOCK AND AUTO-CALIBRATION - DOUBLE ACTING TILT CYLINDERS W/ LOAD HOLDING VALVES - CENTRAL LUBRICATION - ELECTRIC SWIVEL AND 2 EXTRA FUNCTIONS FOR USE WITH: 326, 330, 335 NOT FOR USE WITH: GC series REQUIRES: 601-1601 CABLE GROUP, ELECTRIC TRS, connecting lines and fittings. OPTION: POSITIONING SYSTEM AND GRAPPLE MODULE		<b>\$47,139 NI</b>
W	567-6086	<b>TILT ROTATOR TRS23-S80-P . . . . . 0</b> CONFIGURATION: - MACHINE SIDE (TOP): PIN ON - ATTACHMENT SIDE (BOTTOM): S80 Coupler - INTEGRATED CONTROL SYSTEM W/ SECURELOCK AND AUTO-CALIBRATION - DOUBLE ACTING TILT CYLINDERS W/ LOAD HOLDING VALVES - CENTRAL LUBRICATION - ELECTRIC SWIVEL AND 2 EXTRA FUNCTIONS FOR USE WITH: 326, 330, 335 NOT FOR USE WITH: GC series REQUIRES: 601-1601 CABLE GROUP, ELECTRIC TRS, connecting lines and fittings. OPTION: POSITIONING SYSTEM AND GRAPPLE MODULE		<b>\$50,972 NI</b>

CATERPILLAR MACHINE PRICE LIST

# WT-HEX

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
<b>324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)</b>				
<b><i>TILT-ROTATOR 326, 330, 335 (Cont.)</i></b>				
W	600-0914	TILT ROTATOR TRS23-HCS70-HC . . . . . 0 CONFIGURATION: - MACHINE SIDE (TOP): HCS70 Linkage - REQUIRES: HCS70 Coupler - ATTACHMENT SIDE (BOTTOM): HCS70 Coupler INCLUDES : HYDRAULIC CONNECTION ( 2 x 1", 1 x 3/4") INCLUDES: Secure Lock INCLUDES: Double Acting Load holding valve INCLUDES: 1E & 2E (Hydraulic function) INCLUDES: ICS Innovative Control System INCLUDES: ILS Innovative lubrication System INCLUDES: Drain function REQUIRES: TRS Control, Retro Fit or Integrated. REQUIRES: V90 10Pin electric connector For both Machine Coupler and Tilt Rotator FOR USE WITH : 326, 330, 335		\$65,194 NI
W	600-0915	TILT ROTATOR TRS23-S70-HC . . . . . 0 CONFIGURATION: - MACHINE SIDE (TOP): HCS70 Linkage - REQUIRES: HCS70 Coupler - ATTACHMENT SIDE (BOTTOM): S70 Coupler INCLUDES : HYDRAULIC CONNECTION ( 2 x 1", 1 x 3/4") INCLUDES: Secure Lock INCLUDES: Double Acting Load holding valve INCLUDES: 1E & 2E (Hydraulic function) INCLUDES: ICS Innovative Control System INCLUDES: ILS Innovative lubrication System INCLUDES: Drain function REQUIRES: TRS Control, Retro Fit or Integrated. REQUIRES: V90 10Pin electric connector For both Machine Coupler and Tilt Rotator FOR USE WITH : 326, 330, 335		\$56,903 NI
W	605-4779	TILT ROTATOR TRS23 HCS70/55-HC . . . . . 0 CONFIGURATION: - MACHINE SIDE (TOP): HCS70/55 Linkage - REQUIRES: HCS70/55 Coupler - ATTACHMENT SIDE (BOTTOM): HCS70/55 Coupler INCLUDES : HYDRAULIC CONNECTION ( 2 x 1", 1 x 3/4") INCLUDES: Secure Lock INCLUDES: Double Acting Load holding valve INCLUDES: 1E & 2E (Hydraulic function) INCLUDES: ICS Innovative Control System INCLUDES: ILS Innovative lubrication System INCLUDES: Drain function REQUIRES: TRS Control, Retro Fit or Integrated. REQUIRES: V90 10Pin electric connector For both Machine Coupler and Tilt Rotator FOR USE WITH : 326, 330, 335		\$67,931 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

***TILT-ROTATOR 326, 330, 335 (Cont.)***

W	605-4780	<b>TILT ROTATOR TRS23 S70/55-HC . . . . . 0</b> CONFIGURATION: - MACHINE SIDE (TOP): HCS70/55 Linkage - REQUIRES: HCS70/55 Coupler - ATTACHMENT SIDE (BOTTOM): S70/55 Coupler INCLUDES : HYDRAULIC CONNECTION ( 2 x 1", 1 x 3/4") INCLUDES: Secure Lock INCLUDES: Double Acting Load holding valve INCLUDES: 1E & 2E (Hydraulic function) INCLUDES: ICS Innovative Control System INCLUDES: ILS Innovative lubrication System INCLUDES: Drain function REQUIRES: TRS Control, Retro Fit or Integrated. REQUIRES: V90 10Pin electric connector For both Machine Coupler and Tilt Rotator FOR USE WITH : 326, 330, 335		<b>\$60,431 NI</b>
W	605-4781	<b>TILT ROTATOR TRS23 HCS80-HC . . . . . 0</b> CONFIGURATION: - MACHINE SIDE (TOP): HCS80 Linkage - REQUIRES: HCS80 Coupler - ATTACHMENT SIDE (BOTTOM): HCS80 Coupler INCLUDES : HYDRAULIC CONNECTION ( 2 x 1", 1 x 3/4") INCLUDES: Secure Lock INCLUDES: Double Acting Load holding valve INCLUDES: 1E & 2E (Hydraulic function) INCLUDES: ICS Innovative Control System INCLUDES: ILS Innovative lubrication System INCLUDES: Drain function REQUIRES: TRS Control, Retro Fit or Integrated. REQUIRES: V90 10Pin electric connector For both Machine Coupler and Tilt Rotator FOR USE WITH : 326, 330, 335		<b>\$67,944 NI</b>
W	605-4782	<b>TILT ROTATOR TRS23 S80-HC . . . . . 0</b> CONFIGURATION: - MACHINE SIDE (TOP): HCS80 Linkage - REQUIRES: HCS80 Coupler - ATTACHMENT SIDE (BOTTOM): S80 Coupler INCLUDES : HYDRAULIC CONNECTION ( 2 x 1", 1 x 3/4") INCLUDES: Secure Lock INCLUDES: Double Acting Load holding valve INCLUDES: 1E & 2E (Hydraulic function) INCLUDES: ICS Innovative Control System INCLUDES: ILS Innovative lubrication System INCLUDES: Drain function REQUIRES: TRS Control, Retro Fit or Integrated. REQUIRES: V90 10Pin electric connector For both Machine Coupler and Tilt Rotator FOR USE WITH : 326, 330, 335		<b>\$58,667 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

**TILT-ROTATOR 326, 330, 335 (Cont.)**

**OPTIONS, TILT-ROTATOR**

W	540-2979	<b>INSTALLATION GROUP-RPS</b> . . . . . 2 ENABLES TRS TO WORK WITH GRADING SOLUTIONS FROM CAT OR THIRD PARTY FOR USE WITH: QUICK COUPLER TILT-ROTATOR		\$2,285 NI
W	567-7343	<b>KIT, MODULE-GRAPPLE</b> . . . . . 0 PROVIDES AN INTEGRATED PICKING AND HANDLING TOOL FOR USE WITH: QUICK COUPLER TILT-ROTATOR FOR USE WITH: TRS 23 with S70 and HCS70 type bottom		\$9,083 NI
W	567-7344	<b>KIT, MODULE-GRAPPLE</b> . . . . . 0 PROVIDES AN INTEGRATED PICKING AND HANDLING TOOL FOR USE WITH: QUICK COUPLER TILT-ROTATOR FOR USE WITH: TRS 23 with S70/55, HCS70/55, S80 and HCS80 type bottom		\$9,847 NI

**CONNECTING LINES, TILT-ROTATOR**

W	556-8495	<b>LINES, CONNECTING</b> . . . . . 0 PROVIDES CONNECTING LINES FOR QUICK COUPLER TILT-ROTATOR WITH FOLLOWING CONFIGURATION: - MACHINE SIDE (TOP): S QUICK COUPLER MODEL S70 or S80 - ATTACHMENT SIDE (BOTTOM): S QUICK COUPLER MODEL S70 or S80 FOR USE WITH: QUICK COUPLER TILT-ROTATOR 558-8925 and 558-8926 REQUIRES: QUICK DISCONNECTS AND ADAPTERS (NOT INCLUDED)		\$549 NI
W	556-1870	<b>LINES, CONNECTING</b> . . . . . 0 PROVIDES CONNECTING LINES FOR QUICK COUPLER TILT-ROTATOR WITH FOLLOWING CONFIGURATION: - MACHINE SIDE (TOP): PIN ON - ATTACHMENT SIDE (BOTTOM): S QUICK COUPLER MODEL S70 or S80 FOR USE WITH: QUICK COUPLER TILT-ROTATOR 567-6085, 567-6086		\$549 NI
W	556-8545	<b>FITTING, QUICK DISCONNECT</b> . . . . . 0 PROVIDES ISO16028 QUICK DISCONNECTS, FLANGES AND ADAPTERS FOR USE WITH: CONNECTING LINES 556-8495 REQUIRED for Sandwich TRS configurations 558-8925, 558-8926		\$1,021 NI
W	601-1601	<b>TRS HARNESS KIT</b> . . . . . 9 REQUIRED: As of APU2021 NGH Excavators for TRS Control		\$785 NI
W	607-2419	<b>V90 10PIN ELECTR CON MACH CPLR</b> . . . . . 0 FOR USE WITH: TRS23 with HCS70 and HCS80 TOP		\$1,306 NI
W	607-2411	<b>V90 10PIN ELECTR CON MACH CPLR</b> . . . . . 2 FOR USE WITH: HCS Machine Coupler		\$979 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

**HOOKS**

W	134-0784	BLANK HOOK . . . . . 270 Lane 1 Work Tool REQUIRES: 2 per tool FOR USE WITH: 283-1629, 172-8479, 160-8296, 397-2438, 398-0796, 397-5470 or 397-6608 coupler		\$1,118 NI
---	----------	---	--	------------

**DEDICATED COUPLER HYDRAULIC KIT**

For Hydraulics kits pricing please refer to WT-HYD for D,E,F series machines and WT-HYDNGH for Next Gen Hex Models. For Configuration information please refer to Hydraulic Kit Reference Guide GEJQ9215

**GRAPPLES, G120 CONTRACTOR**

Ensure that the host machine is configured with a Extreme Service Stick designed for hydro mechanical work tool applications. If the host machine is not configured with the heavier stick then install line relief valves that are typically used for Thumb applications such as 6E-5234 for the work tool (bucket) cylinder circuit. The lower pressure setting will reduce the amount of torsional force applied and greatly increase the reliability of the lighter stick.

W	590-1858	GRAPPLE, CONTRACTOR G120 . . . . . 3,481 INCLUDES: Stick Bracket and Pin Group FOR USE WITH: "CB" Linkage FOR USE WITH: Pin on or pin grabber coupler NOT FOR USE WITH: Thumb Stick Bracket		\$29,569 NI
---	----------	---	--	-------------

**G120 PIN GROUPS**

W	281-0356	PIN GROUP . . . . . 246 Required to convert G120 Grapple for use on CB Linkage.		\$4,292 NI
---	----------	--	--	------------

**G120 STICK BRACKET**

W	320-7415	BRACKET, STICK . . . . . 114 Weld on stick bracket for use with stiff link on G120, G126 and G136		\$1,306 NI
---	----------	---	--	------------

**G120 WEAR PACKAGE**

Optional wear package or can be used for rebuild

W	268-9679	PLATE GP-WEAR . . . . . 38		\$1,326 NI
---	----------	----------------------------	--	------------

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

**GRAPPLES, G126 CONTRACTOR**

W	590-1862	GRAPPLE, CONTRACTOR G126 . . . . .	4,274	\$34,667 NI
		INCLUDES: Stick Bracket and Pin Group		
		FOR USE WITH: "CB" Linkage		
		FOR USE WITH: Pin on or pin grabber coupler		
		NOT FOR USE WITH: Thumb Stick Bracket		

**G126 PIN GROUPS**

ADDITIONAL PIN GROUP REQUIRED TO CONVERT TO DIFFERENT LINKAGE

W	281-0357	PIN GROUP . . . . .	238	\$4,292 NI
		Required to convert G126 Grapple for use on B Linkage.		
W	281-0356	PIN GROUP . . . . .	246	\$4,292 NI
		Required to convert G126 Grapple for use on CB Linkage.		

**G126 STICK BRACKET**

W	320-7415	BRACKET, STICK . . . . .	114	\$1,306 NI
		Weld on stick bracket for use with stiff link on G120, G126 and G136		

**G126 WEAR PACKAGE**

Optional wear package or can be used for rebuild

W	268-9670	PLATE GP-WEAR . . . . .	55	\$1,493 NI
		FOR USE WITH: G126 Grapple		

**GRAPPLES, G136 CONTRACTOR**

Ensure that the host machine is configured with a Extreme Service Stick designed for hydro mechanical work tool applications. If the host machine is not configured with the heavier stick then install line relief valves that are typically used for Thumb applications such as 6E-5234 for the work tool (bucket) cylinder circuit. The lower pressure setting will reduce the amount of torsional force applied and greatly increase the reliability of the lighter stick.

W	590-1864	GRAPPLE, CONTRACTOR G136 . . . . .	5,201	\$37,056 NI
		INCLUDES: Pin group and weld on stick bracket		
		FOR USE WITH: Pin on or pin grabber coupler		
		FOR USE WITH: "CB" Linkage		
		NOT FOR USE WITH: Thumb bracket		



CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

**GRAPPLES, G136 CONTRACTOR (Cont.)**

W	590-1867	GRAPPLE, CONTRACTOR G136 . . . . .	5,183	\$37,056 NI
		Lane 1 Work Tool		
		INCLUDES: Pin group and weld on stick bracket		
		FOR USE WITH: Pin on or pin grabber coupler		
		FOR USE WITH: "DB" Linkage		
		NOT FOR USE WITH: Thumb bracket		

**G136 PIN GROUPS**

W	280-9013	PIN GROUP . . . . .	350	\$4,507 NI
		Required to convert G136 Grapple for use on CB Linkage.		
W	280-9012	PIN GROUP . . . . .	359	\$4,507 NI
		Required to convert G136 Grapple for use on DB Linkage.		

**G136 STICK BRACKET**

W	320-7415	BRACKET, STICK . . . . .	114	\$1,306 NI
		Weld on stick bracket for use with stiff link on G120, G126 and G136		

**G136 WEAR PACKAGE**

Optional wear package or can be used for rebuild)

W	288-5713	PLATE GP-WEAR . . . . .	73	\$1,639 NI
---	----------	-------------------------	----	------------

**GRAPPLES, PIN-ON TRASH**

Ensure that the host machine is configured with a Extreme Service Stick designed for hydro mechanical work tool applications. If the host machine is not configured with the heavier stick then install line relief valves that are typically used for Thumb applications such as 6E-5234 for the work tool (bucket) cylinder circuit. The lower pressure setting will reduce the amount of torsional force applied and greatly increase the reliability of the lighter stick.

W	299-4270	GRAPPLE, TRASH 5.00 YD3 . . . . .	4,835	\$38,472 NI
		INCLUDES: Weld On Stick Bracket and Stick Pin Only		
		FOR USE WITH: Pin on		
		FOR USE WITH: "CB" LINKAGE		
		NOT FOR USE WITH: Thumb bracket		

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

**RAKES**

W	288-0873	RAKE, 33" . . . . .	1,346	\$11,375 NI
		INCLUDES: 3 K90 spike tips NUMBER OF TEETH: 3 TOOTH SPACING: 15.75"(400 mm) FOR USE WITH: Pin on or pin grabber coupler		
W	288-0874	RAKE, 49" . . . . .	1,684	\$13,875 NI
		INCLUDES: 4 K90 spike tips NUMBER OF TEETH: 4 TOOTH SPACING: 15.75"(400mm) FOR USE WITH: Pin on or pin grabber coupler		
W	288-0875	RAKE, 65" . . . . .	2,024	\$16,264 NI
		INCLUDES: 5 K90 spike tips NUMBER OF TEETH: 5 TOOTH SPACING: 15.75"(400mm) FOR USE WITH: Pin on or pin grabber coupler		

**RIPPERS**

W	364-9153	RIPPER, PENETRATION 51" . . . . .	1,718	\$16,972 NI
		INCLUDES: Shank protector and replaceable tip 63.1" (1604mm) Tip Radius FOR USE WITH: Pin on or pin grabber coupler FOR USE WITH: CB linkage		

**HYDRAULIC THUMBS**

To have an Operational Thumb you will need to order one part number from each section:

- Thumb Group
- Bracket Group (if machine does not have thumb ready stick)
- Thumb hydraulic lines

Machines REQUIRE these Hydraulic Functions to Operate the Thumb:  
1. Double or Combined Function Hydraulics

For ordering assistance for both Thumbs and Hydraulics

dWING: <https://gwtapps.cat.com/dWING/>

Refer to the following media numbers:

- a. GEJQ2365: Thumb Product Bulletin
- b. GEJQ0215 for hydraulics

For ordering assistance please contact the sales support team in Americas North via email at [worktools@cat.com](mailto:worktools@cat.com)

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

**HYDRAULIC THUMBS (Cont.)**

**FOR 330GC with Standard Undercarriage Please contact your WT Specialist for compatibility**

**THUMBS, PRO PLUS (WITH LINK) - PIN ON**

W	578-2487	THUMB GROUP.....	1,920	\$16,556 NI
W	578-2488	THUMB GROUP.....	1,939	\$16,556 NI
W	578-2489	THUMB GROUP.....	1,987	\$16,556 NI
W	578-2490	THUMB GROUP.....	2,035	\$16,556 NI
W	578-2491	THUMB GROUP.....	1,909	\$16,556 NI
W	578-2493	THUMB GROUP.....	1,959	\$16,556 NI
W	578-2494	THUMB GROUP.....	2,007	\$16,556 NI
W	578-2495	THUMB GROUP.....	2,051	\$16,556 NI
W	578-2496	THUMB GROUP.....	2,068	\$16,556 NI
W	578-2515	THUMB GROUP..... FOR USE WITH: 329E/F, 330F, 330, 330GC	1,943	\$16,556 NI
W	578-2516	THUMB GROUP..... FOR USE WITH: 329E/F, 330F, 330, 330GC	1,985	\$16,556 NI
W	578-2517	THUMB GROUP..... FOR USE WITH: 329E/F, 330F, 330, 330GC	2,033	\$16,556 NI
W	578-2518	THUMB GROUP..... FOR USE WITH: 329E/F, 330F, 330, 330GC	2,081	\$16,556 NI
W	559-5505	THUMB GROUP..... FOR USE WITH:329E/F,330F,330,330GC	1,943	\$16,556 NI
W	559-5506	THUMB GROUP..... FOR USE WITH:329E/F,330F,330,330GC	1,993	\$16,556 NI
W	559-5507	THUMB GROUP..... FOR USE WITH:329E/F,330F,330,330GC	2,042	\$16,556 NI
W	559-5508	THUMB GROUP..... FOR USE WITH:329E/F,330F,330,330GC	2,085	\$16,556 NI
W	559-5509	THUMB GROUP..... FOR USE WITH:329E/F,330F,330,330GC	2,103	\$16,556 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

***THUMBS, PRO PLUS (WITH LINK) - PIN GRABBER COUPLER***

W	578-2498	THUMB GROUP.....	1,952	\$16,556 NI
W	578-2499	THUMB GROUP.....	1,967	\$16,556 NI
W	578-2500	THUMB GROUP.....	1,991	\$16,556 NI
W	578-2501	THUMB GROUP.....	2,094	\$16,556 NI
W	578-2502	THUMB GROUP.....	1,964	\$16,556 NI
W	578-2504	THUMB GROUP.....	1,990	\$16,556 NI
W	578-2505	THUMB GROUP.....	2,013	\$16,556 NI
W	578-2506	THUMB GROUP.....	2,110	\$16,556 NI
W	578-2558	THUMB GROUP.....	2,128	\$16,556 NI
W	584-5109	THUMB GROUP.....	2,060	\$16,556 NI
		FOR USE WITH:329E/F,330F,330,330GC		
W	559-5514	THUMB GROUP.....	2,085	\$16,556 NI
		FOR USE WITH:329E/F,330F,330,330GC		
W	559-5515	THUMB GROUP.....	2,145	\$16,556 NI
		FOR USE WITH:329E/F,330F,330,330GC		
W	559-5516	THUMB GROUP.....	2,211	\$16,556 NI
		FOR USE WITH:329E/F,330F,330,330GC		
W	559-5517	THUMB GROUP.....	2,049	\$16,556 NI
		FOR USE WITH:329E/F,330F,330,330GC		
W	559-5518	THUMB GROUP.....	2,110	\$16,556 NI
		FOR USE WITH:329E/F,330F,330,330GC		
W	559-5519	THUMB GROUP.....	2,165	\$16,556 NI
		FOR USE WITH:329E/F,330F,330,330GC		
W	559-5520	THUMB GROUP.....	2,229	\$16,556 NI
		FOR USE WITH:329E/F,330F,330,330GC		
W	559-5521	THUMB GROUP.....	2,247	\$16,556 NI
		FOR USE WITH:329E/F,330F,330,330GC		

***THUMBS, PRO (NO LINK) - PIN ON***

W	578-2511	THUMB GROUP.....	1,469	\$13,875 NI
W	578-2512	THUMB GROUP.....	1,488	\$13,875 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

***THUMBS, PRO (NO LINK) - PIN ON (Cont.)***

W	578-2513	THUMB GROUP.....	1,536	\$13,875 NI
W	578-2514	THUMB GROUP.....	1,584	\$13,875 NI
W	418-0412	THUMB GROUP.....	1,446	\$13,875 NI
W	418-0414	THUMB GROUP.....	1,497	\$13,875 NI
W	418-0416	THUMB GROUP.....	1,545	\$13,875 NI
W	418-0418	THUMB GROUP.....	1,590	\$13,875 NI
W	418-0420	THUMB GROUP.....	1,605	\$13,875 NI
W	578-2519	THUMB GROUP.....	1,477	\$13,875 NI
W	578-2527	THUMB GROUP.....	1,544	\$13,875 NI
W	578-2528	THUMB GROUP.....	1,592	\$13,875 NI
W	418-0484	THUMB GROUP.....	1,455	\$13,875 NI
W	418-0486	THUMB GROUP.....	1,497	\$13,875 NI
W	418-0488	THUMB GROUP.....	1,552	\$13,875 NI
W	418-0490	THUMB GROUP.....	1,596	\$13,875 NI
W	418-0492	THUMB GROUP.....	1,614	\$13,875 NI

***THUMBS, PRO (NO LINK) - PIN GRABBER COUPLER***

W	584-5098	THUMB GROUP.....	1,138	\$13,875 NI
W	418-0424	THUMB GROUP.....	1,515	\$13,875 NI
W	418-0426	THUMB GROUP.....	1,541	\$13,875 NI
W	418-0428	THUMB GROUP.....	1,642	\$13,875 NI
W	418-0430	THUMB GROUP.....	1,512	\$13,875 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

***THUMBS, PRO (NO LINK) - PIN GRABBER COUPLER (Cont.)***

W	418-0432	THUMB GROUP . . . . .	1,541	\$13,875 NI
W	418-0434	THUMB GROUP . . . . .	1,563	\$13,875 NI
W	418-0436	THUMB GROUP . . . . .	1,660	\$13,875 NI
W	418-0438	THUMB GROUP . . . . .	1,678	\$13,875 NI
W	584-5681	THUMB GROUP . . . . .	1,571	\$13,875 NI
W	418-0496	THUMB GROUP . . . . .	1,596	\$13,875 NI
W	418-0498	THUMB GROUP . . . . .	1,656	\$13,875 NI
W	418-0500	THUMB GROUP . . . . .	1,722	\$13,875 NI
W	418-0502	THUMB GROUP . . . . .	1,559	\$13,875 NI
W	418-0504	THUMB GROUP . . . . .	1,614	\$13,875 NI
W	418-0506	THUMB GROUP . . . . .	1,676	\$13,875 NI
W	418-0508	THUMB GROUP . . . . .	1,739	\$13,875 NI
W	418-0510	THUMB GROUP . . . . .	1,757	\$13,875 NI

***BRACKET GROUP***

W	386-3919	BRACKET GP . . . . . Lane 1 Work Tool FOR USE WITH: 320D/E/F, 320, 320GC, 323F, 323, 324D/E, 325F, 326F Machines NOT equipped with a Thumb Ready Stick	72	\$1,076 NI
W	385-9614	BRACKET GP . . . . . Lane 1 Work Tool FOR USE WITH: 329D/E/F, 330F, 330, 330GC, 335F Machines NOT equipped with a Thumb Ready Stick	76	\$1,056 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
<b>324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)</b>				
<b>THUMBS, HYDRAULIC LINES</b>				
W	418-0310	CONNECTOR LINES, THUMB ..... Lane 1 Work Tool INCLUDES: Ball Valves FOR USE WITH: Connection to stick lines FOR USE WITH: FOR USE WITH: 329E/F, 330F, 330, 330GC, 335F	47	\$1,306 NI
W	418-0311	CONNECTOR LINES, THUMB ..... Lane 1 Work Tool INCLUDES: Ball Valves FOR USE WITH: 328D and 329D Machines FOR USE WITH: Connection to stick lines	49	\$1,306 NI
W	420-3637	CONNECTOR LINES, THUMB ..... Lane 1 Work Tool FOR USE WITH: 324E/D & 326F Machines equipped with a 2.95m(9'8") stick FOR USE WITH: Connection to boom lines	34	\$593 NI
W	420-3638	CONNECTOR LINES, THUMB ..... Lane 1 Work Tool FOR USE WITH: 320D/E/F, 320, 320GC, 323F, 323 Machines equipped with 3.2M(10'6") or 3.75M(12'4") stick FOR USE WITH: Connection to boom lines	42	\$593 NI
<b>THUMBS, UTILITY</b>				
W	450-7025	THUMB, UTILITY ..... INCLUDES: Thumb, bracket, cylinder, & thumb pins. FOR USE WITH: Pin on or wide tip buckets. REQUIRES: Thumb connector lines 428-5965	968	\$8,972 NI
W	450-7026	THUMB, UTILITY ..... Lane 1 Work Tool INCLUDES: Thumb, bracket, cylinder, & thumb pins. FOR USE WITH: Caterpillar Pin grabber coupler and wide tip buckets. REQUIRES: Thumb connector lines 428-5965	1,075	\$8,972 NI
<b>THUMBS, UTILITY HYDRAULIC LINES</b>				
W	428-5965	LINES, CONNECTOR ..... Lane 1 Work Tool	22	\$722 NI
<b>THUMBS, STIFF LINK PIN ON</b>				
W	584-7229	THUMB GROUP ..... Lane 1 Work Tool	958	\$6,215 NI
W	584-7230	THUMB GROUP ..... Lane 1 Work Tool	1,000	\$6,215 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**324/326/335/329/330/330GCHEX,548,558 FEX (CONT.)**

***THUMBS, STIFF LINK PIN ON (Cont.)***

W	584-7232	THUMB, STIFF LINK ..... Lane 1 Work Tool	1,084	\$6,215 NI
---	----------	---	-------	------------

***THUMBS, STIFF LINK - PIN GRABBER COUPLER***

W	584-7237	THUMB, STIFF LINK .....	1,052	\$6,215 NI
W	378-2315	THUMB, STIFF LINK .....	1,120	\$6,215 NI
W	378-2292	THUMB, STIFF LINK .....	1,010	\$6,215 NI
W	378-2293	THUMB, STIFF LINK .....	1,111	\$6,215 NI
W	378-2294	THUMB, STIFF LINK .....	1,149	\$6,215 NI



CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**336GC, 336 & 340 HEX, 568 FEX**

**BUCKETS, GENERAL DUTY (GD) PIN ON "DB" FAMILY**

THE FOLLOWING SECTION CONTAINS BUCKETS FOR THE PRIMARY 336 "DB- FAMILY LINKAGE.  
PLEASE CONSULT THE 349/352 SECTION FOR "TB" FAMILY BUCKET OPTIONS FOR THE 336 MASS EX MACHINES.

W	540-4113	BKT GD 30" 1.23YD3 DB . . . . .	2,039	\$11,194 NI
		REQUIRES: 3 Advansys 100 size tips		
W	540-4114	BKT GD 36" 1.56YD3 DB . . . . .	2,213	\$12,167 NI
		REQUIRES: 4 Advansys 100 size tips		
W	540-4115	BKT GD 42" 1.91YD3 DB . . . . .	2,429	\$12,833 NI
		REQUIRES: 5 Advansys 100 size tips		
W	540-4116	BKT GD 48" 2.26YD3 DB . . . . .	2,619	\$13,931 NI
		Lane 1 Work Tool		
		REQUIRES: 5 Advansys 100 size tips		
W	540-4117	BKT GD 54" 2.62YD3 DB . . . . .	2,842	\$14,903 NI
		Lane 1 Work Tool		
		REQUIRES: 6 Advansys 100 size tips		
W	538-9467	BKT GD 60" 2.97YD3 DB . . . . .	3,062	\$15,778 NI
		Lane 1 Work Tool		
		REQUIRES: 7 Advansys 100 size tips		
W	540-4120	BKT GD 66" 3.33YD3 DB . . . . .	3,252	\$16,722 NI
		Lane 1 Work Tool		
		REQUIRES: 7 Advansys 100 size tips		

**BUCKETS, GENERAL DUTY CLOSE SPACED WITH WIDE TIPS (GDC)**

W	540-4084	BKTA GDWT 32" 1.54YD3 DB . . . . .	2,308	\$12,653 NI
		INCLUDES: 3 Advansys 100 size tips		
W	540-4085	BKTA GDWT 38" 1.95YD3 DB . . . . .	2,524	\$13,750 NI
		INCLUDES: 4 Advansys 100 size tips		
W	540-4086	BKTA GDWT 44" 1.91YD3 DB . . . . .	2,579	\$15,181 NI
		INCLUDES: 5 Advansys 100 size tips		
W	540-4087	BKTA GDWT 50" 2.26YD3 DB . . . . .	2,769	\$15,181 NI
		INCLUDES: 5 Advansys 100 size tips		
W	540-4088	BKTA GDWT 56" 2.62YD3 DB . . . . .	3,023	\$16,236 NI
		INCLUDES: 6 Advansys 100 size tips		
W	540-4089	BKTA GDWT 62" 2.97YD3 DB . . . . .	3,276	\$17,264 NI
		INCLUDES: 7 Advansys 100 size tips		

**BUCKETS, HEAVY DUTY (HD)**

W	528-4599	BKT HD 30" 0.95YD3 DB . . . . .	2,185	\$12,222 NI
		Lane 1 Work Tool		
		REQUIRES: 3 Advansys 110 size tips		

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**336GC, 336 & 340 HEX, 568 FEX (CONT.)**

***BUCKETS, HEAVY DUTY (HD) (Cont.)***

W	528-4600	BKT HD 36" 1.24YD3 DB ..... Lane 1 Work Tools REQUIRES: 4 Advansys 110 size tips	2,480	\$13,069 NI
W	528-4601	BKT HD 42" 1.54YD3 DB ..... Lane 1 Work Tool REQUIRES: 4 Advansys 110 size tips	2,679	\$14,097 NI
W	528-4602	BKT HD 48" 1.83YD3 DB ..... Lane 1 Work Tool REQUIRES: 5 Advansys 110 size tips	2,939	\$14,986 NI
W	528-4604	BKT HD 54" 2.14YD3 DB ..... Lane 1 Work Tool REQUIRES:5 Advansys 110 size tips	3,150	\$15,694 NI
W	528-4606	BKT HD 60" 2.46YD3 DB ..... Lane 1 Work Tool REQUIRES: 6 Advansys 110 size tips	3,408	\$16,861 NI
W	528-4608	BKT HD 66" 2.77YD3 DB ..... Lane 1 Work Tool REQUIRES: 7 Advansys 110 size tips	3,668	\$17,722 NI
W	528-4609	BKT HD 72" 3.08YD3 DB ..... Lane 1 Work Tool REQUIRES: 7 Advansys 110 size tips	3,882	\$18,750 NI

***BUCKETS, HEAVY DUTY POWER (HDP)***

W	528-4628	BKT HDP 36" 1.24YD3 DB ..... REQUIRES: 4 Advansys 110 size tips	2,467	\$13,611 NI
W	528-4629	BKT HDP 48" 1.83YD3 DB ..... REQUIRES: 5 Advansys 110 size tips	2,950	\$15,569 NI
W	528-4630	BKT HDP 54" 2.13YD3 DB ..... REQUIRES: 5 Advansys 110 size tips	3,164	\$16,639 NI
W	528-4631	BKT HDP 60" 2.46YD3 DB ..... REQUIRES: 6 Advansys 110 size tips	3,435	\$17,542 NI

***BUCKETS, HEAVY DUTY PIN GRABBER PERFORMANCE (HD-PGP)***

THESE BUCKETS ARE DESIGNED SPECIFICALLY FOR USER WITH CATERPILLAR PIN GRABBER COUPLERS.

NOT FOR PIN ON APPLICATION  
FOR USE WITH: "DB" linkage Cat Pin Grabber

W	528-4633	BKT HDPG 36" 1.14YD3 DB ..... REQUIRES: 4 Advansys 110 size tips	2,542	\$14,625 NI
W	528-4634	BKT HDPG 42" 1.41YD3 DB ..... REQUIRES: 4 Advansys 110 size tips	2,769	\$15,764 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**336GC, 336 & 340 HEX, 568 FEX (CONT.)**

***BUCKETS, HEAVY DUTY PIN GRABBER PERFORMANCE (HD-PGP) (Cont.)***

W	528-4635	BKT HDPG 48" 1.69YD3 DB ..... 3,025 REQUIRES: 5 Advansys 110 size tips		\$16,722 NI
W	528-4636	BKT HDPG 54" 1.96YD3 DB ..... 3,250 REQUIRES: 5 Advansys 110 size tips		\$17,542 NI
W	528-4637	BKT HDPG 60" 2.25YD3 DB ..... 3,521 REQUIRES: 6 Advansys 110 size tips		\$18,847 NI
W	528-4638	BKT HDPG 66" 2.52YD3 DB ..... 3,794 REQUIRES: 7 Advansys 110 size tips		\$19,806 NI

***BUCKETS, SEVERE DUTY (SD)***

Recommended for use with 4pc sidebar protector group 357-2691

W	528-4639	BKT SD 30" 0.95YD3 DB ..... 2,306 REQUIRES: 3 Advansys 110 size tips		\$13,278 NI
W	528-4640	BKT SD 36" 1.24YD3 DB ..... 2,612 REQUIRES: 4 Advansys 110 size tips		\$14,250 NI
W	528-4641	BKT SD 42" 1.54YD3 DB ..... 2,826 Lane 1 Work Tool Does NOT include Lifting Eye REQUIRES: 4 Advansys 110 size tips		\$15,153 NI
W	528-4642	BKT SD 48" 1.83YD3 DB ..... 3,104 REQUIRES: 5 Advansys 110 size tips		\$16,028 NI
W	528-4643	BKT SD 54" 2.14YD3 DB ..... 3,331 Lane 1 Work Tool REQUIRES: 5 Advansys 110 size tips		\$17,028 NI

***BUCKETS, SEVERE DUTY SPADE (SDS)***

W	528-4645	BKT SD 59" 2.50YD3 DB ..... 3,549 Does NOT include Lifting Eye REQUIRES: 4 Advansys 110 size tips		\$17,222 NI
---	----------	---	--	-------------

***BUCKETS, SEVERE DUTY PIN GRABBER PERFORMANCE (SD-PGP)***

FOR USE WITH: "DB" linkage Cat Pin Grabber or Center-Lock Coupler

W	528-4650	BKT SDPG 30" 0.89YD3 DB ..... 2,321 REQUIRES: 3 Advansys 110 size tips		\$14,819 NI
W	528-4651	BKT SDPG 30" 0.89YD3 DB ..... 2,681 REQUIRES: 4 Advansys 110 size tips		\$15,917 NI
W	528-4652	BKT SDPG 48" 1.69YD3 DB ..... 3,197 REQUIRES: 4 Advansys 110 size tips		\$17,903 NI
W	528-4653	BKT SDPG 54" 1.96YD3 DB ..... 3,435 REQUIRES: 5 Advansys 110 size tips		\$18,778 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
<b>336GC, 336 &amp; 340 HEX, 568 FEX (CONT.)</b>				
<b><i>BUCKETS, EXTREME DUTY (XD)</i></b>				
W	528-4654	<b>BKT XD 48" 1.83YD3 DB</b> ..... 3,419 INCLUDES: Sidebar Protectors, Straight Corner Shrouds, Curved Corner Shrouds REQUIRES: 5 Advansys 110 size tips		<b>\$18,167 NI</b>
<b><i>BUCKETS, CLEAN-UP (CU)</i></b>				
W	439-7323	<b>BUCKET-CU, 72" 3.24 YD3 (DB)</b> ..... 3,184 INCLUDES: BOCE 436-5550 Does NOT include Lifting Eye		<b>\$16,972 NI</b>
<b><i>BUCKETS, CLEAN-UP DEDICATED COUPLER (CUQ) (DB FAMILY)</i></b>				
W	439-7326	<b>BUCKET-CUQ, 72" 3.26 YD3 (DB)</b> ..... 3,120 INCLUDES: BOCE 436-5550 Does NOT Include Lifting Eye and Adjuster Group		<b>\$16,639 NI</b>
W	439-7325	<b>BUCKET-CUQ, 83" 3.81 YD3 (DB)</b> ..... 3,457 INCLUDES: BOCE 443-4369 Does NOT Include Lifting Eye and Adjuster Group		<b>\$18,417 NI</b>
<b><i>BUCKETS, DITCH CLEANING (DC)</i></b>				
W	439-7324	<b>BUCKET-DC, 72" 2.56 YD3 (DB)</b> ..... 2,529 Lane 1 Work Tool INCLUDES: Drain holes INCLUDES: BOCE 436-5550 Does NOT include Lifting Eye and Adjuster Group Does NOT accept sidecutters or sidebar protectors		<b>\$10,486 NI</b>
<b><i>BUCKETS, DITCH CLEANING DEDICATED COUPLER (DCQ) (D/DB FAMILY)</i></b>				
W	439-7327	<b>BUCKET-DCQ, 72" 2.56 YD3 (DB)</b> ..... 2,474 INCLUDES: Drain holes INCLUDES: BOCE 436-5550 Does NOT Include Lifting Eye and Adjuster Group Does NOT accept sidecutters or sidebar protectors		<b>\$10,250 NI</b>
<b><i>BUCKETS, DIGGING FOR USE WITH S COUPLERS AND TILT-ROTATORS</i></b>				
<b>FOR S80 COUPLER INTERFACE:</b>				
W	596-1847	<b>BUCKET-HD, 67" 2.40YD3 (S80)</b> ..... 4,211 INCLUDES: 4 x TIP Penetration plus ADVANSYS 130		<b>\$24,264 NI</b>
W	596-1849	<b>BUCKET-HD, 72" 2.60YD3 (S80)</b> ..... 5,304 INCLUDES: 4 x TIP Penetration plus ADVANSYS 130		<b>\$30,250 NI</b>

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**336GC, 336 & 340 HEX, 568 FEX (CONT.)**

***BUCKETS, DIGGING FOR USE WITH S COUPLERS AND TILT-ROTATORS (Cont.)***

W	596-1851	BUCKET-HD, 76" 2.90YD3 (S80) . . . . .	5,514	\$31,403 NI
		INCLUDES: 4 x TIP Penetration plus ADVANSYS 130		

***TIPS, G.E.T. ADVANSYS 100***

W	505-4103	TIP, PENETRATION PLUS ADVANSYS . . . . .	28	\$157
W	505-4002	TIP, HEAVY DUTY ADVANSYS . . . . .	30	\$167
W	505-4106	TIP, GENERAL PURPOSE ADVANSYS . . . . .	26	\$157

***TIPS, G.E.T. ADVANSYS 110***

W	505-4113	TIP, PENETRATION PLUS ADVANSYS . . . . .	37	\$215
W	505-4012	TIP, HEAVY DUTY ADVANSYS . . . . .	40	\$215
W	505-4116	TIP, GENERAL PURPOSE ADVANSYS . . . . .	31	\$175

***SIDECUTTERS***

NOT FOR USE WITH: Side Bar Protectors

W	357-2698	SIDECUTTERS, HEAVY DUTY . . . . .	108	\$1,306
		FOR USE WITH: All HD, SD "DB" family buckets		
W	7Y-0366	SIDECUTTERS, GENERAL PURPOSE . . . . .	35	\$1,069
		INCLUDES: LH and RH general purpose sidecutters. FOR USE WITH: General Duty Buckets		

***PROTECTORS***

NOT FOR USE WITH: Sidecutters

W	357-2691	PROTECTORS, SIDEBAR, SET OF 4 . . . . .	159	\$1,431
		INCLUDES: Upper and Lower LH and RH protectors FOR USE WITH: All HD, SD, "DB" family buckets		

***PIN GROUPS***

W	268-5606	PIN GROUP, SPARE . . . . .	166	\$2,104 NI
		Lane 1 Work Tool INCLUDES: Two pins and hardware. FOR USE WITH: DB FAMILY WORK TOOLS ONLY		

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**336GC, 336 & 340 HEX, 568 FEX (CONT.)**

**COMPACTION WHEEL**

W	592-6578	WHEEL, COMPACTOR 24" DB ..... 3,261 INCLUDES: DB Linkage Mounting Bracket (592-9776) includes Pins INCLUDES: Back Grading Leveling Edge		\$16,708 NI
W	592-6579	WHEEL, COMPACTOR 36" DB ..... 4,092 INCLUDES: DB Linkage Mounting Bracket (592-9776) includes Pins INCLUDES: Back Grading Leveling Edge		\$19,444 NI
W	592-9776	BRACKET, MOUNTING DB ..... 705 FOR USE WITH: 592-6578 and 592-6579 Compaction Wheels INCLUDES: Pins NOT REQUIRED: Compaction Wheels include a bracket. Only needed if extra or replacement bracket is required.		\$4,743 NI

**COUPLER, CAT PIN GRABBER COUPLERS**

The use of a quick coupler on an excavator with certain combinations of linkages (boom & stick) and work tool attachments has the potential for interference with the cab and or the front of the machine during operation. Always check for interference when first operating the machine with a quick coupler and a new work tool.

For more information on Cat Pin Grabber Couplers refer to media number GEJQ1298 or contact the sales support team in Americas North via email at [worktools@cat.com](mailto:worktools@cat.com)

**NOT FOR USE WITH: Mechanical Pulverizers or Mechanical Shear**

**For 336 ME Configuration with TB linkage please refer to the 349/352 Pin Grabber section. For Pin Grabber Hydraulic Kits please refer to the WT-HYD or WT-HYDNGH**

W	389-8070	COUPLER, PG W/O PINS DB ..... 1,365 Lane 1 Work Tool FOR USE WITH: DB-Linkage Machine & Bucket Family NOT FOR USE WITH: Center-Lock Coupler Hydraulic Circuit DOES NOT INCLUDE: Pin Group REQUIRES: New Pin Grabber Hydraulic Kit & Connector Lines 422-2977 REQUIRES: Conversion kit if being used with previously installed Center-Lock Coupler Kit		\$12,486 NI
---	----------	---	--	-------------

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**336GC, 336 & 340 HEX, 568 FEX (CONT.)**

***COUPLER, CAT PIN GRABBER COUPLERS (Cont.)***

W	388-9724	COUPLER, PG W/O PINS NARROW DB ..... 1,343 Lane 1 Work Tool Narrow Profile Pin Grabber for use with non-Cat Work Tools with narrow face spread FOR USE WITH: DB-Linkage Machine & Bucket Family FOR USE WITH: See Product Bulletin for Bucket Compatibility NOT FOR USE WITH: Center-Lock Coupler Hydraulic Circuit DOES NOT INCLUDE: Pin Group REQUIRES: New Pin Grabber Hydraulic Kit & Connector Lines 422-2977 REQUIRES: Conversion kit if being used with previously installed Center-Lock Coupler Kit		\$12,042 NI
---	----------	---	--	-------------

***PIN GRABBER COUPLER CLAMPING SPACER "DB" FAMILY***

W	343-4534	CLAMPING SPACER. .... 12 INCLUDES: Two solid steel spacers and two locking rings. Used to adapt tools with wider face spreads to ensure coupler stays centered on select tools. See product bulletin for complete information.		\$324 NI
---	----------	--	--	----------

***PIN GRABBER COUPLER SPARE PINS "DB" FAMILY LINKAGE***

W	268-5606	PIN GROUP, SPARE ..... 166 Lane 1 Work Tool INCLUDES: Two pins and hardware. FOR USE WITH: DB FAMILY WORK TOOLS ONLY!		\$2,104 NI
---	----------	--	--	------------

***LINES, CONNECTOR PIN GRABBER***

W	422-2977	LINES, CONNECTOR, PIN GRABBER ..... 8 Lane 1 Work Tool FOR USE WITH: DB-Linkage Cat Pin Grabber Couplers 389-8070 & 388-9724		\$321 NI
---	----------	--	--	----------

**PIN GRABBER COUPLER HYDRAULIC KITS**

For Hydraulics kits pricing please refer to WT-HYD for D,E,F series machines and WT-HYDNGH for Next Gen Hex Models. For Configuration information please refer to Hydraulic Kit Reference Guide GEJQ9215

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**336GC, 336 & 340 HEX, 568 FEX (CONT.)**

**COUPLER, DEDICATED "DB" FAMILY**

W	397-6778	COUPLER, DEDICATED HYD DB . . . . . 777 REQUIRES: 348-8771 hydraulic kit		\$12,347 NI
W	397-2434	COUPLER, DEDICATED MANUAL DB . . . . . 762 REQUIRES: Lifting Eye removed from power link OR 241-7140 power link		\$9,889 NI

**COUPLERS, S**

W	573-3171	COUPLER, S HYDRAULIC S80 DB . . . . . 1,005 INCLUDES: Lifting Hook INCLUDES: Securelock REQUIRES: Securelock Control REQUIRES: Connecting Lines (574-9323)		\$12,250 NI
W	574-9323	LINES, CONNECTING . . . . . 7 For Use With: 573-3171 S Coupler		\$297 NI
W	588-8983	CABLE GRP-ELECTRIC S-LOCK. . . . . 0 REQUIRED: As of APU2022 NGH Excavators for Securelock Control		\$174 NI

**COUPLERS, HCS**

W	598-7847	COUPLER, HCS HYD HCS70 UHD . . . . . 683 INCLUDES: HYDRAULIC CONNECTION ( 2 x 1/2", 2 x 1") INCLUDES: Lifting Hook INCLUDES: Securelock REQUIRES: Securelock Control 576-2708 REQUIRES: Control and lines hydraulic for quick coupler FOR USE WITH : 340 UHD, 352 UHD		\$23,986 NI
W	598-7849	COUPLER, HCS HYD HCS70/55 UHD . . . . . 761 INCLUDES: HYDRAULIC CONNECTION ( 2 x 1/2", 2 x 1") INCLUDES: Lifting Hook INCLUDES: Securelock REQUIRES: Securelock Control 576-2708 REQUIRES: Control and lines hydraulic for quick coupler FOR USE WITH : 340 UHD, 352 UHD		\$25,194 NI
W	583-0212	COUPLER, HCS HYD HCS80 DB . . . . . 1,025 INCLUDES: HYDRAULIC CONNECTION ( 2 x 1/2", 2 x 1") INCLUDES: Lifting Hook INCLUDES: Securelock REQUIRES: Securelock Control REQUIRES: Control and lines hydraulic for quick coupler FOR USE WITH : 330, 336, 340, 330GC, 336GC		\$30,264 NI
W	606-3330	LINES, CONNECTING . . . . . 60 FOR USE WITH: 583-0212 HCS Coupler FOR USE WITH : 330, 336, 340, 330GC, 336GC		\$1,938 NI



CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**336GC, 336 & 340 HEX, 568 FEX (CONT.)**

**COUPLERS, HCS (Cont.)**

W	598-7860	<b>LINES, CONNECTING</b> . . . . . 0 INCLUDES: High Pressure, Medium Pressure and QC (Internal) Hoses FOR USE WITH: 598-7847, 598-7849 HCS Couplers FOR USE WITH: 340 UHD 352 UHD		\$1,938 NI
W	605-9617	<b>LINES, CONNECTING PREMIUM</b> . . . . . 88 INCLUDES: High Pressure, Medium Pressure (Internal), QC (Internal) and Drain Line Hoses REQUIRES: Valve-QDC Drain installed in Coupler REQUIRES: Case-Drain installed on machine FOR USE WITH: 583-0212 HCS coupler FOR USE WITH: 330, 336, 340		\$3,875 NI
W	576-2708	<b>CONTROL, SECURELOCK.</b> . . . . . 0 FOR USE WITH: 340 UHD 352 UHD		\$2,083 NI
W	580-0421	<b>VALVE, DRAIN QDC FEMALE</b> . . . . . 2 Quick disconnect valve for drain line 3/4" Female FOR USE WITH: HCS70 HCS70/55 HCS80 2 Valve, drain QDC can be used on HCS70/55 and HCS80		\$465 NI
W	617-2076	<b>GREASE KIT</b> . . . . . 2 Female and Male Grease Valves & Mounting Grease Kit 1/2" FOR USE WITH: HCS70, HCS70/55 and HCS80 Coupler FOR USE WITH: Mounting Brackets HCS70, HCS70/55 or HCS80		\$1,035 NI
W	617-2079	<b>GREASE KIT</b> . . . . . 4 Female and Male Grease Valves & Mounting Grease Kit 3/4" FOR USE WITH: HCS70, HCS70/55 and HCS80 Coupler FOR USE WITH: Mounting Brackets HCS70, HCS70/55 or HCS80		\$1,035 NI
W	588-8983	<b>CABLE GRP-ELECTRIC S-LOCK.</b> . . . . . 0 REQUIRED: As of APU2022 NGH Excavators for Securelock Control		\$174 NI

**HOOKS**

W	134-0784	<b>BLANK HOOK</b> . . . . . 270 Lane 1 Work Tool REQUIRES: 2 per tool FOR USE WITH: 283-1628, 283-1629, 283-1630, 224-9650, 224-9643, 397-4677, 399-3623, 397-5470, 397-2434 or 397-6778 Coupler		\$1,118 NI
---	----------	--	--	------------

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**336GC, 336 & 340 HEX, 568 FEX (CONT.)**

***GRAPPLES, G136 CONTRACTOR***

Ensure that the host machine is configured with a Extreme Service Stick designed for hydro mechanical work tool applications. If the host machine is not configured with the heavier stick then install line relief valves that are typically used for Thumb applications such as 6E-5234 for the work tool (bucket) cylinder circuit. The lower pressure setting will reduce the amount of torsional force applied and greatly increase the reliability of the lighter stick.

W	590-1867	GRAPPLE, CONTRACTOR G136 . . . . .	5,183	\$37,056 NI
		Lane 1 Work Tool		
		INCLUDES: Pin group and weld on stick bracket		
		FOR USE WITH: Pin on or pin grabber coupler		
		FOR USE WITH: "DB" Linkage		
		NOT FOR USE WITH: Thumb bracket		

***G136, PIN GROUPS***

W	280-9012	PIN GROUP . . . . .	359	\$4,507 NI
		Required to convert G136 Grapple for use on DB Linkage.		

***G136, STICK BRACKET***

W	320-7415	BRACKET, STICK . . . . .	114	\$1,306 NI
		Weld on stick bracket for use with stiff link on G120, G126 and G136		

***G130B, WEAR PACKAGE***

Optional wear package or can be used for rebuild

W	288-5713	PLATE GP-WEAR . . . . .	73	\$1,639 NI
		FOR USE WITH: G130B Grapple		

***GRAPPLES, PIN ON TRASH***

Ensure that the host machine is configured with a Extreme Service Stick designed for hydro mechanical work tool applications. If the host machine is not configured with the heavier stick then install line relief valves that are typically used for Thumb applications such as 6E-5234 for the work tool (bucket) cylinder circuit. The lower pressure setting will reduce the amount of torsional force applied and greatly increase the reliability of the lighter stick.

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
<b>336GC, 336 &amp; 340 HEX, 568 FEX (CONT.)</b>				
<b>GRAPPLES, PIN ON TRASH (Cont.)</b>				
W	285-1210	<b>GRAPPLE, TRASH 6.00 YD3</b> . . . . . 4,400 INCLUDES: Weld On Stick Bracket and Stick Pin Only FOR USE WITH: "DB" LINKAGE FOR USE WITH: Pin On NOT FOR USE WITH: Thumb bracket		<b>\$42,444 NI</b>
W	285-1208	<b>GRAPPLE, TRASH 7.25 YD3</b> . . . . . 4,645 INCLUDES: Weld On Stick Bracket and Stick Pin Only FOR USE WITH: "DB" LINKAGE FOR USE WITH: Pin On NOT FOR USE WITH: Thumb bracket		<b>\$43,639 NI</b>
<b>RAKES</b>				
W	289-4642	<b>RAKE, 33"</b> . . . . . 1,528 INCLUDES: 3 K90 spike tips FOR USE WITH: Pin on or pin grabber coupler		<b>\$11,375 NI</b>
W	289-4643	<b>RAKE, 49"</b> . . . . . 1,921 INCLUDES: 4 K90 spike tips FOR USE WITH: Pin on or pin grabber coupler		<b>\$13,875 NI</b>
W	289-4644	<b>RAKE, 65"</b> . . . . . 2,205 INCLUDES: 5 K90 spike tips FOR USE WITH: Pin on or pin grabber coupler		<b>\$16,264 NI</b>
<b>RIPPERS</b>				
W	352-2591	<b>RIPPER, PENETRATION 51"</b> . . . . . 1,693 61.6" (1564mm) Tip Radius FOR USE WITH: Pin On or Pin Grabber Coupler		<b>\$16,667 NI</b>

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**336GC, 336 & 340 HEX, 568 FEX (CONT.)**

**HYDRAULIC THUMBS**

**MINIMUM STICK LENGTH OF 3.2M**

To have an Operational Thumb you will need to order one part number from each group:

- Thumb Group
- Bracket Group
- Thumb hydraulic lines

Machines REQUIRE these Hydraulic Functions to Operate the Thumb:  
 1. Double or Combined Function Hydraulics

For ordering assistance for both Thumbs and Hydraulics

1. dWING: <https://gwtapps.cat.com/dWING/>
2. Refer to the following media numbers
  - a. GEJQ2365: Thumb Product Bulletin
  - b. GEJQ0215 for hydraulics
3. For ordering assistance please contact the sales support team in Americas North via email at [worktools@cat.com](mailto:worktools@cat.com)

**THUMBS, PRO PLUS (WITH LINK) - PIN ON**

W	532-8815	THUMB GROUP.....	2,621	\$18,306 NI
W	533-0886	THUMB GROUP.....	2,687	\$18,306 NI
W	533-0887	THUMB GROUP.....	2,749	\$18,306 NI
W	533-0888	THUMB GROUP.....	2,577	\$18,306 NI
W	533-0889	THUMB GROUP.....	2,635	\$18,306 NI
W	533-0885	THUMB GROUP.....	2,703	\$18,306 NI

**THUMBS, PRO PLUS (WITH LINK) - PIN GRABBER COUPLER**

W	533-0898	THUMB GROUP.....	2,727	\$18,306 NI
W	533-0899	THUMB GROUP.....	2,819	\$18,306 NI
W	533-0900	THUMB GROUP.....	2,906	\$18,306 NI
W	533-0901	THUMB GROUP.....	2,654	\$18,306 NI
W	533-0902	THUMB GROUP.....	2,747	\$18,306 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
<b>336GC, 336 &amp; 340 HEX, 568 FEX (CONT.)</b>				
<b><i>THUMBS, PRO PLUS (WITH LINK) - PIN GRABBER COUPLER (Cont.)</i></b>				
W	533-0903	THUMB GROUP.....	2,837	\$18,306 NI
W	533-0891	THUMB GROUP.....	2,604	\$18,306 NI
W	533-0892	THUMB GROUP.....	2,632	\$18,306 NI
W	533-0893	THUMB GROUP.....	2,784	\$18,306 NI
W	533-0894	THUMB GROUP.....	2,590	\$18,306 NI
W	533-0895	THUMB GROUP.....	2,621	\$18,306 NI
W	533-0896	THUMB GROUP.....	2,652	\$18,306 NI
<b><i>THUMBS, PRO (NO LINK) - PIN ON</i></b>				
W	443-0122	THUMB GROUP.....	2,058	\$14,986 NI
W	443-0124	THUMB GROUP.....	2,123	\$14,986 NI
W	443-0126	THUMB GROUP.....	2,187	\$14,986 NI
W	443-0128	THUMB GROUP.....	2,015	\$14,986 NI
W	443-0130	THUMB GROUP.....	2,072	\$14,986 NI
W	443-0132	THUMB GROUP.....	2,143	\$14,986 NI
<b><i>THUMBS, PRO (NO LINK) - PIN GRABBER COUPLER</i></b>				
W	443-0134	THUMB GROUP.....	2,002	\$14,986 NI
W	443-0136	THUMB GROUP.....	2,035	\$14,986 NI
W	443-0138	THUMB GROUP.....	2,183	\$14,986 NI
W	443-0140	THUMB GROUP.....	1,991	\$14,986 NI
W	443-0142	THUMB GROUP.....	2,022	\$14,986 NI
W	443-0144	THUMB GROUP.....	2,050	\$14,986 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**336GC, 336 & 340 HEX, 568 FEX (CONT.)**

***THUMBS, PRO (NO LINK) - PIN GRABBER COUPLER (Cont.)***

W	443-0146	THUMB GROUP . . . . .	2,125	\$14,986 NI
W	443-0148	THUMB GROUP . . . . .	2,218	\$14,986 NI
W	443-0150	THUMB GROUP . . . . .	2,304	\$14,986 NI
W	443-0152	THUMB GROUP . . . . .	2,053	\$14,986 NI
W	443-0154	THUMB GROUP . . . . .	2,145	\$14,986 NI
W	443-0156	THUMB GROUP . . . . .	2,238	\$14,986 NI

***BRACKET GROUP***

W	433-2358	BRACKET GP . . . . . Lane 1 Work Tool FOR USE WITH: 336E/F, 336, 336GC Machines equipped with 3.2m(10'6") stick	117	\$1,076 NI
W	438-2055	BRACKET GP . . . . . Lane 1 Work Tool FOR USE WITH: 336F, 336GC Machines equipped with 3.9m stick	116	\$1,076 NI
W	457-8352	BRACKET GP . . . . . Lane 1 Work Tool FOR USE WITH: 336F, 336GC Machines equipped with 3.9m(12'10") stick	115	\$1,076 NI

***THUMBS, HYDRAULIC LINES***

W	443-0252	CONNECTOR LINES, THUMB . . . . . INCLUDES: Ball Valves FOR USE WITH: 336E/F, 336, 336GC Machines FOR USE WITH: Connection to stick tubes	63	\$2,194 NI
W	443-0253	CONNECTOR LINES, THUMB . . . . . Lane 1 Work Tool INCLUDES: Ball Valves FOR USE WITH: 330D & 336D Machines FOR USE WITH: Connection to stick tubes	63	\$1,931 NI
W	443-0254	CONNECTOR LINES, THUMB . . . . . Lane 1 Work Tool FOR USE WITH: 330D, 336D/E/F, 336, 336GC Machines equipped with 3.2m(10'6") or 3.9m (12'10") stick FOR USE WITH: Connection to boom tubes	57	\$868 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**336GC, 336 & 340 HEX, 568 FEX (CONT.)**

***THUMBS, STIFF LINK - PIN ON***

W	378-2400	THUMB, STIFF LINK .....	1,270	\$7,514 NI
W	378-2401	THUMB, STIFF LINK .....	1,402	\$7,514 NI
W	378-2402	THUMB, STIFF LINK .....	1,441	\$7,514 NI

***THUMBS, STIFF LINK - PIN GRABBER***

W	378-2404	THUMB, STIFF LINK .....	1,474	\$7,514 NI
W	378-2405	THUMB, STIFF LINK .....	1,514	\$7,514 NI

**345GC, 349 & 352 EXCAVATOR**

***BUCKETS, GENERAL DUTY (GD) PIN ON "TB" FAMILY***

W	528-2158	BKT GD 31" 1.24YD3 TB .....	2,809	\$16,264 NI
		INCLUDES: Shortened stick and link pins		
		REQUIRES: 3 Advansys 110 size tips		
W	528-2159	BKT GD 36" 1.60YD3 TB .....	3,067	\$17,472 NI
		REQUIRES: 4 Advansys 110 size tips		
W	528-2160	BKT GD 42" 1.98YD3 TB .....	3,457	\$18,556 NI
		REQUIRES: 4 Advansys 110 size tips		
W	528-2161	BKT GD 48" 2.35YD3 TB .....	3,763	\$19,611 NI
		REQUIRES: 5 Advansys 110 size tips		
W	528-2162	BKT GD 54" 2.75YD3 TB .....	4,019	\$20,792 NI
		REQUIRES: 5 Advansys 110 size tips		
W	528-2163	BKT GD 60" 3.13YD3 TB .....	4,325	\$21,889 NI
		REQUIRES: 6 Advansys 110 size tips		
W	528-2164	BKT GD 68" 3.64YD3 TB .....	4,707	\$22,806 NI
		REQUIRES: 7 Advansys 110 size tips		
W	528-2165	BKT GD 74" 4.03YD3 TB .....	4,978	\$24,000 NI
		Lane 1 Work Tool		
		REQUIRES: 7 Advansys 110 size tips		
W	528-2166	BKT GD 80" 5.00YD3 TB .....	5,410	\$26,931 NI
		Lane 1 Work Tool		
		REQUIRES: 7 Advansys 110 size tips		

***BUCKETS, GENERAL DUTY WIDE TIP (GDC) PIN ON BUCKETS "TB" FAMILY***

W	528-2198	BKTA GDWT 36" 1.77YD3 TB .....	3,228	\$19,778 NI
		INCLUDES: 4 Advansys 110 size tips (505-4110)		
W	528-2199	BKTA GDWT 54" 2.90YD3 TB .....	4,372	\$22,625 NI
		INCLUDES: 6 Advansys 110 size tips (505-4110)		

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**345GC, 349 & 352 EXCAVATOR (CONT.)**

***BUCKETS, GENERAL DUTY WIDE TIP (GDC) PIN ON BUCKETS "TB" FAMILY (Cont.)***

W	528-2200	BKTA GDWT 60" 3.29YD3 TB ..... 4,627 INCLUDES: 6 Advansys 110 size tips (505-4110)		\$23,875 NI
W	528-2201	BKTA GDWT 66" 3.68YD3 TB ..... 4,971 INCLUDES: 7 Advansys 110 size tips (505-4110)		\$25,139 NI
W	528-2202	BKTA GDWT 72" 4.07YD3 TB ..... 5,229 INCLUDES: 7 Advansys 110 size tips (505-4110)		\$26,417 NI
W	528-2203	BKTA GDWT 77" 4.46YD3 TB ..... 5,573 INCLUDES: 8 Advansys 110 size tips (505-4110)		\$27,667 NI

***BUCKETS, HEAVY DUTY (HD) PIN ON "TB" FAMILY LINKAGE***

W	528-2173	BKT HD 36" 1.41YD3 TB ..... 3,404 Lane 1 Work Tool REQUIRES: 4 Advansys 110 size tips		\$18,278 NI
W	528-2174	BKT HD 42" 1.75YD3 TB ..... 3,600 REQUIRES: 4 Advansys 110 size tips		\$19,375 NI
W	528-2175	BKT HD 48" 2.09YD3 TB ..... 3,929 Lane 1 Work Tool REQUIRES: 5 Advansys 110 size tips		\$20,472 NI
W	528-2176	BKT HD 54" 2.44YD3 TB ..... 4,209 REQUIRES: 5 Advansys 110 size tips		\$21,736 NI
W	528-2177	BKT HD 60" 2.80YD3 TB ..... 4,539 Lane 1 Work Tool REQUIRES: 6 Advansys 110 size tips		\$22,833 NI
W	611-1282	BKT HD 60" 2.80YD3 TB ..... 4,541 Lane 1 Work Tool REQUIRES: 6 Advansys 110 size tips		\$22,833 NI
W	528-4551	BKT HD 66" 3.15YD3 TB ..... 4,870 Lane 1 Work Tool REQUIRES: 7 Advansys 110 size tips		\$24,000 NI
W	611-1284	BKT HD 66" 3.15YD3 TB ..... 4,872 Lane 1 Work Tool REQUIRES: 7 Advansys 110 size tips		\$24,000 NI
W	528-4552	BKT HD 72" 3.52YD3 TB ..... 5,157 REQUIRES: 7 Advansys 110 size tips		\$25,111 NI

***BUCKETS, HEAVY DUTY PIN GRABBER PERFORMANCE (HD-PGP) "TB" FAMILY***

FOR USE WITH: "TB" linkage Cat Pin Grabber

W	528-2185	BKT HDPG 48" 1.95YD3 TB ..... 4,112 REQUIRES: 5 Advansys 110 size tips		\$22,528 NI
W	528-2186	BKT HDPG 54" 2.28YD3 TB ..... 4,409 REQUIRES: 5 Advansys 110 size tips		\$23,917 NI
W	528-2187	BKT HDPG 60" 2.59YD3 TB ..... 4,758 REQUIRES: 6 Advansys 110 size tips		\$25,125 NI



CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**345GC, 349 & 352 EXCAVATOR (CONT.)**

***BUCKETS, HEAVY DUTY PIN GRABBER PERFORMANCE (HD-PGP) "TB" FAMILY (Cont.)***

W	528-2188	BKT HDPG 66" 2.92YD3 TB ..... REQUIRES: 7 Advansys 110 size tips	5,104	\$26,431 NI
W	528-2189	BKT HDPG 74" 3.35YD3 TB ..... REQUIRES: 7 Advansys 110 size tips	5,505	\$27,653 NI

***BUCKETS, HEAVY DUTY (HD), PIN ON "UB" FAMILY***

W	518-9320	BKT HD 65" 3.62YD3 UB ..... REQUIRES: 4 Advansys 130 size tips	5,494	\$30,458 NI
W	518-9322	BKT HD 73" 4.20YD3 UB ..... REQUIRES: 4 Advansys 130 size tips	5,902	\$32,097 NI
W	518-9324	BKT HD 77" 4.49YD3 UB ..... REQUIRES: 5 Advansys 130 size tips	6,197	\$35,000 NI

***BUCKETS, SEVERE DUTY (SD) PIN ON "TB" FAMILY***

Recommended for use with 4pc sidebar protector group 357-2687

W	528-2190	BKT SD 30" 1.15YD3 TB ..... INCLUDES: Pins REQUIRES: 3 Advansys 110 size tips	3,245	\$17,847 NI
W	528-2191	BKT SD 36" 1.41YD3 TB ..... Lane 1 Work Tool REQUIRES: 4 Advansys 110 size tips	3,574	\$19,083 NI
W	528-2192	BKT SD 42" 1.75YD3 TB ..... REQUIRES: 4 Advansys 110 size tips	3,790	\$20,500 NI
W	528-2193	BKT SD 48" 2.09YD3 TB ..... REQUIRES: 5 Advansys 110 size tips	4,134	\$21,736 NI
W	518-9314	BKT SD 55" 2.44YD3 TB ..... Lane 1 Work Tool REQUIRES: 4 Advansys 130 size tips	4,605	\$24,208 NI
W	518-9315	BKT SD 61" 2.80YD3 TB ..... Lane 1 Work Tool REQUIRES: 5 Advansys 130 size tips	5,000	\$25,472 NI
W	518-9316	BKT SD 67" 3.15YD3 TB ..... Lane 1 Work Tool REQUIRES: 5 Advansys 130 size tips	5,309	\$26,944 NI
W	518-9317	BKT SD 74" 3.52YD3 TB ..... Lane 1 Work Tool REQUIRES: 6 Advansys 130 size tips	5,705	\$28,264 NI
W	581-3599	BKT SD 75" 4.05YD3 TB ..... REQUIRES: 6 Advansys A130 size tips Pin on only Not recommended for use with pin grabber coupler	6,052	\$31,444 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
<b>345GC, 349 &amp; 352 EXCAVATOR (CONT.)</b>				
<b>BUCKETS, SEVERE DUTY SPADE (SDS), PIN ON "TB" FAMILY</b>				
Recommended for use with 4pc sidebar protector group 357-2687				
W	518-9327	BKT SDS 61" 2.80YD3 TB . . . . .	4,952	\$23,931 NI
		REQUIRES: 4 Advansys 130 size tips		
W	518-9330	BKT SDS 75" 3.64YD3 TB . . . . .	5,781	\$34,111 NI
		Lane 1 Work Tool		
		REQUIRES: 5 Advansys 130 size tips		
<b>BUCKETS, SEVERE DUTY SPADE POWER (SDSP), PIN ON "TB" FAMILY</b>				
W	518-9326	BKT SDSP 69" 3.14YD3 TB . . . . .	5,430	\$25,042 NI
		REQUIRES: 4 Advansys 130 size tips		
<b>BUCKETS, SEVERE DUTY SPADE POWER (SDSP), PIN ON "UB" FAMILY</b>				
W	568-7617	BKTA SDSP 63" 3.41YD3 UB . . . . .	6,045	\$32,875 NI
		INCLUDES: 4 Advansys 130 size tips (381-4089)		
<b>BUCKETS, SEVERE DUTY SPADE (SDS) PIN ON "UB" FAMILY</b>				
Recommended for use with 4pc sidebar protector group 357-2687				
W	518-9325	BKT SD 73" 4.20YD3 UB . . . . .	6,329	\$36,736 NI
		REQUIRES: 4 Advansys 130 size tips		
		Does NOT include Lifting Eye		
<b>BUCKETS, EXTREME DUTY (XD), PIN ON "TB" FAMILY</b>				
W	518-9318	BKT XD 49" 2.09YD3 TB . . . . .	4,658	\$24,611 NI
		INCLUDES: 357-2687 sidebar protector group		
		REQUIRES: 4 Advansys 130 size tips		
W	518-9319	BKT XD 55" 2.44YD3 TB . . . . .	4,967	\$26,361 NI
		INCLUDES: 357-2687 sidebar protector group		
		REQUIRES: 4 Advansys 130 size tips		

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**345GC, 349 & 352 EXCAVATOR (CONT.)**

***BUCKETS, EXTREME DUTY SPADE POWER (XDSP), PIN ON "TB" FAMILY***

W	525-4053	BKT XDSP 61" 2.62YD3 TB ..... 5,470 REQUIRES: 4 Advansys 130 size tips		\$25,875 NI
---	----------	---	--	-------------

***BUCKETS, EXTREME DUTY SPADE (XDS), PIN ON "UB" FAMILY***

W	518-9339	BKT HD 63" 3.41YD3 UB ..... 6,669 INCLUDES: 357-2687 sidebar protector group REQUIRES: 4 Advansys 130 size tips		\$39,014 NI
W	528-8157	BKT XDS 63" 3.48YD3 UB ..... 6,914 INCLUDES: Weld-On Edge Segments INCLUDES: 357-2698 sidebar protector group REQUIRES: 4 Advansys 130 size tips		\$45,250 NI

***BUCKETS, CLEAN-UP (CU) PIN ON "TB" FAMILY***

W	439-7330	BUCKET-CU, 78" 3.66 YD3 (TB) ..... 4,822 INCLUDES: BOCE 440-1559 Does NOT include Lifting Eye		\$26,111 NI
---	----------	---	--	-------------

***TIPS, G.E.T. ADVANSYS 110***

W	505-4113	TIP, PENETRATION PLUS ADVANSYS ..... 37		\$215
W	505-4012	TIP, HEAVY DUTY ADVANSYS ..... 40		\$215
W	505-4116	TIP, GENERAL PURPOSE ADVANSYS ..... 31		\$175

***TIPS, G.E.T. ADVANSYS 130***

W	381-4089	TIP, PENETRATION PLUS ADVANSYS ..... 52		\$311
W	381-4088	TIP, GENERAL PURPOSE ADVANSYS ..... 45		\$275

***SIDECUTTERS***

NOT FOR USE WITH: Side Bar Protectors

W	357-2685	SIDECUTTERS, HEAVY DUTY .....216 INCLUDES: LH and RH general duty sidecutters FOR USE WITH: GD, HD, SD Buckets		\$2,333
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**345GC, 349 & 352 EXCAVATOR (CONT.)**

**PROTECTORS**

NOT FOR USE WITH: Sidecutters

W	357-2687	PROTECTORS, SIDEBAR . . . . .	158	\$1,549
		INCLUDES: Upper and Lower LH and RH protectors		
		FOR USE WITH: All HD and SD buckets (Included in XD buckets)		

**COMPACTION WHEEL**

W	592-6581	WHEEL, COMPACTOR 24" TB . . . . .	3,984	\$20,958 NI
		INCLUDES: TB Linkage Mounting Bracket (592-9777) with Pins		
		INCLUDES: Back Grading Leveling Edge		
W	592-6585	WHEEL, COMPACTOR 36" TB . . . . .	4,905	\$25,056 NI
		INCLUDES: TB Linkage Mounting Bracket (592-9777) with Pins		
		INCLUDES: Back Grading Leveling Edge		
W	592-9777	BRACKET, MOUNTING TB . . . . .	904	\$5,188 NI
		FOR USE WITH: 592-6581 and 592-6585 Compaction Wheels		
		INCLUDES: Pins		
		NOT REQUIRED: Compaction Wheels include a bracket. Only needed if extra or replacement bracket is required.		

**COUPLER, CAT PIN GRABBER COUPLERS**

The use of a quick coupler on an excavator with certain combinations of linkages (boom & stick) and work tool attachments has the potential for interference with the cab and or the front of the machine during operation. Always check for interference when first operating the machine with a quick coupler and a new work tool. Contact your For more information on Cat Pin Grabber Couplers and hydraulics refer to media number GEJQ1298 or contact the sales support team in Americas North via email at worktools@cat.com

**NOT FOR USE WITH: Mechanical Pulverizers or Mechanical Shear**

W	390-1017	COUPLER, PG W/O PINS TB . . . . .	2,082	\$16,653 NI
		Lane 1 Work Tool		
		DOES NOT INCLUDE: Pin Group		
		FOR USE WITH: TB-Linkage Machine & Bucket Family		
		FOR USE WITH: Bucket width of 36" and wider ONLY!!		
		NOT FOR USE WITH: Center-Lock Coupler Hydraulic Circuit		
		REQUIRES: New Pin Grabber Hydraulic Kit & Connector Lines 422-2980		
		REQUIRES: Conversion kit if being used with previously installed Center-Lock Coupler Kit		

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
<b>345GC, 349 &amp; 352 EXCAVATOR (CONT.)</b>				
<b>COUPLER, CAT PIN GRABBER COUPLERS (Cont.)</b>				
W	390-0904	COUPLER, PG W PINS TRENCH TB ..... 2,275 CAT PIN GRABBER TRENCHING COUPLER INCLUDES: Pin Group to Mount Coupler to Stick Linkage FOR USE WITH: TB-Linkage Machine & Bucket Family FOR USE WITH: Bucket width of 30" NOT FOR USE WITH: Center-Lock Coupler Hydraulic Circuit REQUIRES: New Pin Grabber Hydraulic Kit & Connector Lines 422-2980 REQUIRES: Conversion kit if being used with previously installed Center-Lock Coupler Kit		\$19,556 NI
<b>PIN GRABBER COUPLER SPARE PINS "TB" FAMILY</b>				
W	512-6169	PIN GROUP, SPARE ..... 226 Lane 1 Work Tool INCLUDES: Two pins and hardware for each additional work tool used with the hydraulic pin grabber coupler. FOR USE WITH: TB family work tools NOT FOR USE WITH: Narrow bucket 345-3184 NOT FOR USE WITH: PGP Coupler (reference 246-8124 for PGP)		\$3,417 NI
<b>PIN GRABBER COUPLER CLAMPING SPACER "TB" FAMILY</b>				
W	343-4535	CLAMPING SPACER. .... 26 INCLUDES: Two solid steel spacers and two locking rings. Used to adapt tools with wider face spreads to ensure coupler stays centered on select tools. See product bulletin for complete information.		\$483 NI
<b>LINES, CONNECTOR PIN GRABBER</b>				
W	422-2980	LINES, CONNECTOR, PIN GRABBER ..... 26 Lane 1 Work Tool FOR USE WITH: TB-Linkage Cat Pin Grabber Couplers 390-1017 & 390-0904		\$321 NI
<b>PIN GRABBER COUPLER HYDRAULIC KITS</b> For Hydraulics kits pricing please refer to WT-HYD for D,E,F series machines and WT-HYDNGH for Next Gen Hex Models. For Configuration information please refer to Hydraulic Kit Reference Guide GEJQ9215				
<b>COUPLER, DEDICATED COUPLERS FOR "TB" LINKAGE</b>				
W	433-6212	COUPLER, DEDICATED HYD TB ..... 1,170 FOR USE WITH: "TB" Linkage REQUIRES: 348-8772 hydraulic kit REQUIRES: Lifting Eye removed from power link OR 235-7759 power link		\$16,028 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**345GC, 349 & 352 EXCAVATOR (CONT.)**

**COUPLER, DEDICATED COUPLERS FOR "TB" LINKAGE (Cont.)**

W	433-6210	COUPLER, DEDICATED MANUAL TB ..... 1,140 FOR USE WITH: "TB" Linkage REQUIRES: Lifting Eye removed from power link OR 235-7759 power link		\$12,833 NI
---	----------	--	--	-------------

**COUPLERS, HCS**

W	598-7847	COUPLER, HCS HYD HCS70 UHD ..... 683 INCLUDES: HYDRAULIC CONNECTION ( 2 x 1/2", 2 x 1") INCLUDES: Lifting Hook INCLUDES: Securelock REQUIRES: Securelock Control 576-2708 REQUIRES: Control and lines hydraulic for quick coupler FOR USE WITH : 340 UHD, 352 UHD		\$23,986 NI
---	----------	---	--	-------------

W	598-7849	COUPLER, HCS HYD HCS70/55 UHD ..... 761 INCLUDES: HYDRAULIC CONNECTION ( 2 x 1/2", 2 x 1") INCLUDES: Lifting Hook INCLUDES: Securelock REQUIRES: Securelock Control 576-2708 REQUIRES: Control and lines hydraulic for quick coupler FOR USE WITH : 340 UHD, 352 UHD		\$25,194 NI
---	----------	--	--	-------------

W	598-7860	LINES, CONNECTING ..... 0 INCLUDES: High Pressure, Medium Pressure and QC (Internal) Hoses FOR USE WITH: 598-7847, 598-7849 HCS Couplers FOR USE WITH: 340 UHD 352 UHD		\$1,938 NI
---	----------	---	--	------------

W	576-2708	CONTROL, SECURELOCK. .... 0 FOR USE WITH: 340 UHD 352 UHD		\$2,083 NI
---	----------	--	--	------------

W	580-0421	VALVE, DRAIN QDC FEMALE ..... 2 Quick disconnect valve for drain line 3/4" Female FOR USE WITH: HCS70 HCS70/55 2 Valve, drain QDC can be used on HCS70/55		\$465 NI
---	----------	--	--	----------

**GRAPPLES, G149 CONTRACTOR**

Ensure that the host machine is configured with a Extreme Service Stick designed for hydro mechanical work tool applications. If the host machine is not configured with the heavier stick then install line relief valves that are typically used for Thumb applications such as 6E-5234 for the work tool (bucket) cylinder circuit. The lower pressure setting will reduce the amount of torsional force applied and greatly increase the reliability of the lighter stick.

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**345GC, 349 & 352 EXCAVATOR (CONT.)**

**GRAPPLES, G149 CONTRACTOR (Cont.)**

W	590-1869	GRAPPLE, CONTRACTOR G149 . . . . . 6,759 Lane 1 Work Tool INCLUDES: Pin group and weld on stick bracket FOR USE WITH: Pin on or pin grabber coupler FOR USE WITH: "TB" Linkage NOT FOR USE WITH: Thumb bracket		\$42,208 NI
---	----------	---	--	-------------

**G149 PIN GROUPS**

W	281-2051	PIN GROUP, (TB LINKAGE) . . . . . 492 Required to convert G149 Grapple for use on TB Linkage.		\$5,146 NI
---	----------	--	--	------------

**G149 STICK BRACKET**

W	320-6357	BRACKET, STICK . . . . . 110 Weld on stick bracket for use with stiff link on G149		\$1,451 NI
---	----------	---	--	------------

**G149 WEAR PACKAGE**

Optional wear package or can be used for rebuild

W	268-9617	PLATE GP-WEAR . . . . . 84 FOR USE WITH: G149 Grapple		\$1,889 NI
---	----------	--	--	------------

**GRAPPLE, TRASH**

Ensure that the host machine is configured with a Extreme Service Stick designed for hydro mechanical work tool applications. If the host machine is not configured with the heavier stick then install line relief valves that are typically used for Thumb applications such as 6E-5234 for the work tool (bucket) cylinder circuit. The lower pressure setting will reduce the amount of torsional force applied and greatly increase the reliability of the lighter stick.

W	267-9573	GRAPPLE, TRASH 7.00 YD3 . . . . . 6,143 INCLUDES: Weld On Stick Bracket and Stick Pin Only FOR USE WITH: "TB" LINKAGE FOR USE WITH: PIN On NOT FOR USE WITH: Thumb bracket		\$44,625 NI
W	267-9685	GRAPPLE, TRASH 11.0 YD3 . . . . . 6,781 INCLUDES: Weld On Stick Bracket and Stick Pin Only FOR USE WITH: "TB" LINKAGE FOR USE WITH: PIN On NOT FOR USE WITH: Thumb bracket		\$48,486 NI

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**345GC, 349 & 352 EXCAVATOR (CONT.)**

**RIPPERS**

W	334-0505	<b>RIPPER, PENETRATION 51"</b> ..... 1,748 INCLUDES: Shank protector and replaceable tip 60.4" (1534mm) Tip Radius FOR USE WITH: Pin On or Pin Grabber Coupler FOR USE WITH: TB linkage		<b>\$17,194 NI</b>
---	----------	---	--	--------------------

**RIPPER, PIN ON "UB" RIPPER**

W	364-9154	<b>RIPPER, PENETRATION 54"</b> ..... 2,460 67.7" (1719mm) Tip Radius INCLUDES: Shank protector and replaceable tip FOR USE WITH: Pin On or Pin Grabber Coupler FOR USE WITH: UB linkage		<b>\$25,069 NI</b>
---	----------	---	--	--------------------

**HYDRAULIC THUMBS**

**MINIMUM STICK LENGTH OF 3.35M**

To have an Operational Thumb you will need to order one part number from each group:

-Thumb Group

-Bracket Group

Section 3. Thumb hydraulic lines

Machines REQUIRE these Hydraulic Function to Operate the Thumb:

For ordering assistance for both Thumbs and Hydraulics

1. dWING: <https://gwtapps.cat.com/dWING/>

2. Refer to the following media numbers

a. GEJQ2365: Thumb Product Bulletin

b. GEJQ0215 for hydraulics

3. For ordering assistance please contact the sales support team in Americas North via email at [worktools@cat.com](mailto:worktools@cat.com)



USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
<b>345GC, 349 &amp; 352 EXCAVATOR (CONT.)</b>				
<b><i>THUMBS, PRO PLUS (WITH LINK) - PIN ON</i></b>				
W	533-0162	THUMB GROUP.....	2,815	\$23,819 NI
W	533-0907	THUMB GROUP.....	2,881	\$23,819 NI
W	533-0908	THUMB GROUP.....	2,769	\$23,819 NI
W	533-0909	THUMB GROUP.....	2,833	\$23,819 NI
<b><i>THUMBS, PRO PLUS (WITH LINK) - PIN GRABBER COUPLER</i></b>				
W	533-0912	THUMB GROUP.....	3,067	\$23,819 NI
W	533-0913	THUMB GROUP.....	3,157	\$23,819 NI
W	533-0914	THUMB GROUP.....	2,994	\$23,819 NI
W	533-0915	THUMB GROUP.....	3,093	\$23,819 NI
<b><i>THUMBS, PRO (NO LINK) - PIN ON</i></b>				
W	443-0216	THUMB GROUP.....	2,260	\$18,750 NI
W	443-0218	THUMB GROUP.....	2,328	\$18,750 NI
W	443-0220	THUMB GROUP.....	2,216	\$18,750 NI
W	443-0222	THUMB GROUP.....	2,280	\$18,750 NI
<b><i>THUMBS, PRO (NO LINK) - PIN GRABBER COUPLER</i></b>				
W	443-0224	THUMB GROUP.....	2,299	\$18,750 NI
W	443-0226	THUMB GROUP.....	2,452	\$18,750 NI
W	443-0228	THUMB GROUP.....	2,285	\$18,750 NI
W	443-0230	THUMB GROUP.....	2,322	\$18,750 NI
W	443-0232	THUMB GROUP.....	2,423	\$18,750 NI
W	443-0234	THUMB GROUP.....	2,513	\$18,750 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
<b>345GC, 349 &amp; 352 EXCAVATOR (CONT.)</b>				
<b><i>THUMBS, PRO (NO LINK) - PIN GRABBER COUPLER (Cont.)</i></b>				
W	443-0236	THUMB GROUP.....	2,350	\$18,750 NI
W	443-0238	THUMB GROUP.....	2,450	\$18,750 NI
<b><i>BRACKET GROUP</i></b>				
W	443-0259	BRACKET GP..... Lane 1 Work Tool FOR USE WITH: 345D, 349F/E & 352F Machines equipped with 3.9m(12'10") stick	122	\$1,146 NI
W	443-0260	BRACKET GP..... FOR USE WITH: 345D, 349F/E & 352F Machines equipped with 3.35m(11'0") or 4.3m(14'1") stick	129	\$1,146 NI
<b><i>THUMBS, HYDRAULIC LINES</i></b>				
W	443-0255	CONNECTOR LINES, THUMB..... Lane 1 Work Tool INCLUDES: Ball Valves FOR USE WITH: 349F/E & 352F Machines FOR USE WITH: Connection to stick tubes	69	\$2,375 NI
W	443-0256	CONNECTOR LINES, THUMB..... INCLUDES: Ball Valves FOR USE WITH: 345D Machines FOR USE WITH: Connection to stick tubes	75	\$1,708 NI
W	443-0257	CONNECTOR LINES, THUMB..... FOR USE WITH: 345D, 349F/E & 352F Machines equipped with 3.35m(11'0") & (12'10") stick FOR USE WITH: Connection to boom tubes	84	\$1,306 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
<b>345GC, 349 &amp; 352 EXCAVATOR (CONT.)</b>				
<b><i>THUMBS, STIFF LINK - PIN ON</i></b>				
W	378-2452	THUMB, STIFF LINK .....	1,452	\$9,611 NI
W	435-8532	THUMB, STIFF LINK .....	1,677	\$9,611 NI
W	443-4018	THUMB, STIFF LINK .....	1,812	\$9,611 NI
<b><i>THUMBS, STIFF LINK - PIN GRABBER</i></b>				
W	378-2456	THUMB, STIFF LINK .....	1,858	\$9,611 NI
W	378-2457	THUMB, STIFF LINK .....	1,919	\$9,611 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
<b>374 EXCAVATOR</b>				
<b><i>BUCKETS, GENERAL DUTY (GD) VB2, PIN ON "VB2" FAMILY</i></b>				
W	519-5280	BKT GD 79" 4.97YD3 VB2 ..... REQUIRES: 5 Advansys 150 size tips	7,884	\$39,042 NI
W	519-5281	BKT GD 82" 6.02YD3 VB2 ..... REQUIRES: 5 Advansys 150 size tips	8,415	\$40,667 NI
<b><i>BUCKETS, HEAVY DUTY (HD) VB2, PIN ON "VB2" FAMILY</i></b>				
W	519-5282	BKT HD 52" 2.88YD3 VB2 ..... REQUIRES: 3 Advansys 150 size tips	6,197	\$30,125 NI
W	519-5283	BKT HD 70" 4.32YD3 VB2 ..... REQUIRES: 4 Advansys 150 size tips	7,533	\$36,611 NI
W	519-5284	BKT HD 79" 4.97YD3 VB2 ..... REQUIRES: 5 Advansys 150 size tips	8,239	\$39,944 NI
<b><i>BUCKETS, SEVERE DUTY (SD) VB2</i></b>				
Accepts: Sidecutter group 357-2686 (OR) 4pc sidebar protector group 329-5956				
W	519-5286	BKT SD 64" 3.79YD3 VB2 ..... REQUIRES: 4 Advansys 150 size tips	7,304	\$36,958 NI
W	519-5285	BKT SD 47" 2.49YD3 VB2 ..... REQUIRES: 3 Advansys 150 size tips	6,041	\$30,569 NI
W	519-5287	BKT SD 70" 4.32YD3 VB2 ..... REQUIRES: 4 Advansys 150 size tips	7,736	\$39,236 NI
W	519-5288	BKT SD 79" 4.97YD3 VB2 ..... REQUIRES: 5 Advansys 150 size tips	8,459	\$42,819 NI
<b><i>BUCKETS, SEVERE DUTY SPADE (SDS), PIN ON "WB2" FAMILY</i></b>				
Recommended for use with 4 piece sidebar protector group 329-5956				
W	519-5399	BKT SDS 77" 5.36YD3 WB2 ..... REQUIRES: 4 Advansys 170 size tips	10,210	\$58,028 NI
W	519-5400	BKT SDS 81" 5.75YD3 WB2 ..... REQUIRES: 4 Advansys 170 size tips	10,554	\$60,042 NI
W	519-5405	BKT SDS 85" 6.02YD3 WB2 ..... REQUIRES: 4 Advansys 170 size tips	10,900	\$63,347 NI
<b><i>BUCKETS, EXTREME DUTY (XD), PIN ON "VB2" FAMILY</i></b>				
W	519-5289	BKT XD 79" 5.02YD3 VB2 ..... INCLUDES: 4 piece protector gp 329-5956, MAWPS, Segments, Top Covers REQUIRES: 4 Advansys 150 size tips	9,546	\$55,444 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**374 EXCAVATOR (CONT.)**

**BUCKETS, EXTREME DUTY SPADE (XDS), PIN ON "WB2" FAMILY**

4 pc sidebar protector group 329-5956

W	519-5412	BKT XDS 85" 6.02YD3 WB2 . . . . .	13,325	\$79,903 NI
		INCLUDES: 4 piece protector gp 329-5956, MAWPS, Segments, Top Covers		
		REQUIRES: 4 Advansys 170 size tips		

**BUCKETS, EXTREME DUTY SPADE (XDS) CW 70**

DEDICATED COUPLER (WB2) FAMILY

**TIPS, G.E.T. ADVANSYS 150**

W	368-3783	TIP, PENETRATION PLUS ADVANSYS . . . . .	76	\$490
W	368-3789	TIP, GEN. DUTY LONG ADVANSYS . . . . .	74	\$461

**TIPS, G.E.T. ADVANSYS 170**

W	368-3869	TIP, PENETRATION PLUS ADVANSYS . . . . .	102	\$622
W	368-3864	TIP, HEAVY ABRASION ADVANSYS . . . . .	147	\$979

**SIDECUTTERS FOR VB2 AND WB2 FAMILY**

NOT FOR USE WITH: Side Bar Protectors

W	357-2686	SIDECUTTERS, HEAVY DUTY . . . . .	218	\$2,347
		INCLUDES: LH and RH heavy duty sidecutters		
		FOR USE WITH: General Duty and Heavy Duty Buckets Only		
		TECHNICAL: Only 1 set per bucket		

**PROTECTORS FOR VB2 AND WB2 FAMILY**

NOT FOR USE WITH: Sidecutters

W	329-5956	PROTECTORS, SIDEBAR . . . . .	195	\$2,083
		INCLUDES: Upper and Lower LH and RH heavy duty protectors		
		TECHNICAL: Only 1 set per bucket		

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**374 EXCAVATOR (CONT.)**

***COUPLER, CAT PIN GRABBER COUPLER "VB2" FAMILY***

The use of a quick coupler on an excavator with certain combinations of linkages (boom & stick) and work tool attachments has the potential for interference with the cab and or the front of the machine during operation. Always check for interference when first operating the machine with a quick coupler and a new work tool.

For more information on Cat Pin Grabber Couplers and hydraulics refer to media number GEJQ9387 or contact the sales support team in Americas North via email at [worktools@cat.com](mailto:worktools@cat.com)

**NOT FOR USE WITH: Mechanical Pulverizers or Mechanical Shear**

**The official first-ship date is 25-May-2020. If placing a CMOPS order before the official first-ship date, please provide a ship-after date of 25-May-2020 or later. Orders placed before first-ship that do not specify a ship-after date of 25-May-2020 or later, will have a DOCS case submitted, which will provide a response to the ordering party indicating the order will be confirmed with a ship-after date of 25-May-2020, or later depending on inventory at the time or preorder.**

W	566-3070	COUPLER, PG W/O PINS VB2 . . . . . 2,771 Lane 1 Work Tool FOR USE WITH: VB2-Linkage Machine & Bucket Family NOT FOR USE WITH: Center-Lock Coupler Hydraulic Circuit NOT FOR USE WITH: 374D Machines DOES NOT INCLUDE: Pin Group REQUIRES: Pin Grabber Hydraulic Kit & Connector Lines 469-2306		\$25,194 NI
---	----------	--	--	-------------

***PIN GRABBER COUPLER SPARE PINS "VB2" FAMILY LINKAGE***

W	570-6305	PIN GROUP, SPARE . . . . . 339 Lane 1 Work Tool INCLUDES: Two pins and hardware. FOR USE WITH: VB2 FAMILY WORK TOOLS ONLY		\$4,160 NI
---	----------	--	--	------------

***PIN GRABBER COUPLER CLAMPING SPACER "VB2" FAMILY***

W	351-9387	CLAMPING SPACER. . . . . 31 INCLUDES: Two solid steel spacers and two locking rings. Used to adapt tools with wider face spreads to ensure coupler stays centered on select tools. See product bulletin for complete information.		\$528 NI
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	<b>CATERPILLAR WORK TOOLS</b>	Ship Weight lbs	List Price At Factory
-----	------------	-------------------------------	--------------------	--------------------------

**374 EXCAVATOR (CONT.)**

***LINES, CONNECTOR PIN GRABBER***

W	469-2306	<b>LINES, CONNECTOR</b> ..... 8 Lane 1 Work Tools FOR USE WITH: VB2-Linkage Cat Pin Grabber Coupler 566-3070	<b>\$411 NI</b>
---	----------	--	-----------------

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**374 EXCAVATOR (CONT.)**

***LINES, CONNECTOR PIN GRABBER (Cont.)***

**PIN GRABBER COUPLER HYDRAULIC KITS**  
 For Hydraulics kits pricing please refer to WT-HYD for F series machines For Configuration information please refer to Hydraulic Kit Reference Guide GEJQ9215

***GRAPPLE, G174 CONTRACTOR***

W	590-1871	GRAPPLE, CONTRACTOR G174 . . . . .	9,026	\$57,917 NI
		INCLUDES: Pin group and weld on stick bracket		
		FOR USE WITH: Pin on or pin grabber coupler		
		FOR USE WITH: "VB" Linkage		
		NOT FOR USE WITH: Thumb bracket		

***G174 PIN GROUPS***

ADDITIONAL PIN GROUP REQUIRED TO CONVERT TO DIFFERENT LINKAGE

W	282-2583	PIN GROUP, (VB LINKAGE) . . . . .	665	\$7,292 NI
		Required to convert G174 Grapple for use on VB Linkage.		

***G174 STICK BRACKET***

W	327-3937	BRACKET, STICK . . . . .	152	\$1,521 NI
		Weld on stick bracket for use with stiff link on G174		

***G174 WEAR PACKAGE***

Optional wear package or can be used for rebuild

W	268-9625	PLATE GP-WEAR . . . . .	116	\$2,632 NI
		FOR USE WITH: G174 Grapple		

***RIPPERS***

W	364-9158	RIPPER, PENETRATION 64" . . . . .	3,781	\$32,694 NI
		78" (1982mm) Tip Radius		
		INCLUDES: Shank protector and replaceable tip		
		FOR USE WITH: Pin On or Pin Grabber Coupler		
		FOR USE WITH: WB2 linkage		
W	364-9156	RIPPER, PENETRATION 64" . . . . .	3,549	\$32,250 NI
		78.1" (1984mm) Tip Radius		
		INCLUDES: Shank protector and replaceable tip		
		FOR USE WITH: Pin On or Pin Grabber Coupler		
		FOR USE WITH: VB2 linkage		



CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**390 395 EXCAVATOR**

***BUCKETS, GENERAL DUTY (GD), PIN ON "HB2" FAMILY***

W	519-5290	BKT GD 69" 5.10YD3 HB2 . . . . .	8,111	\$37,153 NI
		REQUIRES: 4 Advansys 150 size tips		
W	519-5291	BKT GD 79" 6.3YD3 HB2 . . . . .	8,838	\$40,403 NI
		REQUIRES: 5 Advansys 150 size tips		
W	519-5292	BKT GD 81" 6.93YD3 HB2 . . . . .	9,378	\$42,917 NI
		REQUIRES: 5 Advansys 150 size tips		

***BUCKETS, GENERAL DUTY (GD), PIN ON "JC" FAMILY***

W	519-5401	BKT GD 93" 7.06YD3 JC . . . . .	12,284	\$59,903 NI
		Does NOT Include Lifting Eye		
		REQUIRES: 6 Advansys 170 size tips		
W	519-5402	BKT GD 96" 7.85YD3 JC . . . . .	12,685	\$61,944 NI
		Does NOT Include Lifting Eye		
		REQUIRES: 6 Advansys 170 size tips		
W	528-8163	BKT GD 102" 8.50YD3 JC . . . . .	13,195	\$64,556 NI
		Does NOT Include Lifting Eye		
		REQUIRES: 6 Advansys 170 size tips		

***BUCKETS, HEAVY DUTY (HD), PIN ON "JC" FAMILY***

W	528-8164	BKT HD 71" 5.36YD3 JC . . . . .	10,481	\$61,319 NI
		REQUIRES: 5 Advansys 150 size tips		

***BUCKETS, SEVERE DUTY (SD), PIN ON "HB2" FAMILY***

W	519-5294	BKT SD 45" 3.01YD3 HB2 . . . . .	7,008	\$31,986 NI
		REQUIRES: 3 Advansys 150 size tips		
W	519-5295	BKT SD 57" 3.92YD3 HB2 . . . . .	7,928	\$37,569 NI
		REQUIRES: 4 Advansys 150 size tips		
W	519-5296	BKT SD 69" 5.10YD3 HB2 . . . . .	8,856	\$43,542 NI
		REQUIRES: 4 Advansys 150 size tips		
W	591-7423	BKT SD 73" 5.50YD3 HB2 . . . . .	9,270	\$44,778 NI
		REQUIRES: 5 Advansys 150 size tips		
W	519-5298	BKT SD 79" 6.02YD3 HB2 . . . . .	9,636	\$47,306 NI
		REQUIRES: 5 Advansys 150 size tips		
W	591-8382	BKT SD 85" 6.50YD3 HB2 . . . . .	10,198	\$49,250 NI
		REQUIRES: 6 Advansys 150 size tips		
W	564-6481	BKT SD 87" 6.80YD3 HB2 . . . . .	10,351	\$49,986 NI
		Requires: 6 Advansys 150 size tips		
		Does NOT Include: Lifting Eye		
		FOR USE WITH : 395		

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**390 395 EXCAVATOR (CONT.)**

**BUCKETS, SEVERE DUTY (SD), PIN ON "JC" FAMILY**

Recommended for use with 4pc sidebar protector group 357-2688

W	519-5465	BKT SD 79" 6.02YD3 JC . . . . .	12,826	\$63,486 NI
		REQUIRES: 4 Advansys 200 size tips		

**BUCKETS, SEVERE DUTY SPADE (SDS), PIN ON "JC" FAMILY**

W	519-5466	BKT SDS 91" 7.06YD3 JC . . . . .	14,101	\$69,972 NI
		REQUIRES: 4 Advansys 200 size tips		
W	519-5467	BKT SDS 98" 7.85YD3 JC . . . . .	15,069	\$74,375 NI
		REQUIRES: 5 Advansys 200 size tips		
W	543-2823	BKT SDV 104" 8.50YD3 JC . . . . .	15,624	\$77,333 NI
		REQUIRES: 5 Advansys 200 size tips		
		Does NOT include Lifting Eye		
		FOR USE WITH : 395		

**BUCKETS, EXTREME DUTY SPADE (XDS), PIN ON "JC" FAMILY**

W	519-5468	BKT XDS 87" 6.54YD3 JC . . . . .	16,376	\$89,194 NI
		INCLUDES: 4 piece protector gp 3572688, MAWPS, Segments, Top Covers		
		INCLUDES: 357-2688 sidebar protector group		
		REQUIRES: 4 Advansys 200 size tips		
W	519-5477	BKT XDS 93" 7.06YD3 JC . . . . .	16,074	\$87,542 NI
		INCLUDES: 357-2688 sidebar protector group		
		REQUIRES: 4 Advansys 200 size tips		

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**390 395 EXCAVATOR (CONT.)**

**TIPS, G.E.T. ADVANSYS 150**

W	368-3783	TIP, PENETRATION PLUS ADVANSYS .....	76	\$490
W	368-3789	TIP, GEN. DUTY LONG ADVANSYS .....	74	\$461

**TIPS, G.E.T. ADVANSYS 170**

W	368-3869	TIP, PENETRATION PLUS ADVANSYS .....	102	\$622
W	368-3864	TIP, HEAVY ABRASION ADVANSYS .....	147	\$979

**TIPS, G.E.T. ADVANSYS 200**

W	368-3878	TIP, PENETRATION PLUS ADVANSYS .....	138	\$840
W	385-4813	TIP, HD ABRASION ADVANSYS .....	186	\$1,354

**SIDECUTTERS FOR HB2 AND JC FAMILY**

NOT FOR USE WITH: Side Bar Protectors

W	357-2686	SIDECUTTERS, HEAVY DUTY .....	218	\$2,347
		INCLUDES: LH and RH heavy duty sidecutters FOR USE WITH: General Duty and Heavy Duty Buckets Only TECHNICAL: Only 1 set per bucket		

**PROTECTORS FOR HB2 AND JC FAMILY**

NOT FOR USE WITH: Side Bar Protectors

W	329-5956	PROTECTORS, SIDEBAR .....	195	\$2,083
		INCLUDES: Upper and Lower LH and RH heavy duty protectors TECHNICAL: Only 1 set per bucket		
W	357-2688	PROTECTORS, SIDEBAR .....	306	\$2,917
		INCLUDES: Upper and Lower LH and RH protectors TECHNICAL: Only 1 set per bucket FOR USE WITH: all JC SD buckets		

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**390 395 EXCAVATOR (CONT.)**

***COUPLER, CAT PIN GRABBER COUPLER "HB2" FAMILY***

The use of a quick coupler on an excavator with certain combinations of linkages (boom & stick) and work tool attachments has the potential for interference with the cab and or the front of the machine during operation. Always check for interference when first operating the machine with a quick coupler and a new work tool.

For more information on Cat Pin Grabber Couplers and hydraulics refer to media number GEJQ9387 or contact the sales support team in Americas North via email at worktools@cat.com

**NOT FOR USE WITH: Mechanical Pulverizers or Mechanical Shear**

**The official first-ship date is 25-May-2020. If placing a CMOPS order before the official first-ship date, please provide a ship-after date of 25-May-2020 or later. Orders placed before first-ship that do not specify a ship-after date of 25-May-2020 or later, will have a DOCS case submitted, which will provide a response to the ordering party indicating the order will be confirmed with a ship-after date of 25-May-2020, or later depending on inventory at the time or preorder.**

W	566-3054	COUPLER, PG W/O PINS HB2 . . . . . 3,364 Lane 1 Work Tool FOR USE WITH: HB2-Linkage Machine & Bucket Family NOT FOR USE WITH: Center-Lock Coupler Hydraulic Circuit NOT FOR USE WITH: 390D Machines DOES NOT INCLUDE: Pin Group REQUIRES: Pin Grabber Hydraulic Kit & Connector Lines 422-2989		\$40,083 NI
---	----------	--	--	-------------

***PIN GRABBER COUPLER SPARE PINS "HB2" FAMILY LINKAGE***

W	570-6306	PIN GROUP, SPARE . . . . . 440 Lane 1 Work Tool INCLUDES: Two pins and hardware FOR USE WITH: HB2 FAMILY WORK TOOLS ONLY		\$6,306 NI
---	----------	---	--	------------

***PIN GRABBER COUPLER CLAMPING SPACER "HB2" FAMILY***

W	351-9073	CLAMPING SPACER. . . . . 35 INCLUDES: Two solid steel spacers and two locking rings. Used to adapt tools with wider face spreads to ensure coupler stays centered on select tools. See product bulletin for complete information.		\$574 NI
---	----------	--	--	----------

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	---------	------------------------	-----------------	-----------------------

**390 395 EXCAVATOR (CONT.)**

***LINES, CONNECTOR PIN GRABBER***

W	422-2989	LINES, CONNECTOR . . . . . 20 Lane 1 Work Tools FOR USE WITH: HB2-Linkage Cat Pin Grabber Coupler 566-3054		\$411 NI
---	----------	--	--	----------

**HYDRAULIC KITS, PIN GRABBER COUPLER**  
 For Hydraulics kits pricing please refer to WT-HYD for F series machines. For Configuration information please refer to Hydraulic Kit Reference Guide GEJQ9215

***GRAPPLE, G195 CONTRACTOR***

W	604-9357	GRAPPLE, CONTRACTOR G195 . . . . . 10,582 INCLUDES: Pin group and weld on stick bracket FOR USE WITH: Pin on or pin grabber coupler FOR USE WITH: "HB/HB2" Linkage NOT FOR USE WITH: Thumb bracket		\$76,681 NI
W	268-9631	PLATE GP-WEAR . . . . . 148 FOR USE WITH: G195 Grapple		\$3,111 NI

***RIPPERS, PIN ON***

FOR USE WITH: Pin On or Pin Grabber Coupler

W	364-9160	RIPPER, PENETRATION 71" . . . . . 4,220 84.2" (2139mm) Tip Radius INCLUDES: Shank protector and replaceable tip FOR USE WITH: HB2 linkage		\$38,500 NI
W	364-9162	RIPPER, PENETRATION 71" . . . . . 4,645 85.3" (2166mm) Tip Radius INCLUDES: Shank protector and replaceable tip FOR USE WITH: JC linkage		\$40,153 NI

CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	<b>CATERPILLAR WORK TOOLS</b>	Ship Weight lbs	Net Price
-----	---------	-------------------------------	-----------------	-----------

**PACKING**

***PACKING CODES CWTS PRODUCT***

W	0P-0210	PACK, DOMESTIC TRUCK . . . . . 0 FOR USE WITH: ALL WORK TOOLS	0	NC
W	0G-0007	CWTS CUSTOM PRODUCT ACC QUOTE . . . . . 0 Can only be used for ETO orders Please use the "NOTES" screen when ordering to mention the quote number and to specify the required product(s) as mentioned in the quote.	0	NC NI

**FOR EASTERN CANADA DEALERS ONLY**

**Standard Equipment:**

**THE USE OF THIS TOP LEVEL MISCELLANEOUS PART WILL ALLOW THE USER TO ORDER WORK TOOLS FROM CAT WORK TOOL CATALOG.**

**0P-1143 EASTERN REGIONAL PRODUCT . . . . . 0 NC  
PLEASE USE THE 0P REFERENCE NUMBER LISTED ABOVE WHEN ORDERING.**

**0P-0210 Please use this Packing code to orders from this Price List.  
All CWTS loose work tools will ship FOB from factory or work tool distribution center.  
For Availability, Pricing, Shipping, General Inquiries or Custom Work Tools, please call 1-800-255-2372**

## CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	------------	------------------------	--------------------	--------------------------

**PACKING (CONT.)*****316, 318 EXCAVATOR***

BUCKETS

PIN ON BUCKETS

SEWER

***320, 323, 320GC EXCAVATOR***

BUCKETS

PIN ON BUCKETS "B" LINKAGE

SEWER

DEDICATED COUPLER BUCKETS "B" LINKAGE - CWTS HOOKS

SEWER

BUCKET G.E.T. OPTIONS

BUCKET G.E.T. K100

REFER TO WT-HEX PRICE LIST

***324, 326 EXCAVATOR***

BUCKETS

PIN ON BUCKETS "CB" LINKAGE

SEWER

DEDICATED COUPLER BUCKETS "CB" LINKAGE

SEWER

## CATERPILLAR MACHINE PRICE LIST

**WT-HEX**

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	List Price At Factory
-----	------------	------------------------	--------------------	--------------------------

**PACKING (CONT.)****324, 326 EXCAVATOR (Cont.)**

BUCKET G.E.T. OPTIONS  
 BUCKET G.E.T. K100  
 REFER TO WT-HEX PRICE LIST

**329 EXCAVATOR**

BUCKETS  
 PIN ON BUCKETS "CB" LINKAGE  
 SEWER  
 DEDICATED COUPLER BUCKETS "CB" LINKAGE  
 SEWER  
 BUCKET G.E.T. OPTIONS  
 BUCKET G.E.T. K100  
 REFER TO WT-HEX PRICE LIST

**336 EXCAVATOR**

BUCKETS  
 PIN ON BUCKETS "DB" LINKAGE  
 SEWER  
 DEDICATED COUPLER BUCKETS "DB" LINKAGE



USE	REF NO.	<b>CATERPILLAR WORK TOOLS</b>	Ship Weight lbs	List Price At Factory
-----	------------	-------------------------------	--------------------	--------------------------

**PACKING (CONT.)**

**336 EXCAVATOR (Cont.)**

**SEWER**

**BUCKET G.E.T. OPTIONS  
K110 TIPS  
REFER TO WT-HEX PRICE LIST**

**349, 352 EXCAVATOR**

**BUCKETS**

**PIN ON BUCKETS "TB" LINKAGE**

**SEWER**

**DEDICATED COUPLER BUCKETS "TB" LINKAGE**

**SEWER**

**BUCKET G.E.T. OPTIONS  
K130 TIPS  
REFER TO WT-HEX PRICE LIST**