



## W36M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price(USD)
	<b>W36M Commercial Walk Behind Mower with Hydraulic Transaxle</b>	
	<p><b>ENGINE:</b>                      14.5 HP* (10.8 kW)                      Displacement (603cc, 36.8 cu. in)                      Vertical-Shaft, V-twin Air Cooled                      Full Pressure Lubrication                      System with Replaceable Oil Filter                      Recoil Start                      Dual Element Air Cleaner</p> <p><b>DRIVE SYSTEM:</b>                      Integrated Hydro-Gear ZT2800 Transaxles                      0-6.5 mph (10.5 km/h) Forward                      0-3 mph (4.8 km/h) Reverse</p> <p><b>CONTROLS:</b>                      Ergonomic Pistol Style Steering Controls                      (2) Independent Operator Presence Levers                      Spring loaded neutral locks                      Handle Activated Internal Park Brake</p> <p><b>MOWER DECK:</b>                      36 In. Commercial Side Discharge                      Floating Mower Deck                      10-gauge 0.135 in. (3.42 mm) top                      with 0.26 in. (6.8 mm) spindle pocket reinforcements                      Aluminum Spindles                      1.5-4.5 In. Height of Cut with                      7 Cutting Positions                      High Lift Blades</p> <p><b>FUEL SYSTEM:</b>                      5.4 U.S. Gallon (20.4 L) Fuel Capacity</p> <p><b>TIRES:</b>                      18x6.5-8 4-Ply Pneumatic Rear Tires                      9x3.5-4 Semi-Pneumatic Caster Tires</p> <p><b>ELECTRICAL:</b>                      Electric PTO Clutch                      Digital Hour Meter                      English/Spanish Operator's                      Safety Video and Labels                      ANSI Certified B71.4 for Safety</p>	



## W36M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price(USD)
	*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.	
	<b>BASE MACHINE</b>	
2600TC	<i>Not available in California</i> W36M Commercial Walk Behind Mower with Hydraulic Transaxle	\$6,154.00
	<b>DESTINATION AND LANGUAGE</b>	
	<b>Basic Factory Options</b>	
	<b>DESTINATION</b>	
001A	United States / Canada <i>Not Available in California.</i>	In Base Price
	<b>MISCELLANEOUS</b>	
	<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
	<b>MISCELLANEOUS</b>	
AM108146	Spark Arrester Screen for Muffler	\$42.79
A-B1MS31	Single Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	\$356.17
A-B1MS32	Dual Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	\$403.26
LP70220	Utility Bags (12 pack)	\$15.99
	<b>WEIGHTS AND BALLASTING</b>	
	<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
	<b>WEIGHTS</b>	
BUC10052	Weight Kit	\$138.03
	<b>MOWER DECK</b>	
	<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
	<b>MULCH KITS</b>	
BUC10042	36 in. (914.4 mm) Mulch Kit	\$248.24
	<b>MISCELLANEOUS</b>	
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	\$192.60



### W36M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price(USD)
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	\$499.99

**W48M Commercial Walk Behind Mower with Hydraulic Transaxle**

Code	Description	List price(USD)
	<b>W48M Commercial Walk Behind Mower with Hydraulic Transaxle</b>	
	<p><b>ENGINE:</b>            14.5 HP* (10.8 kW)            Displacement (603cc, 36.8 cu. in)            Vertical-Shaft, V-twin Air Cooled            Full Pressure Lubrication            System with Replaceable Oil Filter            Recoil Start            Dual Element Air Cleaner</p> <p><b>DRIVE SYSTEM:</b>            Integrated Hydro-Gear ZT2800 Transaxles            0-6.5 mph (10.5 km/h) Forward            0-3 mph (4.8 km/h) Reverse</p> <p><b>CONTROLS:</b>            Ergonomic Pistol Style Steering Controls            (2) Independent Operator Presence Levers            Spring loaded neutral locks            Handle Activated Internal Park Brake</p> <p><b>MOWER DECK:</b>            48 In. Commercial Side Discharge            Floating Mower Deck            10-gauge 0.135 in. (3.42 mm) top            with 0.26 in. (6.8 mm) spindle pocket reinforcements            Aluminum Spindles            1.5-4.5 In. Height of Cut with            7 Cutting Positions            High Lift Blades</p> <p><b>FUEL SYSTEM:</b>            5.4 U.S. Gallon (20.4 L) Fuel Capacity</p> <p><b>TIRES:</b>            18x8.5-8 4-Ply Pneumatic Rear Tires            9x3.5-4 Semi-Pneumatic Caster Tires</p> <p><b>ELECTRICAL:</b>            Electric PTO Clutch            Digital Hour Meter            English/Spanish Operator's            Safety Video and Labels            ANSI Certified B71.4 for Safety</p>	

**W48M Commercial Walk Behind Mower with Hydraulic Transaxle**

Code	Description	List price(USD)
	*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.	
	<b>BASE MACHINE</b>	
2610TC	<i>Not available in California</i> W48M Commercial Walk Behind Mower with Hydraulic Transaxle	\$6,489.00
	<b>DESTINATION AND LANGUAGE</b>	
	<b>Basic Factory Options</b>	
	<b>DESTINATION</b>	
001A	United States / Canada <i>Not Available in California.</i>	In Base Price
	<b>MISCELLANEOUS</b>	
	<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
	<b>MISCELLANEOUS</b>	
AM108146	Spark Arrester Screen for Muffler	\$42.79
A-B1MS31	Single Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	\$356.17
A-B1MS32	Dual Wheel Sulky with 18 in. Arm <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	\$403.26
LP70220	Utility Bags (12 pack)	\$15.99
	<b>MOWER DECK</b>	
	<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
	<b>MULCH KITS</b>	
BUC10043	48 in. (1219.2 mm) Mulch Kit	\$297.46
	<b>MISCELLANEOUS</b>	
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	\$192.60
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	\$499.99
	<b>WEIGHTS AND BALLASTING</b>	
	<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
	<b>WEIGHTS</b>	



### W48M Commercial Walk Behind Mower with Hydraulic Transaxle

Code	Description	List price(USD)
BUC10052	Weight Kit	\$138.03



## W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price(USD)
	<b>W36R Commercial Walk Behind Mower with Pump/ Motor Hydraulic Drive</b>	
	<p>ENGINE: 14.5 HP* (10.8 kW) Displacement (603cc, 36.8 cu. in) Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Electric Start Dual Element Air Cleaner</p> <p>DRIVE SYSTEM: Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in. Forward speed, 0-7.5 mph (12.1 km/h) Reverse speed, 0-3 mph (4.8 km/h)</p> <p>CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Handle Activated Internal Park Brake</p> <p>MOWER DECK: 36 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades</p> <p>FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity</p> <p>TIRES: 18x6.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires</p> <p>ELECTRICAL: Battery 300 CCA Electric PTO Clutch Digital Hour Meter English/Spanish Operator's</p>	

**W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive**

Code	Description	List price(USD)
	Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.	
	<b>BASE MACHINE</b>	
2620TC	<i>Not Available in California</i> W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive	\$7,609.00
	<b>DESTINATION AND LANGUAGE</b>	
	<b>Basic Factory Options</b>	
	<b>DESTINATION</b>	
001A	United States / Canada <i>Not Available in California.</i>	In Base Price
	<b>MISCELLANEOUS</b>	
	<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
	<b>MISCELLANEOUS</b>	
AM108146	Spark Arrester Screen for Muffler	\$42.79
A-B1MS33	Single Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	\$368.71
A-B1MS34	Dual Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	\$511.22
LP70220	Utility Bags (12 pack)	\$15.99
	<b>MOWER DECK</b>	
	<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
	<b>MULCH KITS</b>	
BUC10042	36 in. (914.4 mm) Mulch Kit	\$248.24
	<b>MISCELLANEOUS</b>	
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	\$192.60
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	\$499.99
	<b>WEIGHTS AND BALLASTING</b>	





### W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price(USD)
	<b>ATTACHMENTS FOR FIELD CONVERSION WEIGHTS</b>	
BUC10052	Weight Kit	\$138.03

**W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive**

Code	Description	List price(USD)
	<b>W48R Commercial Walk Behind Mower with Pump/ Motor Hydraulic Drive</b>	
	<p>ENGINE: 18.5 HP* (13.8 kW) Displacement (603cc, 36.8 cu. in) Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Electric Start Dual Element Air Cleaner</p> <p>DRIVE SYSTEM: Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in. Forward speed, 0-7.5 mph (12.1 km/h) Reverse speed, 0-3 mph (4.8 km/h)</p> <p>CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Handle Activated Internal Park Brake</p> <p>MOWER DECK: 48 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades</p> <p>FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity</p> <p>TIRES: 18x8.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires</p> <p>ELECTRICAL: Battery 300 CCA Electric PTO Clutch Digital Hour Meter English/Spanish Operator's</p>	



## W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price(USD)
	<p>Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>	
	<p><b>BASE MACHINE</b> <i>Not Available in California</i> W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive</p>	\$8,499.00
	<p><b>DESTINATION AND LANGUAGE</b> <b>Basic Factory Options</b> <b>DESTINATION</b></p>	
001A	<p>United States / Canada <i>Not Available in California.</i></p>	In Base Price
	<p><b>MISCELLANEOUS</b> <b>ATTACHMENTS FOR FIELD CONVERSION</b> <b>MISCELLANEOUS</b></p>	
AM108146	Spark Arrester Screen for Muffler	\$42.79
A-B1MS34	Dual Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	\$511.22
A-B1MS33	Single Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	\$368.71
LP70220	Utility Bags (12 pack)	\$15.99
	<p><b>MOWER DECK</b> <b>ATTACHMENTS FOR FIELD CONVERSION</b> <b>MULCH KITS</b></p>	
BUC10043	48 in. (1219.2 mm) Mulch Kit	\$297.46
	<p><b>MISCELLANEOUS</b></p>	
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	\$192.60
LP68164	3.5 bu. Grass Catcher	\$499.99



### W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price(USD)
	<i>Compatible with 36 / 48 / 52 inch mower decks.</i>	
	<b>WEIGHTS AND BALLASTING                      ATTACHMENTS FOR FIELD CONVERSION                      WEIGHTS</b>	
BUC10052	Weight Kit	\$138.03

**W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive**

Code	Description	List price(USD)
	<b>W52R Commercial Walk Behind Mower with Pump/ Motor Hydraulic Drive</b>	
	<p>ENGINE: 18.5 HP* (13.8 kW) Displacement (603cc, 36.8 cu. in) Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Electric Start Dual Element Air Cleaner</p> <p>DRIVE SYSTEM: Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in. Forward speed, 0-7.5 mph (12.1 km/h) Reverse speed, 0-3 mph (4.8 km/h)</p> <p>CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks Handle Activated Internal Park Brake</p> <p>MOWER DECK: 52 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades</p> <p>FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity</p> <p>TIRES: 18x8.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires</p> <p>ELECTRICAL: Battery 300 CCA Electric PTO Clutch Digital Hour Meter English/Spanish Operator's</p>	

**W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive**

Code	Description	List price(USD)
	Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.	
	<b>BASE MACHINE</b>	
2640TC	<i>Not Available in California</i> W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive	\$8,959.00
	<b>DESTINATION AND LANGUAGE</b>	
	<b>Basic Factory Options</b>	
	<b>DESTINATION</b>	
001A	United States / Canada <i>Not Available in California.</i>	In Base Price
	<b>MISCELLANEOUS</b>	
	<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
	<b>MISCELLANEOUS</b>	
AM108146	Spark Arrester Screen for Muffler	\$42.79
A-B1MS33	Single Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	\$368.71
A-B1MS34	Dual Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	\$511.22
LP70220	Utility Bags (12 pack)	\$15.99
	<b>MOWER DECK</b>	
	<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
	<b>MULCH KITS</b>	
BUC10044	52 in. (1320.8 mm) Mulch Kit	\$378.79
	<b>MISCELLANEOUS</b>	
BUC10676	Striping Kit with Adjustable Rubber Flap <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	\$192.60
LP68164	3.5 bu. Grass Catcher <i>Compatible with 36 / 48 / 52 inch mower decks.</i>	\$499.99
	<b>WEIGHTS AND BALLASTING</b>	



### W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price(USD)
	<b>ATTACHMENTS FOR FIELD CONVERSION WEIGHTS</b>	
BUC10052	Weight Kit	\$138.03

**W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive**

Code	Description	List price(USD)
	<p><b>W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive</b></p> <p>ENGINE:            25 HP* (18.6 kW)            Displacement (747cc, 45.6 cu. in)            Vertical-Shaft, V-twin Air Cooled            Closed Loop Electronic Fuel Injection            Full Pressure Lubrication            System with Replaceable Oil Filter            Electric Start            Heavy Duty Canister Air Cleaner w/ Precleaner</p> <p>DRIVE SYSTEM:            Pumps, Hydro-Gear 10 cc            Wheel Motor, Danfoss 12 cu in.            Forward speed, 0-7.5 mph (12.1 km/h)            Reverse speed, 0-3 mph (4.8 km/h)</p> <p>CONTROLS:            Ergonomic Pistol Style Steering Controls            (2) Independent Operator Presence Levers            Spring loaded neutral locks            Handle Activated Internal Park Brake</p> <p>MOWER DECK:            61 In. Commercial Side Discharge            Floating Mower Deck            10-gauge 0.135 in. (3.42 mm) top            with 0.26 in. (6.8 mm) spindle pocket reinforcements            Aluminum Spindles            1.5-4.5 In. Height of Cut with            7 Cutting Positions            High Lift Blades</p> <p>FUEL SYSTEM:            5.4 U.S. Gallon (20.4 L) Fuel Capacity</p> <p>TIRES:            18x8.5-8 4-Ply Pneumatic Rear Tires            9x3.5-4 Semi-Pneumatic Caster Tires</p> <p>ELECTRICAL:            Battery 300 CCA            Electric PTO Clutch            Digital Hour Meter</p>	





## W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price(USD)
	<p>English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>	
	<b>BASE MACHINE</b>	
2650TC	<p><i>Not Available in California</i> W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive</p>	\$10,629.00
	<b>DESTINATION AND LANGUAGE</b>	
	<b>Basic Factory Options</b>	
	<b>DESTINATION</b>	
001A	<p>United States / Canada <i>Not Available in California.</i></p>	In Base Price
	<b>MISCELLANEOUS</b>	
	<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
	<b>MISCELLANEOUS</b>	
AM108146	Spark Arrester Screen for Muffler	\$42.79
A-B1MS34	Dual Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	\$511.22
A-B1MS33	Single Wheel Sulky with Latch <i>Ordered through Sunbelt Outdoor Products. See Dealer for pricing.</i>	\$368.71
LP70220	Utility Bags (12 pack)	\$15.99
	<b>MOWER DECK</b>	
	<b>ATTACHMENTS FOR FIELD CONVERSION</b>	
	<b>MULCH KITS</b>	
BUC10045	61 in. (1549.4 mm) Mulch Kit	\$389.49
	<b>MISCELLANEOUS</b>	
BUC10677	Striping Kit with Adjustable Rubber Flap <i>Compatible with 61 inch mower deck.</i>	\$231.11
	<b>WEIGHTS AND BALLASTING</b>	
	<b>ATTACHMENTS FOR FIELD CONVERSION</b>	



### W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Code	Description	List price(USD)
	<b>WEIGHTS</b>	
BUC10052	Weight Kit	\$138.03