



652R EFI 25.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck

Code	Description	List price(USD)
	652R EFI 25.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck	
	25.0 HP* (18.3-kW) Vertical-Shaft Air Cooled Electronically Fuel Injected Closed Loop System Engine (45.6 Cu. In.) 747cc, 18.3 kW Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System Dual Hydrostatic Wheel Drive 12cc Hydro-Gear Transmission 15 cu. in. Hydro-Gear Wheel Motors Dual Wheel Parking Brake Operator Presence System Platform 52 In. Floating, Side Discharge 7 Ga. Fabricated Steel Mower Deck Cast Iron Spindle Housing Pin Height of Cut Adjustment No-tool Lever Assisted Height Cut Adjustment 1.5 - 5 In. Cutting Heights in 0.25 In. Increments Deck Mounted Striping Rubber Flap Dual Lever Direction/Speed Control with Reverse Bar 9.5 MPH Forward/5.5 MPH Reverse 5.6 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 13x6.5-6 Semi Pneumatic Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad * @ 3600 RPM engine manufacturer certified	



652R EFI 25.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck

Code	Description	List price(USD)
	gross power tested in accordance with SAE J1995, 747cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.	
	BASE MACHINE	
	<i>F.O.B. Fuquay-Varina, North Carolina</i> <i>Not Available in California</i>	
2315TC	652R EFI 25.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck	\$12,029.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States and Canada	In Base Price
	WHEELS AND TIRES	
	Basic Factory Options	
	DRIVE WHEELS AND TIRES	
1141	(2) 20x10-8 Pneumatic Turf Tires for 652R / 661R	In Base Price
1143	(2) 18x8.5N10 X Tweel Turf Airless Tires for 652R / 661R	\$932.00
	ENGINE	
	ATTACHMENTS FOR FIELD CONVERSION	
	ENGINE	
AM108146	Spark Arrester Screen for Muffler	\$42.79
	MOWER DECK	
	ATTACHMENTS FOR FIELD CONVERSION	
	MULCH KITS	
BUC10057	52 In. (1321 mm) Mulch On Demand Kit	\$875.26
BUC10058	52 In. (1321 mm) Mulch Kit	\$378.79
	MISCELLANEOUS	
LP68164	3.5 bu. Grass Catcher <i>Fits units SN >45001</i>	\$499.99



652M 22.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck

Code	Description	List price(USD)
	<p>652M 22.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck</p>	
	<p>22.0HP* (16.4-kW) Vertical-Shaft Air Cooled Gas Engine 726cc (44.3cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System 10cc Hydro-Gear Transmission Pumps 12 cu. In / Rev Hydro-Gear Wheel Motors Hydraulic Oil Cooler Dual Wheel Parking Brake Operator Presence System Platform 52 In. Floating, Side Discharge 7 Ga. Fabricated Steel Deck Cast Iron Spindle Housing 1.25 - 5 In. Cutting Heights in 0.25 In. Increments Deck Mounted Striping Rubber Flap Dual Lever Direction/Speed Control with Reverse Bar 8.2 MPH Forward / 3.5 MPH Reverse 5.5 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 18 X 10.50 - 10 4PR Turf Drive Tires 11 x 4-5 In. Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad * @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 726cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower</p>	

**652M 22.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck**

Code	Description	List price(USD)
	and torque will be less. Refer to the engine manufacturer's web site for additional information.	
	BASE MACHINE	
	<i>F.O.B. Fuquay-Varina, North Carolina</i> <i>Not Available in California</i>	
2331TC	652M 22.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck	\$10,869.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States and Canada	In Base Price
	ENGINE	
	ATTACHMENTS FOR FIELD CONVERSION	
	ENGINE	
AM108146	Spark Arrester Screen for Muffler	\$42.79
	MOWER DECK	
	ATTACHMENTS FOR FIELD CONVERSION	
	MULCH KITS	
BUC10058	52 In. (1321 mm) Mulch Kit	\$378.79
	MISCELLANEOUS	
LP68164	3.5 bu. Grass Catcher <i>Fits units SN >45001</i>	\$499.99



648M 22.0HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck

Code	Description	List price(USD)
	<p>648M 22.0HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck</p>	
	<p>22.0HP* (16.4-kW) Vertical-Shaft Air Cooled Gas Engine 726cc (44.3cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System 10cc Hydro-Gear Transmission Pumps 12 cu. In / Rev Hydro-Gear Wheel Motors Hydraulic Oil Cooler Dual Wheel Parking Brake Operator Presence System Platform 48 In. Floating, Side Discharge 7 Ga. Fabricated Steel Deck Cast Iron Spindle Housing 1.25 - 5 In. Cutting Heights in 0.25 In. Increments Deck Mounted Striping Rubber Flap Dual Lever Direction/Speed Control with Reverse Bar 8.2 MPH Forward / 3.5 MPH Reverse 5.5 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 18 X 10.50 - 10 4PR Turf Drive Tires 11 x 4-5 In. Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad * @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 726cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower</p>	

**648M 22.0HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck**

Code	Description	List price(USD)
	and torque will be less. Refer to the engine manufacturer's web site for additional information.	
	BASE MACHINE	
	<i>F.O.B. Fuquay-Varina, North Carolina</i> <i>Not Available in California</i>	
2341TC	648M 22.0HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck	\$10,509.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States and Canada	In Base Price
	ENGINE	
	ATTACHMENTS FOR FIELD CONVERSION	
	ENGINE	
AM108146	Spark Arrester Screen for Muffler	\$42.79
	MOWER DECK	
	ATTACHMENTS FOR FIELD CONVERSION	
	MULCH KITS	
BUC10059	48 In. (1219 mm) Mulch Kit	\$297.46
	MISCELLANEOUS	
LP68164	3.5 bu. Grass Catcher <i>Fits units SN >45001</i>	\$499.99



636M 19HP* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck

Code	Description	List price(USD)
	<p>636M 19HP* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck</p> <p>19HP* (13.8-kW) Vertical-Shaft Air Cooled Gas Engine 603cc (36.8 cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System 10cc Hydro-Gear Transmission Pumps 12 cu. In / Rev Hydro-Gear Wheel Motors Hydraulic Oil Cooler Dual Wheel Parking Brake Operator Presence System Platform 36 In. Floating, Side Discharge 7 Ga. Fabricated Steel Deck Cast Iron Spindle Housing 1.25 - 5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control with Reverse Bar 8.2 MPH Forward / 3.5 MPH Reverse 5.5 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 18 x 8.5 - 10 In. 4PR Turf Drive Tires 11 x 4-5 In. Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad * @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 600cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>	

**636M 19HP* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck**

Code	Description	List price(USD)
	BASE MACHINE	
	<i>F.O.B. Fuquay-Varina, North Carolina</i>	
	<i>Not Available in California</i>	
2364TC	636M 19HP* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck	\$9,799.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States and Canada	In Base Price
	ENGINE	
	ATTACHMENTS FOR FIELD CONVERSION	
	ENGINE	
AM108146	Spark Arrester Screen for Muffler	\$42.79
	MOWER DECK	
	ATTACHMENTS FOR FIELD CONVERSION	
	MULCH KITS	
BUC10061	36 In. (914 mm) Mulch Kit	\$248.24
	MISCELLANEOUS	
LP68164	3.5 bu. Grass Catcher <i>Fits units SN >45001</i>	\$499.99



652E 22HP* Commercial QuikTrak with 52in. 7-Gauge Fixed Deck

Code	Description	List price(USD)
	652E 22HP* Commercial QuikTrak with 52in. 7-Gauge Fixed Deck	
	22HP* (16.4-kW) Vertical-Shaft Air Cooled Gas Engine 726cc (44.3 cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System 12cc Hydro-Gear Transmission Pumps 15 cu. in. Hydro-Gear Wheel Motors Dual Wheel Parking Brake Operator Presence System Platform 52 In. Fixed, Side Discharge 7 Ga. Fabricated Steel Deck Cast Iron Spindle Housing 1.25 - 5 In. Cutting Heights in 0.25 In. Increments Deck Mounted Striping Rubber Flap Dual Lever Direction/Speed Control with Reverse Bar 9.5 MPH Forward / 5.5 MPH Reverse 5.6 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 20 x 10-8 In. 4PR Turf Drive Tires 11 x 4-5 In. Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad * @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 726cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower	



652E 22HP* Commercial QuikTrak with 52in. 7-Gauge Fixed Deck

Code	Description	List price(USD)
	and torque will be less. Refer to the engine manufacturer's web site for additional information.	
	BASE MACHINE	
	<i>F.O.B. Fuquay-Varina, North Carolina</i> <i>Not Available in California</i>	
2391TC	652E 22HP* Commercial QuikTrak with 52in. 7-Gauge Fixed Deck	\$10,239.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States and Canada	In Base Price
	ENGINE	
	ATTACHMENTS FOR FIELD CONVERSION	
	ENGINE	
AM108146	Spark Arrester Screen for Muffler	\$42.79
	MOWER DECK	
	ATTACHMENTS FOR FIELD CONVERSION	
	MULCH KITS	
BUC10058	52 In. (1321 mm) Mulch Kit	\$378.79
	MISCELLANEOUS	
LP68164	3.5 bu. Grass Catcher <i>Fits units SN >45001</i>	\$499.99

**Z930M California**

Code	Description	List price(USD)
	<p>Z930M California</p> <p>23.5 HP*</p> <p>Vertical-Shaft Air Cooled Engine (44.3 Cu. In.) 726cc,17.5 kW Full Pressure Lubrication System with Replaceable Oil Filter Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element 12 Volt with 20 AMP Regulated Charge System Dual Hydrostatic Wheel Drive TuffTorq Heavy Duty Ground Drive Hand Actuated Parking Brake Steel Channel Frame Operator Presence System Folding Two Post ROPS (Roll- Over Protective Structure) and Seat Belt 48 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Cast Iron Spindle Housing Rear Anti-Scalp Wheels One-Touch Dial and Foot Spring Assisted Height of Cut Adjustment Single-Turn Deck Transport Lock System Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform 10 MPH Travel Speed 11.5 U.S. Gallon Fuel Capacity 24x9.5-12 In. Square Shoulder 4PR Turf Drive Tires (48 In.) 24x12-12 In. Square Shoulder 4PR Turf Drive Tires (54 In. & 60 In.) 13x6.5-6 Semi-Pneumatic Front Caster Tires Rear Bumper Right Hand Control Console Cluster Cup Holder Fuel Gauge Electric PTO Clutch Digital Hourmeter *@ 3600 RPM engine manufacturer certified gross power</p>	



Z930M California

Code	Description	List price(USD)
	<p>tested in accordance with SAE J1995, 726cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>	
	BASE MACHINE	
216BTC	<p><i>F.O.B. Raleigh, North Carolina</i> Z930M California</p>	\$12,789.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	<p>North America United States/Canada <i>Requires Operator's Manual - 0443</i></p>	No Added Cost
	MOWER DECK	
	Basic Factory Options	
	MOWER DECKS	
1502	<p>54 In. Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1040. 54 In. 7-Iron PRO</i></p>	(\$270.00)
1504	<p>60 In. Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1040. 60 In. 7-Iron PRO</i></p>	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION	
	MULCH KITS	
TCB11469	Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	\$367.01
BUC10903	Mulch Kit (1524-mm (60-in.) Rear Discharge FastBack PRO) <i>Compatible with MY21 and newer decks (Z900, Z994R, Z997R)</i>	\$495.41
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	\$380.91

**Z930M California**

Code	Description	List price(USD)
STRIPING KITS		
BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	\$520.01
OPERATOR'S STATION AND CONTROLS		
Basic Factory Options		
SEAT		
2091	Deluxe Comfort Seat with Armrests (24" High Back)	No Added Cost
2092	Deluxe Comfort Seat with Armrests and Isolation (24" High Back) <i>Includes Isolation System to Reduce Shock/Vibration</i>	\$195.00
2093	Fully Adjustable Suspension Seat with Armrests (24" High Back) <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	\$495.00
ATTACHMENTS FOR FIELD CONVERSION		
SEAT		
BUC10649	Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat</i>	\$46.01
BTC10907	Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	\$307.09
BUC10894	Suspension Seat Kit (High Back 24") <i>Compatible with Model Year 2020 and newer Z900 M gas machines only. Not compatible with Z900 E-spec machines.</i>	\$924.49
LIGHTING		
BUC10603	LED Beacon Light Kit	\$328.49
BUC10955	LED front work light kit (2) <i>Compatible with Mulch on Demand Decks</i>	\$324.21
LP40112	Beacon Light Kit	\$251.00
WHEELS AND TIRES		
Basic Factory Options		
DRIVE WHEELS AND TIRES		
1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	No Added Cost
1040	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks	\$1,082.00

**Z930M California**

Code	Description	List price(USD)
	<p><i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i></p>	
	<p>MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS</p>	
LPA11548	Sun Canopy	\$169.00
BUC10864	Foot peg kit	\$23.54
BUC10870	String Trimmer Mount <i>Compatible with Z900 gas machines and Z994R ZTraks</i>	\$130.54
BUC10300	Hitch Kit	\$37.46
BUC10584	Jack Kit	\$249.31
BUC11034	Yard Tool Kit <i>Compatible with Z900 gas machines and Z994R ZTraks</i>	\$163.71
BUC10980	Cargo Tray	\$350.96
BUC11070	ShadePro™ Canopy (Z900 Gas) <i>ROPS must remain in upright and locked position when canopy is installed WEIGHTS NOT INCLUDED. Refer to Canopy Ballast Information spreadsheet found on the Value Selling Navigator to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	\$1,072.14
BUC11306	Trash Receptacle Kit <i>Kit includes mounting bracket, bucket and picker.</i>	\$203.30
	<p>ENGINE ATTACHMENTS FOR FIELD CONVERSION ENGINE</p>	
AM115838	Spark Arrester Screen	\$49.29



Z950M ZTrak

Code	Description	List price(USD)
	<p>Z950M ZTrak 27.0 HP* Vertical-Shaft Air Cooled Engine (52.0 Cu. In.) 852cc, 20.1 kW Full Pressure Lubrication System with Replaceable Oil Filter Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element 12 Volt with 20 AMP Regulated Charge System Dual Hydrostatic Wheel Drive TuffTorq Heavy Duty Ground Drive Hand Actuated Parking Brake Steel Channel Frame Operator Presence System Folding Two Post ROPS (Roll- Over Protective Structure) and Seat Belt 60 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Cast Iron Spindle Housing Rear Anti-Scalp Wheels One-Touch Dial and Foot Spring Assisted Height of Cut Adjustment Single-Turn Deck Transport Lock System Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform 10 MPH Travel Speed 11.5 U.S. Gallon Fuel Capacity 24x12-12 In. Square Shoulder 4PR Turf Drive Tires (60" & 72") 13x6.5-6 Semi-Pneumatic Front Caster Tires Rear Bumper Right Hand Control Console Cluster Cup Holder Fuel Gauge Electric PTO Clutch Digital Hourmeter *@ 3600 RPM engine manufacturer certified gross power</p>	



Z950M ZTrak

Code	Description	List price(USD)
	<p>tested in accordance with SAE J1995, 852cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>	
	BASE MACHINE	
0693TC	<p><i>Not available in California</i> Turf Care has reached max production capacity on following deck size(s) for this model: 60-in.SD / 72-in. RD/ 72-in. SD/ 60-in MOD/ 54-in. MOD. Closed for ordering until further notice. F.O.B. Raleigh, North Carolina Z950M ZTrak</p>	\$13,129.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	<p>North America United States/Canada Requires Operator's Manual - 0443</p>	In Base Price
0195	<p>Mexico Requires Operator's Manual - 0443</p>	No Added Cost
	MOWER DECK	
	Basic Factory Options	
	MOWER DECKS	
1503	<p>54 In. Mulch On Demand Mower Deck 54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1040.</p>	\$600.00
1523	<p>72 In. Rear Discharge Mower Deck 7-Gauge Fabricated Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1041. 72 In. 7-Gauge FastBack PRO</p>	\$1,170.00
	ATTACHMENTS FOR FIELD CONVERSION	



Z950M ZTrak

Code	Description	List price(USD)
STRIPING KITS		
BTC10287	Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	\$531.79
BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	\$520.01
MULCH KITS		
TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	\$391.61
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	\$380.91
BUC10904	Mulch Kit (1828.8-mm (72-in.) Rear Discharge FastBack PRO) <i>Compatible with MY21 and newer decks (Z900, Z994R, Z997R)</i>	\$714.76
OPERATOR'S STATION AND CONTROLS		
Basic Factory Options		
SEAT		
2091	Deluxe Comfort Seat with Armrests (24" High Back)	In Base Price
2092	Deluxe Comfort Seat with Armrests and Isolation (24" High Back) <i>Includes Isolation System to Reduce Shock/Vibration</i>	\$195.00
2093	Fully Adjustable Suspension Seat with Armrests (24" High Back) <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	\$495.00
ATTACHMENTS FOR FIELD CONVERSION		
SEAT		
BUC10649	Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat</i>	\$46.01
BUC10894	Suspension Seat Kit (High Back 24") <i>Compatible with Model Year 2020 and newer Z900 M gas machines only. Not compatible with Z900 E-spec machines.</i>	\$924.49
BTC10907	Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	\$307.09
LIGHTING		
BUC10603	LED Beacon Light Kit	\$328.49
BUC10955	LED front work light kit (2) <i>Compatible with Mulch on Demand Decks</i>	\$324.21



Z950M ZTrak

Code	Description	List price(USD)
LP40112	Beacon Light Kit	\$251.00
WHEELS AND TIRES Basic Factory Options DRIVE WHEELS AND TIRES		
1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1037	24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1040	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM.</i> <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel.</i> <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	\$1,082.00
1041	24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM.</i> <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel.</i> <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	\$1,082.00
MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS		
LPA11548	Sun Canopy	\$169.00
BUC10300	Hitch Kit	\$37.46
BUC10864	Foot peg kit	\$23.54
BUC10584	Jack Kit	\$249.31
BUC10870	String Trimmer Mount <i>Compatible with Z900 gas machines and Z994R ZTraks</i>	\$130.54
BUC11034	Yard Tool Kit <i>Compatible with Z900 gas machines and Z994R ZTraks</i>	\$163.71
BUC10980	Cargo Tray	\$350.96



Z950M ZTrak

Code	Description	List price(USD)
BUC11070	ShadePro™ Canopy (Z900 Gas) <i>ROPS must remain in upright and locked position when canopy is installed</i> <i>WEIGHTS NOT INCLUDED.</i> <i>Refer to Canopy Ballast Information spreadsheet found on the Value Selling Navigator to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	\$1,072.14
BUC11306	Trash Receptacle Kit <i>Kit includes mounting bracket, bucket and picker.</i>	\$203.30
	ENGINE ATTACHMENTS FOR FIELD CONVERSION ENGINE	
AM115838	Spark Arrester Screen	\$49.29

**Z930R ZTrak**

Code	Description	List price(USD)
	Z930R ZTrak	
	25.5 HP* Vertical-Shaft Air Cooled Engine (52.0 Cu. In.) 852cc, 19.0 kW Full Pressure Lubrication System with Replaceable Oil Filter Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element 12 Volt with 20 AMP Regulated Charge System Dual Hydrostatic Wheel Drive TuffTorq Heavy Duty Ground Drive With Cross Porting Foot Actuated Parking Brake Steel Channel Frame Operator Presence System Folding Two Post ROPS (Roll- Over Protective Structure) and Seat Belt 54 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Cast Iron Spindle Housing Rear Anti-Scalp Wheels One-Touch Dial and Power Height of Cut Adjustment Ergonomic Operator Contoured Soft Touch Grips and Integrated Handle Controls Single-Turn Deck Transport Lock System Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform 12 MPH Travel Speed 11.5 U.S. Gallon Fuel Capacity 24x12-12 In. Square Shoulder 4PR Turf Drive Tires 13x6.5-6 Semi-Pneumatic Front Caster Tires Rear Bumper Right Hand Control Console Cluster Cup Holder Fuel Gauge	



Z930R ZTrak

Code	Description	List price(USD)
	<p>Electric PTO Clutch Digital Hourmeter and Diagnostic Pkg. *@ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 852cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>	
	<p>BASE MACHINE <i>Not available in California</i> <i>Turf Care has reached max production capacity on following deck size(s) for this model: 60-in. SD.</i> <i>F.O.B. Raleigh, North Carolina</i></p>	
2183TC	Z930R ZTrak	\$15,209.00
	<p>DESTINATION AND LANGUAGE Basic Factory Options DESTINATION</p>	
001A	<p>North America United States/Canada <i>Requires Operator's Manual - 0443</i></p>	In Base Price
0195	<p>Mexico <i>Requires Operator's Manual - 0443</i></p>	No Added Cost
	<p>MOWER DECK Basic Factory Options MOWER DECKS</p>	
1502	<p>54 In. Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels.</i> <i>Requires Tires & Wheels option code 1036 or 1040.</i> <i>54 In. 7-Iron PRO</i></p>	In Base Price
1503	<p>54 In. Mulch On Demand Mower Deck <i>54 In. 7-Iron PRO</i> <i>7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels.</i> <i>Requires Tires & Wheels option code 1036 or 1040.</i></p>	\$870.00

**Z930R ZTrak**

Code	Description	List price(USD)
ATTACHMENTS FOR FIELD CONVERSION		
MULCH KITS		
TCB11469	Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	\$367.01
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	\$380.91
STRIPING KITS		
BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	\$520.01
OPERATOR'S STATION AND CONTROLS		
Basic Factory Options		
SEAT		
2092	Deluxe Comfort Seat with Armrests and Isolation (24" High Back) <i>Includes Isolation System to Reduce Shock/Vibration</i>	(\$300.00)
2093	Fully Adjustable Suspension Seat with Armrests (24" High Back) <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	In Base Price
ATTACHMENTS FOR FIELD CONVERSION		
SEAT		
BUC10649	Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat</i>	\$46.01
BTC10907	Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	\$307.09
LIGHTING		
BUC10603	LED Beacon Light Kit	\$328.49
BUC10955	LED front work light kit (2) <i>Compatible with Mulch on Demand Decks</i>	\$324.21
LP40112	Beacon Light Kit	\$251.00
WHEELS AND TIRES		
Basic Factory Options		
DRIVE WHEELS AND TIRES		
1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1040	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks	\$1,082.00

**Z930R ZTrak**

Code	Description	List price(USD)
	<p><i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i></p>	
	<p>MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS</p>	
LPA11548	Sun Canopy	\$169.00
BUC10584	Jack Kit	\$249.31
BUC10300	Hitch Kit	\$37.46
BUC10870	String Trimmer Mount <i>Compatible with Z900 gas machines and Z994R ZTraks</i>	\$130.54
BUC11034	Yard Tool Kit <i>Compatible with Z900 gas machines and Z994R ZTraks</i>	\$163.71
BUC10980	Cargo Tray	\$350.96
BUC11070	ShadePro™ Canopy (Z900 Gas) <i>ROPS must remain in upright and locked position when canopy is installed WEIGHTS NOT INCLUDED. Refer to Canopy Ballast Information spreadsheet found on the Value Selling Navigator to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	\$1,072.14
BUC11306	Trash Receptacle Kit <i>Kit includes mounting bracket, bucket and picker.</i>	\$203.30
	<p>ENGINE ATTACHMENTS FOR FIELD CONVERSION ENGINE</p>	
AM115838	Spark Arrester Screen	\$49.29

**Z950R ZTrak**

Code	Description	List price(USD)
	<p>Z950R ZTrak</p> <p>27.0 HP*</p> <p>Vertical-Shaft Air Cooled Engine (52.0 Cu. In.) 852cc, 20.1 kW</p> <p>Full Pressure Lubrication System with Replaceable Oil Filter</p> <p>Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element</p> <p>12 Volt with 20 AMP Regulated Charge System</p> <p>Dual Hydrostatic Wheel Drive</p> <p>TuffTorq Heavy Duty Ground Drive With Cross Porting</p> <p>Foot Actuated Parking Brake</p> <p>Steel Channel Frame Operator Presence System</p> <p>Folding Two Post ROPS (Roll- Over Protective Structure) and Seat Belt</p> <p>60 In. 7-Iron PRO Side Discharge Mower Deck</p> <p>7-Gauge Stamped Steel Mower Deck</p> <p>8 In. Cast Iron Spindle Housing</p> <p>Rear Anti-Scalp Wheels</p> <p>One-Touch Dial and Power Height of Cut Adjustment</p> <p>Ergonomic Operator Contoured Soft Touch Grips and Integrated Handle Controls</p> <p>Single-Turn Deck Transport Lock System</p> <p>Full Floating Suspension Deck</p> <p>1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments</p> <p>Dual Lever Direction/Speed Control</p> <p>Wide Control Lever Bends for Increased Operator Comfort</p> <p>Quick-Service Removable Foot Platform</p> <p>12 MPH Travel Speed</p> <p>11.5 U.S. Gallon Fuel Capacity</p> <p>24x12-12 In. Square Shoulder 4PR Turf Drive Tires</p> <p>13x6.5-6 Semi-Pneumatic Front Caster Tires</p> <p>Rear Bumper Right Hand Control Console Cluster</p> <p>Cup Holder</p> <p>Fuel Gauge</p> <p>Electric PTO Clutch</p> <p>Digital Hourmeter and Diagnostic Pkg.</p> <p>*@ 3600 RPM engine manufacturer</p>	



Z950R ZTrak

Code	Description	List price(USD)
	certified gross power tested in accordance with SAE J1995, 852cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.	
	BASE MACHINE <i>Not available in California</i> <i>Turf Care has reached max production capacity on following deck size(s) for this model: 60-in.SD/ 60-in. MOD/ 72-in. SD/</i> <i>Closed for ordering until further notice.</i> <i>F.O.B. Raleigh, North Carolina</i>	
2194TC	Z950R ZTrak	\$15,959.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	North America United States/Canada <i>Requires Operator's Manual - 0443</i>	In Base Price
0195	Mexico <i>Requires Operator's Manual - 0443</i>	No Added Cost
	MOWER DECK Basic Factory Options MOWER DECKS	
1524	60 In. Rear Discharge Mower Deck <i>60 In. 7-Gauge FastBack PRO</i> <i>7-Gauge Fabricated Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels.</i> <i>Requires Tires & Wheels option code 1036 or 1040.</i>	\$630.00
	ATTACHMENTS FOR FIELD CONVERSION STRIPING KITS	
BTC10287	Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	\$531.79
BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	\$520.01



Z950R ZTrak

Code	Description	List price(USD)
MULCH KITS		
TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	\$391.61
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	\$380.91
TCB11469	Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	\$367.01
BUC10903	Mulch Kit (1524-mm (60-in.) Rear Discharge FastBack PRO) <i>Compatible with MY21 and newer decks (Z900, Z994R, Z997R)</i>	\$495.41
OPERATOR'S STATION AND CONTROLS		
Basic Factory Options		
SEAT		
2092	Deluxe Comfort Seat with Armrests and Isolation (24" High Back) <i>Includes Isolation System to Reduce Shock/Vibration</i>	(\$300.00)
2093	Fully Adjustable Suspension Seat with Armrests (24" High Back) <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	In Base Price
ATTACHMENTS FOR FIELD CONVERSION		
SEAT		
BUC10649	Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat</i>	\$46.01
BTC10907	Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	\$307.09
LIGHTING		
BUC10603	LED Beacon Light Kit	\$328.49
BUC10955	LED front work light kit (2) <i>Compatible with Mulch on Demand Decks</i>	\$324.21
LP40112	Beacon Light Kit	\$251.00
WHEELS AND TIRES		
Basic Factory Options		
DRIVE WHEELS AND TIRES		
1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1037	24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1040	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks	\$1,082.00

**Z950R ZTrak**

Code	Description	List price(USD)
1041	<p><i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i></p> <p>24x12N12 Michelin X Tweel Turf for 72 In. Decks</p> <p><i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i></p>	\$1,082.00
<p>MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>		
LPA11548	Sun Canopy	\$169.00
BUC10584	Jack Kit	\$249.31
BUC10300	Hitch Kit	\$37.46
BUC10870	String Trimmer Mount <i>Compatible with Z900 gas machines and Z994R ZTraks</i>	\$130.54
BUC11034	Yard Tool Kit <i>Compatible with Z900 gas machines and Z994R ZTraks</i>	\$163.71
BUC10980	Cargo Tray	\$350.96
BUC11070	ShadePro™ Canopy (Z900 Gas) <i>ROPS must remain in upright and locked position when canopy is installed WEIGHTS NOT INCLUDED. Refer to Canopy Ballast Information spreadsheet found on the Value Selling Navigator to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	\$1,072.14
BUC11306	Trash Receptacle Kit <i>Kit includes mounting bracket, bucket and picker.</i>	\$203.30



Z950R ZTrak

Code	Description	List price(USD)
	ENGINE ATTACHMENTS FOR FIELD CONVERSION ENGINE	
AM115838	Spark Arrester Screen	\$49.29



Z970R ZTrak

Code	Description	List price(USD)
	Z970R ZTrak	
	35.0 HP* Vertical-Shaft Air Cooled Engine (61.0 Cu. In.) 999cc, 26.1 kW) Full Pressure Lubrication System with Replaceable Oil Filter Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element 12 Volt with 20 AMP Regulated Charge System Dual Hydrostatic Wheel Drive TuffTorq Heavy Duty Ground Drive With Cross Porting Steel Channel Frame Operator Presence System Folding Two Post ROPS (Roll- Over Protective Structure) and Seat Belt 72 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Cast Iron Spindle Housing Rear Anti-Scalp Wheels One-Touch Dial and Power Height of Cut Adjustment Ergonomic Operator Contoured Soft Touch Grips and Integrated Handle Controls Single-Turn Deck Transport Lock System Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform 12 MPH Travel Speed 11.5 U.S. Gallon Fuel Capacity 24x12-12 In. Square Shoulder 4PR Turf Drive Tires 13x6.5-6 Semi-Pneumatic Front Caster Tires Rear Bumper Right Hand Control Console Cluster Cup Holder Fuel Gauge Electric PTO Clutch Digital Hourmeter and Diagnostic Pkg. *@ 3600 RPM engine manufacturer	



Z970R ZTrak

Code	Description	List price(USD)
	<p>certified gross power tested in accordance with SAE J1995, 999cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p>	
	<p>BASE MACHINE <i>Not available in California</i> <i>Turf Care has reached max production capacity on following deck size(s) for this model: 72-in. SD/ 60-in. SD/ 72-in. RD</i> <i>Closed for ordering until further notice.</i> <i>F.O.B. Raleigh, North Carolina</i></p>	
2213TC	Z970R ZTrak	\$18,119.00
	<p>DESTINATION AND LANGUAGE Basic Factory Options DESTINATION</p>	
001A	<p>North America United States/Canada <i>Requires Operator's Manual - 0443</i></p>	In Base Price
0195	<p>Mexico <i>Requires Operator's Manual - 0443</i></p>	No Added Cost
	<p>MOWER DECK Basic Factory Options MOWER DECKS</p>	
1504	<p>60 In. Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels.</i> <i>Requires Tires & Wheels option code 1036 or 1040.</i> <i>60 In. 7-Iron PRO</i></p>	(\$540.00)
1505	<p>60 In. Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels.</i> <i>Requires Tires & Wheels option code 1036 or 1040.</i> <i>60 In. 7-Iron PRO</i></p>	\$300.00
	ATTACHMENTS FOR FIELD CONVERSION	



Z970R ZTrak

Code	Description	List price(USD)
STRIPING KITS		
BTC10287	Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	\$531.79
BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	\$520.01
MULCH KITS		
TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	\$391.61
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	\$380.91
BUC10904	Mulch Kit (1828.8-mm (72-in.) Rear Discharge FastBack PRO) <i>Compatible with MY21 and newer decks (Z900, Z994R, Z997R)</i>	\$714.76
OPERATOR'S STATION AND CONTROLS		
Basic Factory Options		
SEAT		
2092	Deluxe Comfort Seat with Armrests and Isolation (24" High Back) <i>Includes Isolation System to Reduce Shock/Vibration</i>	(\$300.00)
2093	Fully Adjustable Suspension Seat with Armrests (24" High Back) <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	In Base Price
ATTACHMENTS FOR FIELD CONVERSION		
SEAT		
BUC10649	Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat</i>	\$46.01
BTC10907	Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	\$307.09
LIGHTING		
BUC10603	LED Beacon Light Kit	\$328.49
BUC10955	LED front work light kit (2) <i>Compatible with Mulch on Demand Decks</i>	\$324.21
LP40112	Beacon Light Kit	\$251.00
WHEELS AND TIRES		
Basic Factory Options		
DRIVE WHEELS AND TIRES		
1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	No Added Cost

**Z970R ZTrak**

Code	Description	List price(USD)
1037	24x12x12 Pneumatic Turf Tire for 72" Decks	In Base Price
1040	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM.</i> <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel.</i> <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	\$1,082.00
1041	24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM.</i> <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel.</i> <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	\$1,082.00
MISCELLANEOUS		
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
LPA11548	Sun Canopy	\$169.00
BUC10300	Hitch Kit	\$37.46
BUC10584	Jack Kit	\$249.31
BUC10870	String Trimmer Mount <i>Compatible with Z900 gas machines and Z994R ZTraks</i>	\$130.54
BUC11034	Yard Tool Kit <i>Compatible with Z900 gas machines and Z994R ZTraks</i>	\$163.71
BUC10980	Cargo Tray	\$350.96
BUC11070	ShadePro™ Canopy (Z900 Gas) <i>ROPS must remain in upright and locked position when canopy is installed</i> <i>WEIGHTS NOT INCLUDED.</i> <i>Refer to Canopy Ballast Information spreadsheet found on the Value Selling Navigator to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	\$1,072.14



Z970R ZTrak

Code	Description	List price(USD)
BUC11306	Trash Receptacle Kit <i>Kit includes mounting bracket, bucket and picker.</i>	\$203.30
AM115838	ENGINE ATTACHMENTS FOR FIELD CONVERSION ENGINE Spark Arrester Screen	\$49.29

**Z960M ZTrak**

Code	Description	List price(USD)
	<p>Z960M ZTrak</p> <p>31.0 HP*</p> <p>Vertical-Shaft Air Cooled Engine (61.0 Cu. In.) 999cc, 23.1 kW Full Pressure Lubrication System with Replaceable Oil Filter Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element 12 Volt with 20 AMP Regulated Charge System Dual Hydrostatic Wheel Drive TuffTorq Heavy Duty Ground Drive Hand Actuated Parking Brake Steel Channel Frame Operator Presence System Folding Two Post ROPS (Roll- Over Protective Structure) and Seat Belt 60 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Cast Iron Spindle Housing Rear Anti-Scalp Wheels One-Touch Dial and Foot Spring Assisted Height of Cut Adjustment Single-Turn Deck Transport Lock System Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform 10 MPH Travel Speed 11.5 U.S. Gallon Fuel Capacity 24x12-12 In. Square Shoulder 4PR Turf Drive Tires (60" & 72") 13x6.5-6 Semi-Pneumatic Front Caster Tires Rear Bumper Right Hand Control Console Cluster Cup Holder Fuel Gauge Electric PTO Clutch Digital Hourmeter *@ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 852cc. The engine horsepower and torque information</p>	



Z960M ZTrak

Code	Description	List price(USD)
	is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.	
2232TC	BASE MACHINE <i>Not available in California</i> <i>Turf Care has reached max production capacity on following deck size(s) for this model: 60-in.SD / 72-in. SD./ 60-in.RD</i> <i>Closed for ordering until further notice.</i> <i>F.O.B. Raleigh, North Carolina</i> Z960M ZTrak	\$13,939.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	North America United States/Canada <i>Requires Operator's Manual - 0443</i>	In Base Price
0195	Mexico <i>Requires Operator's Manual - 0443</i>	No Added Cost
	MOWER DECK Basic Factory Options MOWER DECKS	
1505	60 In. Mulch On Demand Mower Deck <i>60 In. 7-Iron PRO</i> <i>7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels.</i> <i>Requires Tires & Wheels option code 1036 or 1040.</i>	\$870.00
	ATTACHMENTS FOR FIELD CONVERSION STRIPING KITS	
BTC10287	Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	\$531.79
BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	\$520.01
	MULCH KITS	
TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	\$391.61



Z960M ZTrak

Code	Description	List price(USD)
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	\$380.91
OPERATOR'S STATION AND CONTROLS		
Basic Factory Options		
SEAT		
2091	Deluxe Comfort Seat with Armrests (24" High Back)	In Base Price
2092	Deluxe Comfort Seat with Armrests and Isolation (24" High Back) <i>Includes Isolation System to Reduce Shock/Vibration</i>	\$195.00
2093	Fully Adjustable Suspension Seat with Armrests (24" High Back) <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	\$495.00
ATTACHMENTS FOR FIELD CONVERSION		
SEAT		
BUC10649	Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat</i>	\$46.01
BUC10894	Suspension Seat Kit (High Back 24") <i>Compatible with Model Year 2020 and newer Z900 M gas machines only. Not compatible with Z900 E-spec machines.</i>	\$924.49
BTC10907	Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	\$307.09
LIGHTING		
BUC10603	LED Beacon Light Kit	\$328.49
BUC10955	LED front work light kit (2) <i>Compatible with Mulch on Demand Decks</i>	\$324.21
LP40112	Beacon Light Kit	\$251.00
WHEELS AND TIRES		
Basic Factory Options		
DRIVE WHEELS AND TIRES		
1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1037	24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1040	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks	\$1,082.00

**Z960M ZTrak**

Code	Description	List price(USD)
	<i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	
1041	24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	\$1,082.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
LPA11548	Sun Canopy	\$169.00
BUC10584	Jack Kit	\$249.31
BUC10300	Hitch Kit	\$37.46
BUC10864	Foot peg kit	\$23.54
BUC10870	String Trimmer Mount <i>Compatible with Z900 gas machines and Z994R ZTraks</i>	\$130.54
BUC11034	Yard Tool Kit <i>Compatible with Z900 gas machines and Z994R ZTraks</i>	\$163.71
BUC10980	Cargo Tray	\$350.96
BUC11070	ShadePro™ Canopy (Z900 Gas) <i>ROPS must remain in upright and locked position when canopy is installed WEIGHTS NOT INCLUDED. Refer to Canopy Ballast Information spreadsheet found on the Value Selling Navigator to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	\$1,072.14
BUC11306	Trash Receptacle Kit	\$203.30



Z960M ZTrak

Code	Description	List price(USD)
	<i>Kit includes mounting bracket, bucket and picker.</i>	
	ENGINE ATTACHMENTS FOR FIELD CONVERSION ENGINE	
AM115838	Spark Arrester Screen	\$49.29

**Z997R DIESEL NA**

Code	Description	List price(USD)
	<p>Z997R DIESEL NA</p> <p>Z997R Commercial L. C. Diesel Max-Frame Z-Trak Equipment for Base Machine 37.4 HP (27.5 kW), gross SAE J1995, PS Rated at 3000 rpm Diesel Engine 100.2 cu. in. (1.64 L) Three Cylinder Liquid-Cooled Up to B20 Compliant Full Pressure Lubrication System With Replaceable Oil Filter Heavy-Duty Canister Air Cleaner; Dual Element, Dry-Type with Safety Element and Air Service Indicator 1.5 x 3.0 In. Steel Tubular Frame - 7 Gauge 12 Volt with 75 AMP Regulated Charge System Dual Hydrostatic Wheel Drive Tuff Torq Dual Unitized Pump Dual Wheel Parking Brake Operator Presence System Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt 60 In. 7-Iron PRO Commercial Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. ductile cast iron spindle housing One-Touch Dial and Electric Deck Lift Height of Cut Adjustment Full Floating Suspension Deck 1.5 - 5.0 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Quick-Service Hinged Foot Platform Fully Enclosed Engine Compartment Ergonomic Operator Contoured Soft Touch Grips and Integrated Handle Controls 11.5 MPH Mowing Speed 12 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 26x12-12 In. Square Shoulder 4PR Turf Drive Tires 15x6-6 Flat Free Front Caster Tires Right Hand Control Console Cluster Cup and Tool Holder Hydraulic PTO Clutch Digital Multi-function Display Deluxe Comfort Seat with Suspension and Armrests</p>	
	BASE MACHINE	

**Z997R DIESEL NA**

Code	Description	List price(USD)
091QTC	<i>Turf Care has reached max production capacity on following deck size(s) for this model: 60- in SD/ 72-in SD/ 72-in RD/ Closed for ordering until further notice. F.O.B. Raleigh, North Carolina Z997R DIESEL NA</i>	\$28,019.00
001A	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION United States/Canada	In Base Price
1150	WHEELS AND TIRES Basic Factory Options DRIVE WHEELS AND TIRES 26x12x12 Pneumatic Turf Tires <i>For use with all 60" and 72" decks (including rear discharge).</i>	In Base Price
1151	26x12N12 Michelin X Tweel Turfs <i>For use with all 60" and 72" decks (including rear discharge). NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere Z997, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	\$1,332.00
1524	MOWER DECK Basic Factory Options MOWER DECKS 60 In. 7 GAUGE FastBack™ PRO Rear Discharge Deck	\$630.00
1523	72 In. 7 GAUGE FastBack™ PRO Rear Discharge Deck	\$1,170.00
	ATTACHMENTS FOR FIELD CONVERSION MULCH KITS	
BUC10903	Mulch Kit (1524-mm (60-in.) Rear Discharge FastBack PRO)	\$495.41
TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	\$391.61
BUC10904	Mulch Kit (1828.8-mm (72-in.) Rear Discharge FastBack PRO)	\$714.76
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	\$380.91
	STRIPING KITS	



Z997R DIESEL NA

Code	Description	List price(USD)
TCB11230	Roller Striping Kit for 1524-mm (60-in.) Deck <i>Roller Length is 60 In.</i>	\$530.71
TCB11231	Roller Striping Kit for 1828.8-mm (72-in.) Deck <i>Roller Length is 60 In.</i> <i>For Model Year '11 and Later Power Units (Serial Number 060000-) or Serialized Replacement Decks (Serial Number 010001-).</i>	\$530.71
OPERATOR'S STATION AND CONTROLS		
ATTACHMENTS FOR FIELD CONVERSION		
LIGHTING		
TCB11281	Front Light (2) Kit	\$292.11
BUC10976	Beacon Light Kit <i>LED beacon light kit is compatible with Model Year 2016 and newer.</i>	\$328.49
SEAT		
TCA18513	Deluxe Comfort Seat with Armrest	\$1,238.59
MISCELLANEOUS		
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
BUC11047	ShadePro™ Canopy (Z997R Diesel) <i>ROPS must remain in the upright and locked position when canopy is installed</i> <i>WEIGHTS NOT INCLUDED.</i> <i>Refer to Canopy Ballast Information spreadsheet found on the Value Selling Navigator to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	\$1,072.14
BTC10674	Rear Bumper Kit	\$386.27
BUC10589	Front Jack Kit <i>Includes jack and mounting kit.</i>	\$258.94



Z994R Diesel Commercial ZTrak

Code	Description	List price(USD)
	Z994R Diesel Commercial ZTrak	
	<p>ENGINE:</p> <p>Engine HP (kW), gross SAE J1995: 24.7 HP (18.4 kW)</p> <p>Rated engine speed, rpm: 3200 rpm</p> <p>Displacement, cc (in): 1267cc(77.3 in)</p> <p>Horizontal-Shaft Three Cylinder Liquid Cooled Diesel Engine @2000 rpm (47.2 lb-ft) 64 Nm torque</p> <p>Indirect fuel injection</p> <p>Full Pressure Lubrication System with Replaceable Oil Filter</p> <p>Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element</p> <p>Air restriction indicator standard</p> <p>Charging system: 12 Volt with 75 amp</p> <p>Travel Speed: 11.4 MPH (18.3 KMPH)</p> <p>Fuel Capacity: 11.5 gallons (43.5 liters)</p> <p>B20 Compliant</p> <p>Fuel Filter with replaceable element</p> <p>HYDRAULIC/TRANSMISSION/PTO:</p> <p>Dual Hydrostatic Wheel Drive TuffTorq Heavy Duty Ground Drive</p> <p>Cross-Porting for improved cooling</p> <p>Foot Actuated Parking Brake</p> <p>Electric PTO Clutch</p> <p>STEERING:</p> <p>Dual Lever Direction/Speed Control</p> <p>DECK:</p> <p>54 Inch 7-Iron PRO Side Discharge Mower Deck</p> <p>Optional decks: 60 Inch 7-Iron PRO Side Discharge, 60 Inch Mulch On Demand</p> <p>72 Inch 7-Iron PRO Side Discharge 7-Gauge stamped steel or 60 Inch FastBack PRO Rear Discharge, 72 Inch FastBack PRO Rear Discharge</p> <p>7-Gauge fabricated steel Mower Deck</p> <p>8 In. Cast Iron Spindle Housing</p> <p>Rear Anti-Scalp Wheels</p> <p>One-Touch Dial and Foot Spring Assisted Height of Cut Adjustment</p> <p>Single-Turn Deck Transport Lock System</p> <p>Full Floating Suspension Deck 25 140 mm (1.0 - 5.5 In.) Cutting</p>	

**Z994R Diesel Commercial ZTrak**

Code	Description	List price(USD)
	<p>Heights in 6 mm (0.25 In) Increments FRAME/STYLING/TIRES: Steel Channel Frame Rear Bumper 24x12-12 In. Square Shoulder 4PR Turf Drive Tires 13x6.5-6 Semi-Pneumatic Front Caster Tires Optional: 24x12N12 Michelin Tweels OPERATOR ENVIRONMENT: Operator Presence System Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt Right Hand Control Console Cluster Cup Holder Digital Hour meter Fuel Gauge Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform</p>	
2543TC	<p>BASE MACHINE <i>Turf Care has reached max production capacity on following deck size(s) for this model: 60-in. RD / 72-in.RD / 72-in. SD/ 60-in. SD Closed for ordering until further notice. F.O.B. Raleigh, North Carolina</i> Z994R Diesel Commercial ZTrak</p>	\$20,219.00
001A	<p>DESTINATION AND LANGUAGE Basic Factory Options DESTINATION North America United States and Canada <i>Requires Operator's Manual - 0443</i></p>	In Base Price
1505	<p>MOWER DECK Basic Factory Options MOWER DECKS 60 In. 7-Iron PRO Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. <i>Requires Tires & Wheels option code 1036 or 1040.</i></p>	\$870.00
	<p>ATTACHMENTS FOR FIELD CONVERSION MULCH KITS</p>	



Z994R Diesel Commercial ZTrak

Code	Description	List price(USD)
TCB11469	Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	\$367.01
BUC10903	Mulch Kit (1524-mm (60-in.) Rear Discharge FastBack PRO)	\$495.41
TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	\$391.61
BUC10904	Mulch Kit (1828.8-mm (72-in.) Rear Discharge FastBack PRO)	\$714.76
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	\$380.91
STRIPING KITS		
BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	\$520.01
BTC10287	Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	\$531.79
WHEELS AND TIRES		
Basic Factory Options		
DRIVE WHEELS AND TIRES		
1036	24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1037	24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1040	24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc. Not Compatible with a Material Collection System.</i>	\$1,132.00
1041	24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc. Not compatible with a Material Collection System.</i>	\$1,132.00
OPERATOR'S STATION AND CONTROLS		
Basic Factory Options		
SEAT		
2092	Deluxe Comfort Seat with Armrests and Isolation (24" High Back) <i>Includes Isolation System to Reduce Shock/Vibration</i>	(\$300.00)
2093	Fully Adjustable Suspension Seat with Armrests (24" High Back) <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	In Base Price

**Z994R Diesel Commercial ZTrak**

Code	Description	List price(USD)
ATTACHMENTS FOR FIELD CONVERSION SEAT		
BUC10649	Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat</i>	\$46.01
BTC10907	Isolated Suspension Seat Kit	\$307.09
LIGHTING		
BUC10603	LED Beacon Light Kit	\$328.49
BUC10955	LED front work light kit (2) <i>Compatible with Mulch on Demand Decks</i>	\$324.21
MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS		
LPA11548	Sun Canopy	\$169.00
BUC10870	String Trimmer Mount	\$130.54
BUC10300	Hitch Kit	\$37.46
BUC10584	Jack Kit	\$249.31
LP1400	Floor Mat	\$36.99
BUC11306	Trash Receptacle Kit	\$203.30
BUC11299	ShadePro™ Canopy (Z994R Diesel) <i>ROPS must remain in upright and locked position when canopy is installed</i> <i>WEIGHTS NOT INCLUDED.</i> <i>Refer to Canopy Ballast Information spreadsheet found on the Value Selling Navigator to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	\$1,072.14
ENGINE ATTACHMENTS FOR FIELD CONVERSION SPARK ARRESTER		
AM115838	Spark Arrester Screen	\$49.29