

CATERPILLAR MACHINE PRICE LIST

D10T2

**D10T2 TRACK-TYPE TRACTOR
 EAST PEORIA, IL, USA (SAP)**

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

- C27 engine with ACERT technology
- 24-volt electric start
- Air filters, dual with precleaner
- Aftercoolers, air-to-air
- Coolant, extended life
- Enhanced auto-shift
- APECS
- Directional shift management
- Ether starting aid, automatic
- Fan, suction with hydraulic demand drive
- Fast fuel system
- Fuel priming pump, electric
- Oil change system
- Parking brake, electronic
- Prescreener
- Separator, water/fuel
- Thermal shields
- Torque divider
- Transmission, powershift, ECPC, 3F/3R

UNDERCARRIAGE

- Rollers and idlers, lifetime lubricated
- Sprocket rim segments, replaceable
- Suspension-type undercarriage, 8-roller tubular track roller frame
- carrier roller ready
- Track adjusters, hydraulic
- Track guides
- Two-piece master links

HYDRAULICS

- Hydraulic system, electronically controlled load sensing
- Ripper hydraulics

STARTERS, BATTERIES, & ALTERNATORS

- Alternator, 150 amp
- Batteries, 12V (2), 200 amp-hour maintenance free

ELECTRICAL

- Alarm, back-up
- Converter, 12 volt, 30 amp total
- Diagnostic connector
- Horn, forward warning
- Light, engine compartment
- Starting receptacle

OPERATOR ENVIRONMENT

- Armrest, adjustable
- Information display
- Work monitor
- Air conditioner and heater
- Cab, ROPS
- Controls, electronic implement
- Decelerator pedal
- Fingertip control (FTC) steering
- Governor switch, electronic
- Instrument panel guard
- Mirror, rearview
- Radio ready, entertainment
- ROPS rollbar
- Wipers, intermittent, low & high speeds

SAFETY AND SECURITY

- Seatbelt, retractable, 3" (76mm)
- Seatbelt warning system
- Operator not presence detection
- Steps, heavy-duty and handles
- Fender guard rails
- Slope and side-slope monitor

OTHER STANDARD EQUIPMENT

- Auto-blade assist ready (for dual tilt)
- Ecology drains
- Engine enclosure
- Fluid sampling ports
- Grade control ready
- Mounting, lift cylinders
- Product link ready
- VIMS 3G
- Vandalism protection
- CD ROM parts book
- Ripper hydraulics
- Work positioning points

CATERPILLAR MACHINE PRICE LIST

D10T2

D10T2 TRACK-TYPE TRACTOR EAST PEORIA, IL, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

444-5738	D10T2 TRACTOR, US 0 LANE 2 - AVAILABLE FROM EAST PEORIA FACTORY LANE 3 - AVAILABLE FROM EAST PEORIA FACTORY	**
-----------------	--	-----------

****Contact Global Mining for Prices****
 Includes US EPA compliant engine and necessary attachments
 for sale into the US.

0P-2917	D10 MISC MATL EAST PEORIA 0 AVAILABLE FROM EAST PEORIA FACTORY	NC
----------------	--	-----------

Use this reference number when ordering miscellaneous material other
 than a body or body attachments.

CATERPILLAR MACHINE PRICE LIST

D10T2

USE	REF NO.	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	--------------------	-------------------------

NOTE

For a more detailed description of price list items, please refer to the D10T2 Price List Attachment Guide on one of the following websites:

dealer.cat.com - <https://dealer.cat.com/cda/layout?m=686126&x=7>

mining.cat.com - <https://mining.cat.com/cda/layout?m=686126&x=7>

Each machine will be shipped with a Parts Book on CD ROM. The CD will be shipped with the other D10T2 literature. If a paper copy is desired, please order through the dealer parts department.

CATERPILLAR MACHINE PRICE LIST

D10T2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Cannot be ordered with items listed as LANE 3 ONLY.		
OP-9003	LANE 3 ORDER	0	NC

SPECIAL ARRANGEMENTS

SPECIAL ARRANGEMENT

L	359-6428 BASIC TRACTOR ARRANGEMENT	0	NC
	Includes basic engine compartment enclosures, standard engine precleaner with dust ejector and hydraulically driven cooling fan.		
L	359-6429 HIGH DEBRIS ARRANGEMENT	0	\$23,690
	For use in heavy debris applications, excluding stockpile. Includes perforated engine compartment enclosures with seals, turbine engine precleaners and dust ejectors, and ducted alternator. REQUIRES: 361-2158 GUARD, FAN DEBRIS 462-1768 FAN, REVERSING		
L	359-6430 STOCKPILE ARRANGEMENT	0	\$32,630
	FOR USE IN LANE 3 ONLY For use in stockpile applications (woodchip, coal, etc.) Includes perforated engine compartment enclosures with seals, turbine engine precleaners and dust ejectors, and ducted alternator. REQUIRES: 419-8211 OPERATORS AR, QUICK OPENING 371-6934 GUARD, BOTTOM PARTIAL 361-2158 GUARD, FAN DEBRIS 462-1768 FAN, REVERSING 384-8844 SCREENS, GRILL DOOR		
L	359-6454 SOUND ARRANGEMENT	0	\$4,395
	FOR USE IN LANE 3 ONLY For use in applications where spectator sound reduction is required. Includes sound reducing engine compartment hood and enclosures, standard engine precleaner and dust ejector, and hydraulically driven cooling fan. REQUIRES: 381-0191 UNDERCARRIAGE, SOUND 371-6933 GUARDS, BOTTOM, SEALED		

POWERTRAIN

RADIATOR ARRANGEMENT

L	359-6479 RADIATOR, 6 FPI	0	NC
	Aluminum bar-plate radiator with 6 fins per inch spacing.		
L	375-0788 RADIATOR, MESABI	0	\$31,630
	FOR USE IN LANE 3 ONLY		

HIGH SPEED OIL CHANGE ARRANGEMENT

L	359-6492 OIL CHANGE SYSTEM, HIGH SPEED	0	NC
	High speed engine and powertrain oil change system mounted in the engine compartment.		

CATERPILLAR MACHINE PRICE LIST

D10T2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN (CONT.)

HIGH SPEED OIL CHANGE ARRANGEMENT (Cont.)

L	359-6493	OIL CHANGE SYSTEM, RIPPER 0 High speed engine and powertrain oil change system mounted to the ripper. MUST BE ORDERED DETACHED. REQUIRES: RIPPER		\$635
L	359-6494	OIL CHANGE SYSTEM, CTWT 0 High speed engine and powertrain oil change system mounted to the rear counterweight. MUST BE ORDERED DETACHED. REQUIRES: 399-7223 COUNTERWEIGHT, REAR or 399-7224 COUNTERWEIGHT, REAR, 4		\$635

FINAL DRIVE ARRANGEMENT

L	372-4564	FINAL DRIVES, STANDARD 0 Includes two standard final drives.		NC
L	372-4566	FINAL DRIVES, GUARDED 0 Includes two final drives designed to optimize performance in mud packing environments.		\$9,730
L	372-4565	FINAL DRIVES, COLD WEATHER 0 Includes two final drives designed to optimize performance in cold weather applications.		\$1,215

UNDERCARRIAGE

UNDERCARRIAGE ARRANGEMENT

L	381-0194	UNDERCARRIAGE, BASIC. 0 For use in standard applications. Includes standard idlers, sprocket segments, single flange and double flange rollers, bogie pins, roller frames and recoil system.		NC
L	381-0192	UNDERCARRIAGE, GUARDED. 0 Includes guarded idlers and guarded pivot shaft seal.		\$5,630
L	506-2017	UNDERCARRIAGE, ABRASION. 0 For use in highly abrasive applications. Extended life. Includes all single flange rollers with two larger single flange rollers in position one and eight. REQUIRES: 495-3883 TRACK, 610MM SES HDXL 495-3887 TRACK, 610MM SES HDXL ROUND 495-3889 TRACK, 710MM SES HDXL 495-3891 TRACK, 710MM SES HDXL ROUND 570-1453 TRACK, 786MM ES HDXL 570-1435 TRACK, 786MM ES HDXL ROUND		\$3,405
L	381-0191	UNDERCARRIAGE, SOUND. 0 For sound reduction. Includes sound reducing idlers and sprocket segments. ONLY FOR USE WITH: OTHER SOUND REDUCING FEATURES FOR FULL EFFECT		\$87,890
L	381-0190	UNDERCARRIAGE, COLD WEATHER. 0 For use in standard applications with cold ambient temperatures. Includes cold weather idlers, single flange and double flange rollers, roller frames, and recoil system. Includes extreme cold weather bogie pins (arctic platinum grease.)		\$7,190

CATERPILLAR MACHINE PRICE LIST

D10T2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

UNDERCARRIAGE ARRANGEMENT (Cont.)

L	381-0189	UNDERCARRIAGE, COLD ABRASION. 0		\$9,330
		For use in highly abrasive applications with cold ambient temperatures. Includes cold weather idlers, all single flange rollers with two larger rollers in positions one and eight, roller frames, and recoil system Includes cold weather bogie pins (arctic platinum grease.) REQUIRES: 495-3883 TRACK, 610MM SES HDXL 495-3887 TRACK, 610MM SES HDXL ROUND 495-3889 TRACK, 710MM SES HDXL 495-3891 TRACK, 710MM SES HDXL ROUND 570-1453 TRACK, 786MM ES HDXL 570-1435 TRACK, 786MM ES HDXL ROUND		

TRACK ARRANGEMENT

NOTE: All include single tooth master link with coarse thread bolts.

L	380-5939	TRACK, 610MM ES 0		NC
		Extreme service shoes (24"/610mm).		
L	398-5247	TRACK, 610MM ES ROUND 0		\$1,740
		Extreme service shoes (24"/610mm). Round holes.		
L	380-5941	TRACK, 610MM SES 0		\$4,730
		Super extreme service shoes (24"/610mm).		
L	495-3883	TRACK, 610MM SES HDXL 0		\$11,810
		Super extreme service shoes (24"/610mm). Heavy duty extended life Undercarriage system with Duralink.		
L	495-3887	TRACK, 610MM SES HDXL ROUND 0		\$13,790
		Super extreme service shoes (24"/610mm). Heavy duty extended life Undercarriage system with Duralink. 90mm round holes.		
L	380-5943	TRACK, 710MM ES 0		\$5,710
		Extreme service shoes (28"/710mm).		
L	398-5249	TRACK, 710MM ES ROUND 0		\$7,730
		Extreme service shoes (28"/710mm). Round holes.		
L	380-5945	TRACK, 710MM SES 0		\$11,210
		Super extreme service shoes (28"/710mm).		
L	495-3889	TRACK, 710MM SES HDXL 0		\$18,290
		Super extreme service shoes (28"/710mm). Heavy duty extended life Undercarriage system with Duralink		
L	495-3891	TRACK, 710MM SES HDXL ROUND 0		\$20,590
		Super extreme service shoes (28"/710mm). Heavy duty extended life Undercarriage system with Duralink. 90mm round holes.		
L	570-1453	TRACK, 786MM ES HDXL 0		\$11,470
		Extreme service shoes (31"/786mm). Heavy duty extended life Undercarriage system with Duralink		
L	570-1435	TRACK, 786MM ES HDXL ROUND 0		\$13,710
		Extreme service shoes (31"/786mm). Heavy duty extended life Undercarriage system with Duralink. 90mm round holes.		

HYDRAULICS

DOZER TILT HYDRAULICS

L	359-6375	HYDRAULICS, SINGLE TILT 0		NC
		Includes single tilt bulldozer hydraulics.		

CATERPILLAR MACHINE PRICE LIST

D10T2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

DOZER TILT HYDRAULICS (Cont.)

L	526-1338	HYDRAULICS, SGL TILT, AUTORIP 0 Includes single tilt bulldozer hydraulics and keypad for autorip.		\$550
L	359-6376	HYDRAULICS, DUAL TILT 0 Includes hydraulic valves and lines to equip the bulldozer with dual tilt.		\$4,765
L	359-6377	HYDRAULICS, SNGL TILT, CUSHION 0 FOR USE IN LANE 3 ONLY Includes single tilt cushion dozer hydraulics. REQUIRES: 372-9206 MAIN FRAME, CUSHION DOZER ONLY FOR USE WITH: 359-6428 BASIC TRACTOR ARRANGEMENT or 359-6429 HIGH DEBRIS ARRANGEMENT		NC
L	359-6378	HYDRAULICS, DUAL TILT, CUSHION 0 FOR USE IN LANE 3 ONLY Includes hydraulic valves and lines to equip the cushion dozer with dual tilt. REQUIRES: 372-9206 MAIN FRAME, CUSHION DOZER ONLY FOR USE WITH: 359-6428 BASIC TRACTOR ARRANGEMENT or 359-6429 HIGH DEBRIS ARRANGEMENT		\$4,765

ELECTRICAL

LIGHTING GROUP

MUST BE ORDERED DETACHED.

L	359-6354	LIGHTS, EIGHT 0 Includes 8 halogen work lights (2 on the sides of the dozer lift cylinders, 2 on the top of the ROPS facing forward, 2 in the fenders facing forward, and 2 in the rear of the fenders facing rearward).		\$-4,345
L	376-1378	LIGHTS, TWELVE 0 Includes 12 halogen work lights (4 on the sides of the dozer lift cylinders, 2 on top of the ROPS facing forward, 2 on top of the ROPS facing rearward, 2 in the front of the fenders facing forward, and 2 in the rear of the fenders facing rearward.)		\$-3,100
L	359-6356	LIGHTS, HID 0 Includes 6 halogen and 5 HID work lights (2 halogen and 2 HID on the sides of the dozer lift cylinders, 2 HID on the top of the ROPS facing forward, 1 HID on the top of the ROPS facing rearward, 2 halogen in the front of the fenders facing forward and 2 halogen in the rear of the fenders facing rearward).		\$-1,265
L	376-1379	LIGHTS, LED 0 Includes 11 LED work lights (4 on the sides of the dozer lift cylinders, 2 on the top of the ROPS facing forward, 1 on the top of the ROPS facing rearward, 2 in the front of the fenders facing forward and 2 in the rear of the fenders facing rearward).		NC
L	444-5644	LIGHTS, LED, HIGH INTENSITY 0 Includes 11 LED work lights (4 on the sides of the dozer lift cylinders, 2 on the top of the ROPS facing forward, 1 on the top of the ROPS facing rearward, 2 in the front of the fenders facing forward and 2 in the rear of the fenders facing rearward).		\$1,770

CATERPILLAR MACHINE PRICE LIST

D10T2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

CAB GLASS

L	375-7166	GLASS, SINGLE PANE 0 Includes sliding single pane tempered side windows, solid single pane tempered rear glass, and solid single pane laminated windshield and doors.		NC
L	389-7519	GLASS, IMPACT RESISTANT 0 Includes solid, dual pane impact resistant windows. Refer to TEKQ1076 within the global sales library for list of certifications. HVAC Precleaner no longer included. RECOMMENDED: 374-9585 PRECLEANER, POWERED		\$5,700
L	375-7835	GLASS, 40 PSI 0 FOR USE IN LANE 3 ONLY Includes solid, 40psi capable windows. HVAC precleaner no longer included. RECOMMENDED: 374-9585 PRECLEANER, POWERED		\$40,270

CAB SEAT

L	380-1151	SEAT, AIR SUSPENSION 0 Includes cloth seat with air suspension.		NC
L	398-6907	SEAT, VINYL 0 Includes vinyl seat with air suspension.		\$560
L	393-7245	SEAT, HEATED & VENTILATED 0 Includes heated and ventilated cloth seat with air suspension.		\$1,720

PLATFORM GROUP

L	446-8423	OPERATORS AR, STANDARD 0 Standard operator controls and platform.		NC
L	419-8211	OPERATORS AR, QUICK OPENING 0 FOR USE IN LANE 3 ONLY Standard operator controls and platform with quick opening floor plates to aid in regular cleaning. Intended for high debris applications.		\$4,285
L	446-8424	OPERATORS AR, 5TH PERCENTILE 0 FOR USE IN LANE 3 ONLY Modifies operator controls and platform to allow operator to sit at the highest and most rearward position and easily reach the pedals. Designed to improve attachment visibility for the smaller operator.		\$6,540

AIR CONDITIONING

L	359-6455	AIR CONDITIONER, UNDERHOOD 0 Air conditioner with condenser mounted in the engine compartment. ONLY FOR USE WITH: 359-6428 BASIC ARRANGEMENT 359-6454 SOUND ARRANGEMENT		NC
L	359-6456	AIR CONDITIONER, FENDER 0 Air conditioner with condenser mounted on the right side fender.		\$4,800
L	359-6457	AIR CONDITIONER, ROPS 0 Air conditioner with condenser mounted on the ROPS.		\$8,820

CATERPILLAR MACHINE PRICE LIST

D10T2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

VISIBILITY ARRANGEMENT OPTIONS

L	327-3492	VISIBILITY AR, BASIC 0 Includes mirror in the cab. CANNOT BE USED WITH: 359-6456 AIR CONDITIONER, FENDER		NC
L	374-3562	VISIBILITY AR, MIRRORS 0 Includes mirror in the cab and mirrors on the lift cylinders. MUST BE ORDERED DETACHED.		\$570
L	359-6495	VISIBILITY ARR, SINGLE CAMERA 0 Includes mirror in the cab, mirrors on the lift cylinders, and single camera with display. MUST BE ORDERED DETACHED.		\$5,860
L	359-6496	VISIBILITY AR, DUAL CAMERA 0 Includes mirror in the cab, mirrors on the lift cylinders, and dual cameras with display. MUST BE ORDERED DETACHED. REQUIRES: 495-8246 PLATFORM ARRANGEMENT or 507-3694 ACCESS ARRANGEMENT		\$7,820

TECHNOLOGY PRODUCTS

MACHINE CONTROL

MUST BE ORDERED DETACHED.

L	359-6358	MACHINE CONTROL, BASIC 0 Includes basic machine controls.		NC
L	359-6353	INSTALLATION, CAT TERRAIN 0 Includes basic machine controls. Includes provisions for adding Cat Terrain for Grading. CANNOT BE USED WITH: 376-1378 LIGHTS, TWELVE		\$3,120
L	526-1337	AUTORIP 0 Includes automatic ripper control. Includes provisions for adding Cat Terrain for Grading. ONLY FOR USE WITH: 359-6376 HYDRAULICS, DUAL TILT 359-6378 HYDRAULICS, DUAL TILT, CUSHION 526-1338 HYDRAULICS, SGL TILT, AUTORIP		\$21,370
L	359-6359	MACHINE CONTROL, PERFORMANCE 0 Includes Autocarry blade control and Automatic Ripper Control Includes provisions for adding Cat Terrain for Grading. REQUIRES: 399-5934 CYLINDER GROUP, PERFORMANCE and ONLY FOR USE WITH: 359-6376 HYDRAULICS, DUAL TILT or 359-6378 HYDRAULICS, DUAL TILT, CUSHION		\$42,720
L	359-6360	MACHINE CONTROL, TERRAIN, BC 0 Includes Autocarry blade control and Automatic Ripper Control. Includes Cat Terrain for Grading with Blade Control display and dual GNSS receivers. REQUIRES: 380-8230 CYLINDER GROUP, TERRAIN, BC ONLY FOR USE WITH: 359-6376 HYDRAULICS, DUAL TILT or 359-6378 HYDRAULICS, DUAL TILT, CUSHION CANNOT BE USED WITH: 376-1378 LIGHTS, TWELVE		\$73,250

COMMAND FOR DOZING

L	445-4705	OPERATOR CONTROL, STANDARD 0 Standard machine control.		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

D10T2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

COMMAND FOR DOZING (Cont.)

For additional Dealer installed technology products please refer to the following publications with in the Global Sales Library:

- AEXQ0566 - Cat MineStar
- PEDJ0116 - Cat Fleet
- PEDJ0114 - Cat Health
- AEXQ0571 - Cat Terrain
- PEDJ0117 - Cat Command
- AEHQ6721 - Cat Command for Dozing
- PEHJ0294 - AccuGrade Data Sheet

Pricing for Dealer installed technology products may be found in the following price lists:

- MINESTAR - Cat MineStar Fleet and Health
- TERAOFC - Terrain Office Software
- TERAGRADE - Terrain for Grading
- COMDOZING - Command for Dozing
- ACCUTTT1 - Accugrade

VIMS AND PRODUCT LINK

NOTE: Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	576-6386	VIMS & CELL PROD LINK, PLE641	0	NC
		This single attachment supports activation of VIMS and/or cellular Product Link. VIMS provides historical trends, histograms, events and more through a wired connection for off-board analysis in applications including VIMS PC. Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	576-6387	VIMS & SAT PROD LINK, PLE631	0	\$446
		This single attachment supports activation of VIMS and/or satellite Product Link. VIMS provides historical trends, histograms, events and more through a wired connection for off-board analysis in applications including VIMS PC. Product link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		

CATERPILLAR MACHINE PRICE LIST

D10T2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

VIMS AND PRODUCT LINK (Cont.)

L	576-6388	PROD LINK, DUAL PLE641 & PL631 0 Product Link Elite series dual mode PLE641+PL631 uses a combination of cellular and satellite networks to transmit location, and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required.		\$1,281
---	----------	--	--	---------

FUEL SYSTEMS

FUEL LINES

L	359-6362	FUEL LINES, STANDARD 0 Standard fuel lines without fuel heater.		NC
L	509-1483	FUEL LINES W/HEATER 0 Fuel lines including fuel heater.		\$1,840

GUARDS

FRAME ARRANGEMENT

L	372-7045	MAIN FRAME, STANDARD DOZER 0 Includes machine frame for standard dozer trunnions.		NC
L	372-9206	MAIN FRAME, CUSHION DOZER 0 FOR USE IN LANE 3 ONLY Includes machine frame for cushion dozer trunnions for use with Cat Work Tools cushion dozer. REQUIRES: 371-6936 GUARDS, BOTTOM, CUSHION DOZER		\$22,670

BOTTOM GUARDS

L	371-6930	GUARDS, BOTTOM, STANDARD 0 Includes full set of standard bottom guards.		NC
L	371-6933	GUARDS, BOTTOM, SEALED 0 Includes full set of sealed bottom guards. REQUIRED BY: 359-6454 SOUND ARRANGEMENT		\$5,140
L	371-6936	GUARDS, BOTTOM, CUSHION DOZER 0 FOR USE IN LANE 3 ONLY Includes full set of standard bottom guards with provisions for cushion dozer trunnions. ONLY FOR USE WITH: 372-9206 MAIN FRAME, CUSHION DOZER		NC
L	371-6934	GUARDS, BOTTOM, PARTIAL 0 FOR USE IN LANE 3 ONLY Includes front bottom guard with tow hook and removes the three rear-most bottom guards. REQUIRED BY: 359-6430 STOCKPILE ARRANGEMENT		\$-5,740
L	371-6935	GUARDS, BOTTOM W/FRONT CTWT 0 FOR USE IN LANE 3 ONLY Includes front counterweight and full set of standard bottom guards.		\$18,360

CATERPILLAR MACHINE PRICE LIST

D10T2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS

FUEL TANK

L	373-3188	FUEL TANK, STANDARD 0		NC
		Standard fuel tank.		
L	373-3189	FUEL TANK, PLATFORM READY 0		\$2,905
		Standard fuel tank with mounting provisions for rear access platform.		

ACCESS SYSTEMS

L	507-6472	GUARDRAIL ARRANGEMENT. 0		NC
		Includes fender mounted guard rails.		
L	507-3688	LADDER ARRANGEMENT. 0		\$19,730
		Includes a powered access ladder on the left fender of the machine. MUST BE ORDERED DETACHED. ONLY FOR USE WITH: 374-3562 VISIBILITY AR, MIRRORS or 359-6495 VISIBILITY AR, SINGLE CAMERA		
L	495-8246	PLATFORM ARRANGEMENT. 0		\$12,200
		Includes a rear access platform on the fuel tank. MUST BE ORDERED DETACHED. ONLY FOR USE WITH: 373-3189 FUEL TANK, PLATFORM READY 359-6496 VISIBILITY AR, DUAL CAMERA		
L	507-3694	ACCESS ARRANGEMENT. 0		\$27,400
		Includes both the ladder and platform arrangements. MUST BE ORDERED DETACHED. ONLY FOR USE WITH: 373-3189 FUEL TANK, PLATFORM READY 359-6496 VISIBILITY AR, DUAL CAMERA		

REAR ATTACHMENTS

RIPPER SHANKS MUST BE ORDERED SEPARATELY.

The ripper mounting is included on the machine and can be ordered from the Parts Department for miscellaneous orders.

L	359-6370	RIPPER, SS STANDARD 0		\$142,240
		ALSO AVAILABLE AS MISCELLANEOUS ORDER		
		Single-shank ripper for D10 tractor. Includes ripper, ripper light, fast fuel system and transmission guard. MUST BE ORDERED DETACHED ON MACHINE ORDERS. REQUIRES: 445-2029 or 445-2030 TOOTH, SINGLE SHANK RIPPER		\$142,240 NI
L	359-6371	RIPPER, SS STANDARD W/ PULLER 0		\$151,390
		ALSO AVAILABLE AS MISCELLANEOUS ORDER		
		Single-shank ripper for D10 tractor. Includes ripper, ripper light, fast fuel system, transmission guard, pin puller and pin puller hydraulics. MUST BE ORDERED DETACHED ON MACHINE ORDERS. REQUIRES: 445-2029 or 445-2030 TOOTH, SINGLE SHANK RIPPER		\$151,390 NI

CATERPILLAR MACHINE PRICE LIST

D10T2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

REAR ATTACHMENTS (Cont.)

L	359-6372	RIPPER, SS PUSH BLOCK W/PULLER 0	0	\$152,560 \$152,560 NI
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE AS MISCELLANEOUS ORDER Single-shank ripper with push block for D10 tractor. Includes ripper, ripper light, fast fuel system, transmission guard, pin puller and pin puller hydraulics. MUST BE ORDERED DETACHED ON MACHINE ORDERS. REQUIRES: 445-2029 or 445-2030 TOOTH, SINGLE SHANK RIPPER		
L	359-6373	RIPPER, MS STANDARD 0	0	\$152,650 \$152,650 NI
		ALSO AVAILABLE AS MISCELLANEOUS ORDER Multi-shank ripper for D10 tractor. Includes ripper, ripper light, fast fuel system and transmission guard. MUST BE ORDERED DETACHED ON MACHINE ORDERS. REQUIRES: 445-2028 TOOTH, MULTI-SHANK RIPPER (QTY 1, 2, or 3)		
L	359-6374	RIPPER, MS DEEP 0	0	\$181,560 \$181,560 NI
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE AS MISCELLANEOUS ORDER Multi-shank deep ripper for D10 tractor. Includes ripper, ripper light, fast fuel system, transmission guard, pin puller and pin puller hydraulics. Includes one deep ripper shank. If required one or two standard length MS ripper shanks must be ordered separately. Maximum depth is 1801mm below grade with standard tip. MUST BE ORDERED DETACHED ON MACHINE ORDERS. ONLY FOR USE WITH: 445-2028 TOOTH, MULTI-SHANK RIPPER (QTY 1 or 2)		
L	399-7223	COUNTERWEIGHT, REAR 0	0	\$73,370 \$73,370 NI
		ALSO AVAILABLE AS MISCELLANEOUS ORDER For use with U, SU and SU Abrasion blades. Includes three plates with mounting bracket, hitch and fast fuel system. MUST BE ORDERED DETACHED ON MACHINE ORDERS.		
L	399-7224	COUNTERWEIGHT, REAR, 4 0	0	\$82,850 \$82,850 NI
		ALSO AVAILABLE AS MISCELLANEOUS ORDER For use with U Abrasion and specialty blades. Includes four plates with mounting bracket, hitch and fast fuel system. MUST BE ORDERED DETACHED ON MACHINE ORDERS.		
L	399-7227	NO REAR ATTACHMENT 0		\$10,040
		Includes fast fuel system, transmission guard and ripper light. Rear attachment is still required, this option is for customers who already have a rear attachment for installation.		

FLUIDS

LUBRICATION GROUP

L	371-6867	LUBRICATION, STANDARD 0		NC
		Includes standard lubrication in all of the major oil compartments.		
L	371-6866	LUBRICATION, ARCTIC 0		\$1,400
		Includes arctic lubrication in all of the major oil compartments		

CATERPILLAR MACHINE PRICE LIST

D10T2

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

FLUIDS (CONT.)

COOLANT

L	382-5934	ENGINE COOLANT, STD (-37C) 0 Provides cooling system antifreeze protection down to -37C (-35F)		NC
L	371-6899	ENGINE COOLANT, ARCTIC (-51C) 0 Provides cooling system antifreeze protection down to -51C (-60F)		\$283 NET

STARTING AID

L	380-8107	HEATER, ENGINE COOLANT, 120V 0 Includes a 120-volt, 1500-watt jacket water electrical heater.		NC
L	380-8108	HEATER, ENGINE COOLANT, 240V 0 Includes a 240-volt, 1500-watt jacket water electrical heater.		NC

CATERPILLAR MACHINE PRICE LIST

D10T2

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

POWERTRAIN

L	380-8106	PRELUBE, ENGINE 0 Includes electrically driven lube pump which pressurizes the oil galleries prior to cranking the engine for starting.		\$5,060
L	462-1768	FAN, REVERSING 0 Hydraulically driven cooling fan with reversing feature to assist in cleaning radiator during operation in high debris environments. Includes extremely low speed operation for cold climates. REQUIRES: 361-2158 GUARD, FAN DEBRIS		\$2,590

UNDERCARRIAGE

L	359-9904	CARRIER ROLLERS 0 Includes one roller per side of the tractor. Provides proper track adjustment with less recoil adjustment required. Reduces track slap during directional shifting. CANNOT BE USED WITH: 359-6454 SOUND ARRANGEMENT		\$9,890
L	385-4710	CARRIER ROLLERS, COLD WEATHER 0 Includes one cold weather roller per side of the tractor. Provides proper track adjustment with less recoil adjustment required. Reduces track slap during directional shifting. CANNOT BE USED WITH: 359-6454 SOUND ARRANGEMENT		\$10,330

ELECTRICAL

L	476-7086	LIGHT, WARNING, STROBE 0 FOR USE IN LANE 3 ONLY Includes a heavy duty single flash (5 Joules) strobe beacon unit. MUST BE ORDERED DETACHED.		\$815
---	----------	--	--	-------

OPERATOR ENVIRONMENT

L	349-3004	WINDOW SHADES 0 Includes retractable window shades on the front, left and right door and rear windows to maximize operator comfort.		\$675
L	374-9585	PRECLEANER, POWERED 0 Powered HVAC precleaner designed to increase fresh air filter life.		\$760

SAFETY AND SECURITY

FIRE SUPPRESSION

L	474-4609	FIRE SUPPRESSION READY 0 Includes universal tank mounting brackets; holds an ANSUL Liquid Vehicle System 10 gallon tank (or similar) on the back side of each fender.		\$1,905
---	----------	---	--	---------

CATERPILLAR MACHINE PRICE LIST

D10T2

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

SAFETY AND SECURITY (CONT.)

FIRE SUPPRESSION (Cont.)

L	471-3280	FIRE SUPPRESSION 0 Factory installed ANSUL Liquid Vehicle System fire suppression. System includes: two 10 gallon tanks, engineered lines routing with 16 nozzle locations, ground level actuation switch, cab mounted actuation switch and control module. NOTE: A local ANSUL distributor must complete the installation with the liquid chemical, two pressure cartridges and certify the system. LVS Liquid Agent has operating temp of -40 to 140 degree F or -40 to 60 degree C.		\$17,510 NET
---	----------	---	--	---------------------

GUARDS

L	196-8565	GUARD, UNDERCARRIAGE IDLERS 117 Includes rubber idler protectors. Provides additional wear protection from abrasive material to the moving undercarriage.		\$3,030
L	361-2158	GUARD, FAN DEBRIS 0 Includes wire debris guards between the cooling fan and the radiator grill doors.		\$1,225

OTHER ATTACHMENTS

SCREENS

L	423-0798	MOUNTING GP, SCREEN 0 Includes a rear screen over the rear cab window. ONLY FOR USE WITH: 507-6472 GUARDRAIL ARRANGEMENT or 507-3688 LADDER ARRANGEMENT		\$3,950
L	384-8844	SCREENS, GRILL DOOR 0 Includes screens on the exterior surface of the radiator grill doors.		\$1,060

PAINT

L	255-0819	PAINT, CORROSION RESISTANT 0		\$7,810
---	----------	---	--	----------------

WORK TOOL GREASE OPTIONS

L	380-9864	RIPPER LUBE, GROUND LEVEL, SS 0 Provides grouped lubrication points for a SS ripper, accessible from ground level.		\$2,160 NI
L	379-4555	RIPPER LUBE, GROUND LEVEL, MS 0 Provides grouped lubrication points for a MS ripper, accessible from ground level.		\$2,240 NI
L	394-4311	AUTOLUBE, SS 0 Provides automatic lubrication system for SS ripper and bulldozer lift cylinders and equalizer bar. MUST BE ORDERED DETACHED.		\$19,160
L	420-7713	AUTOLUBE, MS 0 Provides automatic lubrication system for MS ripper and bulldozer lift cylinders and equalizer bar. MUST BE ORDERED DETACHED.		\$19,160

CATERPILLAR MACHINE PRICE LIST

D10T2

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

STARTING AIDS

L	359-6459	STARTING, COLD WEATHER 0		\$5,880
		Includes two starters and two sets of batteries.		

BLADES

BULLDOZER INSTALLATION PACKAGES

L	422-0256	10SU/U DOZER, SINGLE TILT 0		\$68,740 NI
		ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes bulldozer pusharms, tilt brace, tilt cylinder, tag link, trunnions and tilt cylinder lines. ONLY FOR USE WITH: 359-6375 or 359-6377 HYDRAULICS, SINGLE TILT		
L	346-6924	10SU/U DOZER, DUAL TILT 0		\$86,630 NI
		ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes bulldozer pusharms, two tilt cylinders, tag link, trunnions and tilt cylinder lines. ONLY FOR USE WITH: 359-6376 or 359-6378 HYDRAULICS, DUAL TILT		
L	422-0257	10SU/U DOZER, SNGL TILT GUARD 0		\$70,390 NI
		ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes bulldozer pusharms, tilt brace, tilt cylinder, tag link, trunnions and guarded tilt cylinder lines. ONLY FOR USE WITH: 359-6375 or 359-6377 HYDRAULICS, SINGLE TILT		
L	422-0255	10SU/U DOZER, DUAL TILT GUARD 0		\$88,300 NI
		ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes bulldozer pusharms, two tilt cylinders, tag link, trunnions and guarded tilt cylinder lines. ONLY FOR USE WITH: 359-6376 or 359-6378 HYDRAULICS, DUAL TILT		
L	7T-6040	COVERS, TRUNNION 85		\$1,255
		Heavy duty guards in place of dozer trunnions.		

CYLINDER INSTALLATION PACKAGES

A cylinder group is required when a bulldozer installation package is selected on a machine order.

L	380-8229	CYLINDER GROUP, STANDARD 0		\$22,800 NI
		Includes two standard lift cylinders. ONLY FOR USE WITH: 359-6358 MACHINE CONTROL, BASIC 359-6353 INSTALLATION, CAT TERRAIN 526-1337 AUTORIP		
L	399-5934	CYLINDER GROUP, PERFORMANCE 0		\$27,420 NI
		Includes one standard lift cylinder and one lift cylinder with a position sensor. ONLY FOR USE WITH: 359-6359 MACHINE CONTROL, PERFORMANCE		
L	380-8230	CYLINDER GROUP, TERRAIN, BC 0		\$28,790 NI
		Includes two lift cylinders with position sensors. ONLY FOR USE WITH: 359-6360 MACHINE CONTROL, TERRAIN, BC		

CATERPILLAR MACHINE PRICE LIST

D10T2

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
BLADES (CONT.)				
BLADE OPTIONS				
P	491-8145	BLADE, 10SU PUSH PLATE 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes SU blade, extended wear life cutting edges and end bits, and push plate.		\$68,720 NI
P	491-8143	BLADE, 10SU ABRASION 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes SU blade, extended wear life cutting edges and end bits, wear plate and rock guard.		\$78,320 NI
P	491-8144	BLADE, 10SU ABRASION, BLACK 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes SU blade, extended wear life cutting edges and end bits, wear plate and rock guard. Black paint on the back of the blade.		\$80,970 NI
P	491-8139	BLADE, 10U ABRASION 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes U blade, extended wear life cutting edges and end bits, wear plate and rock guard.		\$91,740 NI
P	491-8140	BLADE, 10U ABRASION, BLACK 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes U blade, extended wear life cutting edges and end bits, wear plate and rock guard. Black paint on the back of the blade.		\$94,400 NI
P	491-8142	BLADE, 10U NO WEAR PLATE 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes U blade, extended wear life cutting edges and end bits and rock guard. Does not include a wear plate.		\$80,400 NI

For Coal U-Blade, Landfill U-Blade, or Woodchip U-Blade please refer to WT-TTT Cat Work Tools price list.

GROUND ENGAGING TOOLS

RIPPER SHANK OPTIONS (Note that RIPPERS do not include any shanks.)

L	445-2028	TOOTH, MULTI-SHANK RIPPER 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes shank, sharp shank protector, pin, pin retainer and tip. Tip and shank protector feature CapSure hammerless installation and positive retention systems. Maximum depth is 884mm below grade with standard 331-3505 tip. Order 1, 2 or 3 teeth for multi shank ripper. ONLY FOR USE WITH: MS RIPPERS		\$10,680 NI
L	445-2029	TOOTH, SINGLE SHANK RIPPER 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes standard shank, sharp shank protector, pin, pin retainer and tip. Tip and shank protector feature CapSure hammerless installation and positive retention systems. Maximum depth is 1496mm below grade with standard 380-1207 tip. ONLY FOR USE WITH: SS RIPPERS		\$12,020 NI

CATERPILLAR MACHINE PRICE LIST

D10T2

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

GROUND ENGAGING TOOLS (CONT.)

RIPPER SHANK OPTIONS (Note that RIPPERS do not include any shanks.) (Cont.)

L	445-2030	TOOTH, SINGLE SHANK, DEEP 0 ALSO AVAILABLE AS MISCELLANEOUS ORDER Includes long shank, sharp shank protector, pin, pin retainer and tip. Tip and shank protector feature CapSure hammerless installation and positive retention systems. Maximum depth is 1982mm below grade with standard 331-3505 tip. ONLY FOR USE WITH: SS RIPPERS		\$14,150 NI
---	----------	--	--	-------------

DOCUMENTATION

	OG-6039	FACTORY SOUND TEST 0 REQUIRED BY: 359-6454 SOUND ARRANGEMENT or 444-5742 D10T2 TRACTOR,SOUND SUPPRESSED		NC
--	---------	---	--	----

PACKING

TRACTOR PACKING

	OP-8009	PACK, DOMESTIC TRUCK 0 Tractor with ROPS, ripper, and track removed.		\$2,360 NET
	OP-0424	PACK, DOMESTIC TRUCK 0 Tractor with ROPS, ripper, track and track roller frame removed.		\$3,940 NET
	OP-0208	PACK,TRUCK,ALTERNATE CLEARANCE. 0 Tractor with ROPS, and ripper or counterweight detached.		\$615 NET
	OP-8012	PACK, DOMESTIC TRUCK 0 For applicable miscellaneous shipments only.		NC