

CATERPILLAR MACHINE PRICE LIST

D3K2 HRCD3K2 TRACK TYPE TRACTOR
ATHENS, GA, USA (SAP)Ship Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Caterpillar C4.4 ACERT diesel engine
-Turbocharged, EPA tier 4 final and
-EU stage IV certified engine with
aftertreatment
Aftercooler, air to air (ATAAC)
Aluminum bar plate cooling system
(radiator, powertrain)
Air cleaner with precleaner, automatic
dust ejection and under-hood intake
Dual path, closed-loop, hydrostatic
transmission
Electric fuel priming pump
Fuel/water separator
Automatic traction control

UNDERCARRIAGE

Salt undercarriage (43 - section)
6 roller track frame
Track rollers, lifetime lubricated
Carrier rollers
Track adjusters, hydraulic
Guards, front/rear guiding

HYDRAULICS

3 valve hydraulics
Single lever, three function control
Hydraulic pump and oil
Stable blade control

ELECTRICAL

Alternator, 120 amp, heavy duty brushless
Alarm, backup
Horn, electric
Batteries, heavy duty ,maintenance free,
750 CCA.
Diagnostic connector
Starter electric 12V

OPERATOR ENVIRONMENT

ROPS/FOPS canopy
Seat, air suspended, cloth or vinyl
Seatbelt, retractable 76mm(3")
Foot pads, dash
Electronic monitoring system
with gauge for:
-Engine coolant temperature
-Hydraulic oil temperature
-Fuel level
-Diesel exhaust fluid (DEF)
Travel speed limiter, electronic
Engine RPM and gear display
Hour meter, electronic
Engine air cleaner service indicator,
Electronic security System
Water-in-fuel indicator, electronic
Throttle switch, rotary
Eco mode
Controls, seat mounted, fore/aft
adjustment
Armrests, adjustable
Mirror, rearview, inside
Single pedal combining deceleration and
braking functions
Independent forward/reverse speed
settings
Powerport, 12 volt
Coat hook
Storage compartment
Cup holder
Floor mat, rubber, heavy duty

FLUIDS

Antifreeze, extended life coolant (-37C)

OTHER STANDARD EQUIPMENT

C-Frame, variable pitch link,
-Hydraulic cylinders and lines
Engine enclosures
Front pull device
Rigid drawbar
Ecology drains (engine, powertrain and
implement oil, and engine coolant)
Scheduled oil sampling ports (engine,
powertrain implement oil)
Vandalism protection
Heavy duty crankcase guard

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

D3K2 TRACK TYPE TRACTOR
 ATHENS, GA, USA (SAP)

Ship Weight
 lbs

LIST PRICE
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program.**

572-5101 D3K2 LGP TRACTOR DCA 1.2 0 \$127,940
 LANE 1 - AVAILABLE FROM ATHENS PDC

- INCLUDES:
 397-4124 D3K2 LGP TRACTOR
 397-4326 UNDERCARRIAGE SALT
 286-4309 TRACK, 635MM(25") MS, SALT, LGP
 394-1851 LIGHTS, 6
 522-6016 PRODUCT LINK, CELLULAR PLE642
 397-4262 CANOPY, ROPS, HEATER
 393-4240 SEAT, VINYL
 397-4311 SOUND SUPPRESSION, OMISSION
 397-4187 HYDRAULICS, 3 VALVE, PUMP STD
 397-4305 GUARD, BELLY, HD LGP
 397-4286 GRILL, RADIATOR, HD
 397-4287 GUARD, GP, REAR, OMISSION
 244-7503 COUNTERWEIGHT, OMISSION, STD
 399-9087 STARTING AID, ETHER
 399-9100 ENGINE, EPA 4F, EU IV, MLIT 5
 397-4167 BLADE, D3K LGP
 538-3976 CONTROL, BASIC, MP
 244-7433 DRAWBAR, STANDARD

NOTE: PLEASE REFER TO THE LANE 1 SECTION TO COMPLETE YOUR ORDER

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

D3K2 TRACK TYPE TRACTOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

572-5112	D3K2 XL TRACTOR DCA 3.1 0 LANE 1 - AVAILABLE FROM ATHENS PDC	\$252,470
----------	---	-----------

- INCLUDES:
- 510-6878 D3K2 XL TRACTOR MULCHER
 - 510-6250 HYDRAULICS 4 VALVE, MULCHER
 - 399-9100 ENGINE, EPA 4F, EU IV, MLIT 5
 - 397-4326 UNDERCARRIAGE, SALT
 - 368-0110 TRACK, 406MM(16"), MS. SALT
 - 394-1851 LIGHTS, 6
 - 510-6254 CAB, ROPS
 - 393-4242 SEAT, CLOTH
 - 522-6016 PRODUCT LINK, CELLULAR, PLE642
 - 555-0446 CONTROL, BASIC, CAMERA
 - 477-2255 GUARD, RADIATOR, HD, HINGED
 - 397-4288 GUARD GP, REAR
 - 508-8495 GUARD, FRONT, MULCHER
 - 397-4301 GUARD, BELLY, HD, XL
 - 394-1879 RADIO PREMIUM
 - 397-4341 SWEEPS, FRONT
 - 397-4342 SWEEPS, REAR
 - 250-1699 SCREEN, SIDE
 - 393-4250 SCREEN, REAR, CAB
 - 379-4986 GUARD, TRK, CENTER, SALT
 - 399-9086 HEATER, ENGINE COOLANT
 - 399-9087 STARTING AID, ETHER
 - 544-1136 FAN, REVERSING
 - 510-2450 COUNTERWEIGHT, REAR, MULCHER
 - 510-6251 MULCHER ARRANGEMENT
- NOTE: MULCHER TRACTOR

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

D3K2 TRACK TYPE TRACTOR ATHENS, GA, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

572-5113 D3K2 LGP TRACTOR DCA 4.1 0		\$258,870
LANE 1 - AVAILABLE FROM ATHENS PDC		

- INCLUDES:
- 510-6879 D3K2 LGP TRACTOR MULCHER
 - 510-6250 HYDRAULICS 4 VALVE, MULCHER
 - 399-9100 ENGINE, EPA 4F, EU IV, MLIT 5
 - 397-4326 UNDERCARRIAGE, SALT
 - 286-4309 TRACK, 635MM(25"), MS. SALT
 - 394-1851 LIGHTS, 6
 - 510-6254 CAB, ROPS
 - 393-4242 SEAT, CLOTH
 - 522-6016 PRODUCT LINK, CELLULAR, PLE642
 - 555-0446 CONTROL, BASIC, CAMERA
 - 477-2255 GUARD, RADIATOR, HD, HINGED
 - 397-4288 GUARD GP, REAR
 - 508-8495 GUARD, FRONT, MULCHER
 - 397-4305 GUARD, BELLY, HD, LGP
 - 394-1879 RADIO PREMIUM
 - 397-4341 SWEEPS, FRONT
 - 397-4342 SWEEPS, REAR
 - 250-1699 SCREEN, SIDE
 - 393-4250 SCREEN, REAR, CAB
 - 379-4986 GUARD, TRK, CENTER, SALT
 - 399-9086 HEATER, ENGINE COOLANT
 - 399-9087 STARTING AID, ETHER
 - 544-1136 FAN, REVERSING
 - 510-2450 COUNTERWEIGHT, REAR, MULCHER
 - 510-6251 MULCHER ARRANGEMENT
- NOTE: MULCHER TRACTOR

397-4123 D3K2 XL TRACTOR 0		\$114,690
LANE 2 - AVAILABLE FROM ATHENS FACTORY		
LANE 3 - AVAILABLE FROM ATHENS FACTORY		

1495MM(59") gauge

397-4124 D3K2 LGP TRACTOR 0		\$121,090
LANE 2 - AVAILABLE FROM ATHENS FACTORY		
LANE 3 - AVAILABLE FROM ATHENS FACTORY		

1725MM(68") gauge

397-4129 D3K2 LGP TRACTOR, 30" TRACK 0		\$129,910
LANE 3 - AVAILABLE FROM ATHENS FACTORY		

1860MM(73") gauge

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

0P-9001	LANE 1 ORDER	0	NC
	Order from Product Distribution Center (PDC)		

OPERATION AND MAINTENANCE MANUAL

421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

PDC MACHINE PREP

590-9289	ATHENS DEALER PDI & FUEL	0	\$442 NET
	The Athens Dealer PDI will include an official Caterpillar STTT PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, DEF fluid top-off, glycol max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied decals. Hydraulic fluid will be within top half of gauge which is considered optimal.		

PROTECTION

0P-2266	SHIPPING/STORAGE PROTECTION	0	\$213 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.		

PACKING

0P-0210	PACK, DOMESTIC TRUCK	0	NC
---------	--------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0		NC
	Only for dealers enrolled in the Base Orders Manamement (BOM) program.			
OP-9003	LANE 3 ORDER	0		NC

SPECIAL ARRANGEMENTS

MANDATORY PICKS FOR TWO WAY DOZER ONLY

L	488-4961	CANOPY, ROPS, TWD	0	NC
		Includes: 6 lights Vinyl seat		
		ONLY FOR USE WITH: 498-3451 D3K2 XL TRACTOR TWD OR 498-3452 D3K2 LGP TRACTOR TWD		
L	488-4963	CAB, ROPS, TWD	0	\$16,120
		Includes: 6 lights Cloth seat		
		ONLY FOR USE WITH: 498-3451 D3K2 XL TRACTOR TWD OR 498-3452 D3K2 LGP TRACTOR TWD		
L	488-4967	NO ROPS, TWD	0	\$6,070
		Includes: Operator platform Vinyl seat 6 lights Excludes ROPS		
		ONLY FOR USE WITH: 498-3451 D3K2 XL TRACTOR TWD OR 498-3452 D3K2 LGP TRACTOR TWD		

MANDATORY PICKS FOR MULCHER ONLY

NOTE: May select Winch, Ripper, or Counterweight. Must select Mulcher.

L	510-6255	WINCH AR, RETRIEVAL	0	\$25,570
		Retrieval Winch (slower speed) uses oil flow from 4th Valve Hydraulic Circuit to power winch. Maximum Line Pull-bare Drum - 32,150 Lbs (14,583 kg) Maximum Line Speed-bare DDrum - 50 ft/min (15 m/min) Includes: 3 Fairlead Rollers - 2 Side and 1 Top Rollers		
		ONLY FOR USE WITH: 555-0477 D3K2 XL TRACTOR FTO 1.2 OR 555-0478 D3K2 LGP TRACTOR FTO 2.2 OR 555-0479 D3K2 XL TRACTOR FTO 10.2 OR 555-0480 D3K2 LGP TRACTOR FTO 11.2		
		CANNOT BE USED WITH: 397-4317 RIPPER 510-2450 COUNTERWEIGHT, REAR, MULCHER		
L	397-4317	RIPPER	1,349	\$11,860
			1,349	\$11,860 NI
		ONLY FOR USE WITH: 555-0477 D3K2 XL TRACTOR FTO 1.2 OR 555-0478 D3K2 LGP TRACTOR FTO 2.2 OR 555-0479 D3K2 XL TRACTOR FTO 10.2 OR 555-0480 D3K2 LGP TRACTOR FTO 11.2		
		CANNOT BE USED WITH: 510-3255 WINCH AR, RETRIEVAL 510-2450 COUNTERWEIGHT, REAR, MULCHER		

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

MANDATORY PICKS FOR MULCHER ONLY (Cont.)

L	510-2450	COUNTERWEIGHT, REAR, MULCHER 0		\$4,235
		INCLUDES: 244-7433 DRAWBAR, STANDARD ONLY FOR USE WITH: 555-0477 D3K2 XL TRACTOR FTO 1.2 OR 555-0478 D3K2 LGP TRACTOR FTO 2.2 OR 555-0479 D3K2 XL TRACTOR FTO 10.2 OR 555-0480 D3K2 LGP TRACTOR FTO 11.2 CANNOT BE USED WITH: 510-3255 WINCH AR, RETRIEVAL 397-4317 RIPPER		
L	510-6251	MULCHER ARRANGEMENT. 3,682		\$58,819
		Mulcher, HM518 1822mm(72") drum width - 38 fixed carbide teeth 2122mm(84") overall width For use in hardwoods applications Includes: Single bolt tooth retention Pressure gauge Hydraulically adjustable push/guard frame Hydraulically operated front hood Closed loop hydrostatic circuit REQUIRED BY: 555-0477 D3K2 XL TRACTOR FTO 1.2 OR 555-0478 D3K2 LGP TRACTOR FTO 2.2 OR 555-0479 D3K2 XL TRACTOR FTO 10.2 OR 555-0480 D3K2 LGP TRACTOR FTO 11.2		

POWERTRAIN

ENGINE INSTALLATION - Standard Tractor

L	399-9100	ENGINE,EPA 4F,EU IV,JAPAN 2014 0		NC
		ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR OR 397-4129 D3K2 LGP TRACTOR, 30" TRACK		

ENGINE INSTALLATION - Fire Tractor

L	488-4956	INSTALLATION ARRANGEMENT, ENG 0		\$2,170
		ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30"		
L	488-4957	INSTALLATION ARR, ENG HHP 0		\$3,925
		ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30"		

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE

UNDERCARRIAGE

SystemOne can be used in most of the HD sealed and lubricated applications.

Center tread idlers now run on the bushings instead of the links, eliminating link scalloping, substantially increasing links life, O&O costs are significantly reduced by elimination of bushing turns and increased components wear life.

Due to the potential increase in undercarriage life resulting from SystemOne, Extremem Service (ES) shoes should be considered for applications that are anticipated to be shoe-life limited in order to match shoe life with link life.

Customers should carefully select between SystemOne and Heavy Duty undercarriage based on expected application. For attachment guiding / guarding (for SystemOne and Heavy Duty configurations), see the Track Guiding Guard Arrangements section.

It is recommended the machines use Heavy Duty undercarriage in high debris packing applications.

L	397-4326	UNDERCARRIAGE, SALT	0	NC
L	397-4206	UNDERCARRIAGE, ABRASION.	0	\$6,300

TRACK PAIRS

SALT

L	368-0118	TRACK, 14", TG, SALT FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 397-4326 UNDERCARRIAGE, SALT AND 397-4123 D3K2 XL TRACTOR	0	\$760
L	368-0110	TRACK, 16", MS, SALT ONLY FOR USE WITH: 397-4326 UNDERCARRIAGE, SALT AND 397-4123 D3K2 XL TRACTOR	0	NC
L	286-4309	TRACK, 25", MS, SALT, LGP ONLY FOR USE WITH: 397-4326 UNDERCARRIAGE, SALT AND 397-4124 D3K2 LGP TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR	0	NC
L	319-9514	TRACK, 25", SELF CLEANING,SALT FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 397-4326 UNDERCARRIAGE, SALT AND 397-4124 D3K2 LGP TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR	440	\$8,340
L	368-0112	TRACK, 30", MS, SALT, LGP FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 397-4326 UNDERCARRIAGE, SALT AND 397-4129 D3K2 LGP TRACTOR, 30" TRACK	0	NC

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACK PAIRS (Cont.)

SYSTEMONE

L	368-0114	TRACK, 16", MS, ABRASION 0		NC
		ONLY FOR USE WITH: 397-4206 UNDERCARRIAGE, SYSTEMONE		
L	286-4319	TRACK, 25", MS, ABRASION, LGP 0		NC
		ONLY FOR USE WITH: 397-4206 UNDERCARRIAGE, SYSTEMONE AND 397-4124 D3K2 LGP TRACTOR OR 397-4129 D3K2 LGP TRACTOR, 30" TRACK		
L	368-0115	TRACK, 30", MS, ABRASION, LGP 0		NC
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 397-4206 UNDERCARRIAGE, SYSTEMONE AND 397-4129 D3K2 LGP TRACTOR, 30" TRACK		

HYDRAULICS

HYDRAULICS - Standard Tractor

L	397-4187	HYDRAULICS, 3 VALVE, PUMP STD 0		NC
		ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR OR 397-4129 D3K2 LGP TRACTOR, 30" TRACK CANNOT BE USED WITH: 397-4317 RIPPER		
L	397-4189	HYDRAULICS, 3 VALVE, WINCH 0		\$4,735
		REQUIRES: 397-4389 WINCH, MOUNTING PLATE ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR OR 397-4129 D3K2 LGP TRACTOR, 30" TRACK CANNOT BE USED WITH: 397-4317 RIPPER		
L	397-4191	HYDRAULICS, 4 VALVE, PUMP STD 35		\$1,090
		REQUIRED BY: 397-4317 RIPPER ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR OR 397-4129 D3K2 LGP TRACTOR, 30" TRACK		
L	397-4193	HYDRAULICS, 4 VALVE, WINCH 22		\$5,820
		Provides additional 4 valve hyd circuit when winch is installed REQUIRES: 397-4389 WINCH, MOUNTING PLATE ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR OR 397-4129 D3K2 LGP TRACTOR, 30" TRACK CANNOT BE USED WITH: 397-4317 RIPPER		

HYDRAULICS - Fire Tractor

L	474-5469	HYD, 4 VALVE, FLOAT 0		\$1,225
		Unsheathed Hoses MAY BE USED WITH: 510-3522 WINCH, AR, RETRIEVAL ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30"		

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

HYDRAULICS - Fire Tractor (Cont.)

L	474-5473	HYD, 4 VALVE, FLOAT, WINCH Unsheathed Hoses ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" AND 397-4389 WINCH OR 397-4320 WINCH, MOUNTING PLATE	0	\$5,980
L	474-5477	HYD, 5 VALVE, FLOAT Unsheathed Hoses MAY BE USED WITH: 510-3522 WINCH, AR, RETRIEVAL ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30"	0	\$1,870
L	474-5481	HYD, 5 VALVE, FLOAT, WINCH Unsheathed Hoses ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" AND 397-4389 WINCH OR 397-4320 WINCH, MOUNTING PLATE	0	\$6,610
L	474-5471	HYD, 4 VALVE, FLOAT, FS Sheathed Hoses MAY BE USED WITH: 510-3522 WINCH, AR, RETRIEVAL ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30"	0	\$1,510
L	474-5475	HYD, 4 VALVE, FLOAT, WINCH, FS Sheathed Hoses ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" AND 397-4389 WINCH OR 397-4320 WINCH, MOUNTING PLATE	0	\$7,160
L	474-5479	HYD, 5 VALVE, FLOAT, FS Sheathed Hoses MAY BE USED WITH: 510-3522 WINCH, AR, RETRIEVAL ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30"	0	\$2,155
L	474-5483	HYD, 5 VALVE, FLOAT, WINCH, FS Sheathed Hoses ONLY FOR USE WITH: 397-4389 WINCH, or 397-4320 WINCH, MOUNTING PLATE 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30" AND 397-4389 WINCH OR 397-4320 WINCH, MOUNTING PLATE	0	\$7,790

ELECTRICAL

LIGHTS

L	394-1850	LIGHTS, 4 Includes: 4 halogen lights- 2 front, 2 rear.	0	NC
---	----------	---	---	----

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL (CONT.)

LIGHTS (Cont.)

L	394-1851	LIGHTS, 6 2 Includes: 6 halogen lights- 4 front, 2 rear.		\$324
L	508-3301	LIGHTS, 6, LED 0 Includes: 6 LED lights- 4 front, 2 rear.		\$970

OPERATOR ENVIRONMENT

OPERATOR STATION - Standard Tractor

L	397-4262	CANOPY, ROPS, HEATER 0 Includes: Heater ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR OR 397-4129 D3K2 LGP TRACTOR, 30" TRACK CANNOT BE USED WITH: 393-4242 SEAT, CLOTH		NC
L	397-4264	CAB, ROPS, HEATER & A/C 477 Includes: Air conditioner Glass windows ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR OR 397-4129 D3K2 LGP TRACTOR, 30" TRACK		\$16,120
L	397-4309	CAB, ROPS, POLYCARBONATE 477 Includes: Air conditioner Polycarbonate windows ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR OR 397-4129 D3K2 LGP TRACTOR, 30" TRACK		\$16,570

OPERATOR STATION - Fire Tractor

L	474-5486	CAB, ROPS, HEATER & AC 0 Includes: Air conditioner Glass windows Quick release floor plate In cab fuel shutoff ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30"		\$15,970
L	474-5488	CAB, ROPS, POLYCARBONATE 0 Includes: Air conditioner Polycarbonate windows Quick release floor plate In cab fuel shutoff ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30"		\$16,420

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

OPERATOR STATION - Fire Tractor (Cont.)

L	474-5490	CAB, ROPS, HEATER & AC	0	\$22,410
		Includes: Air conditioner Glass windows Quick release floor plate In cab fuel shutoff ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30"		
L	474-5492	CAB, ROPS, POLYCARBONATE	0	\$22,850
		Includes: Air conditioner Polycarbonate windows Quick release floor plate In cab fuel shutoff ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30"		

SEAT

P	393-4240	SEAT, VINYL	0	NC
		ONLY FOR USE WITH: 397-4262 CANOPY, ROPS, HEATER		
P	393-4241	SEAT, VINYL, HEATED SEAT & CNTRLS	1	\$1,145
		Includes: Vinly heated seat Heated joystick control handles ONLY FOR USE WITH: 397-4262 CANOPY, ROPS, HEATER		
P	393-4242	SEAT CLOTH	0	NC
		ONLY FOR USE WITH: 397-4262 CANOPY, ROPS, HEATER OR Cab		
P	393-4243	SEAT, CLOTH, HEATED SEAT & CNTRLS	1	\$1,145
		Includes: Cloth seat Heated seat Heated joystick control handles ONLY FOR USE WITH: Cab		
P	393-4244	SEAT, CLOTH, HEATED, VENTILATED	1	\$1,770
		Includes: Cloth seat Heated and cooled seat Heated joystick control handles ONLY FOR USE WITH: Cab		

SOUND SUPPRESSION

L	397-4311	SOUND SUPPRESSION, OMISSION	0	NC
L	397-4312	SOUND SUPPRESSION	18	\$4,380

NOTE: Cannot be used with D3K2 Fire Tractor

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

OPERATOR ENVIRONMENT (CONT.)

SOUND SUPPRESSION - Fire Tractor

L	474-5493	SOUND SUPPRESSION FIRE TRACTOR. 0 Includes: Engine Enclosure Door LH Hinged Engine Enclosure Door RH Fast Pins Flex Pipe Exhaust REQUIRES: Front Sweeps ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30"	\$1,020
---	----------	---	---------

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

MACHINE CONTROL ORDERING

1) Cat GRADE with Slope Assist - Machine Integrated System that provides slope/angular guidance to the cutting edge for both blade slope and mainfall applications. This feature does not require a base station, laser transmitter, design file, or additional hardware. A sensor and valve calibration is required to be functional and is completed at the factory for machines ordered with blades. This system includes an upgraded machine display and an angle sensor on the blade.

Cat GRADE with Slope Assist includes ARO (Attachment Ready Option): Allows machine to easily be upgraded to Cat GRADE with 3D integrated grade control systems or AccuGrade GNSS, Laser or UTS blade mounted grade control systems. ARO includes IMU sensors, EC520 controller, wiring and blade mounting brackets. Upgrading to Cat GRADE with 3D after factory build requires TD520 display, GNSS receivers and antennas, bracket, data corrections solution, Sitech provided grade license files and Caterpillar provided SEA, part number 567-4125. Dealer to provide price for additional hardware and software.

For example, GNSS systems require a GNSS base station.
 Laser systems require a laser transmitter.
 UTS requires a Universal Total Station.
 AccuGrade electronics kits and site infrastructure must be ordered separately from Cat and/or SITECH dealer.

2) Cat GRADE with 3D - Factory installed, chassis mounted grade control system that moves blade mounted grade control components to the top of the cab. Includes a 3D display, factory enabled SEA, dual mounted GNSS receivers and antennas. Requires an "off-board" radio network or GNSS base station to be functional. Additional requirements via SITECH dealer include on-board data radio installation and measure up.

MACHINE CONTROL

Packages below include Mechanical Blade Pitch

L	538-3976	CONTROL, BASIC, MP 0	NC
		Includes: Mechanical Blade Pitch	
		ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR	
L	538-3978	CONTROL, BASIC, MP 0	NC
		Includes: Mechanical Blade Pitch	
		ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK	
L	538-3981	CONTROL, BASIC, MP, CAMERA 0	\$1,095
		Includes: Mechanical Blade Pitch Rear Camera	
		ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR	

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

MACHINE CONTROL ORDERING (Cont.)

L	538-3983	CONTROL, BASIC, MP, CAMERA 0 Includes: Mechanical blade pitch Rear camera ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK 397-4129 D3K2 LGP TRACTOR, 30" TRACK		\$1,095
L	538-3986	GRADE W/ SA 0 Includes: Cat GRADE with Slope Assist AccuGrade Ready option (ARO) Mechanical blade pitch Rear camera REQUIRES: 397-4172 BLADE, D3K XL, ACCUGRADE OR 397-4173 BLADE, D3K LGP, ACCUGRADE AND 522-6014 PRODUCT LINK, SATELLITE PLE732 OR 522-5998 PRODUCT LINK, CELLULAR PLE742 ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR		\$7,510
L	538-3988	GRADE W/ SA 0 Includes: Cat GRADE with Slope Assist t AccuGrade ready option (ARO) Mechanical blade pitch Rear camera REQUIRES: 397-4173 BLADE, D3K LGP, ACCUGRADE AND 522-6014 PRODUCT LINK, SATELLITE PLE732 OR 522-5998 PRODUCT LINK, CELLULAR PLE742 ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK		\$7,510
L	538-3991	GRADE W/ 3D 0 Includes: Cat GRADE with 3D Cat GRADE with Slope Assist AccuGrade ready option (ARO) Mechanical blade pitch Rear camera REQUIRES: 397-4172 BLADE, D3K XL, ACCUGRADE OR 397-4173 BLADE, D3K LGP, ACCUGRADE AND 522-6014 PRODUCT LINK, SATELLITE PLE732 OR 522-5998 PRODUCT LINK, CELLULAR PLE742 ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR		\$56,770
L	538-3993	GRADE W/ 3D 0 Includes: Cat GRADE with 3D Cat GRADE with Slope Assist AccuGrade ready option (ARO) Mechanical blade pitch Rear camera REQUIRES: 397-4173 BLADE, D3K LGP, ACCUGRADE AND 522-6014 PRODUCT LINK, SATELLITE PLE732 OR 522-5998 PRODUCT LINK, CELLULAR PLE742 ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK		\$56,770

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

MACHINE CONTROL ORDERING (Cont.)

MACHINE CONTROL

Packages below include Mechanical Blade Pitch

L	538-3996	CONTROL, BASIC, PP 0 Includes: Power blade pitch ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR		\$3,380
L	538-3998	CONTROL, BASIC, PP 0 Includes: Power blade pitch ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK		\$3,380
L	538-4001	CONTROL, BASIC, PP, CAMERA 0 Includes: Power blade pitch Rear camera ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR		\$4,475
L	538-4003	CONTROL, BASIC, PP, CAMERA 0 Includes: Power blade pitch Rear camera ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK		\$4,475
L	538-4006	GRADE W/ SA, PP 0 Includes: Cat GRADE with Slope Assist AccuGrade ready option (ARO) Power blade pitch Rear camera REQUIRES: 397-4172 BLADE, D3K XL, ACCUGRADE OR 397-4173 BLADE, D3K LGP, ACCUGRADE AND 522-6014 PRODUCT LINK, SATELLITE PLE732 OR 522-5998 PRODUCT LINK, CELLULAR PLE742 ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR		\$10,890
L	538-4008	GRADE W/ SA, PP 0 Includes: Cat GRADE with Slope Assist AccuGrade Ready Option (ARO) Power Blade Pitch Rear Camera REQUIRES: 397-4173 BLADE, D3K LGP, ACCUGRADE AND 522-6014 PRODUCT LINK, SATELLITE PLE732 OR 522-5998 PRODUCT LINK, CELLULAR PLE742 ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK		\$10,890

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

MACHINE CONTROL ORDERING (Cont.)

L	538-4011	GRADE W/ 3D, PP 0		\$60,120
		Includes: Cat GRADE with 3D Cat GRADE with Slope Assist AccuGrade ready option (ARO) Power blade pitch Rear camera REQUIRES: 397-4172 BLADE, D3K XL, ACCUGRADE OR 397-4173 BLADE, D3K LGP, ACCUGRADE AND 522-6014 PRODUCT LINK, SATELLITE PLE732 OR 522-5998 PRODUCT LINK, CELLULAR PLE742 ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR OR 397-4124 D3K2 LGP TRACTOR		

L	538-4013	GRADE W/ 3D, PP 0		\$60,120
		Includes: Cat GRADE with 3D Cat GRADE with Slope Assist AccuGrade Ready option (ARO) Power Blade Pitch Rear Camera REQUIRES: 397-4173 BLADE, D3K LGP, ACCUGRADE AND 522-6014 PRODUCT LINK, SATELLITE PLE732 OR 522-5998 PRODUCT LINK, CELLULAR PLE742 ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK		

MACHINE CONTROL - Fire Tractor

L	474-5494	PITCH ARRANGEMENT 0		NC
		REQUIRED BY: 452-3715 D3K2 XL FIRE TRACTOR AND 452-3716 D3K2 LGP FIRE TRACTOR AND 452-3721 D3K2 LGP FIRE TRACTOR, 30"		

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	522-6014	PRODUCT LINK, SATELLITE PLE732 0		\$446
		Product Link Elite series PLE732 (consisting of PL631 radio and PLE702 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK (Cont.)

L	522-6016	PRODUCT LINK, CELLULAR PLE642 0 Product Link Elite series PLE642 (consisting of PL641 radio and PLE602 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, CPM and basic grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data.		NC
L	522-5998	PRODUCT LINK, CELLULAR PLE742 0 Product Link Elite series PLE742 (consisting of PL641 radio and PLE702 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, CPM and advanced grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data.		NC

GUARDS

RADIATOR GRILL

P	397-4285	GRILL, RADIATOR, STANDARD 0		NC
P	397-4286	GRILL, RADIATOR, HD 84		\$735

RADIATOR GRILL - Fire Tractor

P	477-2255	GUARD, RADIATOR, HD, HINGED 0 ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30"		\$865
---	----------	---	--	-------

REAR GUARD

L	397-4287	GUARD GP, REAR OMISSION 0		NC
L	397-4288	GUARD GP, REAR 253 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides protection below rear window, fuel and hyd fill points.		\$1,755

BOTTOM GUARD

L	397-4381	GUARD, BELLY, XL 0 ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR		NC
L	397-4301	GUARD, BELLY, HD XL 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides HD .5" (12mm) thick bottom guard for XL tractor ONLY FOR USE WITH: 397-4123 D3K2 XL TRACTOR		\$895 \$895 NI
L	397-4385	GUARD, BELLY, LGP 0 ONLY FOR USE WITH: 397-4124 D3K2 LGP TRACTOR		NC

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

BOTTOM GUARD (Cont.)

L	397-4305	GUARD, BELLY, HD LGP	0	\$890
			0	\$890 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides HD .5" (12mm) thick bottom guard for LGP tractor ONLY FOR USE WITH: 397-4124 D3K2 LGP TRACTOR		
L	397-4383	GUARD, BELLY, 30"	0	NC
		ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK		
L	397-4303	GUARD, BELLY, HD 30"	0	\$895
			0	\$895 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides HD .5" (12mm) thick bottom guard for 30" tractor ONLY FOR USE WITH: 397-4129 D3K2 LGP TRACTOR, 30" TRACK		

OTHER ATTACHMENTS

REAR ATTACHMENT

L	244-7433	DRAWBAR, STANDARD	0	NC
		Drawbar extends 5 inches (127 mm).		
L	244-7434	DRAWBAR, TOWING	18	\$565
		Drawbar extends 9.5 inches (241 mm).		
L	397-4317	RIPPER.	1,349	\$11,860
			1,349	\$11,860 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 397-4191 HYDRAULICS, 4 VALVE, PUMP STD		
L	397-4320	WINCH, PA40	0	\$22,100
		High Performance Winch Maximum Line Pull-bare Drum - 40,000 Lbs (18,144 kg) Maximum Line Speed-bare Drum - 131 ft/min (40 m/min) INCLUDES: 397-4389 WINCH, MOUNTING PLATE REQUIRES: Winch hydraulics AND 393-4251 SCREEN, REAR CANOPY OR 393-4250 Screen , Rear Cab		
L	397-4389	WINCH, MOUNTING PLATE	245	\$1,295
		REQUIRES: 397-4189 Hydraulics, 3 Valve, Winch OR 397-4193 Hydraulics, 4 Valve, Winch AND 393-4251 Screen, Rear Canopy OR 393-4250 Screen , Rear Cab		
L	510-6255	WINCH AR, RETRIEVAL	0	\$25,570
			0	\$25,570 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Retrieval Winch (Slower Speed) uses oil flow from 4th valve hydraulic circuit to power winch. Maximum Line Pull-bare Drum - 32,150 Lbs (14,583 kg) Maximum Line Speed-bare Drum - 50 ft/min (15 m/min) Includes: 3 Fairlead Rollers - 2 Side and 1 Top Rollers REQUIRES: Hydraulics, winch, retrieval AND 393-4251 SCREEN, REAR CANOPY OR 393-4250 SCREEN, REAR CAB		

COUNTERWEIGHT

P	244-7503	NO FRONT COUNTERWEIGHT	0	NC
---	----------	----------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

COUNTERWEIGHT (Cont.)

P	244-7516	COUNTERWEIGHT, FRONT	631	\$1,025
		Provides 662 lbs.(300 kg) front counter weight		

NOTE: RECOMMENDED FOR RIPPER OR WINCH

APPLICATION SPECIFIC COMPONENTS

Tanks Fuel and Hydraulic - Fire Tractor

L	474-5467	TANK ARRANGEMENT, METAL	0	\$3,005
		Provides Metal Fuel and Hydraulic Tanks with Remote Fuel Tank Drain		
		ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30"		

LINES GROUPS - Fire Tractor

L	474-5451	LINES AR, STANDARD	0	NC
		Unsheathed Lines ONLY FOR USE WITH: 4523715 D3K2 XL FIRE TRACTOR		
L	474-5452	LINES AR, STANDARD	0	NC
		Unsheathed Lines ONLY FOR USE WITH: 4523716 D3K2 LGP FIRE TRACTOR		
L	474-5457	LINES AR, STANDARD	0	NC
		Unsheathed Lines ONLY FOR USE WITH: 452-3721 D3K2 LGP FIRE TRACTOR, 30"		
L	474-5459	LINES ARR, SHEATHED	0	\$7,370
		Sheathed Lines ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR		
L	474-5460	LINES ARR, SHEATHED	0	\$7,370
		Sheathed Lines ONLY FOR USE WITH: 452-3716 D3K2 LGP FIRE TRACTOR		
L	474-5465	LINES ARR, SHEATHED	0	\$7,370
		Sheathed Lines ONLY FOR USE WITH: 452-3721 D3K2 LGP FIRE TRACTOR, 30"		

FILTER, CAB - Fire Tractor

L	484-1266	FILTER, CAB	0	\$840
		ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30"		

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

INSTRUCTIONS

SERVICE INSTRUCTIONS

421-8926	SERIALIZED TECHNICAL MEDIA KIT 0	NC
<p>The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.</p>		

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

RADIO

P	394-1879	RADIO PREMIUM 4		\$570
		12V AM/FM Stereo with Bluetooth technology and USB connection. Includes individual bass/treble controls, loudness adjustment and station pre-set capability. Pre-set memory is maintained by internal battery. ONLY FOR USE WITH: Cab		

SAFETY AND SECURITY

L	394-1849	SECURITY SYSTEM, MACHINE 2		\$1,025
---	----------	---	--	---------

GUARDS

SWEEPS

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

P	397-4341	SWEEPS, FRONT 291		\$2,495
			0	\$2,495 NI
P	397-4342	SWEEPS, REAR 123		\$1,130
			0	\$1,130 NI
		Provides protection to rear top portion of cab or canopy REQUIRES: 397-4341 SWEEPS, FRONT		

GUARDS

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

P	343-3525	SCREEN, FRONT & DOORS, CANOPY 172		\$3,200
			172	\$3,200 NI
		REQUIRES: 250-1699 SCREEN, SIDE AND 393-4251 SCREEN, REAR ONLY FOR USE WITH: Canopy		
P	250-1699	SCREEN, SIDE 267		\$1,600
			0	\$1,600 NI
		ONLY FOR USE WITH: Canopy and Cab, ROPS		
P	393-4251	SCREEN, REAR, CANOPY 86		\$1,220
			0	\$1,220 NI
		ONLY FOR USE WITH: Canopy		
P	393-4250	SCREEN, REAR, CAB 95		\$1,360
			0	\$1,360 NI
		ONLY FOR USE WITH: Cab, ROPS		

Guards, Track Roller, Full Length

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

P	397-4333	GUARD, TRACK ROLLER, FULL, ABR 159		\$1,420
			0	\$1,420 NI
		ONLY FOR USE WITH: 397-4206 UNDERCARRIAGE, SYSTEMONE		
P	397-4343	GUARD, TRACK ROLLER, FULL, SALT 163		\$1,420
			0	\$1,420 NI
		ONLY FOR USE WITH: 397-4326 UNDERCARRIAGE, SALT		

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

Guards, Track Roller, Center

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

P	379-4991	GUARD,TRK GUIDING,CENTER,ABR	0 0	\$885 \$885 NI
		ONLY FOR USE WITH: 397-4206 UNDERCARRIAGE, SYSTEMONE		
P	379-4986	GUARD,TRK GUIDING,CENTER,SALT	59 59	\$885 \$885 NI
		ONLY FOR USE WITH: 397-4326 UNDERCARRIAGE, SALT		

OTHER ATTACHMENTS

STARTING AIDS

L	399-9086	HEATER, ENGINE COOLANT (120V)	3	\$235
P	399-9087	STARTING AID, ETHER	0	\$400

WINCH ROLLERS

L	397-4392	FAIRLEAD, 3 ROLLERS	0	\$3,210
		Provides 2 side rollers and 1 top roller.		
L	397-4393	FAIRLEAD, 4TH ROLLER	0	\$1,075
		Provides 1 bottom roller. REQUIRES: 397-4392 FAIRLEAD, 3 ROLLERS		

BLADES

BLADES

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

P	397-4166	BLADE, D3K XL	1,247 1,247	\$3,955 \$3,955 NI
		1.99 cyd (1.52 cum). 104.2 inches (2646 mm) width variable pitch, power angle and tilt		
P	537-2444	BLADE, 97"	0 0	\$5,490 \$5,490 NI
		1.85 cyd (1.41 cum). 97 inches (2464 mm) width variable pitch, power angle and tilt		
P	397-4172	BLADE, D3K XL, ACCUGRADE	1,327 1,327	\$4,270 \$4,270 NI
		1.99 cyd (1.52 cum). 104.2 inches (2646 mm) width variable pitch, power, angle tilt blade. Includes: Mounting brackets for receivers. ONLY FOR USE WITH: Installation, AccuGrade ready		
P	397-4167	BLADE, D3K LGP	1,373 1,373	\$4,505 \$4,505 NI
		2.17 cyd (1.66 cum). 124 inches (3149 mm) width variable pitch, power, angle tilt blade.		
P	397-4173	BLADE, D3K LGP, ACCUGRADE	1,452 1,452	\$4,865 \$4,865 NI
		2.17 cyd (1.66 cum). 124 inches (3149 mm) width variable pitch, power, angle tilt blade. Includes: Mounting brackets for receivers. ONLY FOR USE WITH: Installation, AccuGrade ready		

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BLADES (CONT.)

BLADES (Cont.)

P	397-4180	BLADE, INTERMEDIATE	1,454 1,454	\$4,145 \$4,145 NI
		1.96 cyd (1.50 cum). 115 inches (2921 mm) width variable pitch, power, angle tilt blade.		
P	397-4181	BLADE, INTERMEDIATE, ACCUGRADE	1,533 1,533	\$4,480 \$4,480 NI
		1.96 cyd (1.50 cum). 115 inches (2921 mm) width variable pitch, power, angle tilt blade. Includes: Mounting brackets for receivers. ONLY FOR USE WITH: Installation, AccuGrade ready		

FLUIDS

ANTIFREEZE

	OP-6123	ANTIFREEZE, -50C (-58F)	0	\$283 NET
--	---------	-----------------------------------	---	-----------

NOTE: Standard machine protection includes extended life coolant protection to -37C (-34F).

FACTORY SOURCED KITS

MISC Material

Misc Material Available for Shipment from Athens, GA
 Use Misc Top Level OP-3882 to order.
 Quantity limited to 1 per part number.
 8 Week Lead Time on All Items Except Blades.
 6 Week Lead Time on Blades.

W	256-3738	WINCH, HYDROSTATIC	1,345	\$20,493 NI
		High Performance Winch Maximum Line Pull-bare Drum - 40,000 Lbs (18,144 kg) Maximum Line Speed-bare Drum - 131 ft/min (40 m/min) REQUIRES: 397-4189 HYDRAULICS, 3 VALVE, WINCH OR 397-4193 HYDRAULICS, 4 VALVE, WINCH OR 397-4389 WINCH, MOUNTING PLATE AND OP-3929 PACK, WINCH CANNOT BE USED WITH: 513-8108 D3K2 XL TRACTOR, MULCHER, FTO OR 513-8109 D3K2 LGP TRACTOR, MULCHER, FTO		

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

PACKING

PROTECTION

OP-2266	SHIPPING/STORAGE PROTECTION 0	\$213 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. REQUIRED BY: Lane 1 Orders and Export Orders	

PDC MACHINE PREP

590-9289	ATHENS DEALER PDI & FUEL 0	\$442 NET
	The Athens Dealer PDI will include an official Caterpillar STTT PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, DEF fluid top-off, glycol max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied decals. Hydraulic fluid will be within top half of gauge which is considered optimal.	

PACKING

OP-0210	PACK, DOMESTIC TRUCK 0	NC
OP-7133	PACK, BLADE FOR MISC ORDER 0	\$560 NET
	REQUIRED BY: OP-4086 D3K2 MISC MATERIAL AND BLADES	
OP-3923	PACKING, GUARDS, BOTTOM 0	\$325 NET
	REQUIRED BY: OP-4086 D3K2 MISC MATERIAL AND 397-4301 GUARD, BELLY, HD XL OR 397-4305 GUARD, BELLY, HD LGP OR 397-4303 GUARD, BELLY, HD 30"	
OP-3924	PACKING, GUARD, REAR 0	\$325 NET
	REQUIRED BY: OP-4086 D3K2 MISC MATERIAL AND 397-4288 GUARD GP, REAR	
OP-3922	PACKING, GUARDS, TRACK ROLLER 0	\$325 NET
	REQUIRED BY: OP-4086 D3K2 MISC MATERIAL AND GUARDS, TRACK ROLLER	
OP-3928	PACKING, RIPPER 0	\$560 NET
	REQUIRED BY: OP-4086 D3K2 MISC MATERIAL AND 397-4317 RIPPER	
OP-3921	PACKING, SCREEN 0	\$325 NET
	REQUIRED BY: OP-4086 D3K2 MISC MATERIAL AND SCREENS	
OP-3925	PACKING, SWEEPS 0	\$325 NET
	REQUIRED BY: OP-4086 D3K2 MISC MATERIAL AND 397-4341 SWEEPS, FRONT OR 397-4342 SWEEPS, REAR	

CATERPILLAR MACHINE PRICE LIST

D3K2 HRC

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

PACKING (CONT.)

PACKING (Cont.)

0P-3929	PACKING, WINCH 0 REQUIRED BY: 0P-4086 D3K2 MISC MATERIAL AND WINCHES	\$188 NET
---------	---	------------------