

CATERPILLAR MACHINE PRICE LIST

D5K2 HRCD5K2 TRACK TYPE TRACTOR
ATHENS, GA, USA (SAP)Ship Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Caterpillar C4.4 ACERT diesel engine
-Turbocharged, EPA Tier 4 Final
-EU Stage IV Certified Engine with
aftertreatment
Aftercooler, air to air (ATAAC)
Aluminum bar plate cooling system
fRadiator, powertrain)
Air cleaner with precleaner, automatic
dust ejection and under-hood intake
Dual path, closed-loop, hydrostatic
transmission
Electric fuel priming pump
Fuel/water separator
Automatic traction control

UNDERCARRIAGE

Salt undercarriage (40 - section)
7 roller track frame
Track rollers, lifetime lubricated
Carrier rollers
Track adjusters, hydraulic
Guards, front/rear guiding

HYDRAULICS

3 valve hydraulics
Single lever, three function control
Hydraulic pump and oil
Stable blade control

ELECTRICAL

Alternator, 120 amp, heavy duty brushless
Alarm, backup
Horn, electric
Batteries, heavy duty ,maintenance free,
1000 CCA.
Diagnostic connector
Starter electric 12V

OPERATOR ENVIRONMENT

ROPS/FOPS canopy
Seat, air suspended, cloth or vinyl
Seatbelt, retractable 76mm(3")
Foot pads, dash
Electronic monitoring system
with gauge for:
-Engine coolant temperature
-Hydraulic oil temperature
-Fuel level
-Diesel exhaust fluid (DEF)
Travel speed limiter, electronic
Engine RPM and gear display
Hour meter, electronic
Engine air cleaner service indicator
Electronic security system
Water-in-fuel indicator, electronic
Throttle switch, rotary
Eco mode
Controls, seat mounted, fore/aft
adjustment
Armrests, adjustable
Mirror, rearview, inside
Single pedal combining deceleration and
braking functions
Independent forward/reverse speed
settings
Powerport, 12 volt
Coat hook
Storage compartment
Cup holder
Floor mat, rubber, heavy duty

FLUIDS

Antifreeze, extended life coolant (-37C)

OTHER STANDARD EQUIPMENT

C-frame, variable pitch link,
Hydraulic cylinders and lines
Engine enclosures
Front pull device
Rigid drawbar
Ecology drains (engine, powertrain and
implement oil, and engine coolant)
scheduled oil sampling ports (engine,
powertrain implement oil)
Vandalism protection
Heavy duty crankcase guard

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

D5K2 TRACK TYPE TRACTOR
 ATHENS, GA, USA (SAP)

Ship Weight
 lbs

LIST PRICE
 AT DEALER

**Lane 2 is reserved for the Base Order Management Program
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program.**

397-4127	D5K2 XL TRACTOR 18,762 LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY 1495MM(63") gauge	\$158,360
397-4128	D5K2 LGP TRACTOR 19,365 LANE 2 - AVAILABLE FROM ATHENS FACTORY LANE 3 - AVAILABLE FROM ATHENS FACTORY 1725MM(69") gauge	\$167,400
397-4130	D5K2 LGP TRACTOR, 30" TRACK 19,960 LANE 3 - AVAILABLE FROM ATHENS FACTORY 1860MM(73") gauge	\$179,440

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	MANDATORY ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------------	--------------------	-------------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

OPERATION AND MAINTENANCE MANUAL

421-8926	SERIALIZED TECHNICAL MEDIA KIT 0	NC
<p>The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.</p>		

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

SPECIAL ARRANGEMENTS

MANDATORY PICKS FOR TWD ONLY

FOR USE WITH: 4983453 D5K2 XL TRACTOR TWD

L	488-4962	CANOPY ROPS, TWD	0	NC
		Includes: 6 lights Vinyl seat		
		ONLY FOR USE WITH: 498-3453 D5K2 XL TRACTOR TWD		
L	488-4964	CAB, ROPS, TWD	0	\$18,340
		Includes: 6 lights Cloth seat		
		ONLY FOR USE WITH: 498-3453 D5K2 XL TRACTOR TWD		
L	488-4968	NO ROPS, TWD	0	\$6,020
		Includes: Operator platform Vinyl seat 6 lights Excludes ROPS		
		ONLY FOR USE WITH: 498-3453 D5K2 XL TRACTOR TWD		

POWERTRAIN

ENGINE INSTALLATION - Standard Tractor

L	399-9100	ENGINE,EPA 4F,EU IV,JAPAN 2014	0	NC
		ONLY FOR USE WITH: 397-4127 D5K2 XL TRACTOR OR 397-4128 D5K2 LGP TRACTOR OR 397-4130 D5K2 LGP TRACTOR, 30" TRACK		

ENGINE INSTALLATION - Fire Tractor

L	478-7464	INSTALLATION ARRANGEMENT, ENG	0	\$2,150
		ONLY FOR USE WITH: 452-3719 D5K2 XL FIRE TRACTOR OR 452-3720 D5K2 LGP FIRE TRACTOR OR 452-3722 D5K2 LGP FIRE TRACTOR, 30"		
L	478-7465	INSTALLATION ARR, ENGINE HHP	0	\$3,925
		ONLY FOR USE WITH: 452-3719 D5K2 XL FIRE TRACTOR OR 452-3720 D5K2 LGP FIRE TRACTOR OR 452-3722 D5K2 LGP FIRE TRACTOR, 30"		

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE

UNDERCARRIAGE

SystemOne can be used in most of the HD sealed and lubricated applications.

Center tread idlers nor run on the bushings instead of the links, eliminating link scalloping, substantially increasing links life, O&O costs are significantly reduced by elimination of bushing turns and increased componenets wear life.

Due to the potential increase in undercarriage life resulting from SystemOne, Extreme Service (ES) shoes should be considered for applications that are anticipated to be shoe-life limited in order to match shoe life with link life.

Customers should carefully select between SystemOne and Heavy Duty undercarriage based on expected application. For attachment guiding / guarding (for SystemOne and Heavy Duty configurations), see the Track Guiding Guard Arrangements section.

It is recommended the machines use Heavy Duty undercarriage in high debris packing applications.

L	397-4328	UNDERCARRIAGE, SALT	0	NC
L	397-4208	UNDERCARRIAGE, ABRASION.	0	\$8,710

TRACK PAIRS

SALT

L	286-4305	TRACK, 20", MS, SALT	0	NC
		ONLY FOR USE WITH: 397-4328 UNDERCARRIAGE, SALT		
		516-9723 UNDERCARRIAGE, SALT, EXT DUTY		
L	286-4310	TRACK, 26", MS, SALT, LGP	0	NC
		ONLY FOR USE WITH: 397-4328 UNDERCARRIAGE, SALT AND		
		397-4128 D5K2 LGP TRACTOR		
L	286-4307	TRACK, 30", MS, SALT, LGP	0	NC
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 397-4328 UNDERCARRIAGE, SALT AND		
		397-4130 D5K2 LGP TRACTOR, 30" TRACK		
L	286-4302	TRACK, 30", SELF CLEANING,SALT	0	\$13,270
		FOR USE IN LANE 3 ONLY		
		ONLY FOR USE WITH: 397-4328 UNDERCARRIAGE, SALT AND		
		397-4130 D5K2 LGP TRACTOR, 30" TRACK		

SYSTEMONE

L	286-4315	TRACK, 20", MS, ABRASION	0	NC
		ONLY FOR USE WITH: 397-4208 UNDERCARRIAGE, SYSTEMONE		

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACK PAIRS (Cont.)

L	286-4317	TRACK, 30", MS, ABRASION, LGP 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 397-4208 UNDERCARRIAGE, SYSTEMONE AND 397-4130 D5K2 LGP TRACTOR, 30" TRACK		NC
L	286-4320	TRACK, 26", MS, ABRASION, LGP 0 ONLY FOR USE WITH: 397-4208 UNDERCARRIAGE, SYSTEMONE AND 397-4128 D5K2 LGP TRACTOR		NC
L	326-8247	TRACK, 20", ES, ABRASION 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 397-4208 UNDERCARRIAGE, SYSTEMONE		\$1,005
L	326-8248	TRACK, 26", ES, ABRASION, LGP 0 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 397-4208 UNDERCARRIAGE, SYSTEMONE 397-4128 D5K2 LGP TRACTOR		\$1,005

HYDRAULICS

Hydraulics - Standard Tractor

L	397-4188	HYDRAULICS, 3 VALVE, PUMP STD 0 ONLY FOR USE WITH: 397-4127 D5K2 XL TRACTOR OR 397-4128 D5K2 LGP TRACTOR OR 397-4130 D5K2 LGP TRACTOR, 30" TRACK		NC
L	397-4190	HYDRAULICS, 3 VALVE, WINCH 0 ONLY FOR USE WITH: 397-4127 D5K2 XL TRACTOR OR 397-4128 D5K2 LGP TRACTOR OR 397-4130 D5K2 LGP TRACTOR, 30" TRACK AND 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40		\$4,735
L	397-4192	HYDRAULICS, 4 VALVE, PUMP STD 35 ONLY FOR USE WITH: 397-4127 D5K2 XL TRACTOR OR 397-4128 D5K2 LGP TRACTOR OR 397-4130 D5K2 LGP TRACTOR, 30" TRACK AND 397-4317 RIPPER		\$1,090
L	397-4194	HYDRAULICS, 4 VALVE, WINCH 22 ONLY FOR USE WITH: 397-4127 D5K2 XL TRACTOR OR 397-4128 D5K2 LGP TRACTOR OR 397-4130 D5K2 LGP TRACTOR, 30" TRACK AND 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40		\$5,820

Hydraulics, Fire Tractor

L	474-5470	HYD, 4 VALVE, FLOAT 0 Unsheathed Hoses ONLY FOR USE WITH: 452-3719 D5K2 XL FIRE TRACTOR OR 452-3720 D5K2 LGP FIRE TRACTOR OR 452-3722 D5K2 LGP FIRE TRACTOR, 30" AND 510-3522 WINCH AR, RETRIEVAL		\$1,225
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

Hydraulics, Fire Tractor (Cont.)

L	474-5474	HYD, 4 VALVE, FLOAT, WINCH Unsheathed Hoses ONLY FOR USE WITH: 452-3719 D5K2 XL FIRE TRACTOR OR 452-3720 D5K2 LGP FIRE TRACTOR OR 452-3722 D5K2 LGP FIRE TRACTOR, 30" AND 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40	0	\$5,980
L	474-5478	HYD, 5 VALVE, FLOAT Unsheathed Hoses ONLY FOR USE WITH: 452-3719 D5K2 XL FIRE TRACTOR OR 452-3720 D5K2 LGP FIRE TRACTOR OR 452-3722 D5K2 LGP FIRE TRACTOR, 30" AND 510-3522 WINCH AR, RETRIEVAL	0	\$1,870
L	474-5482	HYD, 5 VALVE, FLOAT, WINCH Unsheathed Hoses ONLY FOR USE WITH: 452-3719 D5K2 XL FIRE TRACTOR OR 452-3720 D5K2 LGP FIRE TRACTOR OR 452-3722 D5K2 LGP FIRE TRACTOR, 30" AND 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40	0	\$6,610
L	474-5472	HYD, 4 VALVE, FLOAT, FS Sheathed Hoses ONLY FOR USE WITH: 452-3719 D5K2 XL FIRE TRACTOR OR 452-3720 D5K2 LGP FIRE TRACTOR OR 452-3722 D5K2 LGP FIRE TRACTOR, 30" AND 510-3522 WINCH AR, RETRIEVAL	0	\$1,510
L	474-5476	HYD, 4 VALVE, FLOAT, WINCH, FS Sheathed Hoses ONLY FOR USE WITH: 452-3719 D5K2 XL FIRE TRACTOR OR 452-3720 D5K2 LGP FIRE TRACTOR OR 452-3722 D5K2 LGP FIRE TRACTOR, 30" AND 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40	0	\$7,160
L	474-5480	HYD, 5 VALVE, FLOAT, FS Sheathed Hoses ONLY FOR USE WITH: 452-3719 D5K2 XL FIRE TRACTOR OR 452-3720 D5K2 LGP FIRE TRACTOR OR 452-3722 D5K2 LGP FIRE TRACTOR, 30" AND 510-3522 WINCH AR, RETRIEVAL	0	\$2,155
L	474-5484	HYD, 5 VALVE, FLOAT, WINCH, FS Sheathed Hoses ONLY FOR USE WITH: 452-3719 D5K2 XL FIRE TRACTOR OR 452-3720 D5K2 LGP FIRE TRACTOR OR 452-3722 D5K2 LGP FIRE TRACTOR, 30" AND 397-4389 WINCH, MOUNTING PLATE OR 397-4320 WINCH, PA40	0	\$7,790

ELECTRICAL

LIGHTS

L	394-1850	LIGHTS, 4 Includes: 4 halogen lights - 2 front, 2 rear.	0	NC
---	----------	--	---	----

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL (CONT.)

LIGHTS (Cont.)

L	394-1851	LIGHTS, 6 2 Includes: 6 halogen lights - 4 front, 2 rear.		\$324
L	508-3301	LIGHTS, 6, LED 0 Includes: 6 LED lights - 4 front, 2 rear.		\$970

OPERATOR ENVIRONMENT

OPERATOR STATION - Standard Tractor

L	397-4263	CANOPY, ROPS, HEATER 0 Includes: Heater ONLY FOR USE WITH: 397-4127 D5K2 XL TRACTOR OR 397-4128 D5K2 LGP TRACTOR OR 397-4130 D5K2 LGP TRACTOR, 30" TRACK		NC
L	397-4265	CAB, ROPS, HEATER & A/C 477 Includes: Air conditioner Glass windows ONLY FOR USE WITH: 397-4127 D5K2 XL TRACTOR OR 397-4128 D5K2 LGP TRACTOR OR 397-4130 D5K2 LGP TRACTOR, 30" TRACK		\$15,970
L	397-4310	CAB, ROPS, POLYCARBONATE 477 Includes: Air conditioner Polycarbonate windows ONLY FOR USE WITH: 397-4127 D5K2 XL TRACTOR OR 397-4128 D5K2 LGP TRACTOR OR 397-4130 D5K2 LGP TRACTOR, 30" TRACK		\$16,410

OPERATOR STATION - Fire Tractor

L	474-5486	CAB, ROPS, HEATER & AC 0 Includes: Air conditioner Glass windows Quick release floor plate In cab fuel shutoff ONLY FOR USE WITH: 452-3719 D5K2 XL FIRE TRACTOR OR 452-3720 D5K2 LGP FIRE TRACTOR OR 452-3722 D5K2 LGP FIRE TRACTOR, 30"		\$15,970
L	474-5488	CAB, ROPS, POLYCARBONATE 0 Includes: Air conditioner Polycarbonate windows Quick release floor plate In cab fuel shutoff ONLY FOR USE WITH: 452-3719 D5K2 XL FIRE TRACTOR OR 452-3720 D5K2 LGP FIRE TRACTOR OR 452-3722 D5K2 LGP FIRE TRACTOR, 30"		\$16,420

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

OPERATOR STATION - Fire Tractor (Cont.)

L	474-5490	CAB, ROPS, HEATER & AC	0	\$22,410
		Includes: Air conditioner Glass windows 360 cab guarding Quick release floor plate In cab fuel shutoff ONLY FOR USE WITH: 452-3719 D5K2 XL FIRE TRACTOR OR 452-3720 D5K2 LGP FIRE TRACTOR OR 452-3722 D5K2 LGP FIRE TRACTOR, 30"		
L	474-5492	CAB, ROPS, POLYCARBONATE	0	\$22,850
		Includes: Air conditioner Polycarbonate windows 360 cab guarding Quick release floor plate In cab fuel shutoff ONLY FOR USE WITH: 452-3719 D5K2 XL FIRE TRACTOR OR 452-3720 D5K2 LGP FIRE TRACTOR OR 452-3722 D5K2 LGP FIRE TRACTOR, 30"		

SEAT

P	393-4240	SEAT, VINYL	0	NC
		ONLY FOR USE WITH: 397-4263 CANOPY, ROPS, HEATER		
P	393-4241	SEAT, VINYL, HEATED SEAT & CNTRLS	1	\$1,145
		Includes: Vinyl heated seat Heated joystick control handles ONLY FOR USE WITH: 397-4263 CANOPY, ROPS, HEATER		
P	393-4242	SEAT CLOTH	0	NC
		ONLY FOR USE WITH: Cab		
P	393-4243	SEAT, CLOTH, HEATED SEAT & CNTRLS	1	\$1,145
		Includes: Cloth, heated seat Heated joystick control handles ONLY FOR USE WITH: Cab		
P	393-4244	SEAT, CLOTH, HEATED, VENTILATED	1	\$1,770
		Includes: Cloth, heated and cooled seat Heated joystick control handles ONLY FOR USE WITH: Cab		

SOUND SUPPRESSION

L	397-4311	SOUND SUPPRESSION, OMISSION	0	NC
L	397-4312	SOUND SUPPRESSION	18	\$4,380

NOTE: Cannot be used with D5K2 Fire Tractor

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

OPERATOR ENVIRONMENT (CONT.)

SOUND SUPPRESSION - Fire Tractor

L	474-5493	SOUND SUPPRESSION FIRE TRACTOR. 0 Includes: Engine enclosure door, LH hinged Engine enclosure door, RH fast pins Flex pipe exhaust REQUIRES: 397-4341 SWEEPS, FRONT ONLY FOR USE WITH: 4523719 D5K2 XL FIRE TRACTOR OR 4523720 D5K2 LGP FIRE TRACTOR OR 4523722 D5K2 LGP FIRE TRACTOR, 30"	\$1,020
---	----------	--	---------

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

MACHINE CONTROL ORDERING

1) Cat GRADE with Slope Assist - Machine Integrated System that provides slope/angular guidance to the cutting edge for both blade slope and mainfall applications. This feature does not require a base station, laser transmitter, design file, or additional hardware. A sensor and valve calibration is required to be functional and is completed at the factory for machines ordered with blades. This system includes an upgraded machine display and an angle sensor on the blade.

Cat GRADE with Slope Assist includes ARO (Attachment Ready Option): Allows machine to easily be upgraded to Cat GRADE with 3D integrated grade control systems or AccuGrade GNSS, Laser or UTS blade mounted grade control systems. ARO includes IMU sensors, EC520 controller, wiring and blade mounting brackets. Upgrading to Cat GRADE with 3D after factory build requires TD520 display, GNSS receivers and antennas, bracket, data corrections solution, Sitech provided grade license files and Caterpillar provided SEA, part number 567-4125. Dealer to provide price for additional hardware and software.

For example, GNSS systems require a GNSS base station.
 Laser systems require a laser transmitter.
 UTS requires a Universal Total Station.
 AccuGrade electronics kits and site infrastructure must be ordered separately from Cat and/or SITECH dealer.

2) Cat GRADE with 3D - Factory installed, chassis mounted grade control system that moves blade mounted grade control components to the top of the cab. Includes a 3D display, factory enabled SEA, dual mounted GNSS receivers and antennas. Requires an "off-board" radio network or GNSS base station to be functional. Additional requirements via SITECH dealer include on-board data radio installation and measure up.

MACHINE CONTROL

Packages below include Mechanical Blade Pitch

L	538-3977	CONTROL, BASIC, MP	0	NC
		Includes: Mechanical blade pitch		
		ONLY FOR USE WITH: 397-4127 D5K2 XL TRACTOR OR		
		397-4128 D5K2 LGP TRACTOR		
L	538-3979	CONTROL, BASIC, MP	0	NC
		Includes: Mechanical blade pitch		
		ONLY FOR USE WITH: 397-4130 D5K2 LGP TRACTOR, 30" TRACK		
L	538-3982	CONTROL, BASIC, MP, CAMERA	0	\$1,095
		Includes:		
		Mechanical blade pitch		
		Rear camera		
		ONLY FOR USE WITH: 397-4127 D5K2 XL TRACTOR OR		
		397-4128 D5K2 LGP TRACTOR		

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

MACHINE CONTROL ORDERING (Cont.)

L	538-3984	CONTROL, BASIC, MP, CAMERA 0 Includes: Mechanical blade pitch Rear camera ONLY FOR USE WITH: 397-4130 D5K2 LGP TRACTOR, 30" TRACK		\$1,055
L	538-3987	GRADE W/ SA 0 Includes: Cat GRADE with Slope Assist AccuGrade ready option (ARO) Mechanical blade pitch Rear camera REQUIRES: 397-4176 BLADE, D5K XL, ACCUGRADE OR 397-4177 BLADE, D5K LGP, ACCUGRADE OR 397-4179 BLADE, INTERMEDIATE, ACCUGRADE AND 522-6014 PRODUCT LINK, SATELLITE PLE732 OR 522-5998 PRODUCT LINK, CELLULAR PLE742 ONLY FOR USE WITH: 397-4127 D5K2 XL TRACTOR OR 397-4128 D5K2 LGP TRACTOR		\$7,510
L	538-3989	GRADE W/ SA 0 Includes: Cat GRADE with Slope Assist AccuGrade ready option (ARO) Mechanical blade pitch Rear camera REQUIRES: 397-4176 BLADE, D5K XL, ACCUGRADE OR 397-4177 BLADE, D5K LGP, ACCUGRADE OR 397-4179 BLADE, INTERMEDIATE, ACCUGRADE AND 522-6014 PRODUCT LINK, SATELLITE PLE732 OR 522-5998 PRODUCT LINK, CELLULAR PLE742 ONLY FOR USE WITH: 397-4130 D5K2 LGP TRACTOR, 30" TRACK		\$7,510
L	538-3992	GRADE W/ 3D 0 Includes: Cat GRADE with 3D Cat GRADE with Slope Assist AccuGrade ready option (ARO) Mechanical blade pitch Rear camera REQUIRES: 397-4176 BLADE, D5K XL, ACCUGRADE OR 397-4177 BLADE, D5K LGP, ACCUGRADE OR 397-4179 BLADE, INTERMEDIATE, ACCUGRADE AND 522-6014 PRODUCT LINK, SATELLITE PLE732 OR 522-5998 PRODUCT LINK, CELLULAR PLE742 ONLY FOR USE WITH: 397-4127 D5K2 XL TRACTOR OR 397-4128 D5K2 LGP TRACTOR		\$56,770

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

MACHINE CONTROL ORDERING (Cont.)

L	538-3994	GRADE W/ 3D 0 Includes: Cat GRADE with 3D Cat GRADE with Slope Assist AccuGrade ready option (ARO) Mechanical blade pitch Rear camera REQUIRES: 397-4176 BLADE, D5K XL, ACCUGRADE OR 397-4177 BLADE, D5K LGP, ACCUGRADE OR 397-4179 BLADE, INTERMEDIATE, ACCUGRADE AND 522-6014 PRODUCT LINK, SATELLITE PLE732 OR 522-5998 PRODUCT LINK, CELLULAR PLE742 ONLY FOR USE WITH: 397-4130 D5K2 LGP TRACTOR, 30" TRACK		\$56,770
---	----------	---	--	----------

Packages below include Power Blade Pitch (PP)

L	538-3997	CONTROL, BASIC, PP 0 Includes: Power blade pitch ONLY FOR USE WITH: 397-4127 D5K2 XL TRACTOR OR 397-4128 D5K2 LGP TRACTOR		\$3,380
L	538-3999	CONTROL, BASIC, PP 0 Includes: Power blade pitch ONLY FOR USE WITH: 397-4130 D5K2 LGP TRACTOR, 30" TRACK		\$3,380
L	538-4002	CONTROL, BASIC, PP, CAMERA 0 Includes: Power blade pitch Rear camera ONLY FOR USE WITH: 397-4127 D5K2 XL TRACTOR OR 397-4128 D5K2 LGP TRACTOR		\$4,475
L	538-4004	CONTROL, BASIC, PP, CAMERA 0 Includes: Power blade pitch Rear camera ONLY FOR USE WITH: 397-4130 D5K2 LGP TRACTOR, 30" TRACK		\$4,475
L	538-4007	GRADE W/ SA, PP 0 Includes: Cat GRADE with Slope Assist AccuGrade ready option (ARO) Power blade pitch Rear camera REQUIRES: 397-4176 BLADE, D5K XL, ACCUGRADE OR 397-4177 BLADE, D5K LGP, ACCUGRADE OR 397-4179 BLADE, INTERMEDIATE, ACCUGRADE AND 522-6014 PRODUCT LINK, SATELLITE PLE732 OR 522-5998 PRODUCT LINK, CELLULAR PLE742 ONLY FOR USE WITH: 397-4127 D5K2 XL TRACTOR OR 397-4128 D5K2 LGP TRACTOR		\$10,890

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

MACHINE CONTROL ORDERING (Cont.)

L	538-4009	GRADE W/ SA, PP 0 Includes: Cat GRADE with Slope Assist AccuGrade ready option (ARO) Power blade pitch Rear camera REQUIRES: 397-4176 BLADE, D5K XL, ACCUGRADE OR 397-4177 BLADE, D5K LGP, ACCUGRADE OR 397-4179 BLADE, INTERMEDIATE, ACCUGRADE AND 522-6014 PRODUCT LINK, SATELLITE PLE732 OR 522-5998 PRODUCT LINK, CELLULAR PLE742 ONLY FOR USE WITH: 397-4130 D5K2 LGP TRACTOR, 30" TRACK	0	\$10,890
L	538-4012	GRADE W/ 3D, PP 0 Includes: Cat GRADE with 3D Cat GRADE with Slope Assist AccuGrade ready option (ARO) Power blade pitch Rear camera REQUIRES: 397-4176 BLADE, D5K XL, ACCUGRADE OR 397-4177 BLADE, D5K LGP, ACCUGRADE OR 397-4179 BLADE, INTERMEDIATE, ACCUGRADE AND 522-6014 PRODUCT LINK, SATELLITE PLE732 OR 522-5998 PRODUCT LINK, CELLULAR PLE742 ONLY FOR USE WITH: 397-4127 D5K2 XL TRACTOR OR 397-128 D5K2 LGP TRACTOR	0	\$60,120
L	538-4014	GRADE W/ 3D, PP 0 Includes: Cat GRADE with 3D Cat GRADE with Slope Assist AccuGrade ready option (ARO) Power blade pitch Rear camera REQUIRES: 397-4176 BLADE, D5K XL, ACCUGRADE OR 397-4177 BLADE, D5K LGP, ACCUGRADE OR 397-4179 BLADE, INTERMEDIATE, ACCUGRADE AND 522-6014 PRODUCT LINK, SATELLITE PLE732 OR 522-5998 PRODUCT LINK, CELLULAR PLE742 ONLY FOR USE WITH: 397-4130 D5K2 LGP TRACTOR, 30" TRACK	0	\$60,120

For Fire Tractor Only

L	474-5494	PITCH ARRANGEMENT 0 REQUIRED BY: 452-3719 D5K2 XL FIRE TRACTOR OR 452-3720 D5K2 LGP FIRE TRACTOR OR 452-3722 D5K2 LGP FIRE TRACTOR, 30"	0	NC
---	----------	---	---	----

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	522-6014	PRODUCT LINK, SATELLITE PLE732 0 Product Link Elite series PLE732 (consisting of PL631 radio and PLE702 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		\$446
L	522-6016	PRODUCT LINK, CELLULAR PLE642 0 Product Link Elite series PLE642 (consisting of PL641 radio and PLE602 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, CPM and basic grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data.		NC
L	522-5998	PRODUCT LINK, CELLULAR PLE742 0 Product Link Elite series PLE742 (consisting of PL641 radio and PLE702 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, CPM and advanced grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data.		NC

GUARDS

RADIATOR GRILL

P	397-4285	GRILL, RADIATOR, STANDARD 0		NC
P	397-4286	GRILL, RADIATOR, HD 84		\$735

RADIATOR GRILL - Fire Tractor

P	477-2255	GUARD, RADIATOR, HD, HINGED 0 ONLY FOR USE WITH: 452-3719 D5K2 XL FIRE TRACTOR OR 452-3720 D5K2 LGP FIRE TRACTOR OR 452-3722 D5K2 LGP FIRE TRACTOR, 30"		\$865
---	----------	---	--	-------

REAR GUARD

L	397-4287	GUARD GP, REAR OMISSION 0		NC
L	397-4288	GUARD GP, REAR 253 Provides protection below rear window, fuel and hyd fill points.		\$1,755

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

BOTTOM GUARD

L	397-4386	GUARD, BELLY, XL	0	NC
		ONLY FOR USE WITH: 397-4127 D5K2 XL TRACTOR		
L	397-4306	GUARD,BELLY,HD XL	0	\$890
			0	\$890 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides HD .5" (12mm) thick bottom guard For XL tractor		
		ONLY FOR USE WITH: 397-4127 D5K2 XL TRACTOR		
L	397-4387	GUARD, BELLY, LGP	0	NC
		ONLY FOR USE WITH: 397-4128 D5K2 LGP TRACTOR		
L	397-4307	GUARD, BELLY, HD LGP	0	\$890
			0	\$890 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides HD .5" (12mm) thick bottom guard for LGP tractor		
		ONLY FOR USE WITH: 397-4128 D5K2 LGP TRACTOR		
L	397-4388	GUARD, BELLY, 30"	0	NC
		ONLY FOR USE WITH: 397-4130 D5K2 LGP TRACTOR, 30" TRACK		
L	397-4308	GUARD, BELLY, HD 30"	0	\$890
			0	\$890 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides HD .5" (12mm) thick bottom guard for 30" tractor		
		ONLY FOR USE WITH: 397-4130 D5K2 LGP TRACTOR, 30" TRACK		

OTHER ATTACHMENTS

REAR ATTACHMENT

L	244-7433	DRAWBAR, STANDARD	0	NC
		Drawbar extends 5 inches (127 mm).		
L	244-7434	DRAWBAR, TOWING	18	\$565
		Drawbar extends 9.5 inches (241 mm).		
L	397-4317	RIPPER.	1,349	\$11,860
			1,349	\$11,860 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 397-4192 HYDRAULICS, 4 VALVE, PUMP STD		
L	397-4320	WINCH, PA40	0	\$22,100
		INCLUDES: 397-4389 WINCH, MOUNTING PLATE High Performance Winch Maximum Line Pull-bare Drum - 40,000 Lbs (18,144 kg) Maximum Line Speed-bare Drum - 131 ft/min (40 m/min)		
		REQUIRES: Winch hydraulics AND 393-4251 SCREEN, REAR, CANOPY or 393-4250 SCREEN, REAR, CAB		
L	397-4389	WINCH, MOUNTING PLATE	245	\$1,295
		REQUIRES: Winch Hydraulics 393-4251 SCREEN, REAR, CANOPY or 393-4250 SCREEN, REAR, CAB		

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

REAR ATTACHMENT (Cont.)

L	510-6255	WINCH AR, RETRIEVAL	0	\$25,570
			0	\$25,570 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 Retrieval Winch (Slower Speed) uses oil flow from 4th valve hydraulic circuit to power winch.
 Maximum Line Pull-bare Drum - 32,150 Lbs (14,583 kg)
 Maximum Line Speed-bare Drum - 50 ft/min (15 m/min)
 Includes: 3 Fairlead Rollers - 2 Side and 1 Top Rollers
 REQUIRES: Hydraulics, winch, retrieval AND
 393-4251 SCREEN, REAR CANOPY OR
 393-4250 SCREEN, REAR CAB

COUNTERWEIGHT

P	244-7503	NO FRONT COUNTERWEIGHT	0	NC
P	244-7516	COUNTERWEIGHT, FRONT	631	\$1,025

Provides 662 lbs.(300 kg) front counter weight
 RECOMENDED FOR RIPPER OR WINCH

APPLICATION SPECIFIC COMPONENTS

Tanks Fuel and Hydraulic - Fire Tractor

L	474-5467	TANK ARRANGEMENT, METAL	0	\$3,005
---	----------	-----------------------------------	---	---------

Provides Metal Fuel and Hydraulic Tanks with Remote Fuel Tank Drain
 ONLY FOR USE WITH: 452-3719 D5K2 XL FIRE TRACTOR OR
 452-3720 D5K2 LGP FIRE TRACTOR OR
 452-3722 D5K2 LGP FIRE TRACTOR, 30"

LINES GROUPS - Fire Tractor

L	474-5455	LINES ARRANGEMENT, STD	0	NC
		Unsheathed Lines ONLY FOR USE WITH: 452-3719 D5K2 XL FIRE TRACTOR		
L	474-5456	LINES ARRANGEMENT, STD	0	NC
		Unsheathed Lines ONLY FOR USE WITH: 452-3720 D5K2 LGP FIRE TRACTOR		
L	474-5458	LINES ARRANGEMENT, STD	0	NC
		Unsheathed Lines ONLY FOR USE WITH: 452-3722 D5K2 LGP FIRE TRACTOR, 30"		
L	474-5463	LINES ARR, SHEATHED	0	\$7,290
		Sheathed Lines ONLY FOR USE WITH: 452-3719 D5K2 XL FIRE TRACTOR		
L	474-5464	LINES ARR, SHEATHED	0	\$7,290
		Sheathed Lines ONLY FOR USE WITH: 452-3720 D5K2 LGP FIRE TRACTOR		
L	474-5466	LINES ARR, SHEATHED	0	\$7,290
		Sheathed Lines ONLY FOR USE WITH: 452-3722 D5K2 LGP FIRE TRACTOR, 30"		

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

APPLICATION SPECIFIC COMPONENTS (CONT.)

FILTER, CAB - Fire Tractor

L	484-1266	FILTER, CAB	0	\$840
		ONLY FOR USE WITH: 452-3715 D3K2 XL FIRE TRACTOR OR 452-3716 D3K2 LGP FIRE TRACTOR OR 452-3721 D3K2 LGP FIRE TRACTOR, 30"		

INSTRUCTIONS

SERVICE INSTRUCTIONS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT	0	NC
--	----------	--	---	----

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

RADIO

P	394-1879	RADIO PREMIUM. 4 12V AM/FM Stereo with Bluetooth technology and USB connection. Includes individual bass/treble controls, loudness adjustment and station pre-set capability. Pre-set memory is maintained by internal battery. ONLY FOR USE WITH: Cab		\$570
---	----------	--	--	-------

SAFETY AND SECURITY

Security Systems

L	394-1849	SECURITY SYSTEM, MACHINE 2		\$1,025
---	----------	--------------------------------------	--	---------

GUARDS

SWEEPS

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

P	397-4341	SWEEPS, FRONT 291 0		\$2,495 \$2,495 NI
P	397-4342	SWEEPS, REAR 123 0		\$1,130 \$1,130 NI

Provides protection to rear top portion of cab or canopy
 REQUIRES: 397-4341 SWEEPS, FRONT

GUARDS

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

P	343-3525	SCREEN, FRONT & DOORS, CANOPY 172 172		\$3,200 \$3,200 NI
		REQUIRES: 250-1699 SCREEN, SIDE AND 393-4251 SCREEN, REAR ONLY FOR USE WITH: 397-4263 CANOPY, ROPS, HEATER		
P	250-1699	SCREEN, SIDE 267 0		\$1,600 \$1,600 NI
		ONLY FOR USE WITH: 397-4263 CANOPY, ROPS, HEATER, AND Cab		
P	393-4251	SCREEN, REAR, CANOPY 86 0		\$1,220 \$1,220 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 397-4263 CANOPY, ROPS, HEATER		
P	393-4250	SCREEN, REAR, CAB 95 0		\$1,360 \$1,360 NI
		ONLY FOR USE WITH: Cab, ROPS		

Guards, Track Roller, Full Length

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

P	397-4335	GUARD, TRACK ROLLER, FULL, ABR 159 0		\$1,420 \$1,420 NI
		ONLY FOR USE WITH: 397-4208 UNDERCARRIAGE, SYSTEMONE		

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

Guards, Track Roller, Full Length (Cont.)

P	397-4345	GUARD, TRACK ROLLER, FULL,SALT	163 0	\$1,420 \$1,420 NI
		ONLY FOR USE WITH: 397-4328 UNDERCARRIAGE, SALT		

Guards, Track Roller, Center

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

P	282-3665	GUARD,TRK GUIDING,CENTER,ABR	53 0	\$885 \$885 NI
		ONLY FOR USE WITH: 397-4208 UNDERCARRIAGE, SYSTEMONE		
P	282-3675	GUARD,TRK GUIDING,CENTER,SALT	51 0	\$885 \$885 NI
		ONLY FOR USE WITH: 397-4328 UNDERCARRIAGE SALT		

OTHER ATTACHMENTS

STARTING AIDS

L	399-9086	HEATER, ENGINE COOLANT (120V)	3	\$235
P	399-9087	STARTING AID, ETHER	0	\$400

WINCH ROLLERS

L	397-4392	FAIRLEAD, 3 ROLLERS	0	\$3,210
		Provides 2 side rollers and 1 top roller.		
L	397-4393	FAIRLEAD, 4TH ROLLER	0	\$1,075
		Provides 1 bottom roller. REQUIRES: 397-4392 FAIRLEAD, 3 ROLLERS		

BLADES

BLADES

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

P	397-4170	BLADE, D5K XL	1,507 1,507	\$4,935 \$4,935 NI
		2.86 cyd (2.19 M3). 109.5 inches (2782 mm) width variable pitch, power, angle tilt blade.		
P	397-4176	BLADE, D5K XL, ACCUGRADE	1,586 1,586	\$5,330 \$5,330 NI
		2.86 cyd (2.19 M3). 109.5 inches (2782 mm) width variable pitch, power, angle tilt blade. Includes: Mounting brackets for receivers.		
P	397-4171	BLADE, D5K LGP	1,584 1,584	\$5,520 \$5,520 NI
		3.06 cyd (2.34 M3). 126.7 inches (3220 mm) width variable pitch, power, angle tilt blade.		
P	397-4177	BLADE, D5K LGP, ACCUGRADE	1,663 1,663	\$5,970 \$5,970 NI
		3.06 cyd (2.34 M3). 126.7 inches (3220 mm) width variable pitch, power, angle tilt blade. Includes: Mounting brackets for receivers.		

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BLADES (CONT.)

BLADES (Cont.)

P	397-4178	BLADE, INTERMEDIATE	1,454 1,454	\$4,960 \$4,960 NI
		2.73 cyd (2.09 M3). 115 inches (2921 mm) width variable pitch, power, angle tilt blade.		
P	397-4179	BLADE, INTERMEDIATE, ACCUGRADE	1,533 1,533	\$5,360 \$5,360 NI
		2.73 cyd (2.09 M3). 115 inches (2921 mm) width variable pitch, power, angle tilt blade. Includes: Mounting brackets for receivers.		
P	397-4182	BLADE, D5K, FORESTRY	2,125 0	\$7,400 \$7,400 NI
		FOR USE IN LANE 3 ONLY Includes: Brush guard and thicker moldboard liner		

FLUIDS

ANTIFREEZE

	0P-6123	ANTIFREEZE, -50C (-58F)	0	\$283 NET
--	---------	-----------------------------------	---	-----------

NOTE: Standard machine protection includes Extended Life Coolant protection to -37C (-34F).

FACTORY SOURCED KITS

MISC Material

Misc Material Available for Shipment from Athens, GA
 Use Misc Top Level 0P-3884 to order.
 Quantity limited to 1 per part number.
 8 Week Lead Time on All Items Except Blades.
 6 Week Lead Time on Blades.

P	518-1005	GUARD GP, REAR	0	\$1,755 NI
		Provides protection below rear window, fuel and hyd fill points. REQUIRES: 0P-3924 PACK, GUARD, REAR		
W	256-3738	WINCH, HYDROSTATIC	1,345	\$20,493 NI
		High Performance Winch Maximum Line Pull-bare Drum - 40,000 Lbs (18,144 kg) Maximum Line Speed-bare Drum - 131 ft/min (40 m/min) REQUIRES: 397-4189 HYDRAULICS, 3 VALVE, WINCH OR 397-4193 HYDRAULICS, 4 VALVE, WINCH AND 397-4389 WINCH, MOUTING PLATE AND 0P-3929 PACKING, WINCH		

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

PACKING

PROTECTION

0P-2266	SHIPPING/STORAGE PROTECTION 0	\$213 NET
	Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.	

PDC MACHINE PREP

590-9289	ATHENS DEALER PDI & FUEL 0	\$442 NET
	The Athens Dealer PDI will include an official Caterpillar STTT PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, DEF fluid top-off, glycol max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied decals. Hydraulic fluid will be within top half of gauge which is considered optimal.	

Packing for Machine

0P-0210	PACK, DOMESTIC TRUCK 0	NC
0P-7133	PACK, BLADE FOR MISC ORDER 0 REQUIRED BY: 0P-3884 D5K2 MISC MATERIAL AND BLADES	\$560 NET
0P-3923	PACKING, GUARDS, BOTTOM 0 REQUIRED BY: 0P-3884 D5K2 MISC MATERIAL AND 397-4306 GUARD, BELLY, HD XL OR 397-4307 GUARD, BELLY , HD LGP OR 397-4308 GUARD, BELLY, HD 30"	\$325 NET
0P-3924	PACKING, GUARD, REAR 0 REQUIRED BY: 0P-3884 D5K2 MISC MATERIAL AND 397-4288 GUARD GP, REAR	\$325 NET
0P-3922	PACKING, GUARDS, TRACK ROLLER 0 REQUIRED BY: 0P-3884 D5K2 MISC MATERIAL AND GUARDS, TRACK ROLLER	\$325 NET
0P-3928	PACKING, RIPPER 0 REQUIRED BY: 0P-3884 D5K2 MISC MATERIAL AND 397-4317 RIPPER	\$560 NET
0P-3921	PACKING, SCREEN 0 REQUIRED BY: 0P-3884 D5K2 MISC MATERIAL AND SCREENS	\$325 NET
0P-3925	PACKING, SWEEPS 0 REQUIRED BY: 0P-3884 D5K2 MISC MATERIAL AND 397-4341 SWEEPS, FRONT OR 397-4342 SWEEPS, REAR	\$325 NET

CATERPILLAR MACHINE PRICE LIST

D5K2 HRC

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

PACKING (CONT.)

Packing for Machine (Cont.)

0P-3929	PACKING, WINCH 0 REQUIRED BY: 0P-3884 D5K2 MISC MATERIAL AND WINCHES	\$188 NET
---------	---	------------------