

CATERPILLAR MACHINE PRICE LIST

D6-GR

D6 TRACK TYPE TRACTOR
GRENOBLE, FRANCE

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Enhanced Full Auto Shift
Torque Divider, Lock up
Transmission, Electronically Controlled Powershift, 4 Speed
Shift Management
Automatic Directional and Downshift Controlled Throttle, Load Compensated
Engine Decelerator and Brake Pedals
Programmable/Selectable bi-directional shifting
C9.3B diesel engine
EU Stage V, EPA/ARB Tier 4 final certified engine with aftertreatment
Air cleaner, Strata tube precleaner with dust ejection
Air filter w/electronic service indicator
Aftercooler, air to air (ATAAC)
Coolant, extended life
Fan, hydraulic reversing, cold weather
Final drives, double reduction planetary
Radiator, aluminum bar plate
Fuel priming pump, electric
Parking brake, electronic
Starting aid, ether ready, automatic
Turbocharger
Fuel water separator
Ecology drain

UNDERCARRIAGE

Carrier rollers, lifetime lubricated
Clamp Master Link
Equalizer bar, maintenance free
Guards, End Track Guiding
Idlers, Center Tread
Rollers, lifetime lubricated
Track, lifetime lubricated
Track roller frames, tubular
Track adjusters, hydraulic
Sprocket rim segments, replaceable

ELECTRICAL

LED lights, 6 standard
Alarm, backup
Alternator, 150 AMP
Batteries, 2 maintenance free 12V (1400 cca) (24V system), heavy duty
Converter, One 15A, 12V outlets
Starter, heavy duty, 24V
Horn, forward warning
Light, work, underhood

OPERATOR ENVIRONMENT

One piece cab, sound suppressed,
Integrated roll over protection(IROPS), adjustable operator controls and armrests, cab mounted modular HVAC system, and screen ready.
Cup holders
Lunchbox storage
Electro-hydraulic implement steering controls
Foot pads, dash
Mirror, rearview
Seatbelt, retractable 76mm(3 in)
Wipers
Glove box
Radio, AM/FM

TECHNOLOGY PRODUCTS

Full color LCD display, 254mm(10in) integrated with rear camera
Product Link, cellular PLE743
Remote Troubleshoot
Remote Software flash
Operator ID (dealer must enable)
Machine Security System with Passcode (dealer must enable)
Remote Control Ready

OTHER STANDARD EQUIPMENT

Ripper ready rear hydraulics
30 minute cab removal
Ladder, rear access
Mounting provision for grease gun, shovel and fire extinguisher
Engine enclosures, perforated hinged, removable
Bottom guards, hinged, removable
Ground level service center with remote electrical disconnect, secondary shutdown switch & hour meter
Hood, perforated
Hydraulics, independent steering and implement
Hydraulics, load sensing, dozer lift and tilt
Radiator doors, perforated, hinged, louvered
S.O.S sampling ports
Vandalism protection for fluid compartments and battery box

CATERPILLAR MACHINE PRICE LIST

D6-GR

D6 TRACK TYPE TRACTOR GRENOBLE, FRANCE	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

**LANE 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base
 Order Management Program.**

464-5807	D6 20 TTT CFG1 0 LANE 2 - AVAILABLE FROM GRENOBLE FACTORY LANE 3 - AVAILABLE FROM GRENOBLE FACTORY	\$419,630
-----------------	---	------------------

76 inch gauge. 8 roller track frame.
 Up to 24 inch track shoes available.
 AVAILABLE FOR: EU DEALERS
 KOREAN DEALERS
 AUSTRALIAN AND NEW ZEALAND DEALERS
 JAPANESE DEALERS
 AM-N DEALERS

464-5808	D6 20 LGP TTT CFG2 0 LANE 3 - AVAILABLE FROM GRENOBLE FACTORY	\$430,000
-----------------	---	------------------

82 inch gauge. 8 roller track frame.
 Up to 30 inch track shoes available.
 Low ground pressure (6.6 psi) capability
 AVAILABLE FOR: EU DEALERS
 KOREAN DEALERS
 AUSTRALIAN AND NEW ZEALAND DEALERS
 AM-N DEALERS

464-5809	D6 20 LGP TTT CFG3 0 LANE 2 - AVAILABLE FROM GRENOBLE FACTORY LANE 3 - AVAILABLE FROM GRENOBLE FACTORY	\$448,530
-----------------	---	------------------

90 inch gauge. 8 roller track frame. 10 roller track frame optional
 for fine grading applications.
 Up to 36 inch track shoes available.
 Ultra-low ground pressure (5.1 psi) capability.
 AVAILABLE FOR: EU DEALERS
 KOREAN DEALERS
 AUSTRALIAN AND NEW ZEALAND DEALERS
 JAPANESE DEALERS
 AM-N DEALERS

464-5810	D6 20 VPAT TTT CFG4 0 LANE 3 - AVAILABLE FROM GRENOBLE FACTORY	\$419,170
-----------------	--	------------------

82 inch gauge. 8 roller track frame.
 Up to 24 inch track shoes available.
 AVAILABLE FOR: EU DEALERS
 KOREAN DEALERS
 AUSTRALIAN AND NEW ZEALAND DEALERS
 AM-N DEALERS

CATERPILLAR MACHINE PRICE LIST

D6-GR

D6 TRACK TYPE TRACTOR GRENOBLE, FRANCE	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

464-5811 D6 20 LGP VPAT TTT CFG5 0 LANE 2 - AVAILABLE FROM GRENOBLE FACTORY LANE 3 - AVAILABLE FROM GRENOBLE FACTORY		\$437,040
--	--	------------------

90 inch gauge. 8 roller track frame. 10 roller track frame optional for fine grading applications.
 Up to 30 inch track shoes available.
 Low ground pressure (6.0 psi) capability.
 AVAILABLE FOR: EU DEALERS
 KOREAN DEALERS
 AUSTRALIAN AND NEW ZEALAND DEALERS
 JAPANESE DEALERS
 AM-N DEALERS

464-5812 D6 20 LGP VPAT TTT CFG6 0 LANE 3 - AVAILABLE FROM GRENOBLE FACTORY		\$453,670
--	--	------------------

94 inch gauge. 8 roller track frame. 10 roller track frame optional for fine grading applications.
 Up to 36 inch track shoes available.
 Ultra-low ground pressure (5.0 psi) capability.
 AVAILABLE FOR: EU DEALERS
 KOREAN DEALERS
 AUSTRALIAN AND NEW ZEALAND DEALERS
 JAPANESE DEALERS
 AM-N DEALERS

0P-6419 D6 MISCELLANEOUS MATERIAL 0 AVAILABLE FROM GRENOBLE FACTORY		NC
--	--	-----------

Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.
 AVAILABLE FOR: EU DEALERS
 KOREAN DEALERS
 AUSTRALIAN AND NEW ZEALAND DEALERS
 JAPANESE DEALERS
 AM-N DEALERS

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0		NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.			
OP-9003	LANE 3 ORDER	0		NC

SPECIAL ARRANGEMENTS

L	464-5587	BASIC ARRANGEMENT	0	NC
		Common pusharm and VPAT configuration for general applications.		

L	464-5589	WASTE HANDLING ARR, PUSHARM	0	\$19,980
		FOR USE IN LANE 3 ONLY Includes cab with impact resistant polycarbonate doors and attachments for high debris applications.		

INCLUDES:

- 583-9464 CAB, HIGH DEBRIS
- 464-5557 PRECLEANER, WITH SCREEN
- 464-5175 ALTERNATOR, 150 AMP, DUCTED
- 511-6789 SEALS, HIGH DEBRIS
- 589-3554 LIGHT, WARNING
- 505-6705 GRAB HANDLES, HD, PUSHARM
- 588-1061 PRECLEANER, CAB POWERED
- 588-6170 FLOOR, CAB, QUICK ACCESS

RECOMMENDED OPTION: 513-6215 STRIKER BOX

- 533-5463 GUARD, LIGHTS, PREMIUM, PA
- 571-6178 LIGHTS,12,LED,PREMIUM PUSHARM OR
- 571-7818 LIGHTS,12,LED,PREMIUM PUSHARM

REQUIRES: ENGINE, THERMAL SHIELD

- 522-7670 GUARD, FUEL TANK or
- 475-7084 GUARD, FUEL TANK, FAST FILL
- FINAL DRIVE, GUARDED
- UNDERCARRIAGE, HDXL, WASTE
- TRACKS, HEAVY DUTY
- 471-7279 GUARD, BTM, SEALED,HD, PUSHARM
- 564-8431 SEALS, REAR (IF NO STRIKER BOX)
- BULLDOZER INSTALLATION PACKAGE, GUARDED
- BLADE, WASTE

- ONLY FOR USE WITH:
- 464-5807 D6 20 TTT CFG1
 - 464-5808 D6 20 LGP TTT CFG2
 - 464-5809 D6 20 LGP TTT CFG3

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

L	567-2132	OPEN SWEEPS, PUSHARM 0 FOR USE IN LANE 3 ONLY INCLUDES: SWEEPS, OPEN RECOMMENDED: 583-9465 CAB, HEAVY DUTY 599-7940 SCREEN, REAR, HINGED 511-6789 SEALS, HIGH DEBRIS 533-5463 GUARD, LIGHTS, PREMIUM, PA PREMIUM LIGHTS, 12, LED, PA REQUIRES: 522-7670 GUARD, FUEL TANK or 475-7084 GUARD, FUEL TANK, FAST FILL 505-6705 GRAB HANDLES, HD, PUSHARM 471-7279 GUARD, BTM, SEALED,HD, PUSHARM ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1 464-5808 D6 20 LGP TTT CFG2 464-5809 D6 20 LGP TTT CFG3		\$7,390
---	----------	--	--	---------

L	567-2133	OPEN SWEEPS, VPAT 0 FOR USE IN LANE 3 ONLY INCLUDES: SWEEPS, OPEN RECOMMENDED: 583-9465 CAB, HEAVY DUTY 599-7940 SCREEN, REAR, HINGED 581-7411 SEALS, HIGH DEBRIS, VPAT 606-4162 GUARD, LIGHTS, PREMIUM, VPAT PREMIUM LIGHTS, 12, LED, VPAT REQUIRES: 522-7670 GUARD, FUEL TANK or 475-7084 GUARD, FUEL TANK, FAST FILL 505-6967 GRAB HANDLES, HEAVY DUTY, VPAT ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4 464-5811 D6 20 LGP VPAT TTT CFG5 464-5812 D6 20 LGP VPAT TTT CFG6		\$7,390
---	----------	--	--	---------

POWERTRAIN

FINAL DRIVE ARRANGEMENTS

**76" (1930 MM) GAUGE FINAL DRIVES
 (FOR USE WITH 464-5807 D6 20 TTT CFG1 ONLY)**

L	464-5180	FINAL DRIVE, 76" (1930 MM) 0 Includes two basic final drives for 76" gauge tractor.		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN (CONT.)

FINAL DRIVE ARRANGEMENTS (Cont.)

L	464-5181	FINAL DRIVE, 76"(1930 MM), GRD 0 FOR USE IN LANE 3 ONLY Includes two final drives with labyrinth outer guard rings for 76" gauge tractor. For applications where protection from winding materials is needed. Final drive guards and the labyrinth provide additional protection for Duo Cone seals. REQUIRED BY: 464-5589 WASTE HANDLING ARR, PUSHARM		\$18,620
---	----------	---	--	----------

82" (2083 MM) GAUGE FINAL DRIVES

(FOR USE WITH 464-5808 D6 20 LGP TTT CFG2 or 464-5810 D6 20 VPAT TTT CFG4 ONLY)

L	464-5183	FINAL DRIVE, 82" (2083 MM) 0 Includes two basic final drives for 82" gauge tractor.		NC
---	----------	--	--	----

L	464-5184	FINAL DRIVE, 82"(2083 MM), GRD 0 FOR USE IN LANE 3 ONLY Includes two final drives with labyrinth outer guard rings for 82" gauge tractor. For applications where protection from winding materials is needed. Final Drive guards and the labyrinth provide additional protection for Duo Cone seals. REQUIRED BY: 464-5589 WASTE HANDLING ARR, PUSHARM		\$18,620
---	----------	---	--	----------

90" (2286 MM) GAUGE FINAL DRIVES

(FOR USE WITH 464-5809 D6 20 LGP TTT CFG3 or 464-5811 D6 20 LGP VPAT TTT CFG5 ONLY)

L	464-5186	FINAL DRIVE, 90" (2286 MM) 0 Includes two basic final drives for 90" gauge tractor.		NC
---	----------	--	--	----

L	464-5187	FINAL DRIVE, 90"(2286 MM), GRD 0 FOR USE IN LANE 3 ONLY Includes two final drives with labyrinth outer guard rings for 90" gauge tractor. For applications where protection from winding materials is needed. Final drive guards and the labyrinth provide additional protection for Duo Cone Seals. REQUIRED BY: 464-5589 WASTE HANDLING ARR, PUSHARM		\$18,620
---	----------	---	--	----------

94" (2388 MM) GAUGE FINAL DRIVES

(FOR USE WITH 464-5812 D6 20 LGP VPAT TTT CFG6 ONLY)

L	464-5189	FINAL DRIVE, 94" (2388MM) 0 Includes two basic final drives for 94" gauge tractor.		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN (CONT.)

94" (2388 MM) GAUGE FINAL DRIVES (Cont.)

L	464-5190	FINAL DRIVE, 94" (2388MM), GRD 0 FOR USE IN LANE 3 ONLY Includes two final drives with labyrinth outer guard rings for 94" gauge tractor. For applications where protection from winding materials is needed. Final drive guards and the labyrinth provide additional protection for Duo Cone Seals. REQUIRED BY: 464-5589 WASTE HANDLING ARR, PUSHARM		\$18,620
---	----------	---	--	----------

ENGINE ARRANGEMENT

L	563-7452	ENGINE, STANDARD 0 EPA/ARB Tier 4 certified engine. REQUIRES: 471-0416 ENCLOSURE, ENGINE, PUSHARM or 471-0418 ENCLOSURE, ENGINE, VPAT		NC
L	563-7453	ENGINE, THERMAL SHIELD 0 FOR USE IN LANE 3 ONLY EPA/ARB Tier 4 certified engine. Provides thermal insulation covering for the machine exhaust system. For use in high debris applications such as waste handling and woodchip. REQUIRES: 471-0416 ENCLOSURE, ENGINE, PUSHARM or 471-0418 ENCLOSURE, ENGINE, VPAT REQUIRED BY: 464-5589 WASTE HANDLING ARR, PUSHARM		\$11,420

ENGINE AIR PRECLEANERS

L	464-5556	PRECLEANER, BASIC. 0		NC
L	464-5557	PRECLEANER, WITH SCREEN 0 FOR USE IN LANE 3 ONLY For use in heavy debris applications. May improve filter life. INCLUDED IN: 464-5589 WASTE HANDLING ARR, PUSHARM		\$1,440

OIL CHANGE SYSTEM

L	460-4590	OIL DRAIN, BASIC 0		NC
L	460-4580	OIL CHANGE SYSTEM, HIGH SPEED 0 Easy access Wiggins connectors and remote engine and powertrain drain lines for quick, and easy oil changes without having to use gravity drains.		\$920

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

UNDERCARRIAGE

Customers should carefully select between Cat Abrasion and Heavy Duty Undercarriage based on expected underfoot and application. Please refer to the Undercarriage Application Guide.
https://oneclick.cat.com/files/UAGuide_3_27_13/index.html or PEBJ0024

UNDERCARRIAGE SYSTEMS

- 1) Heavy Duty Extended Life (HDXL): For use in all applications. Track bushings can be turned and re-sealed mid-life. Press-fit bushings and PPR2 pin retention are particularly well suited for impact applications such as forestry, waste, rock, or v-ditching. Heavy Duty Extended Life with Duralink.
- 2) CAT ABRASION: For use in low to moderate impact applications and moderate to high abrasion underfoot. A rotating bushing reduces bushing and sprocket wear rate. Relieved Tread Idlers provide longer link wear life and improve finish grading by reducing link scallop. Not for use in high impact or waste applications.

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACK ROLLERS AND GUIDE GUARDS

The undercarriage selection provides options for track rollers and guide-guards to prevent track derailing on side slopes or rough underfoot. Guards also prevent flow of debris into the track. Derailing and debris can put damaging loads into the track and undercarriage system. Choose a guide-guard arrangement based on underfoot and applications as described below.

TRACK ROLLERS

- 1) **SINGLE FLANGE(S)**: Bottom rollers have flanges that guide only on the outside edge of each track chain. Cat Abrasion Undercarriage uses all single flange track rollers (SSSSSSSS).
- 2) **DOUBLE FLANGE(D)**: Bottom rollers have flanges that guide along the outer and inner edges of each track chain. They provide basic guiding but will not fully prevent track derail if used on side slopes steeper than 4:1. Flange diameter is the same as Single Flange, which allows for full UC system wear before flanges contact track pin bosses.
- 3) **TALL DOUBLE FLANGE(T)**: Bottom rollers have taller outer and inner flanges to better engage the track. Tall flanges provide superior guiding for slopes steeper than 4:1 and minimize track derail. The taller flanges can contact track pin bosses in the last 10-15% of UC system wear life.

TRACK GUIDE GUARDS

- 1) **CENTER GUIDE**: Light track guiding with single center track guide guard. HDXL center guide undercarriage has bottom rollers alternating Single/Double flange (SDSDDSDS). For applications with side slopes 4:1 and shallower, ground objects up to 1"; and little, if any, V-ditching.
- 2) **PARTIAL GUIDE**: Moderate track guiding with two center track guide guards. HDXL partial guide undercarriage has double flange bottom rollers in all positions except end rollers (SDDDDDDDS). For infrequent use on side slopes between 4:1 and 2:1; ground objects 1" to 3"; and low to moderate V-ditching.
- 3) **PARTIAL GUIDE, TALL FLANGE**: Moderate track guiding with two center track guide-guards. HDXL partial guide with tall flange UC includes tall double flange bottom rollers in all positions except end rollers (STTTTTTS). For frequent use on side slopes between 4:1 and 2:1; ground objects 1" to 3"; and low to moderate V-ditching.
- 4) **FULL GUIDE**: Heavy track guiding with full length track guide-guards HDXL full guide undercarriage includes tall double flange bottom rollers in all positions except end rollers (STTTTTTS). For applications with side slopes 2:1 and steeper; with ground objects greater than 3", and frequent v-ditching. Not for use in applications with wet, heavy, packable underfoot material.

OPTIONAL ARRANGEMENTS

- 1) **WASTE**: Includes Kevlar guarded, sealed idlers to help prevent wire wrap and keep debris out. Includes part guides.
- 2) **FINE GRADING**: Includes 10 bottom rollers for smoother grades at higher speeds, even in difficult surfaces like sand and gravel.

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

42 SECTIONS UNDERCARRIAGE ARRANGEMENTS

(FOR USE WITH 464-5807 D6 20 TTT CFG1 or 464-5808 D6 20 LGP TTT CFG2 ONLY)

Not for use with Waste unless otherwise specified

L	578-2382	UNDERCARRIAGE, HDXL.	0	NC
		FOR USE IN LANE 3 ONLY		
L	578-2383	UNDERCARRIAGE, HDXL, PART GDE	0	\$4,495
L	604-8214	UC, HDXL, PART GUIDE, TALL	0	\$4,750
		FOR USE IN LANE 3 ONLY		
L	578-2387	UNDERCARRIAGE, HDXL, FULL GDE	0	\$4,965
		FOR USE IN LANE 3 ONLY		
L	578-2385	UNDERCARRIAGE, HDXL, WASTE	0	\$3,730
		FOR USE IN LANE 3 ONLY		
L	578-2381	UNDERCARRIAGE, ABR, PART GDE	0	\$10,920
L	578-2386	UNDERCARRIAGE, ABR, FULL GDE	0	\$16,240
		FOR USE IN LANE 3 ONLY		

45 SECTION UNDERCARRIAGE ARRANGEMENTS

(FOR USE WITH 464-5809 D6 20 LGP TTT CFG3 ONLY)

Not for use with Waste unless otherwise specified.

L	464-5412	UNDERCARRIAGE, HDXL, CTR GUIDE	0	NC
L	464-5413	UNDERCARRIAGE, HDXL, PART GDE	0	\$2,675
L	604-8215	UC, HDXL, PART GUIDE, TALL	0	\$2,930
L	464-5414	UNDERCARRIAGE, HDXL, FULL GUIDE	0	\$4,930
		FOR USE IN LANE 3 ONLY		
L	464-5415	UNDERCARRIAGE, HDXL, WASTE	0	\$4,150
		FOR USE IN LANE 3 ONLY		
L	464-5409	UNDERCARRIAGE, ABR, PART GDE	0	\$18,940
L	464-5410	UNDERCARRIAGE, ABR, FULL GDE	0	\$23,290
		FOR USE IN LANE 3 ONLY		
L	542-5766	UC, HDXL, FINE GRADING	0	\$5,850
		FOR USE IN LANE 3 ONLY		
		10 rollers arrangement with Part guide.		
L	542-5764	UC, ABR, FINE GRADING	0	\$22,100
		FOR USE IN LANE 3 ONLY		
		10 rollers arrangement with Part guide.		

45 section UNDERCARRIAGE ARRANGEMENTS

(FOR USE WITH 464-5810 D6 20 VPAT TTT CFG4 ONLY)

L	542-5760	UNDERCARRIAGE, HDXL, CTR GUIDE	0	NC
		FOR USE IN LANE 3 ONLY		
L	542-5761	UNDERCARRIAGE, HDXL, PART GDE	0	\$4,485
		FOR USE IN LANE 3 ONLY		
L	604-8218	UC, HDXL, PART GUIDE, TALL	0	\$4,740
		FOR USE IN LANE 3 ONLY		

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

45 section UNDERCARRIAGE ARRANGEMENTS (Cont.)

L	542-5762	UNDERCARRIAGE, HDXL, FULL GDE 0 FOR USE IN LANE 3 ONLY		\$4,940
L	542-5758	UNDERCARRIAGE, ABR, PART GDE 0 FOR USE IN LANE 3 ONLY		\$12,940
L	542-5759	UNDERCARRIAGE, ABR, FULL GDE 0 FOR USE IN LANE 3 ONLY		\$18,260

46 SECTIONS UNDERCARRIAGE ARRANGEMENTS

(FOR USE WITH 464-5811 D6 20 LGP VPAT TTT CFG5 or 464-5812 D6 20 LGP VPAT TTT CFG6 ONLY)

L	464-5420	UNDERCARRIAGE, HDXL, CTR GUIDE 0		NC
L	464-5421	UNDERCARRIAGE, HDXL, PART GDE 0		\$3,590
L	604-8217	UC, HDXL, PART GUIDE, TALL 0		\$3,840
L	464-5422	UNDERCARRIAGE, HDXL, FULL GDE 0 FOR USE IN LANE 3 ONLY		\$4,940
L	464-5417	UNDERCARRIAGE, ABR, PART GDE 0		\$12,230
L	464-5418	UNDERCARRIAGE, ABR, FULL GDE 0 FOR USE IN LANE 3 ONLY		\$17,040
L	542-5771	UC, HDXL, FINE GRADING 0 FOR USE IN LANE 3 ONLY 10 rollers arrangement with part guide.		\$6,760
L	542-5769	UC, ABR, FINE GRADING 0 FOR USE IN LANE 3 ONLY 10 rollers arrangement with Part guide.		\$15,390

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACK GROUPS

- 1) MODERATE SERVICE(MS): Moderate Service shoe is the best shoe for low to medium impact and abrasive conditions. It gives the best penetration and traction, resists wear and bending and is available in various widths and modifications.
- 2) EXTREME SERVICE(ES): Extreme Service shoes should be used wherever the Moderate Service shoe bends or breaks, or when links outlast shoes. Extreme Service shoes are both stronger to resist bending and breaking and have more allowable wear and material than the Moderate Service shoe.
- 3) CENTER(CTR): CAT ABRASION track includes center holes which reduce extrudable packing between the shoe and the bushing since the holes allow the sprocket to punch out dirt and debris. Recommended for applications where debris tends to pack in the track causing the track to tighten and accelerate bushing wear.
- 4) TRAPEZOIDAL(TRAP): HDXL track includes trapezoidal holes which reduce extrudable packing between the shoe and the bushing since the holes allow the sprocket to punch out dirt and debris. Recommended for applications where debris tends to pack in the track causing the track to tighten and accelerate bushing wear.

**TRACK PAIRS (42 section)
 (FOR USE WITH 464-5807 D6 20 TTT CFG1 ONLY)**

L	545-3920	TRACK, 22" MS HDXL	0	NC
		FOR USE IN LANE 3 ONLY		
L	545-3922	TRACK, 22" ES HDXL	0	\$1, 945
L	596-7439	TRACK, 22" MS, ABR	0	\$318
		FOR USE IN LANE 3 ONLY		
L	596-7388	TRACK, 22" ES, ABR	0	\$2, 245
L	545-3926	TRACK, 24" MS HDXL	0	\$950
		FOR USE IN LANE 3 ONLY		
L	545-3928	TRACK, 24" ES HDXL	0	\$3, 060
		FOR USE IN LANE 3 ONLY		
L	596-7386	TRACK, 24" MS, ABR	0	\$1, 250
		FOR USE IN LANE 3 ONLY		
L	596-7401	TRACK, 24" ES, ABR	0	\$3, 360
		FOR USE IN LANE 3 ONLY		

**Track Pairs (42 section)
 (FOR USE WITH 464-5808 D6 20 LGP TTT CFG2 ONLY)**

L	545-3932	TRACK, 30" MS HDXL	0	NC
		FOR USE IN LANE 3 ONLY		
L	545-3934	TRACK, 30" ES HDXL	0	\$2, 645
		FOR USE IN LANE 3 ONLY		
L	545-3936	TRACK, 30" ES TRAP HDXL	0	\$4, 355
		FOR USE IN LANE 3 ONLY		
L	596-7412	TRACK, 30" ES, ABR	0	\$2, 945
		FOR USE IN LANE 3 ONLY		

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

Track Pairs (45 section)

(FOR USE WITH 464-5809 D6 20 LGP TTT CFG3 ONLY)

L	545-3944	TRACK, 36" MS HDXL	0	NC
L	545-3946	TRACK, 36" ES HDXL	10,961	\$3,480
L	545-3948	TRACK, 36" ES TRAP HDXL FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: FINE GRADING UNDERCARRIAGE	0	\$9,100
L	596-7462	TRACK, 36" MS, ABR	0	\$327
L	596-7464	TRACK, 36" ES, ABR	0	\$3,730
L	545-3952	TRACK, 39" SELF-CLEAN HD Self-cleaning track. HDXL WITH Duralink. For use in soft underfoot conditions where flotation is a problem. Tracks separate from one another as they move around the sprocket and idler allowing dirt and debris to fall out. Not recommended for use in landfills. CANNOT BE USED WITH: WASTE HANDLING ARRANGEMENTS FINE GRADING UNDERCARRIAGE	9,530	\$29,660

Track Pairs (45 section)

(FOR USE WITH 464-5810 D6 20 VPAT TTT CFG4 ONLY)

L	545-3958	TRACK, 24" MS HDXL FOR USE IN LANE 3 ONLY	0	NC
L	545-3960	TRACK, 24" ES HDXL FOR USE IN LANE 3 ONLY	0	\$1,945
L	596-7456	TRACK, 24" MS, ABR FOR USE IN LANE 3 ONLY	0	\$-1,715
L	596-7488	TRACK, 24" ES, ABR FOR USE IN LANE 3 ONLY	0	\$565

Track Pairs (46 Section)

(FOR USE WITH 464-5811 D6 20 LGP VPAT TTT CFG5 ONLY)

L	596-7545	TRACK, 26" MS, ABR	0	\$325
L	545-3972	TRACK, 30" MS HDXL	0	NC
L	545-3974	TRACK, 30" ES HDXL FOR USE IN LANE 3 ONLY	0	\$5,330
L	545-3976	TRACK, 30" ES TRAP HDXL FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: FINE GRADING UNDERCARRIAGE	0	\$6,900
L	596-7446	TRACK, 30" MS, ABR	0	\$328
L	596-7522	TRACK, 30" ES, ABR FOR USE IN LANE 3 ONLY	0	\$3,030

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

Track Pairs (46 section)

(FOR USE WITH 464-5812 D6 20 LGP VPAT TTT CFG6 ONLY)

L	545-3978	TRACK, 36" MS HDXL	0	NC
		FOR USE IN LANE 3 ONLY		
L	545-3980	TRACK, 36" ES HDXL	0	\$5,330
		FOR USE IN LANE 3 ONLY		
L	545-3982	TRACK, 36" ES TRAP HDXL	0	\$6,900
		FOR USE IN LANE 3 ONLY		
		CANNOT BE USED WITH: FINE GRADING UNDERCARRIAGE		
L	596-7495	TRACK, 36" MS, ABR	0	\$2,590
		FOR USE IN LANE 3 ONLY		
L	596-7520	TRACK, 36" ES, ABR	0	\$5,570
		FOR USE IN LANE 3 ONLY		

HYDRAULICS

HYDRAULIC FAN

Hydraulically driven, auto-reversing fan which changes direction automatically to purge debris from radiator and enclosures. Also includes a hydraulic valve that allows for zero fan speed to improve cold weather performance.

L	460-7149	FAN, REVERSING, PUSHARM	0	NC
L	471-0420	FAN, REVERSING, VPAT	0	NC

REAR HYDRAULICS

Includes hydraulic valve and lines for operation of ripper.

L	464-5463	HYDRAULICS, PUSHARM	0	NC
L	464-5464	HYDRAULICS, VPAT	0	NC

REAR ATTACHMENT CONTROLS

L	464-5459	CONTROL, RIPPER	0	NC
L	464-5460	CONTROL, RIPPER/WINCH	0	\$1,035
		FOR USE IN LANE 3 ONLY		
		Required for use with winch.		

STARTERS, BATTERIES, & ALTERNATORS

ALTERNATORS

L	464-5174	ALTERNATOR, 150 AMP	0	NC
L	464-5175	ALTERNATOR, 150 AMP, DUCTED	0	\$710
		Recommended for use in high debris environment.		
		INCLUDED IN: 464-5589 WASTE HANDLING ARR, PUSHARM		

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

LIGHTING GROUP

L	571-6177	LIGHTS, 6 LED, PUSHARM 0 6 LED lights with 800 lumens each for added visibility. 2 mounted on front facing forward, 2 mounted on cab facing forward and 2 more mounted on cab facing rear. ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1 464-5808 D6 20 LGP TTT CFG2		\$645
L	571-7817	LIGHTS, 6 LED, PUSHARM 0 6 LED lights with 800 lumens each for added visibility. 2 mounted on front facing forward, 2 mounted on cab facing forward and 2 more mounted on cab facing rear. ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT CFG3		\$645
L	571-6186	LIGHTS, 6 LED, VPAT 0 6 LED lights with 800 lumens each for added visibility. 2 mounted on front facing forward, 2 mounted on cab facing forward and 2 more mounted on cab facing rear. ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4 464-5811 D6 20 LGP VPAT TTT CFG5 464-5812 D6 20 LGP VPAT TTT CFG6		\$645
L	571-6178	LIGHTS, 12, LED, PREMIUM PUSHARM 0 Adds 6 additional LED lights to basic arrangement with output of 1500 lumens each. Provides 2 more lights mounted on front of dozer and 2 more mounted on each rear cab corner for a total of 360 degrees of visibility. ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1 464-5808 D6 20 LGP TTT CFG2		\$2,010
L	571-7818	LIGHTS, 12, LED, PREMIUM PUSHARM 0 Adds 6 additional LED lights to basic arrangement with output of 1500 lumens each. Provides 2 more lights mounted on front of dozer and 2 more mounted on each rear cab corner for a total of 360 degrees of visibility. ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT CFG3		\$2,010
L	571-6187	LIGHTS, 12, LED, PREMIUM VPAT 0 Adds 6 additional LED lights to basic arrangement with output of 1500 lumens each. Provides 2 more lights mounted on radiator guard facing forward and 2 more mounted on each rear cab corner for a total of 360 degrees of visibility. ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4 464-5811 D6 20 LGP VPAT TTT CFG5 464-5812 D6 20 LGP VPAT TTT CFG6		\$2,010

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

OPERATOR STATION

L	583-9463	CAB, PREMIUM 0 Includes adjustable armrests, laminated safety glass, sliding side windows and screen ready cab. Cab is Remote Control (RC) ready.		\$3,165
L	583-9464	CAB, HIGH DEBRIS 0 FOR USE IN LANE 3 ONLY For high debris or waste applications. Includes features of the premium cab plus poly-carbonate glass doors for added impact resistance. Cab side windows are solid for improved pressurization. Cab is Remote Control (RC) ready. INCLUDED IN: 464-5589 WASTE HANDLING ARR, PUSHARM		\$6,090

CAB SEATS

L	470-7252	SEAT, STANDARD 0 Comfort plus cloth seat with mechanical lumbar support.		NC
L	560-9088	SEAT, HEATED & VENTILATED 0 Comfort premium leather seat. Heated and ventilated. Side and back cushion bolsters. Air adjust upper and lower lumbar support.		\$1,750

CAB FLOOR

L	543-1114	FLOOR, CAB, PREMIUM 0 Includes adjustable footrests and a thick floor plate for noise reduction in the operators station.		\$248
L	588-6170	FLOOR, CAB, QUICK ACCESS 0 FOR USE IN LANE 3 ONLY Provides quick tool-less access to below cab floor opening floor. Includes adjustable footrests and a thick floor plate for noise reduction in the operators station. INCLUDED IN: 464-5589 WASTE HANDLING ARR, PUSHARM		\$1,110

VISIBILITY ARRANGEMENT

L	577-8623	REAR CAMERA. 0 Rear camera system to enhance operator visibility of surroundings and machine. The camera image is shown on primary display. Rearview camera shows in home screen and automatically switches to full screen when machine is placed in reverse gear. Camera image includes back-up lines that show edge of machine tracks and distance reference.		\$515
---	----------	---	--	-------

CAB AIR PRECLEANER

L	441-9252	AIR FILTER, CAB 0 Provides an external and accessible cartridge with a cylindrical filter to prevent the cab from normal dust intrusions.		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CAB AIR PRECLEANER (Cont.)

L	588-1061	PRECLEANER, CAB POWERED 0 Provides powered pre-cleaner with advanced cabin filtration that helps provide cleaner operator environment. Recommended in high debris applications. Includes: -Extended service times for air filter -Improved cabin pressurization to keep dirt out -External accessible cartridge with cylindrical filter (MERV16) to prevent the cab from normal dust intrusions. -Upgrade compatible with HEPA with activated carbon for order control filtration. INCLUDED IN: 464-5589 WASTE HANDLING ARR, PUSHARM		\$2,910
---	----------	--	--	----------------

RADIO

L	579-5779	RADIO, AM/FM 0 12V AM/FM stereo with Bluetooth technology and USB connection. Includes individual bass/treble controls, loudness adjustment and station pre-set capability.		\$565
---	----------	---	--	--------------

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

A complete range of tools are available to match customer applications and dozing automation needs.

- 1) SLOPE INDICATE: Provides operator real time machine cross slope and and mainfall information on the primary display.
- 2) BLADE LOAD MONITOR: Provides real time feedback of the current load vs. the target machine load to fully utilize machine capacity. Feature not operational indoors or in areas where a GPS signal is not available.
- 3) STABLE BLADE: Complements the operators blade inputs to attain finish grades quicker with less effort.
- 4) SLOPE ASSIST: Helps operators reach cross slope and mainfall targets by automatically maintaining the dozer blades established blade angles. This feature does not require a base station, laser transmitter, design file, or additional hardware.
- 5) TRACTION CONTROL: Automatically prevents excessive track slip to improve efficiency and reduce burden on operator. Feature not operational indoors or in areas where a GPS signal is not available.
- 6) AUTOCARRY: Automates blade lift to maximize blade load, improve load consistency and reduce track slip. Feature not operational indoors or in areas where a GPS signal is not available.

7) ARO (Attachment Ready Option): Allows machine to easily be upgraded to Cat Grade with 3D integrated grade control systems or Accugrade GNSS, laser, or UTS blade mounted Grade Control Systems. ARO includes IMU sensors, EC520 controller, wiring, and mounting brackets. Upgrading to Cat Grade With 3D after build requires grade display, GNSS receivers and antennas, data corrections solutions, SITECH provided Grade license files, and Caterpillar provided SEA, part number 513-5980. Dealer to provide price for additional hardware and software.

8) GRADE W/3D: Cat Grade with 3D is a factory installed, integrated grade control system with chassis mounted sensors and GNSS antennas mounted to roof of cab. Includes grade display, GNSS receivers and antennas, GRADE license files, and Caterpillar provided SEA. Additional requirements via Cat/SITECH Dealer include data corrections solution and measure up calibration.

Note: Availability varies by country. Contact your Caterpillar Marketing representative with questions.
 ARO w/ Assist: Includes G6:M6. Reference: <https://dealer.cat.com/en/products/technology/construction-technology> for certified countries.
 GRADE 3D: Includes MS955 and RZ2. Reference: [Dealer.cat.com/en/products/technology/construction-technology/grade](https://dealer.cat.com/en/products/technology/construction-technology/grade) for certified countries.

L	587-7161	PREMIUM DISPLAY, NON ARO	0	\$1,410
---	----------	--------------------------------	---	---------

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

Provides a 10" touchscreen display and glove box.
 INCLUDES:
 - SLOPE INDICATE

L	587-7162	ARO W/ ASSIST 0 Provides a 10" touchscreen display and glove box. INCLUDES: - SLOPE INDICATE - BLADE LOAD MONITOR - STABLE BLADE - SLOPE ASSIST - TRACTION CONTROL - AUTOCARRY - ATTACHMENT READY OPTION (ARO) CANNOT BE USED WITH: ANGLE BLADE		\$8,490
---	----------	--	--	----------------

L	587-7163	GRADE W/3D 0 Provides a 10" touchscreen display and the secondary grade display INCLUDES: - SLOPE INDICATE - BLADE LOAD MONITOR - STABLE BLADE - SLOPE ASSIST - TRACTION CONTROL - AUTOCARRY - ATTACHMENT READY OPTION (ARO) - GRADE W/ 3D CANNOT BE USED WITH: SWEEPS or ANGLE BLADE		\$58,500
---	----------	---	--	-----------------

L	587-7164	GRADE W/3D, SWEEPS 0 FOR USE IN LANE 3 ONLY Provides a 10" touchscreen display and the secondary grade display INCLUDES: Same features as listed in GRADE W/3D ONLY FOR USE WITH: SWEEPS CANNOT BE USED WITH: ANGLE BLADE		\$58,500
---	----------	--	--	-----------------

JOYSTICK CONTROL

L	435-5757	JOYSTICK, STANDARD, VPAT 0 ONLY FOR USE WITH: 587-7161 PREMIUM DISPLAY, NON ARO and 464-5810 D6 20 VPAT TTT CFG4 or 464-5811 D6 20 LGP VPAT TTT CFG5 or 464-5812 D6 20 LGP VPAT TTT CFG6		NC
L	435-5759	JOYSTICK, ARO/GRADE, VPAT 0 ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4 or 464-5811 D6 20 LGP VPAT TTT CFG5 or 464-5812 D6 20 LGP VPAT TTT CFG6 CANNOT BE USED WITH: 587-7161 PREMIUM DISPLAY, NON ARO		NC

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

JOYSTICK CONTROL (Cont.)

L	435-5756	JOYSTICK, STANDARD, PA 0		NC
		ONLY FOR USE WITH: 587-7161 PREMIUM DISPLAY, NON ARO and 464-5807 D6 20 TTT CFG1 or 464-5808 D6 20 LGP TTT CFG2 or 464-5809 D6 20 LGP TTT CFG3		
L	435-5758	JOYSTICK, ARO/GRADE, PA 0		NC
		ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1 or 464-5808 D6 20 LGP TTT CFG2 or 464-5809 D6 20 LGP TTT CFG3 CANNOT BE USED WITH: 587-7161 PREMIUM DISPLAY, NON ARO		

DOZER CONTROLS

L	594-7761	DOZER CTL, STANDARD, PA 0		NC
		ONLY FOR USE WITH: 587-7161 PREMIUM DISPLAY, NON ARO and 464-5807 D6 20 TTT CFG1 or 464-5808 D6 20 LGP TTT CFG2 or 464-5809 D6 20 LGP TTT CFG3		
L	594-7759	DOZER CTL, STANDARD, VPAT 0		NC
		ONLY FOR USE WITH: 587-7161 PREMIUM DISPLAY, NON ARO and 464-5810 D6 20 VPAT TTT CFG4 or 464-5811 D6 20 LGP VPAT TTT CFG5 or 464-5812 D6 20 LGP VPAT TTT CFG6		
L	594-7762	DOZER CTL, ARO/GRADE, PA 0		NC
		ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1 or 464-5808 D6 20 LGP TTT CFG2 CANNOT BE USED WITH: 587-7161 PREMIUM DISPLAY, NON ARO		
L	594-7763	DOZER CTL, ARO/GRADE, PA 0		NC
		ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT CFG3 CANNOT BE USED WITH: 587-7161 PREMIUM DISPLAY, NON ARO		
L	594-7760	DOZER CTL, ARO/GRADE, VPAT 0		NC
		ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4 or 464-5811 D6 20 LGP VPAT TTT CFG5 or 464-5812 D6 20 LGP VPAT TTT CFG6 CANNOT BE USED WITH: 587-7161 PREMIUM DISPLAY, NON ARO		

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK COMMUNICATIONS

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

Cab selection determines Product Link network manager. CAB, STANDARD uses PL602. All other cab selections use PL702.

L	577-7697	PROD LINK, PLE643/PLE743 RADIO 0		NC
		Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PLE602 network manager (to make a PLE643 system) or PLE702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.		
L	577-7698	PROD LINK, PLE683/PLE783 RADIO 0		\$446
		Product link radio package PLE683/PLE783 provides a dual mode PL083 radio for use where travel between areas of both cellular and satellite coverage is required. When the radio is used in combination with a PLE602 network manager (to make a PLE683 system) or PLE702 network manager (to make a PLE783 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.		

FUEL SYSTEMS

FUEL FILL SYSTEMS

L	522-7680	FUEL TANK, BASIC 0		NC
L	500-4769	FUEL TANK, FAST FILL 0		\$840
		Fuel tank ready for an optional fast fill or refilling pump equipment.		

GUARDS

BOTTOM GUARDS

L	471-7277	GUARD, BOTTOM, PA 0		NC
		ONLY FOR USE WITH: 464-5587 BASIC ARRANGEMENT with PUSHARM TRACTORS		
L	471-7279	GUARD, BTM, SEALED,HD, PUSHARM 0		\$2,175
		Includes heavy duty and sealed bottom guards. REQUIRED BY: 567-2132 OPEN SWEEPS, PUSHARM 464-5589 WASTE HANDLING ARR, PUSHARM		

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

BOTTOM GUARDS (Cont.)

L	471-6558	GUARD, BOTTOM, HD, VPAT 0 ONLY FOR USE WITH: VPAT TRACTORS		\$2,175
---	----------	---	--	---------

ENGINE ENCLOSURES

L	471-0416	ENCLOSURE, ENGINE, PUSHARM 0 Provides enclosure access to engine for pusharm tractors. ONLY FOR USE WITH: 563-7452 ENGINE, STANDARD 563-7453 ENGINE, THERMAL SHIELD		NC
L	471-0418	ENCLOSURE, ENGINE, VPAT 0 Provides enclosure access to engine for VPAT tractors. ONLY FOR USE WITH: 563-7452 ENGINE, STANDARD 563-7453 ENGINE, THERMAL SHIELD		NC

OTHER ATTACHMENTS

REAR ATTACHMENTS

L	458-2640	RIPPER, HIGH LIFT 0 0 DOES NOT INCLUDE RIPPER SHANKS THAT MUST BE ORDERED SEPARATELY High lift capability for increased departure angle. Can accommodate 3 teeth (not included). NOTE: Machines with 36" shoes are not recommended for normal ripping applications. When installed with 36" shoes, this ripper is intended ONLY for scarifying applications. AVAILABLE AS INSTALLED OR NOT INSTALLED WITH A MACHINE ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 9J-8926 TOOTH, CURVED or 8J-2189 TOOTH, STRAIGHT Teeth will be ordered Installed if the ripper is Installed, will be ordered Not Installed if ripper is Not Installed.		\$24,050 \$23,570 NI
L	491-3094	WINCH PKG, PA56, LOW SPEED 0 FOR USE IN LANE 3 ONLY PA56 winch manufactured for Caterpillar by Paccar. Electronically controlled, PTO drive, low speed gears with free spool. Line speed up to 58 feet (18 meters) per minute and capacity rating up to 89,800 lbs (40,700 kg)(bare drum). Utilizes 1" (26mm) diameter cable (not included) REQUIRES: 464-5460 CONTROL, RIPPER/WINCH and 527-8728 SCREEN, REAR, FIXED, or 599-7940 SCREEN, REAR, HINGED		\$50,000

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

REAR ATTACHMENTS (Cont.)

L	491-3097	WINCH, PA85, VARIABLE SPEED 0 FOR USE IN LANE 3 ONLY PA85 variable speed, hydraulic winch manufactured for Caterpillar by Paccar. Integrated drawbar and optional fairlead. Line speed up to 70 feet (21 meters) per minute and capacity rating up to 90,000 lbs (40,800 kg) (bare drum). Utilizes 1" (26mm) diameter cable (not included). REQUIRES: 464-5460 CONTROL, RIPPER/WINCH and 527-8728 SCREEN, REAR, FIXED, or 599-7940 SCREEN, REAR, HINGED and 535-7648 HYDRAULICS, WINCH READY LINES	0	\$51,720
L	528-4030	TOW POINT, REAR 0 Only for use in applications requiring 5 PSI. ONLY FOR USE WITH: 464-5812 D6 20 LGP VPAT TTT CFG6	0	\$1,490
L	471-7300	DRAWBAR 0	0	\$1,505
L	513-6215	STRIKER BOX 0 FOR USE IN LANE 3 ONLY Includes drawbar and storage area. Mounts to rear of machine and helps protect fenders and other sheet metal from debris carried by track. CANNOT BE USED WITH: 464-5587 BASIC ARRANGEMENT	0	\$14,830

GRAB HANDLES

L	505-6704	GRAB HANDLES, STD, PUSHARM 0	0	NC
L	505-6705	GRAB HANDLES, HD, PUSHARM 0 Increased strength grab irons to resist damage caused by debris in landfill or other severe applications. INCLUDED IN: 464-5589 WASTE HANDLING ARR, PUSHARM REQUIRED BY: 567-2132 OPEN SWEEPS, PUSHARM	0	\$985
L	505-6966	GRAB HANDLES, STANDARD, VPAT 0	0	NC
L	505-6967	GRAB HANDLES, HEAVY DUTY, VPAT 0 Increased strength grab irons to resist damage caused by debris in landfill or other severe applications. REQUIRED BY: 567-2133 OPEN SWEEPS, VPAT	0	\$985

WATER JACKET HEATER

L	472-5602	WATER JACKET HEATER, 110V 0	0	\$279
L	472-5603	WATER JACKET HEATER, 220V 0	0	\$279
L	594-8215	NO WATER JACKET HEATER 0	0	NC

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FLUIDS

L	464-5283	FLUIDS, STD OIL, -35F 0 Includes standard engine and transmission oil. Provides cooling system antifreeze protection down to -37C (-35F).		NC
L	566-5515	FLUIDS, STD OIL, -58F 0 FOR USE IN LANE 3 ONLY Includes standard engine and transmission oil. Provides cooling system antifreeze protection down to -50C (-58F).		\$283 NET

INSTRUCTIONS

FILMS

L	555-5500	FILM, WARNING, ANSI 0 Includes all films and instructions to comply with the American National Standard Institute regulations.		NC
---	----------	--	--	-----------

PACKING

	0G-9236	COMPLETE STORAGE PROTECTION 0 Machines have been sprayed with Fluid Film TM. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Cilix AND foam protection on all cylinders are also included in this storage protection procedure. Recommended : Sea and all type or long distance shipment		\$246 NET
--	---------	--	--	------------------

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

LIGHTS

L	589-3554	LIGHT, WARNING 0 3 LED lights integrated into the top perimeter of the cab. One above each door and one in the rear. Fully visible for a 360 degree view. INCLUDED IN: 464-5589 WASTE HANDLING ARR, PUSHARM		\$965
L	577-7228	LIGHT, REAR WORK 0 LED light to shine on rear attachment. Controlled with dedicated keypad button.		\$304

OPERATOR ENVIRONMENT

CB MOUNTING

L	589-3552	RADIO, CB (READY) 0 Provides factory integrated solution for mounting CB radio on right rear cab C-Post. Includes adjustable mounting bracket, Co-Ax cables, CB antenna, 2nd power converter, and integrated power connection by radio		\$950
---	----------	--	--	-------

MACHINE SECURITY SYSTEM

Machine Security System (MSS) deters theft, vandalism, and unauthorized use. When activated, operator will be required to enter a programmable 4 digit code to start machine. Machines equipped with 10" touchscreen come MSS Ready from factory. The machine is shipped with MSS inactive. Requires Caterpillar Electronic Technician (CatET) to activate. MSS features include:

- limit operators to selected machines
- controls the days and hours equipment may be started
- controls access by untrained operators or personnel

Machine Security System BLE provides additional functionality to MSS ready machines to wirelessly unlock display passcode. MSS BLE includes A5:S4 Bluetooth reader.

Note: Availability varies by country. Contact your Caterpillar Marketing representative with questions.

SECURITY SYSTEM, MACHINE, BLE includes A5:S4. Reference: <https://dealer.cat.com/en/products/technology/construction-technology> for certified countries.

L	588-0895	SECURITY SYSTEM, MACHINE, BLE 0 FOR USE IN LANE 3 ONLY Provides a programmable system to manage access to the machine using special Bluetooth Low Energy (BLE) key. Operator can start machine with Bluetooth key instead of having to enter passcode. The machine will be shipped with the system inactive. Requires Caterpillar Service Tool, Electronic Technician (ET) to activate and modify programming of key. *Note does not include programmed BLE key. (487-3004) INCLUDES: A5:S4 Bluetooth reader		\$705
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FUEL SYSTEMS

FUELING ATTACHMENTS

L	526-7834	NOZZLE, FAST FILL	0	\$1,255
			0	\$1,255 NI
		This fast fuel system is designed to be compatible with the 4C-6716 (Wiggin) fuel nozzle system. It may or may not be compatible with other fuel fill nozzle systems. AVAILABLE AS INSTALLED ONLY WITH A MACHINE ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 500-4769 FUEL TANK, FAST FILL		

GUARDS

SCREENS

L	599-7940	SCREEN, REAR, HINGED	0	\$1,575
		FOR USE IN LANE 3 ONLY Provides a protective hinged screen covering the rear cab window. Allows for ease of cleaning and changing of wiper blades. REQUIRED BY: WINCH PACKAGE		
L	600-1435	SCREENS, SIDE	0	\$1,855
		FOR USE IN LANE 3 ONLY Provides protective screens covering the side cab windows. ONLY FOR USE WITH: 567-2132 OPEN SWEEPS, PUSHARM 567-2133 OPEN SWEEPS, VPAT		

FUEL TANK GUARDS

L	522-7670	GUARD, FUEL TANK	0	\$3,115
		ONLY FOR USE WITH: 522-7680 FUEL TANK, BASIC REQUIRED BY: 464-5589 WASTE HANDLING ARR, PUSHARM 567-2132 OPEN SWEEPS, PUSHARM 567-2133 OPEN SWEEPS, VPAT		
L	475-7084	GUARD, FUEL TANK, FAST FILL	0	\$3,115
		ONLY FOR USE WITH: 500-4769 FUEL TANK, FAST FILL REQUIRED BY: 464-5589 WASTE HANDLING ARR, PUSHARM 567-2132 OPEN SWEEPS, PUSHARM 567-2133 OPEN SWEEPS, VPAT		

LIGHT GUARDS

L	533-5463	GUARD, LIGHTS, PREMIUM, PA	0	\$290
		Wire guards for front and side facing lights. ONLY FOR USE WITH: LIGHTS,12,LED,PREMIUM,PUSHARM		

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

LIGHT GUARDS (Cont.)

L	606-4162	GUARD, LIGHTS, PREMIUM, VPAT 0 ONLY FOR USE WITH: 571-6187 LIGHTS, 12, LED, PREMIUM VPAT		\$290
---	----------	---	--	-------

SEAL GROUP

L	511-6789	SEALS, HIGH DEBRIS 0 FOR USE IN LANE 3 ONLY Includes additional seals around fenders, fuel tank, radiator guard and rear hood support. For use in high debris applications. ONLY FOR USE WITH: PUSHARM MACHINES and 522-7670 GUARD, FUEL TANK, or 475-7084 GUARD, FUEL TANK, FAST FILL INCLUDED IN: 464-5589 WASTE HANDLING ARR, PUSHARM		\$1,055
---	----------	---	--	---------

L	581-7411	SEALS, HIGH DEBRIS, VPAT 0 FOR USE IN LANE 3 ONLY Includes additional seals around fenders, fuel tank, radiator guard and rear hood support. For use in high debris applications. ONLY FOR USE WITH: VPAT MACHINES and 522-7670 GUARD, FUEL TANK, or 475-7084 GUARD, FUEL TANK, FAST FILL		\$1,055
---	----------	---	--	---------

L	564-8431	SEALS, REAR 0 FOR USE IN LANE 3 ONLY Provides a seal across the top, rear of the case to prevent high debris entry. Required by waste handling machines when not equipped with a striker box, or basic machines with seals, high debris. RECOMMENDED WITH SWEEPS CANNOT BE USED WITH: 513-6215 STRIKER BOX REQUIRED BY: 464-5589 WASTE HANDLING ARR, PUSHARM or SEALS, HIGH DEBRIS		\$485
---	----------	--	--	-------

OTHER ATTACHMENTS

WINCH HYDRAULICS

L	535-7648	HYDRAULICS, WINCH READY LINES 0 FOR USE IN LANE 3 ONLY Provides additional hydraulic lines to enable the use of PA85 winch. ONLY FOR USE WITH: 464-5460 CONTROL, RIPPER/WINCH REQUIRED BY: 491-3097 WINCH PKG, PA85, VARIABLE SPEED		\$285
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

REAR ATTACHMENTS - WINCH ACCESSORIES

L	118-7211	FAIRLEAD, 3 ROLLERS 710 ONLY FOR USE WITH: 491-3097 WINCH PKG,PA85, VARIABLE SPEED 491-3094 WINCH PKG, PA56, LOW SPEED		\$8,320 NI
L	174-4770	FOURTH ROLLER. 0 ONLY FOR USE WITH: 118-7211 FAIRLEAD, 3 ROLLERS		\$1,475 NI

REAR ATTACHMENTS - COUNTERWEIGHTS

L	528-4038	COUNTERWEIGHT, REAR. 717 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides a 2000 lb (907 kg) rear counterweight. Can add one or two extra slabs 760 lbs (345 kg) each. NOTE: Design of D6-20 provides improved balance. Counterweights are only recommended with heavier aftermarket blades. AVAILABLE AS INSTALLED ONLY WITH A MACHINE ONLY FOR USE WITH: 471-7300 DRAWBAR		\$6,850 \$6,850 NI
L	117-9058	COUNTERWEIGHT, REAR SLAB 760 FOR USE IN LANE 3 ONLY Additional weight of 760 lbs (345 kg). 1 or 2 slabs can be ordered. ONLY FOR USE WITH: 528-4038 COUNTERWEIGHT, REAR		\$3,030

BLADES

BULLDOZER INSTALLATION PACKAGES

PUSHARM: Bulldozer packages require lift cylinder section below.
 Cylinders are installed and mandatory attachments, blades are not installed and optional. PLEASE MAKE SURE TO SELECT ONE BLADE IF INTENDED TO GET A COMPLETE MACHINE.
 VPAT Bulldozer packages (Power, Angle and Tilt) include the cylinders and are completely installed. VPAT blades are mandatory attachments to be added from the blade section below. The foldable blade will be delivered installed, straight ones will be dismounted for shipment.

L	472-7310	6SU BULLDOZER. 760 Includes push arms, trunnions, tilt cylinder lines, and tilt cylinder. ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1		\$14,430 NI
L	472-7311	6SU BULLDOZER, GUARDED 760 FOR USE IN LANE 3 ONLY Provides sleeves to protect cylinder lines in harsh applications. Includes push arms, trunnions, tilt cylinder lines, and tilt cylinder. ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1 REQUIRED BY: 464-5589 WASTE HANDLING ARR, PUSHARM		\$15,470 NI

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BLADES (CONT.)

BULLDOZER INSTALLATION PACKAGES (Cont.)

L	472-7312	6SU LGP BULLDOZER 760 Includes push arms, trunnions, tilt cylinder lines, and tilt cylinder. ONLY FOR USE WITH: 464-5808 D6 20 LGP TTT CFG2		\$17,610 NI
L	472-7313	6SU LGP BULLDOZER, GUARDED 760 FOR USE IN LANE 3 ONLY Provides sleeves to protect cylinder lines in harsh applications. Includes push arms, trunnions, tilt cylinder lines, and tilt cylinder. ONLY FOR USE WITH: 464-5808 D6 20 LGP TTT CFG2 REQUIRED BY: 464-5589 WASTE HANDLING ARR, PUSHARM		\$18,640 NI
L	472-7314	6S LGP BULLDOZER 0 Includes push arms, trunnions, tilt cylinder lines, and tilt cylinder. ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT CFG3		\$17,690 NI
L	472-7315	6S LGP BULLDOZER, GUARDED 0 FOR USE IN LANE 3 ONLY Provides sleeves to protect cylinder lines in harsh applications. Includes push arms, trunnions, tilt cylinder lines, and tilt cylinder. ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT CFG3 REQUIRED BY: 464-5589 WASTE HANDLING ARR, PUSHARM		\$18,730 NI
L	538-1329	VPAT DOZER PACKAGE 0 Includes trunnions, c-frame, all cylinders with lines. NOTE: Design of D6-20 provides improved balance. Counterweights are only recommended with foldable blade or heavier aftermarket blades ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4 464-5811 D6 20 LGP VPAT TTT CFG5 464-5812 D6 20 LGP VPAT TTT CFG6		\$32,790

PUSHARM BULLDOZER LIFT CYLINDERS

If no lift cylinders are selected, the front facing lights will be shipped loose.

L	566-3144	CYLINDER LINES, PUSHARM 0 ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1 or 464-5808 D6 20 LGP TTT CFG2		\$7,980
L	566-3145	CYLINDER LINES, PUSHARM 0 ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT CFG3		\$8,480

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BLADES (CONT.)

BLADES

SEMI-U BLADES (VARIABLE RADIUS) can be ordered through the Work Tools Price list.

L	463-5863	BLADE, 6SU ARO 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 5.7m ³ /7.4 yd ³ . Includes finish dozing cutting edges, end bits and left, right, and center AccuGrade mounts. ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1		\$12,210 NI
L	472-7305	BLADE, 6SU, WASTE 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 11.2m ³ /14.3 yd ³ . Includes trash rack, finish dozing cutting edges and end bits. Does not include plates for blade mounted masts when used with Attachment Ready Option(ARO). ONLY FOR USE WITH: 464-5807 D6 20 TTT CFG1 and 472-7311 6SU BULLDOZER, GUARDED CANNOT BE USED WITH: 567-2132 OPEN SWEEPS, PUSHARM		\$16,490 NI
L	472-7306	BLADE, 6SU LGP, ARO 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 5.8m ³ /7.5 yd ³ . Includes finish dozing cutting edges, end bits and left, right, and center AccuGrade mounts. ONLY FOR USE WITH: 464-5808 D6 20 LGP TTT CFG2		\$13,570 NI
L	472-7307	BLADE, 6SU LGP, WASTE 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 12.3m ³ /16.1 yd ³ . Includes trash rack, finish dozing cutting edges and end bits. Does not include plates for blade mounted masts when used with Attachment Ready Option(ARO). ONLY FOR USE WITH: 464-5808 D6 20 LGP TTT CFG2 and 472-7313 6SU LGP BULLDOZER, GUARDED CANNOT BE USED WITH: 567-2132 OPEN SWEEPS, PUSHARM		\$19,510 NI
L	472-7308	BLADE, 6S LGP ARO 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 3.8m ³ /5.0 yd ³ . Includes finish dozing cutting edges, end bits and left, right, and center AccuGrade mounts. ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT CFG9		\$11,940 NI
L	472-7309	BLADE, 6S LGP, WASTE 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 9.4m ³ /12.3 yd ³ . Includes trash rack, finish dozing cutting edges and end bits. Does not include plates for blade mounted mast when used with Attachment Ready Option(ARO) ONLY FOR USE WITH: 464-5809 D6 20 LGP TTT CFG3 and 472-7315 6S LGP BULLDOZER, GUARDED CANNOT BE USED WITH: 567-2132 OPEN SWEEPS, PUSHARM		\$17,810 NI

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BLADES (CONT.)

BLADES (Cont.)

L	538-1333	BLADE, VPAT 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 4.1m ³ /5.4 yd ³ . Includes finish dozing cutting edges, end bits and left, right, and center AccuGrade mounts. ONLY FOR USE WITH: 464-5810 D6 20 VPAT TTT CFG4		\$12,590 NI
L	538-1334	BLADE, LGP VPAT 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 4.5m ³ /5.8 yd ³ . Includes finish dozing cutting edges, end bits and left, right, and center AccuGrade mounts. ONLY FOR USE WITH: 464-5811 D6 20 LGP VPAT TTT CFG5		\$15,190 NI
L	538-1335	BLADE, LGP VPAT 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 4.9m ³ /6.4 yd ³ . Includes finish dozing cutting edges end bits and left, right, and center AccuGrade mounts. ONLY FOR USE WITH: 464-5812 D6 20 LGP VPAT TTT CFG6		\$19,910 NI
L	340-7729	NO BLADE 0 Select this reference when no blade desired with the machine.		NC

GROUND ENGAGING TOOLS

RIPPER SHANKS

Rippers do not include any shanks. Teeth are mandatory attachments to the ripper. They will be ordered installed if the ripper is installed, not installed if the ripper is not installed.

L	9J-8926	TOOTH, CURVED 481 481 ALSO AVAILABLE AS MISCELLANEOUS ORDER One tooth. Curved shank with centerline tip. ONLY AVAILABLE IN QUANTITY OF 3. REQUIRED BY: 458-2640 RIPPER, HIGH LIFT		\$1,380 \$1,380 NI
L	8J-2189	TOOTH, STRAIGHT 456 456 ALSO AVAILABLE AS MISCELLANEOUS ORDER One tooth. Straight shank with penetration tip. ONLY AVAILABLE IN QUANTITY OF 3. REQUIRED BY: 458-2640 RIPPER, HIGH LIFT		\$1,420 \$1,420 NI

DOCUMENTATION

	OP-2046	PREPARATION FOR INSPECTION 0 Inspector is sent by the dealer to review the machine. Plant must be contacted 2 weeks before the APPRTS / OPD date.		\$418 NET
--	---------	--	--	-----------

CATERPILLAR MACHINE PRICE LIST

D6-GR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

PACKING

EXPORT PACKING

0G-3256	PACK-DISMOUNTED OR N.I. BLADE 0 Packing for a dismantled or not installed blade.	\$218 NET
0G-3257	PACK-NOT INSTALLED RIPPER 0 Packing for a dismantled or not installed ripper.	\$270 NET
0G-0370	PACK - SPECIAL MISC. MATERIAL 0 Packing for a dismantled or not installed attachment, out of the blades and rippers.	\$109 NET