

CATERPILLAR MACHINE PRICE LIST

D6K-BR

**D6K TRACK TYPE TRACTOR
 PIRACICABA, BRAZIL**

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

Air To Air AfterCooler (ATAAC)
 Glowplug starting aid
 3000 meter altitude operation capability
 w/o de-rating
 Hydraulically driven, variable speed fan
 Aluminum bar plate cooling system
 (radiator, powertrain, aftercooler)
 Air cleaner with integrated pre-cleaner,
 dust ejector and under hood air intake
 Dual path, electronic control, closed-
 loop hydrostatic transmission
 Electric fuel priming pump
 Fuel/water separator
 Programmable/selectable bi-directional
 shifting
 Engine idle shutdown
 Auto engine speed control

UNDERCARRIAGE

Heavy duty undercarriage
 Center tread, sprocketed idler with
 SystemOne, standard idler with HD
 Lifetime lubricated track rollers (8)
 and idlers
 Carrier rollers (2)
 Hydraulic track adjusters
 Replaceable sprocket rim segments

HYDRAULICS

Three valve hydraulics
 Load sensing hydraulics

ELECTRICAL

Horn
 Back-up alarm
 12V converter, 10 Amp
 Diagnostic connector
 Batteries, heavy duty, maintenance
 free, 900 CCA
 Integrated lights (4 front, 2 rear)
 100A alternator (24 volt)
 24V electric starter

OPERATOR ENVIRONMENT

ROPS/FOPS Cab
 Integrated A/C with automatic
 temperature control
 Seat, air suspended, cloth for cab
 Seatbelt, retractable 3" (76 mm)
 Foot pads, dash
 Color graphic 7" display with gauge for:
 -engine coolant temperature,
 -hydraulic oil temperature,
 -fuel level

Travel speed limiter, electronic
 Engine RPM and gear display
 Hour meter, electronic
 Engine air cleaner service indicator,
 electronic
 Water-in-fuel indicator, electronic
 Throttle switch, rotary
 Eco mode
 Controls, seat mounted, fore/aft
 adjustment
 Armrests, adjustable
 Mirror, rearview, inside
 Single pedal combining deceleration and
 braking functions
 Independent forward/reverse speed
 settings
 Product Link ready
 Powerport, 12 volt
 Coat Hook
 Storage compartment
 Cup holder
 Floor mat, rubber, heavy duty
 Intermittent wiper
 12V radio ready (plug and play)

FLUIDS

Antifreeze coolant (-37 degrees Celsius/
 -34.6 degrees Fahrenheit)
 Extended life coolant

OTHER STANDARD EQUIPMENT

C-frame, variable pitch link, hydraulic
 cylinder and lines
 Engine enclosures
 Hinged radiator louvered grill
 Swing-out radiator fan
 Front pull device
 Rigid drawbar
 Vandalism protection
 Ecology drains (engine, powertrain and
 implement oil, engine coolant)
 Scheduled Oil Sampling (SOS) ports
 (engine, powertrain, implement oil)
 Heavy duty crankcase guard

CATERPILLAR MACHINE PRICE LIST

D6K-BR

D6K TRACK TYPE TRACTOR PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base Order
 Management program**

456-8039	D6K2 XL TRACTOR 11,468 LANE 2 - AVAILABLE FROM PIRACICABA FACTORY LANE 3 - AVAILABLE FROM PIRACICABA FACTORY Caterpillar C4.4 ACERT diesel engine turbocharged equivalent to EPA tier 4 final, EU Stage IV and Japan 2014 (tier 4 final), certified engine with aftertreatment.	\$226,750
424-5551	D6K2 LGP TRACTOR 11,552 LANE 2 - AVAILABLE FROM PIRACICABA FACTORY LANE 3 - AVAILABLE FROM PIRACICABA FACTORY Caterpillar C4.4 ACERT diesel engine turbocharged equivalent to EPA tier 4 final, EU Stage IV and Japan 2014 (tier 4 final), certified engine with aftertreatment. Stable blade control Traction control Slope assist	\$238,070
OP-4165	D6K2 MISC MATL PIRACICABA 0 AVAILABLE FROM PIRACICABA FACTORY Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.	NC

CATERPILLAR MACHINE PRICE LIST

D6K-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	--------------------	-------------------------

LANE SELECTION

0P-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
0P-9003	LANE 3 ORDER	0	NC

REGIONAL PACKAGES

L	465-0450	REGIONAL PACKAGE, AM-N	1,221	NC
		INCLUDES: SOUND SUPPRESSION HOOD		

POWERTRAIN

ENGINE AIR CLEANER

L	554-3642	AIR CLEANER, STANDARD	0	NC
		ONLY FOR USE WITH: 456-8039 D6K2 XL TRACTOR or 424-5551 D6K2 LGP TRACTOR		
L	554-3643	PRECLEANER, TURBINE W/SCREEN	0	\$970
		FOR USE IN LANE 3 ONLY Turbine air precleaner with screen. Improves filter life. Recommended in high debris application. ONLY FOR USE WITH: 456-8039 D6K2 XL TRACTOR or 424-5551 D6K2 LGP TRACTOR		

CATERPILLAR MACHINE PRICE LIST

D6K-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

UNDERCARRIAGE

Customers should carefully select between SystemOne and Heavy Duty Undercarriage based on expected underfoot and application. Please refer to the Undercarriage Application Guide.
https://oneclick.cat.com/files/UAGuide_3_27_13/index.html or PEBJ0024

UNDERCARRIAGE SYSTEMS

- 1) Heavy Duty Extended Life (HDXL): For use in all applications. Track bushings can be turned and re-sealed mid-life. Press-fit bushings and PPR2 pin retention are particularly well suited for impact applications such as forestry, waste, rock, or v-ditching. Heavy Duty Extended Life with Duralink.
- 2) SYSTEMONE: For use in low to moderate impact applications and moderate to high abrasion underfoot. A rotating bushing reduces bushing and sprocket wear rate. Relieved Tread Idlers provide longer link wear life and improve finish grading by reducing link scallop. Not for use in high impact waste.

TRACK GUIDE-GUARD ARRANGEMENTS

Provides track roller guide-guards to prevent track derailing on side slopes or rough underfoot. Guards also prevent flow of debris into the track. Derailing and debris can put damaging loads into the track and undercarriage system. Choose guide-guard arrangement based on underfoot and applications as described below. SystemOne Undercarriage used all Single Flange track rollers.

- 1) CENTER GUIDE: Light track guiding with single center track guide-guards and alternating Single Flange/Double Flange track rollers. Use in applications with side slopes up to 4:1 ground objects up to 1"; and little if any,v-ditching.
- 2) PARTIAL GUIDE: Moderate track guiding with two center track guide guards and standard Double Flange track rollers in all positions except the end rollers. Use in applications with side slopes between 4:1 and 2:1; with ground objects 1" to 3"; and low to moderate v-ditching.
- 3) FULL GUIDE: Heavy track guiding with full length track guide-guards and Tall Double Flange track rollers in all positions except the end rollers. Use in applications with side slopes 2:1 and steeper; with ground objects greater than 3", and frequent v-ditching. Full length guards should not be used in applications with wet, heavy, packable underfoot material.

OPTIONAL ARRANGEMENTS

- 1) WASTE: Includes Kevlar guarded, sealed idlers to help prevent wire wrap and keep debris out. Includes center guides.
- 2) FINE GRADING: Includes 10 bottom rollers for smoother grades at higher speeds, even in difficult surfaces like sand and gravel.

L	431-7079	UNDERCARRIAGE, S1 / CAT ABR	0	\$6,510
		SystemOne undercarriage with 8 rollers and 2 carriers rollers.		
L	431-7080	UNDERCARRIAGE, HEAVY DUTY	0	NC
		Heavy Duty undercarriage with 8 rollers and 2 carriers rollers.		

CATERPILLAR MACHINE PRICE LIST

D6K-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACKS

Track Pairs, XL, SystemOne

L	379-3980	TRACK, 22", ES, XL 4,863 Extreme Service shoes ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, SYSTEMONE		\$1,005
L	390-2808	TRACK, 22", MS, XL 4,497 FOR USE IN LANE 3 ONLY Moderate Service shoes ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, SYSTEMONE		NC
L	390-2809	TRACK, 20", MS, XL 4,295 FOR USE IN LANE 3 ONLY Moderate Service shoes ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, SYSTEMONE		\$-144
L	390-2810	TRACK, 20", ES, XL 4,612 FOR USE IN LANE 3 ONLY Extreme Service shoes ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, SYSTEMONE		\$865

Track Pairs, XL, Heavy Duty

L	391-3941	TRACK, 20", ES, XL, HD 0 FOR USE IN LANE 3 ONLY Extreme Service shoes ONLY FOR USE WITH: 456-8039 D6K2 XL TRACTOR or 456-8107 D6K XL TRACTOR and 431-7080 UNDERCARRIAGE, HEAVY DUTY		\$-144
L	379-3982	TRACK, 22" ES XL HD 0 Moderate Service shoes ONLY FOR USE WITH: 456-8039 D6K2 XL TRACTOR or 456-8107 D6K XL TRACTOR and 431-7080 UNDERCARRIAGE, HEAVY DUTY		NC

Track Pairs, LGP, SystemOne

L	390-2812	TRACK, 30", MS, LGP 5,401 Moderate Service shoes ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR and 431-7079 UNDERCARRIAGE, SYSTEMONE		NC
L	379-3981	TRACK, 30", ES, LGP 5,900 Extreme Service shoes ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR and 431-7079 UNDERCARRIAGE, SYSTEMONE		\$1,440

Track Pairs, LGP, Heavy Duty

CATERPILLAR MACHINE PRICE LIST

D6K-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACKS (Cont.)

L	379-3983	TRACK, 30", ES, LGP, HD Extreme Service shoes ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR or 431-7080 UNDERCARRIAGE HEAVY DUTY 504-3741 D6K LGP TRACTOR and 431-7080 UNDERCARRIAGE, HEAVY DUTY REQUIRED BY: 504-3741 D6K LGP TRACTOR	5,900	\$1,440
L	416-0036	TRACK, 30", SELF CLEAN, LGP FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR and 431-7080 UNDERCARRIAGE, HEAVY DUTY	5,410	\$16,160

TRACK GUIDING GUARDS

Track Guiding Guards, SystemOne

L	382-6523	GUARD, TRACK GUIDING, CENTER Center guard section ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, SYSTEMONE	88	\$1,025
L	382-6525	GUARD, TRACK GUIDING, F&R. Front and rear guard section ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, SYSTEMONE	0	\$1,830
L	368-9742	GUARD, TRACK GUIDING, FULL FOR USE IN LANE 3 ONLY Full length guard section ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, SYSTEMONE	0	\$2,785

Track Guiding Guards, Heavy Duty

L	382-6524	GUARD, TRACK GUIDING, F&R. Front and rear guard section ONLY FOR USE WITH: 431-7080 UNDERCARRIAGE, HEAVY DUTY	0	\$1,830
L	368-9741	GUARD, TRACK GUIDING, FULL Full length guard section ONLY FOR USE WITH: 431-7080 UNDERCARRIAGE, HEAVY DUTY	0	\$2,785
L	368-9744	GUARD, TRACK GUIDING, CTR Center guard section ONLY FOR USE WITH: 431-7080 UNDERCARRIAGE, HEAVY DUTY	0	\$1,025

No guiding guard

P	234-4747	GUARD, TRACK GUIDING, NONE No track guiding will be provided when selecting this attachment ONLY FOR USE WITH: 431-7079 UNDERCARRIAGE, SYSTEMONE or 431-7080 UNDERCARRIAGE, HEAVY DUTY	0	NC
---	----------	---	---	----

CATERPILLAR MACHINE PRICE LIST

D6K-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

HYDRAULIC OIL

L	525-6315	HYDRAULIC OIL, STANDARD 0 Standard hydraulic oil, factory filled. For the implement hydraulic system only.		NC
---	----------	---	--	----

REAR CONTROL PACKAGES

L	535-7529	NO REAR HYDRAULIC PACKAGE 0 The machine will not be ripper ready neither winch ready when selecting this package.		NC
---	----------	---	--	----

REQUIRES: 566-5885 PITCH, BLADE, MANUAL and
 246-8384 DRAWBAR or
 449-5863 NO REAR ATTACHMENT or
 340-5429 COUNTERWEIGHT, REAR and
 424-7002 FAN, DEMAND or
 424-7003 FAN, DEMAND, REVERSING

ONLY FOR USE WITH: 456-8039 D6K2 XL TRACTOR or
 424-5551 D6K2 LGP TRACTOR

CANNOT BE USED WITH: 566-5888 PITCH, BLADE POWERED

L	535-7525	RIPPER READY PACKAGE 0		\$1,645
---	----------	---	--	---------

The machine will be ripper ready when selecting this package.

REQUIRES: 566-5885 PITCH, BLADE, MANUAL and
 424-7002 FAN, DEMAND or
 424-7003 FAN, DEMAND, REVERSING

ONLY FOR USE WITH: 456-8039 D6K2 XL TRACTOR or
 424-5551 D6K2 LGP TRACTOR

L	535-7530	WINCH READY PACKAGE 0		\$7,170
---	----------	--	--	---------

FOR USE IN LANE 3 ONLY

The machine will be winch ready when selecting this package.

REQUIRES: 566-5885 PITCH, BLADE, MANUAL and
 424-7004 FAN, DEMAND, WINCH or
 424-7005 FAN, DEMAND, REVERSING, WINCH

ONLY FOR USE WITH: 456-8039 D6K2 XL TRACTOR or
 424-5551 D6K2 LGP TRACTOR

L	535-7528	DUAL CONTROL PACKAGE 0		\$8,680
---	----------	---	--	---------

FOR USE IN LANE 3 ONLY

The machine will be ripper and winch ready when selecting this package.

REQUIRES: 566-5885 PITCH, BLADE, MANUAL and
 424-7004 FAN, DEMAND, WINCH or
 424-7005 FAN, DEMAND, REVERSING, WINCH

ONLY FOR USE WITH: 456-8039 D6K2 XL TRACTOR or
 424-5551 D6K2 LGP TRACTOR

L	535-7531	RIPPER READY PKG, POWERPITCH 0		\$1,645
---	----------	---	--	---------

FOR USE IN LANE 3 ONLY

The machine will be ripper ready and powerpitch ready when selecting this package.

REQUIRES: 566-5888 PITCH, BLADE, POWERED and
 424-7002 FAN, DEMAND or
 424-7003 FAN, DEMAND, REVERSING and

ONLY FOR USE WITH: 456-8039 D6K2 XL TRACTOR or
 424-5551 D6K2 LGP TRACTOR

CATERPILLAR MACHINE PRICE LIST

D6K-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS (CONT.)

REAR CONTROL PACKAGES (Cont.)

L	535-7533	DUAL READY PKG, POWERPITCH 0 FOR USE IN LANE 3 ONLY The machine will be ripper / winch ready and powerpitch ready when selecting this package. REQUIRES: 566-5888 PITCH, BLADE, POWERED and 424-7004 FAN, DEMAND, WINCH or 424-7005 FAN, DEMAND, REVERSING, WINCH ONLY FOR USE WITH: 456-8039 D6K2 XL TRACTOR or 424-5551 D6K2 LGP TRACTOR		\$8,680
---	----------	---	--	---------

FRONT CONTROL PACKAGES

L	566-5885	PITCH, BLADE, MANUAL 0 Mechanical control of the blade pitch by manual settings onto the blade structure itself. ONLY FOR USE WITH: 456-8039 D6K2 XL TRACTOR or 424-5551 D6K2 LGP TRACTOR and 535-7525 RIPPER READY PACKAGE or 535-7528 DUAL CONTROL PACKAGE or 535-7530 WINCH READY PACKAGE or 535-7529 NO REAR HYDRAULIC PACKAGE		NC
L	566-5888	PITCH, BLADE, POWERED 0 FOR USE IN LANE 3 ONLY Automated control of the blade pitch with the right joystick buttons from the cab. FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR or 456-8039 D6K2 XL TRACTOR and 535-7531 RIPPER READY PKG, POWERPITCH or 535-7533 DUAL READY PKG, POWERPITCH		\$4,030

STARTERS, BATTERIES, & ALTERNATORS

STARTERS

L	465-5604	STARTER, STANDARD 0		NC
L	465-5611	STARTER, LOW TEMPERATURE 0 Recommended with a cold weather package in extremely low temperature.		\$875

ELECTRICAL

LIGHTING GROUP

L	536-9447	LIGHTS, 6 0 Provides 6 HALOGEN working lamps, all cab mounted, 4 facing forward, 2 facing rearward. ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR or 456-8039 D6K2 XL TRACTOR or 456-8107 D6K XL TRACTOR or 504-3741 D6K LGP TRACTOR		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

D6K-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL (CONT.)

LIGHTING GROUP (Cont.)

L	536-9448	LIGHTS, 6, LED 0 Provides 6 LED working lamps, all cab mounted, 4 facing forward, 2 facing rearward. ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR or 456-8039 D6K2 XL TRACTOR or 456-8107 D6K XL TRACTOR or 504-3741 D6K LGP TRACTOR REQUIRED BY: 536-8777 CAB COMFORT PACKAGE		\$645
---	----------	---	--	-------

OPERATOR ENVIRONMENT

P	538-7156	KIT VISIBILITY, SINGLE CAMERA 0 The camera system can be used to enhance the operators visibility of his surroundings, or provide a better view of his work tool. The image is included in the main machine display when the machine is placed in reverse gear. This kit includes the wiring connections to make it a complete and independent solution to be compatible with all versions of cab. ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR or 456-8039 D6K2 XL TRACTOR		NC
---	----------	--	--	----

CAB PACKAGES

L	536-8775	CAB STANDARD PACKAGE 0 INCLUDES: STANDARD CAB AIR SUSPENSION ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR or 456-8039 D6K2 XL TRACTOR or 456-8107 D6K XL TRACTOR or 504-3741 D6K LGP TRACTOR		NC
L	536-8777	CAB COMFORT PACKAGE 0 INCLUDES: STANDARD CAB AIR SUSPENSION, HEATED AND VENTILATED SEAT HEATED JOYSTICK CONTROL HANDLES ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR or 456-8039 D6K2 XL TRACTOR or 456-8107 D6K XL TRACTOR or 504-3741 D6K LGP TRACTOR and 536-9448 LIGHTS, 6, LED		\$2,140
L	536-8776	CAB HEAVY DUTY PACKAGE 0 FOR USE IN LANE 3 ONLY INCLUDES: HEAVY DUTY CAB WITH POLYCARBONATE WINDONS AIR SUSPENSION SEAT STANDARD JOYSTICK CONTROL HANDLES ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR or 456-8039 D6K2 XL TRACTOR or 456-8107 D6K XL TRACTOR or 504-3741 D6K LGP TRACTOR		\$1,655

CATERPILLAR MACHINE PRICE LIST

D6K-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

BULLDOZER / ACCUGRADE CONTROL

ACCUGRADE CONTROL SYSTEM ORDERING

(1)Ordering installation. accugrade ready (ARO) allows the machine to be equipped with an accugrade GNSS (GPS and GLONASS satellite constellations), laser or UTS grade control system electronics kit.
 (2)An accuGrade electronics kit (GNSS, Laser, or UTS) must be ordered separately and additional to the machine.
 (3)The purchase of a accugrade software enabled attachment (SEA) premium configuration is required for those configurations requiring automatic blade control and must be ordered separately and additional to the machine and the accuGrade electronics kit.
 (4)ARO(attachment ready option): Allows machine to easily be upgrade GNSS, laser, or UTS blade mounted grade control systems. ARO includes IMU sensors, EC520 controller, wiring, and mounting brackets. Upgrading to car grade with 3D after build requires grade display, GNSS receivers and antennas, data correction solution, SITECH provided gRADE license files, and Caterpillar provided SEA. SEA part #513-5980. Dealer to provide pricing for additional HW and SW.
 (5)Grade w/ 3D: Cat grade with 3D is a factory installed, integrated grade control system with chassis mounted sensors and GNSS antennas mounted to roof of cab. Includes grade display, GNSS receivers and antennas, grade license files, and Caterpillar provided SEA. Additional requirements via CAT/SITECH dealer include data corrections solution and measure up calibration.

L	537-6071	CONTROL, STANDARD	0	\$-5,720
		REQUIRES: 566-5885 PITCH, BLADE, MANUAL or 556-5888 PITCH, BLADE, POWERED		
		ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR or 456-8039 D6K2 XL TRACTOR		
L	537-6072	CONTROL, ARO W/ASSIST	0	NC
		INCLUDES: STABLE BLADE TRACTION CONTROL SLOPE INDICATE SLOPE ASSIST ACCUGRADE READY OPTION		
		REQUIRES: 566-5885 PITCH, BLADE, MANUAL or 556-5888 PITCH, BLADE, POWERED		
		ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR or 456-8039 D6K2 XL TRACTOR		
L	537-6073	CONTROL, GRADE W/3D	0	\$51,160
		INCLUDES: STABLE BLADE TRACTION CONTROL SLOPE INDICATE SLOPE ASSIST ACCUGRADE READY OPTION GRADE WITH 3D		
		REQUIRES: 566-5885 PITCH, BLADE, MANUAL or 556-5888 PITCH, BLADE, POWERED		
		ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR or 456-8039 D6K2 XL TRACTOR		

CATERPILLAR MACHINE PRICE LIST

D6K-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)
 From there click on the "PRODUCT LINK Hardware Certification" link

L	573-4529	PRODUCT LINK, CELLULAR PLE742 0 Product Link Elite series PLE742 (consisting of PL641 radio and PLE702 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, CPM and advanced grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data.		NC
L	543-1829	PRODUCT LINK, SATELLITE PLE732 0 Product Link Elite series PLE732 uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		\$446

FUEL SYSTEMS

TANK FUEL

L	425-7127	TANK FUEL, STANDARD 0 Standard tank fuel		NC
L	459-1505	TANK FUEL, FF & REFILL READY 15 FOR USE IN LANE 3 ONLY Provides fuel tank with openings for either the fast fill system or the refilling fuel pump CANNOT BE USED WITH: 295-7680 WINCH PREPARATION 556-9001 CAB, PROTECTION PACKAGE 556-9002 CAB, PROTECTION PACKAGE, HD 441-5461 SCREEN, REAR REQUIRED BY: 543-3287 PROTECTION PACKAGE, HD, FF READY		\$230

COOLING

FAN

L	424-7002	FAN, DEMAND 13 Electronically controlled hydraulic demand fan drive Automatically adapts cooling to engine heat load Note: Recommended when the machine is used in cold and hot environments. CANNOT BE USED WITH: 535-7533 DUAL READY PKG, POWERPITCH 535-7530 WINCH READY PACKAGE		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

D6K-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

COOLING (CONT.)

FAN (Cont.)

L	424-7003	FAN, DEMAND, REVERSING 18 Electronically controlled hydraulic demand fan drive Automatically adapts cooling to engine heat load Allows to reverse air flow through the radiator Note: Recommended for applications with a risk of radiator plugging CANNOT BE USED WITH: 535-7533 DUAL READY PKG, POWERPITCH 535-7530 WINCH READY PACKAGE		\$1,850
L	424-7004	FAN, DEMAND, WINCH 13 Electronically controlled hydraulic demand fan drive Automatically adapts cooling to engine heat load Note: Recommended when the machine is used in cold and hot environments RECOMMENDED BY: 438-1061 PA50 WINCH, VARIABLE SPEED ONLY FOR USE WITH: 535-7533 DUAL READY PKG, POWERPITCH or 535-7530 WINCH READY PACKAGE or 535-7528 DUAL CONTROL PACKAGE CANNOT BE USED WITH: 535-7531 RIPPER READY PKG, POWERPITCH 535-7529 NO REAR HYDRAULIC PACKAGE 535-7525 RIPPER READY PACKAGE		NC
L	424-7005	FAN, DEMAND, REVERSING, WINCH 18 Electronically controlled hydraulic demand fan drive Automatically adapts cooling to engine heat load Allows to reverse air flow through the radiator Note: Recommended for applications with a risk of radiator plugging RECOMMENDED BY: 438-1061 PA50 WINCH, VARIABLE SPEED ONLY FOR USE WITH: 535-7533 DUAL READY PKG, POWERPITCH 535-7530 WINCH READY PACKAGE 535-7528 DUAL CONTROL PACKAGE CANNOT BE USED WITH: 535-7531 RIPPER READY PKG, POWERPITCH 535-7529 NO REAR HYDRAULIC PACKAGE 535-7525 RIPPER READY PACKAGE		\$1,850

GUARDS

PROTECTION PACKAGES

L	543-3284	PROTECTION PACKAGE, STANDARD 0 INCLUDES: GRILL RADIATOR, STANDARD GUARD, CRANKCASE, STANDARD ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR or 456-8039 D6K2 XL TRACTOR or 456-8107 D6K XL TRACTOR or 504-3741 D6K LGP TRACTOR		NC
L	543-3285	PROTECTION PACKAGE, FRONT 0 This package is recommended in harsh environments INCLUDES: GRILL, RADIATOR, HEAVY DUTY (Provides additional protection to the radiator) GUARD, CRANKCASE, STANDARD ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR or 456-8039 D6K2 XL TRACTOR or 456-8107 D6K XL TRACTOR or 504-3741 D6K LGP TRACTOR		\$585

CATERPILLAR MACHINE PRICE LIST

D6K-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

PROTECTION PACKAGES (Cont.)

L	543-3286	PROTECTION PACKAGE, HEAVY DUTY 0 This package is recommended for severe applications. INCLUDES: GUARD, HEAVY DUTY FOR TANK FUEL, STANDARD 10 mm-thick steel guard protecting rear of the machine. GRILL, RADIATOR, HEAVY DUTY Provides additional protection to the radiator. GUARD, CRANKCASE, HEAVY DUTY ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR or 456-8039 D6K2 XL TRACTOR or 456-8107 D6K XL TRACTOR or 504-3741 D6K LGP TRACTOR	0	\$2,600
---	----------	--	---	---------

L	543-3287	PROTECTION PKG, HD, FF READY 0 CANNOT BE USED WITH: 459-1505 TANK FUEL, FF & REFILL READY FOR USE IN LANE 3 ONLY This package is recommended for severe applications. INCLUDES: GUARD, HEAVY DUTY FOR TANK FUEL, FAST FILL AND REFILL READY 10 mm-thick steel guard protecting rear of the machine. GRILL, RADIATOR, HEAVY DUTY Provides additional protection to the radiator GUARD, CRANKCASE, HEAVY DUTY ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR or 456-8039 D6K2 XL TRACTOR or 456-8107 D6K XL TRACTOR or 504-3741 D6K LGP TRACTOR CANNOT BE USED WITH: 425-7127 TANK FUEL, STANDARD	0	\$2,600
---	----------	--	---	---------

OTHER ATTACHMENTS

REAR ATTACHMENTS

L	246-8384	DRAWBAR	176	NC
P	487-6095	PACKAGE RIPPER, TEETH CURVED	2,167 0	\$15,980 \$15,980 NI
ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: -Ripper, Multi-shank Ripper, hydraulic, parallelogram rear-mounted When installed on an LGP machine, the ripper is intended for scarifying hard soil only, not for normal ripping applications -Teeth curved, set of 3 Three curved shank ripper teeth ONLY FOR USE WITH: RIPPER READY PACKAGES or DUAL CONTROL PACKAGES				

CATERPILLAR MACHINE PRICE LIST

D6K-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

REAR ATTACHMENTS (Cont.)

P	487-6096	PACKAGE RIPPER, TEETH STRAIGHT	2,167 0	\$15,980 \$15,980 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER PIRACICABA FACILITY ALSO AVAILABLE ON A MISCELLANEOUS ORDER FROM BALTIMORE PDC INCLUDES: -Ripper, Multi-shank Ripper, hydraulic, parallelogram rear-mounted. When installed on an LGP machine, the ripper is intended for scarifying hard soil only, not for normal ripping applications. -Teeth straight, set of 3 Three straight shank ripper teeth ONLY FOR USE WITH: RIPPER READY PACKAGES or DUAL CONTROL PACKAGES		
P	295-7680	WINCH PREPARATION	0	\$-325
		FOR USE IN LANE 3 ONLY PA50 winch, listed under Field Installed Attachments section, requires this Winch Preparation and Winch ready Hydraulics Please refer to Field Installed Attachments section for winch ordering instructions. REQUIRES: 556-9002 CAB, PROTECTION PACKAGE, HD or 556-9001 CAB, PROTECTION PACKAGE or 441-5461 SCREEN, REAR ONLY FOR USE WITH: WINCH READY PACKAGES or DUAL CONTROL PACKAGES CANNOT BE USED WITH: 459-1505 TANK FUEL, FF & REFILL READY		
P	340-5429	COUNTERWEIGHT, REAR.	1,190 0	\$4,145 \$4,145 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides a 540 kg (1190 lbs) rear counterweight (includes a rear drawbar) to reach optimum balance if extra weight is added to the front of the machine and when no ripper or winch is installed. Extra slabs (78 kg / 172 lbs) each are available.		
L	449-5863	NO REAR ATTACHMENT	0	NC
		This reference must be selected only when the dealer wants to install his own rear attachments at the dealership or in the field In any case, the machine must be sold to the final customer with an appropriate rear attachment (drawbar, ripper, winch, counterweight) to reach the optimum balance of the complete machine and to keep a safe access to the fuel tank. Orders with this no rear attachment will be accepted by the factory only if the final rear configuration is explained and justified with a note in the MSO. Please check the global configuration of the machine is consistent with the intended rear equipment, including the appropriate PTO filter and rear hydraulic protections.		

CATERPILLAR MACHINE PRICE LIST

D6K-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BLADES

P	348-6300	BLADE, 126" ARO XL	2,136 0	\$8,310 \$8,310 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Power-Angle-Tilt XL ARO blade with mechanical variable pitch and finishing end bits PLEASE ORDER THIS ATTACHMENT AS DETACHED ONLY FOR USE WITH: 456-8107 D6K XL TRACTOR or 456-8039 D6K2 XL TRACTOR		
P	348-6280	BLADE, 145" ARO LGP	2,143 0	\$8,700 \$8,700 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Power-Angle-Tilt LGP ARO blade with mechanical variable pitch and finishing end bits PLEASE ORDER THIS ATTACHMENT AS DETACHED ONLY FOR USE WITH: 504-3741 D6K LGP TRACTOR or 456-8107 D6K XL TRACTOR or 424-5551 D6K2 LGP TRACTOR		
P	483-9320	BLADE, 145" FOLDABLE ARO LGP	0	\$13,040 NI
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Power-Angle-Tilt LGP Blade with finishing end bits. Blade has one foldable end which can be manually folded toward the front of the machine to fit within the 3.00 meter (9.84 ft) transportation width. ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR		
P	483-9250	BLADE, 126" FOLDABLE ARO XL	0 0	\$12,470 \$12,470 NI
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Power-Angle-Tilt XL blade with finishing end bits. Blade has one foldable end which can be manually folded toward the front of the machine to fit within the 2.50 meter (8.36 ft) transportation width. PLEASE ORDER THIS ATTACHMENT AS DETACHED ONLY FOR USE WITH: 456-8107 D6K XL TRACTOR or 456-8039 D6K2 XL TRACTOR		
P	340-7729	NO BLADE	0	NC
		Select this attachment when the machine needs to be shipped without blade		

FLUIDS

FLUID FILM

OP-3940	PROTECTION, CYLINDER ROD	0	NC
---------	------------------------------------	---	----

ANTIFREEZE

OP-1939	ANTIFREEZE WINDSHIELD WASHER	0	NC
OP-3978	FUEL ANTIFREEZE, -25C (-13F)	0	NC
	Provides fuel (diesel) antifreeze protection down to -25C (-13F)		

CATERPILLAR MACHINE PRICE LIST

D6K-BR

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

INSTRUCTIONS

OP-0996	MANUAL, ENGLISH 0	NC
---------	-----------------------------	-----------

CATERPILLAR MACHINE PRICE LIST

D6K-BR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

STARTERS, BATTERIES, & ALTERNATORS

COLD WEATHER PACKAGES

L	465-5002	COLD WEATHER, 120V, PACKAGE 2 Recommended in cold ambient temperature environments INCLUDES: Heater, engine coolant, 120V Ether starting aid		\$258
---	----------	---	--	-------

BREATHER

L	485-7652	ELECTRICAL INSULATED BREATHER. 0 FOR USE IN LANE 3 ONLY For operation on ambient climates of -25C to -40C, it is recommended that the cold climate pack is fitted This consists of a heated filter canister and insulated hoses		\$2,015
---	----------	---	--	---------

ELECTRICAL

L	358-3947	BEACON, ROTATING 7 FOR USE IN LANE 3 ONLY Rotating Beacon. Heavy duty bracket design allows beacon to be retracted to avoid damage during transportation in wooded areas		\$675
---	----------	---	--	-------

OPERATOR ENVIRONMENT

P	495-1449	RADIO, AM/FM/AUX/USB/BLUETOOTH 0 12V AM/FM Stereo with Bluetooth technology and USB connection. Includes individual bass/treble controls, loudness adjustment and station pre-set capability. Pre-set memory is maintained by internal battery.		\$570
---	----------	---	--	-------

GUARDS

GUARD PACKAGE

L	556-9001	CAB, PROTECTION PACKAGE 0 This Package is recommended for forestry and severe applications. INCLUDES : SWEEPS, CAB Bolt-on sweeps SCREEN, REAR CAB Protective screen for rear window ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR or 456-8039 D6K2 XL TRACTOR or 456-8107 D6K XL TRACTOR or 504-3741 D6K LGP TRACTOR CANNOT BE USED WITH: 441-5461 SCREEN, REAR 459-1505 TANK FUEL, FF & REFILL READ REQUIRED BY: 295-7680 WINCH PREPARATION		\$4,815
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

D6K-BR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

GUARD PACKAGE (Cont.)

L	556-9002	CAB, PROTECTION PACKAGE, HD 0 This Package is recommended for forestry and severe applications. INCLUDES: SWEEPS, CAB Bolt-on sweeps SCREEN, REAR CAB Protective screen for rear window GUARD, LIGHTS, REAR Protective screen for rear lights SCREEN, SIDE Protective screens for side windows. ONLY FOR USE WITH: 424-5551 D6K2 LGP TRACTOR or 456-8039 D6K2 XL TRACTOR or 456-8107 D6K XL TRACTOR or 504-3741 D6K LGP TRACTOR CANNOT BE USED WITH: 441-5461 SCREEN, REAR 250-1699 SCREEN, SIDE 459-1505 TANK FUEL, FF & REFILL READ REQUIRED BY: 295-7680 WINCH PREPARATION		\$6,880
---	----------	--	--	---------

SCREEN GUARD

L	441-5461	SCREEN, REAR 75 FOR USE IN LANE 3 ONLY Protective screen for rear window REQUIRED BY: 295-7680 WINCH PREPARATION		\$1,305
P	250-1699	SCREEN, SIDE 267 FOR USE IN LANE 3 ONLY Protective screen for rear window		\$1,600

OTHER ATTACHMENTS

MAINTENANCE AND RELATED ATTACHMENTS

P	432-8643	FUEL PUMP, REFILLING 0 FOR USE IN LANE 3 ONLY Provides an electrical fuel refilling pump (50 liters/min), with automatic shut-off. Refills the fuel tank in about 6 min. Includes: 3 meter hose Filter ONLY FOR USE WITH: 459-1505 TANK FUEL, FF + REFILL READY CANNOT BE USED WITH: 295-7680 WINCH PREPARATION		\$1,450
L	553-0886	OIL CHANGE SYSTEM, HIGH SPEED 0 Easy access drain line and Wiggins connector for remote engine oil drain. Provides quick, clean and easy engine oil change without having to go under the machine to access a gravity drain.		\$324
L	460-1189	SHOVEL FASTENER 0 FOR USE IN LANE 3 ONLY Convenient feature to fasten the shovel on the machine.		\$175

CATERPILLAR MACHINE PRICE LIST

D6K-BR

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

COUNTERWEIGHT ADDITIONAL

P	340-5433	COUNTERWEIGHT, REAR SLAB	172 0	\$473 \$473 NI
---	----------	------------------------------------	----------	-------------------

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 Additional weight 78kg / 172 lbs per slab.
 Slabs can be ordered quantity 1 or 2, INSTALLED with the machine
 ONLY FOR USE WITH: 340-5429 COUNTERWEIGHT, REAR
 CANNOT BE USED WITH: 246-8384 DRAWBAR
 487-6095 PACKAGE RIPPER, TEETH CURVED
 487-6096 PACKAGE RIPPER, TEETH STRAIGHT
 285-7680 WINCH PREPARATION

PACKING

	OP-6637	ROLL ON-ROLL OFF	0	\$209 NET
		Packing for a dismantled or not installed blade		
	OP-6706	BUNDLE EXPORT PACKING	0	NC
		This OP should be ordered for all miscellaneous orders		

AM-NORTH INFORMATION

REGIONAL ORDERING INFORMATION FOR WINCH ATTACHMENTS

Winches available from CAT Work Tools for North America only.
 Please refer to the Work Tools - TTT Price list for current prices and
 contact info for availability.

4381061 PA50 WINCH, VARIABLE SPEED
 Variable speed, hydrostatic winch
 Bare drum line pull: 50.000lbs
 ONLY FOR USE WITH: 295-7680 WINCH PREPARATION

1871713 KIT, CONVERSION, PA50 4TH ROLL
 REQUIRES: 187-1710 FAIRLEAD, 3 ROLLERS

1871710 FAIRLEAD, PA50 3 ROLLERS
 ONLY FOR USE WITH: 438-1061 PA50 WINCH, VARIABLE SPEED
 504-9635 WINCH ARRANGEMENT, TOWING