

CATERPILLAR MACHINE PRICE LIST

D6XED6XE TRACK TYPE TRACTOR
EAST PEORIA, IL, USA (SAP)Ship Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Electric drive, high efficiency
continuously variable speed
Travel speed control and brake pedals
Fast Fill Fueling Ready
Programmable/Selectable bi-directional
shifting
C9.3B diesel engine
EPA/ARB Tier 4 final
certified engine with aftertreatment
Air cleaner, Strata tube precleaner
with dust ejection
Air filter w/electronic service
indicator
Aftercooler, air to air (ATAAC)
Coolant, extended life
Fan, hydraulic reversing, cold weather
Final drives, double reduction
planetary
Radiator, aluminum bar plate
Fuel priming pump, electric
Parking brake, electronic
Starting aid, ether ready, automatic
Turbocharger
Fuel water separator
Ecology drain

UNDERCARRIAGE

Carrier rollers, lifetime lubricated
Equalizer bar, maintenance free
Rollers, lifetime lubricated
Track, lifetime lubricated
Track roller frames, tubular
Track adjusters, hydraulic
Sprocket rim segments, replaceable

ELECTRICAL

LED lights, 6 standard
Alarm, backup
Alternator, 150 AMP
Batteries, 2 maintenance free 12V
(1400 cca) (24V system), heavy duty
Converter, One 15A ,12V Outlets
Starter, heavy duty, 24V
Horn, forward warning
Light, work, underhood

OPERATOR ENVIRONMENT

One piece cab, sound suppressed,
Integrated roll over protection(IROPS),
adjustable operator controls and
armrests, cab mounted modular HVAC
system, and screen ready.
Cup holders
Lunchbox storage

Electro-hydraulic implement
steering controls
Full color LCD display, 254mm(10in)
integrated with rear camera
Operator ID (dealer must enable)
Machine Security System with Passcode
(dealer must enable)
AM/FM Radio
Foot pads, dash
Mirror, rearview
Seatbelt, retractable 76mm(3 in)
Wipers
Glove box
Radio, AM/FM

TECHNOLOGY PRODUCTS

Full color LCD display, 254mm (10 inch)
integrated with rear camera
Product Link, cellular PLE743
Remote Troubleshoot
Remote Software flash
Operator ID (dealer must enable)
Machine Security System with Passcode
(dealer must enable)
Remote Control Ready

OTHER STANDARD EQUIPMENT

Ripper and winch ready rear hydraulics
Fast fill ready fueling
30 minute cab removal
Ladder, rear access
Mounting provision for grease gun,
shovel and fire extinguisher
Engine enclosures, perforated
hinged, removable
Bottom guards, hinged, removable
Ground level service center with
remote electrical disconnect,
secondary shutdown switch & hour meter
Hood, perforated
Hydraulics, independent steering
and implement
Hydraulics, load sensing, dozer lift
and tilt
Product link, Cellular PLE742
Radiator doors, perforated, hinged,
louvered
S.O.S sampling ports
Vandalism protection for fluid
compartments and battery box

CATERPILLAR MACHINE PRICE LIST

D6XE

D6XE TRACK TYPE TRACTOR EAST PEORIA, IL, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

590-0862	D6 XE VPAT 20A TRACTOR DCA1 0	\$550,940
	LANE 1 - AVAILABLE FROM EAST PEORIA PDC	

INCLUDES:

- 464-5717 D6 XE VPAT TRACTOR
- 464-5817 D6 XE 20A LGP VPAT TTT CFG11
- 464-5500 COMMON ARRANGEMENT
- 464-5507 XE CONFIGURATION, VPAT
- 460-4580 OIL CHANGE SYSTEM, HIGH SPEED
- 460-4585 HYDRAULICS, WINCH READY LINES
- 464-5174 ALTERNATOR, 150 AMP
- 464-5186 FINAL DRIVE, 90" (2286 MM)
- 464-5206 ENGINE, XE, STANDARD
- 464-5283 FLUIDS, STD OIL, -35F
- 464-5453 ARO W/ASSIST
- 464-5460 CONTROL, RIPPER/WINCH
- 464-5464 HYDRAULICS, VPAT
- 464-5556 PRECLEANER, BASIC
- 464-5587 BASIC ARRANGEMENT
- 464-5759 CONTROL, ARO/GRADE W/3D, VPAT
- 471-0418 ENCLOSURE, ENGINE, VPAT
- 471-0420 FAN, REVERSING, VPAT
- 471-4992 FUEL TANK, XE, FAST FILL
- 471-5029 GUARD, NO SEALS
- 471-6558 GUARD, BOTTOM, VPAT
- 472-5602 WATER JACKET HEATER, 110V
- 505-6966 GRAB HANDLES, STANDARD, VPAT
- 507-1544 MOUNTING, UNDERCARRIAGE, LGP
- 509-4114 PROD LINK, PLE683/PLE783 RADIO
- 528-4042 NO REAR ATTACHMENT
- 542-5771 UNDERCARRIAGE,HD,FINE GRADING
- 538-1329 VPAT DOZER PACKAGE
- 545-3974 TRACK, 760MM / 30" ES HDXL
- 555-5500 FILM, WARNING, ANSI
- 560-9088 SEAT, HEATED & VENTILATED
- 564-0762 CAB, HEAVY DUTY
- 565-0836 VISIBILITY ARR, REAR CAMERA
- 566-0510 FILM, D6 XE, LGP
- 571-6187 LIGHTS, 12, LED, PREMIUM VPAT

PLEASE REFER TO THE LANE 1 MANDATORY AND OPTIONAL SECTIONS TO COMPLETE YOUR MACHINE.

CATERPILLAR MACHINE PRICE LIST

D6XE

D6XE TRACK TYPE TRACTOR EAST PEORIA, IL, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.
 Please use Lane 2 when placing orders that are part of the Base Order
 Management Program.**

<p>464-5813</p> <p>D6 XE 20 TTT CFG7 0</p> <p>LANE 2 - AVAILABLE FROM EAST PEORIA FACTORY LANE 3 - AVAILABLE FROM EAST PEORIA FACTORY</p> <p>76 inch gauge. 8 roller track frame. Up to 24 inch track shoes available. AVAILABLE FOR: Australia / New Zealand dealers ONLY when ordered with Sweeps or Forestry Arrangement.</p>	<p>\$455,020</p>
<p>464-5814</p> <p>D6 XE 20 LGP TTT CFG8 0</p> <p>LANE 2 - AVAILABLE FROM EAST PEORIA FACTORY LANE 3 - AVAILABLE FROM EAST PEORIA FACTORY</p> <p>82 inch gauge. 8 roller track frame. Up to 30 inch track shoes available. Low ground pressure (6.7 psi) capability AVAILABLE FOR: Australia / New Zealand dealers ONLY when ordered with Sweeps or Forestry Arrangement.</p>	<p>\$465,370</p>
<p>464-5815</p> <p>D6 XE 20 LGP TTT CFG9 0</p> <p>LANE 2 - AVAILABLE FROM EAST PEORIA FACTORY LANE 3 - AVAILABLE FROM EAST PEORIA FACTORY</p> <p>90 inch gauge. 8 roller track frame. 10 roller track frame optional for fine grading applications. Up to 36 inch track shoes available. Ultra-low ground pressure (5.2 psi) capability. AVAILABLE FOR: Australia / New Zealand dealers ONLY when ordered with Sweeps or Forestry Arrangement.</p>	<p>\$483,900</p>
<p>464-5816</p> <p>D6 XE 20 VPAT TTT CFG10 0</p> <p>LANE 2 - AVAILABLE FROM EAST PEORIA FACTORY LANE 3 - AVAILABLE FROM EAST PEORIA FACTORY</p> <p>82 inch gauge. 8 roller track frame. Up to 24 inch track shoes available. AVAILABLE FOR: Australia / New Zealand dealers ONLY when ordered with Sweeps or Forestry Arrangement.</p>	<p>\$454,540</p>
<p>464-5817</p> <p>D6 XE 20 LGP VPAT TTT CFG11 0</p> <p>LANE 2 - AVAILABLE FROM EAST PEORIA FACTORY LANE 3 - AVAILABLE FROM EAST PEORIA FACTORY</p> <p>90 inch gauge. 8 roller track frame. 10 roller track frame optional for fine grading applications. Up to 30 inch track shoes available. Low ground pressure (6.1 psi) capability. AVAILABLE FOR: Australia / New Zealand dealers ONLY when ordered with Sweeps or Forestry Arrangement.</p>	<p>\$472,400</p>

CATERPILLAR MACHINE PRICE LIST

D6XE

D6XE TRACK TYPE TRACTOR EAST PEORIA, IL, USA (SAP)	Ship Weight lbs	LIST PRICE AT DEALER
---	--------------------	-------------------------

464-5818 D6 XE 20 LGP VPAT TTT CFG12 0		\$489,040
LANE 2 - AVAILABLE FROM EAST PEORIA FACTORY		
LANE 3 - AVAILABLE FROM EAST PEORIA FACTORY		

94 inch gauge. 8 roller track frame. 10 roller track frame optional for fine grading applications.
 Up to 36 inch track shoes available.
 Ultra-low ground pressure (5.1 psi) capability.
 AVAILABLE FOR: Australia / New Zealand dealers ONLY when ordered with Sweeps or Forestry Arrangement.

OP-1676 D6 MISCELLANEOUS MATERIAL 0		NC
AVAILABLE FROM EAST PEORIA FACTORY		

Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

OP-3782 D6 MISCELLANEOUS MATERIAL 0		NC
AVAILABLE FROM EAST PEORIA PDC		

Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	FACTORY STOCK	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	----------------------	--------------------	-------------------------

FACTORY STOCK FOR AM-NORTH

Factory Stock is available for the previous model(D6T-19A.)
Please see <https://dealer.cat.com/en/home.html>

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION (Must Select)

OP-9001	LANE 1 ORDER	0	NC
	Select this option when ordering from the PDC.		

BLADES (Must Select One)

L	538-1334	BLADE, LGP VPAT	0	\$15,190 NI
		Blade capacity is 4.5m ³ /5.8 yd ³ . Includes finish dozing cutting edges, end bits and left, right, and center AccuGrade mounts. REQUIRES: 600-3482 D6 XE VPAT 20 TRACTOR DCA1 OR 600-3483 D6 XE VPAT 20 TRACTOR DCA2		
L	538-1335	BLADE, LGP VPAT	0	\$19,910 NI
		Blade capacity is 4.9m ³ /6.4 yd ³ . Includes finish dozing cutting edges end bits and left, right, and center AccuGrade mounts. REQUIRES: 600-3484 D6 XE VPAT 20 TRACTOR DCA3		

REAR ATTACHMENTS

L	458-2640	RIPPER, HIGH LIFT	0	\$23,570 NI
		ONLY AVAILABLE AS MISCELLANEOUS ORDER FROM THE PDC High lift capability for increased departure angle. Can accommodate 3 teeth (not included). NOTE: Machines with 36" shoes are not recommended for normal ripping applications. When installed with 36" shoes, this ripper is intended ONLY for scarifying applications. D6/D6XE RIPPERS ARE NOT COMPATIBLE WITH PREVIOUS D6T. PREVIOUS D6T RIPPERS ARE NOT COMPATIBLE WITH D6/D6XE.		
L	471-7300	DRAWBAR	0	\$1,505 NI
		ONLY AVAILABLE AS MISCELLANEOUS ORDER FROM THE PDC		

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

SPECIAL ARRANGEMENTS

L	464-5587	BASIC ARRANGEMENT	0	NC
		Common pusharm and VPAT configuration for general applications.		

L	464-5589	WASTE HANDLING ARR, PUSHARM	0	\$19,980
---	----------	--	---	----------

FOR USE IN LANE 3 ONLY
 Includes cab with impact resistant polycarbonate doors and attachments for high debris applications.

INCLUDES:

- 583-9464 CAB, HIGH DEBRIS
- 464-5557 PRECLEANER, WITH SCREEN
- 464-5175 ALTERNATOR, 150 AMP, DUCTED
- 511-6789 SEALS, HIGH DEBRIS
- 589-3554 LIGHT, WARNING
- 505-6705 GRAB HANDLES, HD, PUSHARM
- 588-1061 PRECLEANER, CAB POWERED
- 588-6170 FLOOR, CAB, QUICK ACCESS

RECOMMENDED OPTION: 513-6215 STRIKER BOX
 571-6178 LIGHTS,12,LED,PREMIUM PUSHARM or
 571-7818 LIGHTS,12,LED,PREMIUM PUSHARM
 533-5463 GUARD, LIGHTS, PREMIUM, PA

REQUIRES: ENGINE, THERMAL SHIELD

- 522-7670 GUARD, FUEL TANK or
- 475-7084 GUARD, FUEL TANK, FAST FILL
- FINAL DRIVE, GUARDED
- UNDERCARRIAGE, HDXL, WASTE
- TRACKS, HEAVY DUTY
- 471-7279 GUARD, BTM, SEALED,HD, PUSHARM
- 564-8430 GUARD, REAR WITH SEALS (IF NO STRIKER BOX)
- BULLDOZER INSTALLATION PACKAGE, GUARDED
- BLADE, WASTE

ONLY FOR USE WITH: 464-5813 D6 XE 20 TTT CFG7
 464-5814D6 XE 20 LGP TTT CFG8
 464-5815 D6 XE 20 LGP TTT CFG9

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

L	464-5592	<p>WASTE HANDLING ARR, VPAT 0</p> <p>FOR USE IN LANE 3 ONLY Includes cab with impact resistant polycarbonate doors and attachments for high debris applications. INCLUDES: 583-9464 CAB, HIGH DEBRIS 464-5557 PRECLEANER, WITH SCREEN 464-5175 ALTERNATOR, 150 AMP, DUCTED 581-7411 SEALS, HIGH DEBRIS, VPAT 589-3554 LIGHT, WARNING 505-6967 GRAB HANDLES, HEAVY DUTY, VPAT 588-1061 PRECLEANER, CAB POWERED 588-6170 FLOOR, CAB, QUICK ACCESS</p> <p>RECOMMENDED OPTION: 513-6215 STRIKER BOX 571-6187 LIGHTS, 12, LED, PREMIUM VPAT 606-4162 GUARD, LIGHTS, PREMIUM, VPAT</p> <p>REQUIRES: ENGINE, THERMAL SHIELD 522-7670 GUARD, FUEL TANK OR 475-7084 GUARD, FUEL TANK, FAST FILL FINAL DRIVE, GUARDED UNDERCARRIAGE, HDXL, WASTE TRACKS, HEAVY DUTY 564-8430 GUARD, REAR WITH SEALS (IF NO STRIKER BOX)</p> <p>ONLY FOR USE WITH: 464-5816 D6 XE 20 VPAT TTT CFG10 464-5817 D6 XE 20 LGP VPAT TTT CFG11 464-5818 D6 XE 20 LGP VPAT TTT CFG12</p>	0	\$19,980
L	464-5588	<p>FORESTRY ARRANGEMENT, PUSHARM 0</p> <p>FOR USE IN LANE 3 ONLY Includes forestry cab with impact resistant polycarbonate doors, forestry (closed) sweeps, premium (12) lights and light guards, side and rear screens, and other features required for forestry applications. INCLUDES: 583-9465 CAB, HEAVY DUTY 600-1435 SCREENS, SIDE 599-7940 SCREEN, REAR, HINGED 511-6789 SEALS, HIGH DEBRIS 533-5463 GUARD, LIGHTS, PREMIUM, PA 505-6705 GRAB HANDLES, HD, PUSHARM SWEEP, FORESTRY</p> <p>REQUIRES: 522-7670 GUARD, FUEL TANK or 475-7084 GUARD, FUEL TANK, FAST FILL 471-7279 GUARD, BTM, SEALED,HD, PUSHARM 571-6178 LIGHTS,12,LED,PREMIUM PUSHARM or 571-7818 LIGHTS,12,LED,PREMIUM PUSHARM</p> <p>ONLY FOR USE WITH: 464-5813 D6 XE 20 TTT CFG7 464-5814D6 XE 20 LGP TTT CFG8 464-5815 D6 XE 20 LGP TTT CFG9</p>	0	\$18,330

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SPECIAL ARRANGEMENTS (CONT.)

L	464-5591	FORESTRY ARRANGEMENT, VPAT 0 FOR USE IN LANE 3 ONLY Includes forestry cab with impact resistant polycarbonate doors, forestry (closed) sweeps premium (12) lights and light guards, side and rear screens, and other features required for forestry applications. INCLUDES: 583-9465 CAB, HEAVY DUTY 600-1435 SCREENS, SIDE 599-7940 SCREEN, REAR, HINGED 581-7411 SEALS, HIGH DEBRIS, VPAT 571-6187 LIGHTS, 12, LED, PREMIUM VPAT 606-4162 GUARD, LIGHTS, PREMIUM, VPAT 505-6967 GRAB HANDLES, HEAVY DUTY, VPAT SWEEPS, FORESTRY REQUIRES: 522-7670 GUARD, FUEL TANK or 475-7084 GUARD, FUEL TANK, FAST FILL ONLY FOR USE WITH: 464-5816 D6 XE 20 VPAT TTT CFG10 464-5817 D6 XE 20 LGP VPAT TTT CFG11 464-5818 D6 XE 20 LGP VPAT TTT CFG12	0	\$20,340
L	567-2132	OPEN SWEEPS, PUSHARM 0 FOR USE IN LANE 3 ONLY INCLUDES:SWEEPS, OPEN RECOMMENDED 583-9465 CAB, HEAVY DUTY 599-7940 SCREEN, REAR, HINGED 511-6789 SEALS, HIGH DEBRIS 533-5463 GUARD, LIGHTS, PREMIUM, VPAT PREMIUM LIGHTS, 12, LED REQUIRES: 522-7670 GUARD, FUEL TANK or 475-7084 GUARD, FUEL TANK, FAST FILL and 505-6705 GRAB HANDLES, HD, PUSHARM 471-7279 GUARD, BTM, SEALED,HD, PUSHARM or ONLY FOR USE WITH: 464-5813 D6 XE 20 TTT CFG7 464-5814D6 XE 20 LGP TTT CFG8 464-5815 D6 XE 20 LGP TTT CFG9	0	\$7,390
L	567-2133	OPEN SWEEPS, VPAT 0 FOR USE IN LANE 3 ONLY INCLUDES: SWEEPS, OPEN RECOMMENDED: 583-9465 CAB, HEAVY DUTY 599-7940 SCREEN REAR, HINGED 581-7411 SEALS, HIGH DEBRIS, VPAT 606-4162 GUARD, LIGHTS, PREMIUM, VPAT PREMIUM LIGHTS, 12, LED REQUIRES: 522-7670 GUARD, FUEL TANK or 475-7084 GUARD, FUEL TANK, FAST FILL 505-6967 GRAB HANDLES, HEAVY DUTY, VPAT ONLY FOR USE WITH: 464-5816 D6 XE 20 VPAT TTT CFG10 464-5817 D6 XE 20 LGP VPAT TTT CFG11 464-5818 D6 XE 20 LGP VPAT TTT CFG12	0	\$7,390

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN

FINAL DRIVE ARRANGEMENTS

**76" (1930 MM) GAUGE FINAL DRIVES
 (FOR USE WITH 464-5813 D6-20 XE TTT CFG7 ONLY)**

L	464-5180	FINAL DRIVE, 76" (1930 MM)	0	NC
		Includes two basic final drives for 76" gauge tractor.		
L	464-5181	FINAL DRIVE, 76"(1930 MM), GRD	0	\$18, 620
		FOR USE IN LANE 3 ONLY		
		Includes two final drives with labyrinth outer guard rings for 76" gauge tractor. For applications where protection from winding materials is needed. Final drive guards and the labyrinth provide additional protection for Duo Cone seals.		
		REQUIRED BY: 464-5589 WASTE HANDLING ARR, PUSHARM		

**82" (2083 MM) GAUGE FINAL DRIVES
 (FOR USE WITH 464-5814 D6-20 XE LGP TTT CFG8 OR 464-5816 D6-20 XE VPAT TTT CFG10 ONLY)**

L	464-5183	FINAL DRIVE, 82" (2083 MM)	0	NC
		Includes two basic final drives for 82" gauge tractor.		
L	464-5184	FINAL DRIVE, 82"(2083 MM), GRD	0	\$18, 620
		FOR USE IN LANE 3 ONLY		
		Includes two final drives with labyrinth outer guard rings for 82" gauge tractor. For applications where protection from winding materials is needed. Final Drive guards and the labyrinth provide additional protection for Duo Cone seals.		
		REQUIRED BY: 464-5589 WASTE HANDLING ARR, PUSHARM or 464-5592 WASTE HANDLING ARR, VPAT		

**90" (2286 MM) GAUGE FINAL DRIVES
 (FOR USE WITH 464-5815 D6-20 XE LGP TTT CFG9 OR 464-5817 D6-20 XE LGP VPAT TTT CFG11 ONLY)**

L	464-5186	FINAL DRIVE, 90" (2286 MM)	0	NC
		Includes two basic final drives for 90" gauge tractor.		
L	464-5187	FINAL DRIVE, 90"(2286 MM), GRD	0	\$18, 620
		FOR USE IN LANE 3 ONLY		
		Includes two final drives with labyrinth outer guard rings for 90" gauge tractor. For applications where protection from winding materials is needed. Final drive guards and the labyrinth provide additional protection for Duo Cone Seals.		
		REQUIRED BY: 464-5589 WASTE HANDLING ARR, PUSHARM or 464-5592 WASTE HANDLING ARR, VPAT		

**94" (2388 MM) GAUGE FINAL DRIVES
 (FOR USE WITH 464-5818 D6-20 XE LGP VPAT TTT CFG12 ONLY)**

L	464-5189	FINAL DRIVE, 94" (2388MM)	0	NC
		Includes two basic final drives for 94" gauge tractor.		

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN (CONT.)

94" (2388 MM) GAUGE FINAL DRIVES (Cont.)

L	464-5190	FINAL DRIVE, 94" (2388MM), GRD 0		\$18,620
		FOR USE IN LANE 3 ONLY Includes two final drives with labyrinth outer guard rings for 94" gauge tractor. For applications where protection from winding materials is needed. Final drive guards and the labyrinth provide additional protection for Duo Cone Seals. REQUIRED BY: 464-5592 WASTE HANDLING ARR, VPAT		

ENGINE ARRANGEMENT

All Engines are C9.3B Diesel Engines EPA/ARB Tier 4 Final with Aftertreatment.

L	464-5206	ENGINE, XE, STANDARD 0		NC
L	464-5207	ENGINE, XE, THERMAL SHIELD 0		\$11,420
		FOR USE IN LANE 3 ONLY Provides thermal insulation covering for the machine exhaust system. For use in high debris applications such as waste handling and woodchip. REQUIRED BY: 464-5589 WASTE HANDLING ARR, PUSHARM 464-5592 WASTE HANDLING ARR, VPAT		

ENGINE AIR PRECLEANERS

L	464-5556	PRECLEANER, BASIC. 0		NC
L	464-5557	PRECLEANER, WITH SCREEN. 0		\$1,440
		FOR USE IN LANE 3 ONLY For use in heavy debris applications. May improve filter life. INCLUDED IN: 464-5589 WASTE HANDLING ARR, PUSHARM 464-5592 WASTE HANDLING ARR, VPAT		

OIL CHANGE SYSTEM

L	460-4590	OIL DRAIN, BASIC 0		NC
L	460-4580	OIL CHANGE SYSTEM, HIGH SPEED 0		\$920
		Easy access Wiggins connectors and remote engine and powertrain drain lines for quick, and easy oil changes without having to use gravity drains.		

UNDERCARRIAGE

Customers should carefully select between CAT ABRASION and Heavy Duty Undercarriage based on expected underfoot and application. Please refer to the Undercarriage Application Guide.
https://oneclick.cat.com/files/UAGuide_3_27_13/index.html or PEBJ0024

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

UNDERCARRIAGE (CONT.)

UNDERCARRIAGE SYSTEMS

- 1) Heavy Duty Extended Life (HDXL): For use in all applications. Track bushings can be turned and re-sealed mid-life. Press-fit bushings and PPR2 pin retention are particularly well suited for impact applications such as forestry, waste, rock, or v-ditching. Heavy Duty Extended Life with Duralink.
- 2) CAT ABRASION for use in low to moderate impact applications and moderate to high abrasion underfoot. A rotating bushing reduces

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

UNDERCARRIAGE (CONT.)

bushing and sprocket wear rate. Relieved Tread Idlers provide longer link wear life and improve finish grading by reducing link scallop. Not for use in high impact waste.

TRACK ROLLERS AND GUIDE GUARDS

The undercarriage selection provides options for track rollers and guide-guards to prevent track derailing on side slopes or rough underfoot. Guards also prevent flow of debris into the track. Derailing and debris can put damaging loads into the track and undercarriage system. Choose a guide-guard arrangement based on underfoot and applications as described below.

TRACK ROLLERS

1) **SINGLE FLANGE(S)**: Bottom rollers have flanges that guide only on the outside edge of each track chain. Cat Abrasion Undercarriage uses all single flange track rollers (SSSSSSSS).

2) **DOUBLE FLANGE(D)**: Bottom rollers have flanges that guide along the outer and inner edges of each track chain. They provide basic guiding but will not fully prevent track derail if used on side slopes steeper than 4:1. Flange diameter is the same as Single Flange, which allows for full UC system wear before flanges contact track pin bosses.

3) **TALL DOUBLE FLANGE(T)**: Bottom rollers have taller outer and inner flanges to better engage the track. Tall flanges provide superior guiding for slopes steeper than 4:1 and minimize track derail. The taller flanges can contact track pin bosses in the last 10-15% of UC system wear life.

TRACK GUIDE GUARDS

1) **CENTER GUIDE**: Light track guiding with single center track guide guard. HDXL center guide undercarriage has bottom rollers alternating Single/Double flange (SDSDDSDS). For applications with side slopes 4:1 and shallower, ground objects up to 1"; and little, if any, V-ditching.

2) **PARTIAL GUIDE**: Moderate track guiding with two center track guide guards. HDXL partial guide undercarriage has double flange bottom rollers in all positions except end rollers (SDDDDDDS). For infrequent use on side slopes between 4:1 and 2:1; ground objects 1" to 3"; and low to moderate V-ditching.

3) **PARTIAL GUIDE, TALL FLANGE**: Moderate track guiding with two center track guide-guards. HDXL partial guide with tall flange UC includes tall double flange bottom rollers in all positions except end rollers (STTTTTTS). For frequent use on side slopes between 4:1 and 2:1; ground objects 1" to 3"; and low to moderate V-ditching.

4) **FULL GUIDE**: Heavy track guiding with full length track guide-guards. HDXL full guide undercarriage includes tall double flange bottom rollers in all positions except end rollers (STTTTTTS). For applications with side slopes 2:1 and steeper; with ground objects greater than 3", and frequent v-ditching. Not for use in applications with wet, heavy, packable underfoot material.

OPTIONAL ARRANGEMENT

1) **WASTE**: Includes Kevlar guarded, sealed idlers to help prevent Wire Wrap and keep debris out. includes center guides.

2) **FINE GRADING**: Includes 10 bottom rollers for smoother grades at higher speeds, even in difficult surfaces likes sand and gravel.

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

42 SECTIONS UNDERCARRIAGE ARRANGEMENTS

(FOR USE WITH 464-5813 D6-20 XE TTT CFG7 or 464-5814 D6-20 XE LGP TTT CFG8 ONLY)

Not for use with Waste unless otherwise specified.

L	578-2382	UNDERCARRIAGE, HDXL	0	NC
L	578-2383	UNDERCARRIAGE, HDXL, PART GDE	0	\$4,495
L	604-8214	UC, HDXL, PART GUIDE, TALL	0	\$4,750
L	578-2387	UNDERCARRIAGE, HDXL, FULL GDE	0	\$4,965
		FOR USE IN LANE 3 ONLY		
L	578-2385	UNDERCARRIAGE, HDXL, WASTE	0	\$3,730
		FOR USE IN LANE 3 ONLY		
L	578-2381	UNDERCARRIAGE, ABR, PART GDE	0	\$10,920
		FOR USE IN LANE 3 ONLY		
		Undercarriage, ABR, Part Guide, 42 Section, 8 Roller.		
L	578-2386	UNDERCARRIAGE, ABR, FULL GDE	0	\$16,240
		FOR USE IN LANE 3 ONLY		
		Undercarriage, ABR, Full Guide, 42 Section, 8 Roller.		

45 SECTION UNDERCARRIAGE ARRANGEMENTS

(FOR USE WITH 464-5815 D6-20 XE LGP TTT CFG9 ONLY)

Not for use with Waste unless otherwise specified.

L	464-5412	UNDERCARRIAGE, HDXL, CTR GUIDE	0	NC
L	464-5413	UNDERCARRIAGE, HDXL, PART GDE	0	\$2,675
L	464-5414	UNDERCARRIAGE, HDXL, FULL GUIDE	0	\$4,930
		FOR USE IN LANE 3 ONLY		
L	464-5415	UNDERCARRIAGE, HDXL, WASTE	0	\$4,150
		FOR USE IN LANE 3 ONLY		
L	464-5409	UNDERCARRIAGE, ABR, PART GDE	0	\$18,940
L	464-5410	UNDERCARRIAGE, ABR, FULL GDE	0	\$23,290
		FOR USE IN LANE 3 ONLY		
L	542-5766	UC, HDXL, FINE GRADING	0	\$5,850
		10 rollers arrangement with part guide		
L	604-8215	UC, HDXL, PART GUIDE, TALL	0	\$2,930
L	542-5764	UC, ABR, FINE GRADING	0	\$22,100
		FOR USE IN LANE 3 ONLY		
		10 rollers arrangement with part guide		

45 section UNDERCARRIAGE ARRANGEMENTS

(FOR USE WITH 464-5816 D6-20 XE VPAT TTT CFG10 ONLY)

Not for use with Waste unless otherwise specified.

L	542-5760	UNDERCARRIAGE, HDXL, CTR GUIDE	0	NC
L	542-5761	UNDERCARRIAGE, HDXL, PART GDE	0	\$4,485
L	604-8218	UC, HDXL, PART GUIDE, TALL	0	\$4,740
		FOR USE IN LANE 3 ONLY		

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

45 section UNDERCARRIAGE ARRANGEMENTS (Cont.)

L	542-5762	UNDERCARRIAGE, HDXL, FULL GDE 0 FOR USE IN LANE 3 ONLY		\$4,940
L	542-5758	UNDERCARRIAGE, ABR, PART GDE 0 FOR USE IN LANE 3 ONLY		\$12,940
L	542-5759	UNDERCARRIAGE, ABR, FULL GDE 0 FOR USE IN LANE 3 ONLY		\$18,260

46 SECTIONS UNDERCARRIAGE ARRANGEMENTS

(FOR USE WITH 464-5817 D6-20 XE LGP VPAT TTT CFG11 or 464-5818 D6-20 XE LGP VPAT TTT CFG12 ONLY)

Not for use with Waste unless otherwise specified.

L	464-5420	UNDERCARRIAGE, HDXL, CTR GUIDE 0		NC
L	464-5421	UNDERCARRIAGE, HDXL, PART GDE 0		\$3,590
L	604-8217	UC, HDXL, PART GUIDE, TALL 0		\$3,840
L	464-5422	UNDERCARRIAGE, HDXL, FULL GDE 0 FOR USE IN LANE 3 ONLY		\$4,940
L	464-5423	UNDERCARRIAGE, HDXL, WASTE 0 FOR USE IN LANE 3 ONLY		\$5,060
L	464-5417	UNDERCARRIAGE, ABR, PART GDE 0		\$12,230
L	464-5418	UNDERCARRIAGE, ABR, FULL GDE 0 FOR USE IN LANE 3 ONLY		\$17,040
L	542-5771	UC, HDXL, FINE GRADING 0 10 rollers arrangement with part guide		\$6,760
L	542-5769	UC, ABR, FINE GRADING 0 10 rollers arrangement with part guide		\$15,390

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TRACK GROUPS

- 1) **MODERATE SERVICE(MS):** Moderate Service shoe is the best shoe for low to medium impact and abrasive conditions. It gives the best penetration and traction, resists wear and bending and is available in various widths and modifications.
- 2) **EXTREME SERVICE(ES):** Extreme Service shoes should be used wherever the Moderate Service shoe bends or breaks, or when links outlast shoes. Extreme Service shoes are both stronger to resist bending and breaking and have more allowable wear and material than the Moderate Service shoe.
- 3) **CENTER(CTR):** CAT ABRASION track includes center holes which reduce extrudable packing between the shoe and the bushing since the holes allow the sprocket to punch out dirt and debris. Recommended for applications where debris tends to pack in the track causing the track to tighten and accelerate bushing wear.
- 4) **TRAPEZOIDAL(TRAP):** HDXL track includes trapezoidal holes which reduce extrudable packing between the shoe and the bushing since the holes allow the sprocket to punch out dirt and debris. Recommended for applications where debris tends to pack in the track causing the track to tighten and accelerate bushing wear.

**TRACK PAIRS (42 section)
 (FOR USE WITH 464-5813 D6-20 TTT CFG7 ONLY)**

L	545-3920	TRACK, 22" MS HDXL	0	NC
		FOR USE IN LANE 3 ONLY		
L	545-3922	TRACK, 22" ES HDXL	0	\$1, 945
		FOR USE IN LANE 3 ONLY		
L	596-7439	TRACK, 22" MS, ABR	0	\$318
		FOR USE IN LANE 3 ONLY		
L	509-7372	TRACK, 22" ES S1	0	\$2, 245
		FOR USE IN LANE 3 ONLY		
L	545-3926	TRACK, 24" MS HDXL	0	\$950
L	545-3928	TRACK, 24" ES HDXL	0	\$3, 060
L	596-7386	TRACK, 24" MS, ABR	0	\$1, 250
		FOR USE IN LANE 3 ONLY		
L	596-7401	TRACK, 24" ES, ABR	0	\$3, 360
		FOR USE IN LANE 3 ONLY		
L	545-3930	TRACK, 610MM/24" ES TRAP HDXL	0	\$4, 425
		FOR USE IN LANE 3 ONLY		

**Track Pairs (42 section)
 (FOR USE WITH 464-5814 D6-20 XE LGP TTT CFG8 ONLY)**

L	545-3932	TRACK, 30" MS HDXL	0	NC
L	545-3934	TRACK, 30" ES HDXL	0	\$2, 645
L	545-3936	TRACK, 30" ES TRAP HDXL	0	\$4, 355
		FOR USE IN LANE 3 ONLY		

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

Track Pairs (42 section) (Cont.)

L	509-7416	TRACK, 760MM / 30" MS S1 FOR USE IN LANE 3 ONLY	0	\$318
L	596-7412	TRACK, 30" ES, ABR FOR USE IN LANE 3 ONLY	0	\$2,945

Track Pairs (45 section)

(FOR USE WITH 464-5815 D6-20 XE LGP TTT CFG9 ONLY)

L	545-3944	TRACK, 36" MS HDXL	0	NC
L	545-3946	TRACK, 36" ES HDXL	10,961	\$3,480
L	545-3948	TRACK, 36" ES TRAP HDXL FOR USE IN LANE 3 ONLY	0	\$9,100
L	596-7462	TRACK, 36" MS, ABR	0	\$327
L	596-7464	TRACK, 36" ES, ABR FOR USE IN LANE 3 ONLY	0	\$3,730

Track Pairs (45 section)

(FOR USE WITH 464-5816 D6-20 XE VPAT TTT CFG10 ONLY)

L	545-3958	TRACK, 24" MS HDXL	0	NC
L	545-3960	TRACK, 24" ES HDXL	0	\$1,945
L	385-2692	TRACK, 24" MS S1 FOR USE IN LANE 3 ONLY	0	\$-1,715
L	596-7488	TRACK, 24" ES, ABR FOR USE IN LANE 3 ONLY	0	\$565

Track Pairs (46 Section)

(FOR USE WITH 464-5817 D6-20 XE LGP VPAT TTT CFG11 ONLY)

L	545-3972	TRACK, 30" MS HDXL	0	NC
L	545-3974	TRACK, 30" ES HDXL	0	\$5,330
L	545-3976	TRACK, 30" ES TRAP HDXL FOR USE IN LANE 3 ONLY	0	\$6,900
L	596-7446	TRACK, 30" MS, ABR	0	\$328
L	596-7522	TRACK, 30" ES, ABR	0	\$3,030

Track Pairs(46 section)

(FOR USE WITH 464-5818 D6-20 XE LGP VPAT TTT CFG12 ONLY)

L	545-3978	TRACK, 36" MS HDXL	0	NC
L	545-3980	TRACK, 36" ES HDXL	0	\$5,330
L	545-3982	TRACK, 36" ES TRAP HDXL FOR USE IN LANE 3 ONLY	0	\$6,900

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

Track Pairs(46 section) (Cont.)

L	596-7495	TRACK, 36" MS, ABR	0	\$2,590
L	596-7520	TRACK, 36" ES, ABR	0	\$5,570
		FOR USE IN LANE 3 ONLY		

HYDRAULICS

HYDRAULIC FAN

Hydraulically driven, auto-reversing fan which changes direction automatically to purge debris from radiator and enclosures. Also includes a hydraulic valve that allows for zero fan speed to improve cold weather performance.

L	460-7149	FAN, REVERSING, PUSHARM	0	NC
L	471-0420	FAN, REVERSING, VPAT	0	NC

REAR HYDRAULICS

Includes hydraulic valve and lines for operation of ripper.

L	464-5463	HYDRAULICS, PUSHARM	0	NC
L	464-5464	HYDRAULICS, VPAT	0	NC

WINCH HYDRAULICS

L	460-4585	HYDRAULICS, WINCH READY LINES	0	NC
		Includes lines needed for operation of winch or ripper as rear attachment. Lines only.		

REAR ATTACHMENT CONTROLS

L	464-5459	CONTROL, RIPPER	0	NC
L	464-5460	CONTROL, RIPPER/WINCH	0	\$1,035
		Required for use with winch.		

STARTERS, BATTERIES, & ALTERNATORS

ALTERNATORS

L	464-5174	ALTERNATOR, 150 AMP	0	NC
L	464-5175	ALTERNATOR, 150 AMP, DUCTED	0	\$710
		FOR USE IN LANE 3 ONLY Recommended for use in high debris environment. INCLUDED IN: WASTE HANDLING ARRANGEMENT		

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

LIGHTING GROUP

L	571-6177	LIGHTS, 6 LED, PUSHARM 0 6 LED lights with 800 lumens each for added visibility. 2 mounted on front facing forward, 2 mounted on cab facing forward and 2 more mounted on cab facing rear. ONLY FOR USE WITH: 464-5813 D6 XE 20 TTT CFG7 or 464-5814 D6 XE 20 LGP TTT CFG8		\$645
L	571-7817	LIGHTS, 6 LED, PUSHARM 0 6 LED lights with 800 lumens each for added visibility. 2 mounted on front facing forward, 2 mounted on cab facing forward and 2 more mounted on cab facing rear. ONLY FOR USE WITH: 4645815 D6 XE 20 LGP TTT CFG9		\$645
L	571-6186	LIGHTS, 6 LED, VPAT 0 6 LED lights with 800 lumens each for added visibility. 2 mounted on front facing forward, 2 mounted on cab facing forward and 2 more mounted on cab facing rear. ONLY FOR USE WITH: D6 20 XE VPAT TTT CFG10 or D6 20 XE LGP VPAT TTT CFG11 or D6 20 XE LGP VPAT TTT CFG12		\$645
L	571-6178	LIGHTS, 12, LED, PREMIUM PUSHARM 0 Adds 6 additional LED lights to basic arrangement with output of 1500 lumens each. Provides 2 more lights mounted on front of dozer and 2 more mounted on each rear cab corner for a total of 360 degrees of visibility. ONLY FOR USE WITH: 464-5813 D6 XE 20 TTT CFG7 or 464-5814 D6 XE 20 LGP TTT CFG8 REQUIRED BY: 464-5588 FORESTRY ARRANGEMENT, PUSHARM		\$2,010
L	571-7818	LIGHTS, 12, LED, PREMIUM PUSHARM 0 Adds 6 additional LED lights to basic arrangement with output of 1500 lumens each. Provides 2 more lights mounted on front of dozer and 2 more mounted on each rear cab corner for a total of 360 degrees of visibility. ONLY FOR USE WITH: 464-5815 D6 XE 20 LGP TTT CFG9 REQUIRED BY: 464-5588 FORESTRY ARRANGEMENT, PUSHARM		\$2,010
L	571-6187	LIGHTS, 12, LED, PREMIUM VPAT 0 Adds 6 additional LED lights to basic arrangement with output of 1500 lumens each. Provides 2 more lights mounted on radiator guard facing forward and 2 more mounted on each rear cab corner for a total of 360 degrees of visibility. ONLY FOR USE WITH: D6 20 XE VPAT TTT CFG10 or D6 20 XE LGP VPAT TTT CFG11 or D6 20 XE LGP VPAT TTT CFG12 INCLUDED IN: 464-5591 FORESTRY ARRANGEMENT, VPAT		\$2,010

OPERATOR ENVIRONMENT

OPERATOR STATION

L	564-0762	CAB, STANDARD 0 Screen ready cab. Laminated safety glass with sliding side windows. SEE LIST OF STANDARD EQUIPMENT FOR ADDITIONAL DETAIL ONLY FOR USE WITH: 590-0862 D6 XE VPAT 20A TRACTOR DCA1		\$5,920
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

OPERATOR STATION (Cont.)

L	583-9463	CAB, PREMIUM 0 Includes adjustable armrest, laminated safety glass, sliding side windows and screen ready cab. Cab is Remote Control (RC) ready.		\$3,165
L	583-9464	CAB, HIGH DEBRIS 0 FOR USE IN LANE 3 ONLY For high debris or waste applications. Includes features of the premium cab plus poly-carbonate glass doors for added impact resistance. Cab side windows are solid for improved pressurization. Cab is Remote Control (RC) ready. INCLUDED IN: WASTE HANDLING ARRANGEMENTS		\$6,090
L	583-9465	CAB, HEAVY DUTY 0 FOR USE IN LANE 3 ONLY For heavy duty or forestry applications. Includes features of the premium cab plus poly-carbonate glass doors for added impact resistance. Cab is Remote Control (RC) ready. INCLUDED IN: FORESTRY ARRANGEMENTS		\$5,580

CAB SEATS

L	470-7252	SEAT, STANDARD 0 Comfort plus cloth seat with mechanical lumbar support.		NC
L	560-9088	SEAT, HEATED & VENTILATED 0 Comfort premium leather seat. Heated and ventilated. Side and back cushion bolsters. Air adjust upper and lower lumbar support.		\$1,750

CAB FLOOR

L	543-1114	FLOOR, CAB, PREMIUM 0 Includes adjustable footrests and a thick floor plate for noise reduction in the operators station.		\$248
L	588-6170	FLOOR, CAB, QUICK ACCESS 0 Provides quick tool-less access to below cab floor opening floor. Includes adjustable footrests and a thick floor plate for noise reduction in the operators station. INCLUDED IN: 464-5589 WASTE HANDLING ARR, PUSHARM and 464-5592 WASTE HANDLING ARR, VPAT		\$1,110

VISIBILITY ARRANGEMENT

L	577-8623	REAR CAMERA. 0 The camera system can be used to enhance operator visibility of surroundings, or provide a better view of the work tool. The camera display is viewed thru the primary display while machine is in reverse. It is compact, rugged, reliable and simple to use. It is designed to be operated in the "automatic" mode where the display remains in standard mode until the machine is placed in reverse gear.		\$515
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

VISIBILITY ARRANGEMENT (Cont.)

L	565-0836	VISIBILITY ARR, SINGLE CAMERA 0		NC
		The camera system can be used to enhance operator visibility of surroundings, or provide a better view of the work tool. The camera display is viewed thru the primary display while machine is in reverse. It is compact, rugged, reliable and simple to use. It is designed to be operated in the "automatic" mode where the display remains in standard mode until the machine is placed in reverse gear. ONLY FOR USE WITH: 590-0862 D6 XE VPAT 20A TRACTOR DCA1		

CAB AIR PRECLEANER

L	441-9252	AIR FILTER, CAB 0		NC
		Provides an external and accessible cartridge with a cylindrical filter to prevent the cab from normal dust intrusions.		
L	588-1061	PRECLEANER, CAB POWERED 0		\$2,910
		Provides powered pre-cleaner with advanced cabin filtration that helps provide cleaner operator environment. Recommend in high debris applications. Includes: -Extended service times for air filter -Improved cabin pressurization to keep dirt out -External accessible cartridge with cylindrical filter (MERV16) to prevent the cab from normal dust intrusions. -upgrade compatible with HEPA with activated carbon for order control filtration. INCLUDED IN: 464-5589 WASTE HANDLING ARR, PUSHARM and 464-5592 WASTE HANDLING ARR, VPAT		

RADIO

L	579-5779	RADIO, AM/FM 0		\$565
		12V AM/FM stereo with Bluetooth technology and USB connection. Includes individual bass/treble controls, loudness adjustment and station pre-set capability.		

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS

A complete range of tools are available to match customer applications and dozing automation needs.

- 1) **SLOPE INDICATE:** Provides operator real time machine cross slope and mainfall information on the primary display.
- 2) **BLADE LOAD MONITOR:** Provides real time feedback of the current load vs. the target machine load to fully utilize machine capacity. Feature not operational indoors or in areas where a GPS signal is available.
- 3) **STABLE BLADE:** Complements the operators blade inputs to attain finish grades quicker with less effort.
- 4) **SLOPE ASSIST:** Helps operators reach cross slope and mainfall targets by automatically maintaining the dozer blades established blade angles. This feature does not require a base station, laser transmitter, design file, or additional hardware
- 5) **TRACTION CONTROL:** Automatically prevents excessive track slip to improve efficiency and reduce burden on operator. Feature not upgraded operational indoors or in areas where a GPS signal is not available.
- 6) **AUTOCARRY:** Automates blade lift to maximize blade load, improved load consistency, and reduce track slip. Feature not operational indoors or in areas where a GPS signal is not available. display,
- 7) **ARO (Attachment Ready Option):** Allows machine to easily be upgraded to Cat Grade with 3D integrated grade control systems or Accugrade GNSS, laser, or UTS blade mounted Grade Control Systems. ARO includes IMU sensors, EC520 controller, wiring, and mounting brackets. Upgrading to Cat Grade With 3D after build requires grade display, GNSS receivers and antennas, data corrections solutions, SITECH provided Grade license files, and Caterpillar provided SEA, part number 513-5980. Dealer to provide price for additional hardware and software.
- 8) **GRADE W/3D:** Cat Grade with 3D is a factory installed, integrated grade control system with chassis mounted sensors and GNSS antennas mounted to roof of cab. Includes grade display, GNSS receivers and antennas, GRADE license files, and Caterpillar provided SEA. Additional requirements via Cat/SITECH Dealer include data corrections solution and measure up calibration.

Note: Availability varies by country. Contact your Caterpillar Marketing representative with questions.
 ARO w/ Assist: Includes G6:M6. Reference:
<https://dealer.cat.com/en/products/technology/construction-technology>
 for certified countries.
 GRADE 3D: Includes MS955 and RZ2. Reference:
[Dealer.cat.com/en/products/technology/construction-technology/grade](https://dealer.cat.com/en/products/technology/construction-technology/grade)
 for certified countries.

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

L	464-5453	ARO W/ASSIST 0 Includes Slope Indicate plus Stable Blade, Slope Assist, and ARO. ONLY FOR USE WITH: 590-0862 D6 XE VPAT 20A TRACTOR DCA1		\$5,730
L	587-7161	PREMIUM DISPLAY, NON ARO 0 Provides a 10" touchscreen display and glove box. INCLUDES: - SLOPE INDICATE		\$1,410
L	587-7162	ARO W/ ASSIST 0 Provides a 10" touchscreen display and glove box. INCLUDES: - SLOPE INDICATE - BLADE LOAD MONITOR - STABLE BLADE - SLOPE ASSIST - TRACTION CONTROL - AUTOCARRY - ATTACHMENT READY OPTION (ARO) CANNOT BE USED WITH: ANGLE BLADE		\$8,490
L	587-7163	GRADE W/3D 0 Provides a 10" touchscreen display and the secondary grade display INCLUDES: SLOPE INDICATE BLADE LOAD MONITOR STABLE BLADE SLOPE ASSIST TRACTION CONTROL AUTOCARRY ATTACHMENT READY OPTION (ARO) CANNOT BE USED WITH: SWEEPS OR ANGLE BLADE		\$58,500
L	587-7164	GRADE W/3D, SWEEPS 0 FOR USE IN LANE 3 ONLY Provides a 10" touchscreen display and the secondary grade display INCLUDES: SLOPE INDICATE BLADE LOAD MONITOR STABLE BLADE SLOPE ASSIST TRACTION CONTROL AUTOCARRY ATTACHMENT READY OPTION (ARO) ONLY FOR USE WITH: SWEEPS CANNOT BE USED WITH: ANGLE BLADE		\$58,500

JOYSTICK/CONTROLS

L	435-5756	JOYSTICK, STANDARD, PA 0 ONLY FOR USE WITH: 464-5813 D6 20 XE TTT CFG7 or 464-5814 D6 20 XE LGP TTT CFG8 or 464-5815 D6 20 XE LGP TTT CFG9 and 587-7161 PREMIUM DISPLAY, NON ARO		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

JOYSTICK/CONTROLS (Cont.)

L	435-5757	JOYSTICK, STANDARD, VPAT 0 ONLY FOR USE WITH: 464-5816 D6 20 XE VPAT TTT CFG10 or 464-5817 D6 20 XE LGP VPAT TTT CFG11 or 464-5818 D6 20 XE LGP VPAT TTT CFG12 and 587-7161 PREMIUM DISPLAY, NON ARO		NC
L	435-5758	JOYSTICK, ARO/GRADE, PA 0 ONLY FOR USE WITH: 464-5813 D6 20 XE TTT CFG7 or 464-5814 D6 20 XE LGP TTT CFG8 or 464-5815 D6 20 XE LGP TTT CFG9 CANNOT BE USED WITH: 587-7161 PREMIUM DISPLAY, NON ARO		NC
L	435-5759	JOYSTICK, ARO/GRADE, VPAT 0 ONLY FOR USE WITH: 464-5816 D6 20 XE VPAT TTT CFG10 or 464-5817 D6 20 XE LGP VPAT TTT CFG11 or 464-5818 D6 20 XE LGP VPAT TTT CFG12 and CANNOT BE USED WITH: 587-7161 PREMIUM DISPLAY, NON ARO		NC

DOZER CONTROL

L	594-7761	DOZER CTL, STANDARD, PA 0 ONLY FOR USE WITH: 464-5813 D6 20 XE TTT CFG7 464-5814 D6 20 XE LGP TTT CFG8 464-5815 D6 20 XE LGP TTT CFG9 587-7161 PREMIUM DISPLAY, NON ARO		NC
L	594-7759	DOZER CTL, STANDARD, VPAT 0 ONLY FOR USE WITH: 464-5816 D6 20 XE VPAT TTT CFG10 or 464-5817 D6 20 XE LGP VPAT TTT CFG11 or 464-5818 D6 20 XE LGP VPAT TTT CFG12 and 587-7161 PREMIUM DISPLAY, NON ARO		NC
L	594-7762	DOZER CTL, ARO/GRADE, PA 0 ONLY FOR USE WITH: 464-5813 D6 20 XE TTT CFG7 or 464-5814 D6 20 XE LGP TTT CFG8 CANNOT BE USED WITH: 587-7161 PREMIUM DISPLAY, NON ARO		NC
L	594-7763	DOZER CTL, ARO/GRADE, PA 0 ONLY FOR USE WITH: 464-5815 D6 20 XE LGP TTT CFG9 or CANNOT BE USED WITH: 587-7161 PREMIUM DISPLAY, NON ARO		NC
L	594-7760	DOZER CTL, ARO/GRADE, VPAT 0 ONLY FOR USE WITH: 464-5816 D6 20 XE VPAT TTT CFG10 or 464-5817 D6 20 XE LGP VPAT TTT CFG11 or 464-5818 D6 20 XE LGP VPAT TTT CFG12 and CANNOT BE USED WITH: 587-7161 PREMIUM DISPLAY, NON ARO		NC

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK

please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

Cab selection determines Product Link network manager. CAB, STANDARD uses PL602. All other cab selections use PL702.

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country

L	383-8226	NO PRODUCT LINK	0	NC
L	577-7697	PROD LINK, PLE643/PLE743 RADIO Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PL602 network manager (to make a PLE643 system) or PL702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.	0	NC
L	577-7698	PROD LINK, PLE683/PLE783 RADIO Product link radio package PLE683/PLE783 provides a dual mode PL083 radio for use where travel between areas of both cellular and satellite coverage is required. When the radio is used in combination with a PLE602 network manager (to make a PLE683 system) or PLE702 network manager (to make a PLE783 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.	0	\$446
L	509-4114	PROD LINK, DUAL PLE782 Product Link Elite series dual mode PLE782 (consisting of PL631 radio, PL641 radio and PLE702 network manager) uses a combination of cellular and satellite networks to transmit location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required. ONLY FOR USE WITH: 590-0862 D6 XE VPAT 20A TRACTOR DCA1	0	\$1,281

FUEL SYSTEMS

FUEL FILL SYSTEMS

L	471-4992	FUEL TANK, XE, FAST FILL Fuel tank ready for an optional 526-7834 NOZZLE, FAST FILL or refilling pump equipment	0	NC
---	----------	--	---	----

GUARDS

BOTTOM GUARDS

L	471-7277	GUARD, BOTTOM, PA ONLY FOR USE WITH: PUSHARM TRACTORS	0	NC
---	----------	--	---	----

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

GUARDS (CONT.)

BOTTOM GUARDS (Cont.)

L	471-7279	GUARD, BTM, SEALED,HD, PUSHARM 0 Includes heavy duty and sealed bottom guards. REQUIRED BY: 567-2132 OPEN SWEEP, PUSHARM 464-5589 WASTE HANDLING ARR, PUSHARM		\$2,175
L	471-6558	GUARD, BOTTOM, HD, VPAT 0 ONLY FOR USE WITH: VPAT TRACTORS		\$2,175

REAR GUARDS

L	471-5029	GUARD, NO SEALS 0 Guard at rear of case for extra protection at motor. REQUIRED BY: 491-3097 WINCH PKG,PA85, VARIABLE SPEED 513-6215 STRIKER BOX		NC
L	564-8430	GUARD, REAR WITH SEALS 0 FOR USE IN LANE 3 ONLY Heavy duty and sealed guards at rear of case to protect the motor in high debris applications. ONLY FOR USE WITH: WASTE HANDLING ARRANGEMENTS CANNOT BE USED WITH: 491-3097 WINCH PKG,PA85, VARIABLE SPEED 513-6215 STRIKER BOX		\$485

ENGINE ENCLOSURES

L	471-0416	ENCLOSURE, ENGINE, PUSHARM 0 Provides enclosure access to engine for pusharm tractors.		NC
L	471-0418	ENCLOSURE, ENGINE, VPAT 0 Provides enclosure access to engine for VPAT tractors.		NC

OTHER ATTACHMENTS

REAR ATTACHMENTS

L	458-2640	RIPPER, HIGH LIFT 0 0		\$24,050 \$23,570 NI
<p>ALSO AVAILABLE ON A MISCELLANEOUS ORDER DOES NOT INCLUDE RIPPER SHANKS THAT MUST BE ORDERED SEPARATELY High lift capability for increased departure angle. Can accommodate 3 teeth (not included). NOTE: Machines with 36" shoes are not recommended for normal ripping applications. When installed with 36" shoes, this ripper is intended ONLY for scarifying applications. AVAILABLE INSTALLED OR NOT INSTALLED WITH A MACHINE D6/D6XE RIPPERS ARE NOT COMPATIBLE WITH PREVIOUS D6T. PREVIOUS D6T RIPPERS ARE NOT COMPATIBLE WITH D6/D6XE</p>				

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

REAR ATTACHMENTS (Cont.)

L	491-3097	WINCH, PA85, VARIABLE SPEED 0	0	\$51,720 \$51,720 NI
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER PA85 variable speed, hydraulic winch manufactured for Caterpillar by Paccar. Integrated drawbar and optional fairlead. Line speed up to 70 feet (21 meters) per minute and capacity rating up to 88,000 lbs. (40,000 kg)(bare drum). Utilizes 1" (26mm) diameter cable (not included). REQUIRES: 464-5460 CONTROL, RIPPER/WINCH 599-7940 SCREEN, REAR, HINGED CANNOT BE USED WITH: WASTE HANDLING ARRANGEMENTS		
L	528-4030	TOW POINT, REAR 0	0	\$1,490
		FOR USE IN LANE 3 ONLY Only for use in applications requiring 5 PSI. ONLY FOR USE WITH: 464-5818 D6 20 XE LGP VPAT TTT CFG12		
L	471-7300	DRAWBAR 0	0	\$1,505 \$1,505 NI
		ALSO AVAILABLE AS MISCELLANEOUS ORDER		
L	528-4042	NO REAR ATTACHMENT 0	0	NC
		This allows the selection of No Rear Attachment, however, dealers must ensure that a rear attachment is installed upon delivery. Minimum requirement is a drawbar as a retrieval device. Enter a DOCS case if desired. CANNOT BE USED WITH: WASTE HANDLING ARRANGEMENTS		
L	513-6215	STRIKER BOX. 0	0	\$14,830
		FOR USE IN LANE 3 ONLY Includes drawbar and storage area. Mounts to rear of machine and helps protect fenders and other sheet metal from debris carried by track. CANNOT BE USED WITH: 464-5587 BASIC ARRANGEMENT		

GRAB HANDLES

L	505-6704	GRAB HANDLES, STD, PUSHARM 0	0	NC
L	505-6705	GRAB HANDLES, HD, PUSHARM 0	0	\$985
		Increased strength grab irons to resist damage caused by debris in landfill or other severe applications. INCLUDED IN: WASTE HANDLING ARRANGEMENTS FORESTRY ARRANGEMENTS REQUIRED BY: 567-2132 OPEN SWEEPS, PUSHARM		
L	505-6966	GRAB HANDLES, STANDARD, VPAT 0	0	NC

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

GRAB HANDLES (Cont.)

L	505-6967	GRAB HANDLES, HEAVY DUTY, VPAT 0 Increased strength grab irons to resist damage caused by debris in landfill or other severe applications. INCLUDED IN: WASTE HANDLING ARRANGEMENTS FORESTRY ARRANGEMENTS REQUIRED BY: 567-2133 OPEN SWEEPS, VPAT		\$985
---	----------	---	--	-------

WATER JACKET HEATER

L	472-5602	WATER JACKET HEATER, 110V 0		\$279
L	594-8215	NO WATER JACKET HEATER 0		NC

FLUIDS

L	464-5283	FLUIDS, STD OIL, -35F 0 Includes standard engine and transmission oil. Provides cooling system antifreeze protection down to -37C(-35F).		NC
L	566-5515	FLUIDS, STD OIL, -58F 0 Includes standard engine and transmission oil. Provides cooling system antifreeze protection down to -50C(-58F).		\$283 NET

INSTRUCTIONS

FILMS

L	555-5500	FILM, WARNING, ANSI 0		NC
---	----------	---------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ELECTRICAL

LIGHTS

L	589-3554	LIGHT, WARNING 0 3 LED lights integrated into the top perimeter of the cab. One above each door and one in the rear. Fully visible for a 360 degree view. INCLUDED IN: WASTE HANDLING ARRANGEMENTS		\$965
L	577-7228	LIGHT, REAR WORK 0 LED light to shine on rear attachment. Controlled with dedicated keypad button.		\$304

OPERATOR ENVIRONMENT

CB MOUNT

L	589-3552	RADIO, CB (READY) 0 Provides factory integrated solution for mounting CB radio on right rear cab C-Post. Includes adjustable mounting bracket, Co-Ax cables, CB antenna, 2nd power converter, and integrated power connection by radio.		\$950
---	----------	---	--	-------

MACHINE SECURITY SYSTEM

Machine Security System (MSS) deters theft, vandalism, and unauthorized use. When activated, operator will be required to enter a programmable 4 digit code to start machine. Machines equipped with 10" touchscreen come MSS Ready from factory. The machine is shipped with MSS inactive. Requires Caterpillar Electronic Technician (CatET) to activate. MSS features include:
 - limit operators to selected machines
 - controls the days and hours equipment may be started
 - controls access by untrained operators or personnel

Machine Security System BLE provides additional functionality to MSS ready machines to wirelessly unlock display passcode. MSS BLE includes A5:S4 Bluetooth reader.

Note: Availability varies by country. Contact your Caterpillar Marketing representative with questions.

SECURITY SYSTEM, MACHINE, BLE includes A5:S4. Reference: <https://dealer.cat.com/en/products/technology/construction-technology> for certified countries.

L	588-0895	SECURITY SYSTEM, MACHINE, BLE 0 FOR USE IN LANE 3 ONLY Provides a programmable system to manage access to the machine using special Bluetooth Low Energy (BLE) key. Operator can start machine with Bluetooth key instead of having to enter passcode. The machine will be shipped with the system inactive. Requires Caterpillar Service Tool, Electronic Technician (ET) to activate and modify programming of key. *Note does not include programmed BLE key. (487-3004) INCLUDES: A5:S4 Bluetooth reader		\$705
---	----------	---	--	-------

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FUEL SYSTEMS

FUELING ATTACHMENTS

L	526-7834	NOZZLE, FAST FILL 0 This fast fuel system is designed to be compatible with the 4C-6716 (Wiggin) fuel nozzle system. It may or may not be compatible with other fuel fill nozzle systems.		\$1,255
---	----------	---	--	---------

GUARDS

CAB PROTECTION

L	599-7940	SCREEN, REAR, HINGED 0 FOR USE IN LANE 3 ONLY Provides a protective hinged screen covering the rear cab window. Allows for ease of cleaning and changing of wiper blades. INCLUDED IN: 464-5588 FORESTRY ARRANGEMENT, PUSHARM 464-5591 FORESTRY ARRANGEMENT, VPAT REQUIRED BY: WINCH PACKAGE		\$1,575
---	----------	--	--	---------

L	600-1435	SCREENS, SIDE 0 FOR USE IN LANE 3 ONLY Provides protective screens covering the side cab windows. ONLY FOR USE WITH: 567-2132 OPEN SWEEPS, PUSHARM 567-2133 OPEN SWEEPS, VPAT INCLUDED IN: 464-5588 FORESTRY ARRANGEMENT, PUSHARM 464-5591 FORESTRY ARRANGEMENT, VPAT		\$1,855
---	----------	--	--	---------

FUEL TANK GUARDS

L	522-7670	GUARD, FUEL TANK 0 REQUIRED BY: WASTE HANDLING ARRANGEMENTS or FORESTRY ARRANGEMENTS or OPEN SWEEPS		\$3,115
---	----------	---	--	---------

L	475-7084	GUARD, FUEL TANK, FAST FILL 0 REQUIRED BY: WASTE HANDLING ARRANGEMENTS or FORESTRY ARRANGEMENTS or OPEN SWEEPS		\$3,115
---	----------	--	--	---------

LIGHT GUARDS

L	533-5463	GUARD, LIGHTS, PREMIUM, PA 0 FOR USE IN LANE 3 ONLY Wire guards for front and side facing lights. ONLY FOR USE WITH: 571-6178 LIGHTS, 12, LED, PREMIUM PUSHARM or 571-7818 LIGHTS, 12, LED, PREMIUM PUSHARM		\$290
---	----------	--	--	-------

L	606-4162	GUARD, LIGHTS, PREMIUM, VPAT 0 ONLY FOR USE WITH: 571-6187 LIGHTS, 12, LED, PREMIUM VPAT INCLUDED IN: 464-5591 FORESTRY ARRANGEMENT, VPAT		\$290
---	----------	--	--	-------

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

GUARDS (CONT.)

SEAL GROUP

L	511-6789	SEALS, HIGH DEBRIS 0 FOR USE IN LANE 3 ONLY Includes additional seals around fenders, fuel tank, radiator guard and rear hood support. For use in high debris applications. ONLY FOR USE WITH: 522-7670 GUARD, FUEL TANK or 475-7084 GUARD, FUEL TANK, FAST FILL INCLUDED IN: 464-5589 WASTE HANDLING ARR, PUSHARM 464-5588 FORESTRY ARRANGEMENT, PUSHARM		\$1,055
L	581-7411	SEALS, HIGH DEBRIS, VPAT 0 FOR USE IN LANE 3 ONLY Includes additional seals around fenders, fuel tank, radiator guard and rear hood support. For use in high debris applications. ONLY FOR USE WITH: VPAT MACHINES and 522-7670 GUARD, FUEL TANK or 475-7084 GUARD, FUEL TANK, FAST FILL INCLUDED IN: 464-5592 WASTE HANDLING ARR, VPAT 464-5591 FORESTRY ARRANGEMENT, VPAT		\$1,055

OTHER ATTACHMENTS

REAR ATTACHMENTS - WINCH ACCESSORIES

L	118-7211	FAIRLEAD, 3 ROLLERS 710 FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 491-3097 WINCH PKG,PA85, VARIABLE SPEED		\$8,990
L	174-4770	FOURTH ROLLER. 717 FOR USE IN LANE 3 ONLY REQUIRES: 118-7211 FAIRLEAD, 3 ROLLERS		\$1,475

STRIKER BARS

L	560-3765	STRIKER BARS, FRONT 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Track roller frame mounted. ONLY FOR USE WITH: 464-5815 D6-20 XE LGP TTT CFG9 CANNOT BE USED WITH: 39" TRACK SHOES		\$10,760 NI
L	560-3779	STRIKER BARS, REAR. 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Track roller frame mounted. ONLY FOR USE WITH: 464-5815 D6-20 XE LGP TTT CFG9 CANNOT BE USED WITH: 39" TRACK SHOES		\$12,220 NI

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BLADES

BULLDOZER INSTALLATION PACKAGES

PUSHARM: Bulldozer packages require lift cylinder section below. Cylinders are installed and mandatory attachment, blade is not installed and optional. PLEASE MAKE SURE TO SELECT ONE BLADE IF INTENDED TO GET A COMPLETE MACHINE.

VPAT: Bulldozer packages (Power, Angle and Tilt) include the cylinders and are completely installed. VPAT blades are mandatory attachments to be added from the blade section below.

L	472-7310	6SU BULLDOZER 760 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes push arms, trunnions, tilt cylinder lines, and tilt cylinder. ONLY FOR USE WITH: 464-5813 D6-20 XE TTT CFG7		\$14,430 NI
L	472-7311	6SU BULLDOZER, GUARDED 760 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides sleeves to protect cylinder lines in harsh applications. Includes push arms, trunnions, tilt cylinder lines, and tilt cylinder. ONLY FOR USE WITH: 464-5813 D6-20 XE TTT CFG7 REQUIRED BY: 464-5589 WASTE HANDLING ARR, PUSHARM		\$15,470 NI
L	560-1419	6A BULLDOZER 760 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes dual tilt cylinders, c-frame, trunnions, and tilt cylinder lines. REQUIRES: 556-4502 BLADE, 6A XL ONLY FOR USE WITH: 464-5813 D6 XE 20 TTT CFG7		\$22,590 NI
L	472-7312	6SU LGP BULLDOZER 760 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes push arms, trunnions, tilt cylinder lines, and tilt cylinder. ONLY FOR USE WITH: 464-5814 D6-20 XE LGP TTT CFG8		\$17,610 NI
L	472-7313	6SU LGP BULLDOZER, GUARDED 760 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides sleeves to protect cylinder lines in harsh applications. Includes push arms, trunnions, tilt cylinder lines, and tilt cylinder. ONLY FOR USE WITH: 464-5814 D6-20 XE LGP TTT CFG8 REQUIRED BY: 464-5589 WASTE HANDLING ARR, PUSHARM		\$18,640 NI
L	560-1420	6A LGP BULLDOZER 760 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes dual tilt cylinders, c-frame, trunnions, and tilt cylinder lines. REQUIRES: 556-4504 BLADE, 6A ONLY FOR USE WITH: 464-5814 D6 XE 20 LGP TTT CFG8		\$25,160 NI

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BLADES (CONT.)

BULLDOZER INSTALLATION PACKAGES (Cont.)

L	472-7314	6S LGP BULLDOZER 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes push arms, trunnions, tilt cylinder lines, and tilt cylinder. ONLY FOR USE WITH: 464-5815 D6-20 XE LGP TTT CFG9		\$17,690 NI
L	472-7315	6S LGP BULLDOZER, GUARDED 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides sleeves to protect cylinder lines in harsh applications. Includes push arms, trunnions, tilt cylinder lines, and tilt cylinder. ONLY FOR USE WITH: 464-5815 D6-20 XE LGP TTT CFG9 REQUIRED BY: 464-5589 WASTE HANDLING ARR, PUSHARM		\$18,730 NI
L	549-4508	6A LGP BULLDOZER 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes dual tilt cylinders, c-frame, trunnions, and tilt cylinder lines. REQUIRES: 556-4506 BLADE, 6A LGP ONLY FOR USE WITH: 464-5815 D6 XE 20 LGP TTT CFG9		\$28,020 NI
L	538-1329	VPAT DOZER PACKAGE 0 Includes trunnions, c-frame, all cylinders with lines. NOTE: Design of D6-20 provides improved balance. Counterweights are only recommended with heavier aftermarket blades. ONLY FOR USE WITH: 464-5816 D6-20 XE VPAT TTT CFG10 464-5817 D6-20 XE LGP VPAT TTT CFG11 464-5818 D6-20 XE LGP VPAT TTT CFG12		\$32,790

PUSHARM BULLDOZER LIFT CYLINDERS

If no lift cylinders are selected, the front facing lights will be shipped loose.

L	566-3144	CYLINDER LINES, PUSHARM 0 ONLY FOR USE WITH: 464-5813 D6-20 XE TTT CFG7 or 464-5814 D6-20 XE LGP TTT CFG8		\$7,980
L	566-3145	CYLINDER LINES, PUSHARM 0 ONLY FOR USE WITH: 464-5815 D6-20 XE LGP TTT CFG9		\$8,480

BLADES

SEMI-U BLADES (VARIABLE RADIUS) can be ordered through the Work Tools Price list.

L	463-5863	BLADE, 6SU ARO 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 5.7m ³ /7.4 yd ³ . Includes finish dozing cutting edges, end bits and left, right, and center AccuGrade mounts. ONLY FOR USE WITH: 464-5813 D6-20 XE TTT CFG7		\$12,210 NI
---	----------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BLADES (CONT.)

BLADES (Cont.)

L	472-7305	BLADE, 6SU, WASTE 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 11.2m ³ /14.3 yd ³ . Includes trash rack, finish dozing cutting edges and end bits. Does not include plates for blade mounted masts when used with Attachment Ready Option(ARO). ONLY FOR USE WITH: 464-5813 D6-20 XE TTT CFG7 and 472-7311 6SU BULLDOZER, GUARDED CANNOT BE USED WITH: FORESTRY ARRANGEMENTS OR OPEN SWEEPS		\$16,490 NI
L	472-7306	BLADE, 6SU LGP, ARO 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 5.8m ³ /7.5 yd ³ . Includes finish dozing cutting edges, end bits and left, right, and center AccuGrade mounts. ONLY FOR USE WITH: 464-5814 D6-20 XE LGP TTT CFG8		\$13,570 NI
L	556-4502	BLADE, 6A XL 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes finish dozing cutting edges and end bits. ONLY FOR USE WITH: 464-5813 D6 XE 20 TTT CFG7 REQUIRED BY: 560-1419 6A BULLDOZER		\$10,730 NI
L	472-7307	BLADE, 6SU LGP, WASTE 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 12.3m ³ /16.1 yd ³ . Includes trash rack, finish dozing cutting edges and end bits. Does not include plates for blade mounted masts when used with Attachment Ready Option(ARO). ONLY FOR USE WITH: 464-5814 D6-20 XE LGP TTT CFG8 and 472-7313 6SU LGP BULLDOZER, GUARDED CANNOT BE USED WITH: FORESTRY ARRANGEMENTS OR OPEN SWEEPS		\$19,510 NI
L	556-4504	BLADE, 6A 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes finish dozing cutting edges and end bits. ONLY FOR USE WITH: 464-5814 D6 XE 20 LGP TTT CFG8 REQUIRED BY: 560-1420 6A LGP BULLDOZER		\$11,220 NI
L	472-7308	BLADE, 6S LGP ARO 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 3.8m ³ /5.0 yd ³ . Includes finish dozing cutting edges, end bits and left, right, and center AccuGrade mounts. ONLY FOR USE WITH: 464-5815 D6-20 XE LGP TTT CFG9		\$11,940 NI

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

BLADES (CONT.)

BLADES (Cont.)

L	472-7309	BLADE, 6S LGP, WASTE 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 9.4m ³ /12.3 yd ³ . Includes trash rack, finish dozing cutting edges and end bits. Does not include plates for blade mounted mast when used with Attachment Ready Option(ARO) ONLY FOR USE WITH: 464-5815 D6-20 XE LGP TTT CFG9 and 472-7315 6S LGP BULLDOZER, GUARDED CANNOT BE USED WITH: FORESTRY ARRANGEMENTS OR OPEN SWEEPS		\$17,810 NI
L	556-4506	BLADE, 6A LGP 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes finish dozing cutting edges and end bits. ONLY FOR USE WITH: 464-5815 D6 XE 20 LGP TTT CFG9 REQUIRED BY: 549-4508 6A LGP BULLDOZER		\$14,530 NI
L	538-1333	BLADE, VPAT 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 4.1m ³ /5.4 yd ³ . Includes finish dozing cutting edges, end bits and left, right, and center AccuGrade mounts. ONLY FOR USE WITH: 464-5816 D6-20 XE VPAT TTT CFG10		\$12,590 NI
L	538-1334	BLADE, LGP VPAT 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 4.5m ³ /5.8 yd ³ . Includes finish dozing cutting edges, end bits and left, right, and center AccuGrade mounts. ONLY FOR USE WITH: 464-5817 D6-20 XE LGP VPAT TTT CFG11		\$15,190 NI
L	538-1335	BLADE, LGP VPAT 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Blade capacity is 4.9m ³ /6.4 yd ³ . Includes finish dozing cutting edges end bits and left, right, and center AccuGrade mounts. ONLY FOR USE WITH: 464-5818 D6-20 XE LGP VPAT TTT CFG12		\$19,910 NI

GROUND ENGAGING TOOLS

RIPPER SHANKS

Rippers do not include any shanks. Teeth are mandatory attachments to the ripper. They will be ordered installed if the ripper is installed, not installed if the ripper is not installed.

L	8J-2189	TOOTH, STRAIGHT 456 456 ALSO AVAILABLE AS MISCELLANEOUS ORDER One tooth. Straight shank with penetration tip. Only available in quantity of 3. ONLY FOR USE WITH: 458-2640 RIPPER, HIGH LIFT		\$1,420 \$1,420 NI
---	---------	--	--	-----------------------

CATERPILLAR MACHINE PRICE LIST

D6XE

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

GROUND ENGAGING TOOLS (CONT.)

RIPPER SHANKS (Cont.)

L	9J-8926	TOOTH, CURVED	481	\$1,380
			481	\$1,380 NI
<p>ALSO AVAILABLE AS MISCELLANEOUS ORDER One tooth. Curved shank with centerline tip. Only available in quantity of 3. ONLY FOR USE WITH: 458-2640 RIPPER, HIGH LIFT</p>				

PACKING

TRACTOR PACKING

	0P-8025	PACK, DOMESTIC TRUCK, MTTT	0	NC
		Tractor ships complete.		
	0P-8026	PACK, DOMESTIC RAIL, MTTT	0	NC
		Tractor ships complete.		

FREIGHT, RAIL DELIVERY

	0P-3994	FREIGHT, RAIL DELIVERY	0	\$-1,605 NET
		Machine credit for rail delivery when paired with a second machine from the same source facility. AVAILABLE FOR: PRE-APPROVED DEALERS		