

CATERPILLAR MACHINE PRICE LIST

D8T-VT

D8T TRACK TYPE TRACTOR
 VICTORIA, TX, USA (SAP)

Ship Weight
 lbs

LIST PRICE
 AT DEALER

Standard Equipment:

POWERTRAIN

- C15 ACERT diesel engine
- Electronic unit injection
- After-treatment
- Equivalent to U.S. EPA tier 4 final
- 24-volt electric start
- High performance single plane cooling system
- Aftercooler, air-to-air (ATAAC)
- Air filter, with electronic service indicator
- Coolant, extended life
- Fan, suction, auto reversing
- Fuel priming pump, electric
- Sound attenuated exhaust system
- Parking brake, electronic
- Precleaner, strata-tube dust ejector
- Prescreener
- Shift management
- Full auto shift
- Starting aid, automatic ether
- Torque divider with lock up clutch
- Transmission, electronically-controlled powershift
- Four planet, double-reduction planetary final drives
- Transmission control module, electronic
- Turbocharger
- Water separator

UNDERCARRIAGE

- Rollers and idlers, lifetime lubricated
- Sprocket rim segments, replaceable
- Suspension-type undercarriage
- 8-roller tubular track roller frame (Carrier roller ready)
- Track adjusters, hydraulic
- Track guide
- 24 inch (610 mm) PPR moderate service grouser with sealed and lubricated track (44 section)
- Two-piece master links

HYDRAULICS

- Hydraulics, independent steering and work tool pumps
- Load-sensing dozer lift and tilt
- Hydraulics, electronically controlled, load-sensing rear hydraulics, ripper or winch ready
- Electronically enabled quick drop valve

STARTERS, BATTERIES, & ALTERNATORS

- Alternator, 150 amp
- Batteries, heavy duty

Starting receptacle, auxiliary

ELECTRICAL

- Alarm, back-up
- Converter, 24V to 12V
- Diagnostic connector
- Horn, forward warning
- Ground level service center with hour meter

OPERATOR ENVIRONMENT

- Rops mounted air conditioner
- Armrest, adjustable
- Touch screen operator interface
- Electronic monitoring system
- Diagnostic service information
- Operator preferences
- Cab, ROPS/FOPS, sound suppressed
- Deactivation switch, hydraulic controls
- Access/egress lighting with shutdown timer
- Decelerator pedal
- Governor switch, electronic
- Heater and air conditioning
- Mirror, rearview
- Radio, AM/FM, Bluetooth
- Provision for wire passage in/out of cab
- Interior LED courtesy lights
- Seat, cloth, air-suspension
- Seat belt, retractable
- Steering control, direction and speed control thumb switches with recall button
- Wipers, intermittent

OTHER STANDARD EQUIPMENT

- CD rom parts book
- Engine enclosures
- Equalizer bar, pinned
- Front pull device
- Guards, bottom hinged
- Grade control ready
- HVAC box - corrosive resistant
- Mounting, lift cylinders
- Oil cooler, hydraulic
- Product link
- S.O.S. sampling ports
- Steering, electronically controlled power differential
- Vandalism protection for fluid compartments
- Engine compartment service light
- Six lights package

CATERPILLAR MACHINE PRICE LIST

D8T-VT

| D8T TRACK TYPE TRACTOR VICTORIA, TX, USA (SAP) | Ship Weight lbs | LIST PRICE AT DEALER |
|---|--------------------|-------------------------|
|---|--------------------|-------------------------|

| | | |
|-----------------|---|------------------|
| 549-3750 | D8T 21A TRACTOR AM-N FTO1 0 AVAILABLE FROM VICTORIA, TEXAS FTO CENTER | \$863,120 |
|-----------------|---|------------------|

INCLUDES

- 442-1100 D8T 21A TRACTOR
- 217-3603 GUARDS, BOTTOM, STANDARD
- 379-0292 FLUIDS, STANDARD
- 380-1151 SEAT, AIR SUSPENSION
- 382-5438 OPERATORS AR, STANDARD
- 382-5934 ENGINE COOLANT, STD (-37C)
- 384-4602 FINAL DRIVES, STANDARD
- 384-8305 BATTERIES, HEAVY DUTY
- 385-4730 CARRIER ROLLERS, SUSPENDED
- 388-9402 FUEL SYSTEM, STANDARD
- 428-7447 CYLINDERS, LIFT, BASIC
- 442-1057 INSTRUCTION, DOMESTIC
- 442-1060 ENGINE, STANDARD
- 465-7239 GAUGE, STANDARD
- 465-8163 LINES, SINGLE TILT
- 466-4954 BRAKES, EXTREME SERVICE
- 467-7340 GUARD, FUEL TANK
- 468-1113 OIL CHANGE SYSTEM HIGH SPEED
- 469-6284 HEATER, ENGINE COOLANT 120V
- 486-6696 UNDERCARRIAGE, HD XL SUSPENDED
- 486-6700 BASIC ARRANGEMENT
- 486-7008 PRODUCT LINK, CELLULAR PLE742
- 487-5821 RADIO, AM/FM
- 516-3358 CAB AR, SINGLE PANE
- 522-5235 TRACK, 26" ES, HD XL
- 530-3045 ALTERNATOR, 150AMP STD
- 543-5217 PRECLEANER, BASIC
- 549-3746 HYDRAULIC, RIPPER/WINCH
- 559-7374 LIGHTS, LED
- 442-1093 ARO, SINGLE TILT
- 469-5551 NO REAR ATTACHMENT

| | | |
|----------------|--|-----------|
| 0P-4294 | D8T MISC MATL VICTORIA 0 AVAILABLE FROM VICTORIA FACTORY | NC |
|----------------|--|-----------|

Only reference numbers that have the text
 "AVAILABLE THROUGH MISC FACTORY ORDERING ONLY" or "ALSO AVAILABLE ON
 A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

D8T-VT

| USE | REF NO. | FACTORY STOCK | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|---------------|--------------------|-------------------------|
|-----|------------|---------------|--------------------|-------------------------|

FACTORY STOCK FOR AM-NORTH

Factory stock is available for this model(D8T-VT)
 Please see <https://dealer.cat.com/cda/layout?m=689164&x=7&f=542866>
 for details

CATERPILLAR MACHINE PRICE LIST

D8T-VT

| USE | REF NO. | LANE 1 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

| | | | |
|---------|--------------|---|----|
| OP-9001 | LANE 1 ORDER | 0 | NC |
|---------|--------------|---|----|

REAR ATTACHMENTS

| | | | | |
|---|----------|------------------------|---|-------------|
| P | 525-1188 | 8 RIPPER, SINGLE SHANK | 0 | \$56,220 |
| | | | 0 | \$56,220 NI |

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

INCLUDES:

- Parallelogram Design Single-Shank Ripper
- Ripper light
- Pin
- Retainer

REQUIRES: 4T-8986 TOOTH, SINGLE SHANK RIPPER and
 549-3747 RIPPER CONTROL

| | | | | |
|---|----------|-------------------------------|---|-------------|
| P | 523-3221 | RIPPER SNG SHANK W/PIN PULLER | 0 | \$62,190 |
| | | | 0 | \$62,190 NI |

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

INCLUDES:

- Parallelogram Design Single-Shank Ripper
- Ripper light
- Pin
- Retainer

Hydraulic Pin Puller that operates from a toggle switch to the right of the operator

REQUIRES: 4T-8986 TOOTH, SINGLE SHANK RIPPER and
 549-3747 RIPPER CONTROL

| | | | | |
|---|----------|---------------------|---|-------------|
| P | 523-3220 | RIPPER, MULTI-SHANK | 0 | \$59,880 |
| | | | 0 | \$59,880 NI |

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

Parallelogram design. Multi-shank ripper allows use of one, two or three shanks depending on job conditions 30.7"(780 mm) maximum multi-shank beam.

INCLUDES:

- Ripper light
- REQUIRES: 4T-8987 TOOTH, MULTI-SHANK, RIPPER and
 549-3747 RIPPER CONTROL

| | | | | |
|---|----------|--------------------------------|---|-------------|
| P | 504-7372 | WINCH, PA140VS, VARIABLE SPEED | 0 | \$72,110 |
| | | | 0 | \$72,110 NI |

ALSO AVAILABLE ON A MISCELLANEOUS ORDER

Includes winch and mounting group from Pacaar

REQUIRES: 549-3748 WINCH CONTROL-PACCAR

| | | | | |
|---|----------|----------------|-----|---------|
| L | 393-0279 | DRAWBAR, RIGID | 895 | \$6,560 |
|---|----------|----------------|-----|---------|

| | | | | |
|---|----------|--------------------|---|----|
| L | 381-7850 | NO REAR ATTACHMENT | 0 | NC |
|---|----------|--------------------|---|----|

This allows the selection of the no rear attachment, however dealers must ensure that a rear attachment is installed upon delivery. Minimum requirement is a drawbar as a retrieval device.

LIGHTS

| | | | | |
|---|----------|------------------------|-----|----|
| P | 559-7375 | LIGHTS, PREMIUM SCREEN | 518 | NC |
|---|----------|------------------------|-----|----|

Provides 2 LED work lamps on rear screen facing rearward
 ONLY FOR USE WITH: 451-2645 SCREEN, REAR

CATERPILLAR MACHINE PRICE LIST

D8T-VT

| USE | REF NO. | LANE 1 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

LIGHTS (Cont.)

| | | | | |
|---|----------|---|--|----|
| P | 559-7376 | LIGHTS, PREMIUM NO SCREEN 518 Provides 2 LED work lamps on fuel tank facing rearward CANNOT BE USED WITH: 451-2645 SCREEN, REAR | | NC |
|---|----------|---|--|----|

FLUIDS

| | | | | |
|--|---------|--|--|----|
| | 0P-1939 | ANTIFREEZE WINDSHIELD WASHER 0 | | NC |
|--|---------|--|--|----|

MANUAL

| | | | | |
|--|---------|-----------------------------|--|----|
| | 0P-0996 | MANUAL, ENGLISH 0 | | NC |
|--|---------|-----------------------------|--|----|

CATERPILLAR MACHINE PRICE LIST

D8T-VT

| USE | REF NO. | LANE 1 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

BULLDOZER INSTALLATION PACKAGES

| | | | | |
|---|----------|---|--|-------------|
| L | 539-9135 | 8SU/U BULLDOZER, BASIC 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: Trunnions cylinder Cylinder lines Single tilt cylinder REQUIRES: 533-5518 PUSH ARMS | | \$19,020 NI |
| L | 539-9136 | 8SU/U BULLDOZER, GUARDED 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: Trunnions Cylinder lines Single tilt cylinder REQUIRES: 533-5518 PUSH ARMS | | \$20,040 NI |

BLADE - TECHNOLOGY READY

| | | | | |
|---|----------|---|--|-------------|
| L | 539-9132 | BLADE, 8SU, RK GRD, PERF EDGES 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Larger (13.4 yd3 / 10.3 m3) SU blade for 19% more capacity. Equipped with PERFORMANCE CUTTING EDGES for improved blade penetration in hard/frozen ground or moderate rock. INCLUDES: Performance Cutting Edges End bits | | \$31,690 NI |
| P | 522-6415 | BLADE, 8SU PUSH PLATE 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes finish dozing cutting edges and general duty end bits | | \$25,100 NI |
| L | 539-9131 | BLADE, 8SU PERF EDGES 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Larger (13.4 yd3 / 10.3 m3) SU blade for 19% more capacity. Equipped with PERFORMANCE CUTTING EDGES for improved blade penetration in hard/frozen ground or moderate rock. INCLUDES: Performance Cutting Edges End bits | | \$25,100 NI |
| L | 510-8582 | BLADE, 8U ARO W/RK GRD & W PLT 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: Accugrade pads | | \$37,800 NI |
| L | 521-0078 | BLADE, 8SU PLUS W/RK GRD & WEA 0 AVAILABLE THROUGH MISC FACTORY ORDERING ONLY. MUST BE ORDERED SEPARATELY FROM A MACHINE ORDER. Larger (13.4 yd3 / 10.3 m3) SU blade for 19% more capacity. Equipped with Performance Cutting Edges for improved blade penetration in hard/frozen ground or moderate rock INCLUDES: Performance Cutting Edges End bits blade 8SU Plus w/RK Grd & Wear Plt | | \$31,690 NI |

CATERPILLAR MACHINE PRICE LIST

D8T-VT

| USE | REF NO. | LANE 1 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

BLADE - TECHNOLOGY READY (Cont.)

| | | | | |
|---|----------|--|--|-------------|
| P | 385-2620 | BLADE, 8SU W/RK GRD & WEAR PLT 7,068 AVAILABLE THROUGH MISC FACTORY ORDERING ONLY. MUST BE ORDERED SEPARATELY FROM A MACHINE ORDER. Includes: Finish dozing cutting edges General duty end bits | | \$28,620 NI |
| L | 521-0077 | BLADE, 8SU PLUS 0 AVAILABLE THROUGH MISC FACTORY ORDERING ONLY. MUST BE ORDERED SEPARATELY FROM A MACHINE ORDER. Larger (13.4 yd3 / 10.3 m3) SU blade for 19% more capacity. Equipped with Performance Cutting Edges for improved blade penetration in hard/frozen ground or moderate rock INCLUDES: Performance Cutting Edges End bits | | \$25,060 NI |

REAR ATTACHMENTS

| | | | | |
|---|----------|---|--|-------------|
| L | 379-0287 | 8 RIPPER, MULTI SHANK 0 AVAILABLE THROUGH MISC FACTORY ORDERING ONLY. MUST BE ORDERED SEPARATELY FROM A MACHINE ORDER. Parallelogram design. Multi-shank ripper allows use of one, two or three shanks depending on job conditions 30.7"(780 mm) maximum multi-shank beam. Includes: Ripper light | | \$59,880 NI |
|---|----------|---|--|-------------|

PUSH ARMS

| | | | | |
|---|----------|--|--|-------------|
| L | 533-5518 | PUSH ARMS 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 539-9135 8SU/U BULLDOZER, BASIC or 539-9136 8SU/U BULLDOZER, GUARDED | | \$12,710 NI |
|---|----------|--|--|-------------|

GRAB HANDLES

| | | | | |
|---|----------|--|--|-------|
| L | 386-4201 | GRAB HANDLES, PUSH ARM 0 ONLY FOR USE WITH: 539-9135 8SU/U BULLDOZER, BASIC or 539-9136 8SU/U BULLDOZER, GUARDED | | NC NI |
|---|----------|--|--|-------|

RIPPER SHANKS

| | | | | |
|---|---------|---|--|---------|
| P | 4T-8986 | TOOTH, SINGLE SHANK RIPPER 893 INCLUDES: Standard shank Shank protector Intermediate tip ONLY FOR USE WITH: 525-1188 8 RIPPER, SINGLE SHANK or 523-3221 RIPPER SNG SHANK W/PIN PULLER | | \$6,350 |
|---|---------|---|--|---------|

CATERPILLAR MACHINE PRICE LIST

D8T-VT

| USE | REF NO. | LANE 1 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

RIPPER SHANKS (Cont.)

| | | | | |
|---|---------|--|-----|---------|
| P | 4T-8987 | TOOTH, MULTI-SHANK RIPPER | 743 | \$5,560 |
| | | INCLUDES: Shank Sharp Shank Protector Pin Pin Retainer and Intermediate Centerline Tip ONLY FOR USE WITH: 523-3220 RIPPER, MULTI SHANK | | |

REAR ATTACHMENT CONTROL

| | | | | |
|---|----------|-------------------------------|-----|----|
| P | 549-3747 | RIPPER CONTROL. | 518 | NC |
| P | 549-3748 | WINCH CONTROL-PACCAR. | 518 | NC |

SCREEN

| | | | | |
|---|----------|--|---|---------|
| L | 451-2645 | SCREEN, REAR. | 0 | \$3,055 |
| | | REQUIRED BY: 504-7372 WINCH, PA140VS, VARIABLE SPEED | | |

PACKING

| | | | | |
|--|---------|--------------------------------------|---|----|
| | 0P-8025 | PACK, DOMESTIC TRUCK, MTTT | 0 | NC |
| | | Tractor ships complete | | |