

**CATERPILLAR MACHINE PRICE LIST**

**D8T**

**D8T TRACK TYPE TRACTOR  
 PIRACICABA, BRAZIL**

Ship Weight  
 lbs

LIST PRICE  
 AT DEALER

Standard Equipment:

**POWERTRAIN**

- C15 ACERT diesel engine
- Electronic unit injection
- After-treatment
- Equivalent to U.S. EPA tier 4 final
- 24-volt electric start
- High performance single plane cooling system
- Aftercooler, air-to-air (ATAAC)
- Air filter, with electronic service indicator
- Coolant, extended life
- Fan, suction, auto reversing
- Fuel priming pump, electric
- Sound attenuated exhaust system
- Parking brake, electronic
- Precleaner, strata-tube dust ejector
- Prescreener
- Shift management
- Full auto shift
- Starting aid, automatic ether
- Torque divider with lock up clutch
- Transmission, electronically-controlled powershift
- Four planet, double-reduction planetary final drives
- Transmission control module, electronic
- Turbocharger
- Water separator

**UNDERCARRIAGE**

- Rollers and idlers, lifetime lubricated
- Sprocket rim segments, replaceable
- Suspension-type undercarriage
- 8-roller tubular track roller frame (Carrier roller ready)
- Track adjusters, hydraulic
- Track guide
- 24 inch (610 mm) PPR moderate service grouser with sealed and lubricated track (44 section)
- Two-piece master links

**HYDRAULICS**

- Hydraulics, independent steering and work tool pumps
- Load-sensing dozer lift and tilt
- Hydraulics, electronically controlled, load-sensing rear hydraulics, ripper or winch ready
- Electronically enabled quick drop valve

**STARTERS, BATTERIES, & ALTERNATORS**

- Alternator, 150 amp
- Batteries, heavy duty

Starting receptacle, auxiliary

**ELECTRICAL**

- Alarm, back-up
- Converter, 24V to 12V
- Diagnostic connector
- Horn, forward warning
- Ground level service center with hour meter

**OPERATOR ENVIRONMENT**

- Rops mounted air conditioner
- Armrest, adjustable
- Touch screen operator interface
- Electronic monitoring system
- Diagnostic service information
- Operator preferences
- Cab, ROPS/FOPS, sound suppressed
- Deactivation switch, hydraulic controls
- Access/egress lighting with shutdown timer
- Decelerator pedal
- Governor switch, electronic
- Heater and air conditioning
- Mirror, rearview
- Radio, AM/FM, Bluetooth
- Provision for wire passage in/out of cab
- Interior LED courtesy lights
- Seat, cloth, air-suspension
- Seat belt, retractable
- Steering control, direction and speed control thumb switches with recall button
- Wipers, intermittent

**OTHER STANDARD EQUIPMENT**

- CD rom parts book
- Engine enclosures
- Equalizer bar, pinned
- Front pull device
- Guards, bottom hinged
- Grade control ready
- HVAC box - corrosive resistant
- Mounting, lift cylinders
- Oil cooler, hydraulic
- Product link
- S.O.S. sampling ports
- Steering, electronically controlled power differential
- Vandalism protection for fluid compartments
- Engine compartment service light
- Six lights package

CATERPILLAR MACHINE PRICE LIST

**D8T**

D8T TRACK TYPE TRACTOR PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

**Lane 2 is reserved for the Base Order Management Program.  
 Please use Lane 2 when placing orders that are part of the Base Order  
 Management program**

<b>549-3751</b>	<b>D8T 21A TRACTOR AM-N DCA5</b> ..... 0 LANE 1 - AVAILABLE FROM GALVESTONE PDC	<b>\$968,770</b>
-----------------	--	------------------

INCLUDES:

- 442-1100 D8T 21A TRACTOR
- 209-5100 BAR, REAR STRIKER
- 238-1177 COUNTERWEIGHT, ADDITIONAL
- 238-9658 GUARD, FAN DEBRIS
- 349-3004 WINDOW SHADES
- 379-0277 UNDERCARRIAGE, PPR SUS GUARDED
- 379-0292 FLUIDS, STANDARD
- 382-5934 ENGINE COOLANT, STD (-37C)
- 384-2971 TRACK, 660MM / 26" ES,TRAP PPR
- 384-4604 FINAL DRIVES, STD, GUARDED
- 384-8305 BATTERIES, HEAVY DUTY
- 384-8720 MOUNT, LIGHT, WARNING STROBE
- 385-4734 NO CARRIER ROLLERS
- 385-8141 FUEL SYSTEM, FAST FILL
- 388-3796 GUARD, FAST FUEL
- 393-7245 SEAT, HEATED & VENTILATED
- 423-9556 OPERATORS AR, QUICK OPENING
- 425-5363 LIGHTS, PREMIUM
- 428-7447 CYLINDERS, LIFT, BASIC
- 442-1057 INSTRUCTION, DOMESTIC
- 442-1061 ENGINE, THERMAL WRAPPED
- 442-1081 WASTE HANDLING ARRANGEMENT
- 442-1095 BASIC SINGLE TILT CONTROL
- 463-0215 BRAKES, BASIC
- 465-8163 LINES, SINGLE TILT
- 467-7340 GUARD, FUEL TANK
- 468-1113 OIL CHANGE SYSTEM HIGH SPEED
- 469-6284 HEATER, ENGINE COOLANT 120V
- 486-7008 PRODUCT LINK, CELLULAR PL641
- 487-5821 RADIO, AM/FM
- 510-1187 GAUGE, POWERED BOTTOM GRD
- 510-4941 LIGHT, WARNING, STROBE
- 516-3359 CAB AR, DUAL PANE
- 523-3235 REAR HYDRAULICS, RIPPER
- 525-1194 GUARDS, BOTTOM PWRD SEALED HD
- 530-3046 ALTERNATOR, 150AMP DUCTED
- 543-5218 PRECLEANER WITH SCREEN
- 539-9136 8SU/U BULLDOZER, GUARDED

NOTE: Please refer to the Lane 1 section to complete your order.

CATERPILLAR MACHINE PRICE LIST

# D8T

---

D8T TRACK TYPE TRACTOR PIRACICABA, BRAZIL	Ship Weight lbs	LIST PRICE AT DEALER
--	--------------------	-------------------------

---

<b>442-1100</b>	<b>D8T 21A TRACTOR</b> ..... 0 LANE 2 - AVAILABLE FROM PIRACICABA FACTORY LANE 3 - AVAILABLE FROM PIRACICABA FACTORY	<b>\$814,820</b>
-----------------	--	------------------

Electronically controlled, load-sensing rear hydraulics, ripper or winch ready  
 AVAILABLE FOR: AM-N, EU, French overseas departments & territories, Israel, New Zealand, Australia, Puerto Rico, Japan & South Korea

<b>0P-2338</b>	<b>D8T MISCELLANEOUS MATERIAL</b> ..... 0 AVAILABLE FROM PIRACICABA FACTORY	<b>NC</b>
----------------	--	-----------

Only reference numbers that have the text "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

0P-9001	LANE 1 ORDER . . . . .	0	NC
---------	------------------------	---	----

**PUSH ARMS**

L	533-5518	PUSH ARMS . . . . . ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRED BY: BULLDOZERS	0	\$12,710 NI
---	----------	---	---	-------------

**BLADES**

P	522-6417	8SU LANDFILL BLADE WEAR PLT . . . . . ALSO AVAILABLE ON A MISCELLANEOUS ORDE 26.1 LCY (19.9 LCM) INCLUDES: Trash Rack Black paint on back of blade Finish dozing cutting edges General duty end bits	0	\$31,180 NI
---	----------	---	---	-------------

**FLUIDS**

**FLUID FILM**

0P-3940	PROTECTION, CYLINDER ROD . . . . .	0	NC
---------	------------------------------------	---	----

**OTHERS**

0P-1939	ANTIFREEZE WINDSHIELD WASHER . . . . .	0	NC
0P-3978	FUEL ANTIFREEZE, -25C (-13F) . . . . . Provides fuel (diesel) antifreeze protection down to -25C (-13F) REQUIRED BY: American and Canadian dealers	0	NC

**INSTRUCTIONS**

**MANUALS**

0P-0996	MANUAL, ENGLISH . . . . .	0	NC
---------	---------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------	--------------------	-------------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

***PACKING***

0P-6655	ROLL ON-ROLL OFF . . . . . 2	<b>\$348 NET</b>
---------	------------------------------	------------------

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

**REGIONAL PACKAGES**

**INSTRUCTIONS (442-1100 D8T-21A TRACTOR ONLY)**

L	442-1057	INSTRUCTION, DOMESTIC	0	NC
		ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		

**SPECIAL ARRANGEMENTS**

L	486-6700	BASIC ARRANGEMENT	0	NC
		ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		

L	442-1081	WASTE HANDLING ARRANGEMENT	0	\$6,320
---	----------	----------------------------	---	---------

FOR USE IN LANE 3 ONLY  
 Basic Waste Handling Arrangement Includes chassis guards, heavy duty handles, high debris seal group.  
 RECOMMENDED Options:  
 516-3359 CAB, ENHANCED DUAL PANE GLASS and  
 523-3235 HYDRAULICS, RIPPER and  
 209-5100 STRIKER BARS, REAR (W/BOX) OR  
 525-1189 8 RIPPER SS W/ STRIKER BAR and  
 510-4941 LIGHT, WARNING, STROBE and  
 TRAPEZOIDAL, PPR TRACK and  
 LANDFILL BLADE  
 REQUIRES: 442-1061 ENGINE, THERMAL SHIELD or  
 442-1063 ENGINE SS, THERMAL SHIELD WRAP and  
 384-4608 FINAL DRIVE, LGP, GUARDED or  
 384-4604 FINAL DRIVE, STANDARD, GUARDED and  
 379-0277 UNDERCARRIAGE, SUSPEND or  
 486-6697 UNDERCARRIAGE, HD XL SUS GUARD or  
 385-4734 NO CARRIER ROLLERS and  
 543-5218 PRECLEANER, WITH SCREEN and  
 530-3046 ALTERNATOR, 150AMP, DUCTED and  
 425-5363 LIGHTS, PREMIUM or  
 449-3769 LIGHTS, PREMIUM, REAR SCREEN and  
 525-1194 GUARDS, BOTTOM PWRD SEALED HD or  
 383-8241 GUARDS, BOTTOM SEALED and  
 388-6666 GUARDS, BOTTOM, HD, SND or  
 467-7340 GUARD, FUEL TANK and  
 465-8163 LINES, SINGLE TILT or  
 465-8165 LINES, DUAL TILT and  
 539-9136 8 SU/U DOZER, SINGLE TILT GUARD or  
 539-9137 8SU/U DOZER, DUAL TILT GUARD or  
 539-9139 8 LGP DOZER, SGL TILT GUARD or  
 511-5663 8SU LGP DOZER, SINGLE TILT GRD or  
 423-9556 OPERATORS AR, QUICK OPENING  
 ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR  
 CANNOT BE USED WITH: CARRIER ROLLERS

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**SPECIAL ARRANGEMENTS (CONT.)**

L	525-1185	<b>STOCKPILE ARRANGEMENT</b> ..... 0 FOR USE IN LANE 3 ONLY Stockpile Arrangement Includes: High debris seal group, perforated hood with raised solid cover, cooling package blast grid and quick opening radiator grill. RECOMMENDED options: 516-3360 CAB, ENHANCED, 40 PSI TRAPEZOIDAL, PPR TRACK WOODCHIP OR COAL BLADE FROM CAT WORK TOOLS REQUIRES: 442-1061 ENGINE, THERMAL SHIELD and 543-5218 PRECLEANER, HIGH DEBRIS and 530-3046 ALTERNATOR, 150AMP, DUCTED and 425-5363 LIGHTS, PREMIUM or 449-3769 LIGHTS, PREMIUM, REAR SCREEN and 383-8242 GUARD, BOTTOM WOOD CHIP or 525-1194 GUARDS, BOTTOM PWRD SEALED HD and 543-2695 LINES, SINGLE TILT, STOCKPILE or 543-2696 LINES, DUAL TILT, STOCKPILE and 423-9556 OPERATORS AR, QUICK OPENING and 385-4730 CARRIER ROLLERS, SUSPENDED or 385-4731 CARRIER ROLLERS, SUS, ARCTIC and 217-3648 COUNTERWEIGHT, REAR ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		\$16,470
---	----------	---	--	----------

**POWERTRAIN**

**FINAL DRIVE ARRANGEMENTS**

L	384-4602	<b>FINAL DRIVES, STANDARD</b> ..... 2,714 INCLUDES: Two standard final drives ONLY FOR USE WITH: 442-1049 D8T-19A TRACTOR or 442-1100 D8T-21A TRACTOR CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT 486-6691 WASTE HANDLING ARRANGEMENT 510-1185 GAUGE, LGP 510-1189 GAUGE, LGP POWERED BOTTOM GRD		NC
L	384-4603	<b>FINAL DRIVES, STANDARD, ARCTIC</b> ..... 2,714 FOR USE IN LANE 3 ONLY Includes two standard final drives with low temperature final drive seals designed to optimize performance in cold weather applications. ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR CANNOT BE USED WITH: 486-6691 WASTE HANDLING ARRANGEMENT 442-1100 WASTE HANDLING ARRANGEMENT 510-1185 GAUGE, LGP 510-1189 GAUGE, LGP POWERED BOTTOM GRD		\$6,830

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN (CONT.)**

**FINAL DRIVE ARRANGEMENTS (Cont.)**

L	384-4604	<b>FINAL DRIVES, STD, GUARDED</b> ..... 3,153 FOR USE IN LANE 3 ONLY Includes two final drives with double kevlar final drive seal guards for applications where protection from abrasive or winding material is needed. Also includes cast clamshell guards that protect the seal from damage due to winding material. ONLY FOR USE WITH: 442-1049 D8T-19A TRACTOR or 442-1100 D8T-21A TRACTOR CANNOT BE USED WITH: 510-1185 GAUGE, LGP 510-1189 GAUGE, LGP POWERED BOTTOM GRD REQUIRED BY: 486-6691 WASTE HANDLING ARRANGEMENT 442-1081 WASTE HANDLING ARRANGEMENT		\$16,600
L	384-4606	<b>FINAL DRIVES, LGP</b> ..... 2,921 FOR USE IN LANE 3 ONLY INCLUDES: Two LGP final drives ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 510-1185 GAUGE, LGP or 510-1189 GAUGE, LGP POWERED BOTTOM GRD or 442-1049 D8T-19A TRACTOR and 490-6930 GAUGE, LGP POWERED BOTTOM GUARD or 490-6936 GAUGE, LGP CANNOT BE USED WITH: 486-6691 WASTE HANDLING ARRANGEMENT 442-1081 WASTE HANDLING ARRANGEMENT		NC
L	384-4608	<b>FINAL DRIVE, LGP, GUARDED</b> ..... 3,397 FOR USE IN LANE 3 ONLY Includes two LGP final drives designed to optimize performance in waste handling applications. Includes clamshell guards. ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 510-1185 GAUGE, LPG or 510-1189 GAUGE, LGP POWERED BOTTOM GRD 442-1049 D8T-19A TRACTOR and 490-6930 GAUGE, LGP POWERED BOTTOM GUARD or 490-6933 GAUGE, POWERED BOTTOM GUARD REQUIRED BY: 486-6691 WASTE HANDLING ARRANGEMENT 442-1081 WASTE HANDLING ARRANGEMENT		\$16,600

**ENGINE ARRANGEMENT**

L	442-1060	<b>ENGINE, STANDARD</b> ..... 0 C15 ACERT diesel engine with EUI (electronic unit injection), equivalent to U.S. EPA/ARB tier 4 final and EU stage IV certified with aftertreatment. ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT 525-1185 STOCKPILE ARRANGEMENT		NC
---	----------	--	--	----



CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**POWERTRAIN (CONT.)**

**ENGINE ARRANGEMENT (Cont.)**

L	442-1061	ENGINE, THERMAL WRAPPED . . . . . 0		\$13,400
		C15 ACERT diesel engine with EUI (electronic unit injection), equivalent to U.S. EPA/ARB tier 4 final and EU stage IV certified with aftertreatment		
		ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		
		REQUIRED BY: 442-1081 WASTE HANDLING ARRANGEMENT		
		525-1185 STOCKPILE ARRANGEMENT		

**ENGINE AIR PRECLEANERS**

L	543-5217	PRECLEANER, BASIC . . . . . 0		NC
		For use in heavy debris applications may improve filter life		
		INCLUDES: Screen		
		ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		
		CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT		
		525-1185 STOCKPILE ARRANGEMENT		
L	543-5218	PRECLEANER WITH SCREEN. . . . . 0		\$1,395
		For use in heavy debris applications may improve filter life		
		INCLUDES: Screen		
		ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		
		REQUIRED BY: 442-1081 WASTE HANDLING ARRANGEMENT		
		525-1185 STOCKPILE ARRANGEMENT		

**BRAKE ARRANGEMENT**

L	463-0215	BRAKES, BASIC . . . . . 0		NC
		ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		
L	466-4954	BRAKES, EXTREME SERVICE. . . . . 0		\$1,950
		For use in brake intensive applications.		
		ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		

**UNDERCARRIAGE**

**GAUGE ARRANGEMENTS**

L	465-7239	GAUGE, STANDARD . . . . . 0		NC
		Provides standard gauge D8T compatible with 24" (610 mm), 26" (660 mm) or 28" (710 mm) track.		
		ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		
L	510-1185	GAUGE, LGP . . . . . 0		\$21,890
		FOR USE IN LANE 3 ONLY		
		Provides wide gauge D8T compatible with 38" (965 mm) track. Enables the machine to achieve 7.7 psi when equipped with a rigid drawbar, 8.4 psi when equipped with winch.		
		ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 393-0279 DRAWBAR, RIGID or 217-3648 COUNTERWEIGHT, REAR or 209-5100 BAR, REAR STRIKER or 504-7372 PA140VS WINCH, VARIABLE SPEED		

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**GAUGE ARRANGEMENTS (Cont.)**

L	510-1187	<b>GAUGE, POWERED BOTTOM GRD</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides standard gauge D8T compatible with 24"(610 mm), 26"(660mm) or 28"(710 mm) track. REQUIRES: 525-1194 GUARD, BOTTOM POWERED ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		NC
L	510-1189	<b>GAUGE LGP POWER BOTTOM GUARD</b> . . . . . 0 FOR USE IN LANE 3 ONLY Provides wide gauge D8T compatible with 38"(965 mm) track. Enables the machine to achieve 7.7 psi when equipped with a rigid drawbar, 8.4 psi psi when equipped with winch. REQUIRES: 525-1194 GUARD, BOTTOM POWERED ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR 393-0279 DRAWBAR, RIGID or 217-3648 COUNTERWEIGHT, REAR or 209-5100 BAR, REAR STRIKER or 504-7372 PA140VS WINCH, VARIABLE SPEED		\$21,890

**SUSPENDED, POSITIVE PIN RETENTION ARRANGEMENT**

L	379-0276	<b>UNDERCARRIAGE, PPR, SUSPENDED</b> . . . . . 22,302 ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT		NC
L	379-0279	<b>UNDERCARRIAGE, PPR, NON-SUSP</b> . . . . . 19,720 FOR USE IN LANE 3 ONLY Non-Suspended Undercarriage. For use in low impact applications with extremely wet abrasive underfoot conditions such as wet sand. ONLY FOR USE WITH: 442-1049 D8T-19A TRACTOR CANNOT BE USED WITH: 486-6691 WASTE HANDLING ARRANGEMENT		NC
L	379-0278	<b>UNDERCARRIAGE, PPR, ARCTIC</b> . . . . . 22,302 FOR USE IN LANE 3 ONLY INCLUDES: Cold Weather Idlers Rollers Bogie Pins ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT		\$1,160
L	486-6698	<b>UNDERCARRIAGE,HD XL SUS ARCTIC</b> . . . . . 0 FOR USE IN LANE 3 ONLY Designed for 30% more bushing wear life for extended life in highly abrasive conditions or in other applications where bushing wear life is a limiting factor. INCLUDES: Cold Weather Idlers ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT		\$4,855
L	486-6696	<b>UNDERCARRIAGE, HD XL SUSPENDED</b> . . . . . 0 Designed for 30% more bushing wear life for extended life in highly abrasive conditions or in other applications where bushing wear life is a limiting factor. ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT		\$3,685

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**SUSPENDED, POSITIVE PIN RETENTION ARRANGEMENT (Cont.)**

L	379-0277	<b>UNDERCARRIAGE, PPR SUS GUARDED. . . . .</b> FOR USE IN LANE 3 ONLY INCLUDES: Guarded Idler Pivot shaft seal guard Provisions for mounting front striker bars ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR REQUIRED BY: 486-6691 WASTE HANDLING ARRANGEMENT or 442-1081 WASTE HANDLING ARRANGEMENT	22,754	\$4,780
L	486-6697	<b>UNDERCARRIAGE, HD XL SUS GUARD. . . . .</b> FOR USE IN LANE 3 ONLY Designed for 30% more bushing wear life for extended life in highly abrasive conditions or in other applications where bushing wear life is a limiting factor. INCLUDES: Guarded idler Pivot shaft seal guard Provisions for mounting front striker bars ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR REQUIRED BY: 442-1081 WASTE HANDLING ARRANGEMENT	0	\$8,460

**PPR TRACK ARRANGEMENTS**

**Positive Pin Retention Track  
 44 Section Sealed and lubricated, single grouser shoes**

L	384-2959	<b>TRACK, 610MM / 24" MS, PPR . . . . .</b> FOR USE IN LANE 3 ONLY Moderate service shoes ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and GAUGE, STANDARD or GAUGE, POWERED BOTTOM GUARD and 379-0276 UNDERCARRIAGE, PPR, SUSPENDED or 379-0277 UNDERCARRIAGE, PPR SUS GUARDED or 379-0278 UNDERCARRIAGE, PPR, ARCTIC or 379-0279 UNDERCARRIAGE, PPR, NON-SUSP or 379-0280 UNDERCARRIAGE, PPR, NON-SUSP or 379-0281 UNDERCARRIAGE, NON-SUS, GUARDED CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT	10,512	NC
---	----------	---	--------	----

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**PPR TRACK ARRANGEMENTS (Cont.)**

L	384-2967	TRACK, 660MM / 26" MS, PPR FOR USE IN LANE 3 ONLY Moderate service shoes ONLY FOR USE WITH:	10,959	\$3,600
		442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and GAUGE, STANDARD or GAUGE, POWERED BOTTOM GUARD and 379-0276 UNDERCARRIAGE, PPR, SUSPENDED or 379-0277 UNDERCARRIAGE, PPR SUS GUARDED or 379-0278 UNDERCARRIAGE, PPR, ARCTIC or 379-0279 UNDERCARRIAGE, PPR, NON-SUSP or 379-0280 UNDERCARRIAGE, PPR, NON-SUSP or 379-0281 UNDERCARRIAGE, NON-SUS, GUARDED		
L	384-2961	TRACK, 610MM / 24" ES, PPR Extreme service shoes ONLY FOR USE WITH:	11,559	\$3,965
		442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and GAUGE, STANDARD or GAUGE, POWERED BOTTOM GUARD and 379-0276 UNDERCARRIAGE, PPR, SUSPENDED or 379-0277 UNDERCARRIAGE, PPR SUS GUARDED or 379-0278 UNDERCARRIAGE, PPR, ARCTIC or 379-0279 UNDERCARRIAGE, PPR, NON-SUSP or 379-0280 UNDERCARRIAGE, PPR, NON-SUSP or 379-0281 UNDERCARRIAGE, NON-SUS, GUARDED		
L	384-2977	TRACK, 700MM / 28" ES, TRAP PPR FOR USE IN LANE 3 ONLY Extreme service shoes INCLUDES: Trapezoidal holes RECOMMENDED with: Waste Handling Arrangement Stockpile Arrangement ONLY FOR USE WITH:	12,544	\$3,965
		442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and GAUGE, STANDARD or GAUGE, POWERED BOTTOM GUARD and 379-0276 UNDERCARRIAGE, PPR, SUSPENDED or 379-0277 UNDERCARRIAGE, PPR SUS GUARDED or 379-0278 UNDERCARRIAGE, PPR, ARCTIC or 379-0279 UNDERCARRIAGE, PPR, NON-SUSP or 379-0280 UNDERCARRIAGE, PPR, NON-SUSP or 379-0281 UNDERCARRIAGE, NON-SUS, GUARDED		
L	502-6147	CANNOT BE USED WITH: 241-3811 STRIKER BARS, FRONT, SUSP TRACK, 24" ES, HD XL Extreme service shoes ONLY FOR USE WITH:	0	\$3,965
		442-1100 D8T-21A TRACTOR and 465-7239 GAUGE, STANDARD or 510-1187 GAUGE, POWERED BOTTOM GUARD and 486-6696 UNDERCARRIAGE, HD XL SUSPENDED or 486-6697 UNDERCARRIAGE, HD XL SUS GUARD or 486-6698 UNDERCARRIAGE, HD XL SUS ARCTIC		

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**PPR TRACK ARRANGEMENTS (Cont.)**

L	384-2963	TRACK, 610MM / 24" ES,TRAP PPR ..... 11,605 FOR USE IN LANE 3 ONLY Extreme service shoes INCLUDES: Trapezoidal holes RECOMMENDED: 486-6691 WASTE HANDLING ARRANGEMENT ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and GAUGE, STANDARD or GAUGE, POWERED BOTTOM GUARD and 379-0276 UNDERCARRIAGE, PPR, SUSPENDED or 379-0277 UNDERCARRIAGE, PPR SUS GUARDED or 379-0278 UNDERCARRIAGE, PPR, ARCTIC or 379-0279 UNDERCARRIAGE, PPR, NON-SUSP or 379-0280 UNDERCARRIAGE, PPR, NON-SUSP or 379-0281 UNDERCARRIAGE, NON-SUS, GUARDED		\$5,110
L	522-5243	TRACK, 24" ES,TRAP HD XL ..... 0 FOR USE IN LANE 3 ONLY Extreme service shoes INCLUDES: Trapezoidal holes ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 465-7239 GAUGE, STANDARD or 510-1187 GAUGE, POWERED BOTTOM GRD or 465-7239 GAUGE, STANDARD or 510-1187 GAUGE, POWERED BOTTOM GRD and 486-6696 UNDERCARRIAGE, HD XL SUSPENDED or 486-6697 UNDERCARRIAGE, HD XL SUS GUARD or 486-6698 UNDERCARRIAGE,HD XL SUS ARCTIC		\$5,110
L	522-5235	TRACK, 26" ES, HD XL ..... 0 FOR USE IN LANE 3 ONLY Extreme service shoes ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 465-7239 GAUGE, STANDARD or 510-1187 GAUGE, POWERED BOTTOM GRD and 486-6696 UNDERCARRIAGE, HD XL SUSPENDED or 486-6697 UNDERCARRIAGE, HD XL SUS GUARD or 486-6698 UNDERCARRIAGE,HD XL SUS ARCTIC		\$5,830
L	522-5245	TRACK, 26" ES,TRAP HD XL ..... 0 FOR USE IN LANE 3 ONLY Extreme service shoes ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 465-7239 GAUGE, STANDARD or 510-1187 GAUGE, POWERED BOTTOM GUARD and 486-6696 UNDERCARRIAGE, HD XL SUSPENDED or 486-6697 UNDERCARRIAGE, HD XL SUS GUARD or 486-6698 UNDERCARRIAGE,HD XL SUS ARCTIC		\$7,080

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**PPR TRACK ARRANGEMENTS (Cont.)**

L	502-6145	<b>TRACK, 38" ES,TRAP HD XL</b> ..... 0 FOR USE IN LANE 3 ONLY Extreme service shoes INCLUDES: Trapezoidal holes ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 510-1185 GAUGE, LGP or 510-1189 GAUGE, LGP POWERED BOTTOM GRD and 486-6696 UNDERCARRIAGE, HD XL SUSPENDED or 486-6697 UNDERCARRIAGE, HD XL SUS GUARD or 486-6698 UNDERCARRIAGE,HD XL SUS ARCTIC CANNOT BE USED WITH: 241-3811 STRIKER BARS, FRONT, SUSP		\$19,010
L	384-2969	<b>TRACK, 660MM / 26" ES, PPR</b> ..... 12,399 Extreme service shoes ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and GAUGE, STANDARD or GAUGE, POWERED BOTTOM GUARD and 379-0276 UNDERCARRIAGE, PPR, SUSPENDED or 379-0277 UNDERCARRIAGE, PPR SUS GUARDED or 379-0278 UNDERCARRIAGE, PPR, ARCTIC or 379-0279 UNDERCARRIAGE, PPR, NON-SUSP or 379-0280 UNDERCARRIAGE, PPR, NON-SUSP or 379-0281 UNDERCARRIAGE, NON-SUS, GUARDED CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT		\$5,830
L	384-2979	<b>TRACK, 711MM / 28" MS, PPR</b> ..... 11,715 FOR USE IN LANE 3 ONLY Moderate service shoes ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and GAUGE, STANDARD or GAUGE, POWERED BOTTOM GUARD and 379-0276 UNDERCARRIAGE, PPR, SUSPENDED or 379-0277 UNDERCARRIAGE, PPR SUS GUARDED or 379-0278 UNDERCARRIAGE, PPR, ARCTIC or 379-0279 UNDERCARRIAGE, PPR, NON-SUSP or 379-0280 UNDERCARRIAGE, PPR, NON-SUSP or 379-0281 UNDERCARRIAGE, NON-SUS, GUARDED CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT		\$5,300

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**PPR TRACK ARRANGEMENTS (Cont.)**

L	384-2981	<b>TRACK, 710MM / 28" MS,TRAP PPR</b> ..... 11,479 FOR USE IN LANE 3 ONLY Moderate service shoes INCLUDES: Trapezoidal holes RECOMMENDED: 486-6691 WASTE HANDLING ARRANGEMENT ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and GAUGE, STANDARD or GAUGE, POWERED BOTTOM GUARD and 379-0276 UNDERCARRIAGE, PPR, SUSPENDED or 379-0277 UNDERCARRIAGE, PPR SUS GUARDED or 379-0278 UNDERCARRIAGE, PPR, ARCTIC or 379-0279 UNDERCARRIAGE, PPR, NON-SUSP or 379-0280 UNDERCARRIAGE, PPR, NON-SUSP or 379-0281 UNDERCARRIAGE, NON-SUS, GUARDED CANNOT BE USED WITH: 241-3811 STRIKER BARS, FRONT, SUSP	11,479	\$6,480
L	384-2971	<b>TRACK, 660MM / 26" ES,TRAP PPR</b> ..... 12,125 FOR USE IN LANE 3 ONLY Extreme service shoes INCLUDES: Trapezoidal holes RECOMMENDED: 486-6691 WASTE HANDLING ARRANGEMENT ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and GAUGE, STANDARD or GAUGE, POWERED BOTTOM GUARD and 379-0276 UNDERCARRIAGE, PPR, SUSPENDED or 379-0277 UNDERCARRIAGE, PPR SUS GUARDED or 379-0278 UNDERCARRIAGE, PPR, ARCTIC or 379-0279 UNDERCARRIAGE, PPR, NON-SUSP or 379-0280 UNDERCARRIAGE, PPR, NON-SUSP 379-0281 UNDERCARRIAGE, NON-SUS, GUARDED 379-0279 UNDERCARRIAGE, PPR, NON-SUSP 379-0280 UNDERCARRIAGE, PPR, NON-SUSP	12,125	\$7,080
L	384-2965	<b>TRACK, 610MM / 24" SES, PPR</b> ..... 12,904 FOR USE IN LANE 3 ONLY Super extreme service shoes ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and GAUGE, STANDARD or GAUGE, POWERED BOTTOM GUARD and 379-0276 UNDERCARRIAGE, PPR, SUSPENDED or 379-0277 UNDERCARRIAGE, PPR SUS GUARDED or 379-0278 UNDERCARRIAGE, PPR, ARCTIC or 379-0279 UNDERCARRIAGE, PPR, NON-SUSP or 379-0280 UNDERCARRIAGE, PPR, NON-SUSP or 379-0281 UNDERCARRIAGE, NON-SUS, GUARDED CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT	12,904	\$13,810

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**PPR TRACK ARRANGEMENTS (Cont.)**

L	384-2973	<b>TRACK,660MM / 26" SES,TRAP PPR</b> ..... 13,201 FOR USE IN LANE 3 ONLY Super extreme service shoes INCLUDES: Trapezoidal holes RECOMMENDED BY: 486-6691 WASTE HANDLING ARRANGEMENT ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and GAUGE, STANDARD or GAUGE, POWERED BOTTOM GUARD and 379-0276 UNDERCARRIAGE, PPR, SUSPENDED or 379-0277 UNDERCARRIAGE, PPR SUS GUARDED or 379-0278 UNDERCARRIAGE, PPR, ARCTIC or 379-0279 UNDERCARRIAGE, PPR, NON-SUSP or 379-0280 UNDERCARRIAGE, PPR, NON-SUSP or 379-0281 UNDERCARRIAGE, NON-SUS, GUARDED	13,201	\$18,230
L	384-2975	<b>TRACK, 710MM / 28" ES, PPR</b> ..... 12,818 FOR USE IN LANE 3 ONLY Extreme service shoes ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and GAUGE, STANDARD or GAUGE, POWERED BOTTOM GUARD and 379-0276 UNDERCARRIAGE, PPR, SUSPENDED or 379-0277 UNDERCARRIAGE, PPR SUS GUARDED or 379-0278 UNDERCARRIAGE, PPR, ARCTIC or 379-0279 UNDERCARRIAGE, PPR, NON-SUSP or 379-0280 UNDERCARRIAGE, PPR, NON-SUSP or 379-0281 UNDERCARRIAGE, NON-SUS, GUARDED  CANNOT BE USED WITH: 241-3811 STRIKER BARS, FRONT, SUSP 442-1081 WASTE HANDLING ARRANGEMENT	12,818	\$7,330
L	384-2983	<b>TRACK, 965MM / 38" MS, PPR</b> ..... 13,953 FOR USE IN LANE 3 ONLY Moderate service shoes ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and GAUGE, LGP STANDARD or GAUGE, LGP POWERED BOTTOM GUARD and 379-0276 UNDERCARRIAGE, PPR, SUSPENDED or 379-0277 UNDERCARRIAGE, PPR SUS GUARDED or 379-0278 UNDERCARRIAGE, PPR, ARCTIC or 379-0279 UNDERCARRIAGE, PPR, NON-SUSP or 379-0280 UNDERCARRIAGE, PPR, NON-SUSP or 379-0281 UNDERCARRIAGE, NON-SUS, GUARDED  CANNOT BE USED WITH: 241-3811 STRIKER BARS, FRONT, SUSP 442-1081 WASTE HANDLING ARRANGEMENT	13,953	\$13,940



CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**PPR TRACK ARRANGEMENTS (Cont.)**

L	522-5237	TRACK, 27.5" ES, HD XL FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 465-7239 GAUGE, STANDARD or 510-1187 GAUGE, POWERED BOTTOM GRD and 486-6696 UNDERCARRIAGE, HD XL SUSPENDED or 486-6697 UNDERCARRIAGE, HD XL SUS GUARD or 486-6698 UNDERCARRIAGE,HD XL SUS ARCTIC CANNOT BE USED WITH: 241-3811 STRIKER BARS, FRONT, SUSP 442-1081 WASTE HANDLING ARRANGEMENT	0	\$7,330
L	522-5239	TRACK, 24" SES, HD XL FOR USE IN LANE 3 ONLY Super extreme service shoes ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 465-7239 GAUGE, STANDARD or 510-1187 GAUGE, POWERED BOTTOM GRD and 486-6696 UNDERCARRIAGE, HD XL SUSPENDED or 486-6697 UNDERCARRIAGE, HD XL SUS GUARD or 486-6698 UNDERCARRIAGE,HD XL SUS ARCTIC CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT	0	\$13,810
L	384-2985	TRACK, 965MM / 38" ES, PPR FOR USE IN LANE 3 ONLY Extreme service shoes ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and GAUGE, LGP or GAUGE, LGP POWERED BOTTOM GUARD and 379-0276 UNDERCARRIAGE, PPR, SUSPENDED or 379-0277 UNDERCARRIAGE, PPR SUS GUARDED or 379-0278 UNDERCARRIAGE, PPR, ARCTIC or 379-0279 UNDERCARRIAGE, PPR, NON-SUSP or 379-0280 UNDERCARRIAGE, PPR, NON-SUSP or 379-0281 UNDERCARRIAGE, NON-SUS, GUARDED CANNOT BE USED WITH: 241-3811 STRIKER BARS, FRONT, SUSP 442-1081 WASTE HANDLING ARRANGEMENT	15,587	\$17,220
L	502-6143	TRACK, 38" ES,HD XL FOR USE IN LANE 3 ONLY Extreme service shoes ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 510-1185 GAUGE, LGP or 510-1189 GAUGE, LGP POWERED BOTTOM GRD and 486-6696 UNDERCARRIAGE, HD XL SUSPENDED or 486-6697 UNDERCARRIAGE, HD XL SUS GUARD or 486-6698 UNDERCARRIAGE,HD XL SUS ARCTIC	0	\$17,220

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**PPR TRACK ARRANGEMENTS (Cont.)**

L	384-2987	<b>TRACK, 965MM / 38" ES,TRAP PPR</b> ..... 15,315 FOR USE IN LANE 3 ONLY Extreme service shoes INCLUDES: Trapezoidal holes RECOMMENDED: 486-6691 WASTE HANDLING ARRANGEMENT ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and GAUGE, LGP or GAUGE, LGP POWERED BOTTOM GRD andBOTTOM GRD and 379-0276 UNDERCARRIAGE, PPR, SUSPENDED or 379-0277 UNDERCARRIAGE, PPR SUS GUARDED or 379-0278 UNDERCARRIAGE, PPR, ARCTIC or 379-0279 UNDERCARRIAGE, PPR, NON-SUSP or 379-0280 UNDERCARRIAGE, PPR, NON-SUSP or 379-0281 UNDERCARRIAGE, NON-SUS, GUARDED CANNOT BE USED WITH: 241-3811 STRIKER BARS, FRONT, SUSP	15,315	\$19,010
---	----------	---	--------	----------

**CARRIER ROLLERS**

L	385-4730	<b>CARRIER ROLLERS, SUSPENDED.</b> ..... 518 One per side of tractor. Provides proper track adjustment with less recoil adjustment required. Reduces track slap during directional shifting. Helps dislodge material being carried by the rail ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and 379-0276 UNDERCARRIAGE, PPR, SUSPENDED or 379-0277 UNDERCARRIAGE, PPR SUS GUARDED or 486-6696 UNDERCARRIAGE, HD XL SUSPENDED or 486-6697 UNDERCARRIAGE, HD XL SUS GUARD CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT 486-6691 WASTE HANDLING ARRANGEMENT REQUIRED BY: 525-1185 STOCKPILE ARRANGEMENT	518	\$5,120
L	385-4731	<b>CARRIER ROLLERS, SUS, ARCTIC.</b> ..... 237 FOR USE IN LANE 3 ONLY One per side of tractor. Provides proper track adjustment with less recoil adjustment required. Reduces track slap during directional shifting. Helps dislodge material being carried by the rail ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and 379-0278 UNDERCARRIAGE, PPR, ARCTIC or 486-6698 UNDERCARRIAGE,HD XL SUS ARCTIC REQUIRED BY: 525-1185 STOCKPILE ARRANGEMENT	237	\$5,190

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**UNDERCARRIAGE (CONT.)**

**CARRIER ROLLERS (Cont.)**

L	385-4713	<b>CARRIER ROLLERS, NON-SUSPENDED.</b> . . . . . 567 FOR USE IN LANE 3 ONLY One per side of tractor. Provides proper track adjustment with less recoil adjustment required. Reduces track slap during directional shifting. Helps dislodge material being carried by the rail. ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and 379-0280 UNDERCARRIAGE, PPR, NON-SUSP CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT 486-6691 WASTE HANDLING ARRANGEMENT		\$5,120
L	385-4734	<b>NO CARRIER ROLLERS.</b> . . . . . 9 ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR CANNOT BE USED WITH: 525-1185 STOCKPILE ARRANGEMENT REQUIRED BY: 486-6691 WASTE HANDLING ARRANGEMENT 442-1081 WASTE HANDLING ARRANGEMENT		NC

**HYDRAULICS**

**DOZER TILT AND DOZER TILT HYDRAULICS**

L	465-8163	<b>LINES, SINGLE TILT</b> . . . . . 0 Single tilt dozer installation package ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR CANNOT BE USED WITH: 525-1185 STOCKPILE ARRANGEMENT REQUIRED BY: 442-1081 WASTE HANDLING ARRANGEMENT		NC
L	465-8165	<b>LINES, DUAL TILT</b> . . . . . 0 Dual tilt dozer installation package INCLUDES: Auto Blade Assist ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR CANNOT BE USED WITH: 525-1185 STOCKPILE ARRANGEMENT REQUIRED BY: 442-1081 WASTE HANDLING ARRANGEMENT		\$5,680
L	543-2695	<b>LINES, SINGLE TILT, STOCKPILE</b> . . . . . 0 FOR USE IN LANE 3 ONLY Switch in cab provides manual override control. ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR REQUIRED BY: 525-1185 STOCKPILE ARRANGEMENT		\$4,130
L	543-2696	<b>LINES, DUAL TILT, STOCKPILE</b> . . . . . 0 FOR USE IN LANE 3 ONLY Switch in cab provides manual override control. ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR REQUIRED BY: 525-1185 STOCKPILE ARRANGEMENT		\$9,810

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS (CONT.)**

**REAR ATTACHMENT HYDRAULICS**

L	523-3235	REAR HYDRAULICS, RIPPER. . . . . 0		\$5,230
		INCLUDES: Lines Ripper control Hyd manifold ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR CANNOT BE USED WITH: 504-7372 PA140VC WINCH, VARIABLE SPEED		
L	525-1183	HYDRAULICS, WINCH . . . . . 0		\$5,230
		FOR USE IN LANE 3 ONLY INCLUDES: Lines PA140VS Winch control Hyd manifold ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		

**STARTERS, BATTERIES, & ALTERNATORS**

**BATTERIES**

L	384-8305	BATTERIES, HEAVY DUTY . . . . . 0		NC
		Maintenance free batteries (1000 CCA) ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR		
L	386-3191	BATTERIES, ARCTIC . . . . . 0		\$371
		FOR USE IN LANE 3 ONLY Provides batteries for -50F (-45C) applications ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		

**ALTERNATORS**

L	530-3045	ALTERNATOR, 150AMP STD . . . . . 0		NC
		ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT		
L	530-3046	ALTERNATOR, 150AMP DUCTED . . . . . 0		\$496
		ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR REQUIRED BY: 525-1185 STOCKPILE ARRANGEMENT 442-1081 WASTE HANDLING ARRANGEMENT		

**ENGINE HEATERS**

L	469-6284	HEATER, ENGINE COOLANT 120V . . . . . 0		NC
		Provides a jacket water electrical heater to warm the engine 120 volt external power source required. ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**ELECTRICAL**

**LIGHTING GROUPS**

L	387-8216	<b>LIGHTS, BASIC</b> ..... 0 Provides 6 halogen work lamps (2 on SIDE of dozer lift cylinders facing forward, 2 on ROPS facing forward, and 2 on fuel tank facing rearward). ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT 451-2645 SCREEN, REAR 353-2766 SWEEPS, GROUP		NC
L	425-5363	<b>LIGHTS, PREMIUM</b> ..... 0 Provides 10 LED work lamps, 2 on ROPS facing forward, 2 on ROPS facing rearward, 2 on fuel tank facing rearward, and 4 on TOP of dozer lift cylinders facing forward. Designed to meet most shipping height requirements. ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR CANNOT BE USED WITH: 451-2645 SCREEN, REAR 353-2766 SWEEPS, GROUP REQUIRED BY: 442-1081 WASTE HANDLING ARRANGEMENT 525-1185 STOCKPILE ARRANGEMENT		\$4,030
L	449-3769	<b>LIGHTS, PREMIUM, REAR SCREEN</b> ..... 0 Provides 10 LED work lamps, 2 on ROPS facing forward, 2 on ROPS facing rearward, 2 on fuel tank facing rearward, and 4 on TOP of dozer lift cylinders facing forward. Designed to meet most shipping height requirements. ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 451-2645 SCREEN, REAR CANNOT BE USED WITH: 353-2766 SWEEPS, GROUP REQUIRED BY: 442-1081 WASTE HANDLING ARRANGEMENT 525-1185 STOCKPILE ARRANGEMENT		\$4,030
L	447-9962	<b>LIGHTS, SWEEPS</b> ..... 0 FOR USE IN LANE 3 ONLY Provides 8 halogen work lamps (4 at the front of the sweeps facing forward, 2 near the ROPS facing forward, and 2 on the fuel tank facing rearward). ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 353-2766 SWEEPS, GROUP CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT 451-2645 SCREEN, REAR 525-1185 STOCKPILE ARRANGEMENT		\$725
L	447-9963	<b>LIGHTS, SWEEPS, REAR SCREEN</b> ..... 0 FOR USE IN LANE 3 ONLY Provides 8 halogen work lamps (4 at the front of the sweeps facing forward, 2 near the ROPS facing forward, and 2 on the fuel tank facing rearward). ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 451-2645 SCREEN, REAR and 353-2766 SWEEPS, GROUP CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT		\$725

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**CAB GLASS**

L	516-3358	<b>CAB AR, SINGLE PANE</b> . . . . . 0		NC
		INCLUDES: Basic cab air precleaner Single pane solid rear window Slider side windows ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		
L	516-3359	<b>CAB AR, DUAL PANE</b> . . . . . 0		\$6,500
		FOR USE IN LANE 3 ONLY INCLUDES: Solid dual pane windows. Provides higher cab pressurization for improved cab air quality in dusty applications Powered precleaner High efficiency filter ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		
L	516-3360	<b>CAB, ENHANCED, 40 PSI</b> . . . . . 0		\$35,320
		FOR USE IN LANE 3 ONLY INCLUDES: Solid windows to withstand external pressures up to 40 PSI. Provides higher cab pressurization for improved cab air quality in dusty applications. Powered precleaner High efficiency filter ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		

**CAB SEAT OPTIONS**

L	380-1151	<b>SEAT, AIR SUSPENSION</b> . . . . . 0		NC
		INCLUDES: Cloth seat with air suspension ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR		
L	398-6909	<b>SEAT, CLOTH, HEATED</b> . . . . . 0		\$735
		INCLUDES: Heated cloth seat with air suspension ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		
L	393-7245	<b>SEAT, HEATED &amp; VENTILATED</b> . . . . . 0		\$1,720
		FOR USE IN LANE 3 ONLY INCLUDES: Heated and ventilated cloth seat with air suspension ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR		

**RADIO OPTIONS (442-1100 D8T-21A TRACTOR ONLY)**

L	487-5821	<b>RADIO, AM/FM</b> . . . . . 0		NC
		ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		

**CAB PLATFORM OPTIONS**

L	382-5438	<b>OPERATORS AR, STANDARD</b> . . . . . 0		NC
		Standard operator controls and platform ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT 525-1185 STOCKPILE ARRANGEMENT		

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**CAB PLATFORM OPTIONS (Cont.)**

L	423-9556	<b>OPERATORS AR, QUICK OPENING</b> ..... 0 Standard operator controls and platform with quick opening floor plates. ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR REQUIRED BY: 442-1081 WASTE HANDLING ARRANGEMENT 525-1185 STOCKPILE ARRANGEMENT		\$640
L	385-7613	<b>OPERATORS AR, 5TH PERCENTILE</b> ..... 0 Modifies operator controls and platform to allow operator to sit at the highest and most rearward position and easily reach the pedals designed for improved attachment visibility for the smaller operator. ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT 525-1185 STOCKPILE ARRANGEMENT		\$5,390

**TECHNOLOGY PRODUCTS**

**MACHINE CONTROL**

**Grade Control Ready. The standard D8T tractor contains all of the basic dash mounting structure for ARO installations.**

L	442-1095	<b>BASIC SINGLE TILT CONTROL</b> ..... 0 ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 465-8163 LINES, SINGLE TILT or 543-2695 SINGLE TILT STOCKPILE		NC
L	442-1096	<b>BASIC DUAL TILT CONTROL</b> ..... 0 ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 465-8165 LINES, DUAL TILT or 543-2696 DUAL TILT, STOCKPILE		\$1,100
L	442-1093	<b>ARO, SINGLE TILT</b> ..... 0 INCLUDES: Brackets Hardware for the complete installation of the the plug and play accugrade system components Supportsblade-mounted laser, UTS and single / dual receiver systems Brackets for grade control masts on the left and right side of the blade Note: Mast brackets will ship not installed PLEASE ORDER THIS ATTACHMENT AS DETACHED ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 465-8163 LINES, SINGLE TILT or 543-2695 SINGLE TILT STOCKPILE		\$5,960

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**MACHINE CONTROL (Cont.)**

L	442-1094	<p><b>ARO, DUAL TILT</b> ..... 0</p> <p>FOR USE IN LANE 3 ONLY</p> <p>INCLUDES:</p> <ul style="list-style-type: none"> <li>Brackets</li> <li>Hardware for the complete installation of the the plug and play accugrade system components</li> <li>Supportsblade-mounted laser, UTS and single / dual receiver systems</li> <li>Brackets for grade control masts on the left and right side of the blade</li> </ul> <p>Note: Mast brackets will ship not installed</p> <p>PLEASE ORDER THIS ATTACHMENT AS DETACHED</p> <p>ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and                      465-8165 LINES, DUAL TILT or                      543-2696 DUAL TILT, STOCKPILE</p>		\$5,960
L	442-1099	<p><b>GRADE WITH 3D</b> ..... 0</p> <p>FOR USE IN LANE 3 ONLY</p> <p>Cat Grade Control is a chassis mounted, automatic, integrated blade positioning system that moves blade mounted components to the top of the cab. It includes a display, factory enabled SEA and dual roof mounted GNSS receivers. To be functional, it will require an "off-board" radio network and GPS base station. Additional requirements via SITECH dealer include on-board data radio measure up and calibration on-board data radios.</p> <p>INCLUDES:</p> <ul style="list-style-type: none"> <li>Accugrade ready Option</li> <li>Autocarry</li> <li>Auto-blade assist</li> </ul> <p>RECOMMENDED BY:</p> <ul style="list-style-type: none"> <li>Dual tilt (Dual tilt is required to use auto-blade assist)</li> </ul> <p>PLEASE ORDER THIS ATTACHMENT AS DETACHED</p> <p>ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and                      388-2151 CYLINDER, LIFT, GRADE CTRL 3D</p> <p>REQUIRED BY: 388-2151 CYLINDER, LIFT, GRADE CTRL 3D</p>		\$49,160



CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS (CONT.)**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:  
[HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html](https://dealer.cat.com/en/bt/otd/machine-price-list.html)  
 From there click on the "PRODUCT LINK Hardware Certification" link

L	486-7008	<b>PRODUCT LINK, CELLULAR PLE742</b> . . . . . 0		NC
		Product Link Elite series PLE742 (consisting of PL641V2 radio and PLE702 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, CPM and advanced grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data.		
		ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		
L	593-3124	<b>PRODUCT LINK, DUAL PLE782</b> . . . . . 0		\$1,283
		Product Link Elite series dual mode PLE782 (consisting of PL631 radio, radio, PL641V2 radio and PLE702 network manager) uses a combination of cellular and satellite networks to transmit location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required.		
		ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		

**FUEL SYSTEMS**

**FUEL FILL SYSTEM**

L	388-9402	<b>FUEL SYSTEM, STANDARD</b> . . . . . 0		NC
		ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		
L	385-8141	<b>FUEL SYSTEM, FAST FILL</b> . . . . . 0		\$2,420
		This fast fuel system is designed to be compatible with the 4C-6716 Wiggins fuel fill nozzle system. It may or may not be compatible with other fuel fill nozzle systems.		
		ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		

**GUARDS**

**BOTTOM GUARDS**

L	217-3603	<b>GUARDS, BOTTOM, STANDARD</b> . . . . . 741		NC
		INCLUDES: Full set of 3 standard belly guards		
		ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 510-1185 GAUGE, LGP or 465-7239 GAUGE, STANDARD or 442-1049 D8T-19A TRACTOR and 490-6936 GAUGE, LGP or 469-8741 GAUGE, STANDARD		

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**GUARDS (CONT.)**

***BOTTOM GUARDS (Cont.)***

L	383-8241	<b>GUARDS, BOTTOM, HD, SEALED</b> ..... 869 INCLUDES: Heavy Duty Sealed Bottom Guards ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 510-1185 GAUGE, LGP or 465-7239 GAUGE, STANDARD or 442-1049 D8T-19A TRACTOR and 490-6936 GAUGE, LGP or 469-8741 GAUGE, STANDARD REQUIRED BY: 486-6691 WASTE HANDLING ARRANGEMENT 442-1081 WASTE HANDLING ARRANGEMENT		\$1,215
L	525-1194	<b>GUARDS, BOTTOM PWRD SEALED HD</b> ..... 0 FOR USE IN LANE 3 ONLY Center opening heavy duty guard for quick, easy clean-out. Guards are hydraulically actuated with a remote switch for improved serviceability and enhanced safety. INCLUDES: Heavy Duty Sealed Bottom Guards Hydraulically operated Powered bottom guards that include a quick-opening feature to facilitate regular bottom guard clean-out ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 510-1187 GAUGE, POWERED BOTTOM GUARD or 510-1189 GAUGE, LGP, POWERED BOTTOM GUARD REQUIRED BY: 442-1081 WASTE HANDLING ARRANGEMENT 525-1185 STOCKPILE ARRANGEMENT		\$16,280
L	383-8242	<b>GUARD, BOTTOM WOOD CHIP</b> ..... 0 FOR USE IN LANE 3 ONLY Contains only the front bottom guard ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 465-7239 GAUGE, STANDARD or 510-1185 GAUGE, LGP and 525-1185 STOCKPILE ARRANGEMENT REQUIRED BY: 525-1185 STOCKPILE ARRANGEMENT		\$-1,025
L	386-5923	<b>GUARDS, BOTTOM W/FRONT CTWT</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: Heavy Duty Sealed Bottom Guards and front counterweight ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 510-1185 GAUGE, LGP or 465-7239 GAUGE, STANDARD or 442-1049 D8T-19A TRACTOR and 490-6936 GAUGE, LGP or 469-8741 GAUGE, STANDARD CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT REQUIRED BY: 486-6691 WASTE HANDLING ARRANGEMENT		\$15,540

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**GUARDS (CONT.)**

***BOTTOM GUARDS (Cont.)***

L	388-6666	GUARDS, BOTTOM, HD, SND . . . . . 0		NC
		INCLUDES: Heavy Duty Sealed Bottom Guards with sound suppression insulation ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 442-1063 ENGINE, SOUND SUPRESSED or 442-1062 ENGINE SS, THERMAL WRAP and 465-7239 GAUGE, LGP or 510-1185 GAUGE, STANDARD or 442-1049 D8T-19A TRACTOR and 442-1076 ENGINE, SOUND SUPPRESSION and 490-6936 GAUGE, LGP and 469-8741 GAUGE, STANDARD REQUIRED BY: 442-1081 WASTE HANDLING ARRANGEMENT		

***GUARD FAN DEBRIS***

L	238-9658	GUARD, FAN DEBRIS . . . . . 0		\$980
		Provides additional protection against fan and radiator damage ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 465-8163 LINES, SINGLE TILT or 465-8165 LINES, DUAL TILT or 543-2695 SINGLE TILT STOCKPILE or 543-2696 DUAL TILT, STOCKPILE or 442-1049 D8T-19A TRACTOR and 464-9163 FAN, BASIC		

**OTHER ATTACHMENTS**

***CYLINDERS, LIFT***

P	428-7447	CYLINDERS, LIFT, BASIC . . . . . 0		\$12,450
		INCLUDES: Two standard lift cylinders ONLY FOR USE WITH: 442-1049 D8T-19A TRACTOR or 442-1100 D8T-21A TRACTOR		
P	388-2151	CYLINDER, LIFT, GRADE CTRL 3D . . . . . 0		\$18,400
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR CANNOT BE USED WITH: 525-1185 STOCKPILE ARRANGEMENT		

***REAR ATTACHMENTS***

**NOTE: RIPPER SHANKS MUST BE ORDERED SEPARATELY**

**Ripper for Japan (SCM) market available only as Not Installed**

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**REAR ATTACHMENTS (Cont.)**

L	393-0279	<b>DRAWBAR, RIGID</b> . . . . .	895 0	<b>\$6,560</b> <b>\$6,560 NI</b>
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: Hitch ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR CANNOT BE USED WITH: 379-0318 HYDRAULICS, WINCH 525-1183 HYDRAULICS, WINCH		
P	525-1188	<b>8 RIPPER, SINGLE SHANK</b> . . . . .	0	<b>\$56,220</b>
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: Parallelogram Design Single-Shank Ripper Ripper light Pin Retainer REQUIRES: 4T-8986 TOOTH, SINGLE SHANK RIPPER ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 523-3235 HYDRAULICS, RIPPER		
P	523-3221	<b>RIPPER SNG SHANK W/PIN PULLER</b> . . . . .	0	<b>\$62,190</b>
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: Parallelogram Design Single-Shank Ripper Ripper light Pin Retainer Hydraulic Pin Puller that operates from a toggle switch to the right of the operator REQUIRES: 4T-8986 TOOTH, SINGLE SHANK RIPPER ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 523-3235 HYDRAULICS, RIPPER CANNOT BE USED WITH: 510-1185 GAUGE, LGP or 510-1189 GAUGE, LGP POWERED BOTTOM GRD or 525-1183 HYDRAULICS, WINCH		
P	525-1189	<b>8 RIPPER, SS W/ STRIKER BAR</b> . . . . .	0	<b>\$59,590</b>
		FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: Parallelogram Design Single-Shank Ripper Ripper light Pin Retainer Rear striker bars REQUIRES: 4T-8986 TOOTH, SINGLE SHANK RIPPER ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 523-3235 HYDRAULICS, RIPPER		

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**REAR ATTACHMENTS (Cont.)**

P	525-1190	<b>8 RIPPER,SS W/PULLER &amp; STRIKER. . . . . 0</b> FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: Parallelogram Design Single-Shank Ripper Ripper light Pin Retainer Rear striker bars Hydraulic pin puller REQUIRES: 4T-8986 TOOTH, SINGLE SHANK RIPPER ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 523-3235 HYDRAULICS, RIPPER	0	\$66,020
P	523-3220	<b>RIPPER, MULTI-SHANK . . . . . 0</b> ALSO AVAILABLE ON A MISCELLANEOUS ORDER Parallelogram design. Multi-shank ripper allows use of one, two or three shanks depending on job conditions 30.7"(780 mm) maximum multi-shank beam. INCLUDES: Ripper light REQUIRES: 4T-8987 TOOTH, MULTI-SHANK, RIPPER ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 523-3235 HYDRAULICS, RIPPER CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT 510-1185 GAUGE, LGP or 510-1189 GAUGE, LGP POWERED BOTTOM GRD or 525-1183 HYDRAULICS, WINCH	0	\$59,880
P	525-1191	<b>8 RIPPER, MS W/ STRIKER BAR . . . . . 0</b> FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Parallelogram design. Multi-shank ripper allows use of one, two, three shanks depending on job conditions 30.7"(780 mm) maximum multi-shank beam and one shank with intermediate centerline tip and sharp protector. INCLUDES: Ripper light Rear striker bars REQUIRES: 4T-8987 TOOTH, MULTI-SHANK, RIPPER ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 523-3235 HYDRAULICS, RIPPER	0	\$63,100
P	217-3648	<b>COUNTERWEIGHT, REAR. . . . . 5,351</b> INCLUDES: Hitch Counterweight 4740 lbs ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR REQUIRED BY: 525-1185 STOCKPILE ARRANGEMENT	5,351	\$16,120

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**REAR ATTACHMENTS (Cont.)**

L	209-5100	<b>BAR, REAR STRIKER</b> . . . . . 3,420 FOR USE IN LANE 3 ONLY INCLUDES: Rear striker bars and box, 3100 lbs counterweight and hitch. Counterweight 3100 lbs Hitch Note: If additional counterweight is needed, refer to the other section. If used with track wider than 26", this will not cover the entire track. REQUIRES: Additional counterweights (minimum of 3) if ordered with landfill blade ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR CANNOT BE USED WITH: 525-1183 HYDRAULICS, WINCH		\$18,740
P	504-7372	<b>WINCH, PA140VS, VARIABLE SPEED</b> . . . . . 0 0 FOR USE IN LANE 3 ONLY Includes winch and mounting group from Pacaar ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 525-1183 HYDRAULICS, WINCH		\$72,110 \$72,110 NI
L	469-5551	<b>NO REAR ATTACHMENT</b> . . . . . 0 This allows the selection of No Rear Attachment, however, dealers must assure that a rear attachment is installed upon delivery Minimum requirement is a drawbar as a retrieval device. ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR		NC

**FLUIDS**

**OIL CHANGE SYSTEM**

L	380-2384	<b>OIL DRAIN, STANDARD</b> . . . . . 0 ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR		NC
L	468-1113	<b>OIL CHANGE SYSTEM HIGH SPEED</b> . . . . . 0 For fast engine & powertrain oil change. Provides the capability to change engine & powertrain oil using Wiggins connectors. ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		\$890

**LUBRICANTS**

L	379-0292	<b>FLUIDS, STANDARD</b> . . . . . 0 ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		NC
---	----------	--	--	----

**COOLANTS**

L	382-5934	<b>ENGINE COOLANT, STD (-37C)</b> . . . . . 0 Provides cooling system antifreeze protection down to -37C (-35F) ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR CANNOT BE USED WITH: 379-0278 UNDERCARRIAGE, PPR, ARCTIC		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**FLUIDS (CONT.)**

**COOLANTS (Cont.)**

L	371-6899	ENGINE COOLANT, ARCTIC (-51C) . . . . . 0 FOR USE IN LANE 3 ONLY Provides cooling system antifreeze protection down to -51C (-60F) ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR REQUIRED BY: 379-0278 UNDERCARRIAGE, PPR, ARCTIC 486-6698 UNDERCARRIAGE, HD XL SUS ARTIC		<b>\$283 NET</b>
---	----------	---	--	------------------

**FLUID FILM**

	0P-3940	PROTECTION, CYLINDER ROD . . . . . 0 ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR		<b>NC</b>
--	---------	--	--	-----------

**OTHERS**

	0P-1939	ANTIFREEZE WINDSHIELD WASHER . . . . . 0		<b>NC</b>
	0P-3978	FUEL ANTIFREEZE, -25C (-13F) . . . . . 0 Provides fuel (diesel) antifreeze protection down to -25C (-13F) REQUIRED BY: American and Canadian dealers		<b>NC</b>

**INSTRUCTIONS**

**MANUALS**

	0P-0996	MANUAL, ENGLISH . . . . . 0		<b>NC</b>
--	---------	-----------------------------	--	-----------

**KIT LITERATURE (442-1100 D8T-21A TRACTOR ONLY)**

	0P-3633	CAT GRADE CONTROL OMM . . . . . 0 ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 442-1099 CAT GRADE CONTROL 3D		<b>NC</b>
--	---------	---	--	-----------

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ELECTRICAL**

**LIGHT, WARNING (442-1100 D8T-21A TRACTOR ONLY)**

L	510-4941	<b>LIGHT, WARNING, STROBE</b> ..... 0 Provides a heavy-duty federal signal pulsator single flash (5 joules) strobe beacon unit. ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		\$1,055
L	384-8720	<b>MOUNT, LIGHT, WARNING STROBE</b> ..... 0 Provides the mounting bracket and hardware for the Warning light ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR CANNOT BE USED WITH: 442-1099 GRADE WITH 3D REQUIRED BY: 510-4941 LIGHT, WARNING STROBE		\$199

**OPERATOR ENVIRONMENT**

**VISIBILITY CAMERA**

L	525-1195	<b>VISIBILITY ARR, BASIC</b> ..... 0 Provides rearview mirror mounted to the top right area inside the cab. INCLUDES: Mirror in the cab ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		NC
L	510-4950	<b>VISIBILITY AR, CAMERA</b> ..... 0 INCLUDES: Camera system 3 mirrors (1 on each lift cylinder and 1 in the cab) to enhance operator visibility 7" color display mounted in the cab 115 degree camera mounted on the rear of the ROPS ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR REQUIRED BY: EU dealers		\$2,845

**WINDOW SHADES**

L	349-3004	<b>WINDOW SHADES</b> ..... 0 INCLUDES: Retractable window shades on the front, left and right door Rear windows to maximize operator comfort ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR		\$675
---	----------	--	--	-------



CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

**MACHINE CONTROL (442-1100 D8T-21A TRACTOR ONLY)**

L	510-4931	<b>AUTORIP</b> ..... 0 FOR USE IN LANE 3 ONLY INCLUDES: Autocarry blade control Automatic ripper control Accugrade ready ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 442-1099 GRADE WITH 3D and 525-1188 8 RIPPER, SINGLE SHANK or 525-1189 8 RIPPER, SS W/ STRIKER BAR or 525-1190 8 RIPPER,SS W/PULLER & STRIKER or 525-1191 8 RIPPER, MS W/ STRIKER BAR or 523-3220 RIPPER, MULTI-SHANK or 523-3221 RIPPER SNG SHANK W/PIN PULLER		\$16,070
---	----------	---	--	----------

**SLOPE ASSIST**

L	549-3775	<b>GRADE WITH SLOPE ASSIST</b> ..... 0 FOR USE IN LANE 3 ONLY Cat Grade with Slope Assist - Machine Integrated System that provides slope/angular guidance to the cutting edge for both blade slope and mainfall applications. This feature does not require a base station, laser transmitter, design file or additional hardware. This system includes an angle sensor blade. Ordering Cat Grade with Slope Assist allows the machine to be equipped with an AccuGrade GNSS, Laser, or UTS Grade Control System Electronics Kit. Site infrastructure is also necessary to operate the AccuGrade System. For example, GNSS systems require a GNSS base station. Laser systems require a laser transmitter. UTS requires a Universal Total Station. AccuGrade electronics kits and site infrastructure must be ordered ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 511-5660 8 SU/U DOZER, SINGLE TILT or 509-5048 8SU/U DOZER, SINGLE TILT GRD or 511-1730 8SU LGP BULLDOZER, BASIC or 511-5663 8SU LGP DOZER, SINGLE TILT GRD		\$1,410
---	----------	---	--	---------

**GUARDS**

L	467-7340	<b>GUARD, FUEL TANK</b> ..... 0 INCLUDES: Guarding for fuel tank Hydraulic tank Battery box ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR REQUIRED BY: 442-1081 WASTE HANDLING ARRANGEMENT 209-5100 BAR, REAR STRIKER		\$3,150
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**GUARDS (CONT.)**

L	388-3796	<b>GUARD, FAST FUEL</b> .....25 INCLUDES: Guard to protect fast fuel adaptor ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 384-8141 FUEL SYSTEM, FAST FILL and 467-7340 GUARD, FUEL TANK REQUIRED BY: 384-8141 FUEL SYSTEM, FAST FILL and 467-7340 GUARD, FUEL TANK		<b>\$492</b>
---	----------	--	--	--------------

**GUARD DEBRIS**

L	450-7429	<b>GUARD, GRILL DEBRIS</b> ..... 0 Provides grill door covers to prevent debris entry into radiator guard ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and 464-9163 FAN, BASIC CANNOT BE USED WITH: 525-1185 STOCKPILE ARRANGEMENT REQUIRED BY: 543-2695 SINGLE TILT STOCKPILE or 543-2696 DUAL TILT, STOCKPILE		<b>\$347</b>
---	----------	---	--	--------------

**SWEEPS**

L	353-2766	<b>SWEEPS</b> ..... 0 FOR USE IN LANE 3 ONLY Front sweeps provide protection for machines in forestry and pioneering applications. ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT		<b>\$8,810</b>
---	----------	--	--	----------------

**STRIKER BARS, FRONT**

L	241-3811	<b>STRIKER BARS, FRONT, SUSP</b> ..... 1,091 FOR USE IN LANE 3 ONLY Provides striker bars mounted to the roller frames ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and 379-0277 UNDERCARRIAGE, PPR SUS GUARDED or 486-6697 UNDERCARRIAGE, HD XL SUS GUARD CANNOT BE USED WITH: Track wider then 26" (660 mm) REQUIRED BY: 486-6691 WASTE HANDLING ARRANGEMENT		<b>\$7,470</b>
---	----------	---	--	----------------

**REAR SCREEN**

L	451-2645	<b>SCREEN, REAR</b> ..... 0 ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR CANNOT BE USED WITH: Light, Basic Lights, Premium Lights, Sweeps REQUIRED BY: 504-7372 WINCH, PA140VS, VARIABLE SPEED		<b>\$3,055</b>
---	----------	--	--	----------------

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OTHER ATTACHMENTS**

L	386-4201	<b>GRAB HANDLES, PUSH ARM</b> ..... 0 ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 533-5518 PUSH ARMS or 533-5523 PUSH ARMS, SINGLE, EXTREME or 442-1049 D8T-19A TRACTOR and 450-3357 PUSH ARMS, SINGLE TILT, STD or 450-3358 PUSH ARMS, DUAL TILT, STD or 450-3359 PUSH ARMS, SINGLE, EXTREME or 450-3360 PUSH ARMS, DUAL, EXTREME CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT REQUIRED BY: AM-N DEALERS		NC NI
P	253-8988	<b>COUNTERWEIGHT, ADDITIONAL</b> ..... 1,257 FOR USE IN LANE 3 ONLY Additional 1247 pound rear counterweight ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and 217-3648 COUNTERWEIGHT, REAR		\$5,200
P	238-1177	<b>COUNTERWEIGHT, ADDITIONAL</b> ..... 672 FOR USE IN LANE 3 ONLY Minimum quantity which can be ordered is 3, maximum of 4 Weight of each additional counterweight is 695 lbs. Extra weight extends the rear hitch back 114 mm for each counterweight added. ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 209-5100 BAR, REAR STRIKER or 442-1049 D8T-19A TRACTOR and 516-9771 STRIKER BAR BOX, REAR		\$2,795

**BLADES**

**BULLDOZERS**

**Bulldozer installation packages do NOT include a blade.  
 The Bulldozer and blade should be ordered NOT INSTALLED  
 Bulldozers and blades are available on miscellaneous orders.**

L	539-9135	<b>8SU/U BULLDOZER, BASIC</b> ..... 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: Trunnions cylinder Cylinder lines Single tilt cylinder REQUIRES: 533-5518 PUSH ARMS or 533-5523 PUSH ARMS, SINGLE EXTREME ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 465-8163 LINES, SINGLE TILT		\$19,020 NI
---	----------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BLADES (CONT.)**

**BULLDOZERS (Cont.)**

L	539-9136	<b>8SU/U BULLDOZER, GUARDED</b> ..... 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: Trunnions Cylinder lines Single tilt cylinder REQUIRES: 533-5518 PUSH ARMS or 533-5523 PUSH ARMS, SINGLE EXTREME ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 465-8163 LINES, SINGLE TILT or 543-2695 LINES, SINGLE TILT, STOCKPILE REQUIRED BY: 442-1081 WASTE HANDLING ARRANGEMENT		\$20,040 NI
L	539-9137	<b>8SU/U DOZER, DUAL TILT GUARD</b> ..... 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: Trunnions Cylinder lines Dual tilt cylinder REQUIRES: 533-5518 PUSH ARMS or 533-5523 PUSH ARMS, SINGLE EXTREME ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 465-8165 LINES, DUAL TILT or 543-2696 LINES, DUAL TILT, STOCKPILE and 533-5518 PUSH ARMS or 533-5523 PUSH ARMS, SINGLE, EXTREME REQUIRED BY: 442-1081 WASTE HANDLING ARRANGEMENT		\$32,510 NI
L	539-9138	<b>8SU LGP BULLDOZER, BASIC</b> ..... 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: Brace Trunnions Cylinder lines REQUIRES: 533-5518 PUSH ARMS or 533-5523 PUSH ARMS, SINGLE, EXTREME ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 465-8163 LINES, SINGLE TILT CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT		\$25,090 NI

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BLADES (CONT.)**

**BULLDOZERS (Cont.)**

L      539-9139    **8 LGP DOZER, SGL TILT GUARD** ..... 0      **\$26,110 NI**  
 FOR USE IN LANE 3 ONLY  
 ALSO AVAILABLE ON A MISCELLANEOUS ORDER  
 INCLUDES:  
     Brace  
     Trunnions  
     Cylinder lines  
 REQUIRES: 533-5518 PUSH ARMS, SINGLE TILT, STD or  
             533-5523 PUSH ARMS, SINGLE, EXTREME  
 ONLY FOR USE WITH:    442-1100 D8T-21A TRACTOR and  
                                   465-8163 LINES, SINGLE TILT or  
                                   543-2695 LINES, SINGLE TILT, STOCKPILE  
 CANNOT BE USED WITH: 525-1185 STOCKPILE ARRANGEMENT  
 REQUIRED BY: 442-1081 WASTE HANDLING ARRANGEMENT

L      509-5048    **8SU/U DOZER, SGL TILT NON-GRD** ..... 0      **\$20,190 NI**  
 FOR USE IN LANE 3 ONLY  
 ALSO AVAILABLE ON A MISCELLANEOUS ORDER  
 REQUIRES: 450-3357 PUSH ARMS, SINGLE TILT, STD or  
             450-3359 PUSH ARMS, SINGLE, EXTREME  
             533-5518 PUSH ARMS, SINGLE TILT, STD or  
             533-5523 PUSH ARMS, SINGLE, EXTREME  
 ONLY FOR USE WITH:    442-1049 D8T TRACTOR and  
                                   523-3233 CONTROL, E/H SLOPE ASSIST, ST and  
                                   486-6662 GRADE W/ SLOPE ASSIST or  
                                   442-1100 D8T-21A TRACTOR and  
                                   465-8163 LINES, SINGLE TILT or  
                                   543-2695 LINES, SINGLE TILT, STOCKPILE and  
                                   549-3775 GRADE WITH SLOPE ASSIST  
 REQUIRED BY: 486-6691 WASTE HANDLING ARRANGEMENT

**This 8SU/U, Dozer needs to be ordered with SLOPE ASSIST.**

L      511-5660    **8 SU/U, DOZER, SINGLE TILT** ..... 0      **\$20,530 NI**  
 FOR USE IN LANE 3 ONLY  
 ALSO AVAILABLE ON A MISCELLANEOUS ORDER  
 REQUIRES: 450-3357 PUSH ARMS, SINGLE TILT, STD or  
             450-3359 PUSH ARMS, SINGLE, EXTREME  
             533-5518 PUSH ARM or  
             543-5523 PUSH ARMS, SINGLE, EXTREME  
 ONLY FOR USE WITH:    442-1049 D8T TRACTOR and  
                                   523-3233 CONTROL, E/H SLOPE ASSIST, ST and  
                                   486-6662 GRADE W/ SLOPE ASSIST or  
                                   442-1100 D8T-21A TRACTOR and  
                                   465-8163 LINES, SINGLE TILT or  
                                   543-2695 LINES, SINGLE TILT, STOCKPILE and  
                                   549-3775 GRADE WITH SLOPE ASSIST  
 CANNOT BE USED WITH: 486-6691 WASTE HANDLING ARRANGEMENT  
                                   442-1081 WASTE HANDLING ARRANGEMENT

**This 8SU/U, Dozer needs to be ordered with SLOPE ASSIST.**

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BLADES (CONT.)**

**BULLDOZERS (Cont.)**

L	511-1730	<b>8SU LGP BULLDOZER, BASIC</b> ..... 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 450-3357 PUSH ARMS, SINGLE TILT, STD or 450-3359 PUSH ARMS, SINGLE, EXTREME 533-5518 PUSH ARMS or 533-5523 PUSH ARMS, SINGLE, EXTREME ONLY FOR USE WITH: 442-1049 D8T TRACTOR and 523-3233 CONTROL, E/H SLOPE ASSIST, ST and 486-6662 GRADE W/ SLOPE ASSIST or 442-1100 D8T-21A TRACTOR and 465-8163 LINES, SINGLE TILT and 549-3775 GRADE WITH SLOPE ASSIST CANNOT BE USED WITH: 486-6691 WASTE HANDLING ARRANGEMENT 442-1081 WASTE HANDLING ARRANGEMENT <b>This 8SU, Dozer needs to be ordered with SLOPE ASSIST.</b>		\$26,240 NI
---	----------	---	--	-------------

L	511-5663	<b>8SU LGP DOZER, SINGLE TILT GRD</b> ..... 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER REQUIRES: 450-3357 PUSH ARMS, SINGLE TILT, STD or 450-3359 PUSH ARMS, SINGLE, EXTREME 533-5518 PUSH ARMS or 533-5523 PUSH ARMS, SINGLE, EXTREME ONLY FOR USE WITH: 442-1049 D8T TRACTOR and 523-3233 CONTROL, E/H SLOPE ASSIST, ST and 486-6662 GRADE W/ SLOPE ASSIST and 442-1100 D8T-21A TRACTOR and 465-8163 LINES, SINGLE TILT or 543-2695 LINES, SINGLE TILT, STOCKPILE and 549-3775 GRADE WITH SLOPE ASSIST REQUIRED BY: 486-6691 WASTE HANDLING ARRANGEMENT 442-1081 WASTE HANDLING ARRANGEMENT <b>This 8SU, Dozer needs to be ordered with SLOPE ASSIST.</b>		\$27,610 NI
---	----------	---	--	-------------

**BLADES**

P	522-6411	<b>BLADE, 8SU</b> ..... 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes finish dozing cutting edges and general duty end bits ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 539-9135 8SU/U BULLDOZER, BASIC or 539-9136 8SU/U BULLDOZER, GUARDED or 539-9137 8SU/U DOZER, DUAL TILT GUARD or 509-5048 8SU/U DOZER, SINGLE TILT GRD or 511-5660 8SU/U DOZER, SINGLE TILT CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT		\$21,990 NI
---	----------	--	--	-------------

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BLADES (CONT.)**

**BLADES (Cont.)**

P	522-6413	<b>BLADE, 8SU W/RK GRD &amp; WEAR PLT</b> ..... 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes finish dozing cutting edges and general duty end bits ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 539-9135 8SU/U BULLDOZER, BASIC or 539-9136 8SU/U BULLDOZER, GUARDED or 539-9137 8SU/U DOZER, DUAL TILT GUARD or 509-5048 8SU/U DOZER, SINGLE TILT GRD or 511-5660 8SU/U DOZER, SINGLE TILT CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT		\$28,620 NI
P	522-6415	<b>BLADE, 8SU PUSH PLATE</b> ..... 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes finish dozing cutting edges and general duty end bits ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 539-9135 8SU/U BULLDOZER, BASIC or 539-9136 8SU/U BULLDOZER, GUARDED or 539-9137 8SU/U DOZER, DUAL TILT GUARD or 509-5048 8SU/U DOZER, SINGLE TILT GRD or 511-5660 8SU/U DOZER, SINGLE TILT CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT 525-1185 STOCKPILE ARRANGEMENT		\$25,100 NI
P	522-6417	<b>8SU LANDFILL BLADE WEAR PLT</b> ..... 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDE 26.1 LCY (19.9 LCM) INCLUDES: Trash Rack Black paint on back of blade Finish dozing cutting edges General duty end bits ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 539-9135 8SU/U BULLDOZER, BASIC or 539-9136 8SU/U BULLDOZER, GUARDED or 539-9137 8SU/U DOZER, DUAL TILT GUARD or 509-5048 8SU/U DOZER, SINGLE TILT GRD or 511-5660 8SU/U DOZER, SINGLE TILT and 442-1081 WASTE HANDLING ARRANGEMENT		\$31,180 NI

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BLADES (CONT.)**

*BLADES (Cont.)*

L	510-8581	<b>BLADE, 8U</b> ..... 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: Accugrade pads ONLY FOR USE WITH: 442-1049 D8T-19A TRACTOR and 385-5575 8SU/U BULLDOZER, BASIC or 385-5576 8SU/U BULLDOZER, GUARDED or 468-0754 8SU/U DOZER, DUAL TILT GUARDED or 442-1100 D8T-21A TRACTOR and 539-9135 8SU/U BULLDOZER, BASIC or 539-9136 8SU/U BULLDOZER, GUARDED or 539-9137 8SU/U DOZER, DUAL TILT GUARD 511-5660 8SU/U DOZER, SINGLE TILT or 509-5048 8SU/U DOZER, SINGLE TILT GRD CANNOT BE USED WITH: 486-6691 WASTE HANDLING ARRANGEMENT 442-1081 WASTE HANDLING ARRANGEMENT		\$28,180 NI
L	510-8582	<b>BLADE, 8U ARO W/RK GRD &amp; W PLT</b> ..... 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: Accugrade pads ONLY FOR USE WITH: 442-1049 D8T-19A TRACTOR and 385-5575 8SU/U BULLDOZER, BASIC or 385-5576 8SU/U BULLDOZER, GUARDED or 468-0754 8SU/U DOZER, DUAL TILT GUARDED or 442-1100 D8T-21A TRACTOR and 539-9135 8SU/U BULLDOZER, BASIC or 539-9136 8SU/U BULLDOZER, GUARDED or 539-9137 8SU/U DOZER, DUAL TILT GUARD CANNOT BE USED WITH: 486-6691 WASTE HANDLING ARRANGEMENT		\$37,800 NI
L	510-8587	<b>BLADE, 8U LANDFILL W/WEAR PLT</b> ..... 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER 32.4 LCY (24.8 LCM) INCLUDES: Accugrade pads ONLY FOR USE WITH: 442-1049 D8T-19A TRACTOR and 385-5575 8SU/U BULLDOZER, BASIC or 385-5576 8SU/U BULLDOZER, GUARDED or 468-0754 8SU/U DOZER, DUAL TILT GUARDED or 442-1100 D8T-21A TRACTOR and 539-9135 8SU/U BULLDOZER, BASIC or 539-9136 8SU/U BULLDOZER, GUARDED or 539-9137 8SU/U DOZER, DUAL TILT GUARD or 511-5660 8SU/U DOZER, SINGLE TILT or 509-5048 8SU/U DOZER, SINGLE TILT GRD and 442-1081 WASTE HANDLING ARRANGEMENT CANNOT BE USED WITH: 525-1185 STOCKPILE ARRANGEMENT REQUIRED BY: 486-6691 WASTE HANDLING ARRANGEMENT		\$41,260 NI



CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BLADES (CONT.)**

**BLADES (Cont.)**

L	510-8678	<b>BLADE 8SU LGP WITH ARO PADS</b> ..... 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes: Accugrade pads ONLY FOR USE WITH: 442-1049 D8T-19A TRACTOR and 456-2173 8SU LGP BULLDOZER, BASIC or 442-1100 D8T-21A TRACTOR and 539-9138 8SU/U LGP BULLDOZER, BASIC or 539-9139 8LGP DOZER, SNGL TILT GUARD or 511-1730 8SU LGP BULLDOZER, BASIC or 511-5663 8SU LGP DOZER, SINGLE TILT GRD CANNOT BE USED WITH: 486-6691 WASTE HANDLING ARRANGEMENT 442-1081 WASTE HANDLING ARRANGEMENT		\$34,880 NI
L	510-8679	<b>BLADE, 8SU LGP LANDFILL W/ WP</b> ..... 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes: Accugrade pads ONLY FOR USE WITH: 442-1049 D8T-19A TRACTOR and 456-2173 8SU LGP BULLDOZER, BASIC or 442-1100 D8T-21A TRACTOR and 539-9138 8SU/U LGP BULLDOZER, BASIC or 539-9139 8LGP DOZER, SNGL TILT GUARD or 511-1730 8SU LGP BULLDOZER, BASIC or 511-5663 8SU LGP DOZER, SINGLE TILT GRD REQUIRED BY: 486-6691 WASTE HANDLING ARRANGEMENT 442-1081 WASTE HANDLING ARRANGEMENT		\$43,000 NI
L	539-9131	<b>BLADE, 8SU PERF EDGES</b> ..... 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Larger (13.4 yd3 / 10.3 m3) SU blade for 19% more capacity. Equipped with PERFORMANCE CUTTING EDGES for improved blade penetration in hard/frozen ground or moderate rock. INCLUDES: Performance Cutting Edges End bits ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 539-9135 8SU/U BULLDOZER, BASIC or 539-9136 8SU/U BULLDOZER, GUARDED or 539-9137 8SU/U DOZER, DUAL TILT GUARD or 509-5048 8SU/U DOZER, SINGLE TILT GRD or 511-5660 8 SU/U, DOZER, SINGLE TILT CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT		\$25,100 NI

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**BLADES (CONT.)**

***BLADES (Cont.)***

L	539-9132	<b>BLADE, 8SU, RK GRD, PERF EDGES</b> ..... 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Larger (13.4 yd3 / 10.3 m3) SU blade for 19% more capacity. Equipped with PERFORMANCE CUTTING EDGES for improved blade penetration in hard/frozen ground or moderate rock. INCLUDES: Performance Cutting Edges End bits ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 539-9135 8SU/U BULLDOZER, BASIC or 539-9136 8SU/U BULLDOZER, GUARDED or 539-9137 8SU/U DOZER, DUAL TILT GUARD or 509-5048 8SU/U DOZER, SINGLE TILT GRD or 511-5660 8 SU/U, DOZER, SINGLE TILT CANNOT BE USED WITH: 442-1081 WASTE HANDLING ARRANGEMENT		\$31,690 NI
---	----------	--	--	-------------

***PUSH ARMS (442-1100 D8T-21A TRACTOR ONLY)***

In the LUC tractor you'll only select if the push arm is standard or extreme service.  
 The single/dual tilt selection is now in the bulldozer installation.

L	533-5518	<b>PUSH ARMS</b> ..... 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR REQUIRED BY: BULLDOZERS		\$12,710 NI
L	533-5523	<b>PUSH ARMS, SINGLE, EXTREME</b> ..... 0 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR REQUIRED BY: BULLDOZERS		\$16,470 NI

**GROUND ENGAGING TOOLS**

***RIPPER SHANK OPTIONS (Note that RIPPERS do not include any shanks)***

Teeth for Japan (SCM) market available only as Not Installed

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**GROUND ENGAGING TOOLS (CONT.)**

***RIPPER SHANK OPTIONS (Note that RIPPERS do not include any shanks) (Cont.)***

P	4T-8987	<b>TOOTH, MULTI-SHANK RIPPER</b> ..... 743 ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: Shank Sharp Shank Protector Pin Pin Retainer and Intermediate Centerline Tip Note: Provides capability for 30.75"(780mm) penetration Order 1, 2 or 3 shanks for multi-shank ripper ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR and 523-3220 8 RIPPER, MULTI SHANK or 525-1191 8 RIPPER, MS W/STRIKER BAR or 442-1049 D8T-19A TRACTOR and 389-1125 8 RIPPER, MULTI SHANK or 389-1128 8 RIPPER, MULTI-SHANK W/STRK	743	\$5,560
P	4T-8986	<b>TOOTH, SINGLE SHANK RIPPER</b> ..... 893 ALSO AVAILABLE ON A MISCELLANEOUS ORDER INCLUDES: Shank Sharp Shank Protector Pin Pin Retainer Intermediate Centerline Tip ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and 8 RIPPER, SINGLE SHANK	893	\$6,350
P	386-2979	<b>TOOTH, SS, DEEP RIPPING</b> ..... 1,076 FOR USE IN LANE 3 ONLY ALSO AVAILABLE ON A MISCELLANEOUS ORDER Long shank provides capability for 62" (1574 mm) penetration INCLUDES: Shank Shank protector Tip ONLY FOR USE WITH: 442-1100 D8T-21A TRACTOR or 442-1049 D8T-19A TRACTOR and 8 RIPPER, SINGLE SHANK	1,076	\$7,810

**ALTERNATE SOURCED ATTACHMENTS**

Field installed attachments available through Work Tools (WT-TTT) price list.

CATERPILLAR MACHINE PRICE LIST

**D8T**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**  
**562-1173 BULLDOZER, 8A STANDARD**

562-1175 BULLDOZER, 8A STANDARD W/SLOPE ASSIST

456-4494 BULLDOZER, 8A LGP

511-5664 BULLDOZER, 8A LGP W/SLOPE ASSIST

511-4835 BLADE, 8A LGP

511-4788 BLADE, 8A STANDARD

**PACKING**

OP-6655	ROLL ON-ROLL OFF . . . . .	2	\$348 NET
OP-6706	BUNDLE EXPORT PACKING . . . . . This OP should be ordered for miscellaneous orders	0	NC

**TRANSPORTATION**

OP-3995	FREIGHT, RAIL DELIVERY . . . . .	0	\$-2,130 NET
---------	----------------------------------	---	--------------

**AM-NORTH INFORMATION**

**REGIONAL ORDERING INFORMATION FOR WINCH ATTACHMENTS**

Winches available from CAT Work Tools for North America only.  
 Please refer to the Work Tools - TTT Price list for current winch offerings, prices, and contact info for ordering and availability

**REGIONAL ORDERING INFORMATION FOR REMOTE CONTROL**

D8T tractors ship from the factory as "Remote Control Ready".  
 Full remote control capability requires additional on and off machine hardware. Please refer to the ComDozing pricelist for the required components, ordering information and pricing.