

## CATERPILLAR MACHINE PRICE LIST

**D9T-T4**

D9T TRACK-TYPE TRACTOR  
EAST PEORIA, IL, USA (SAP)

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

Aftercooler, air-to-air  
Air filter, with precleaner  
Aluminum bar plate cooling system  
C18 with ACERT technology  
24-volt electric start  
Controlled throttle shifting  
Coolant, extended life  
Directional shift management  
Engine idle shutdown timer  
Ether starting aid, automatic  
Fast fuel system  
Fuel priming pump, electric  
High speed oil change system,  
engine and powertrain  
Parking brake, electronic  
Prescreener  
Separator, water/fuel  
Three planet, double-reduction planetary  
final drives  
Torque converter  
Transmission, electronic control  
-(3F/3R speeds)

**UNDERCARRIAGE**

Rollers and idlers, lifetime lubricated  
Sprocket rim segments, replaceable  
Suspension-type undercarriage  
8-roller tubular track roller frame  
(Carrier roller ready)  
Track adjuster, hydraulic  
Track guides  
Two-piece master link

**ELECTRICAL**

Alternator, 150-amp  
Back-up alarm  
Batteries (2), 12-volt, 200 amp/hour  
Converter, 12-volt, 10 amp and 20 amp  
Diagnostic connector  
Horn, forward warning  
Light, engine compartment  
Lighting system, halogen  
Starting receptacle

**OPERATOR ENVIRONMENT**

Air conditioner, ROPS mounted  
Armrest, adjustable  
Cab, FOPS  
Deactivation switch, hydraulic controls  
Decelerator pedal  
Differential steer, power turn  
Governor switch, electronic  
Heater  
Hydraulic system, electronically

controlled for bulldozer and  
ripper control  
Information display  
Mirror, rearview  
MP3/IPOD ready  
Radio ready, entertainment  
ROPS, rollbar  
Wipers, intermittent low and high speeds

**SAFETY AND SECURITY**

Fender guard rails  
Operator not present detection  
Seatbelt, retractable, 3" (76mm)  
Seatbelt warning system  
Slope and side-slope monitor  
Steps, heavy-duty and handles

**OTHER STANDARD EQUIPMENT**

Auto-blade assist ready (for dual tilt)  
CD ROM parts book  
Ecology drains  
Engine enclosure  
Equalizer bar pins, greased  
Fluid sampling ports  
Ground level service center  
Mounting, lift cylinders  
Product link ready  
VIMS 3G  
Vandalism protection  
Work positioning points

CATERPILLAR MACHINE PRICE LIST

# D9T-T4

|  |                    |                         |
|--|--------------------|-------------------------|
| D9T TRACK-TYPE TRACTOR<br>EAST PEORIA, IL, USA (SAP) | Ship Weight<br>lbs | LIST PRICE<br>AT DEALER |
|--|--------------------|-------------------------|

|                 |  |                    |
|-----------------|--|--------------------|
| <b>363-4395</b> | <b>D9T TRACTOR, US</b> ..... 0<br>LANE 2 - AVAILABLE FROM EAST PEORIA FACTORY<br>LANE 3 - AVAILABLE FROM EAST PEORIA FACTORY | <b>\$1,146,590</b> |
|-----------------|--|--------------------|

Includes necessary attachments for sale into the US.

|                |  |           |
|----------------|--|-----------|
| <b>0P-0799</b> | <b>D9T, MISC MATL, EAST PEORIA</b> ..... 0<br>AVAILABLE FROM EAST PEORIA FACTORY | <b>NC</b> |
|----------------|--|-----------|

Use this reference number when ordering miscellaneous material other than a body or body attachments.

CATERPILLAR MACHINE PRICE LIST

# D9T-T4

---

| USE | REF<br>NO. | <b>MANDATORY ATTACHMENTS</b> | Ship Weight<br>lbs | LIST PRICE<br>AT DEALER |
|-----|------------|------------------------------|--------------------|-------------------------|
|-----|------------|------------------------------|--------------------|-------------------------|

---

## NOTE

Each machine will be shipped with a Parts Book on CD ROM. The CD will be shipped with the other D9T literature. If a paper copy is desired, please order through the dealer parts department.

CATERPILLAR MACHINE PRICE LIST

# D9T-T4

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

**LANE SELECTION**

|         |   |   |           |
|---------|---|---|-----------|
| OP-9002 | <b>LANE 2 ORDER</b> . . . . .                       | 0 | <b>NC</b> |
|         | Cannot be ordered with items listed as LANE 3 ONLY. |   |           |
| OP-9003 | <b>LANE 3 ORDER</b> . . . . .                       | 0 | <b>NC</b> |

**SPECIAL ARRANGEMENTS**

**SPECIAL ARRANGEMENT**

|   |   |   |                 |
|---|---|---|-----------------|
| L | <b>363-4420 BASIC TRACTOR ARRANGEMENT</b> . . . . .   | 0 | <b>NC</b>       |
|   | Includes engine compartment hood and enclosures, standard engine precleaner and dust ejector, hydraulic driven cooling fan, and fan guarding.   |   |                 |
| L | <b>363-4421 HIGH DEBRIS ARRANGEMENT</b> . . . . .   | 0 | <b>\$15,550</b> |
|   | For use in heavy debris applications, excluding stockpile and waste handling.<br>Includes engine compartment hood and enclosures, turbine engine precleaner and dust ejector, ducted alternator, hydraulically driven cooling fan with reversing feature, and fan guarding.<br>Also includes extremely low speed fan operation for cold climates.<br>REQUIRES: 540-0984 EXHAUST, WRAPPED<br>382-7715 FUEL LINES, COOLER   |   |                 |
| L | <b>363-4424 SOUND ARRANGEMENT</b> . . . . .   | 0 | <b>\$2,520</b>  |
|   | For use in applications where spectator sound reduction is required. Includes sound reducing engine compartment hood and enclosures, standard engine precleaner and dust ejector, hydraulically driven cooling fan, and fan guarding.<br>REQUIRES: 380-1404 GUARD, BOTTOM, SEALED   |   |                 |
| L | <b>382-7684 STOCKPILE ARRANGEMENT</b> . . . . .   | 0 | <b>\$29,780</b> |
|   | FOR USE IN LANE 3 ONLY<br>For use in stockpile applications (woodchip, coal, etc.)<br>Includes engine compartment enclosures, debris reducing hood, turbine engine precleaner and dust ejector, ducted alternator, grill door screens, hydraulically driven cooling fan with reversing features and fan blast grids.<br>Also includes extremely low speed fan operation for cold climates.<br>REQUIRES: 380-1405 GUARD, BOTTOM, PARTIAL<br>382-7699 OPERATORS AR, QUICK OPENING<br>540-0984 EXHAUST, WRAPPED<br>382-7715 FUEL LINES, COOLER |   |                 |

CATERPILLAR MACHINE PRICE LIST

# D9T-T4

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

**SPECIAL ARRANGEMENTS (CONT.)**

***SPECIAL ARRANGEMENT (Cont.)***

|   |          |   |  |          |
|---|----------|---|--|----------|
| L | 382-7685 | <b>WASTE HANDLING ARRANGEMENT . . . . . 0</b><br><b>FOR USE IN LANE 3 ONLY</b><br>For use in waste handling applications.<br>Includes engine compartment hood and enclosures, turbine engine precleaner and dust ejector, ducted alternator, hydraulically driven cooling fan with reversing feature, and fan guarding.<br>Also includes extremely low speed fan operation for cold climates.<br>REQUIRES: 380-1404 GUARD, BOTTOM, SEALED<br>380-7125 FINAL DRIVES, WASTE HANDLING<br>363-4393 UNDERCARRIAGE, WASTE HANDLING<br>382-7699 OPERATORS AR, QUICK OPENING<br>540-0984 EXHAUST, WRAPPED<br>382-7715 FUEL LINES, COOLER<br>423-9871 9SU/U DOZER, SINGLE TILT GUARD or<br>423-9869 9SU/U DOZER, DUAL TILT GUARD |  | \$21,610 |
|---|----------|---|--|----------|

**POWERTRAIN**

***ENGINE PACKAGE***

|   |          |  |  |          |
|---|----------|--|--|----------|
| L | 540-0983 | <b>EXHAUST, STANDARD . . . . . 0</b><br>Includes engine with open manifolds and exhaust lines.   |  | NC       |
| L | 540-0984 | <b>EXHAUST, WRAPPED . . . . . 0</b><br>Includes engine with wrapped manifolds and exhaust lines. |  | \$18,000 |

***FINAL DRIVE***

|   |          |   |  |          |
|---|----------|---|--|----------|
| L | 380-7122 | <b>FINAL DRIVES, STANDARD . . . . . 0</b><br>Includes two standard final drives.  |  | NC       |
| L | 380-7124 | <b>FINAL DRIVES, GUARDED . . . . . 0</b><br>Includes two final drives designed to optimize performance in mud packing environments.   |  | \$9,510  |
| L | 380-7125 | <b>FINAL DRIVES, WASTE HANDLING . . . . . 0</b><br>Includes two final drives designed to optimize performance in waste handling applications. Includes clamshell guards with inspection covers. |  | \$18,600 |
| L | 380-7123 | <b>FINAL DRIVES, COLD WEATHER . . . . . 0</b><br>Includes two final drives designed to optimize performance in cold weather applications.   |  | \$760    |

**UNDERCARRIAGE**

***UNDERCARRIAGE***

**Note: ALL UNDERCARRIAGE ARRANGEMENTS COME EQUIPPED WITH GREASED EQUALIZER BAR END PINS**

|   |          |   |  |    |
|---|----------|---|--|----|
| L | 363-4391 | <b>UNDERCARRIAGE, BASIC. . . . . 0</b><br>For use in standard applications.<br>Includes standard idlers, sprocket segments, single flange and double flange rollers, bogie pins, roller frames and recoil system. |  | NC |
|---|----------|---|--|----|

CATERPILLAR MACHINE PRICE LIST

# D9T-T4

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

**UNDERCARRIAGE (CONT.)**

**UNDERCARRIAGE (Cont.)**

|   |          |  |  |         |
|---|----------|--|--|---------|
| L | 363-4392 | <b>UNDERCARRIAGE, ABRASION.</b> . . . . . 0<br>For use in highly abrasive applications.<br>Includes all single flange rollers.<br>CANNOT BE USED WITH: STOCKPILE OR WASTE HANDLING ARRANGEMENTS  |  | \$1,735 |
| L | 363-4393 | <b>UNDERCARRIAGE, WASTE HANDLING</b> . . . . . 0<br>For use in waste handling applications.<br>Includes guarded idlers, guarded pivot shaft seal and front track roller frames that can accept front striker bars.   |  | \$5,760 |
| L | 363-4394 | <b>UNDERCARRIAGE, COLD WEATHER.</b> . . . . . 0<br>For use in applications with cold ambient temperatures.<br>Includes cold weather idlers, single flange and double flange rollers.<br>Includes extreme cold weather bogie pins (arctic platinum grease.) |  | \$4,555 |

**TRACK ARRANGEMENT**

|   |          |  |  |          |
|---|----------|--|--|----------|
| L | 379-4043 | <b>TRACK, 560MM ES</b> . . . . . 0<br>Extreme service shoes (22"/560mm).   |  | \$-1,690 |
| L | 379-4045 | <b>TRACK, 610MM ES</b> . . . . . 0<br>Former standard offering.<br>Extreme service shoes (24"/610mm).  |  | NC       |
| L | 379-4047 | <b>TRACK, 610MM ES ROUND</b> . . . . . 0<br>Extreme service shoes (24"/610mm). Round holes   |  | \$1,030  |
| L | 571-3533 | <b>TRACK, 610MM ES HDXL</b> . . . . . 0<br>Extreme service shoes (24"/610MM). Heavy Duty Duralink.   |  | \$3,245  |
| L | 379-4049 | <b>TRACK, 610MM SES</b> . . . . . 0<br>Super extreme service shoes (24"/610mm).  |  | \$1,485  |
| L | 379-4051 | <b>TRACK, 610MM SES ROUND</b> . . . . . 0<br>Super extreme service shoes (24"/610mm). Round holes.   |  | \$2,595  |
| L | 379-4055 | <b>TRACK, 685MM ES</b> . . . . . 0<br>Extreme service shoes (27"/685mm).   |  | \$2,535  |
| L | 379-4059 | <b>TRACK, 685MM ES ROUND</b> . . . . . 0<br>Extreme service shoes (27"/685mm). Round holes.  |  | \$3,700  |
| L | 571-3535 | <b>TRACK, 685MM ES HDXL</b> . . . . . 0<br>Extreme service shoes (27"/685mm). Heavy Duty Duralink.   |  | \$5,790  |
| L | 379-4061 | <b>TRACK, 685MM SES</b> . . . . . 0<br>Super extreme service shoes (27"/685mm).  |  | \$4,200  |
| L | 379-4063 | <b>TRACK, 760MM MS</b> . . . . . 0<br>Moderate service shoes (30"/760mm).<br>REQUIRES: 205-7249 TRUNNIONS, WIDE DOZER<br>CANNOT BE USED WITH: RIPPER or STRIKER BAR                    |  | \$-1,750 |
| L | 379-4065 | <b>TRACK, 760MM MS ROUND</b> . . . . . 0<br>Moderate service shoes (30"/760mm). Round holes.<br>REQUIRES: 205-7249 TRUNNIONS, WIDE DOZER<br>CANNOT BE USED WITH: RIPPER or STRIKER BAR |  | \$-815   |

**HYDRAULICS**

**DOZER TILT HYDRAULICS**

|   |          |  |  |    |
|---|----------|--|--|----|
| L | 387-0435 | <b>HYDRAULICS, SINGLE TILT</b> . . . . . 0<br>Includes single tilt bulldozer hydraulics.   |  | NC |
| L | 457-5022 | <b>HYDRAULICS, SINGLE TILT</b> . . . . . 0<br>Includes single tilt bulldozer hydraulics.<br>ONLY FOR USE WITH: Installation, AccuGrade |  | NC |

CATERPILLAR MACHINE PRICE LIST

# D9T-T4

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

**HYDRAULICS (CONT.)**

**DOZER TILT HYDRAULICS (Cont.)**

|   |          |  |   |         |
|---|----------|--|---|---------|
| L | 387-0436 | HYDRAULICS, DUAL TILT . . . . .  | 0 | \$4,510 |
|   |          | Includes hydraulic valves and lines to equip the bulldozer with dual tilt. |   |         |

**ELECTRICAL**

**LIGHTING GROUP**

|   |          |   |   |          |
|---|----------|---|---|----------|
| L | 425-1513 | LIGHTS, EIGHT . . . . .   | 0 | \$-3,850 |
|   |          | Includes 6 halogen and 2 LED work lights (2 halogen on the side of the dozer lift cylinders facing forward, 2 LED on the side of the dozer lift cylinders facing down, 2 halogen on the side of the ROPS facing forward and 2 halogen on top on the fuel tank facing rearward).   |   |          |
| L | 425-1514 | LIGHTS, TWELVE . . . . .  | 0 | \$-2,100 |
|   |          | Includes 10 halogen and 2 LED work lights (4 halogen on the top of the dozer lift cylinders facing forward, 2 LED on the side of the dozer lift cylinders facing down, 2 halogen on the side of the ROPS facing forward, 2 halogen on the side of the ROPS facing rearward and 2 halogen on top of the fuel tank facing rearward.)    |   |          |
| L | 425-1515 | LIGHTS, HID . . . . .   | 0 | \$371    |
|   |          | Includes 4 halogen, 6 HID, and 2 LED work lights (2 halogen and 2 HID on the top of the dozer lift cylinders facing forward, 2 LED on the side of the lift cylinders facing down, 2 HID on the side of the ROPS facing forward, 2 HID on the rear of the ROPS facing rearward and 2 halogen on top of the fuel tank facing rearward.) |   |          |
| L | 389-9490 | LIGHTS, LED . . . . .   | 0 | NC       |
|   |          | Includes 12 LED work lights (4 LED on top of the dozer lift cylinders facing forward, 2 LED on the side of the lift cylinders facing down, 2 LED on the side of the ROPS facing forward, 2 LED on the rear of the ROPS facing rearward and 2 on top of the fuel tank facing rearward.)  |   |          |

**BATTERY GROUP**

|   |          |  |   |          |
|---|----------|--|---|----------|
| L | 429-0618 | BATTERY GROUP, STANDARD . . . . .              | 0 | NC       |
|   |          | Standard set of batteries.                     |   |          |
| L | 389-2257 | BATTERY GROUP, COLD WEATHER . . . . .          | 0 | \$10,880 |
|   |          | Two sets of batteries with additional starter. |   |          |

**OPERATOR ENVIRONMENT**

**CAB GLASS**

|   |          |  |   |         |
|---|----------|--|---|---------|
| L | 375-7166 | GLASS, SINGLE PANE . . . . .   | 0 | NC      |
|   |          | Includes sliding single pane tempered side windows, solid single pane tempered rear glass, and solid single pane laminated windshield and doors.   |   |         |
| L | 389-7519 | GLASS, IMPACT RESISTANT . . . . .  | 0 | \$5,700 |
|   |          | Includes solid, dual pane impact resistant windows. Refer to TEKQ1019 within the global sales library for list of certifications. HVAC Precleaner no longer included. RECOMMENDED: Precleaner, Powered |   |         |

CATERPILLAR MACHINE PRICE LIST

# D9T-T4

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

**OPERATOR ENVIRONMENT (CONT.)**

**CAB GLASS (Cont.)**

|   |          |   |  |          |
|---|----------|---|--|----------|
| L | 375-7835 | GLASS, 40 PSI . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>Includes solid, 40psi capable windows. HVAC Precleaner no longer included.<br>RECOMMENDED: Precleaner, Powered |  | \$40,270 |
|---|----------|---|--|----------|

**CAB SEAT**

|   |          |   |  |         |
|---|----------|---|--|---------|
| L | 380-1151 | SEAT, AIR SUSPENSION . . . . . 0<br>Includes cloth seat with air suspension.                            |  | NC      |
| L | 398-6907 | SEAT, VINYL . . . . . 0<br>Includes vinyl seat with air suspension.                                     |  | \$560   |
| L | 393-7245 | SEAT, HEATED & VENTILATED . . . . . 0<br>Includes heated and ventilated cloth seat with air suspension. |  | \$1,720 |

**PLATFORM GROUP**

|   |          |   |  |         |
|---|----------|---|--|---------|
| L | 363-3719 | OPERATORS AR, STANDARD . . . . . 0<br>Standard operator controls and platform.  |  | NC      |
| L | 382-7699 | OPERATORS AR, QUICK OPENING . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>Standard operator controls and platform with quick opening floor plates to aid in regular cleaning. Intended for high debris applications.   |  | \$4,285 |
| L | 363-3720 | OPERATORS AR, 5TH PERCENTILE . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>Modifies operator controls and platform to allow operator to sit at the highest and most rearward position and easily reach the pedals. Designed to improve attachment visibility for the smaller operator. |  | \$6,260 |

**VISIBILITY ARRANGEMENT**

|   |          |   |  |         |
|---|----------|---|--|---------|
| L | 327-3492 | VISIBILITY AR, BASIC . . . . . 0<br>Includes mirror in the cab.   |  | NC      |
| L | 363-3683 | VISIBILITY ARR, MIRRORS . . . . . 0<br>Includes mirrors in the cab and on the two lift cylinders.   |  | \$555   |
| L | 363-4412 | VISIBILITY AR, SINGLE CAMERA . . . . . 0<br>Includes mirrors in the cab and on the two lift cylinders and a single camera with display. MUST BE ORDERED DETACHED. |  | \$5,460 |

**TECHNOLOGY PRODUCTS**

**MACHINE CONTROL**

|   |          |  |  |          |
|---|----------|--|--|----------|
| L | 382-7686 | MACHINE CONTROL, BASIC . . . . . 0<br>Includes basic machine controls.   |  | NC       |
| L | 382-7687 | INSTALLATION, ACCUGRADE . . . . . 0<br>Includes basic machine controls and provisions for adding AccuGrade.  |  | \$3,045  |
| L | 382-7689 | MACHINE CONTROL, PERFORMANCE . . . . . 0<br>Includes AutoCarry, automatic ripper control, auto blade assist, and provisions for adding AccuGrade.<br>REQUIRES: 419-6994 CYLINDER GROUP, PERFORMANCE or<br>387-0475 CYLINDER GROUP, GRADE CONTROL<br>387-0436 HYDRAULICS, DUAL TILT |  | \$20,800 |



CATERPILLAR MACHINE PRICE LIST

# D9T-T4

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

**TECHNOLOGY PRODUCTS (CONT.)**

**MACHINE CONTROL (Cont.)**

|   |          |   |  |          |
|---|----------|---|--|----------|
| L | 363-4414 | <b>MACHINE CONTROL, GRADE CONTROL</b> . . . . . 0<br>Cat grade control is a chassis mounted, automatic, integrated blade positioning system which moves blade mounted components to the top of cab. This includes a display, factory enabled SEA and dual roof mounted GNSS receivers.<br>To be functional, it will require an "off-board" radio network and GPS base station. Additional requirements via SITECH dealer or technology group include on-board data radio, measure up, and calibration.<br>Includes AutoCarry, automatic ripper control, auto blade assist, and provisions for adding AccuGrade.<br>REQUIRES: 387-0475 CYLINDER GROUP, GRADE CONTROL<br>387-0436 HYDRAULICS, DUAL TILT |  | \$57,710 |
| L | 484-7575 | <b>MACHINE CONTROL, TERRAIN, BC</b> . . . . . 0<br>Includes autocarry blade control, automatic ripper control, cat terrain for grading with blade control display and dual GNSS receivers.<br>REQUIRES: 387-0475 CYLINDER GROUP, GRADE CONTROL<br>387-0436 HYDRAULICS, DUAL TILT  |  | \$67,620 |

For additional Dealer installed technology products please refer to the following publications within the Global Sales Library:

- AEXQ0566 - Cat MineStar
- PEDJ0116 - Cat Fleet
- PEDJ0114 - Cat Health
- AEXQ0571 - Cat Terrain
- PEHJ0294 - AccuGrade Data Sheet

Pricing for Dealer installed technology products may be found in the  
 MINESTAR - Cat MineStar Fleet and Health  
 TERAOF - Terrain Office Software  
 TERAGRADE - Terrain for Grading  
 ACCUTTT1 - AccuGrade

**VIMS AND PRODUCT LINK**

NOTE: Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

CATERPILLAR MACHINE PRICE LIST

# D9T-T4

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

**TECHNOLOGY PRODUCTS (CONT.)**

**VIMS AND PRODUCT LINK (Cont.)**

|   |          |  |  |         |
|---|----------|--|--|---------|
| L | 576-6382 | <b>VIMS &amp; CELL PROD LINK, PLE641</b> . . . . . 0<br>This single attachment supports activation of VIMS and/or cellular Product Link. VIMS provides historical trends, histograms, events and more through a wired connection for off-board analysis in applications including VIMS PC.<br>Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data. |  | NC      |
| L | 576-6383 | <b>VIMS &amp; SAT PROD LINK, PLE631</b> . . . . . 0<br>This single attachment supports activation of VIMS and/or satellite Product Link. VIMS provides historical trends, histograms, events and more through a wired connection for off-board analysis in applications including VIMS PC. Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.   |  | \$446   |
| L | 576-6384 | <b>PROD LINK, DUAL PLE641 &amp; PL631</b> . . . . . 0<br>Product link elite series dual mode PLE641+PL631 uses a combination of cellular and satellite networks to transmit location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is required.  |  | \$1,281 |

**FUEL SYSTEMS**

**FUEL LINES**

|   |          |  |  |         |
|---|----------|--|--|---------|
| L | 382-7791 | <b>FUEL LINES, STANDARD</b> . . . . . 0<br>Standard fuel lines             |  | NC      |
| L | 382-7715 | <b>FUEL LINES, COOLER</b> . . . . . 0<br>Fuel lines including fuel cooler. |  | \$1,450 |

**DIESEL EXHAUST FLUID (DEF) TANK**

|   |          |   |  |         |
|---|----------|---|--|---------|
| L | 504-3120 | <b>DEF TANK, STANDARD</b> . . . . . 0<br>Standard Diesel Exhaust Fluid tank with top-fill option only.  |  | NC      |
| L | 504-3105 | <b>DEF TANK, FAST FILL</b> . . . . . 0<br>Optional Diesel Exhaust Fluid (DEF) tank with top-fill and ground level fast fill option. Design is compatible with the 506-8793 DEF nozzle.<br>REQUIRES: 428-9218 FAST FILL, DEF, RIPPER<br>449-6261 FAST FILL, DEF, COUNTERWEIGHT<br>428-9318 FAST FILL, DEF, DRAWBAR<br>450-5773 FAST FILL, DEF, WINCH<br>445-9367 FAST FILL, DEF, STRIKER BOX |  | \$2,815 |

CATERPILLAR MACHINE PRICE LIST

# D9T-T4

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

**GUARDS**

***BOTTOM GUARDS***

|   |          |  |  |          |
|---|----------|--|--|----------|
| L | 380-1403 | <b>GUARDS, BOTTOM, STANDARD</b> . . . . . 0<br>Includes full set of standard bottom guards.<br>ONLY FOR USE WITH: 363-4420 BASIC TRACTOR ARRANGEMENT<br>363-4421 HIGH DEBRIS ARRANGEMENT   |  | NC       |
| L | 380-1404 | <b>GUARDS, BOTTOM, SEALED</b> . . . . . 0<br>Includes full set of sealed bottom guards.<br>CANNOT BE USED WITH: 382-7684 STOCKPILE ARRANGEMENT   |  | \$2,745  |
| L | 380-1405 | <b>GUARDS, BOTTOM, PARTIAL</b> . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>Includes front bottom guard with tow hook and removes<br>the three rear-most bottom guards.<br>ONLY FOR USE WITH: 363-4420 BASIC TRACTOR ARRANGEMENT<br>363-4421 HIGH DEBRIS ARRANGEMENT<br>382-7684 STOCKPILE ARRANGEMENT |  | \$-1,165 |
| L | 380-1406 | <b>GUARDS, BOTTOM W/FRONT CTWT</b> . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>Includes front counterweight and full set of standard bottom guards.<br>ONLY FOR USE WITH: 363-4420 BASIC TRACTOR ARRANGEMENT<br>363-4421 HIGH DEBRIS ARRANGEMENT  |  | \$11,600 |

***REAR SCREEN***

|   |          |  |  |         |
|---|----------|--|--|---------|
| L | 390-0355 | <b>MOUNTING GP, LIGHTS</b> . . . . . 0<br>Includes mounting provisions for lights.                   |  | NC      |
| L | 415-6752 | <b>MOUNTING GP, SCREEN</b> . . . . . 0<br>Includes a rear screen and mounting provisions for lights. |  | \$3,975 |

**OTHER ATTACHMENTS**

***REAR ATTACHMENT***

NOTE: RIPPER SHANKS MUST BE ORDERED SEPARATELY

|   |          |   |  |                           |
|---|----------|---|--|---------------------------|
| L | 382-7690 | <b>RIPPER, SS STANDARD</b> . . . . . 0<br>0<br>ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Single shank ripper. Includes ripper, ripper hydraulics, fast fuel<br>system, and transmission guard.<br>MUST BE ORDERED DETACHED ON MACHINE ORDERS.<br>REQUIRES: 445-2032 TOOTH, SINGLE SHANK RIPPER or<br>445-2033 TOOTH, SINGLE SHANK, DEEP  |  | \$105,830<br>\$105,830 NI |
| L | 382-7691 | <b>RIPPER, SS STANDARD W/ PULLER</b> . . . . . 0<br>0<br>ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Single shank ripper. Includes ripper, ripper hydraulics, fast fuel<br>system, transmission guard, pin puller, and pin puller hydraulics.<br>MUST BE ORDERED DETACHED ON MACHINE ORDERS.<br>REQUIRES: 445-2032 TOOTH, SINGLE SHANK RIPPER or<br>445-2033 TOOTH, SINGLE SHANK, DEEP |  | \$114,900<br>\$114,900 NI |

CATERPILLAR MACHINE PRICE LIST

# D9T-T4

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|----------------------|-----------------|----------------------|
|-----|---------|----------------------|-----------------|----------------------|

**OTHER ATTACHMENTS (CONT.)**

**REAR ATTACHMENT (Cont.)**

|   |          |   |   |                           |
|---|----------|---|---|---------------------------|
| L | 382-7692 | <b>RIPPER, MS STANDARD</b> . . . . . 0  | 0 | \$109,740<br>\$109,740 NI |
|   |          | ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Multi-shank ripper. Includes ripper, ripper hydraulics, fast fuel system, and transmission guard.<br>MUST BE ORDERED DETACHED ON MACHINE ORDERS.<br>REQUIRES: 445-2034 TOOTH, MULTI-SHANK RIPPER (QUANTITY 1, 2, or 3) |   |                           |
| L | 382-7693 | <b>COUNTERWEIGHT, REAR</b> . . . . . 0  | 0 | \$49,860<br>\$49,860 NI   |
|   |          | ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Includes rear counterweight, hitch, fast fuel system, and transmission guard.  |   |                           |
| L | 382-7694 | <b>STRIKER BAR, REAR</b> . . . . . 0  | 0 | \$38,960                  |
|   |          | FOR USE IN LANE 3 ONLY<br>Includes striker bar, storage box, drawbar, hitch, fast fuel system, and transmission guard.<br>REQUIRES: 388-5026 GUARD, FUEL TANK   |   |                           |
| L | 382-7695 | <b>DRAWBAR, REAR</b> . . . . . 0  | 0 | \$19,630                  |
|   |          | FOR USE IN LANE 3 ONLY<br>Includes fast fuel system and transmission guard.   |   |                           |
| L | 382-7696 | <b>WINCH, PA140VS VARIABLE SPEED</b> . . . . . 0  | 0 | \$126,000                 |
|   |          | FOR USE IN LANE 3 ONLY<br>Includes fast fuel system and transmission guard.<br>ONLY FOR USE WITH: 415-6752 MOUNTING GP, SCREEN  |   |                           |
| L | 382-7697 | <b>NO REAR ATTACHMENT, RIPPER RDY</b> . . . . . 0   | 0 | \$10,870                  |
|   |          | Includes fast fuel system, transmission guard and ripper hydraulics. Rear attachment is still required, this option is for customers who already have a rear attachment for installation.   |   |                           |
| L | 560-9053 | <b>NO REAR ATTACHMENT, WINCH READY</b> . . . . . 0  | 0 | \$10,870                  |
|   |          | Includes fast fuel system, transmission guard and winch hydraulics. Rear attachment is still required, this option is for customers who already have a winch for installation.<br>ONLY FOR USE WITH: 415-6752 MOUNTING GP, SCREEN                               |   |                           |

**FLUIDS**

**COOLANT**

|   |          |   |  |           |
|---|----------|---|--|-----------|
| L | 382-5934 | <b>ENGINE COOLANT, STD (-37C)</b> . . . . . 0                     |  | NC        |
|   |          | Provides cooling system antifreeze protection down to -37C (-35F) |  |           |
| L | 371-6899 | <b>ENGINE COOLANT, ARCTIC (-51C)</b> . . . . . 0                  |  | \$283 NET |
|   |          | Provides cooling system antifreeze protection down to -51C (-60F) |  |           |

CATERPILLAR MACHINE PRICE LIST

# D9T-T4

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

**POWERTRAIN**

|   |          |   |  |         |
|---|----------|---|--|---------|
| L | 421-5675 | <b>PRELUBE, ENGINE</b> . . . . . 0<br>Includes electrically driven lube pump which pressurizes the oil galleries prior to cranking the engine for starting. |  | \$5,170 |
|---|----------|---|--|---------|

**UNDERCARRIAGE**

|   |          |   |  |         |
|---|----------|---|--|---------|
| L | 211-9297 | <b>CARRIER ROLLERS</b> . . . . . 0<br>Includes one standard roller per side of tractor. Provides proper track adjustment with less recoil adjustment required. Reduces track slap during directional shifting.<br>CANNOT BE USED WITH: Sound or Waste Arrangements              |  | \$8,240 |
| L | 381-4183 | <b>CARRIER ROLLERS, COLD WEATHER.</b> . . . . . 0<br>Includes one arctic roller per side of tractor. Provides proper track adjustment with less recoil adjustment required. Reduces track slap during directional shifting.<br>CANNOT BE USED WITH: Sound or Waste Arrangements |  | \$8,650 |

**ELECTRICAL**

|   |          |  |  |       |
|---|----------|--|--|-------|
| L | 390-0351 | <b>LIGHT, WARNING, STROBE</b> . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>Includes a heavy-duty single flash (5 Joules) strobe beacon unit. MUST BE ORDERED DETACHED.<br>ONLY FOR USE WITH: 382-7689 MACHINE CONTROL, PERFORMANCE<br>363-4414 MACHINE CONTROL, GRADE CONTROL<br>484-7575 MACHINE CONTROL, TERRAIN, BC |  | \$443 |
| L | 425-1761 | <b>LIGHT, WARNING, STROBE</b> . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>Includes a heavy-duty single flash (5 Joules) strobe beacon unit. MUST BE ORDERED DETACHED.<br>ONLY FOR USE WITH: 382-7686 MACHINE CONTROL, BASIC<br>382-7687 INSTALLATION, ACCUGRADE   |  | \$710 |

**OPERATOR ENVIRONMENT**

|   |          |   |  |       |
|---|----------|---|--|-------|
| L | 349-3004 | <b>WINDOW SHADES</b> . . . . . 0<br>Includes retractable window shades on the front, left and right door and rear windows to maximize operator comfort. |  | \$675 |
| L | 374-9585 | <b>PRECLEANER, POWERED.</b> . . . . . 0<br>Powered HVAC precleaner designed to increase fresh air filter life.  |  | \$760 |

**FUEL SYSTEMS**

**GROUND LEVEL DIESEL EXHAUST FLUID (DEF) FAST FILL**

NOTE: All systems compatible with 506-8793 DEF fill nozzle.

|   |          |  |  |         |
|---|----------|--|--|---------|
| L | 428-9218 | <b>FAST FILL, DEF, RIPPER</b> . . . . . 0<br>Ground level DEF fast fill system for use with rippers. MUST BE ORDERED DETACHED.<br>ONLY FOR USE WITH: 504-3015 DEF TANK, FAST FILL and RIPPER |  | \$2,195 |
|---|----------|--|--|---------|

CATERPILLAR MACHINE PRICE LIST

# D9T-T4

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

**FUEL SYSTEMS (CONT.)**

**GROUND LEVEL DIESEL EXHAUST FLUID (DEF) FAST FILL (Cont.)**

|   |          |  |  |         |
|---|----------|--|--|---------|
| L | 449-6261 | <b>FAST FILL, DEF, COUNTERWEIGHT</b> . . . . . 0<br>Ground level DEF fast fill system for use with counterweights.<br>MUST BE ORDERED DETACHED.<br>ONLY FOR USE WITH: 504-3015 DEF TANK, FAST FILL and<br>382-7693 COUNTERWEIGHT, REAR             |  | \$2,590 |
| L | 428-9318 | <b>FAST FILL, DEF, DRAWBAR</b> . . . . . 0<br>Ground level DEF fast fill system for use with drawbars or no<br>rear attachment.<br>ONLY FOR USE WITH: 504-3015 DEF TANK, FAST FILL and<br>382-7695 DRAWBAR, REAR or<br>382-7697 NO REAR ATTACHMENT |  | \$2,760 |
| L | 450-5773 | <b>FAST FILL, DEF, WINCH</b> . . . . . 0<br>Ground level DEF fast fill system for use with winches.<br>ONLY FOR USE WITH: 504-3015 DEF TANK, FAST FILL and<br>382-7696 WINCH, PA140VS VARIABLE SPEED   |  | \$2,565 |
| L | 445-9367 | <b>FAST FILL, DEF, STRIKER BOX</b> . . . . . 0<br>Ground level DEF fast fill system for use with striker box.<br>ONLY FOR USE WITH: 504-3015 DEF TANK, FAST FILL and<br>382-7694 STRIKER BAR, REAR   |  | \$2,565 |

**GUARDS**

|   |          |  |  |          |
|---|----------|--|--|----------|
| L | 426-3809 | <b>GUARD, UNDERCARRIAGE IDLERS.</b> . . . . . 0<br>Includes rubber idler protectors. Provides additional wear<br>protection from abrasive material to the moving undercarriage.<br>CANNOT BE USED WITH: 363-4393 UNDERCARRIAGE, WASTE HANDLING |  | \$2,460  |
| L | 388-5026 | <b>GUARD, FUEL TANK</b> . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>Includes guarding for hydraulic and fuel tanks.   |  | \$9,010  |
| L | 431-5053 | <b>GUARD, FUEL TANK W/ XMSN GUARD</b> . . . . . 0<br>FOR USE IN LANE 3 ONLY<br>Includes guarding for hydraulic and fuel tank and an upper<br>transmission guard.<br>ONLY FOR USE WITH: No Rear Attachment<br>Drawbar, Rear                     |  | \$12,370 |
| L | 224-4644 | <b>STRIKER BARS, FRONT</b> . . . . . 1,307<br>FOR USE IN LANE 3 ONLY<br>Provides striker bars mounted to the roller frames.<br>ONLY FOR USE WITH: Undercarriage Ar, Waste Handling   |  | \$13,400 |
| L | 489-8199 | <b>GUARD, DAMPER</b> . . . . . 0<br>Includes guard that protects the damper in high debris applications.<br>Recommended for applications with extreme bottom guard build up.   |  | \$1,355  |

**OTHER ATTACHMENTS**

**STARTING AIDS**

|   |          |   |  |    |
|---|----------|---|--|----|
| L | 390-0354 | <b>HEATER, ENGINE COOLANT, 120V</b> . . . . . 0<br>Includes a 120-volt, 1500-watt jacket water electrical heater. |  | NC |
| L | 425-3551 | <b>HEATER, ENGINE COOLANT, 240V</b> . . . . . 0<br>Includes a 240-volt, 1500-watt jacket water electrical heater. |  | NC |

CATERPILLAR MACHINE PRICE LIST

# D9T-T4

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

**BLADES**

**BULLDOZER INSTALLATION PACKAGE**

|   |          |   |  |             |
|---|----------|---|--|-------------|
| L | 423-9870 | <b>9SU/U DOZER, SINGLE TILT</b> ..... 0<br>ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Includes bulldozer push arms, tilt brace, tilt cylinder, tag link, tilt cylinder lines, and push arm grab handles.<br>ONLY FOR USE WITH: Hydraulics, Single Tilt              |  | \$37,760 NI |
| L | 390-5415 | <b>9SU/U DOZER, DUAL TILT</b> ..... 0<br>ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Includes bulldozer push arms, two tilt cylinders, tag link, tilt cylinder lines, and push arm grab handles.<br>ONLY FOR USE WITH: Hydraulics, Dual Tilt                         |  | \$55,300 NI |
| L | 423-9871 | <b>9SU/U DOZER, SINGLE TILT GUARD</b> ..... 0<br>ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Includes bulldozer push arms, tilt brace, tilt cylinder, tag link, guarded tilt cylinder lines and push arm grab handles.<br>ONLY FOR USE WITH: Hydraulics, Single Tilt |  | \$38,960 NI |
| L | 423-9869 | <b>9SU/U DOZER, DUAL TILT GUARD</b> ..... 0<br>ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Includes bulldozer push arms, two tilt cylinders, tag link, guarded tilt cylinder lines and push arm grab handles.<br>ONLY FOR USE WITH: Hydraulics, Dual Tilt            |  | \$56,510 NI |

**CYLINDER PACKAGE**

|   |          |  |  |          |
|---|----------|--|--|----------|
| L | 419-6993 | <b>CYLINDER GROUP, STANDARD</b> ..... 0<br>ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Includes two standard lift cylinders.  |  | \$19,940 |
| L | 419-6994 | <b>CYLINDER GROUP, PERFORMANCE</b> ..... 0<br>Includes one standard lift cylinder and one lift cylinder with a position sensor.<br>ONLY FOR USE WITH: 382-7689 MACHINE CONTROL, PERFORMANCE  |  | \$23,350 |
| L | 387-0475 | <b>CYLINDER GROUP, GRADE CONTROL</b> ..... 0<br>Includes two lift cylinders with position sensors.<br>ONLY FOR USE WITH: 363-4414 MACHINE CONTROL, GRADE CONTROL<br>382-7689 MACHINE CONTROL, PERFORMANCE<br>484-7575 MACHINE CONTROL, TERRAIN, BC |  | \$26,720 |

**TRUNNION OPTIONS (May Select One)**

|   |          |   |  |            |
|---|----------|---|--|------------|
| L | 106-7364 | <b>TRUNNIONS, STANDARD DOZER</b> ..... 0<br>Standard dozer trunnions.<br>REQUIRED BY: BULLDOZER INSTALLATION PACKAGES   |  | \$3,100 NI |
| L | 205-7249 | <b>TRUNNIONS, WIDE DOZER</b> ..... 0<br>Extra wide dozer trunnions.<br>REQUIRED BY: BULLDOZER INSTALLATION PACKAGES<br>STRIKER BARS, FRONT AND DUAL TILT<br>30"/760MM TRACK |  | \$3,275 NI |
| L | 7T-6040  | <b>COVERS, TRUNNION</b> ..... 85<br>FOR USE IN LANE 3 ONLY<br>Heavy duty guards in place of dozer trunnions.<br>CANNOT BE USED WITH: BULLDOZER INSTALLATION PACKAGES        |  | \$1,255    |

CATERPILLAR MACHINE PRICE LIST

# D9T-T4

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

**BLADES (CONT.)**

**BLADE**

|   |          |   |  |             |
|---|----------|---|--|-------------|
| L | 491-8138 | <b>BLADE, 9SU</b> . . . . . 0<br>ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Includes SU blade with general duty cutting edges and end bits.<br>Does not include a wear plate or rock guard.                                       |  | \$50,190 NI |
| L | 491-8137 | <b>BLADE, 9SU PUSH PLATE</b> . . . . . 0<br>ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Includes SU blade, general duty cutting edges and end bits,<br>and push plate.   |  | \$53,230 NI |
| L | 491-8134 | <b>BLADE, 9SU ABRASION</b> . . . . . 0<br>ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Includes SU blade, extended wear life cutting edges and end bits,<br>wear plate and rock guard.  |  | \$59,710 NI |
| L | 491-8135 | <b>BLADE, 9SU ABRASION, BLACK</b> . . . . . 0<br>ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Includes SU blade, extended wear life cutting edges and end bits,<br>wear plate and rock guard. Black paint on the back of the blade. |  | \$62,360 NI |
| L | 491-8133 | <b>BLADE, 9U</b> . . . . . 0<br>ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Includes U blade with general duty cutting edges and end bits.<br>Does not include a wear plate or rock guard.   |  | \$54,630 NI |
| L | 491-8131 | <b>BLADE, 9U ABRASION</b> . . . . . 0<br>ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Includes U blade, extended wear life cutting edges and end bits,<br>wear plate and rock guard.  |  | \$64,420 NI |
| L | 491-8132 | <b>BLADE, 9U ABRASION, BLACK</b> . . . . . 0<br>ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Includes U blade, extended wear life cutting edges and end bits,<br>wear plate and rock guard. Black paint on the back of the blade.   |  | \$67,060 NI |
| L | 491-8136 | <b>BLADE, 9SU LANDFILL</b> . . . . . 0<br>ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Includes SU blade, general duty cutting edges and end bits,<br>wear plate and trash rack.  |  | \$62,200 NI |

For Coal U-Blade, Landfill U-Blade, or Woodchip U-Blade please refer to WT-TTT Cat Work Tools price list.

**GROUND ENGAGING TOOLS**

**RIPPER SHANK OPTIONS (Note that RIPPERS do not include any shanks.)**

|   |          |   |  |            |
|---|----------|---|--|------------|
| L | 445-2034 | <b>TOOTH, MULTI-SHANK RIPPER</b> . . . . . 0<br>ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Includes shank, sharp shank protector, pin, pin retainer and tip.<br>Tip and shank protector feature CapSure hammerless installation and positive retention systems. Maximum depth is 796mm below grade with standard 380-1209 tip. Order 1, 2 or 3 teeth for multi shank ripper.<br>ONLY FOR USE WITH: MULTI SHANK RIPPER |  | \$6,020 NI |
|---|----------|---|--|------------|



CATERPILLAR MACHINE PRICE LIST

# D9T-T4

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|---------------------|-----------------|----------------------|
|-----|---------|---------------------|-----------------|----------------------|

**GROUND ENGAGING TOOLS (CONT.)**

***RIPPER SHANK OPTIONS (Note that RIPPERS do not include any shanks.) (Cont.)***

|   |          |  |  |                   |
|---|----------|--|--|-------------------|
| L | 445-2032 | <b>TOOTH, SINGLE SHANK RIPPER</b> ..... 0<br>ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Includes standard shank, sharp shank protector, pin, pin retainer and tip. Tip and shank protector feature CapSure hammerless installation and positive retention systems. Maximum depth is 1244mm below grade with standard 380-1207 tip.<br>ONLY FOR USE WITH: SINGLE SHANK RIPPER |  | <b>\$8,220 NI</b> |
| L | 445-2033 | <b>TOOTH, SINGLE SHANK, DEEP</b> ..... 0<br>ALSO AVAILABLE AS MISCELLANEOUS ORDER<br>Includes long shank, sharp shank protector, pin, pin retainer and tip. Tip and shank protector feature CapSure hammerless installation and positive retention systems. Maximum depth is 1660mm below grade with standard 331-3505 tip.<br>ONLY FOR USE WITH: SINGLE SHANK RIPPER      |  | <b>\$9,050 NI</b> |

**PACKING**

***TRACTOR PACKING (Must Select One)***

|  |         |  |  |                  |
|--|---------|--|--|------------------|
|  | 0P-2475 | <b>D9T DOMESTIC TRUCK</b> ..... 0<br>Tractor ships complete. Ripper or counterweight detached.   |  | <b>NC</b>        |
|  | 0P-2477 | <b>D9 DOMESTIC TRUCK, LESS ROPS</b> ..... 0<br>ROPS is removed for shipment. Installation of short tack. Ripper or counterweight detached. |  | <b>\$650 NET</b> |
|  | 0P-0210 | <b>PACK, DOMESTIC TRUCK</b> ..... 0<br>For applicable miscellaneous shipments only.  |  | <b>NC</b>        |