



Nickerson Corporation

Ceiling Suspended Backstop 2018 Price List
TF-20 - Front Braced Forward Folding Backstop

		<i>Spacing of Beams/Trusses/Joists</i>						
		4' 0" or Less	4' 1" to 8' 0"	8' 1" to 12' 0"	12' 1" to 16' 0"	16' 1" to 20' 0"	20' 1" to 24' 0"	24' 1" to 28' 0"
Attachment Height	19'	3,488	3,457	3,608	3,822	4,408	5,667	5,754
	20'	3,512	3,484	3,636	3,847	4,436	5,692	5,782
	21'	3,562	3,531	3,686	3,897	4,486	5,741	5,831
	22'	3,621	3,593	3,745	3,956	4,542	5,800	5,887
	23'	3,649	3,621	3,773	3,984	4,569	5,831	5,918
	24'	3,711	3,683	3,835	4,046	4,631	5,893	5,980
	25'	3,739	3,708	3,860	4,073	4,662	5,918	6,008
	26'	3,968	3,934	4,089	4,300	4,889	6,144	6,234
	27'	3,996	3,965	4,120	4,331	4,920	6,178	6,262
	28'	4,083	4,052	4,207	4,418	5,003	6,262	6,361
	29'	4,111	4,080	4,235	4,442	5,031	6,290	6,377
	30'	4,179	4,151	4,303	4,514	5,100	6,361	6,448
	31'	4,241	4,213	4,365	4,573	5,162	6,423	6,510
	32'	4,309	4,281	4,433	4,644	5,233	6,491	6,578
	33'	4,340	4,306	4,464	4,672	5,261	6,516	6,603
	34'	4,362	4,334	4,486	4,697	5,286	6,544	6,631
	35'	4,436	4,405	4,560	4,768	5,357	6,615	6,702
	36'	4,467	4,433	4,591	4,799	5,388	6,646	6,733
	37'	4,535	4,504	4,659	4,870	5,456	6,715	6,805
	38'	4,597	4,566	4,721	4,932	5,518	6,777	6,863
39'	4,628	4,600	4,752	4,963	5,549	6,811	6,898	
40'	4,659	4,628	4,780	4,991	5,580	6,839	6,925	

TF-20S - Front Braced Forward Folding Bent Stem Backstop

		<i>Spacing of Beams/Trusses/Joists</i>						
		4' 0" or Less	4' 1" to 8' 0"	8' 1" to 12' 0"	12' 1" to 16' 0"	16' 1" to 20' 0"	20' 1" to 24' 0"	24' 1" to 28' 0"
Attachment Height	19'	3,497	3,466	3,621	3,832	4,418	5,676	5,766
	20'	3,525	3,494	3,649	3,856	4,445	5,707	5,791
	21'	3,556	3,525	3,680	3,891	4,476	5,735	5,822
	22'	3,624	3,590	3,748	3,956	4,545	5,803	5,893
	23'	3,655	3,627	3,779	3,990	4,576	5,837	5,924
	24'	3,695	3,661	3,816	4,027	4,616	5,871	5,961
	25'	3,720	3,692	3,844	4,055	4,644	5,902	5,989
	26'	3,962	3,931	4,086	4,297	4,883	6,141	6,231
	27'	3,993	3,962	4,117	4,325	4,917	6,175	6,262
	28'	4,064	4,033	4,188	4,399	4,988	6,247	6,330
	29'	4,092	4,061	4,216	4,427	5,013	6,271	6,361
	30'	4,163	4,129	4,284	4,495	5,084	6,340	6,429
	31'	4,191	4,160	4,315	4,526	5,115	6,371	6,457
	32'	4,294	4,259	4,418	4,625	5,214	6,473	6,563
	33'	4,318	4,290	4,442	4,656	5,242	6,501	6,588
	34'	4,346	4,315	4,470	4,678	5,267	6,526	6,615
	35'	4,383	4,356	4,507	4,721	5,310	6,566	6,653
	36'	4,445	4,418	4,569	4,780	5,366	6,628	6,715
	37'	4,517	4,486	4,638	4,852	5,441	6,696	6,783
	38'	4,548	4,514	4,672	4,879	5,468	6,724	6,814
39'	4,579	4,551	4,703	4,917	5,503	6,761	6,848	
40'	4,610	4,576	4,734	4,941	5,530	6,786	6,876	



Nickerson Corporation

Ceiling Suspended Backstop Price List

TF-20J - Rear Braced Forward Folding Backstop

		Spacing of Beams/Trusses/Joists						
		4' 0" or Less	4' 1" to 8' 0"	8' 1" to 12' 0"	12' 1" to 16' 0"	16' 1" to 20' 0"	20' 1" to 24' 0"	24' 1" to 28' 0"
Attachment Height	19'	3,686	3,705	3,909	4,238	4,514	6,082	6,172
	20'	3,714	3,732	3,940	4,269	4,545	6,113	6,200
	21'	3,767	3,785	3,990	4,318	4,597	6,166	6,253
	22'	3,825	3,844	4,049	4,377	4,656	6,225	6,312
	23'	3,866	3,891	4,095	4,424	4,700	6,268	6,358
	24'	3,906	3,925	4,129	4,461	4,737	6,305	6,392
	25'	3,918	3,940	4,145	4,473	4,752	6,321	6,405
	26'	4,157	4,176	4,380	4,709	4,988	6,557	6,643
	27'	4,185	4,207	4,411	4,740	5,016	6,584	6,674
	28'	4,266	4,284	4,489	4,817	5,093	6,662	6,752
	29'	4,294	4,309	4,517	4,845	5,124	6,693	6,780
	30'	4,383	4,405	4,610	4,938	5,214	6,783	6,873
	31'	4,414	4,436	4,641	4,966	5,248	6,817	6,904
	32'	4,489	4,507	4,712	5,041	5,320	6,888	6,975
	33'	4,517	4,538	4,743	5,072	5,348	6,916	7,006
	34'	4,576	4,597	4,802	5,131	5,406	6,975	7,065
	35'	4,613	4,631	4,836	5,165	5,444	7,012	7,099
	36'	4,650	4,672	4,876	5,205	5,481	7,049	7,139
	37'	4,721	4,740	4,945	5,273	5,549	7,118	7,208
	38'	4,780	4,802	5,007	5,335	5,611	7,180	7,270
39'	4,805	4,833	5,038	5,366	5,648	7,217	7,301	
40'	4,842	4,867	5,072	5,397	5,676	7,245	7,335	

TB-25 - Rear Braced Rear Folding Backstop

		Spacing of Beams/Trusses/Joists						
		4' 0" or Less	4' 1" to 8' 0"	8' 1" to 12' 0"	12' 1" to 16' 0"	16' 1" to 20' 0"	20' 1" to 24' 0"	24' 1" to 28' 0"
Attachment Height	19'	3,488	3,457	3,608	3,822	4,408	5,667	5,754
	20'	3,512	3,484	3,636	3,847	4,436	5,692	5,782
	21'	3,562	3,531	3,686	3,897	4,486	5,741	5,831
	22'	3,621	3,605	3,745	3,956	4,542	5,800	5,887
	23'	3,649	3,621	3,773	3,984	4,569	5,831	5,918
	24'	3,711	3,683	3,835	4,046	4,631	5,893	5,980
	25'	3,739	3,708	3,860	4,073	4,662	5,918	6,005
	26'	3,965	3,934	4,089	4,300	4,886	6,144	6,234
	27'	3,993	3,965	4,120	4,331	4,920	6,175	6,262
	28'	4,083	4,052	4,207	4,418	5,003	6,262	6,352
	29'	4,108	4,080	4,232	4,442	5,031	6,290	6,377
	30'	4,179	4,148	4,303	4,511	5,100	6,361	6,445
	31'	4,241	4,219	4,362	4,573	5,162	6,420	6,507
	32'	4,309	4,281	4,433	4,644	5,230	6,491	6,578
	33'	4,337	4,306	4,461	4,672	5,261	7,167	6,603
	34'	4,362	4,334	4,486	4,697	5,282	6,544	6,631
	35'	4,433	4,405	4,557	4,768	5,354	6,615	6,702
	36'	4,467	4,433	4,585	4,799	5,388	6,643	6,730
	37'	4,535	4,501	4,659	4,867	5,456	6,715	6,805
	38'	4,597	4,563	4,721	4,929	5,518	6,774	6,860
39'	4,628	4,600	4,752	4,963	5,549	6,811	6,898	
40'	4,659	4,625	4,777	4,991	5,580	6,836	6,922	



Nickerson Corporation

Ceiling Suspended Backstop Price List

TB-25S - Rear Braced Rear Folding Bent Stem Backstop

		<i>Spacing of Beams/Trusses/Joists</i>						
		4' 0" or Less	4' 1" to 8' 0"	8' 1" to 12' 0"	12' 1" to 16' 0"	16' 1" to 20' 0"	20' 1" to 24' 0"	24' 1" to 28' 0"
Attachment Height	19'	3,478	3,450	3,602	3,816	4,402	5,661	5,747
	20'	3,509	3,475	3,633	3,841	4,430	5,689	5,778
	21'	3,537	3,509	3,661	3,875	4,461	5,720	5,806
	22'	3,605	3,577	3,739	3,940	4,529	5,788	5,875
	23'	3,639	3,608	3,763	3,974	4,560	5,819	5,909
	24'	3,680	3,646	3,798	4,011	4,600	5,856	5,943
	25'	3,705	3,674	3,829	4,039	4,628	5,884	5,974
	26'	3,956	3,925	4,080	4,290	4,879	6,135	6,225
	27'	3,987	3,959	4,111	4,321	4,907	6,169	6,256
	28'	4,058	4,030	4,182	4,396	4,982	6,240	6,327
	29'	4,089	4,055	4,210	4,421	5,010	6,265	6,355
	30'	4,157	4,126	4,281	4,492	5,078	6,336	6,426
	31'	4,185	4,157	4,309	4,520	5,106	6,367	6,454
	32'	4,287	4,256	4,411	4,622	5,208	6,467	6,557
	33'	4,315	4,284	4,436	4,647	5,236	6,495	6,581
	34'	4,340	4,309	4,464	4,675	5,261	6,519	6,609
	35'	4,380	4,349	4,504	4,712	5,301	6,563	6,650
	36'	4,442	4,411	4,566	4,774	5,363	6,622	6,708
	37'	4,511	4,483	4,635	4,845	5,431	6,693	6,780
	38'	4,542	4,511	4,666	4,876	5,462	6,721	6,811
39'	4,573	4,545	4,697	4,907	5,496	6,755	6,842	
40'	4,604	4,573	4,728	4,938	5,524	6,783	6,873	

TBS-26B - Front or Rear Braced Side Folding Backstop

		<i>Spacing of Beams/Trusses/Joists</i>						
		4' 0" or Less	4' 1" to 8' 0"	8' 1" to 12' 0"	12' 1" to 16' 0"	16' 1" to 20' 0"	20' 1" to 24' 0"	24' 1" to 28' 0"
Attachment Height	19'	3,553	3,522	3,674	3,887	4,697	5,732	5,819
	20'	3,571	3,540	3,695	3,906	4,715	5,751	5,840
	21'	3,630	3,599	3,754	3,965	4,774	5,809	5,899
	22'	3,695	3,664	3,819	4,030	4,839	5,875	5,964
	23'	3,714	3,686	3,838	4,049	4,861	5,896	5,983
	24'	3,798	3,767	3,922	4,129	4,941	5,977	6,064
	25'	3,819	3,785	3,943	4,151	4,960	5,999	6,088
	26'	3,922	3,891	4,046	4,253	5,065	6,104	6,188
	27'	3,968	3,940	4,092	4,303	5,115	6,147	6,237
	28'	4,055	4,027	4,179	4,390	5,202	6,237	6,324
	29'	4,077	4,046	4,201	4,411	5,220	6,256	6,343
	30'	4,139	4,108	4,259	4,473	5,282	6,318	6,405
	31'	4,222	4,188	4,343	4,554	5,363	6,398	6,488
	32'	4,290	4,259	4,414	4,625	5,437	6,470	6,560
	33'	4,309	4,281	4,433	4,644	5,456	6,491	6,578
	34'	4,334	4,300	4,452	4,666	5,475	6,510	6,597
	35'	4,418	4,387	4,542	4,749	5,558	6,597	6,687
	36'	4,436	4,408	4,560	4,771	5,583	6,619	6,705
	37'	4,501	4,473	4,625	4,836	5,648	6,684	6,770
	38'	4,585	4,517	4,709	4,920	5,729	6,767	6,851
39'	4,607	4,576	4,731	4,941	5,751	6,786	6,876	
40'	4,628	4,597	4,749	4,960	5,772	6,808	6,894	



Nickerson Corporation

Ceiling Suspended Backstop Price List

TS-21 Front Or Rear Braced Stationary Backstop

		<i>Spacing of Beams/Trusses/Joists</i>						
		4' 0" or Less	4' 1" to 8' 0"	8' 1" to 12' 0"	12' 1" to 16' 0"	16' 1" to 20' 0"	20' 1" to 24' 0"	24' 1" to 28' 0"
Attachment Height	19'	2,713	2,682	2,837	3,047	3,633	4,892	5,372
	20'	2,740	2,713	2,864	3,075	3,661	4,923	5,400
	21'	2,784	2,753	2,908	3,119	3,705	4,963	5,444
	22'	2,861	2,833	2,985	3,196	3,782	5,041	5,521
	23'	2,889	2,861	3,013	3,193	3,813	5,072	5,549
	24'	2,920	2,889	3,044	3,255	3,841	5,100	5,580
	25'	3,023	2,995	3,147	3,360	3,946	5,205	5,682
	26'	3,178	3,147	3,302	3,512	4,101	5,357	5,840
	27'	3,218	3,187	3,339	3,553	4,142	5,397	5,878
	28'	3,274	3,243	3,395	3,605	4,194	5,453	5,933
	29'	3,317	3,283	3,438	3,649	4,238	5,493	5,977
	30'	3,385	3,357	3,509	3,720	4,306	5,568	6,045
	31'	3,413	3,385	3,537	3,751	4,337	5,596	6,073
	32'	3,509	3,478	3,633	3,844	4,433	5,689	6,172
	33'	3,537	3,506	3,661	3,869	4,461	5,720	6,197
	34'	3,596	3,565	3,720	3,928	4,517	5,778	6,256
	35'	3,667	3,639	3,791	4,005	4,591	5,850	6,327
	36'	3,698	3,667	3,822	4,033	4,619	5,878	6,358
	37'	3,767	3,736	3,891	4,101	4,690	5,946	6,429
	38'	3,829	3,798	3,953	4,163	4,749	6,008	6,488
39'	3,863	3,832	3,984	4,194	4,786	6,042	6,522	
40'	3,891	3,860	4,015	4,225	4,811	6,070	6,550	

TS-22 Wall Braced Stationary Backstop

		<i>Spacing of Beams/Trusses/Joists</i>						
		4' 0" or Less	4' 1" to 8' 0"	8' 1" to 12' 0"	12' 1" to 16' 0"	16' 1" to 20' 0"	20' 1" to 24' 0"	24' 1" to 28' 0"
Attachment Height	19'	2,576	2,675	2,781	2,920	3,460	4,715	4,805
	20'	2,601	2,706	2,806	2,948	3,491	4,746	4,833
	21'	2,644	2,747	2,849	2,992	3,531	4,790	4,876
	22'	2,722	2,824	2,926	3,066	3,605	4,867	4,954
	23'	2,750	2,855	2,954	3,097	3,636	4,895	4,985
	24'	2,781	2,883	2,985	3,125	3,664	4,926	5,013
	25'	2,883	2,988	3,088	3,233	3,773	5,028	5,118
	26'	3,041	3,143	3,246	3,385	3,925	5,186	5,273
	27'	3,078	3,184	3,283	3,426	3,965	5,224	5,313
	28'	3,134	3,240	3,339	3,478	4,021	5,279	5,366
	29'	3,178	3,280	3,382	3,522	4,061	5,323	5,410
	30'	3,249	3,348	3,453	3,593	4,135	5,391	5,478
	31'	3,277	3,379	3,484	3,624	4,163	5,419	5,509
	32'	3,373	3,472	3,283	3,717	4,256	5,518	5,605
	33'	3,398	3,503	3,602	3,745	4,284	5,543	5,633
	34'	3,457	3,562	3,661	3,801	4,343	5,602	5,689
	35'	3,531	3,633	3,736	3,878	4,418	5,673	5,763
	36'	3,562	3,661	3,767	3,906	4,445	5,704	5,791
	37'	3,630	3,732	3,835	3,974	4,514	5,775	5,862
	38'	3,692	3,791	3,897	4,036	4,576	5,837	5,924
39'	3,723	3,829	3,928	4,070	4,610	5,868	5,958	
40'	3,754	3,853	3,959	4,098	4,638	5,899	5,983	



Nickerson Corporation

Ceiling Suspended Backstop Price List

Overhead Superstructure

		Half Cradle	Full Cradle
Drop Distance	2'	1,094	1,646
	4'	1,172	2,341
	6'	1,246	2,496
	8'	1,324	2,651
	10'	1,404	2,802