

| WHEEL LOADERS DEALER FIT | | | | | | | | | | | | | | |
|--|------------|--|--------------|-----|-----|--------|-------|--------|--------|--------|--------|-------|--------|---------|
| *NOTE: 427HT & 437HT DEALER FIT ITEMS ARE APPLICABLE TO AGRI WHEEL LOADER MACHINES | | | | | | | | | | | | | | |
| QUICK COUPLER BUCKETS (Requires Quick Coupler From Respective Machines) | | | | | | | | | | | | | | |
| Part Number | Sales Code | Item | Weight (lbs) | 407 | 409 | 411 HT | 417HT | 427 HT | 427 ZX | 437 HT | 437 ZX | 457HT | 457 ZX | LIST |
| 273/00139 | 406H702 | 1.0 cu.yd. GP bucket - 75" wide (Bolt-on edge sold separately: Edge x1 - 274/00589, Bolt x15 - 826/01608, Nut x15 - 1370/0601Z, Washer x15 - 1425/0011Z) - Small Zettlemeyer Coupler Fit | 633 | * | | | | | | | | | | \$2,335 |
| 273/00145 | | 1.3 cu yd GP bucket - 75" wide (Bolt-on edge sold separately: Edge x1 - 274/00589, Bolt x15 - 826/01608, Nut x15 - 1370/0601Z, Washer x15 - 1425/0011Z) - Small Zettlemeyer Coupler Fit | 325 | * | | | | | | | | | | \$2,588 |
| 328/00703 | | 1.75 cu yd Light Material bucket - 77" wide w/ bolt-on edge (549/14988 included) - Small Zettlemeyer Coupler Fit | 925 | * | | | | | | | | | | \$3,162 |
| 401/C9890 | YWSWA18 | 1.0 cu yd GP bucket - 70" wide (Bolt-on edge sold separately - x1 of 274/00615, x13 of 826/01608, 1425/0011Z, 1370/0601D) - Skid Steer Coupler Fit | 687 | * | * | | | | | | | | | \$2,463 |
| 401/C9794 | YWSWA19 | 1.3 cu yd GP bucket - 77" wide (Bolt-on edge sold separately - x1 of 332/56970, x15 of 826/01608, 1420/0011D, 1370/0601D) - Skid Steer Coupler Fit | 762 | * | * | | | | | | | | | \$3,003 |
| 332/R9605 | 406H099 | 1.3 cu yd GP bucket - 77" wide (Bolt-on edge sold separately: Edge x1 - 332/56970, Bolt x15 - 826/01608, Nut x15 - 1370/0601D, Washer x15 - 1420/0011D) - Med. Zettlemeyer Coupler Fit | 332 | | * | | | | | | | | | \$2,908 |
| 328/00350 | | 1.75 cu yd Light Material bucket w/bolt on edge (Bolt-on-edge assembly 549/14988 included) - Med. Zettlemeyer Coupler Fit | 850 | | * | | | | | | | | | \$3,777 |
| 510/89200 | 600J347 | 1.6 cu.yd. G. P. bucket - 89" wide (Bolt-on edge sold separately: Inner edge x1 - 510/81901, Outer edge x2 - 510/91800, Bolt x13 - 826/01022A, Washer x13 - 823/00604A, Nut x13 - 1370/0703Z) | 1219 | | | * | | | | | | | | \$4,412 |
| 510/89300 | 600J350 | 1.8 cu.yd. G. P. bucket - 95" wide (Bolt-on edge sold separately: Inner edge x1 - 510/82001, Outer edge x2 - 510/91800, Bolt x15 - 826/01022A, Washer x15 - 823/00604A, Nut x15 - 1370/0703Z) | 1496 | | | * | * | | | | | | | \$4,853 |
| 510/89400 | 600J365 | 2.1 cu.yd. G. P. bucket - 95" wide (Bolt-on edge sold separately: Inner edge x1 - 510/82001, Outer edge x2 - 510/91800, Bolt x15 - 826/01022A, Washer x15 - 823/00604A, Nut x15 - 1370/0703Z) | 1481 | | | | * | | | | | | | \$5,581 |
| 335/02717 | 600J360 | 2.3 cu.yd. G. P. bucket - 100" wide (Bolt-on edge sold separately: Inner edge x1 - 516/00005, Outer edge x2 - 510/91800, Bolt x15 - 826/01022A, Washer x15 - 823/00604A, Nut x15 - 1370/0701Z) | 1766 | | | | | * | * | | | | | \$6,279 |
| 335/02718 | | 2.6 cu.yd. G. P. bucket - 100" wide (Bolt-on edge sold separately: Inner edge x1 - 516/00005, Outer edge x2 - 510/91800, Bolt x15 - 826/01022A, Washer x15 - 823/00604A, Nut x15 - 1370/0701Z) | 1750 | | | | | * | * | | | | | \$6,732 |
| 335/02719 | 600J362 | 3.1 cu.yd. G. P. bucket - 106" wide (Bolt-on edge sold separately: Inner edge x1 - 510/93401, Outer edge x2 - 510/91800, Bolt x15 - 826/01022A, Washer x15 - 823/00604A, Nut x15 - 1370/0701Z) | 2200 | | | | | * | * | * | * | | | \$7,138 |
| 335/02720 | 600J366 | 3.5 cu.yd. G. P. bucket - 106" wide (Bolt-on edge sold separately: Inner edge x1 - 510/93401, Outer edge x2 - 510/91800, Bolt x15 - 826/01022A, Washer x15 - 823/00604A, Nut x15 - 1370/0701Z) | 2400 | | | | | | | * | * | | | \$7,617 |
| 269/40973 | | 4.0 cu yd. G.P bucket - 110" wide (Bolt-on edge sold separately: Inner edge x1 - 510/86402, Outer edge x2 - 510/86401, Bolt x15 - 826/01022A, Washer x15 - 823/00604A, Nut x15 - 1370/0703Z) | 2788 | | | | | | | | | * | * | \$8,896 |
| 269/40974 | 600J425 | 4.5 cu yd. G.P bucket - 110" wide (Bolt-on edge sold separately: Inner edge x1 - 510/86402, Outer edge x2 - 510/86401, Bolt x15 - 826/01022A, Washer x15 - 823/00604A, Nut x15 - 1370/0703Z) | 3536 | | | | | | | | | * | * | \$9,607 |

| DIRECT MOUNT BUCKETS (Cannot be used with Hydraulic Quick Coupler) | | | | | | | | | | | | | | |
|--|------------|--|--------------|-----|-----|--------|-------|--------|--------|--------|--------|-------|--------|----------|
| Part Number | Sales Code | Item | Weight (lbs) | 407 | 409 | 411 HT | 417HT | 427 HT | 427 ZX | 437 HT | 437 ZX | 457HT | 457 ZX | LIST |
| 510/88100 | 600H345 | 1.8 cu.yd. G. P. bucket - 95" wide (Bolt-on edge sold separately: Inner edge x1 - 510/82001, Outer edge x2 - 510/91800, Bolt x15 - 826/01022A, Washer x15 - 823/00604A, Nut x15 - 1370/0703Z) | 1499 | | | * | * | | | | | | | \$4,853 |
| 510/88200 | 600H348 | 2.1 cu.yd. G. P. bucket - 95" wide (Bolt-on edge sold separately: Inner edge x1 - 510/82001, Outer edge x2 - 510/91800, Bolt x15 - 826/01022A, Washer x15 - 823/00604A, Nut x15 - 1370/0703Z) | 1571 | | | | * | | | | | | | \$5,581 |
| 510/88600 | 600H377 | 2.6 cu.yd. G. P. bucket - 100" wide (Bolt-on edge sold separately: Inner edge x1 - 516/00005, Outer edge x2 - 510/91800, Bolt x15 - 826/01022A, Washer x15 - 823/00604A, Nut x15 - 1370/0701Z) | 1893 | | | | | | * | | | | | \$6,732 |
| 510/94000 | 600H365 | 3.0 cu.yd. G. P. bucket - 106" wide (Bolt-on edge sold separately: Inner edge x1 - 510/93401, Outer edge x2 - 510/91800, Bolt x15 - 826/01022A, Washer x15 - 823/00604A, Nut x15 - 1370/0701Z) | 2670 | | | | | | * | | * | | | \$7,069 |
| 510/94100 | 600H366 | 3.4 cu.yd. G. P. bucket - 106" wide (Bolt-on edge sold separately: Inner edge x1 - 510/93401, Outer edge x2 - 510/91800, Bolt x15 - 826/01022A, Washer x15 - 823/00604A, Nut x15 - 1370/0701Z) | 2820 | | | | | | | | * | | | \$7,543 |
| 510/98800 | 600H399 | 4.0 cu.yd. G. P. bucket - 110" wide (Bolt-on edge sold separately: Inner edge x1 - 510/86402, Outer edge x2 - 510/86401, Bolt x15 - 826/01022A, Washer x15 - 823/00604A, Nut x15 - 1370/0703Z) | 3307 | | | | | | | | | | * | \$8,896 |
| 331/18151 | 600H429 | 4.5 cu.yd. G. P. bucket - 110" wide (Bolt-on edge sold separately: Inner edge x1 - 510/86402, Outer edge x2 - 510/86401, Bolt x15 - 826/01022A, Washer x15 - 823/00604A, Nut x15 - 1370/0703Z) | 3376 | | | | | | | | | | * | \$9,607 |
| MULTIPURPOSE BUCKETS | | | | | | | | | | | | | | |
| Part Number | Sales Code | Item | Weight (lbs) | 407 | 409 | 411 HT | 417HT | 427 HT | 427 ZX | 437 HT | 437 ZX | 457HT | 457 ZX | LIST |
| 273/00140 | | 0.98 cu yd multipurpose bucket - 75" wide (Bolt on Edge 274/00589 sold separately) - Small Zettlemeyer Coupler Fit | | * | | | | | | | | | | \$6,041 |
| 332/R7792 | 406H788 | 1.1 cu yd multipurpose bucket - 75" wide (S/N 1302000 on) - Med. Zettlemeyer Coupler Fit | 1206 | | * | | | | | | | | | \$6,724 |
| 328/00606 | 600WA86 | 1.75 cu. yd. Multipurpose bucket - 96" wide w/ cutting edge (Replacement bolt-on edge 549/313851) - Q/H MOUNT | 2200 | | | | * | | | | | | | \$12,385 |
| 328/00125 | 600WA98 | 2.25 cu. yd. Multipurpose bucket - 106" wide w/cutting edge (Replacement bolt-on edge 549/00728) - Q/H MOUNT | 2600 | | | | | * | | * | | | | \$12,092 |
| 328/00981 | | 2.5 cu. Yd. Multipurpose bucket - 106" wide w/ cutting edge (Direct Mount - Pin On) (Replacement bolt-on edge 549/00728) | 4300 | | | | | | * | | | | | \$15,260 |
| 328/00297 | 600WB18 | 2.75 cu. yd. Multipurpose bucket-107" wide (Bolt-on edge 510/91800 x 2; 510/93401 x 1 sold separately)- Q/H MOUNT | 3355 | | | | | | | * | | | | \$15,319 |

| JCB QUICK COUPLERS | | | | | | | | | | | | | | |
|---|------------|--|--------------|-----|-----|--------|-------|-------|--------|--------|--------|-------|--------|----------|
| Part Number | Sales Code | Item | Weight (lbs) | 407 | 409 | 411 HT | 417HT | 427HT | 427 ZX | 437 HT | 437 ZX | 457HT | 457 ZX | LIST |
| 511/58000 | 600J371 | Quick Coupler - JCB Hydraulic | 1110 | | | * | * | | | | | | | \$4,582 |
| 400/R7593 | 600J403 | ZX Q-Coupler to connect HT attachments | 1216 | | | | | | * | | * | | | \$5,870 |
| 331/50053 | 600J430 | ZX Q-Coupler to connect HT attachments | 1576 | | | | | | | | | | * | \$6,339 |
| JRB STYLE COUPLERS & BUCKETS (Requires JRB Quick Coupler) | | | | | | | | | | | | | | |
| Part Number | Sales Code | Item | Weight (lbs) | 407 | 409 | 411 HT | 417HT | 427HT | 427 ZX | 437 HT | 437 ZX | 457HT | 457 ZX | LIST |
| 328/01027 | | JRB Hydraulic Coupler (Hoses not included) | | | | | | | * | | * | | | \$6,431 |
| 328/01029 | | 2.6 cu. yd. JRB style bucket with edge (JRB coupler req'd) | | | | | | * | * | * | * | | | \$7,497 |
| 328/01060 | | 3.0 cu yd JRB style bucket with edge (JRB coupler req'd) | 2400 | | | | | * | * | * | * | | | \$7,757 |
| GRAPPLES (JCB Quick Coupler Mount) | | | | | | | | | | | | | | |
| Part Number | Sales Code | Item | Weight (lbs) | 407 | 409 | 411 HT | 417HT | 427HT | 427 ZX | 437 HT | 437 ZX | 457HT | 457 ZX | LIST |
| 328/01128 | | 1.1 Cubic Yard Scrap Grapple Bucket - 75" wide (S/N 1302000 on) - Med. Zettlemeyer Coupler Fit | 1930 | | * | | | | | | | | | \$7,304 |
| 328/00383 | 600WA70 | 1.75 cu. yd. scrap grapple - 96" wide (Bolt on Edge 328/01072 sold separately) | 1665 | | | * | | | | | | | | \$8,961 |
| 328/00836 | 600WB37 | 2.25 cu.yd. trash clamp | 2350 | | | | * | | | | | | | \$9,049 |
| 328/00949 | 600WA87 | 2.5 cu.yd Scrap Grapple - 96" wide (Bolt on Edge 328/01072 sold separately) | 2500 | | | | * | | | | | | | \$10,739 |
| 328/00416 | 600WB02 | 3.0 cu. yd. scrap grapple - 106" wide | 2950 | | | | | * | | | | | | \$11,968 |

| FORK FRAMES & FORKS (JCB Quick Coupler Mount) | | | | | | | | | | | | | | |
|---|------------|--|--------------|-----|-----|-------|-------|-------|-------|-------|-------|-------|-------|---------|
| Part Number | Sales Code | Item | Weight (lbs) | 407 | 409 | 411HT | 417HT | 427HT | 427ZX | 437HT | 437ZX | 457HT | 457ZX | LIST |
| 273/00144 | 406H710 | 47" Industrial Frame and Forks - Small Zettlemeyer Coupler Fit | 4211 | * | | | | | | | | | | \$2,166 |
| 332/U3391 | 406H809 | 53" Class II ITA Carriage (S/N 1302000 on) requires 333/C6894 or 333/T0061 forks - Med. Zettlemeyer Coupler Fit | 154 | | * | | | | | | | | | \$1,837 |
| 333/C6894 | 406H515 | Set of 4" x 1.75" x 42" forks for 332/U3391 | 254 | | * | | | | | | | | | \$1,046 |
| 333/T0061 | 406H516 | Set of 4" x 1.75" x 48" forks for 332/U3391 | 134 | | * | | | | | | | | | \$1,056 |
| 332/L3341 | | SSL Pallet fork frame, Load backrest, and 42" Forks (HD 5,500 lb. capacity) - SSL COUPLER ONLY | 450 | * | * | | | | | | | | | \$1,029 |
| 332/L3342 | | SSL Pallet fork frame, Load backrest, and 48" Forks (HD 5,500 lb. capacity) - SSL COUPLER ONLY | 480 | * | * | | | | | | | | | \$1,061 |
| 511/60700 | | 59" ITA fork frame carriage requires 511/60800 or 511/61100 forks - For Parallel Lift (10,000 lb. capacity) | 630 | | | * | * | * | * | * | * | | | \$4,362 |
| 511/61200 | | 59" ITA Fork Frame requires 511/60800 or 511/61100 forks - For Standard Lift (10,000 lb. capacity) | 595 | | | * | * | * | * | * | * | | | \$4,364 |
| 511/60800 | 600WB42 | Set of 48" ITA forks for 511/60700 carriage (11,000 lb lift capacity @ 20" load center) | 580 | | | * | * | * | * | * | * | | | \$1,313 |
| 511/61100 | | Set of 60" ITA forks for 511/60700 carriage (11,000 lb lift capacity @ 20" load center) | 432 | | | * | * | * | * | * | * | | | \$1,364 |
| 328/00117 | 600WA14 | 72 inch carriage w/ 48" x 5" x 2" pin-on floating forks - Non-parallel lift w/ZX loader end (10,000 lb. capacity) | 1000 | | | * | * | * | * | * | * | | | \$5,803 |
| 328/00393 | 600WB06 | 72 inch carriage w/ 60" x 5" x 2" pin-on floating forks - Non-parallel lift w/ ZX loader end (10,000 lb. capacity) | 1110 | | | * | * | * | * | * | * | | | \$6,060 |
| 328/00593 | | 72 inch carriage w/ 72" x 5" x 2" pin on floating forks - Non-parallel lift w/ ZX loader end (10,000 lb. capacity) | 1267 | | | * | * | * | * | * | * | | | \$6,894 |
| 545/82129 | | 48" x 5" x 2" pallet forks (2) for above 72" carriage | 318 | | | * | * | * | * | * | * | | | \$1,316 |
| 330/71445 | | 60" x 5" x 2" pallet forks (2) for above 72" carriage | 362 | | | * | * | * | * | * | * | | | \$1,576 |
| 330/71755 | | 72" x 5" x 2" pallet forks (2) for above 72" carriage | 474 | | | * | * | * | * | * | * | | | \$1,856 |
| 331/17681 | | 59" ITA (Class 4) fork frame carriage requires 331/17682 forks | 1400 | | | | | * | * | * | * | * | * | \$9,584 |
| 331/17682 | | 48" Forks (Class 4) for 331/17682 frame | | | | | | * | * | * | * | * | * | \$1,575 |
| 328/00412 | 600WB38 | 96 inch carriage w/ 72" x 6" x 2.5" pin-on forks - Non-parallel lift w/ ZX loader end (19,400 lb. capacity) | 1400 | | | | | * | * | * | * | * | * | \$8,182 |

| BROOMS | | | | | | | | | | | | | | |
|---------------------------|------------|--|--------------|-----|-----|--------|--------|--------|--------|--------|--------|--------|--------|----------|
| Part Number | Sales Code | Item | Weight (lbs) | 407 | 409 | 411 HT | 417 HT | 427 HT | 427 ZX | 437 HT | 437 ZX | 457 HT | 457 ZX | LIST |
| 328/00996 | | 9' Hyd. Angle Broom 108" - HT Quick Coupler mount | 1680 | | | * | * | * | | | | | | \$16,320 |
| MISCELLANEOUS ATTACHMENTS | | | | | | | | | | | | | | |
| Part Number | Sales Code | Item | Weight (lbs) | 407 | 409 | 411 HT | 417 HT | 427 HT | 427 ZX | 437 HT | 437 ZX | 457 HT | 457 ZX | LIST |
| 328/01079 | | Zettlemeyer Quick Coupler to Mechanical Skidsteer Universal Coupler | 295 | * | | | | | | | | | | \$1,844 |
| 328/01083 | | Universal Blank - Zettlemeyer Coupler Fit | 135 | * | | | | | | | | | | \$737 |
| 328/00123 | 406WA56 | Blank plate for Zettlemeyer Quick Coupler | 120 | | * | | | | | | | | | \$774 |
| 328/01124 | | Zettlemeyer Quick Coupler to Mechanical Skidsteer Universal Coupler (S/N 1302000 on) | 256 | | * | | | | | | | | | \$1,996 |
| 328/00118 | 600WA15 | 3 - Stage lifting arm | 1000 | | | * | * | * | | * | | | | \$4,485 |
| 328/00119 | 600WA16 | JCB HT quick coupler blank plate | 353 | | | * | * | * | | * | | | | \$1,981 |