



2020

**JCB Wheel Loader
411 HT**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: January 2, 2020**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

411 HT Wheel Loader

Effective: January 2, 2020



F.O.B. Savannah, GA

STANDARD EQUIPMENT

GENERAL

Front and rear unitized mainframe modules with a componentized driveline. Frame mounted hydraulic and fuel tanks with convenient cleanout ports. Front fenders. Side panels and rear engine access with gas assisted struts. Articulation locking strut for transporting. Includes block and grid heater.

ENGINE

JCB EcoMax 4.4 L (269 CID) 4-cylinder turbo-charged, water-cooled, direct injection engine. 109 gross HP (Tier 4 Final), cyclonic air pre cleaner with scavenger system, single element air filter, spin-on filters, injection with water separator, variable speed cooling fan, wide core radiators, single faced cooling pack, thermostart assist and antifreeze to -33 degrees. Selective catalytic converter (SRS) after treatment.

TRANSMISSION

Fully automatic powershift transmission with torque converter. Four forward and three reverse gears with a speed inhibitor and modulation for smooth directional changes. Twist grip for manual gear selection with transmission kickdown button, automatic gear shifting through switch on A-pillar. Forward and reverse control switch on hydraulics control lever. Selectable transmission disconnect on brake pedal. Transmission underbelly guard for added protection.

TIRES

Several types available; see Section 2.

FRONT/REAR AXLES

Torque proportioning differentials with outboard planetaries. Optional limited slip differentials available for superior traction performance.

BRAKES

Oil immersed and inboard mounted multi-disc design. Dual circuit design with accumulator backup to provide stopping ability in all conditions. Mechanical disc parking brake operating on the transmission output shaft.

ELECTRICS

24 volt, IP67 water and dust resistant connectors with numerical coded wiring. 100 amp alternator with 2 heavy duty low maintenance batteries rated at 900 CCA. Battery disconnect switch located in battery compartment. Electrical circuit test button. Back-up Alarm.

INSTRUMENTS

Center mounted instrument panel with analog digital display gauges (speedometer, fuel, coolant temperature, transmission temperature, hydraulic temperature) and full color LCD screen providing selectable machine and operator menus. Screen also provides service diagnostic information. Parking brake "on" warning light.



U.S. Dollar Price Page

411 HT Wheel Loader

Effective: January 2, 2020



F.O.B. Savannah, GA

STANDARD EQUIPMENT CONT.

CAB

SAE certified ROPS/FOPS fully enclosed pressurized cab with 68 dB(a) internal noise level (SAE J2105). Dual exterior side view heated mirrors, two interior rear view mirrors, headrest and sun visor. Fully adjustable cloth suspension seat with 3-inch seat belt and left hand armrest. Heater/defroster, windshield wiper/washer, radio provision with speakers. Lighting package includes two headlights, two front and two rear worklights, and cab mounted flashing beacon. Operator's manual. Roof mounted switch bank for accessory controls.

HYDRAULICS

Tandem gear pump providing an efficient responsive distribution of power with 32.4 GPM. Two spool loader circuit with accumulator backup. 3rd spool auxiliary hydraulic circuit as standard. Single control lever for lift and tilt functions. Priority steering valve for improved handling and safety and emergency steer back-up.

LOADER

Parallel lift loader end with a general purpose bucket (see Options, Section 4). Four cylinder geometry for high torque and capacity. Two lift and two tilt cylinders. Return to dig and height kickout. Lift ram safety strut.

LIVELINK

Five year subscription allows for enhanced machine security, improved service monitoring, and modernized fleet control.

WARRANTY

Three year full coverage warranty (please see the machine warranty certificate for details).



U.S. Dollar Price Page

411 HT Wheel Loader

Effective: January 2, 2020



F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

To order a machine, select a code from each category below. Select Options and Attachments from Sections 3 and 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
411T	411 HT Base Machine (Tier 4 Final Emissions Compliant)	\$87,570
TIRES & WHEELS		
600A702	Michelin XHA 15.5 R25 L3	\$9,542
600A703	Michelin XTLA 15.5 R25 L2	\$8,704
600A705	Michelin X Snoplus 17.5R25 L2	\$13,925
600A706	Michelin XHA 17.5 R25 L3	\$11,493
600A722	Goodyear SGL 15.5-25 12 PLY	\$6,649
600A723	Goodyear SGL 15.5-25 16 PLY	\$8,554
600A727	Nokian Loader Grip 17.5R25 L3	\$14,801
OPERATORS COMPARTMENT		
600B019	Standard Full Cab Sliding / Tinted Glass	\$4,645
600B020	High Spec Full Cab - Sliding / Tinted Glass	\$7,620
600B031	Standard Spec Cab (USA) Sliding/Tinted Glass - Rear View Camera Included	\$5,971
CAB CONDITIONING SYSTEMS		
600C010	Full Cab Heater and Air Conditioning	\$4,977
600C011	Full Cab Climate Control - ATC	\$5,825
TRANSMISSION AND AXLES		
600D348	25 MPH Standard Axles, Mechanical Park Brake, Full Fender Coverage	\$11,453
600D356	25 MPH LSD Axles, Mechanical Park Brake, Full Fender Coverage	\$14,750
600D357	25 MPH LSD Axles, Electrical park brake, Full fender Coverage	\$15,994
LOADER ARMS AND AUXILIARY HYDRAULICS		
600E136	Standard Height Arm, 3 Spool Joystick Controls, Parallel Lift	\$1,756
600E138	Standard Height Arm, 4 Spool Joystick Controls, Parallel Lift	\$2,424
LANGUAGE PACK		
600F251	Language pack: North American	\$0



U.S. Dollar Price Page

411 HT Wheel Loader

Effective: January 2, 2020



F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

SALES CODE	OPERATORS COMPARTMENT OPTIONS	LIST PRICE
600H041	Electric in-Cab coolbox	\$664
600R001	Carbon Filter - Cab Air Intake	\$186
600R018	Mid Spec Work Lights - 4 Front 4 Rear - Halogen	\$372
600R019	High Spec Work Lights - 4 Front 4 Rear - LED	\$2,363
600R020	360 Degree WorkLighted - 6 Front 6 Rear - LED	\$3,392
600R042	Hi-vis Seatbelt - 2 inch Only. Orange	\$126
600R034	Deluxe Seat - 3" Seatbelt	\$723
600R035	Super Deluxe Seat - 3" Seatbelt	\$1,309
600R041	Floor Carpet - For Electrical Park Brake Builds Only	\$509
600R381	Loading Shovel Grease Gun and Cartridge	\$42
MACHINE PROTECTION OPTIONS		
600G003	Fuel Hose guard	\$122
600G005	Front Screen Guard	\$2,369
600G006	Rear Light Guards	\$571
600G007	Front Light Guards	\$151
600G019	Front Light Guards - Box Protection	\$117
HYDRAULIC AND OTHER MACHINE OPTIONS		
600H006	Smooth Ride System	\$4,756
600H010	Hydraulic Reversing Fan	\$2,276
600H023	Auto grease system	\$6,633
600H025	ARV Kit - 3 Spool	\$470
600H026	ARV Kit - 4 Spool	\$942
600J019	Quickhitch ready - 3 spool hydraulics	\$1,946
600J020	Quickhitch ready - 4 spool hydraulics	\$1,946
600J579	Industrial Quick Hitch, 3 Spool HYD Raulics - 3/4" Aux PipeWork + Hoses	\$3,872
600P006	Transmission Cooler Bypass	\$897
600P007	Block Heater - 110V	\$0
600P009	Grid Heater - Cold Start	\$0
600R030	Smart Reverse Alarm - 112DB	\$264



U.S. Dollar Price Page

411 HT Wheel Loader

Effective: January 2, 2020



F.O.B. Savannah, GA

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

Select Attachments as desired, within limitations if indicated.

SALES CODE	JCB QUICKHITCH LOADER BUCKETS (QUICKHITCH MUST BE ORDERED)	LIST PRICE
600J347	Quick Hitch Mounted 1.6 Cu. Yd. Shovel with Toeplate	\$5,140
600J350	Quick Hitch Mounted 1.8 Cu. Yd. Shovel with Toeplate	\$5,981
JCB DIRECT MOUNTED LOADER BUCKETS (NOT FOR USE WITH QUICKHITCH)		
600H344	Pin Mounted 1.6 Cu. Yd. Shovel, with Toeplate	\$5,140
600H347	Pin Mounted 1.8 Cu. Yd. Shovel, with Toeplate	\$5,981
OTHER ATTACHMENTS, QUICKHITCH TYPE		
600J343	Pallet Forks and Carrier 47" Tine Length. 79" Carriage Width	\$6,257