



**2020**

**JCB Teleskid  
2TS-7T  
Compact Track Loader**



**JCB, Inc. North American  
Machine Price List  
In U.S. Dollars  
Effective: January 2, 2020**

Changes to specifications and/or prices may occur.  
Please refer to the product manager for updates.



# 2TS-7T Teleskid



U.S. Dollar Price Page

Effective: January 2, 2020

F.O.B. Savannah, GA

## STANDARD EQUIPMENT

<b>ENGINE</b>	2.5L (151.4CID) 74 SAE Gross hp, Kohler KDI 3504 TCR engine, centrifugal dry type dual stage air cleaner. Fuel filter with water separator, 1000 CCA battery; variable speed hydraulically driven fan.
<b>TRANSMISSION</b>	EH (Electo-Hydraulic) Controls with hydrostatic transmission. Standard two (2) speed transmission is provides a low range of 0 - 4.8 mph and a high range of 0 - 7.8 mph in both forward and reverse. Standard Creep speed provides operation from 0 to 1/2 of full speed for special applications.
<b>RUBBER TRACKS</b>	FiFitted with 12.6" (320mm) wide tracks provide a machine with of 66" and a ground bearing pressure of 7.0 psi.
<b>BRAKES</b>	Machine braking provided through the hydrostatic transmission. Parking brake consists of multiple disc, oil immersed, spring applied hydraulic release that provides a fail safe with the engine off. Electrically activated through a switch on the instrument panel or by raising seat bar.
<b>ELECTRICAL</b>	Meets IP69 (external) IP67 (internal) water ingress standard. Worklights, 2 Front and 1 Rear, Reverse Alarm, Horn, and 12V Accessory Socket.
<b>INSTRUMENTS</b>	Audible and visual warning systems, right and left side mounted instrument panels. Standard electronic throttle control with optional foot throttle.
<b>CAB OR CANOPY</b>	SAE certified ROPS/FOPS, left side entry. Units are equipped with a heated air suspension seat with adjustable arm pods, an operator restraint interlock for drive and loader functions, enclosed Heated Cab with Air Conditionioing and sliding window in left door. Right Hand glass standard on all units. LiveLink llite standard on all units.
<b>HYDRAULICS</b>	18 gpm @ 3335psi standard flow. Optional 29 gpm @ 3335psi available.
<b>LOADER</b>	Rated Operating Capacity of 2096 lbs, Radial Lift Loader Design provides a radial lift path, and with a two stage telescopic boom, a hinge pin height of 144" (12') and 84" (7') of forward reach. Auxiliary hydraulic circuit and high flow are standard for operation of hydraulic powered attachments. All machines are equipped with: Automatic Attachment Leveling System, Smooth Ride System (SRS), a Sealed Electric Power Quick Hitch and Hydraulic Float.



U.S. Dollar Price Page

# 2TS-7T Teleskid

Effective: January 2, 2020



F.O.B. Savannah, GA

## STANDARD EQUIPMENT CONT.

### SERVICEABILITY

Cab tilts forward to provide further access to the hydraulic components.  
The bucket tilt (crowd) cylinder has been repositioned inside the boom, thereby allowing the cab to be tilted for service access without raising the boom. Rear door provides access to engine bay and daily maintenance and check points.



# 2TS-7T Teleskid



U.S. Dollar Price Page

Effective: January 2, 2020

F.O.B. Savannah, GA

## SECTION I - YELLOW SERIES

If a Package Build machine from Section I will not meet your requirements, please order a machine by selecting one code from each category below. Select Attachments from Section 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	ITEM	LIST PRICE
8729	JCB 2TS-7T Teleskid	\$61,329
881A222	12.6" (320 mm) Wide Rubber Track Set - 4 Roller (provides 66" width)	\$0
881B259	Spts Cab Heat/AC with Options Tracked	\$5,066
881C207	JCB Controls with 7 Way Joystick Spts	\$1,846
881D300	No Factory Fit Attachment Option. See List of available buckets and pallet forks to complete machine build.	\$0
881E558	Small Platform Teleskid Track Cab NA STD Features	\$6,868
881F216	High Flow Small Platform Teleskid	\$1,199
<b>LIST PRICE</b>		<b>\$76,308</b>



# 2TS-7T Teleskid



U.S. Dollar Price Page

Effective: January 2, 2020

F.O.B. Savannah, GA

## SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

Select Attachments as desired, within limitations if indicated.

SALES CODE	CARRIAGES	LIST PRICE
<b>GP Buckets</b>		
881D302	GP Bucket - 72" - 15.4 cu-ft	\$1,169
881D340	GP Bucket - 68" - 14.3 cu-ft	\$1,333
881D347	GP Bucket - 60" - 12.7 cu-ft	\$1,181
<b>Landscape Buckets</b>		
881D305	Landscape Bucket - 66" - 17.5 cu-ft	\$1,121
881D306	Landscape Bucket - 72" - 19.2 cu-ft	\$1,176
881D349	Landscape Bucket - 60" - 15.8 cu-ft	\$1,263
<b>Bolt on Edge</b>		
881H302	Bolt on Edge for 72" Bucket (1727mm)	\$334
881H315	Pallet Fork Frame, Load Backrest (LBR) With 48" Tines	\$1,071