

CATERPILLAR MACHINE PRICE LIST

**303.5**

303.5 MINI HYDRAULIC EXCAVATOR  
SAGAMI, JAPAN

Ship Weight  
lbs

LIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

Cat C1.7 NA engine  
(U.S. EPA Tier 4 Final/  
JAPAN MLIT Tier 3)  
Automatic engine idle  
Automatic engine shutdown  
Automatic two speed travel  
Fuel water separator

**UNDERCARRIAGE**

Track, 300 mm (11.8")  
Dozer blade(BOCE) with float  
Tie downs on track frame

**HYDRAULICS**

Variable displacement piston pump  
Smart tech electronic pump  
Load sensing/flow sharing hydraulics  
Automatic swing brake  
Hydraulic lockout - all controls  
One and two way auxiliary flow  
Continuous auxiliary flow  
Bio oil capable

**ELECTRICAL**

12 volt electrical system  
Software (machine and monitor)  
65 ampere alternator  
650CCA maintenance free battery  
Battery disconnect  
Signaling/warning horn  
12 volt power socket

**OPERATOR ENVIRONMENT**

Product link PLE243 (regulations apply)  
Cab sound pressure 94dB(A) ISO 6395  
Coat hook  
Next generation color LCD monitor (IP66)  
-Fuel level and coolant temperature gauges  
-Maintenance and machine monitoring  
-Performance and machine adjustments  
-Numeric security code  
-Multiple languages  
-Hour meter with wake up switch  
Cup Holder  
Utility space for mobile phone  
ROPS - ISO 12117-2:2008  
TOPS - ISO 12117:1997  
Top guard ISO 10262: 1998 Level I  
Adjustable wrist rests  
Non suspension vinyl seat  
Retractable high visibility seat belt  
Removable washable floormat  
Tilt operator station

Storage pocket  
Skylight  
Mounting bosses for front guard

**OTHER STANDARD EQUIPMENT**

Control Pattern Changer  
Caterpillar corporate "one key" system  
Door locks on cab door and external enclosure doors  
Lockable fuel cap  
Beacon socket  
Joystick travel and steering mode  
Travel cruise control  
Boom light

**INSTRUCTIONS**

REGIONAL STANDARD EQUIPMENT INCLUDES:

United States and Canada  
-Accumulator, certified  
-Retractable high visibility seat belt 75mm (3")  
-Ecology drain - engine  
-Auxiliary hydraulic lines  
-Auxiliary line quick disconnects

South America  
-Accumulator, certified  
-Retractable high visibility seat belt 75mm (3")  
-Ecology drain - engine  
-Auxiliary hydraulic lines  
-Auxiliary line quick disconnects

CATERPILLAR MACHINE PRICE LIST

**303.5**

303.5 MINI HYDRAULIC EXCAVATOR  
SAGAMI, JAPAN

Ship Weight  
lbs

LIST PRICE  
AT DEALER

**Lane 2 is reserved for the Base Order Management Program.  
Please use Lane 2 when placing orders that are part of the Base Order  
Management Program.**

593-8874      **303.5 07A CR MHE DCA1A** ..... 0      **\$61,110**  
LANE 1 - AVAILABLE FROM ATHENS PDC

- INCLUDES:  
 558-1751 303.5 07A CR HYD EXCAVATOR  
 576-2961 ENGINE, EPA TIER 4F  
 575-4418 BLADE, FIXED, BOCE  
 555-1839 CWT, STANDARD  
 571-9661 STICK, LONG, W/ THUMB BRACKET  
 566-2914 TRACK, 300MM (12"), RUBBER  
 519-9266 SEAT, SUSPENSION, VINYL  
 519-9283 TRAVEL LEVERS AND PEDALS  
 525-4465 CAT KEY, WITH PASS CODE OPTION  
 542-1495 2 WAY CONTROL  
 542-8885 BOOM LIGHT, STANDARD  
 546-1520 HYDRAULIC OIL, STD  
 558-1744 ALARM, TRAVEL  
 558-1754 BOOM, STANDARD  
 558-1757 CONTROL, 1ST AUX, JOYSTICK  
 558-1760 LINES, BOOM W/O BLCV  
 558-1763 LINES, STICK W/O SLCV  
 558-1766 UNDERCARRIAGE, FIXED, STD BLD  
 563-6658 CANOPY, ROPS  
 571-9088 LINKAGE, BUCKET, W/LIFTING EYE  
 573-4364 DRAIN, ECOLOGY  
 573-9677 PRODUCT LINK, CELLULAR PL243  
 575-2776 LINES, BUCKET, LONG STICK  
 575-7225 LINES, 1ST AUX, LONG STICK  
 580-7179 MONITOR NEXT GEN, NO CAMERA  
 588-2227 ACCUMULATOR  
 594-5727 FILM, CANOPY  
 594-7895 FLOORMAT, CANOPY, W/TRAVEL  
 599-7202 SEAT BELT, 76 MM (3") RETRACTABLE  
 557-1709 SOFTWARE, PROPORTIONAL CONTROL  
 557-1710 SOFTWARE, STICK STEER CONTROL  
 557-1713 SOFTWARE, CODED START  
 602-3576 FILM, ROPS, ISO, CANOPY  
 541-4787 FILM, PRODUCT LINK, ANSI  
 595-3183 FILM, EXPORT  
 542-1504 FILM, INC. CANADA  
 569-3572 INSTRUCTIONS, ANSI  
 NOTE: Fixed DCA Canopy Configuration

CATERPILLAR MACHINE PRICE LIST

**303.5**

<b>303.5 MINI HYDRAULIC EXCAVATOR</b>	Ship Weight	LIST PRICE
<b>SAGAMI, JAPAN</b>	lbs	AT DEALER

<b>593-8875</b>	<b>303.5 07A CR MHE DCA3A</b> . . . . . 0	<b>\$70,710</b>
	LANE 1 - AVAILABLE FROM ATHENS PDC	

- INCLUDES:
- 558-1751 303.5 07A CR HYD EXCAVATOR
  - 576-2961 ENGINE, EPA TIER 4F
  - 575-4418 BLADE, FIXED, BOCE
  - 571-9661 STICK, LONG, W/ THUMB BRACKET
  - 566-2914 TRACK, 300 MM (12"), RUBBER
  - 519-9265 SEAT, SUSPENSION, FABRIC
  - 519-9283 TRAVEL LEVERS AND PEDALS
  - 521-9512 LIGHTS, LED, FRONT&REAR
  - 521-9517 INTEGRATED RADIO
  - 525-4465 CAT KEY, WITH PASS CODE OPTION
  - 542-1495 2 WAY CONTROL
  - 542-8885 BOOM LIGHT, STANDARD
  - 546-1520 HYDRAULIC OIL, STD
  - 555-1839 CWT, STANDARD
  - 558-1744 ALARM, TRAVEL
  - 558-1754 BOOM, STANDARD
  - 558-1757 CONTROL, 1ST AUX, JOYSTICK
  - 558-1760 LINES, BOOM W/O BLCV
  - 558-1763 LINES, STICK W/O SLCV
  - 558-1766 UNDERCARRIAGE, FIXED, STD BLD
  - 558-1770 CAB, WITH HEAT AND A/C
  - 571-9088 LINKAGE, BUCKET, W/LIFTING EYE
  - 573-4364 DRAIN, ECOLOGY
  - 573-9631 PRODUCT LINK, CELLULAR PL243
  - 575-2776 LINES, BUCKET, LONG STICK
  - 575-7225 LINES, 1ST AUX, LONG STICK
  - 588-2227 ACCUMULATOR
  - 592-5475 MONITOR NEXT GEN, CAMERA READY
  - 594-7890 FLOORMAT, CAB, W/TRAVEL
  - 599-7202 SEAT BELT, 76 MM (3") RETRACTABLE
  - 601-9418 CAMERA, CAB
  - 578-0230 FILM, CAB A/C
  - 541-4787 FILM, PRODUCT LINK, ANSI
  - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
  - 557-1710 SOFTWARE, STICK STEER CONTROL
  - 557-1713 SOFTWARE, CODED START
  - 595-3179 FILM, ROPS, ISO
  - 595-3183 FILM, EXPORT
  - 542-1504 FILM, INC. CANADA
  - 569-3572 INSTRUCTIONS, ANSI
- NOTE: Fixed DCA Cab Configuration

CATERPILLAR MACHINE PRICE LIST

**303.5**

<b>303.5 MINI HYDRAULIC EXCAVATOR</b>	Ship Weight	LIST PRICE
<b>SAGAMI, JAPAN</b>	lbs	AT DEALER

<b>593-8876</b>	<b>303.5 07A CR MHE DCA2A</b> .....	0
	LANE 1 - AVAILABLE FROM ATHENS PDC	<b>\$65,710</b>

- INCLUDES:
- 558-1751 303.5 07A CR HYD EXCAVATOR
  - 576-2961 ENGINE, EPA TIER 4F
  - 568-5199 BLADE, ANGLE, BOCE
  - 592-1442 CWT EXTRA, 250 KG (550LBS)
  - 519-9266 SEAT, SUSPENSION, VINYL
  - 566-2914 TRACK, 300 MM (12"), RUBBER
  - 571-9661 STICK, LONG, W/ THUMB BRACKET
  - 525-4465 CAT KEY, WITH PASS CODE OPTION
  - 542-1495 2 WAY CONTROL
  - 542-8885 BOOM LIGHT, STANDARD
  - 546-1520 HYDRAULIC OIL, STD
  - 558-1744 ALARM, TRAVEL
  - 558-1754 BOOM, STANDARD
  - 558-1760 LINES, BOOM W/O BLCV
  - 558-1763 LINES, STICK W/O SLCV
  - 563-6658 CANOPY, ROPS
  - 568-5200 TRAVEL LEVERS AND PEDALS
  - 571-9088 LINKAGE, BUCKET, W/LIFTING EYE
  - 571-9665 UNDERCARRIAGE, FIXED, ANGLE BLD
  - 573-4364 DRAIN, ECOLOGY
  - 573-9677 PRODUCT LINK, CELLULAR PL243
  - 575-2776 LINES, BUCKET, LONG STICK
  - 575-4420 CONTROL, 1ST AUX, JOYSTICK
  - 575-7225 LINES, 1ST AUX, LONG STICK
  - 580-7179 MONITOR NEXT GEN, NO CAMERA
  - 588-2227 ACCUMULATOR
  - 594-7895 FLOORMAT, CANOPY, W/TRAVEL
  - 599-7202 SEAT BELT, 76 MM (3") RETRACTABLE
  - 594-5727 FILM, CANOPY
  - 602-3576 FILM, ROPS, ISO, CANOPY
  - 541-4787 FILM, PRODUCT LINK, ANSI
  - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
  - 557-1710 SOFTWARE, STICK STEER CONTROL
  - 557-1713 SOFTWARE, CODED START
  - 595-3183 FILM, EXPORT
  - 542-1504 FILM, INC. CANADA
  - 569-3572 INSTRUCTIONS, ANSI
- NOTE: Fixed DCA Canopy / Angle Blade Configuration

CATERPILLAR MACHINE PRICE LIST

**303.5**

<b>303.5 MINI HYDRAULIC EXCAVATOR</b>	Ship Weight	LIST PRICE
<b>SAGAMI, JAPAN</b>	lbs	AT DEALER

<b>593-8877</b>	<b>303.5 07A CR MHE DCA4A</b> ..... 0 LANE 1 - AVAILABLE FROM ATHENS PDC	<b>\$75,310</b>
-----------------	---	-----------------

- INCLUDES:
- 558-1751 303.5 07A CR HYD EXCAVATOR
  - 576-2961 ENGINE, EPA TIER 4F
  - 568-5199 BLADE, ANGLE, BOCE
  - 592-1442 CWT EXTRA, 250 KG (550LBS)
  - 566-2914 TRACK, 300 MM (12"), RUBBER
  - 571-9661 STICK, LONG, W/ THUMB BRACKET
  - 519-9265 SEAT, SUSPENSION, FABRIC
  - 521-9512 LIGHTS, LED, FRONT&REAR
  - 521-9517 INTEGRATED RADIO
  - 525-4465 CAT KEY, WITH PASS CODE OPTION
  - 542-1495 2 WAY CONTROL
  - 542-8885 BOOM LIGHT, STANDARD
  - 546-1520 HYDRAULIC OIL, STD
  - 558-1744 ALARM, TRAVEL
  - 558-1754 BOOM, STANDARD
  - 558-1760 LINES, BOOM W/O BLCV
  - 558-1763 LINES, STICK W/O SLCV
  - 558-1770 CAB, WITH HEAT AND A/C
  - 568-5200 TRAVEL LEVERS AND PEDALS
  - 571-9088 LINKAGE, BUCKET, W/LIFTING EYE
  - 571-9665 UNDERCARRIAGE, FIXED, ANGLE BLD
  - 573-4364 DRAIN, ECOLOGY
  - 573-9631 PRODUCT LINK, CELLULAR PL243
  - 575-2776 LINES, BUCKET, LONG STICK
  - 575-4420 CONTROL, 1ST AUX, JOYSTICK
  - 575-7225 LINES, 1ST AUX, LONG STICK
  - 588-2227 ACCUMULATOR
  - 592-5475 MONITOR NEXT GEN, CAMERA READY
  - 594-7890 FLOORMAT, CAB, W/TRAVEL
  - 599-7202 SEAT BELT, 76 MM (3") RETRACTABLE
  - 601-9418 CAMERA, CAB
  - 595-3179 FILM, ROPS, ISO
  - 578-0230 FILM, CAB A/C
  - 541-4787 FILM, PRODUCT LINK, ANSI
  - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
  - 557-1710 SOFTWARE, STICK STEER CONTROL
  - 557-1713 SOFTWARE, CODED START
  - 595-3183 FILM, EXPORT
  - 542-1504 FILM, INC. CANADA
  - 569-3572 INSTRUCTIONS, ANSI
- NOTE: Fixed DCA Cab / Angle Blade Configuration

CATERPILLAR MACHINE PRICE LIST

**303.5**

<b>303.5 MINI HYDRAULIC EXCAVATOR</b>	Ship Weight	LIST PRICE
<b>SAGAMI, JAPAN</b>	lbs	AT DEALER

<b>616-3222</b>	<b>303.5 07A CR MHE CFG14B . . . . . 0</b> LANE 3 - AVAILABLE FROM SAGAMI FACTORY	<b>\$59,780</b>
-----------------	--	-----------------

- INCLUDES:
- 558-1751 303.5 07A CR HYD EXCAVATOR
  - 576-2961 ENGINE, EPA TIER 4F
  - 558-1754 BOOM, STANDARD
  - 573-4364 DRAIN, ECOLOGY
  - 571-9088 LINKAGE, BUCKET, W/LIFTING EYE
  - 588-2227 ACCUMULATOR
  - 546-1520 HYDRAULIC OIL, STD
  - 557-1709 SOFTWARE, PROPORTIONAL CONTROL
  - 557-1710 SOFTWARE, STICK STEER CONTROL
  - 557-1713 SOFTWARE, CODED START
  - 558-1744 ALARM, TRAVEL
  - 569-3572 INSTRUCTIONS, ANSI
  - 542-1495 2 WAY CONTROL
  - 541-4787 FILM, PRODUCT LINK, ANSI
  - 542-1504 FILM, INC. CANADA
- NOTE: "A la Carte Configuration"

<b>OP-7698</b>	<b>303.5 MISC MATERIAL . . . . . 0</b> Use this top level reference number only when ordering KITS in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.	<b>NC</b>
----------------	---	-----------

CATERPILLAR MACHINE PRICE LIST

**303.5**

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

**LANE 1 AM-NORTH MANDATORY ATTACHMENTS**

**LANE SELECTION**

YOU MUST SELECT THIS REFERENCE WHEN ORDERING FROM THE PDC

<b>OP-9001</b>	<b>LANE 1 ORDER</b> . . . . .	0	<b>NC</b>
	Order from Product Distribution Center (PDC)		

**OPERATION AND MAINTENANCE MANUAL**

<b>421-8926</b>	<b>SERIALIZED TECHNICAL MEDIA KIT</b> . . . . .	0	<b>NC</b>
	The technical media kit will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. included in the kit, can be ordered through the media website. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com.		

**PROTECTION**

<b>OP-2266</b>	<b>SHIPPING/STORAGE PROTECTION</b> . . . . .	0	<b>\$228 NET</b>
	Provides an application of rust preventative to protect certain unpainted / plated components against corrosion during shipping and storage.		

Note: It is recommended that the product be left on where applicable to provide extended protection during the machines life. The product can be removed using an alkaline based cleaner if necessary. Refer to media number M0125669 for additional product details and removal instructions.

**PACKING**

<b>OP-4299</b>	<b>PACKING, LAST MILE PROGRAM</b> . . . . .	0	<b>NC</b>
----------------	---	---	-----------

CATERPILLAR MACHINE PRICE LIST

**303.5**

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

**LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**

***PDC MACHINE PREP***

599-7167	<b>ATHENS DEALER PDI &amp; FUEL</b> . . . . .	0	<b>\$245 NET</b>
	The Athens Dealer PDI will include an official Caterpillar MHE PDI inspection complete with an online report for the machine utilizing the CAT Inspect application, diesel fuel top-off, hydraulic oil max line fill, engine oil max line fill, washer fluid top-off, cold weather anti-gelling fuel treatment, and the optional installation of two Dealer supplied lock-ups.		
0P-4656	<b>DEALER PREP, FINNING</b> . . . . .	0	<b>\$294 NET</b>
	ONLY FOR USE WITH: CANADIAN DEALERS		

***QUICK COUPLER***

W	464-9942	<b>THUMB, HYD + COUPLER, PG, MAN, 3T</b> . . . . .	231	<b>\$3,813</b>
		Hydraulic Thumb with Manual Dual Lock Coupler No-Link Style Thumb		
W	444-7494	<b>COUPLER, PG, MAN, D, LOCK, 3-4T</b> . . . . .	76	<b>\$1,410</b>
		Mechanical Quick Coupler		

***BUCKETS***

May select up to 3 buckets per machine. 1 installed bucket and up to 2 not installed buckets.  
When ordering not installed buckets, the widest bucket should be ordered as installed.

W	464-9900	<b>BUCKET-HD, 12", 1.7 FT3, 3T</b> . . . . .	142	<b>\$979</b>
			142	<b>\$979 NI</b>
		Width 305mm (12"), Heaped Cap. 0.05M3 (0.06YD3), Incl 3 x J200 FOR USE WITH: Pin-on, requires bucket pins		
W	464-9902	<b>BUCKET-HD, 18", 2.9 FT3, 3T</b> . . . . .	180	<b>\$1,104</b>
			180	<b>\$1,104 NI</b>
		Width 457mm (18"), Heaped Cap. 0.08M3 (0.11YD3), Incl 4 x J200 FOR USE WITH: Pin-on, requires bucket pins		
W	464-9904	<b>BUCKET-HD, 24", 4.2 FT3, 3T</b> . . . . .	216	<b>\$1,229</b>
			216	<b>\$1,229 NI</b>
		Width 619mm (24"), Heaped Cap. 0.12M3 (0.15YD3), Incl 4 x J200 FOR USE WITH: Pin-on, requires bucket pins		

***BUCKET PINS***

One set of Bucket Pins recommended for each not installed bucket  
Pins are not available with installed buckets

W	521-8538	<b>PINS, BUCKET, 40MM</b> . . . . .	0	<b>\$97 NI</b>
		Includes one set of bucket pins and hardware.		



CATERPILLAR MACHINE PRICE LIST

**303.5**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0		NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.			
OP-9003	LANE 3 ORDER . . . . .	0		NC

**BOOMS, STICKS, AND LINKAGES**

**STICK**

L	571-9660	STICK, STD W/ THUMB BRACKET . . . . .	0	\$456
		ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B		
L	571-9661	STICK, LONG, W/ THUMB BRACKET . . . . .	0	\$690
		ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B		

**BOOM LINES**

L	558-1760	LINES, BOOM W/O BLCV . . . . .	0	NC
		ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B		
L	558-1761	LINES, BOOM W/ BLCV . . . . .	0	\$855
		ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B		

**STICK LINES**

L	558-1763	LINES, STICK W/O SLCV . . . . .	0	NC
		ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND 558-1760 LINES, BOOM W/O BLCV		
L	558-1764	LINES, STICK W/SLCV . . . . .	0	\$855
		ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND 558-1761 LINES, BOOM W/ BLCV		

**UNDERCARRIAGE**

L	558-1766	UNDERCARRIAGE, FIXED, STD BLD . . . . .	0	NC
		ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B		
L	571-9665	UNDERCARRIAGE, FIXED, ANGLE BLD . . . . .	0	NC
		ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B		

**TRACK PAIRS**

L	566-2914	TRACK, 12", RUBBER . . . . .	0	NC
		ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR 593-8888 303.5 07A CR MHE CFG1 OR 593-8889 303.5 07A CR MHE CFG2		
L	566-4913	TRACK 12", STEEL . . . . .	0	\$775
		ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR 593-8888 303.5 07A CR MHE CFG1 OR 593-8889 303.5 07A CR MHE CFG2		

CATERPILLAR MACHINE PRICE LIST

**303.5**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS**

**AUXILIARY CONTROL**

L	558-1757	CONTROL, 1ST AUX, JOYSTICK . . . . . 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR 593-8888 303.5 07A CR MHE CFG1 OR 593-8889 303.5 07A CR MHE CFG2 AND 558-1766 UNDERCARRIAGE, FIXED, STD BLD		NC
L	575-4420	CONTROL, 1ST AUX, JOYSTICK . . . . . 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND 571-9665 UNDERCARRIAGE, FIXED, ANGLE BLD		NC
L	558-1759	CONTROL, 1ST & 2ND AUX, JSTK . . . . . 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR 593-8888 303.5 07A CR MHE CFG1 AND 558-1766 UNDERCARRIAGE, FIXED, STD BLD		\$1,285
L	575-4422	CONTROL, 1ST & 2ND AUX, JSTK . . . . . 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND 571-9665 UNDERCARRIAGE, FIXED, ANGLE BLD		\$1,285

**BUCKET LINES**

L	575-7217	LINES, BUCKET, STD STICK . . . . . 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR 593-8888 303.5 07A CR MHE CFG1 AND 571-9660 STICK, STD W/ THUMB BRACKET OR 576-6377 STICK, STD W/O THUMB BRACKET INCLUDED IN: 593-8889 303.5 07A CR MHE CFG2		NC
L	575-2776	LINES, BUCKET, LONG STICK . . . . . 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR 593-8888 303.5 07A CR MHE CFG1 AND 571-9661 STICK, LONG, W/ THUMB BRACKET OR 576-6378 STICK, LONG, W/O THUMB BRACKET		NC

**TRAVEL CONTROL**

L	519-9283	TRAVEL LEVERS AND PEDALS . . . . . 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND 558-1766 UNDERCARRIAGE, FIXED, STD BLD		NC
L	568-5200	TRAVEL LEVERS AND PEDALS . . . . . 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND 558-1765 UNDERCARRIAGE, FIXED, ANGLE BLD		NC

**ELECTRICAL**

**BOOM LIGHTS**

L	542-8885	BOOM LIGHT, STANDARD . . . . . 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR 593-8888 303.5 07A CR MHE CFG1 OR 593-8889 303.5 07A CR MHE CFG2		NC
L	542-8886	BOOM LIGHT, LED . . . . . 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR 593-8888 303.5 07A CR MHE CFG1 OR 593-8889 303.5 07A CR MHE CFG2		\$108

CATERPILLAR MACHINE PRICE LIST

**303.5**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

L	558-1770	CAB, WITH HEAT AND A/C ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR 593-8888 303.5 07A CR MHE CFG1 OR 593-8889 303.5 07A CR MHE CFG2	0	\$8,190
L	563-6658	CANOPY, ROPS ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR 593-8888 303.5 07A CR MHE CFG1 OR 593-8889 303.5 07A CR MHE CFG2	0	NC

**CAB FILMS**

L	578-0230	FILM, CAB A/C REQUIRED BY: 558-1770 CAB, WITH HEAT AND A/C	0	NC
L	594-5727	FILM, CANOPY REQUIRED BY: 563-6658 CANOPY, ROPS	0	NC

**FILM ROPS**

L	595-3179	FILM, ROPS, ISO REQUIRED BY: 558-1770 CAB, WITH HEAT AND A/C	0	NC
L	602-3576	FILM, ROPS, ISO, CANOPY REQUIRED BY: 563-6658 CANOPY, ROPS	0	NC

**SEATS**

L	519-9265	SEAT, SUSPENSION, FABRIC ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND 558-1770 CAB, WITH HEAT AND A/C	0	NC
L	519-9266	SEAT, SUSPENSION, VINYL ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND 563-6658 CANOPY, ROPS OR 591-4712 CANOPY, NO ROPS	0	NC
L	519-9267	SEAT, NON SUSPENSION, VINYL ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND 563-6658 CANOPY, ROPS OR 591-4712 CANOPY, NO ROPS	0	\$-78

**SEAT BELT**

L	599-7202	SEAT BELT, 3" RETRACTABLE ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B	0	\$156
L	594-7911	SEAT BELT, 3" W/ SWITCH ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B	0	\$321

**MONITOR**

L	580-7178	MONITOR NEXT GEN, NO CAMERA ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR 593-8888 303.5 07A CR MHE CFG1 OR 593-8889 303.5 07A CR MHE CFG2 AND 558-1770 CAB, WITH HEAT AND A/C	0	NC
---	----------	---	---	----

CATERPILLAR MACHINE PRICE LIST

**303.5**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**MONITOR (Cont.)**

L	580-7179	MONITOR NEXT GEN, NO CAMERA . . . . . 0		NC
		ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR		
		593-8888 303.5 07A CR MHE CFG1 OR		
		593-8889 303.5 07A CR MHE CFG2 AND		
		563-6658 CANOPY, ROPS OR		
		591-4712 CANOPY, NO ROPS		

**FLOORMATS**

L	594-7895	FLOORMAT, CANOPY, W/TRAVEL . . . . . 0		NC
		ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR		
		593-8888 303.5 07A CR MHE CFG1 OR		
		593-8889 303.5 07A CR MHE CFG2 AND		
		558-1756 NO AUX LINES OR		
		558-1757 CONTROL, 1ST AUX, JOYSTICK OR		
		558-1759 CONTROL, 1ST + 2ND AUX, JSTK OR		
		575-4420 CONTROL, 1ST AUX, JOYSTICK OR		
		575-4422 CONTROL, 1ST + 2ND AUX, JSTK AND		
		519-9283 TRAVEL LEVERS AND PEDALS OR		
		568-5200 TRAVEL LEVERS AND PEDALS AND		
		563-6658 CANOPY, ROPS OR		
		591-4712 CANOPY, NO ROPS		

L	594-7890	FLOORMAT, CAB, W/TRAVEL . . . . . 0		NC
		ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR		
		593-8888 303.5 07A CR MHE CFG1 OR		
		593-8889 303.5 07A CR MHE CFG2 AND		
		558-1756 NO AUX LINES OR		
		558-1757 CONTROL, 1ST AUX, JOYSTICK OR		
		558-1759 CONTROL, 1ST + 2ND AUX, JSTK OR		
		575-4420 CONTROL, 1ST AUX, JOYSTICK OR		
		575-4422 CONTROL, 1ST + 2ND AUX, JSTK AND		
		519-9283 TRAVEL LEVERS AND PEDALS OR		
		568-5200 TRAVEL LEVERS AND PEDALS AND		
		558-1770 CAB, WITH HEAT AND A/C		

CATERPILLAR MACHINE PRICE LIST

**303.5**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Cat marketing representative with questions.

L	572-0436	<b>PRODUCT LINK, CELLULAR PLE643</b> . . . . . 0 Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, CPM and basic grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data. ONLY FOR USE WITH: 558-1770 CAB, WITH HEAT AND A/C		\$917
L	573-9631	<b>PRODUCT LINK, CELLULAR PL243</b> . . . . . 0 Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission. ONLY FOR USE WITH: 558-1770 CAB, WITH HEAT AND A/C		NC
L	573-9675	<b>PRODUCT LINK, CELLULAR PLE643</b> . . . . . 0 Product Link Elite series PLE643 (consisting of PL243 radio and PLE602 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Provides support for remote services, CPM and basic grade control (may be dependent on corresponding machine features). Cellular technology enables more frequent transmission and larger volumes of data. ONLY FOR USE WITH: 563-6658 CANOPY, ROPS OR 591-4712 CANOPY, NO ROPS		\$917
L	573-9677	<b>PRODUCT LINK, CELLULAR PL243</b> . . . . . 0 Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission. ONLY FOR USE WITH: 563-6658 CANOPY, ROPS OR 591-4712 CANOPY, NO ROPS		NC

**SAFETY AND SECURITY**

**MACHINE SECURITY KEY**

L	525-4465	<b>CAT KEY, WITH PASS CODE OPTION</b> . . . . . 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR 593-8888 303.5 07A CR MHE CFG1 OR 593-8889 303.5 07A CR MHE CFG2		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

**303.5**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS**

**COUNTERWEIGHTS**

L	555-1839	CWT, STANDARD . . . . . 0		NC
		ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR		
		593-8888 303.5 07A CR MHE CFG1 OR		
		593-8889 303.5 07A CR MHE CFG2		
L	592-1442	CWT EXTRA, 550LBS . . . . . 551		\$855
		ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR		
		593-8888 303.5 07A CR MHE CFG1 OR		
		593-8889 303.5 07A CR MHE CFG2		

**BLADES**

L	575-4418	BLADE, FIXED, BOCE . . . . . 0		\$435
		ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND		
		558-1766 UNDERCARRIAGE, FIXED, STD BLD		
L	568-5199	BLADE, ANGLE, BOCE . . . . . 0		\$4,180
		ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND		
		571-9665 UNDERCARRIAGE, FIXED, ANGLE BLD		

**INSTRUCTIONS**

**OPERATION AND MAINTENANCE MANUALS**

	421-8926	SERIALIZED TECHNICAL MEDIA KIT . . . . . 0		NC
		The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.		
		Any additional media or translations not included in the kit, should be ordered through publications.cat.com		

CATERPILLAR MACHINE PRICE LIST

**303.5**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**HYDRAULICS**

**1ST AUXILIARY LINES**

L	575-7224	<b>LINES, 1ST AUX, STD STICK</b> ..... 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND 571-9660 STICK, STD W/ THUMB BRACKET REQUIRED BY: US-A, CNDA DEALERS		\$57
L	575-7225	<b>LINES, 1ST AUX, LONG STICK</b> ..... 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND 571-9661 STICK, LONG, W/ THUMB BRACKET REQUIRED BY: US-A, CNDA DEALERS		\$57

**2ND AUXILIARY LINES**

L	594-2763	<b>LINES, 2ND AUX, STD STICK</b> ..... 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND 571-9660 STICK, STD W/ THUMB BRACKET AND 575-7224 LINES, 1ST AUX, STD STICK AND 575-4422 CONTROL, 1ST + 2ND AUX, JSTK OR 558-1759 CONTROL, 1ST + 2ND AUX, JSTK		\$57
L	575-7223	<b>LINES, 2ND AUX, LONG STICK</b> ..... 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND 571-9661 STICK, LONG, W/ THUMB BRACKET AND 575-7225 LINES, 1ST AUX, LONG STICK AND 575-4422 CONTROL, 1ST + 2ND AUX, JSTK OR 558-1759 CONTROL, 1ST + 2ND AUX, JSTK		\$57

**ELECTRICAL**

**FRONT LIGHTS**

L	521-9511	<b>LIGHTS, LED, FRONT</b> ..... 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR 593-8888 303.5 07A CR MHE CFG1 OR 593-8889 303.5 07A CR MHE CFG2 AND 558-1770 CAB, WITH HEAT AND A/C OR 563-6658 CANOPY, ROPS		\$389
L	521-9512	<b>LIGHTS, LED, FRONT&amp;REAR</b> ..... 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR 593-8888 303.5 07A CR MHE CFG1 OR 593-8889 303.5 07A CR MHE CFG2 AND 558-1770 CAB, WITH HEAT AND A/C OR 563-6658 CANOPY, ROPS		\$550

**LIGHT COVER**

L	541-4688	<b>LIGHT COVER, CAB</b> ..... 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR 593-8888 303.5 07A CR MHE CFG1 OR 593-8889 303.5 07A CR MHE CFG2 AND 558-1770 CAB, WITH HEAT AND A/C CANNOT BE USED WITH: 521-9512 LIGHTS, LED, FRONT&REAR REQUIRED BY: 521-9511 LIGHTS, LED, FRONT OR If no front lights selected.		\$57
---	----------	---	--	------

CATERPILLAR MACHINE PRICE LIST

**303.5**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT**

**RADIOS**

L	521-9517	<b>INTEGRATED RADIO</b> . . . . . 0 Integrated faceless AM/FM radio with Bluetooth technology. Interfaces with an advanced display. Availability varies by country. ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR 593-8888 303.5 07A CR MHE CFG1 OR 593-8889 303.5 07A CR MHE CFG2 AND 558-1770 CAB, WITH HEAT AND A/C		<b>\$447</b>
---	----------	---	--	--------------

**MIRRORS**

L	519-9280	<b>MIRRORS, LEFT AND RIGHT</b> . . . . . 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR 593-8888 303.5 07A CR MHE CFG1 AND 593-8889 303.5 07A CR MHE CFG2 CANNOT BE USED WITH: 591-4712 CANOPY, NO ROPS		<b>\$193</b>
---	----------	---	--	--------------

**GUARDS**

**FRONT GUARDS**

L	519-9269	<b>GUARD, CANOPY, SOLID, HALF</b> . . . . . 0 Upper half polycarbonate guard (not designed for a particular regulation). ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B OR 593-8888 303.5 07A CR MHE CFG1 OR 593-8889 303.5 07A CR MHE CFG2 AND 563-6658 CANOPY, ROPS		<b>\$705</b>
L	568-1660	<b>GUARD, CAB, FRONT, SOLID, FULL</b> . . . . . 0 Polycarbonate guard that meets EN 356 P5A window protection and ISO 10262 Level I front guard requirements. ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND 558-1770 CAB, WITH HEAT AND A/C		<b>\$6,170</b>
L	568-1661	<b>GUARD, FRONT, CAN, SOLID, FULL</b> . . . . . 0 Polycarbonate guard that meets EN 356 P5A window protection and ISO 10262 Level I front guard requirements. ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND 563-6658 CANOPY, ROPS CANNOT BE USED WITH: 5199269 GUARD, CANOPY, SOLID, HALF		<b>\$6,170</b>

**GUARD FILMS**

L	541-4790	<b>FILM, FRONT GUARD, ISO</b> . . . . . 0 REQUIRED BY: 568-1661 GUARD, FRONT, CAN, SOLID, FULL 568-1660 GUARD, CAB, FRONT, SOLID, FULL		<b>NC</b>
---	----------	--	--	-----------

**OTHER ATTACHMENTS**

**WATER JACKET HEATER**

L	519-8302	<b>WATER JACKET HEATER, 120V</b> . . . . . 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B		<b>\$235</b>
---	----------	---	--	--------------



CATERPILLAR MACHINE PRICE LIST

**303.5**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**QUICK COUPLERS**

**QUICK COUPLER LINES**

NOTE: 2 LINE FOR S TYPE AND CW COUPLERS

NOTE: 3 LINE FOR PG COUPLERS

L	573-8203	CONTROL, QC, 3 LINE, STD STICK . . . . . 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND 571-9660 STICK, STD W/ THUMB BRACKET AND 558-1766 UNDERCARRIAGE, FIXED, STD BLD AND 575-7224 LINES, 1ST AUX, STD STICK		\$1, 615
L	573-8204	CONTROL, QC, 3 LINE, LONG STICK . . . . . 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND 571-9661 STICK, LONG, W/ THUMB BRACKET AND 558-1766 UNDERCARRIAGE, FIXED, STD BLD AND 575-7225 LINES, 1ST AUX, LONG STICK		\$1, 615
L	575-5040	CONTROL, QC, 3 LINE, STD, A BLD . . . . . 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND 571-9660 STICK, STD W/ THUMB BRACKET AND 571-9665 UNDERCARRIAGE, FIXED, ANGLE BLD AND 575-7224 LINES, 1ST AUX, STD STICK		\$1, 615
L	575-5041	CONTROL, QC, 3 LINE, LNG, A BLD . . . . . 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B AND 571-9661 STICK, LONG, W/ THUMB BRACKET AND 571-9665 UNDERCARRIAGE, FIXED, ANGLE BLD AND 575-7225 LINES, 1ST AUX, LONG STICK		\$1, 615

**QUICK COUPLER FILM**

L	541-4789	FILM, COUPLER, ANSI . . . . . 0 ONLY FOR USE WITH: 616-3222 303.5 07A CR MHE CFG14B REQUIRED BY: 573-8203 CONTROL, QC, 3 LINE, STD STICK OR 573-8204 CONTROL, QC, 3 LINE, LONG STICK OR 575-5040 CONTROL, QC, 3 LINE, STD, A BLD OR 575-5041 CONTROL, QC, 3 LINE, LNG, A BLD		NC
---	----------	---	--	----

**ALTERNATE SOURCED ATTACHMENTS**

*Available Through ANTARES Parts Ordering.*

**NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.**

**When ordering via CMOPS include top level reference numbers (0P-7698) and 0P-4263 number for packing.**

**NEXT GEN CAB KITS**

P	602-8722	KIT, CAMERA, CANOPY, ROPS . . . . . 0 Rear view camera including harness, mounting plate and hardware		\$411 NI
P	609-9301	KIT, GUARD, CANOPY, POLY HALF . . . . . 0 Provides front upper half poly guard (not designed for a particular regulation)		\$819 NI

CATERPILLAR MACHINE PRICE LIST

**303.5**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**ALTERNATE SOURCED ATTACHMENTS (CONT.)**

***NEXT GEN CAB KITS (Cont.)***

P	609-9304	<b>KIT, LIGHTS, LED, FRONT &amp; REAR</b> . . . . . 0 Kit includes two (2) front and one rear (1) LED Flood lights for brighter work site illumination, cooler, more resistant to vibration and longer life.		<b>\$549 NI</b>
P	609-9305	<b>KIT, REARVIEW MIRRORS</b> . . . . . 0 Provides left and right rearview mirrors including hardware		<b>\$193 NI</b>
P	609-9306	<b>KIT, DAB BT, RADIO</b> . . . . . 0 DAB Radio Kit including BT, USB, AUX, MIC for Digital Audio Band Supported regions only		<b>\$447 NI</b>
P	609-9307	<b>KIT, BT, RADIO</b> . . . . . 0 Radio Kit including BT, USB, AUX, MIC		<b>\$561 NI</b>
P	561-8108	<b>KIT, PUSH TO START</b> . . . . . 0  Includes Push to Start Hardware, Harness, Key Reader and two bluetooth Security Key FOBS to enable machine operation without a code		<b>\$376 NI NET</b>
P	608-2913	<b>KIT, MONITOR, ADVANCED</b> . . . . . 0 Next Gen Advanced 8 inch Touch Screen Monitor, Site Reference, HD Camera image. Kit includes all required hardware		<b>\$1,771 NI</b>

***HYDRAULIC KITS***

P	602-8728	<b>KIT, CONTROL 2ND AUX</b> . . . . . 0 Control valve and lines to add 2nd Aux to a 303.5CR		<b>\$1,285 NI</b>
P	602-8733	<b>KIT, QC, 2 LINE, LONG STICK</b> . . . . . 0 Hydraulic Quick Coupler - 2Line, CW Style Kit for a Long Stick 303.5CR		<b>\$1,479 NI</b>
P	602-8739	<b>KIT, QC, 3 LINE, LONG STICK</b> . . . . . 0 Hydraulic Quick Coupler - 3 Line, Dual Lock Style Kit for a Long Stick 303.5CR		<b>\$1,618 NI</b>
P	602-8751	<b>KIT, 3RD AUX, BUCKET DIVERT</b> . . . . . 0 Diverter valve and parts required to provide a 3rd Aux function by diverting the bucket cylinder for the 303.5CR		<b>\$610 NI</b>

***MISCELLANEOUS KITS***

P	610-1631	<b>KIT, TRAVEL ALARM</b> . . . . . 0 Everything required to provide a machine travel alarm		<b>\$186 NI</b>
P	610-1632	<b>KIT, CTWT, EXTRA, 550LBS</b> . . . . . 0 Extra Counterweight adds more stability and 6in / 152mm more overhang Kit includes Extra Cwt and Hardware		<b>\$1,007 NI</b>

CATERPILLAR MACHINE PRICE LIST

**303.5**

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**PACKING**

***PROTECTION***

0P-2266	<b>SHIPPING/STORAGE PROTECTION . . . . . 0</b> Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer. REQUIRED BY: ALL ORDERS	<b>\$228 NET</b>
---------	--	------------------

***PACKING***

0P-4299	<b>PACKING, LAST MILE PROGRAM . . . . . 0</b>	<b>NC</b>
0P-4263	<b>PACK, MISCELLANEOUS MATERIAL . . . . . 0</b> REQUIRED BY: MISC ORDERS	<b>NC</b>