



AGRICULTURAL EQUIPMENT

**U.S. Price List
Effective December 1, 2020**

**FARMALL® SERIES COMPACT TRACTORS
PL-100 CA REVISION 32
SAP PRICE LIST 036 C1**

THIS IS A COMPLETE REVISION

This price list is intended for dealers with the LT contract only.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Dealers should retain prior price list pages for any discontinued equipment or attachments remaining in inventory.

Prices in this revision are subject to change. Check eEquipment for the most current pricing.



GENERAL INFORMATION

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE. Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION

CNH Industrial N.V. issues price lists and revisions covering each Case IH contract. The U.S. Price List is published in U.S. funds and the Canadian Price List is published in Canadian funds. Ensure that you are using the correct price list. U.S. or Canada is referenced at the top of each page and the Canadian price lists have a Maple Leaf on the price list cover page.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory Supplied Options" and "Factory Supplied Accessories."

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory Supplied Options" and "Factory Supplied Accessories" price pages. When ordering and pricing a machine, follow the ordering instructions listed for that machine. Accessories listed following the "Factory Supplied Accessories" heading are available for installation in the field.

DISTRIBUTION OF PRICE LISTS

Price lists and periodic price list revisions will be posted on the Dealer Portal and distributed electronically when possible.

Printed copies of current price lists, index tabs and binders can be purchased from the Document Management Center (DMC). Orders should be placed only through the DMC web site link located on the Dealer Portal. For DMC customer service inquiries, other than placing orders, call (262) 636-7540.

Internal E-mail: #NA DMC ORDER CENTER
Complete U.S. Price List is PL-100
Complete Canadian Price List is PLC-100

Periodic price list revisions are usually accompanied by a cover sheet which carries instructions on price page changes and where to insert replacement or new price pages. The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



**FARMALL® SERIES COMPACT TRACTORS
TABLE OF CONTENTS**

COMPACT TRACTORS

COMPACT FARMALL A SERIES II TRACTORS

Standard Features 1
Price List 3
Factory Supplied Attachments 7

FARMALL 35C SERIES II TRACTORS TIER 4B

Standard Features 9
Price List 11
Factory Supplied Attachments 14

FARMALL 40C SERIES II TRACTORS TIER 4B

Standard Features 15
Price List 17
Factory Supplied Attachments 20

FARMALL 45C & 55C SERIES II TRACTORS TIER 4B

Standard Features 21
Price List 23
Factory Supplied Attachments 28

CASE IH PURCHASED PROTECTION 29

COMPACT FARMALL A SERIES II TRACTOR US PRICE LIST

Standard Equipment

DIESEL ENGINE:

Farmall 35A Tier 4B:

35 Gross Engine hp @ 2600 rpm
29.7 PTO hp @ 2600 rpm (Gear)
28 PTO hp @ 2600 rpm (Hydro)
114 cu. in. (1.9L) Displacement

Farmall 40A Tier 4B:

40 Gross Engine hp @ 2600 rpm
34 PTO hp @ 2600 rpm (Gear)
32 PTO hp @ 2600 rpm (Hydro)
114cu. in. (1.9L) Displacement

ALL MODELS

3 Cylinder, Turbcharged Engine
Common Rail / Direct Fuel Injection
Tier 4b Final Emissions Compliant
114.7 cu. in. (1.9L) Displacement
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut
7.4(28L) gallon Fuel Tank

INSTRUMENT PANEL:

Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Constant Engine Speed control
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlights Indicator
Emmision Activation Indicator

TRANSMISSION OPTIONS

12 x 12 Synchronized Shuttle Shift

(SSS)

Left-hand, dash mounted,
synchronized shuttle
(4) Non-synchronized gears
(3) Non-synchronized ranges

3-Range Hydrostatic with Cruise Control
and Dual-Pedal direction control for
forward and reverse

HYDRAULIC SYSTEM:

Open Center Hydraulic System
Dual Gear-type Pumps
Implement Pump Capacity:
- Farmall 35A = 8.2 gpm (31.2 L/min)
- Farmall 40A = 8.2 gpm (31.2 L/min)
Steering Pump Capacity:
- Gear models = 4.8 gpm (18.2 L/min)
- HST models = 4.8 gpm (18.2 L/min)
Mid-mount Hydraulic Valve & Joystick
(STD)

3-POINT LIFT SYSTEM:

Lift Capacity @ ball ends:
1808 lb. (820 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Fixed Link Ends

ROPS:

2-Post, Foldable Roll Bar
Seat Belt

ELECTRICAL

12-volt, 80Ah, 660 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
85 amp Alternator
Operator Presence System

LIGHTING:

(2) Incondescent Corner Work Lights

COMPACT FARMALL A SERIES II TRACTOR
US PRICE LIST

Standard Equipment

- (2) Halogen Headlights
- (2) Taillights / Brakelights
- (2) Flashing Warning Lights / Turn Signals

PTO:

Rear PTO

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

NOTES ABOUT MID PTO OFFERING

- Independent 2,000 rpm
- Effective October 2019 Mid PTO is OPTIONAL on ALL compact tractor models
- Dealer Installed Accessory (DIA) kits are also available from CNHi Parts:

Compact Farmall 30A, 35A, 35A Series II, and 40A series II tractors
- MT20129402

DRAWBAR:

Swinging
3-Position Extendable

REAR DIFFERENTIAL LOCK

Foot actuated mechanical

STEERING:

Hydrostatic Power Steering
Tilt Steering Column

BRAKES:

Wet Disc
Dual Brake Pedals

Foot-assist Parking Brake Lever

FRONT AXLE:

Mechanical Front Drive (MFD)
Fixed Position Rims
47.1 in. (1197 mm) Tread Setting with R4 tires

REAR AXLE:

Flange Type Axle
Reversible Position Rims - R1 tires only
Fixed Position Rims - R3, R4 tires
52.5 in. (1333 mm) Tread Setting with R4 tires

OPERATOR'S AREA:

Contoured Cushion Seat
- Fore / Aft / Height / Weight Compensating
Foot Throttle
Left Side Step
Left Side Grab Handle
Right Side Cupholder & Tray

SLOW MOVING VEHICLE EMBLEM



**COMPACT FARMALL A SERIES II TRACTOR
US PRICE LIST**

Models

COMMERCIAL MODEL	ENGINE POWER	Weight	Factory Data	List Price
FARMALL 35A SERIES II	35 HP	3067	9016569P74	\$20,207.00
FARMALL 40A SERIES II	40 HP	3067	9017889P94	\$21,817.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGES

SD_T9981 CONFIGURATION

LOADER INSTALLATION				
X0292XX	LESS EZ PICK CONFIG			No Charge
Compact Farmall 35A Packages				
X0619XX	FM35A 12X12 LDR Farmall 35A Gear w/L340A Loader EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER - 8266304 (R4 Front) - 8364564 (R4 Rear) - 464505 (L340A Loader)		(900420P66)	(\$513.00)
X0620XX	FM35A HST LDR Farmall 35A HST w/L340A Loader EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -729290 (HST) -720366 (1 Rear Remote) - 8266304 (R4 Front) - 8364564 (R4 Rear) - 464505 (L340A Loader)		(900453P46)	(\$553.00)
X0621XX	FM35A HST LDR BH Farmall 35A HST w/L340A Loader + BHA90A EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -729290 (HST) -720366 (1 Rear Remote) - 8266304 (R4 Front) - 8364564 (R4 Rear) - 464505 (L340A Loader) - 464508 (BHA90A Backhoe w/ 16" BKT + Thumb)		(900604P34)	(\$737.00)



**COMPACT FARMALL A SERIES II TRACTOR
US PRICE LIST**

Compact Farmall 40A Packages					
	X0622XX	FM40A 12X12 LDR Farmall 40A Gear w/L340A Loader EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER - 8266304 (R4 Front) - 8364564 (R4 Rear) - 464505 (L340A Loader)		(900446P90)	(\$545.00)
	X0623XX	FM40A HST LDR Farmall 40A HST w/L340A EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -729290 (HST) -720366 (1 Rear Remote) - 8266304 (R4 Front) - 8364564 (R4 Rear) - 464505 (L340A Loader)		(900479P70)	(\$585.00)
	X0624XX	FM40A HST LDR BH Farmall 40A HST w/L340A + BHA90A EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -729290 (HST) -720366 (1 Rear Remote) - 8266304 (R4 Front) - 8364564 (R4 Rear) - 464505 (L340A Loader) - 464508 (BHA90A Backhoe w/ 16" BKT + Thumb)		(900630P58)	(\$769.00)

TRANSMISSION

SD T2810 TRANSMISSION

	720110	12 x 12 Synchro-shuttle			No Charge
	729290	Hydrostatic Transmission		9001113P56	\$1,358.00

HYDRAULICS

SD T8270 REAR REMOTES

	XT8270X	LESS REAR REMOTE VALVES Less Rear Remote Valves			No Charge
	720366	1 Remote SDA 1 Rear Remote with detent		9000555P14	\$677.00

PTO

MID-MOUNT PTO

SD T8073 MID PTO KIT

	XT8073X	LESS MID PTO			No Charge
--	---------	--------------	--	--	-----------

**COMPACT FARMALL A SERIES II TRACTOR
US PRICE LIST**

		728025	MID PTO		9000270P60	\$330.00
--	--	--------	---------	--	------------	----------

FRONT WHEELS AND TIRES

SD T4940 FRONT WHEELS AND TIRES

		8266304	25 x 8.50 - 14 6PR R4 Must be ordered with 43 x 16.00-20 R4 (8364564) Rear Tires.			No Charge
		8204604	7 x 14 6PR R1 Ag Bar Must be ordered with 11.2 x 24 4PR R1 Ag Bar (8332604) Rear Tires.		(900093P48)	(\$114.00)
		8267104	25x8.50-14 10PR R3 T Must be ordered with 41 x 14.00-20 4PR R3 Rear Tires (8304804).		(900093P48)	(\$114.00)

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

		8364564	43 x 16.00-20 R4			No Charge
		8332604	11.2 x 24 4PR R1 Ag Bar		(900227P14)	(\$277.00)
		8304804	41 x 14.00-20 4PR R3		9000156P62	\$191.00

OPERATOR MANUALS

SD T9800 OPERATORS MANUAL

		XT9800X	North American English			No Charge
		729184	French Canadian - Gear			No Charge

SD T9802 OPERATORS MANUAL

		XT9802X	Less Add'l Operator Manual			No Charge
		720548	SPANISH OP.MANUAL N 720548			No Charge

BACKHOE

SD T6071 BACKHOE

		XT6071X	NO BACKHOE			No Charge
		464508	BACKHOE BHA90A A Series Backhoe includes: - Base Unit - Sub-Frame - Hydraulic Kits - 16" Bucket - Thumb		9007533P34	\$9,187.00

**COMPACT FARMALL A SERIES II TRACTOR
US PRICE LIST**

LOADER

SD T6072 FRONT END LOADER

		XT6072X	NO FRONT END LOADER			No Charge
		464505	FRT END LDR L340A Loader Includes: - Mounting Kit - Quick Coupler - Skid Steer Style - 68" HD Material Bucket (Quick Attach)		9004536P24	\$5,532.00

**COMPACT FARMALL A SERIES II TRACTOR
US PRICE LIST**

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
820460466	7X14 6PR R1 CIH LSM Front	95 LB	9000310P78	\$379.00
833260456	11.2X24 4PR R1 CIH LSM Rear	343 LB	9000793P76	\$968.00
826710416	25X8.50-14 10 PLY TURF R3 Front	98 LB	9000310P78	\$379.00
830480456	41X14.00-20 4PR R3 TURF CIH LS Rear	347 LB	9001178P34	\$1,437.00
826630466	25X8.50-14 6PR R4 CIH LSM Front	107 LB	9000392P78	\$479.00
836456426	43X16-20 4PLY TL R4 CIH Rear	418 LB	9001021P72	\$1,246.00

FARMALL 35C SERIES II TRACTORS US PRICE LIST

(Ex Works Port of Entry) Standard Equipment

Farmall 35C Tier 4B:
35 Gross Engine hp @ 2600 rpm
29.7 PTO hp @ 2600 rpm (Gear)
28 PTO hp @ 2600 rpm (Hydro)
114.7 cu. in. (1.9L) Displacement

ALL MODELS:

3 Cylinders
Tier 4b compliant
Turbo charged
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
10.6 gallon (40L) Fuel Tank ROPS
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut

INSTRUMENT PANEL:

Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Constant Engine Speed control
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlights Indicator
Emission Activation Indicator

TRANSMISSION OPTIONS

12 x 12 Synchronized Shuttle Shift
(SSS)
Left-hand, dash mounted,
synchronized shuttle
(4) Synchronized gears
(3) Non-synchronized ranges

3-Range Hydrostatic with Cruise Control
and Dual-Pedal direction control for
forward and reverse

HYDRAULIC SYSTEM:

Open Center Hydraulic System
Dual Gear-type Pumps
Single Open Center Rear Remote Valve
Implement Pump Capacity:
- Farmall 35C = 8.2 gpm (31.2 L/min)
Steering Pump Capacity:
- Gear models = 4.1 gpm (15.6 L/min)
- HST models = 5.5 gpm (20.8 L/min)
Mid-mount Hydraulic Valve & Joystick
(STD)

3-POINT LIFT SYSTEM:

Lift Capacity @ ball ends:
1808 lb. (820 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Flexible Link Ends

ROPS:

2-Post, Foldable Roll Bar
Seat Belt

ELECTRICAL

12-volt, 80Ah, 660 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
85 amp Alternator
Operator Presence System

LIGHTING:

(2) Halogen Corner Work Lights
(2) Halogen Headlights
(2) Taillights / Brakelights
(2) Flashing Warning Lights / Turn
Signals

FARMALL 35C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)
Standard Equipment

PTO:

Rear PTO

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

NOTES ABOUT MID PTO OFFERING

- Independent 2,000 rpm
- Effective October 2019 Mid PTO is OPTIONAL on ALL compact tractor models
- Dealer Installed Accessory (DIA) kits are also available from CNHi Parts:

Compact Farmall 30C, 35C, 35C Series II tractors (Fits non-cab)
-MT20131516

Compact Farmall 30C, 35C, 40C Series II WITH CAB tractors
-MT20123903

Compact Farmall 40C, 50C, 45C Series II, and 55C Series II tractors (Fits non-cab)
-MT20131515

Compact Farmall 40C, 50C, 45C Series II, and 55C Series II WITH CAB tractors
-MT20123902

DRAWBAR:

- Swinging
- 2-Position Extendable

REAR DIFFERENTIAL LOCK

STEERING:

- Hydrostatic Power Steering
- Tilt Steering Column

BRAKES:

- Wet Disc
- Dual Brake Pedals
- Foot-assist Parking Brake Lever

FRONT AXLE:

- Four Wheel Drive (FWD)
- Fixed Position Rims
- 45.6 in. (1159 mm) Tread Setting with R4 tires

REAR AXLE:

- Flange Type Axle
- Reversible Position Rims - R1 tires only
- Fixed Position Rims - R3, R4 tires
- REAR AXLE: (Continue):
- 46.5 in. (1283 mm) Tread Setting with R4 tires

OPERATOR'S AREA:

- ROPS FOR 35C
- Contoured Cushion Seat
- Fore / Aft / Height / Weight Compensating
- Spring Suspension
- Deluxe Floor Mat
- Foot Throttle
- Left Side Step
- Left Side Grab Handle
- Right Side Cupholder & Tray



**FARMALL 35C SERIES II TRACTORS
US PRICE LIST**

(Ex Works Port of Entry)
Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
FARMALL 35C SERIES II	Rops	6,300 LB	9020120P34	\$24,537.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGES

SD T9981 CONFIGURATION

LOADER INSTALLATION				
X0292XX	LESS EZ PICK CONFIG			No Charge
Compact Farmall 35C Packages				
X0601XX	FM35C R 12X12 LDR Farmall 35C ROPS Gear w/L350A EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -728025 (Mid-PTO) -X82704X (1 Remote) - 8266304 (R4 Front) - 8364564 (R4 Rear) - 464503 (L350A Loader w/ 68" BKT)		(900498P56)	(\$608.00)
X0602XX	FM35C R HST LDR Farmall 35C ROPS HST w/L350A EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -729290 (HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) - 8266304 (R4 Front) - 8364564 (R4 Rear) - 464503 (L350A Loader w/ 68" BKT)		(900529P72)	(\$646.00)

TRANSMISSION

TRANSMISSION				
--------------	--	--	--	--

SD T2810 TRANSMISSION

720110	12 x 12 Synchro-shuttle			No Charge
729290	Hydrostatic Transmission		9001535P04	\$1,872.00

**FARMALL 35C SERIES II TRACTORS
US PRICE LIST**

(Ex Works Port of Entry)

HYDRAULICS

SD T8270 REAR REMOTES

		X82704X	1 VALVE STD 1 valve with detent standard			No Charge
		720347	2 Remote Valves 2 rear remote		9000339P48	\$414.00

PTO

MID-MOUNT PTO

SD T8073 MID PTO KIT

		XT8073X	LESS MID PTO			No Charge
		728025	MID PTO		9000339P48	\$414.00

FRONT WHEELS AND TIRES

SD T4940 FRONT WHEELS AND TIRES

		8266304	25 x 8.50 - 14 6PR R4 Must be ordered with 43 x 16.00-20 R4 Rear Tires (8364564).			No Charge
		8267104	25x8.50-14 10PR R3 T Must be ordered with 11.2x24 4PR R1 Ag Bar Rear Tires (8304804).		(900094P30)	(\$115.00)
		8204604	7 x 14 6PR R1 Ag Bar Must be ordered with 11.2 x 24 4PR R1 Ag Bar Rear Tires (8332604).		(900094P30)	(\$115.00)

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

		8364564	43 x 16.00-20 R4			No Charge
		8332604	11.2 x 24 4PR R1 Ag Bar		(900260P76)	(\$318.00)
		8304804	41 x 14.00-20 4PR R3		9000163P18	\$199.00

LOADER

SD T6072 FRONT END LOADER

		XT6072X	NO FRONT END LOADER			No Charge
--	--	---------	---------------------	--	--	-----------

**FARMALL 35C SERIES II TRACTORS
US PRICE LIST**

(Ex Works Port of Entry)

		464503	FRT END LDR L350A Loader Includes: - Mounting Kit - Quick Coupler - Skid Steer Style - 68" HD Material Bucket (Quick Attach)		9005367P72	\$6,546.00
--	--	--------	---	--	------------	------------

OPERATOR MANUALS

SD T9800 OPERATORS MANUAL

		XT9800X	North American English			No Charge
		729184	French Canadian - Gear			No Charge

SD T9802 OPERATORS MANUAL

		XT9802X	Less Add'l Operator Manual			No Charge
		720548	SPANISH OP.MANUAL N 720548			No Charge

BACKHOE

SD T6071 BACKHOE

		464506	BACKHOE BHA90A Backhoe includes: - Base Unit - Sub-Frame - Hydraulic Kits - 16" Bucket - Thumb		9007977P78	\$9,729.00
		XT6071X	NO BACKHOE			No Charge



FARMALL 35C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
820460466	7X14 6PR R1 CIH LSM Front	95 LB	9000310P78	\$379.00
833260456	11.2X24 4PR R1 CIH LSM Rear	343 LB	9000793P76	\$968.00
826710436	25X8.50-14 10 PLY TURF R3 Front	98 LB	9000314P06	\$383.00
830480496	41X14.00-20 4PR R3 TURF CIH LS Rear	344 LB	9001225P90	\$1,495.00
826630486	25x8.50-14 6PR CIH LSM Front	109 LB	9000408P36	\$498.00
836456466	43X16-20 4PLY TL R4 CIH Rear	420 LB	9001060P26	\$1,293.00

FARMALL 40C SERIES II TRACTORS US PRICE LIST

(Ex Works Port of Entry) Standard Equipment

Farmall 40C Tier 4B: OPTIONS
40 Gross Engine hp @ 2600 rpm
34 PTO hp @ 2600 rpm (Gear)
32 PTO hp @ 2600 rpm (Hydro)
114.7 cu. in. (1.9L) Displacement

ALL MODELS:

3 Cylinders
Tier 4b compliant
Turbo charged
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
12.4 gallon (47L) Fuel Tank CAB
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut

INSTRUMENT PANEL:

Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Constant Engine Speed control
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlights Indicator
Emission Activation Indicator

TRANSMISSION OPTIONS

12 x 12 Synchronized Shuttle Shift
(SSS)
Left-hand, dash mounted,
synchronized shuttle
(4) Synchronized gears
(3) Non-synchronized ranges

3-Range Hydrostatic with Cruise Control
and Dual-Pedal direction control for
forward and reverse

HYDRAULIC SYSTEM:

Open Center Hydraulic System
Dual Gear-type Pumps
Single Open Center Rear Remote Valve
Implement Pump Capacity:
- Farmall 40C = 8.2 gpm (31.2 L/min)
Steering Pump Capacity:
- Gear models = 4.1 gpm (15.6 L/min)
- HST models = 5.5 gpm (20.8 L/min)
Mid-mount Hydraulic Valve & Joystick
(STD)

3-POINT LIFT SYSTEM:

Lift Capacity @ ball ends:
1808 lb. (820 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Flexible Link Ends

ELECTRICAL

12-volt, 80Ah, 660 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
85 amp Alternator
Operator Presence System

LIGHTING:

(2) Halogen Corner Work Lights
(2) Halogen Headlights
(2) Taillights / Brakelights
(2) Flashing Warning Lights / Turn
Signals

PTO:

Rear PTO

FARMALL 40C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)
Standard Equipment

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

NOTES ABOUT MID PTO OFFERING

- Independent 2,000 rpm
- Effective October 2019 Mid PTO is OPTIONAL on ALL compact tractor models
- Dealer Installed Accessory (DIA) kits are also available from CNHi Parts:

Compact Farmall 30C, 35C, 35C Series II tractors (Fits non-cab)
-MT20131516

Compact Farmall 30C, 35C, 40C Series II WITH CAB tractors
-MT20123903

Compact Farmall 40C, 50C, 45C Series II, and 55C Series II tractors (Fits non-cab)
-MT20131515

Compact Farmall 40C, 50C, 45C Series II, and 55C Series II WITH CAB tractors
-MT20123902

DRAWBAR:

- Swinging
- 2-Position Extendable

REAR DIFFERENTIAL LOCK

STEERING:

- Hydrostatic Power Steering
- Tilt Steering Column

BRAKES:

- Wet Disc
- Dual Brake Pedals

Foot-assist Parking Brake Lever

FRONT AXLE:

- Four Wheel Drive (FWD)
- Fixed Position Rims
- 45.6 in. (1159 mm) Tread Setting with R4 tires

REAR AXLE:

- Flange Type Axle
- Reversible Position Rims - R1 tires only
- Fixed Position Rims - R3, R4 tires

REAR AXLE: (Continue):

- 46.5 in. (1283 mm) Tread Setting with R4 tires

OPERATOR'S AREA:

- CAB FOR 40C ONLY
- (2) Doors
- Rear Window Opens 63 degrees
- Opening side windows
- Air Conditioning
- Heater
- 4-speed Fan Control for heat and A/C
- 2 Cab Air Filters
- Radio-ready with (2) speakers, wiring and antenna
- Deluxe Cloth Covered Seat
- Floor Mat
- Cloth Covered Headliner
- Sun Visor
- Interior Rearview Mirror
- Interior lighting
- Left and Right External Mounted Mirrors
- Removable Plug in rear of cab to route harness
- Front Windshield Wiper and Washer
- Cup Holder
- Left and Right Side Steps
- Toolbox
- Slow Moving Vehicle Emblem
- Grab Rails
- Horn



**FARMALL 40C SERIES II TRACTORS
US PRICE LIST**

(Ex Works Port of Entry)
Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
FARMALL 40C SERIES II	Cab	6,300 LB	9026294P12	\$32,066.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGES

SD T9981 CONFIGURATION

LOADER INSTALLATION				
X0292XX	LESS EZ PICK CONFIG			No Charge
Compact Farmall 40C Packages				
X0606XX	FM40C C GEAR LDR Farmall 40C Cab Gear w/L350A EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -728025 (Mid-PTO) -X82704X (1 Remote) - 8266304 (R4 Front) - 8364564 (R4 Rear) - 464503 (L350A Loader w/ 68" BKT)		(900621P56)	(\$758.00)
X0607XX	FM40C C HST LDR Farmall 40C Cab HST w/L350A FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -729290 (HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) - 8266304 (R4 Front) - 8364564 (R4 Rear) - 464503 (L350A Loader w/ 68" BKT)		(900654P36)	(\$798.00)

**FARMALL 40C SERIES II TRACTORS
US PRICE LIST**

(Ex Works Port of Entry)

		X0608XX	FM40C C HST LDR BH Farmall 40C Cab HST w/L350A + BHA90A EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -729290 (HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) - 8266304 (R4 Front) - 8364564 (R4 Rear) - 464503 (L350A Loader w/ 68" BKT) - 464506 (BHA90A Backhoe w/ 16" BKT + Thumb)			(900804P42)	(\$981.00)
--	--	---------	--	--	--	-------------	------------

TRANSMISSION

TRANSMISSION

SD T2810 TRANSMISSION

		720110	12 x 12 Synchro-shuttle				No Charge
		729290	Hydrostatic Transmission			9001535P04	\$1,872.00

HYDRAULICS

SD T8270 REAR REMOTES

		X82704X	1 VALVE STD 1 valve with detent standard				No Charge
		720347	2 Remote Valves 2 rear remote			9000339P48	\$414.00

PTO

MID-MOUNT PTO

SD T8073 MID PTO KIT

		XT8073X	LESS MID PTO				No Charge
		728025	MID PTO			9000339P48	\$414.00

FRONT WHEELS AND TIRES

SD T4940 FRONT WHEELS AND TIRES

		8266304	25 x 8.50 - 14 6PR R4 Must be ordered with 43 x 16.00-20 R4 Rear Tires (8364564).				No Charge
		8267104	25x8.50-14 10PR R3 T Must be ordered with 11.2x24 4PR R1 Ag Bar Rear Tires (8304804).			(900094P30)	(\$115.00)
		8204604	7 x 14 6PR R1 Ag Bar Must be ordered with 11.2 x 24 4PR R1 Ag Bar Rear Tires (8332604).			(900094P30)	(\$115.00)

**FARMALL 40C SERIES II TRACTORS
US PRICE LIST**

(Ex Works Port of Entry)

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

	8364564	43 x 16.00-20 R4			No Charge
	8332604	11.2 x 24 4PR R1 Ag Bar		(900260P76)	(\$318.00)
	8304804	41 x 14.00-20 4PR R3		9000163P18	\$199.00

LOADER

SD T6072 FRONT END LOADER

	XT6072X	NO FRONT END LOADER			No Charge
	464503	FRT END LDR L350A Loader Includes: - Mounting Kit - Quick Coupler - Skid Steer Style - 68" HD Material Bucket (Quick Attach)		9005367P72	\$6,546.00

OPERATOR MANUALS

SD T9800 OPERATORS MANUAL

	XT9800X	North American English			No Charge
	729184	French Canadian - Gear			No Charge

SD T9802 OPERATORS MANUAL

	XT9802X	Less Add'l Operator Manual			No Charge
	720548	SPANISH OP.MANUAL N 720548			No Charge

BACKHOE

SD T6071 BACKHOE

	464506	BACKHOE BHA90A Backhoe includes: - Base Unit - Sub-Frame - Hydraulic Kits - 16" Bucket - Thumb		9007977P78	\$9,729.00
	XT6071X	NO BACKHOE			No Charge

FARMALL 40C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
820460466	7X14 6PR R1 CIH LSM Front	95 LB	9000310P78	\$379.00
833260456	11.2X24 4PR R1 CIH LSM Rear	343 LB	9000793P76	\$968.00
826710436	25X8.50-14 10 PLY TURF R3 Front	98 LB	9000314P06	\$383.00
830480496	41X14.00-20 4PR R3 TURF CIH LS Rear	344 LB	9001225P90	\$1,495.00
826630486	25x8.50-14 6PR CIH LSM Front	109 LB	9000408P36	\$498.00
836456466	43X16-20 4PLY TL R4 CIH Rear	420 LB	9001060P26	\$1,293.00

FARMALL 45C AND 55C SERIES II TRACTORS US PRICE LIST

(Ex Works Port of Entry) Standard Equipment

Farmall 45C Tier 4B:

45 Gross Engine hp @ 2600 rpm
38.2 PTO hp @ 2600 rpm (Gear)
36 PTO hp @ 2600 rpm (Hydro)
114.7 cu. in. (1.9L) Displacement

Farmall 55C Tier 4B:

55 Gross Engine hp @ 2600 rpm
46.7 PTO hp @ 2600 rpm (Gear)
44 PTO hp @ 2600 rpm (Hydro)
114.7 cu. in. (1.9L) Displacement

ALL MODELS:

3 Cylinders
Naturally Aspirated
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
10.5 gallon (40L) Fuel Tank
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut

INSTRUMENT PANEL:

Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Constant Engine Speed control
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlight Indicator
Emissions Indicator

TRANSMISSION OPTIONS:

16 x 16 Synchronized Shuttle Shift (SSS)
Left-hand, dash mounted, synchronized shuttle
(4) Synchronized gears
(4) Non-synchronized ranges
3- Range Hydrostatic with Cruise Control and Dual Pedal direction control for forward and reverse

HYDRAULIC SYSTEM:

Open Center Hydraulic System
Dual Gear-type Pumps
Single Open Center Rear Remote Valve
Implement Pump Capacity:
- 8.2 gpm (31.2 L/min)
Steering Pump Capacity:
- Gear models = 4.1 gpm (15.6 L/min)
- HST models = 6.1 gpm (23.4 L/min)
Mid-mount Hydraulic Valve & Joystick (STD)

3-POINT LIFT SYSTEM:

Lift Capacity @ ballk ends:
2756 lb. (1250 kg)
Category I, 3-point Linkage
Position Control Lever
Drop Rate Control Knob
Crank-type Leveling Mechanism
Telescoping Stabilizers
Flexible Link Ends

ROPS:

2-Post, Foldable Roll Bar
Seat Belt

ELECTRICAL:

12-volt, 80Ah, 660 CCA Battery
Safety Start Switch
Key Start/Fuel Shutoff
85 amp Alternator
Operator Presence System

**FARMALL 45C AND 55C SERIES II TRACTORS
US PRICE LIST**

**(Ex Works Port of Entry)
Standard Equipment**

LIGHTING:

- (2) Halogen Corner Work Lights
- (2) Halogen Headlights
- (2) Taillights / Brakelights
- (2) Flashing Warning Lights / Turn Signals

PTO:

Rear PTO

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

NOTES ABOUT MID PTO OFFERING

- Independent 2,000 rpm
- Effective October 2019 Mid PTO is OPTIONAL on ALL compact tractor models
- Dealer Installed Accessory (DIA) kits are also available from CNHi Parts:

Compact Farmall 30C, 35C, 35C Series II tractors (Fits non-cab)
-MT20131516

Compact Farmall 30C, 35C, 40C Series II WITH CAB tractors
-MT20123903

Compact Farmall 40C, 50C, 45C Series II, and 55C Series II tractors (Fits non-cab)
-MT20131515

Compact Farmall 40C, 50C, 45C Series II, and 55C Series II WITH CAB tractors
-MT20123902

DRAWBAR:

- Swinging
- 2-Position Extendable

REAR DIFFERENTIAL LOCK

STEERING:

- Hydrostatic Power Steering
- Tilt Steering Column

BRAKES:

- Wet Disc
- Dual Brake Pedals
- Foot-assist Parking Brake Lever

FRONT AXLE:

- Four Wheel Drive (FWD)
- Fixed position rims
- 51.7 in. (1314 mm) Tread Setting with R4 tires

REAR AXLE:

- Flange Type Axle
- Reversible Position Rims - R1 only
- Fixed Position Rims - R3, R4
- 47.7 in. (1211 mm) Tread Setting with R4 tires

OPERATOR'S AREA:

- Contoured Cushion Seat
- Fore / Aft / Height / Weight Compensating
- Spring Suspension
- Deluxe Floor Mat
- Foot Throttle
- Left Side Step
- Left Side Grab Handle
- Right Side Cupholder & Tray

SLOW MOVING VEHICLE EMBLEM

**FARMALL 45C AND 55C SERIES II TRACTORS
US PRICE LIST**

(Ex Works Port of Entry)
Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
FARMALL 45C SERIES II	Rops	6,501 LBS	9025142P84	\$30,662.00
FARMALL 45C SERIES II	Cab	6,502 LBS	9029777P48	\$36,314.00
FARMALL 55C SERIES II	Rops	6,503 LBS	9030369P52	\$37,036.00
FARMALL 55C SERIES II	Cab	6,504 LBS	9035004P16	\$42,688.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGES

SD_T9981 CONFIGURATION

LOADER INSTALLATION				
	X0292XX	LESS EZ PICK CONFIG		No Charge
Compact Farmall 45C Packages				
	X0609XX	FM45C R 16X16 LDR Farmall 45C ROPS Gear w/L360A EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330271 (16x16 Gear) -728025 (Mid-PTO) -X82704X (1 Remote) - 8276504 (R4 Front) - 8396704 (R4 Rear) - 464504 (L360A Loader w/ 72" BKT)	(900619P10)	(\$755.00)
	X0610XX	FM45C R HST LDR Farmall 45C ROPS HST w/L360A EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) - 8276504 (R4 Front) - 8396704 (R4 Rear) - 464504 (L360A Loader w/ 72" BKT)	(900651P08)	(\$794.00)

**FARMALL 45C AND 55C SERIES II TRACTORS
US PRICE LIST**

(Ex Works Port of Entry)

X0611XX	FM45C R HST LDR BH Farmall 45C ROPS HST w/L360A + BHA102 EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) - 8276504 (R4 Front) - 8396704 (R4 Rear) - 464504 (L360A Loader w/ 72" BKT) - 464507 (BHA102 Backhoe w/16" BKT + Thumb)		(900812P62)	(\$991.00)
X0612XX	FM45C C HST LDR Farmall 45C Cab HST w/L360A EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) - 8276504 (R4 Front) - 8396704 (R4 Rear) - 464504 (L360A Loader w/ 72" BKT)		(900743P74)	(\$907.00)
X0613XX	FM45C C HST LDR BH Farmall 45C Cab HST w/L360A + BHA102 EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) - 8276504 (R4 Front) - 8396704 (R4 Rear) - 464504 (L360A Loader w/ 72" BKT) - 4645075 (BHA102 Backhoe w/16" BKT + Thumb)		(900906P10)	(\$1,105.00)
Compact Farmall 55C Packages				
X0614XX	FM55C R 16X16 LDR Farmall 55C ROPS Gear w/L360A EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330271 (16x16 Gear) -728025 (Mid-PTO) -X82704X (1 Remote) - 8276504 (R4 Front) - 8396704 (R4 Rear) - 464504 (L360A Loader w/ 72" BKT)		(900723P24)	(\$882.00)



**FARMALL 45C AND 55C SERIES II TRACTORS
US PRICE LIST**

(Ex Works Port of Entry)

X0615XX	FM55C R HST LDR Farmall 55C ROPS HST w/L360A EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) - 8276504 (R4 Front) - 8396704 (R4 Rear) - 464504 (L360A Loader w/ 72" BKT)		(900755P22)	(\$921.00)
X0616XX	FM55C R HST LDR BH Farmall 55C ROPS HST w/L360A + BHA102 EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) - 8276504 (R4 Front) - 8396704 (R4 Rear) - 464504 (L360A Loader w/ 72" BKT) - 464507 (BHA102 Backhoe w/16" BKT + Thumb)		(900917P58)	(\$1,119.00)
X0617XX	FM55C C HST LDR Farmall 55C Cab HST w/L360A FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) - 8276504 (R4 Front) - 8396704 (R4 Rear) - 464504 (L360A Loader w/ 72" BKT)		(900847P88)	(\$1,034.00)
X0618XX	FM55C C HST LDR BH Farmall 55C Cab HST w/L360A + BHA102 EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER -330014 (3 Range HST) -728025 (Mid-PTO) -720347 (2 Rear Remote) - 8276504 (R4 Front) - 8396704 (R4 Rear) - 464504 (L360A Loader w/ 72" BKT) - 464507 (BHA102 Backhoe w/16" BKT + Thumb)		(901010P24)	(\$1,232.00)

TRANSMISSION

TRANSMISSION

SD_T2810 TRANSMISSION

330271	16x16 Synchro Shuttle 330271			No Charge
330014	HST + 3 Range		9001535P04	\$1,872.00

**FARMALL 45C AND 55C SERIES II TRACTORS
US PRICE LIST**

(Ex Works Port of Entry)

HYDRAULICS

SD T8270 REAR REMOTES

	X82704X	1 VALVE STD 1 valve with detent standard			No Charge
	720347	2 Remote Valves 2 rear remote			
		if ENGINE POWER is 45 HP		9000339P48	\$414.00
		if ENGINE POWER is 55 HP		9000339P48	\$414.00

PTO

MID-MOUNT PTO

SD T8073 MID PTO KIT

	XT8073X	LESS MID PTO			No Charge
	728025	MID PTO		9000339P48	\$414.00

FRONT WHEELS AND TIRES

SD T4940 FRONT WHEELS AND TIRES

	8276504	12 x 16.5 6PR R4 Must be ordered with 17.5Lx24 6PR R4 Rear Tires (8396704).			No Charge
	8267204	28x8.50-15 6PR R3 T		(900109P88)	(\$134.00)
	8253304	9.5 x 16 4PR R1 Must be ordered with 13.6-24 4PR R1 Rear Tires (8338604).		(900109P88)	(\$134.00)

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

	8396704	17.5Lx24 6PR R4			No Charge
	8338604	13.6-24 4PR R1		(900667P48)	(\$814.00)
	8304804	41 x 14.00-20 4PR R3			
		if ENGINE POWER is 55 HP		(900360P80)	(\$440.00)
		if ENGINE POWER is 45 HP		(900360P80)	(\$440.00)

LOADER

SD T6072 FRONT END LOADER

	XT6072X	NO FRONT END LOADER			No Charge
--	---------	---------------------	--	--	-----------

**FARMALL 45C AND 55C SERIES II TRACTORS
US PRICE LIST**

(Ex Works Port of Entry)

		464504	FRT END LDR L360A Loader Includes: - Mounting Kit - Quick Coupler - Skid Steer Style - 72" HD Material Bucket (Quick Attach)		9005577P64	\$6,802.00
--	--	--------	---	--	------------	------------

OPERATOR MANUALS

SD T9800 OPERATORS MANUAL

		XT9800X	North American English			No Charge
		729184	French Canadian - Gear			No Charge

SD T9802 OPERATORS MANUAL

		XT9802X	Less Add'l Operator Manual			No Charge
		720548	SPANISH OP.MANUAL N 720548			No Charge

BACKHOE

SD T6071 BACKHOE

		464507	BACKHOE BHA102 Backhoe includes: - Base Unit - Sub-Frame - Hydraulic Kits - 16" Bucket - Thumb		9008555P06	\$10,433.00
		XT6071X	NO BACKHOE			No Charge



FARMALL 45C AND 55C SERIES II TRACTORS
US PRICE LIST

(Ex Works Port of Entry)
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
825330446	9.5-16 4PR R1 CIH LSM Front	171 LB	9000624P84	\$762.00
833860446	13.6X24 4PR R1 CIH LSM Rear	298 LB	9000917P58	\$1,119.00
826720416	28X8.50-15 6 PLY TURF R3 Front	152 LB	9000624P84	\$762.00
830480496	41X14.00-20 4PR R3 TURF CIH LS Rear	344 LB	9001225P90	\$1,495.00
827650416	12 X 16.5 6PR R4 LSM CIH Front	177 LB	9000734P72	\$896.00
839670416	17.5LX24 6PR R4 CIH Rear	581 LB	9001585P88	\$1,934.00



PURCHASED PROTECTION

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.



AGRICULTURAL EQUIPMENT

**U.S. Price List
Effective October 1, 2020**

**FARMALL® SERIES COMPACT TRACTORS
PL-100 CA REVISION 2
SAP PRICE LIST 035 C1**

THIS IS A COMPLETE REVISION

This price list is intended for dealers with the LT contract only.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Dealers should retain prior price list pages for any discontinued equipment or attachments remaining in inventory.

Prices in this revision are subject to change. Check eEquipment for the most current pricing.



GENERAL INFORMATION

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE. Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION

CNH Industrial N.V. issues price lists and revisions covering each Case IH contract. The U.S. Price List is published in U.S. funds and the Canadian Price List is published in Canadian funds. Ensure that you are using the correct price list. U.S. or Canada is referenced at the top of each page and the Canadian price lists have a Maple Leaf on the price list cover page.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory Supplied Options" and "Factory Supplied Accessories."

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory Supplied Options" and "Factory Supplied Accessories" price pages. When ordering and pricing a machine, follow the ordering instructions listed for that machine. Accessories listed following the "Factory Supplied Accessories" heading are available for installation in the field.

DISTRIBUTION OF PRICE LISTS

Price lists and periodic price list revisions will be posted on the Dealer Portal and distributed electronically when possible.

Printed copies of current price lists, index tabs and binders can be purchased from the Document Management Center (DMC). Orders should be placed only through the DMC web site link located on the Dealer Portal. For DMC customer service inquiries, other than placing orders, call (262) 636-7540.

Internal E-mail: #NA DMC ORDER CENTER

Complete U.S. Price List is PL-100

Complete Canadian Price List is PLC-100

Periodic price list revisions are usually accompanied by a cover sheet which carries instructions on price page changes and where to insert replacement or new price pages. The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



**FARMALL® SERIES LOADER & IMPLEMENTS
TABLE OF CONTENTS**

FARMALL® 100A SERIES TRACTORS

LOADER FOR FARMALL COMPACT TRACTORS

L340A LOADERS FOR COMPACT FARMALL A SERIES II T4

Standard Features	1
Price List	2
Factory Supplied Attachments	3

L350A LOADERS FOR COMPACT FARMALL 35C & 40C SERIES II T4

Standard Features	5
Price List	6
Factory Supplied Attachments	7

L360A LOADERS FOR COMPACT FARMALL 45C & 55C SERIES II T4

Standard Features	9
Price List	10
Factory Supplied Attachments	11

L350A LOADER FARMALL B CVT & C CVT

Standard Features	13
Price List	14
Factory Supplied Attachments	15

COMPACT TRACTOR IMPLEMENTS AND ATTACHMENTS

MW SERIES MOWER FOR FARMALL COMPACT TRACTORS

Standard Features	17
Price List	20

MW3 SERIES MOWER FOR FARMALL COMPACT TRACTORS

Standard Features	21
Price List	22

RR SERIES REAR MOUNT FINISHING MOWERS

Standard Features	25
Price List	27

BM SERIES FRONT MOUNT BLADES

Standard Features	29
Price List	30
Factory Supplied Attachments	32



FARMALL® SERIES LOADER & IMPLEMENTS TABLE OF CONTENTS

FARMALL® 100A SERIES TRACTORS

COMPACT TRACTOR IMPLEMENTS AND ATTACHMENTS

BS SERIES FRONT MOUNT SNOW BLOWERS

Standard Features	33
Price List	35
Factory Supplied Attachments	38

BR SERIES FRONT MOUNT ROTARY BROOMS

Standard Features	41
Price List	43
Factory Supplied Attachments	45

BHA SERIES BACKHOES

Standard Features	47
Price List	48
Factory Supplied Attachments	51

TL SERIES ROTARY TILLERS

Standard Features	53
Price List	54

RC ROTARY CUTTERS

Standard Features	55
Price List	58
Factory Supplied Attachments	60

WORK EZ® DISK HARROW

Standard Features	61
Price List	62

WORK EZ® RAKES

Standard Features	63
Price List	64

WORK EZ® BOX BLADES

Standard Features	65
Price List	66

WORK EZ® REAR BLADES

Standard Features	67
Price List	68



**FARMALL® SERIES LOADER & IMPLEMENTS
TABLE OF CONTENTS**

FARMALL® 100A SERIES TRACTORS

COMPACT TRACTOR IMPLEMENTS AND ATTACHMENTS

WORK EZ® EZ MATCH

Standard Features	69
Price List	70

WORK EZ® BALE CARRIERS

Standard Features	71
Price List	72

WORK EZ® HAY SPEARS

Standard Features	73
Price List	74

CHARTS

PARTS DIVISION SUPPLIED ACCESSORIES - COMPACT TRACTOR IMPLEMENTS.....	75
CASE IH PURCHASED PROTECTION.....	77

L340A LOADER FOR 35A AND 40A SERIES II
US PRICE LIST

(Ex Works Port of Entry)
Standard Equipment

L340A SPECIFICATIONS

(PER ASAE S301.5):

L340A Loader includes the following:

- Basic Loader for Farmall 35A & 40A Series II tractors with Improved Visibility mounting system
- Mounting Kit
 - Quick Coupler - Skid Steer Style
 - 68" HD Material Bucket (Quick Attach)
- (Mid-mount valve & Joystick are included with tractor)

Loader specifications are subject to change and may vary based on tractor model and tire size.

L340A SPECIFICATIONS

(PER ASAE S301.5):

L340A (For Farmall 35A & 40A Series II)

Distances in (in/mm) unless otherwise noted. Forces in (lbs/kg) unless otherwise noted.

Curved Boom, Mid-Mount, Quick Attach Design

Maximum Lift Height:

98.4 / 2500

Dump Clearance:

75.3 / 1913

Digging Depth:

8 / 203

Lift Capacity @ bucket pivot point:

1250 / 567

Lift Capacity @ 19.7 in. (500mm)

from bucket pivot point:

890 / 404

Breakout Force @ bucket pivot point:

2700 / 1225

Breakout Force @ 19.7 in. (500mm)

from bucket pivot point:

1900 / 862

Reach @ Maximum Lift:

31 / 787

Bucket Rollback:

32°

Bucket Dump Angle:

39°

Bucket Level Indicator

Parking Stand

NOTE: COMPATIBILITY INFORMATION

To assure proper performance, see Operator's manual for recommended counterweighting.



L340A LOADER FOR 35A AND 40A SERIES II
US PRICE LIST

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	SPECIALTY	Weight	Factory Data	List Price
L340A 35A/40A SERIES II	68 in. Bucket	900 LB	9004446P04	\$5,422.00

L340A LOADER FOR 35A AND 40A SERIES II
US PRICE LIST

(Ex Works Port of Entry)
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
Other Equipment				
717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB	9000350P14	\$427.00
717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB	9000450P18	\$549.00

L350A LOADER FOR 35C AND 40C SERIES II
US PRICE LIST

(Ex Works Port of Entry)
Standard Equipment

L350A SPECIFICATIONS

(PER ASAE S301.5):

L350A Loader includes the following:

Basic Loader for Farmall 35C and
Farmall 40C Series II with Improved
Visibility mounting system.

Mounting Kit

Quick Coupler - Skid Steer Style

68" HD Material Bucket (Quick Attach)

(Mid-mount valve & Joystick are
included with tractor)

Loader specifications are subject to
change and may vary based on tractor
model and tire size.

L350A SPECIFICATIONS

(PER ASAE S301.5):

L350A (For Farmall 35C and 40C Series
II)

Distances in (in/mm) unless
otherwise noted. Forces in (lbs/kg)
unless otherwise noted

Curved Boom, Mid-Mount, Quick
Attach Design

Maximum Lift Height:

105 / 2667

Dump Clearance:

81.5 / 2070

Digging Depth:

6.5 / 165

Lift Capacity

@ bucket pivot point:

2000 / 907

@ 19.7 in. (500mm) from bucket
pivot point:

1540 / 699

Breakout Force

@ bucket pivot point:

3540 / 1606

@ 19.7 in. (500mm) from bucket
pivot point:

2640 / 1197

Reach @ Maximum Lift:

33 / 838

Bucket Rollback:

30°

Bucket Dump Angle:

58°

4-Bar Bucket Linkage

Bucket Level Indicator, Parking Stand

NOTE: COMPATIBILITY INFORMATION

To assure proper performance,
see Operator's manual for



L350A LOADER FOR 35C AND 40C SERIES II
US PRICE LIST

(Ex Works Port of Entry)
Models

COMMERCIAL MODEL	SPECIALTY	Weight	Factory Data	List Price
L350A 35C/40C SERIES II	68 in. Bucket	800 LB	9005277P52	\$6,436.00

L350A LOADER FOR 35C AND 40C SERIES II
US PRICE LIST

(Ex Works Port of Entry)
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB	9000350P14	\$427.00
717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB	9000450P18	\$549.00

L360A LOADER FOR 45C AND 55C SERIES II
US PRICE LIST

(Ex Works Port of Entry)
Standard Equipment

L360A SPECIFICATIONS

(PER ASAE S301.5):

L360A for Farmall 45C and 55C Series II

Basic Loader for Farmall 45C and
Farmall 55C Series II with Improved
Visibility mounting system
Mounting Kit
Quick Coupler - Skid Steer Style
72" HD Material Bucket (Quick Attach)
(Mid-mount valve & Joystick are
included with tractor)

Loader specifications are subject to
change and may vary based on tractor
model and tire size.

L360A SPECIFICATIONS

(PER ASAE S301.5):

L360A (For Farmall 45C and 55C Series
II)

Distances in (in/mm) unless
otherwise noted. Forces in (lbs/kg)
unless otherwise noted

Curved Boom, Mid-Mount, Quick
Attach Design

Maximum Lift Height:

112.3 / 2852

Dump Clearance:

85.2 / 2164

Digging Depth:

4.9 / 125

Lift Capacity

@ bucket pivot point:

2500 / 1134

@ 19.7 in. (500mm) from bucket
pivot point:

1830 / 830

Breakout Force

@ bucket pivot point:

5000 / 2268

@ 19.7 in. (500mm) from bucket
pivot point:

3114 / 1412

Reach @ Maximum Lift:

32 / 813

Bucket Rollback:

39°

Bucket Dump Angle:

49°

4-Bar Bucket Linkage

Bucket Level Indicator

Parking Stand

NOTE: COMPATIBILITY INFORMATION

To assure proper performance,
see Operator's manual for



L360A LOADER FOR 45C AND 55C SERIES II
US PRICE LIST

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	SPECIALTY	Weight	Factory Data	List Price
L360A 45C/55C SERIES II	72 in. Bucket	800 LB	9005466P12	\$6,666.00

L360A LOADER FOR 45C AND 55C SERIES II
US PRICE LIST

(Ex Works Port of Entry)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB	9000350P14	\$427.00
717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB	9000450P18	\$549.00

L350A LOADER FOR B/C CVT US PRICE LIST

(Ex Works Port of Entry) Standard Equipment

L350A SPECIFICATIONS

(PER ASAE S301.5):

L350A Loader includes the following:

Basic Loader for
Farmall 45C CVT, 55C CVT, 40B
CVT, and 50B CVT
with Improved Visibility mounting
system.
Tractors S/N ZDME21931 and after.
Quick Coupler - Skid Steer Style
72" HD Material Bucket (Quick Attach)

FARMALL C CVT TRACTORS ARE
STANDARD LOADER READY

Loader specifications are subject to
change and may vary based on tractor
model and tire size.

L350A SPECIFICATIONS

(PER ASAE S301.5):

L350A (For Farmall 45C CVT, 55C
CVT, 40B CVT, 50 B CVT)
Distances in (in/mm) unless
otherwise noted. Forces in (lbs/kg)
unless otherwise noted
Curved Boom, Mid-Mount, Quick
Attach Design
Maximum Lift Height:
105 / 2667
Dump Clearance:
81.5 / 2070
Digging Depth:
6.5 / 165
Lift Capacity
@ bucket pivot point:
2000 / 907
@ 19.7 in. (500mm) from bucket
pivot point:
1540 / 699
Breakout Force
@ bucket pivot point:
3540 / 1606
@ 19.7 in. (500mm) from bucket
pivot point:
2640 / 1197
Reach @ Maximum Lift:
33 / 838
Bucket Rollback:
30°
Bucket Dump Angle:
58°
4-Bar Bucket Linkage
Bucket Level Indicator, Parking Stand

COMPATIBILITY INFORMATION:

To assure proper performance,
see Operator's manual for
recommended counterweighting



L350A LOADER FOR B/C CVT
US PRICE LIST

(Ex Works Port of Entry)
Models

COMMERCIAL MODEL	SPECIALTY	Weight	Factory Data	List Price
L350A FARMALL B/C CVT	72 in. Bucket	650 LB	9004725P66	\$5,763.00

L350A LOADER FOR B/C CVT
US PRICE LIST

(Ex Works Port of Entry)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB	9000350P14	\$427.00
717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB	9000450P18	\$549.00

MW SERIES MOWERS FOR COMPACT FARMALL
US PRICE LIST

(Ex Works Wholegoods Depot)
Standard Equipment

MW166S Side Discharge Mid-Mount Rotary Mower

For use with

- Farmall 30B & 35B Tractors

SPECIFICATIONS:

Cutting Width (in.) - 66

Cutting Height (in.) - 1-4

Overall width (in.) - discharge chute down 69

Number of Blades - 3

Blade Type - Standard

Blade Length/Width (in.) - 23 L x 2.5W

Blade Tip Speed (in feet per minute) - Less than 18,000 (ANSI)

Drive - Mid PTO

Gauge Wheels (in.) - 2 x 6 (4)

Deck Spring suspension - Yes

Deck Shell Weldment - 10 gauge sides, 10 gauge top, 1/4" spindle reinforcement pads

Tire Compatibility:

Agricultural (R1) - Yes, limited turn angle:

Right Hand - 24 degrees, Left Hand - 27 degrees

Industrial (R4) - Yes, limited turn angle:

Right Hand - 33 degrees, Left Hand - 37 degrees

Turf (R3) - Yes, limited turn angle:

Right Hand - 33 degrees, Left Hand - 37 degrees

Galaxy Turf - NO

Mulch Kit - AMENHM628 (Service Parts)

NOTE:

REQUIREMENTS FOR OPERATION

A mid PTO kit is required to operate this implement. SEE PTO OFFERING ON

LAST PAGE OF THE STANDARD

EQUIPMENT

MW266S Side Discharge Mid-Mount Rotary Mower

For use with

- Farmall 35A & 40A Series II

- Farmall 35C Series II NON CAB

(not compatible with 40C Series II Cab)

SPECIFICATIONS:

Cutting Width (in.) - 66

Cutting Height (in.) - 1-4

Overall width (in.) - discharge chute down 69

Number of Blades - 3

Blade Type - Standard

Blade Length/Width (in.) - 23 L x 2.5W

Blade Tip Speed (in feet per minute) - Less than 18,000 (ANSI)

Drive - Mid PTO

Gauge Wheels (in.) - 2 x 6 (4)

Deck Spring suspension - Yes

Deck Shell Weldment - 10 gauge sides, 10 gauge top, 1/4" spindle reinforcement pads

Tire Compatibility:

For Farmall 35A and 40A

Agricultural (R1) - Yes, limited turn angle:

Right Hand - 33 degrees, Left Hand - 37 degrees

Industrial (R4) - Yes, limited turn angle:

Right Hand - 33 degrees, Left Hand - 37 degrees

Turf (R3) - Yes, limited turn angle:

Right Hand - 33 degrees, Left Hand - 37 degrees

Galaxy Turf - NO

**MW SERIES MOWERS FOR COMPACT FARMALL
US PRICE LIST**

**(Ex Works Wholegoods Depot)
Standard Equipment**

MW266S Side Discharge Mid-Mount
Rotary Mower

Tire Compatibility: (continued)

For Farmall 35C Series II NON CAB

Agricultural (R1) - NO

Industrial (R4) - Yes, limited turn angle:

Right Hand - 33 degrees, Left Hand -
37 degrees

Turf (R3) - Yes, limited turn angle:

Right Hand - 33 degrees, Left Hand -
37 degrees

Galaxy Turf - NO

Mulch Kit - AMENHM628 (Service Parts)

NOTE:

REQUIREMENTS FOR OPERATION

A mid PTO kit is required to operate this
implement. SEE PTO OFFERING ON
LAST PAGE OF THE STANDARD
EQUIPMENT

MW172S Side Discharge Mid-
Mount Rotary Mower

For use with

- Farmall 45C CVT & 55C CVT
- Farmall 40B CVT, 45B CVT,
and 50B CVT

SPECIFICATIONS:

Cutting Width (in.) - 72

Cutting Height (in.) - 1-4

Overall width (in.) - discharge chute
down 85

Number of Blades - 3

Blade Type - Standard

Blade Length/Width (in.) - 25L x 2.5W

Blade Tip Speed (in feet per minute) -
Less than 18,000 (ANSI)

Drive - Mid PTO

Gauge Wheels (in.) - 2 x 6 (4)

Deck Spring suspension - Yes

SPECIFICATIONS (continue):

Deck Shell Weldment - 10 gauge sides,
10 gauge top, 1/4" spindle
reinforcement pads

MW172S Side Discharge Mid-

Mount Rotary Mower (Continued):

Tire Compatibility:

Agricultural (R1) - NO

Large Industrial (R4) - YES

Turf (R3) - Yes, limited turn angle:

Right Hand - 34 degrees, Left Hand -
35 degrees

Galaxy Turf - NO

Mulch Kit - AMENHM728 (Service Parts)

NOTE:

REQUIREMENTS FOR OPERATION

A mid PTO kit is required to operate this
implement.

MW272S Side Discharge Mid-
Mount Rotary Mower

For use with

- Farmall 45C & 55C Series II Rops only
(not compatible with Cab)

SPECIFICATIONS:

Cutting Width (in.) - 72

Cutting Height (in.) - 1-4

Overall width (in.) - discharge chute
down 85

Number of Blades - 3

Blade Type - Standard

Blade Length/Width (in.) - 25L x 2.5W

Blade Tip Speed (in feet per minute) -
Less than 18,000 (ANSI)

Drive - Mid PTO

Gauge Wheels (in.) - 2 x 6 (4)

Deck Spring suspension - Yes

Deck Shell Weldment - 10 gauge sides,
10 gauge top, 1/4" spindle
reinforcement pads

MW SERIES MOWERS FOR COMPACT FARMALL
US PRICE LIST

(Ex Works Wholegoods Depot)
Standard Equipment

MW272S Side Discharge Mid-Mount Rotary Mower (Continued):

Tire Compatibility:

Agricultural (R1) - NO

Large Industrial (R4) - NO

Turf (R3) - Yes, limited turn angle:

Right Hand - 34 degrees, Left Hand - 35 degrees

Galaxy Turf - NO

Mulch Kit - AMENHM728 (Service Parts)

NOTE:

REQUIREMENTS FOR OPERATION

A mid PTO kit is required to operate this implement. SEE PTO OFFERING ON

LAST PAGE OF THE STANDARD EQUIPMENT

NOTES ABOUT MID PTO OFFERING

- Independent 2,000 rpm
- Effective October 2019 Mid PTO is OPTIONAL on ALL compact tractor models
- Dealer Installed Accessory (DIA) kits are also available from CNHi Parts:

Compact Farmall 30A, 35A, 35A Series II, and 40A series II tractors
-MT20129402

Compact Farmall 30C, 35C, 35C Series II tractors (Fits non-cab)
-MT20131516

Compact Farmall 30C, 35C, 40C Series II WITH CAB tractors
-MT20123903

Compact Farmall 40C, 50C, 45C Series II, and 55C Series II tractors (Fits non-cab)
-MT20131515

Compact Farmall 40C, 50C, 45C Series II, and 55C Series II WITH CAB tractors
-MT20123902

Compact Farmall 30A and 35A (Prior Models) the PTO kit can only be ordered through CNHi Parts
MT20129402

Farmall B series
the PTO kit can only be ordered through CNHi Parts
30B, 35B - MT20022006
40B, 50B - MT20022005

CVT version tractors,
Mid Mount PTO is included as standard equipment.



**MW SERIES MOWERS FOR COMPACT FARMALL
US PRICE LIST**

(Ex Works Wholegoods Depot)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
MW266S SERIES II 35A/40A	443 LB	9003243P92	\$3,956.00
MW272S 45C/55CSERIES II	443 LB	9003339P86	\$4,073.00
MW266S FARMALL 30A/35A	443 LB	9003243P92	\$3,956.00
MW272S FARMALL 40C/50C	443 LB	9003339P86	\$4,073.00
MW172S FARMALL B/C CVT	620 LB	9003339P86	\$4,073.00
MW166S FARMALL 30B/35B	443 LB	9003243P92	\$3,956.00
MW166S FARMALL 40B/50B	443 LB	9003243P92	\$3,956.00
MW172S FARMALL40B/50B	443 LB	9003339P86	\$4,073.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OTHER EQUIPMENT

SD 15012 BALE RAMP AND AXLE

	X15012X	No Ramp		No Charge
--	---------	---------	--	-----------

MW3 SERIES MOWER FOR COMPACT FARMALL US PRICE LIST

Standard Equipment

MW366 Side Discharge Mid-Mount
Rotary Mower
For use with

- Farmall 35A & 40A Series II
with HST trans ONLY
- Farmall 35C Series II NON CAB
with HST trans ONLY

NOTE: MW366 is NOT compatible with
40C Series II Cab and is NOT
compatible on tractors with gear trans.

NOTE: the mower linkage supplied with
the MW366 mower is designed to
work on Compact Farmall tractors
equipped with loaders. If a
loader is not installed you must
order linkage completion kit
to complete mower installation.

Order 464538 as an option with mower
or 464538006 through loose attachments.

SPECIFICATIONS:

Cutting Width (in.) - 66
Cutting Height (in.) - 1-4
Overall width (in.) - discharge chute
down 79
Number of Blades - 3
Blade Type - Standard
Blade Length/Width (in.) - 23 L x 2.5W
Blade Tip Speed (in feet per minute) -
Less than 14,255 (ANSI)
Drive - Mid PTO
Gauge Wheels (in.) - 3x6 (2) 2x6 (2)
Deck Spring suspension - Yes
Deck Shell Weldment - 10 gauge sides
& top, Belt Guard - 10 gauge

Tire Compatibility:

For Farmall 35A and 40A
Agricultural (R1) - Yes, limited turn
angle:
Right Hand - 33 degrees, Left Hand -
37 degrees
Industrial (R4) - Yes, limited turn angle:
Right Hand - 33 degrees, Left Hand -

37 degrees
Turf (R3) - Yes, limited turn angle:
Right Hand - 33 degrees, Left Hand -
37 degrees
Galaxy Turf - NO

For Farmall 35C Series II NON CAB
Agricultural (R1) - NO
Industrial (R4) - Yes, limited turn angle:
Right Hand - 33 degrees, Left Hand -
37 degrees
Turf (R3) - Yes, limited turn angle:
Right Hand - 33 degrees, Left Hand -
37 degrees
Galaxy Turf - NO
Mulch Kit - AMENHM628 (Service Parts)

NOTE:

REQUIREMENTS FOR OPERATION

A mid PTO kit is required to operate this
implement. SEE PTO OFFERING ON
LAST PAGE OF THE STANDARD
EQUIPMENT

NOTES ABOUT MID PTO OFFERING

- Independent 2,000 rpm
- Effective October 2019 Mid PTO is
OPTIONAL on ALL compact tractor
models
- Dealer Installed Accessory (DIA) kits
are also available from CNHi Parts:

Compact Farmall 30A, 35A, 35A Series
II, and 40A series II tractors
-MT20129402

Compact Farmall 30C, 35C, 35C Series
II tractors (Fits non-cab)
-MT20131516

Compact Farmall 30C, 35C, 40C Series
II WITH CAB tractors
-MT20123903

Compact Farmall 40C, 50C, 45C Series

**MW3 SERIES MOWER FOR COMPACT FARMALL
US PRICE LIST**

Standard Equipment

II, and 55C Series II tractors (Fits non-cab)

-MT20131515

Compact Farmall 40C, 50C, 45C Series II, and 55C Series II WITH CAB tractors

-MT20123902

Compact Farmall 30A and 35A (Prior Models) the PTO kit can only be ordered through CNHi Parts

MT20129402

Farmall B series the PTO kit can only be ordered through CNHi Parts

30B, 35B - MT20022006

40B, 50B - MT20022005

CVT version tractors, Mid Mount PTO is included as standard equipment.

MW3 SERIES MOWER FOR COMPACT FARMALL
US PRICE LIST

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
MW366S			\$3,823.00

**MW3 SERIES MOWER FOR COMPACT FARMALL
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

BASE UNIT

SD 01001 BASE UNIT

	464437 MMM 66IN SD CL2 E/DX			No Charge
--	-----------------------------	--	--	-----------

BASIC EQUIPMENT

SD_H5801 COMPLETING PACKAGES

	XH5801X No Flexible Pushbar			No Charge
	464538 LNKG KT CL2PHG CL2EH			No Charge

RR SERIES REAR MOUNT FINISHING MOWERS US PRICE LIST

(Ex Works Wholegoods Depot) Standard Equipment

RR60 - RIGID FRAME:

Category I 3-point mounted
finishing mower
Cutting Width: 60 inches (1524mm)
Discharge: Rear
Discharge Safety Chain
PTO HP Rating: Up to 30
Drive Method: Rear 540 RPM PTO
Number of Blades: 3
Blade Drive: V-Belt
Blade speed (RPM): 2,630
Cutting Height: 1 to 4 in. (25 to 101mm)
(4) Solid Rubber Gauge Wheels
(fully rotating)

RR72 - RIGID FRAME:

Category I 3-point mounted
finishing Mower
Cutting Width: 72 inches (1829mm)
Discharge: Rear
Discharge Safety Chain
PTO HP Rating: Up to 40
Drive Method: Rear 540 RPM PTO
Number of Blades: 3
Blade Drive: V-Belt
Blade speed (RPM): 2,230
Cutting Height: 1 to 4 in. (25 to 101mm)
(4) Solid Rubber Gauge Wheels
(fully rotating)

RR90 - RIGID FRAME:

Category I 3-point mounted
finishing mower
Cutting Width: 90 inches (2286mm)
Discharge: Rear
Discharge Safety Chain
PTO HP Rating: Up to 60
Drive Method: Rear 540 RPM PTO
Number of Blades: 5
Blade Drive: V-Belt
Blade speed (RPM): 2,630
Cutting Height: 1 to 4 in. (25 to 101mm)
(4) Solid Rubber Gauge Wheels
(fully rotating)

RR144 - FLEX WING:

Overall Cutting Width - 12 ft. (3.66m) Flex
Center Deck Cutting Width - 5 ft. (1.52m)
Wing Deck Cutting Width - 4 ft. (1.22m)
Deck Overlap - 6 in. (152 mm)
Overall Width - 146 in. (3.71m)
Transport Width - 100 in. (2.54m)
Maximum Overall Length - 182 in.
(4.62m)
Transport Length - 177 in. (4.5m)
Transport Height - 90 in. (2.29m)
Minimum HP - 30
Cutting Height Range - 1 to 5 in.
(25 to 127 mm)
Blade Tip Speed (FPM) - 16,000
Caster Wheels (12) - 15x6.00-6
Transport Tires (2) - 26x12.00-12

RR180 - FLEX WING:

Overall Cutting Width - 15 ft. (4.57m) Flex
Center Deck Cutting Width - 6 ft. (1.83m)
Wing Deck Cutting Width - 5 ft. (1.52m)
Deck Overlap - 6 in. (152 mm)
Overall Width - 182 in. (4.62m)
Transport Width - 101 in. (2.57m)
Maximum Overall Length - 185 in. (4.7m)
Transport Length - 180 in. (4.57m)
Transport Height - 100 in. (2.54m)
Minimum HP - 35
Cutting Height Range - 1 to 5 in.
(25 to 127 mm)
Blade Tip Speed (FPM) - 16,000
Caster Wheels (12) - 15x6.00-6
Transport Tires (2) - 26x12.00-12

RR SERIES REAR MOUNT FINISHING MOWERS
US PRICE LIST

(Ex Works Wholegoods Depot)
Standard Equipment

RR204 - FLEX WING:

Overall Cutting Width - 17 ft. (5.18m) Flex
Center Deck Cutting Width - 7.5 ft.
(2.29m)
Wing Deck Cutting Width - 6 ft. (1.83m)
Deck Overlap - 12 in. (305 mm)
Overall Width - 207 in. (5.26m)
Transport Width - 102 in. (2.59m)
Maximum Overall Length - 196 in.
(4.98m)

RR204 - FLEX WING: (continued)

Transport Length - 188 in. (4.78m)
Transport Height - 110 in. (2.79m)
Minimum HP - 40
Cutting Height Range - 1 to 5 in.
(25 to 127 mm)
Blade Tip Speed (FPM) - 16,000
Caster Wheels (12) - 15x6.00-6
Transport Tires (2) - 26x12.00-12

**RR SERIES REAR MOUNT FINISHING MOWERS
US PRICE LIST**

(Ex Works Wholegoods Depot)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
RR60 60 INCH MOWER	2,000 LB	9002213P18	\$2,699.00
RR72 72 INCH MOWER	2,000 LB	9002404P24	\$2,932.00
RR90 90 INCH MOWER	2,000 LB	9003758P88	\$4,584.00
RR180 15 FT MOWER	6,520 LB	9015276P60	\$18,630.00

**BM SERIES FRONT MOUNTED BLADES -BM1
US PRICE LIST**

**(Ex Works - See Standard Equipment)
Standard Equipment**

BM172H HEAVY DUTY:

For use with

- Series II 35A & 40A
- Series II 35C & 40C
- Series II 45C & 55C
- Farmall 30A & 40A
- Farmall 30C & 35C
- Farmall 40C & 50C
- Farmall 45C CVT & 55C CVT
- Farmall 40B CVT, 45B CVT,
and 50B CVT

Quick attach design

Moldboard width: 72 inches (1830mm)

Moldboard height: 22 inches (560mm)

Reversible cutting edge

Cutting edge thickness: 0.5 inch
(12.7mm)

Hydraulic angling

Angling range: 0 to 30 degrees

Adjustable skid shoes

REQUIREMENTS FOR OPERATION:

TRACTOR MUST BE EQUIPPED WITH
MID MOUNT VALVE AND JOYSTICK in
order to operate loaders, front mount
brooms, front mount blades or front
mount snow blowers.

NOTE:

Compact FARMALL A, B, & C Series
tractors come equipped with
Mid-mount valve and Joystick as
standard equipment



**BM SERIES FRONT MOUNTED BLADES -BM1
US PRICE LIST**

(Ex Works - See Standard Equipment)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
BM172H FR BLADE CL3	BM172H 72IN HD FRNT	300 LB	9002517P40	\$3,070.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SUBFRAME AND HITCH

SD N5701 HITCH AND SUBFRAME

	XN5701X	No Mounting Brackets			No Charge
	439205	S-FRM CLS2 LS439205 Implement Mounting Subframe For Series II 35A and 40A; and discontinued 30A, 35A For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab); and discontinued 30C, 35C (Cab or Non-cab); and discontinued 40C, 50C (Cab or Non-cab) *** *** Note: 40C and 50C Requires additional kit BER671151 to be ordered through CNHi Parts		9001713P80	\$2,090.00
	439068	S-Frame CLS3AT MY14 Implement Mounting Subframe for 45C CVT, 55C CVT and discontinued 40B CVT, 45B CVT, and 50B CVT - S/N ZxME21xxx and Above		9001830P24	\$2,232.00
	717989	Front Quick Hitch 30/35/40/50 Implement Mounting Subframe For discontinued 30B, 35B, 40B and 50B		9001713P80	\$2,090.00
	717751	Front Quick Hitch - Class 3 Implement Mounting Subframe for discontinued 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZxME21xxx; and discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT		9001830P24	\$2,232.00

**BM SERIES FRONT MOUNTED BLADES -BM1
US PRICE LIST**

(Ex Works - See Standard Equipment)

ADDITIONAL OPERATOR'S MANUAL

SD 47083 OPERATOR'S MANUAL

		X47083X	No Additional Operators Manual			No Charge
--	--	---------	--------------------------------	--	--	-----------

OTHER EQUIPMENT

SD 40002 BALLAST BOX

		X40002X	No Ballasting Box			No Charge
		717746	Ballasting Box - 500 Lbs. For 3-pt hitch	100 LB	9000220P58	\$269.00

SD 50091 RUBBER BLADE EDGE

		X50091X	No Rubber Cutting Edge			No Charge
		715679	Rubber Cutting Edge	61 LB	9000236P98	\$289.00

**BM SERIES FRONT MOUNTED BLADES -BM1
US PRICE LIST**

(Ex Works - See Standard Equipment)
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Quick Hitch and Subframe

717989006	SUBFRAME 30/35/40/50 HP Quick hitch and subframe for Farmall 30B, 35B, 40B and 50B	325 KG	9001713P80	\$2,090.00
717751006	SUBFRAME CLS 3 Implement Mounting Subframe for Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZDME22207; and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT	510 LB	9001830P24	\$2,232.00
439068006	Hitch and Sub Frame Implement Mounting Subframe for Farmall 45C CVT, 55C CVT and Farmall 40B CVT, 45B CVT, and 50B CVT - S/N ZDME22207 and Above	510 KG	9001830P24	\$2,232.00
439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C Implement Mounting Subframe For Series II 35A and 40A; and discontinued 30A, 35A For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab); and discontinued 30C, 35C (Cab or Non-cab); and discontinued 40C, 50C (Cab or Non-cab) *** *** Note: 40C and 50C Requires additional kit BER671151 to be ordered through CNHi Parts	360 LB	9001713P80	\$2,090.00

Additional Attachments

715679026	Rubber Cutting Edge For BM172 and BM172H	60 LB	9000236P98	\$289.00
439206006	SUBFRAME CLS3 LS ENG T4 PREM ROPS/CAB Subframe for Series II 45C/50C ROPS and cab versions	360 LB	9001713P80	\$2,090.00

BS SERIES FRONT MOUNT SNOW BLOWERS US PRICE LIST

(Ex Works Wholegoods Depot) Standard Equipment

BS163H HEAVY DUTY:

For use with

- Farmall 30B & 35B

Quick attach design, mid-PTO driven

Overall width: 63 inches (1600mm)

Cutting width: 63 inches (1600mm)

Cutting height: 22 inches (560mm)

Number of blades: 4

Fan diameter: 18 inches (457mm)

Auger diameter: 14 inches (356mm)

Impeller drive: Gear box reduction

Auger Drive: Two-part chute with
hydraulic chute rotation

Shearbolt protection

Adjustable skid shoes

Front mount and drive completion
package. Includes chute with
hydraulic rotation, female
portion of quick hitch and
front half of driveline.

BS163H HEAVY DUTY:

For use with

- Farmall 30A & 35A (Series I)
- Farmall 35C & 40A Series II
- Farmall 30C & 35C (Series I)
- Farmall 35C & 40C Series II

Quick attach design, mid-PTO driven

Overall width: 63 inches (1600mm)

Cutting width: 63 inches (1600mm)

Cutting height: 22 inches (560mm)

Number of blades: 4

Fan diameter: 18 inches (457mm)

Auger diameter: 14 inches (356mm)

Impeller drive: Gear box reduction

Auger Drive: Two-part chute with
hydraulic chute rotation

Shearbolt protection

Adjustable skid shoes

BS163H HEAVY DUTY (Continued):

Front mount and drive completion
package. Includes chute with
hydraulic rotation, female
portion of quick hitch and
front half of driveline.

BS174H HEAVY DUTY:

For use with

- Farmall 40B & 50B
- Farmall 40C & 50C (Series I)
- Farmall 45C & 55C Series II

Quick attach design, mid-PTO driven

Overall width: 72 inches (1830mm)

Cutting width: 72 inches (1830mm)

Cutting height: 26 inches (660mm)

Number of blades: 4

Fan diameter: 24 inches (610mm)

Auger diameter: 15 inches (381mm)

Impeller drive: Gear box reduction/
#60 HD chain

Auger Drive: Two-part chute with
hydraulic chute rotation

Shearbolt protection

Adjustable skid shoes

Front mount and drive completion
package. Includes chute with
hydraulic rotation, female
portion of quick hitch and
front half of driveline.

**BS SERIES FRONT MOUNT SNOW BLOWERS
US PRICE LIST**

**(Ex Works Wholegoods Depot)
Standard Equipment**

BS174H HEAVY DUTY:

For use with

- Farmall 40B CVT & 45B CVT
- Farmall 50B CVT
- Farmall 45C CVT & 55C CVT

Quick attach design, mid-PTO driven

Overall width: 72 inches (1830mm)
 Cutting width: 72 inches (1830mm)
 Cutting height: 26 inches (660mm)
 Number of blades: 4
 Fan diameter: 24 inches (610mm)
 Auger diameter: 15 inches (381mm)
 Impeller drive: Gear box reduction/
 #60 HD chain
 Auger Drive: Two-part chute with
 hydraulic chute rotation
 Shearbolt protection
 Adjustable skid shoes
 Front mount and drive completion
 package. Includes chute with
 hydraulic rotation, female
 portion of quick hitch and
 front half of driveline.

NOTE:

REQUIREMENTS FOR OPERATION

A mid PTO kit is required to operate this
 implement.

NOTES ABOUT MID PTO OFFERING

- Independent 2,000 rpm
- Effective October 2019 Mid PTO is
 OPTIONAL on ALL compact tractor
 models
- Dealer Installed Accessory (DIA) kits
 are also available from CNHi Parts:

Compact Farmall 30A, 35A, 35A Series
 II, and 40A series II tractors
 -MT20129402

Compact Farmall 30C, 35C, 35C Series

II tractors (Fits non-cab)

-MT20131516

Compact Farmall 30C, 35C, 40C Series
 II WITH CAB tractors

-MT20123903

Compact Farmall 40C, 50C, 45C Series
 II, and 55C Series II tractors (Fits non-
 cab)

-MT20131515

Compact Farmall 40C, 50C, 45C Series
 II, and 55C Series II WITH CAB
 tractors

-MT20123902

Farmall B series (2012-2014)

the PTO kit can only be
 ordered through Parts
 30B, 35B - MT20022006
 40B, 50B - MT20022005

CVT version tractors,

Mid Mount PTO is included as
 standard equipment.

TRACTOR MUST BE EQUIPPED WITH
 MID MOUNT VALVE AND JOYSTICK in
 order to operate loaders, front mount
 brooms, front mount blades or
 front mount snow blowers.

NOTE:

Compact FARMALL A, B, & C Series I and
 II tractors come equipped with
 Mid-mount valve and Joystick as
 standard equipment

**BS SERIES FRONT MOUNT SNOW BLOWERS
US PRICE LIST**

(Ex Works Wholegoods Depot)
Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
BS163H	BS163H 63IN	1,005 LB	9004510P82	\$5,501.00
BS174H	BS174H 74IN	1,005 LB	9005946P64	\$7,252.00
BS174H 45C CVT 55C CVT	BS174J HD FR	450 LB	9006018P80	\$7,340.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SUBFRAME AND HITCH

SD N5701 HITCH AND SUBFRAME

	XN5701X	No Mounting Brackets			No Charge
	439205	S-FRM CLS2 LS439205 Implement Mounting Subframe For Series II 35A and 40A; and discontinued 30A, 35A For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab); and discontinued 30C, 35C (Cab or Non-cab); and discontinued 40C, 50C (Cab or Non-cab) *** *** Note: 40C and 50C Requires additional kit BER671151 to be ordered through CNHI Parts		9001713P80	\$2,090.00
	717989	Front Quick Hitch 30/35/40/50 Implement Mounting Subframe For discontinued 30B, 35B, 40B and 50B		9001713P80	\$2,090.00
	717751	Front Quick Hitch - Class 3 Implement Mounting Subframe for discontinued Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZxME21xxx; and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT		9001830P24	\$2,232.00
	439068	S-Frame CLS3AT MY14 Implement Mounting Subframe for Farmall 45C CVT, 55C CVT for discontinued Farmall 40B CVT, 45B CVT, and 50B CVT -S/N ZxME21xxx and Above		9001830P24	\$2,232.00



**BS SERIES FRONT MOUNT SNOW BLOWERS
US PRICE LIST**

(Ex Works Wholegoods Depot)

FRONT MOUNTED DRIVE COMPLETING PACKAGE

SD_03007 MID PTO DRIVE KIT

	439238	MID PTO CLS2 439238 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For Series II 35A, 40A, 35C, 40C		9000902P00	\$1,100.00
	X03007X	No Mid PTO Drive Kit			No Charge
	439124	Mid PTO 32/36 HP T3 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For discontinued 30A, 35A, 30C, and 35C		9000902P00	\$1,100.00
	439116	Mid PTO Tier 4 41/47 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For Series II 45C and 55C Discontinued 40 and 50C		9000902P00	\$1,100.00
	717761	Mid PTO Drive Kit-III AT Mid PTO Drive Shaft Kit For Farmall 45C CVT, 55C CVT For Discontinued 40B CVT, 45B CVT, and 50B CVT		9000738P82	\$901.00
	717990	Mid PTO 30/35/40/50 Mid PTO Drive Shaft Kit For discontinued Farmall 30B, 35B, 40B and 50B		9000902P00	\$1,100.00

3 PART CHUTE

SD_29036 3 PART CHUTE

	X29036X	No 3 Part Chute			No Charge
--	---------	-----------------	--	--	-----------

DRIFT CUTTER KIT

SD_50028 DRIFT CUTTER KIT

	X50028X	No Drift Cutter			No Charge
	716248	Drift Cutter	28 LB	9000134P48	\$164.00

ELECTRIC CHUTE DEFLECTOR

SD_29038 ELEC CHUTE DEFLECT

	X29038X	No Electric Chute Deflector			No Charge
--	---------	-----------------------------	--	--	-----------

**BS SERIES FRONT MOUNT SNOW BLOWERS
US PRICE LIST**

(Ex Works Wholegoods Depot)

HYDRAULIC CHUTE DEFLECTOR

SD 20101 HYDRAULIC CHUTE DEF

		X20101X	No Hydraulic Chute Deflector			No Charge
		716864	Hydraulic Chute Deflector	16 LB	9000405P90	\$495.00

HYDRAULIC CHUTE ROTATION

SD 20088 HYDRAULIC CHUTE ROT

		X20088X	No Hydraulic Chute Rotation			No Charge
--	--	---------	-----------------------------	--	--	-----------

ADDITIONAL OPERATOR'S MANUAL

SD 47083 OPERATOR'S MANUAL

		X47083X	No Additional Operators Manual			No Charge
--	--	---------	--------------------------------	--	--	-----------

OTHER EQUIPMENT

SD 40002 BALLAST BOX

		X40002X	No Ballasting Box			No Charge
		717746	Ballasting Box - 500 Lbs. for 3-pt hitch	100 LB	9000220P58	\$269.00

**BS SERIES FRONT MOUNT SNOW BLOWERS
US PRICE LIST**

(Ex Works Wholegoods Depot)
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Quick Hitch and Subframe

439115006	MALE HITCH/SUBFRAME 33/37/41/46 HP T4 For Farmall 30C/35C/40C/50C	363 LB	9001656P40	\$2,020.00
717989006	SUBFRAME 30/35/40/50 HP Quick hitch and subframe for Farmall 30B, 35B, 40B and 50B	325 KG	9001713P80	\$2,090.00
717751006	SUBFRAME CLS 3 Implement Mounting Subframe for Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZDME22207; and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT	510 LB	9001830P24	\$2,232.00
439068006	Hitch and Sub Frame Implement Mounting Subframe for Farmall 45C CVT, 55C CVT and Farmall 40B CVT, 45B CVT, and 50B CVT - S/N ZDME22207 and Above	510 KG	9001830P24	\$2,232.00
439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C Implement Mounting Subframe For Series II 35A and 40A; and discontinued 30A, 35A For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab); and discontinued 30C, 35C (Cab or Non-cab); and discontinued 40C, 50C (Cab or Non-cab) *** *** Note: 40C and 50C Requires additional kit BER671151 to be ordered through CNHi Parts	360 LB	9001713P80	\$2,090.00
439206006	SUBFRAME CLS3 LS ENG T4 PREM ROPS/CAB Subframe for Series II 45C/50C ROPS and cab versions	360 LB	9001713P80	\$2,090.00

Mid PTO Drive Completion Kits

717761006	MID PTO Drive Kit Cls 3 AT For Farmall 40, 45, 40B CVT, 45B CVT, and 50B CVT	30 KG	9000738P82	\$901.00
439116006	Mid PTO drive kit for 41/47 hp -T4 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For 40C and 50C For Series II 45C and 55C	25 LB	9000902P00	\$1,100.00
717990006	MID PTO 30/35/40/50 HP For Farmall 30B, 35B, 40B and 50B	25 KG	9000902P00	\$1,100.00
439124006	MID PTO 32/36 HP T4 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For 30C and 35C For Series II 35C and 40C For 30A and 35A For Series II 35A and 40A	25 LB	9000902P00	\$1,100.00

**BS SERIES FRONT MOUNT SNOW BLOWERS
US PRICE LIST**

(Ex Works Wholegoods Depot)

Additional Attachments

	717746006	Ballast Box 500 Lb Max 0.5,0.7	100 LB	9000256P66	\$313.00
	716864026	Hyd chute deflector For 2 or 3 part chute for BH163H, BH163B, BH172H or BH174H	15 LB	9000405P90	\$495.00

	439238006	MID PTO CLS2 T4 LS ENG Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For Series II 35A, 40A, 35C, 40C	25 LB	9000902P00	\$1,100.00
--	-----------	---	-------	------------	------------

C

BR SERIES FRONT MOUNT ROTARY BROOMS US PRICE LIST

(Ex Works Wholegoods Depot) Standard Equipment

Model BR160:

For use with

- Farmall 35A & 40A Series II
- Farmall 35C & 40C Series II
- Farmall 30A & 35A
- Farmall 30C & 35C
- Farmall 30B & 35B

Quick attach design, mid-PTO driven

Sweeping width: 55 inches (1397mm)

Sweeping width @ 25°: 49 inches
(1245mm)

Broom diameter: 22 inches (560mm)

Brush type: Wafer

Bristle material: Polypropylene

Manual angling: Standard

Angling range: 0 to 25°

Drive system: PTO to Gearbox to
#50 HD chain

Storage stand: Standard

Model BR172:

For use with

- Farmall 45C & 55C Series II
- Farmall 40C & 50C
- Farmall 40B & 50B
- Farmall 40C CVT & 45C CVT
- Farmall 50C CVT & 55C CVT

Quick attach design, Mid-PTO driven

Sweeping width: 67 inches (1702mm)

Sweeping width @ 25°: 60 inches
(1525mm)

Broom diameter: 22 inches (560mm)

Bristle material: Polypropylene

Brush type: Wafer

Manual angling: Standard

Angling range: 0 to 25°

Drive system: PTO to Gearbox to
#50 HD chain

Storage stand: Standard

NOTE:

REQUIREMENTS FOR OPERATION

A mid PTO kit is required to operate this implement.

NOTES ABOUT MID PTO OFFERING

- Independent 2,000 rpm
- Effective October 2019 Mid PTO is OPTIONAL on ALL compact tractor models
- Dealer Installed Accessory (DIA) kits are also available from CNHi Parts:

Compact Farmall 30A, 35A, 35A Series II, and 40A series II tractors
-MT20129402

Compact Farmall 30C, 35C, 35C Series II tractors (Fits non-cab)
-MT20131516

Compact Farmall 30C, 35C, 40C Series II WITH CAB tractors
-MT20123903

Compact Farmall 40C, 50C, 45C Series II, and 55C Series II tractors (Fits non-cab)
-MT20131515

Compact Farmall 40C, 50C, 45C Series II, and 55C Series II WITH CAB tractors
-MT20123902

Farmall B series

the PTO kit can only be ordered through CNHi Parts
30B, 35B - MT20022006
40B, 50B - MT20022005

TRACTOR MUST BE EQUIPPED WITH
MID MOUNT VALVE AND JOYSTICK in

BR SERIES FRONT MOUNT ROTARY BROOMS
US PRICE LIST

(Ex Works Wholegoods Depot)
Standard Equipment

order to operate loaders, front mount
brooms, front mount blades or
front mount snow blowers.

NOTE:

Compact FARMALL A, B, & C Series I and
II tractors come equipped with
Mid-mount valve and Joystick as
standard equipment

**BR SERIES FRONT MOUNT ROTARY BROOMS
US PRICE LIST**

(Ex Works Wholegoods Depot)
Models

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
BR160	551142412	500 LB	9004090P98	\$4,989.00
BR172	551000418	600 LB	9004619P06	\$5,633.00
BR172 40C-55C CVT	551143412	500 LB	9004619P06	\$5,633.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SUBFRAME AND HITCH

SD N5701 HITCH AND SUBFRAME

	XN5701X	No Mounting Brackets		No Charge
	439205	S-FRM CLS2 LS439205 Implement Mounting Subframe For Series II 35A and 40A; and discontinued 30A, 35A For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab); and discontinued 30C, 35C (Cab or Non-cab); and discontinued 40C, 50C (Cab or Non-cab) *** *** Note: 40C and 50C Requires additional kit BER671151 to be ordered through CNHi Parts	9001713P80	\$2,090.00
	439068	S-Frame CLS3AT MY14 Implement Mounting Subframe for 45C CVT, 55C CVT and discontinued 40B CVT, 45B CVT, and 50B CVT - S/N ZxME21xxx and above	9001830P24	\$2,232.00
	717989	Front Quick Hitch 30/35/40/50 Implement Mounting Subframe For discontinued 30B, 35B, 40B and 50B	9001713P80	\$2,090.00
	717751	Front Quick Hitch - Class 3 Implement Mounting Subframe for discontinued 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZxME21xxx; and discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT	9001830P24	\$2,232.00

**BR SERIES FRONT MOUNT ROTARY BROOMS
US PRICE LIST**

(Ex Works Wholegoods Depot)

DRIVE COMPLETION KITS

SD_03007 MID PTO DRIVE KIT

		439238	MID PTO CLS2 439238 Includes mid-drive shaft, support, and tractor half of front driveline. For Series II 35A, 40A, 35C, 40C		9000902P00	\$1,100.00
		X03007X	No Mid PTO Drive Kit			No Charge
		439124	Mid PTO 32/36 HP T3 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For discontinued 30A, 35A, 30C, and 35C		9000902P00	\$1,100.00
		439116	Mid PTO Tier 4 41/47 For Series II 45C and 55C For discontinued 40C and 50C		9000902P00	\$1,100.00
		717761	Mid PTO Drive Kit-III AT For Farmall 45C CVT, 55C CVT discontinued 40B CVT, 45B CVT, and 50B CVT		9000738P82	\$901.00
		717990	Mid PTO 30/35/40/50 For discontinued 30B, 35B, 40B and 50B		9000902P00	\$1,100.00

HYDRAULIC ANGLING KIT

SD_20087 HYDRAULIC FRAME ANGLING KIT

		X20087X	No Hydraulic Angling Kit			No Charge
		715677	Hydraulic Angling Kit	26 LB	9000594P50	\$725.00

SIDE CASTERWHEELS KIT

SD_29035 SIDE CASTER WHEEL KIT

		X29035X	No Side Casterwheels Kit			No Charge
		717231	Side Casterwheels Kit 2 x 6	47 LB	9000505P94	\$617.00

ADDITIONAL OPERATOR'S MANUAL

SD_47083 OPERATOR'S MANUAL

		X47083X	No Additional Operators Manual			No Charge
--	--	---------	--------------------------------	--	--	-----------

**BR SERIES FRONT MOUNT ROTARY BROOMS
US PRICE LIST**

(Ex Works Wholegoods Depot)
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Quick Hitch and Subframe

439115006	MALE HITCH/SUBFRAME 33/37/41/46 HP T4 For Farmall 30C/35C/40C/50C	363 LB	9001656P40	\$2,020.00
717989006	SUBFRAME 30/35/40/50 HP Quick hitch and subframe for Farmall 30B, 35B, 40B and 50B	325 KG	9001713P80	\$2,090.00
717751006	SUBFRAME CLS 3 Implement Mounting Subframe for Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZDME22207; and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT	510 LB	9001830P24	\$2,232.00
439068006	Hitch and Sub Frame Implement Mounting Subframe for Farmall 45C CVT, 55C CVT and Farmall 40B CVT, 45B CVT, and 50B CVT - S/N ZDME22207 and Above	510 KG	9001830P24	\$2,232.00

Mid PTO Drive Completion Kits

717761006	MID PTO Drive Kit Cls 3 AT For Farmall 40 CVT, 45 CVT, 50 CVT, 40B CVT, 45B CVT, and 50B CVT	30 KG	9000738P82	\$901.00
439124006	MID PTO 32/36 HP T4 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For Series II 35A and 40A For Series II 35C and 40C For discontinued 30A and 35A For discontinued 30C and 35C	25 LB	9000902P00	\$1,100.00
439116006	Mid PTO drive kit for 41/47 hp -T4 For Farmall 40C/ 50C	25 LB	9000902P00	\$1,100.00
717990006	MID PTO 30/35/40/50 HP Mid PTO drive kit for Farmall 30B, 35B, 40B and 50B	25 KG	9000902P00	\$1,100.00

Additional Attachments

717231016	2 X 6 side caster w/Wheel kit For BR160 and BR172	47 LB	9000505P94	\$617.00
715677016	HYD ANGLING 60&72"(2.0,3.0) For Farmall 30, 35, 40, 45, 50, 30B, 35B, 40B, 50B, 40B CVT, 45B CVT, and 50B CVT	10 KG	9000594P50	\$725.00

**BR SERIES FRONT MOUNT ROTARY BROOMS
US PRICE LIST**

(Ex Works Wholegoods Depot)

	439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C Implement Mounting Subframe For Series II 35A and 40A; and discontinued 30A, 35A For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab); and discontinued 30C, 35C (Cab or Non-cab); and discontinued 40C, 50C (Cab or Non-cab) *** *** Note: 40C and 50C Requires additional kit BER671151 to be ordered through CNHi Parts	360 LB	9001713P80	\$2,090.00
	439206006	SUBFRAME CLS3 LS ENG T4 PREM ROPS/CAB	360 LB	9001713P80	\$2,090.00

**BHA SERIES BACKHOES
US PRICE LIST**

**(Ex Works Telford, TN)
Standard Equipment**

BACKHOE MODEL: BHA90

TRACTOR APPLICATION:

Series II 35A, 40A
Series II 35C, 40C, 45C, 55C
Farmall 30A, 35A
Farmall 30C, 35C, 40C, 50C
Farmall 45C and 55C CVT
Farmall 40B, 45B, and 50B CVT
Farmall 30B, 35B, 40B, 50B

***SPECIFICATIONS:**

Digging Depth - 92 in.
Reach from Swing Pivot - 120 in.
Transport Height - 77 in.
Bucket Rotation - 174°
Stabilizer Spread:
 Transport - 49 in.
 Operating - 100 in.
Loading Height 70 in.
Swing Arc - 175°
Bucket Digging Forces - 3151 lb.
Dipper Stick Digging Forces - 2059 lb.
Shipping Weight - 722 lb.
Operating Pressure - 2175 psi

*Specifications may vary with tractor model, hydraulic system, tire size, etc.

IMPORTANT INFORMATION

The tractor must be equipped with a front end loader or front mount blade when installing a BHA Series backhoe.

Note: Mid-mount mower is not compatible with backhoe installed.

The following items are required to make up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment

BACKHOE MODEL: BHA102

TRACTOR APPLICATION:

Series II 35A, 40A
Series II 35C, 40C, 45C, 55C
Farmall 30C, 35C, 40C, 50C
Farmall 45C and 55C CVT
Farmall 40B, 45B, and 50B CVT
Farmall 30B, 35B, 40B, 50B

***SPECIFICATIONS:**

Digging Depth - 100 in.
Reach from Swing Pivot - 130 in.
Transport Height - 88 in.
Bucket Rotation - 180°
Stabilizer Spread:
 Transport - 56 in.
 Operating - 119 in.
Loading Height 76.0 in.
Swing Arc - 175°
Bucket Digging Forces - 4480 lb.
Dipper Stick Digging Forces - 2533 lb.
Shipping Weight - 854 lb.
Operating Pressure - 2500 psi

*Specifications vary with tractor model, hydraulic system, tire size, etc.

IMPORTANT INFORMATION

The tractor must be equipped with a front end loader or front mount blade when installing a BHA Series backhoe.

Note: Mid-mount mower is not compatible with backhoe installed.

The following items are required to make up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment



**BHA SERIES BACKHOES
US PRICE LIST**

(Ex Works Telford, TN)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
BHA90 BACKHOE	BHA90A	1,065 LB	9006924P08	\$8,444.00
BHA102 BACKHOE	BHA102	1,065 LB	9007663P72	\$9,346.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

SUBFRAMES

SD_N5701 HITCH AND SUBFRAME

439203	S-FRM CLS2 LS ENG T4 Backhoe Mounting Subframe for Series II 35C and 40C			No Charge
439204	S-FRM CLS2 LS439204 Backhoe Mounting Subframe for Series II 35A and 40A			No Charge
439141	S-FRM CL2 T4 ROP/CAB Backhoe Mounting Subframe for discontinued Farmall 30C, 35C Cab, 30B, and 35B			No Charge
717972	Subframe CL2 Backhoe Mounting Subframe For 30A/35A and discontinued 30B/35B If ordering for a 30B or 35B (439118) FR HANGER BRKT CLS 2 MUST BE ordered in addition.			No Charge
439142	S-FRM CL3 T4 ROP/CAB Backhoe Mounting Subframe for Series II 45C and 55C Cab and ROPS for discontinue 40C, 50C Cab and ROPS			No Charge
717751	Front Quick Hitch - Class 3 Backhoe Mounting Subframe for Farmall 45C CVT, 55C CVT			No Charge
439111	SUBFRAME 45/55 HP Backhoe Mounting Subframe for Farmall 50A, 60A, 70A and discontinued Farmall 45A, 55A For BHA102 only			No Charge

**BHA SERIES BACKHOES
US PRICE LIST**

(Ex Works Telford, TN)

SD N5702 FRONT BRACKETS

	XN5702X	No Front Brackets			No Charge
	439118	Fr Hanger Brkt Cls 2 Front Hanger Kit for Farmall 30B/35B - Must be used with 717972 (Farmall 30C/35C subframe) to allow Tier 4 subframe to fit Tier 3 units.		9000045P92	\$56.00
	439119	Fr Hanger Brkt Cls 3 Front Hanger Kit for Farmall 40B/50B - Must be used with 717973 (Farmall 40C/50C subframe) to allow Tier 4 subframe to fit Tier 3 units.		9000045P92	\$56.00

HYDRAULIC KITS

SD 20102 HYDRAULIC KIT

	439138	HYD KIT CL2 33/37 Hydraulic Kit For Series II 35A and 40A For discontinued 30A, 35A			No Charge
	439143	HYD CLS2 T4 ROPS/CAB Hydraulic Kit For Series II 35C and 40C For discontinued 35C Cab, 30C, 35C non-cab, 30B, 35B			No Charge
	439144	HYD CLS3 T4 ROPS/CAB Hydraulic Kit For Series II 45C, 55C for discontinued 40C, 50C non-cab and 40B, 50B			No Charge
	439069	Hyd Kit Cls 3 CVT Hydraulic Kit For Farmall CVT			No Charge
	717914	Hyd Kit WM/FA Hydraulic Kit for Farmall 50A, 60A, 70A and discontinued Farmall 45A, 55A For BHA102 only			No Charge

BUCKET

SD N5403 12 IN STD BUCKET

	XN5403X	No 12 In. Standard Bucket			No Charge
	716399	12 In./305mm Standard Bucket		9000378P02	\$461.00

SD N5405 16 IN STD BUCKET

	XN5405X	No 16 In. Standard Bucket			No Charge
	716400	16 In. Standard Bucket		9000425P58	\$519.00

**BHA SERIES BACKHOES
US PRICE LIST**

(Ex Works Telford, TN)

SD N5407 18 IN STD BUCKET

	XN5407X	No 18 In. Standard Bucket			No Charge
	716434	18 In./457mm Standard Bucket		9000444P44	\$542.00

SD N5409 24 IN STD BUCKET

	XN5409X	No 24 In. Standard Bucket			No Charge
	716401	24 In. Standard Bucket		9000471P50	\$575.00

**FACTORY SUPPLIED ACCESSORIES - IMPLEMENTS FOR
COMPACT/MIDRANGE TRACTORS**

QUICK HITCH AND SUBFRAME

SD 50005 BIG FOOT DIRT PADS

	X50005X	No Big Foot Dirt Pads			No Charge
	716525	Big Foot Dirt Pads		9000223P86	\$273.00

SD 50092 RUBBER STREET PADS

	X50092X	No Rubber Street Pads			No Charge
	716410	Rubber Street Pads		9000152P52	\$186.00

SD N6413 MECH THUMB

	XN6413X	No Mechanical Thumb			No Charge
	717916	Mechanical Thumb BHA90 only		9000449P36	\$548.00
	439122	Mechanical Thumb Class 3 BHA102 only		9000449P36	\$548.00

**BHA SERIES BACKHOES
US PRICE LIST**

(Ex Works Telford, TN)
Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
439118006	Front Hanger Bracket Class 2 Front Hanger Kit for Farmall 30B/35B - Must be used with 717972 (Farmall 30C/35C subframe) to allow Tier 4 subframe to fit Tier 3 units.	40 LB	9000045P10	\$55.00
439119006	Front Hanger Bracket Class 3 Front Hanger Kit for Farmall 40B/50B - Must be used with 717973 (Farmall 40C/50C subframe) to allow Tier 4 subframe to fit Tier 3 units.	40 LB	9000045P10	\$55.00
716399056	12In 3 Teeth 1.02 Cu. Ft Heaped Std/1.16	86 LB	9000378P02	\$461.00
716400046	16In 4 Teeth 1.38 Cu. Ft Heaped Std/1.59	97 LB	9000425P58	\$519.00
716434046	18In 4 Teeth 1.57 Cu. Ft Heaped Std/1.79	107 LB	9000444P44	\$542.00
716401016	24In 4 Teeth 2.13 Cu. Ft Heaped Std/2.42	126 LB	9000471P50	\$575.00
716525056	BIG FOOT DIRT PADS	52 LB	9000223P86	\$273.00
717916036	Mechanical Thumb Class 2 7.5 Ft BHA90 only	90 LB	9000449P36	\$548.00
439122006	Mechanical Thumb Class 3 8.5 Ft BHA102 only	90 LB	9000449P36	\$548.00
716410056	Rubber Street Pads	4 LB	9000147P60	\$180.00

TL SERIES ROTARY TILLERS
US PRICE LIST

(Ex Works Wholegoods Depot)
Standard Equipment

TL160:

For use with

- Farmall 30A & 35A
- Farmall 30C & 35C
- Farmall 30B & 35B

Approximate working width: 60 inches
(1524mm)

Tilling depth adjustment with guide
shoes: 0 to 4.5 inches (0 to 114mm)

Maximum tilling depth without guide
shoes: 7.25 inches (184mm)

Hitch: Category I

Offset Adjustment to Right: 11 inches
(280mm)

PTO hp Rating: 45

Rotor Drive Type: Chain

Drive Protection: Slip Clutch

Rotor Speed @ 540 RPM PTO: 236 RPM

Number of Blades: 28

Blade Tip Speed @ 540 RPM:
1063 (FPM)

TL172H:

For use with

- Farmall 40C & 50C
- Farmall 45C CVT & 55C CVT
- Farmall 40B CVT, 45B CVT,
and 50B CVT

Approximate working width: 72 inches
(1830mm)

Tilling depth adjustment with guide
shoes: 0 to 5 inches (0 to 127mm)

Maximum tillage depth without guide
shoes: 7 inches (178mm)

Hitch: Category I or II

Offset Adjustment to Right: 11 inches
(280mm)

PTO hp Rating: 60

Rotor Drive Type: Gear

Drive Protection: Slip Clutch

Rotor Speed @ 540 RPM PTO: 211 RPM

Number of Blades: 36

Blade Tip Speed @ 540 RPM:
944 (FPM)



**TL SERIES ROTARY TILLERS
US PRICE LIST**

(Ex Works Wholegoods Depot)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
TL160 60IN ROT TILL	TLX160 60IN CHAIN D	1,000 LB	9002769P96	\$3,378.00
TL172 72IN ROT TILL	TLX172 72IN CHAIN D	1,000 LB	9003126P66	\$3,813.00
TL172H 72IN ROT TILL	TL172H 72IN HD GEAR	1,000 LB	9003547P32	\$4,326.00
TL180H 80IN ROT TILL	TL180H 80IN HD GEAR	1,200 LB	9003799P88	\$4,634.00

RC ROTARY CUTTERS
US PRICE LIST

(Ex Works Beaumont, TX)
Standard Equipment

ROTARY CUTTER - ECONOMY
(3-POINT) :

RC480:

Quick Attach Hitch
Cutting Width: 48 in.
Cutting Height: 1 in. (min.)
Cutting Capacity: 2 in. (max.)
Blade Carrier: Pan
Deck Thickness: 10 gauge
Safety Deflectors: Rear Rubber Belting
Driveline Size: Cat. 4 - 540 rpm
Slip Protection: Shear Pin
Tire and Wheel: Laminated
1 spindle

RC600:

Quick Attach Hitch
Cutting Width: 60 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 2 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Rear Rubber Belting
Driveline Size: Cat. 4 - 540 rpm
Slip Protection: Shear Pin
Tire and Wheel: Laminated
1 spindle

RC720:

Quick Attach Hitch
Cutting Width: 72 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 2 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Rear Rubber Belting
Driveline Size: Cat. 4 - 540 rpm
Slip Protection: Shear Pin
Tire and Wheel: Laminated
1 spindle

ROTARY CUTTER - STANDARD DUTY
(3-POINT) :

RC605:

Quick Attach Hitch
Cutting Width: 60 in.
Cutting Height: 2 1/2 in. (min.)
Cutting Capacity: 2 1/2 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Rear Rubber Belting
Driveline Size: Cat. 4 - 540 rpm
Slip Protection: Splined Slip Clutch
Tire and Wheel: Laminated
1 spindle
Single tail wheel

RC725:

Quick Attach Hitch
Cutting Width: 72 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 2 1/2 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Rear and front
Rubber Belting
Driveline Size: Cat. 4 - 540 rpm
Slip Protection: Slip Clutch
Tire and Wheel: Laminated
1 spindle
Single tail wheel

RC840:

Quick Attach Hitch
Cutting Width: 83 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 2 1/2 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Rear Rubber Belting
Driveline Size: Cat. 4 - 540 rpm
Slip Protection: Slip Clutch
Tire and Wheel: Laminated
1 spindle
Single tail wheel

RC ROTARY CUTTERS
US PRICE LIST

(Ex Works Beaumont, TX)
Standard Equipment

ROTARY CUTTER - HEAVY DUTY
(3-POINT):

RC727:

Quick Attach Hitch
Cutting Width: 72 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 3 in (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Front and Rear
chains
Driveline Size: Cat. 5 - 540 rpm
Slip Protection: Splined Slip Clutch
Tire and Wheel Laminated
1 spindle
Single tail wheel

RC845:

Quick Attach Hitch
Cutting Width: 84 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 3 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Front and Rear
Chains
Driveline Size: Cat. 5 - 540 rpm
Slip Protection: Splined Slip Clutch
Tire and Wheel: Laminated
1 spindle
Single tail wheel

RC84HD:

Quick Attach Hitch
Cutting Width: 84 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 4 in. (max.)
Blade Carrier: Pan
Deck Thickness: 3/16 x 7 gauge
Safety Deflectors: Front and Rear
Chains

Driveline Size: Cat. 5 - 540 rpm
Slip Protection: Slip Clutch
Tire and Wheel: Laminated
1 spindle
Dual tail wheel

ROTARY CUTTER - HEAVY DUTY
(PULL-TYPE):

RC1200:

Quick Attach Hitch
Cutting Width: 120 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 3 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Front and Rear
Chains
Main Driveline: Cat. 5 CV w/
Slip Clutch - 540 rpm
Tire and Wheel: Laminated
2 spindle

RC1800 - 540 rpm driveline:
(Standard and Smooth Top/Double
Deck)

Quick Attach Hitch
Cutting Width: 180 in.
Cutting Height: 2 in. (min.)
Cutting Capacity: 3 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Safety Deflectors: Front and Rear
Chains
Main Driveline: Cat. 5 CV w/
Slip Clutch 540 rpm
Outboard Drivelines to wings:
Cat. 4 w/Slip Clutch
Tire and Wheel: Laminated
3 spindle

RC1800 - 1000 rpm driveline:
(Standard and Smooth Top/Double

RC ROTARY CUTTERS
US PRICE LIST

(Ex Works Beaumont, TX)
Standard Equipment

Deck) RC1800 - up to 210

Quick Attach Hitch

Cutting Width: 180 in.

Cutting Height: 2 in. (min.)

Cutting Capacity: 3 in. (max.)

Blade Carrier: Pan

Deck Thickness: 7 gauge

Safety Deflectors: Front and Rear

Chains

Main Driveline: Cat. 5 CV w/ Slip Clutch

1000 rpm - 1 3/8 in. shaft

1000 rpm - 1 3/4 in. shaft

Outboard Drivelines to wings:

Cat. 4 w/Slip Clutch

Tire and Wheel: Aircraft (used)

3 spindle

Hydraulic level lift

REQUIREMENTS FOR OPERATION:

Tractor Horsepower (Max.):

RC480 - up to 48

RC600 - up to 48

RC720 - up to 48

RC605 - up to 65

RC725 - up to 65

RC840 - up to 65

RC727 - up to 95

RC845 - up to 95

RC84HD - up to 140

RC960 - up to 140

RC1200 - up to 150

**RC ROTARY CUTTERS
US PRICE LIST**

(Ex Works Beaumont, TX)
Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
RC480 4FT STANDARD DUTY	48 in. standard-duty	5,894 LB	9001603P10	\$1,955.00
RC600 5FT STANDARD DUTY	60 in. standard-duty	781 LB	9001840P08	\$2,244.00
RC605 5FT MEDIUM DUTY	60 in. medium-duty	885 LB	9002600P22	\$3,171.00
RC720 6FT STANDARD DUTY	72 in. standard-duty	885 LB	9002223P02	\$2,711.00
RC725 6FT MEDIUM DUTY	72 in. medium-duty	903 LB	9002916P74	\$3,557.00
RC727 6FT HEAVY DUTY	72 in. HD single tail	1,193 LB	9003636P70	\$4,435.00
RC840 7FT MEDIUM DUTY	84 in. medium-duty	1,400 LB	9003348P88	\$4,084.00
RC845 7FT HEAVY DUTY	84 in. HD single tail	1,193 LB	9004940P50	\$6,025.00
RC1440 12FT HD 540RPM	540 rpm, 144 in. heavy-duty	1,370 LB	9015055P20	\$18,360.00
RC1440 12FT MD 540RPM	540 rpm, 144 in. medium-duty	1,440 LB	9012546P00	\$15,300.00
RC1800 15FT HD 540RPM	540 rpm, 180 in.	1,749 LB	9018965P78	\$23,129.00
RC1800 15FT HDSD 540RPM	540rpm, 180 in. Dbl Deck	5,594 LB	9021899P74	\$26,707.00
RC1800 15FTHD 1K 1-3/4	1000rpm, 180in. 1-3/4 Dbl Deck	5,594 LB	9024305P62	\$29,641.00
RC1800 15FTHD 1K 1-3/8	1000rpm, 180in. 1-3/8 Dbl Deck	5,594 LB	9024305P62	\$29,641.00
RC1800 15FT HDSD1K 1-3/4	1000 rpm 180 in. 1-3/4 in. shft	1,749 LB	9021711P96	\$26,478.00
RC1800 15FT HDSD1K 1-3/8	1000 rpm 180 in. 1-3/8 in. shft	5,594 LB	9021711P96	\$26,478.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

BASE UNIT

SD_01001 BASE UNIT

464540	MDRN AG RR IMP BU BC Case IH Red Paint For Models: RC480, RC600, RC605, RC720, RC725, RC840 and RC1440			No Charge
717721	Modern Ag Implement Case IH Red Paint For Models: RC727, RC845, RC1800			No Charge
464541	MDRN AG RR IMP BU GZ Galvanized Available on all models		(900106P60)	(\$130.00)

**RC ROTARY CUTTERS
US PRICE LIST**

(Ex Works Beaumont, TX)

OTHER EQUIPMENT

SD 16049 EXTRA WHEELS, TIRES AND RIMS

		X16049X	No Extra Wheels and Tires			No Charge
		717984	Aircraft Tires (2) Available on RC1800 with 1000RPM driveline		9000437P88	\$534.00
		717985	Aircraft Tires (6) Available on RC1440 and RC1800 with 540RPM driveline		9001312P00	\$1,600.00
		717986	Aircraft Tires (8) Available on RC1800 with 540RPM driveline		9001756P44	\$2,142.00
		717987	Foam Filled P Tire 6 Available on all RC1440 and RC1800 Models		9001756P44	\$2,142.00
		717988	Foam Filled P Tire 8 Available on all RC1800 Models		9002216P46	\$2,703.00

SD N6428 FRONT SAFETY CHAINS

		XN6428X	No Front Safety Chains			No Charge
		717979	Front Safety Chains Available on RC480, RC600, RC605, RC720, RC725 and RC840		9000184P50	\$225.00

SD N6429 REAR SAFETY CHAINS

		XN6429X	No Rear Safety Chain			No Charge
		717980	Rear Safety Chains Available on RC480, RC600, RC605, RC720, RC725 and RC840		9000184P50	\$225.00

SD N6430 SLIP CLUTCH

		XN6430X	No Slip Clutch			No Charge
		717981	Slip Clutch Available on RC480, RC600 and RC720		9000221P40	\$270.00

SD N6431 DUAL TAIL WHEEL

		XN6431X	No Dual Tail Wheel			No Charge
		717982	Dual Tail Wheel Available on RC605, RC725, RC727, RC840, RC845, and RC1800		9000532P18	\$649.00

SD N6432 HYD LIFT

		XN6432X	No Hyd Lift			No Charge
		717983	Hyd Lift Available on RC1800 with 540RPM driveline		9001285P76	\$1,568.00

**RC ROTARY CUTTERS
US PRICE LIST**

(Ex Works Beaumont, TX)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

Front Safety Chains

717979006	48" Front Safety Chains	27 LB	9000173P02	\$211.00
717979016	60" Front Safety Chains	29 LB	9000173P02	\$211.00
717979026	72" Front Safety Chains	33 LB	9000173P02	\$211.00

Rear Safety Chains

717980006	48" Rear Safety Chains	42 LB	9000173P02	\$211.00
717980016	60" Rear Safety Chains	44 LB	9000173P02	\$211.00
717980026	72" Rear Safety Chains	48 LB	9000173P02	\$211.00

**WORK EZ® DISK HARROW
US PRICE LIST**

**(Ex Works Beaumont, TX)
Standard Equipment**

78 IN. DISK HARROW:

Number of Disk Blades: 20 notched
(front and rear)

Disk Blade Size: 18 in. diameter

Disk Blade Spacing: 5 1/2 in. F, 6 1/2 in.,
7 1/2 in. R

Maximum Cutting Depth: 6 in.

Cutting Width: 70 in.

Overall Length: 60 in.

Overall Width: 79 in.

Bearing Lubrication: sealed bearings

Adjustable gang angle

REQUIREMENTS FOR OPERATION:

Tractor Horsepower (Min./Max.): 20 - 60

Hitch: Cat. I EZ Match™ compatible



**WORK EZ® DISK HARROW
US PRICE LIST**

(Ex Works Beaumont, TX)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
WORK EZ DISK HARROW	EZ78DC 78in Disk Harrow	678 LB	9002168P08	\$2,644.00

**WORK EZ® RAKES
US PRICE LIST**

**(Ex Works Beaumont, TX)
Standard Equipment**

LANDSCAPE RAKE:

Rake Width:

60LR - 60 in.

72LR - 72 in.

84LR - 84 in.

Tine Spacing: 1 in.

Tine Size: 5/16 x 1 in.

Tine Material: high carbon spring steel

Angle: 5 forward / 3 reverse

Rake Pivot: 360°

Pivot King Pin: 1 1/4 in.

REQUIREMENTS FOR OPERATION:

Maximum Tractor Horsepower: 50

Hitch: Cat. I EZ Match™ compatible

**WORK EZ® RAKES
US PRICE LIST**

(Ex Works Beaumont, TX)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
WORK EZ 72LR RAKE	EZ72LR 72in Landsc Rake	269 LB	9000985P28	\$1,202.00
WORK EZ 84LR RAKE	EZ84LR 84in Rock Rake	326 LB	9001347P44	\$1,643.00

**WORK EZ® BOX BLADES
US PRICE LIST**

**(Ex Works Beaumont, TX)
Standard Equipment**

BOX BLADES:

STANDARD DUTY (For Estate and Homeowners):

Number of Scarifiers (Shanks): 4 to 5
Overall Height: 35 1/2 in.
Box Depth: 17 in.
Cutting Edge: 1/2 x 6 in., Reversible
Number of Cutting Edges: 2
Shank Adjustment: manual
Side Plate (Endplate) Thickness:
3/16 in.
Hinges Rear Flat with Cutting Edge:
n/a

MEDIUM DUTY (For Landscapers):

OPTIONAL hydraulic raise/lower shank bar (infinite adjustment)
Number of Scarifiers (Shanks): 6
Overall Height: 36 in.
Box Depth: 17 in.
Cutting Edge: 1/2 x 6 in., Reversible
Number of Cutting Edges: 2
Shank Adjustment: manual
Side Plate (Endplate) Thickness:
3/8 in.
Hinges Rear Flat with Cutting Edge:
n/a

HEAVY DUTY (For Contractors):

OPTIONAL hydraulic raise/lower shank bar (infinite adjustment)
Number of Scarifiers (Shanks): 6
Overall Height: 36 in.
Box Depth: 19 in.
Cutting Edge: 1/2 x 6 in., Reversible
Number of Cutting Edges: 2
Shank Adjustment: manual
Side Plate (Endplate) Thickness:
1/2 in.
Hinges Rear Flat with Cutting Edge:
Standard

INDUSTRIAL (For Contractors):

OPTIONAL hydraulic raise/lower shank bar (infinite adjustment)
Number of Scarifiers (Shanks): 8
Overall Height: 36 in.
Box Depth: 19 in.
Cutting Edge: 1/2 x 6 in., Reversible
Number of Cutting Edges: 2
Shank Adjustment: manual
Side Plate (Endplate) Thickness:
3/4 in.
Hinges Rear Flat with Cutting Edge:
Standard

REQUIREMENTS FOR OPERATION:

Tractor Horsepower (Max.):

48BL - up to 28 2wd / 20 4wd
60BL - up to 28 2wd / 20 4wd
60BM - up to 50 2wd / 40 4wd
72BM - up to 50 2wd / 40 4wd
84BM - up to 50 2wd / 40 4wd
72BH - up to 75 2wd / 55 4wd
84BH - up to 75 2wd / 55 4wd
96BI - up to 100 2wd / 80 4wd

3 Pt. Hitch:

48BL - Cat. I EZ Match™ compatible
60BL - Cat. I EZ Match™ compatible
60BM - Cat. I
72BM - Cat. I
84BM - Cat. I
72BH - Cat. I
84BH - Cat. I
96BI - Cat. II



**WORK EZ® BOX BLADES
US PRICE LIST**

**(Ex Works Beaumont, TX)
Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
WORK EZ 60BM BLADE	60in 3pt Box Med Duty	534 LB	9001210P32	\$1,476.00

**WORK EZ® REAR BLADES
US PRICE LIST**

**(Ex Works Beaumont, TX)
Standard Equipment**

REAR BLADES:

REQUIREMENTS FOR OPERATION:

STANDARD UTILITY (For Estate and Homeowners):

Moldboard Width: 60 in. / 72 in.
Cutting Edge: 1/2 in. x 6 in.
Offset Adjustment: 12 in.
Tilt Adjustment: n/a
Angle Adjustment: 5 Forward / 3
Reverse positions

MEDIUM DUTY (For Landscapers, Farm, or Ranch):

Moldboard Width: 60 in. / 72 in. / 84 in.
Cutting Edge: 1/2 in. x 6 in.
Offset Adjustment: 12 in.
Tilt Adjustment: 45° / E side
Angle Adjustment: 5 Forward / 3
Reverse positions

HEAVY DUTY (For Contractors):

Moldboard Width: 84 in. / 96 in.
Cutting Edge: 1/2 in. x 6 in.
Offset Adjustment: 12 in.
Tilt Adjustment: 30°
Angle Adjustment: 5 Forward / 3
Reverse positions

INDUSTRIAL (For Contractors):

Moldboard Width: 96 in. / 108 in.
Cutting Edge: 1/2 in. x 6 in.
Offset Adjustment: 12 in.
Tilt Adjustment: 15°
Angle Adjustment: 30°

HEAVY INDUSTRIAL (For Contractors):

Moldboard Width: 96 in./120 in./144 in.
Cutting Edge: 1/2 in. x 6 in.
Offset Adjustment: 24 in.
Tilt Adjustment: 15°
Angle Adjustment: 30°

Tractor Horsepower (max.):

60SL - 30
72SL - 30
60SM - 40
72SM - 40
84SM - 40
72SH - 65
84SH - 65
96SI - 100
108SI - 100
96SHI - 225
120SHI - 225
144SHI - 225

3 Pt. Hitch:

60SL - Cat. I EZ Match™ compatible
72SL - Cat. I EZ Match™ compatible
60SM - Cat. I EZ Match™ compatible
72SM - Cat. I EZ Match™ compatible
84SM - Cat. I EZ Match™ compatible
72SH - Cat. I/II
84SH - Cat. I/II
96SI - Cat. II
108SI - Cat. II
96SHI - Cat. II/III
120SHI - Cat. II/III
144SHI - Cat. II/III



**WORK EZ® REAR BLADES
US PRICE LIST**

(Ex Works Beaumont, TX)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
WORK EZ 60SM BLADE	60in 3pt Rear Med Duty	256 LB	9000902P00	\$1,100.00
WORK EZ 72SM BLADE	72in 3pt Rear Med Duty	328 LB	9001030P74	\$1,257.00
WORK EZ 84SM BLADE	84in 3pt Rear Med Duty	297 LB	9001154P56	\$1,408.00
WORK EZ 84SH BLADE	84in 3pt Rear Hvy Duty	684 LB	9001299P70	\$1,585.00
WORK EZ 96SH BLADE	96in 3pt Rear Hvy Duty	679 LB	9001416P96	\$1,728.00

WORK EZ® EZ MATCH™
US PRICE LIST

(Distribution Center)
Standard Equipment

The WORK EZ® EZ Match™ Quick Hitch is designed to make changing from one 3-point hitch attachment to another quick and EZ! The upper hook easily slips into position and simply lock the lower hooks with quick flip of two handles - many times from the comfort and convenience of the tractor seat.

Designed for use on Category 1, 3-point hitch tractors and implements

Heavy-duty steel construction
Lower arms lock automatically
Fast, easy attachment and release
Designed to ASAE S278.7 Quick Hitch standards

MODEL: WORK EZ® EZ Match™

Width (inches) - 28 center to center
(Hooks are 1-1/2 " wide)
Height (inches) - 24
Weight (pounds) - 80
Maximum Horsepower - 60

The following Case-IH products are quick hitch compatible:

EZ78DC - 78 in. Disk Harrow
EZ60LR - 60 in. Landscape Rake
EZ72LR - 72 in. Landscape Rake
EZ84LR - 84 in. Rock Rake
EZ48BL - 48 in. Standard Duty Box Blade
EZ60BL - 60 in. Standard Duty Box Blade
EZ60SL - 60 in. Standard Utility
Rear Blade
EZ72SL - 72 in. Standard Utility
Rear Blade
EZ60SM - 60 in. Medium Duty
Rear Blade
EZ72SM - 72 in. Medium Duty
Rear Blade
EZ84SM - 84 in. Medium Duty
Rear Blade

WORK EZ® EZ MATCH™
US PRICE LIST

(Distribution Center)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORK EZ EZ MATCH	400 LB	9000301P94	\$368.00

**WORK EZ® BALE CARRIERS
US PRICE LIST**

Standard Equipment

WORK EZ® Bale Carriers and Spears are designed to compliment compact and utility tractors equipped with 3-point hitch for handling round and square hay bales. The WORK EZ® Bale Carriers and Spears are also Work EZ® - EZ Match™ compatible.

MODEL: Work EZ® Bale Carrier
Application - Standard duty
Weight - 155 lbs
Weight rating - 2000 lbs
Tractor horsepower (max) - 60
Hitch - Cat. I
Hot dipped galvanized frame
NOTE: Fork tines go under bale

MODEL: Work EZ® Bale Spear
Application - Standard duty
Weight - 98 lbs
Weight rating - 2000 lbs
Tractor Horsepower (max) - 60
Hitch - Cat. I
Hot dipped galvanized frame
Replaceable high carbon steel spear
Two welded bottom stabilizing spears



**WORK EZ® BALE CARRIERS
US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORK EZ BALE CARRIER	88 LB	9000403P15	\$492.00
WORK EZ BALE SPEAR	155 LB	9000445P80	\$544.00

**WORK EZ® HAY SPEARS
US PRICE LIST**

Standard Equipment

WORK EZ® Hay Spears are designed to compliment most tractors and skid steers that are Universal Quick Hitch Compatible for handling round and square hay bales.

MODEL: Work EZ® Single Bale Quick Attach
Application - Standard duty
Weight - 153 lbs
Weight rating - 2000 lbs
Tractor Horsepower (max) - 80
Hitch - Universal Q/A
Hot dipped galvanized frame
Replaceable high carbon steel spear
Two welded bottom stabilizing spears

MODEL: Work EZ® Double Bale Quick Attach
Application - Standard duty
Weight - 168 lbs
Weight rating - 2000 lbs
Tractor Horsepower (max) - 80
Hitch - Universal Q/A
Hot dipped galvanized frame
Two replaceable high carbon steel spears
One welded top stabilizing spear

WORK EZ® HAY SPEARS
US PRICE LIST

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORKEZ SNGL BALE QA	168 LB	9000724P88	\$884.00
WORKEZ DBL BALE QA	153 LB	9000834P72	\$1,018.00



PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT TRACTOR IMPLEMENTS

PART NUMBER	DESCRIPTION	MW60S	MW72S	MW72R	MW84R
Available through Parts Division unless otherwise noted:					
AUB164147	Caster wheel spring device - Required when installing an MW60S, MW72S or MW72R on a Farmall 31 or 35 equipped with Galaxy turf tires	X	X	X	
AUB182262	Mower / Loader Compatibility kit - Required when installing an MW60S, MW72S or MW72R in combination with an LX114 loader on a Farmall 31 or 35	X	X	X	
AUB163560	Caster wheel spring device - Required when installing an MW84R on a Farmall 40, 45 or 50 equipped with Galaxy turf tires				X

PART NUMBER	DESCRIPTION	RR60	RR72	RR90	RR144	RR180	RR204
Available through Parts Division unless otherwise noted:							
SIT 110283	Mulching kit - 60 in. Rear Discharge Only	X					
SIT 110284	Mulching kit - 72 in. Rear Discharge Only		X				
SIT 110285	Mulching kit - 90 in. Rear Discharge Only			X			
SIT 110286	Mulching kit - 12 ft. Folding Flex wing				X		
SIT 110287	Mulching kit - 15 ft. Folding Flex wing					X	
SIT 110288	Mulching kit - 17 ft. Folding Flex wing						X
SIT 100364	Anti-Scalp Kit - 60 in. and 72 in. (front adjustable roller)	X	X				
SIT 100503	Anti-Scalp Kit - 90 in. (front adjustable roller)			X			
SIT 100933	Pneumatic Tire kit - 60 in. (Set of 4). Includes wheels and forks.	X					
SIT 100934	Pneumatic Tire kit - 72 in. (Set of 4). Includes wheels and forks.		X				
SIT 100935	Pneumatic Tire kit - 90 in. (Set of 4). Includes wheels and forks.			X			



PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT TRACTOR IMPLEMENTS

PART NUMBER	DESCRIPTION	RC480	RC600	RC720	RC605	RC725	RC840	RC845	RC1800
Available through Parts Division unless otherwise noted:									
MAG010D3590	4 ft. Front Chain Guards - Standard Duty	X							
MAG010D3591	4 ft. Rear Chain Guards - Standard Duty	X							
MAG010D6798	5 ft. Front Chain Guards - Standard and Medium Duty		X		X				
MAG010D6799	5 ft. Rear Chain Guards - Standard and Medium Duty		X		X				
MAG010D1598	6 ft. Front Chain Guards - Standard and Medium Duty			X		X			
MAG010D1599	6 ft. Rear Chain Guards - Standard and Medium Duty			X		X			
MAG010D3990	7 ft. Front Chain Guards - Medium Duty						X		
MAG010D3991	7 ft. Rear Chain Guards - Medium Duty						X		
CSE010D3992R	7 ft. Dual tail wheel - Heavy Duty							X	
MAG415D0060	15 ft. hydraulic level lift. - Pull Type								X
MAG125D801D01	Slip Clutch	X	X	X					



PURCHASED PROTECTION

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.

