

**BU1060 Bale Unroller**

Code	Description	List price(USD)
	BU1060 Bale Unroller 3-Point Hitch Compatibility: Category I and II (iMatch and Quick Coupler - II and IIIN) Framing: Tubular Optional Hydraulics: 2 In. x 8 In. Hydraulic Cylinder Dimensions: 24 In. H x 50 In. W x 53 In. L Equipment Weight: 310 lb. Bale Handling Capacity: One Large Round Bale (2000 lb. limit)	
	BASE MACHINE	
0011XF	BU1060 Bale Unroller	\$1,430.00
	HYDRAULICS Basic Factory Options HYDRAULIC ACTUATION	
1010	Hydraulic Kit to Actuate BU1060 Bale Unroller <i>Includes cylinder, hoses, and tips.</i>	\$456.00
1095	Less Hydraulic Actuation <i>2 In. x 8 In. hydraulic cylinder required with approximately 60 In. of 1/4 In. hose recommended.</i>	In Base Price
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5WS832135	Hydraulic Kit to Actuate Bale Unroller - Includes Cylinder, Hoses, and Tips (BU1060)	\$501.60

**TD1316 Heavy Duty 4 Basket Hay Tedder**

Code	Description	List price(USD)
	TD1316 Heavy Duty 4 Basket Hay Tedder	
	Hitch Type: Drawbar Number of Rotors: 4 Number of Baskets: 4 Number of Tine Arms per Rotor: 6 Width in Working Position: 17 Ft. 8 In. Tedding Width: 16 Ft. 5 In. Tires: 15 x 6.00-6 Transport Width: 9 Ft. 2 In. PTO with Torque Limiter: Standard PTO HP Requirement: 20 HP Required Hydraulic Outlets: 1 Double Acting Valve Reduction Gearbox for Night Windrows: Optional Anti-Wrap Deflectors: Optional Shipping Weight: 1005 lbs. Set-Up Time: 6 Man Hours/Unit Warranty: 1 Year	
	BASE MACHINE	
0071XF	TD1316 Heavy Duty 4 Basket Hay Tedder	\$12,647.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9040	French OM & Decal Kit (TD1316)	\$68.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5KNK8806521	French Operators Manual and Frontier Decals (TD1316)	\$74.80



WR1212 High Capacity Wheel Rake

Code	Description	List price(USD)
WR1212 High Capacity Wheel Rake		
	Number of Wheels: 12 Teeth per Wheel: 40 Tooth Diameter: 7 mm Wheel Diameter: 55 In. Transport Width: 8 Ft. 1 In. Transport Length: 24 Ft. 6 In. Raking Width: Up to 24 Ft. Hydraulic Settings Windrow Width Adjustment: 38 In. to 58 In. Raking Wheel Hubs: Tapered Bearings Wing Flex: 3 Ft. Up or Down Number of Transport Wheels: 4 Hitch Jack: Standard Center Kicker Wheels: Optional Tandem Rear Wheels: Optional Transport Wheels: 6.70 x 15 In. Gauge Wheels: 15 In. Assembly/Set-Up Time: 7 Man Hours Weight: 3500 lbs.	
BASE MACHINE		
	<i>Raking widths up to 24 Ft. Order hydraulic couplers as attachments.</i>	
0101XF	WR1212 High Capacity Wheel Rake	\$26,059.00
RAKE WHEELS		
Basic Factory Options		
CENTER KICKER WHEEL OPTION		
3100	Center Kicker Wheel <i>Two center kicker wheels with hydraulic lift for WR12 Series.</i>	\$2,786.00
3110	No Center Kicker Wheel <i>WR12 Series Wheel Rake.</i>	In Base Price
Additional Factory Options		
WIND PANEL OPTION		
9100	WR12 Series Wind Panels with Hardware <i>Quantity of 12.</i>	\$458.00
CENTER KICKER WHEEL OPTION		

**WR1212 High Capacity Wheel Rake**

Code	Description	List price(USD)
9310	WR12 Series Center Kicker Wheels (3) <i>Three center kicker wheels with hydraulic lift.</i>	\$4,817.00
	WHEELS AND TIRES Basic Factory Options TANDEM WHEELS	
4400	WR12 Series Rear Tandem Wheels	\$1,837.00
4410	WR12 Series No Rear Tandem Wheels	In Base Price
	HYDRAULICS Additional Factory Options COUPLERS	
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5HPBFO23W12	Center Kicker Wheels (3)	\$5,298.71
5HPBFO212HC	Center Kicker Wheels (2)	\$3,216.40
5HPBFOWP55	One Wind Panel with Hardware	\$46.20
5HPBFO6	Rear Tandem Wheels	\$2,120.80
5HPBFO13	Set of Hydraulic Couplers	\$55.00

**WR1214 High Capacity Wheel Rake with Rear Tandem Wheels**

Code	Description	List price(USD)
	WR1214 High Capacity Wheel Rake with Rear Tandem Wheels	
	Number of Wheels: 14 Teeth per Wheel: 40 Tooth Diameter: 7 mm Wheel Diameter: 55 In. Transport Width: 8 Ft. 1 In. Transport Length: 27 Ft. 3 In. Raking Width: Up to 28 Ft. Hydraulic Settings Windrow Width Adjustment: 38 In. to 58 In. Raking Wheel Hubs: Roller Bearings Wing Flex: 3 Ft. Up or Down Number of Transport Wheels: 6 Hitch Jack: Standard Center Kicker Wheels: Optional Tandem Rear Wheels: Standard Wheel Expansion: Optional Transport Wheels: 6.70 x 15 In. Gauge Wheels: 15 In. Assembly/Set-Up Time: 8 Man Hours Weight: 3800 lbs.	
	BASE MACHINE	
	<i>Raking widths up to 28 Ft. Order hydraulic couplers as attachments.</i>	
0102XF	WR1214 High Capacity Wheel Rake with Rear Tandem Wheels	\$33,810.00
	RAKE WHEELS	
	Basic Factory Options	
	CENTER KICKER WHEEL OPTION	
3100	Center Kicker Wheel <i>Two center kicker wheels with hydraulic lift for WR12 Series.</i>	\$2,786.00
3110	No Center Kicker Wheel <i>WR12 Series Wheel Rake.</i>	In Base Price
	Additional Factory Options	
	WIND PANEL OPTION	
9100	WR12 Series Wind Panels with Hardware	\$537.00

**WR1214 High Capacity Wheel Rake with Rear Tandem Wheels**

Code	Description	List price(USD)
	<i>Quantity of 14.</i>	
	CENTER KICKER WHEEL OPTION	
9310	WR12 Series Center Kicker Wheels (3) <i>Three center kicker wheels with hydraulic lift.</i>	\$4,817.00
	FRAME	
	Basic Factory Options	
	RAKE BEAM SUPPORTS	
6200	WR12 Series Rake Beam Support Wheels <i>Includes 15 In. tires.</i>	\$2,220.00
6210	WR12 Series No Rake Beam Supports	In Base Price
	HYDRAULICS	
	Additional Factory Options	
	COUPLERS	
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
5HPBFOWP55	One Wind Panel with Hardware	\$46.20
5HPBFO415	Rake Beam Support Wheels (WR1214 and WR1216) <i>Includes 15 In. tires.</i>	\$2,536.60
5HPBFO23W14	Center Kicker Wheels (3)	\$5,298.71
5HPBFO214HC	Center Kicker Wheels (2)	\$3,216.40
5HPBFO13	Set of Hydraulic Couplers	\$55.00
5HPBFHC2	Extension Kit - 2 Wheel Add On Ext Kit	\$3,243.91

**WR1216 High Capacity Wheel Rake with Rear Tandem Wheels**

Code	Description	List price(USD)
	WR1216 High Capacity Wheel Rake with Rear Tandem Wheels	
	Number of Wheels: 16 Teeth per Wheel: 40 Tooth Diameter: 7 mm Wheel Diameter: 55 In. Transport Width: 8 Ft. 1 In. Transport Length: 30 Ft. 3 In. Raking Width: Up to 32 Ft. Hydraulic Settings Windrow Width Adjustment: 38 In. to 58 In. Raking Wheel Hubs: Roller Bearings Wing Flex: 3 Ft. Up or Down Number of Transport Wheels: 6 Hitch Jack: Standard Center Kicker Wheels: Optional Tandem Rear Wheels: Standard Transport Wheels: 6.70 x 15 In. Gauge Wheels: 15 In. Assembly/Set-Up Time: 9 Man Hours Weight: 4200 lbs.	
	BASE MACHINE	
0103XF	<i>Raking widths up to 32 Ft. Order hydraulic couplers as attachments.</i> WR1216 High Capacity Wheel Rake with Rear Tandem Wheels	\$35,570.00
	RAKE WHEELS	
	Basic Factory Options	
	CENTER KICKER WHEEL OPTION	
3100	Center Kicker Wheel <i>Two center kicker wheels with hydraulic lift for WR12 Series.</i>	\$2,786.00
3110	No Center Kicker Wheel <i>WR12 Series Wheel Rake.</i>	In Base Price
	Additional Factory Options	
	WIND PANEL OPTION	
9100	WR12 Series Wind Panels with Hardware <i>Quantity of 16.</i>	\$611.00

**WR1216 High Capacity Wheel Rake with Rear Tandem Wheels**

Code	Description	List price(USD)
	CENTER KICKER WHEEL OPTION	
9310	WR12 Series Center Kicker Wheels (3) <i>Three center kicker wheels with hydraulic lift.</i>	\$4,817.00
	FRAME	
	Basic Factory Options	
	RAKE BEAM SUPPORTS	
6200	WR12 Series Rake Beam Support Wheels <i>Includes 15 In. tires.</i>	\$2,220.00
6210	WR12 Series No Rake Beam Supports	In Base Price
	HYDRAULICS	
	Additional Factory Options	
	COUPLERS	
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
5HPBFOWP55	One Wind Panel with Hardware	\$46.20
5HPBFO415	Rake Beam Support Wheels (WR1214 and WR1216) <i>Includes 15 In. tires.</i>	\$2,536.60
5HPBFO23W14	Center Kicker Wheels (3)	\$5,298.71
5HPBFO214HC	Center Kicker Wheels (2)	\$3,216.40
5HPBFO13	Set of Hydraulic Couplers	\$55.00
5HPBFHC2	Extension Kit - 2 Wheel Add On Ext Kit	\$3,243.91

**RR2109 - 9 Ft. Raking Width Rotary Rake**

Code	Description	List price(USD)
	RR2109 - 9 Ft. Raking Width Rotary Rake Tandem Axles With Four Bolt Wheels Exclusive Level-Lift Hydraulics Totally Enclosed Oil Bath Gearbox Heat Treated, Double-Tooth Spring Steel Tines Safety Tow Chain is Standard Equipment 1 Year Parts and Labor Warranty	
	BASE MACHINE	
0131XF	RR2109 - 9 Ft. Raking Width Rotary Rake	\$12,371.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECAL KIT	
9200	French Operators Manual and Decal Kit <i>RR2109 Rotary Rake</i>	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5PQ903180	French Operators Manual & Decal Kit (RR2109) Rotary Rake <i>Destination of Quebec only. Includes French safety decals and manual.</i>	\$143.00

**RR2211 - 11 Ft. Raking Width Rotary Rake**

Code	Description	List price(USD)
	RR2211 - 11 Ft. Raking Width Rotary Rake Tandem Axles With Four Bolt Wheels Exclusive Level-Lift Hydraulics Totally Enclosed Oil Bath Gearbox Heat Treated, Double-Tooth Spring Steel Tines Safety Tow Chain is Standard Equipment 1 Year Parts and Labor Warranty	
	BASE MACHINE	
0141XF	RR2211 - 11 Ft. Raking Width Rotary Rake	\$16,566.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECAL KIT	
9200	French Operators Manual and Decal Kit <i>RR2211 Rotary Rake</i>	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5PQ903181	French Operators Manual & Decal Kit (RR2211) Rotary Rake <i>Destination of Quebec only. Includes French safety decals and manual.</i>	\$126.51



LW1166 Inline Bale Wrapper - U.S.

Code	Description	List price(USD)
	LW1166 Inline Bale Wrapper - U.S. Fully automatic cycling Electric start 13 HP Honda gas engine (18 amp charging system) Spark arrester on engine Low oil alert on engine Transport safety lights, SMV, reflectors Temperature gauge on hydraulic tank Lock pin on hoop to reload plastic Hydraulic steering Electric hydraulic switch in control panel Main control panel wired for field installed options Hydraulic over center cam axle to pack bales tightly Adjustable stroke length on charge table 2 - 30" pretensioners Cross tube unloading (to push off last bale) Adjustable length tongue Automatically idles down when cycle completed Safety shut off switch on guards Guide rollers for side hill operation Lug tires on rear axle	
	BASE MACHINE <i>Includes plastic sensor shutdown and guide rollers.</i>	
0261XF	LW1166 Inline Bale Wrapper - U.S.	\$53,120.00
	HYDRAULICS Basic Factory Options HYDRAULIC POWER DRIVE	
1010	Single Wheel Hydraulic Power Drive LW1166	\$1,175.00
1020	Dual Wheel Hydraulic Power Drive LW1166	\$2,356.00
1095	No Hydraulic Power Drive	In Base Price
	ENGINE Basic Factory Options ENGINE	
2000	13 HP Honda Engine	In Base Price



LW1166 Inline Bale Wrapper - U.S.

Code	Description	List price(USD)
2010	20 HP Honda Engine <i>Includes High Flow Pump for faster cycle times.</i>	\$4,325.00
	AG MANAGEMENT SOLUTIONS (AMS) Basic Factory Options REMOTE CONTROL	
3010	Remote Steering and Shutdown	\$1,730.00
3095	No Remote Steering and Shutdown	In Base Price
	ELECTRICAL Additional Factory Options WORK LIGHTS	
8010	Halogen Night Working Lights <i>Includes three lights.</i>	\$341.00
8041	LED Night Working Lights <i>Includes three lights.</i>	\$641.00
	BALE WRAPPING AND TYING Additional Factory Options TWIN WRAP KIT	
8030	Twin Wrap Kit <i>For double plastic.</i>	\$835.00
	BALE REMOVAL ARM Basic Factory Options BALE PUSH OFF ARM	
5020	No Bale Push Off Arm	In Base Price
5021	Bale Push Off Arm	\$1,278.00
	GUIDANCE SYSTEM Basic Factory Options BALE FOLLOWER	
1810	No Bale Follower	In Base Price
1811	Bale Follower	\$2,261.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5TBRSSKX2HD	LW11/LW12 Remote Steering and Shutdown	\$2,016.31

**LW1166 Inline Bale Wrapper - U.S.**

Code	Description	List price(USD)
5TBNWLKF	LW11/LW12 Halogen Night Working Lights	\$397.11
5TBTWKF	LW11/LW12 Twin Wrap Kit	\$972.40
5TBSSKF	Shielding <i>(Order only for machines sold into Quebec.)</i>	\$0.00
5TBNWLKLEDF	LED Night Working Lights	\$704.00
5TBHPDD5000	LW11 Dual Wheel Hydraulic Power Drive	\$2,751.11
5TBHPD5000F	LW11 Single Wheel Hydraulic Power Drive	\$1,369.51
5TBMPO5000F	Bale Push Off Arm	\$1,405.80



SB3106 - 5 ft. 9 In Sickle Bar Mower

Code	Description	List price(USD)
	SB3106 - 5 ft. 9 In Sickle Bar Mower Working Width: 5 ft. 9 in. (1.75 m) Tractor PTO Speed: 540 RPM Tractor PTO HP (Minimum): 25 HP Tractor PTO HP (Maximum): 50 HP Hitch: Category I, Category II, and iMatch Compatible Parking Stand Included Height Adjustment: Skid Shoes Drive: Belt with Manual Adjustment for Belt Tension Driveline Protection: Slip Clutch Safety Trip Linkage Hydraulic Lifting Cylinder for Cutting Bar Double Action Cutting Bar	
	BASE MACHINE <i>Order in multiples of two.</i>	
0281XF	SB3106 - 5 ft. 9 In Sickle Bar Mower	\$6,586.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND PARTS CATALOG	
9200	French Operators Manual and Parts Catalog (SB31 Series Sickle Bar Mower)	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5GH89900522	French Operators Manual and Parts Catalog (SB31 Series Sickle Bar Mower)	\$26.40



SB3107 - 6 Ft. 9 In. Sickle Bar Mower

Code	Description	List price(USD)
	<p>SB3107 - 6 Ft. 9 In. Sickle Bar Mower</p> <p>Working Width: 6 ft. 9 in. (2.05 m) Tractor PTO Speed: 540 RPM Tractor PTO HP (Minimum): 25 HP Tractor PTO HP (Maximum): 50 HP Hitch: Category I, Category II, and iMatch Compatible Parking Stand Included Height Adjustment: Skid Shoes Drive: Belt with Manual Adjustment for Belt Tension Driveline Protection: Slip Clutch Safety Trip Linkage Hydraulic Lifting Cylinder for Cutting Bar Double Action Cutting Bar</p>	
	<p>BASE MACHINE</p> <p><i>Order in multiples of two.</i></p>	
0282XF	SB3107 - 6 Ft. 9 In. Sickle Bar Mower	\$6,876.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND PARTS CATALOG</p>	
9200	French Operators Manual and Parts Catalog (SB31 Series Sickle Bar Mower)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5GH89900522	French Operators Manual and Parts Catalog (SB31 Series Sickle Bar Mower)	\$26.40

**SB3108 - 7 Ft. 8 In. Sickle Bar Mower**

Code	Description	List price(USD)
	SB3108 - 7 Ft. 8 In. Sickle Bar Mower Working Width: 7 Ft. 8 In. (2.35 m) Tractor PTO Speed: 540 RPM Tractor PTO HP (Minimum): 25 HP Tractor PTO HP (Maximum): 50 HP Hitch: Category I, Category II, and iMatch Compatible Parking Stand Included Height Adjustment: Skid Shoes Drive: Belt with Manual Adjustment for Belt Tension Driveline Protection: Slip Clutch Safety Trip Linkage Hydraulic Lifting Cylinder for Cutting Bar Double Action Cutting Bar	
	BASE MACHINE <i>Order in multiples of two.</i>	
0283XF	SB3108 - 7 Ft. 8 In. Sickle Bar Mower	\$7,143.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND PARTS CATALOG	
9200	French Operators Manual and Parts Catalog (SB31 Series Sickle Bar Mower)	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5GH89900522	French Operators Manual and Parts Catalog (SB31 Series Sickle Bar Mower)	\$26.40

**RR2313 - 13 Ft. Raking Width Rotary Rake**

Code	Description	List price(USD)
	RR2313 - 13 Ft. Raking Width Rotary Rake 13 ft. Clean sweep raking width 15 ft. Working width 8 ft. 2 in. Transport width 6 ft. 6 in. Transport height Tandem walking beam axles with 18.5 in. wheels Removable rotor arms for easy storage and narrow transport Stub shafts removable w/o disassembling gearbox Oversized swivel gearbox Standard hydraulic rear curtain 4 Heat treated, double-tooth spring steel tines per arm 13 Tine arms per rotor Safety tow chain standard	
	BASE MACHINE	
0301XF	RR2313 - 13 Ft. Raking Width Rotary Rake	\$27,135.00
	WHEELS AND TIRES Basic Factory Options FLOTATION TIRES	
1095	No Extra Tires	In Base Price
1010	Extra Tires <i>Includes 2 additional flotation tires and 2 spindles for mounting to front of each walking beam (RR2313).</i>	\$512.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECAL KIT	
9200	French Operators Manual and Decal Kit <i>RR2313 Rotary Rake</i>	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5PQ580035	Extra Flotation Tires (RR2313) <i>Note: Includes 2 additional flotation tires and 2 spindles for mounting to front of each walking beam.</i>	\$563.20
5PQ903187	French Operators Manual & Decal Kit (RR2313) Rotary Rake	\$138.60



RR2313 - 13 Ft. Raking Width Rotary Rake

Code	Description	List price(USD)
	<i>Destination of Quebec only. Includes French safety decals and manual.</i>	

**WR5417 High Capacity Wheel Rake**

Code	Description	List price(USD)
	WR5417 High Capacity Wheel Rake Number of Wheels: 17 Teeth per Wheel: 36 Tooth Diameter: 7 mm Wheel Diameter: 60 in. Transport Width: 12 ft. 4 in. Transport Length: 28 ft. 4 in. Raking Width: 29 ft. Windrow Width Adjustment: Maximum Finished Windrow Width 72.3 in. Raking Wheel Hubs: Tapered Bearings Wing Flex: None Number of Transport Wheels: 4 Hitch Jack: Standard Tandem Rear Wheels: Standard Transport Wheels: 9.5L x 15 Gauge Wheels: None Assembly/Set-Up Time: 6 Hours (2 Personnel) Weight: 5900 lbs.	
	BASE MACHINE <i>Includes Transport Lights. Raking widths up to 29 Ft.</i>	
0311XF	WR5417 High Capacity Wheel Rake	\$49,744.00
	HITCHES Basic Factory Options HITCHES	
2160	Clevis Hitch	In Base Price
2110	Ball Hitch (2 5/16 in) cast coupler in lieu of Clevis Hitch	\$133.00
	MISCELLANEOUS Additional Factory Options SPRINGS	
8010	WR5417 Bi-Directional Springs	\$3,672.00
	ATTACHMENTS FOR FIELD CONVERSION SPRINGS	
5PQ507342	WR5417 Bi-Directional Springs	\$4,038.11
	MISCELLANEOUS	



WR5417 High Capacity Wheel Rake

Code	Description	List price(USD)
5PQ102007	Ball Hitch, Field Conversion	\$216.71
	DESTINATION AND LANGUAGE	
	Additional Factory Options	
	OPERATOR'S MANUAL AND DECAL KIT	
9200	French Operators Manual and Decal Kit (WR5417)	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION	
	OPERATOR'S MANUAL AND DECAL KIT	
5PQ903186	French Operators Manual and Decal Kit (WR5417)	\$170.51



TD3418 Four Rotor 18 Ft. 2 In. Working Width Tedder

Code	Description	List price(USD)
	TD3418 Four Rotor 18 Ft. 2 In. Working Width Tedder 10/2 Turbo Tines are Designed for Clean and Efficient Tedding Radial Pin Clutch 540 RPM PTO Shaft Fully Enclosed Oil Bath Gearboxes Finger Joints at Wing Pivot Points Standard Hydraulic Lift and Tilt SMV, and Safety Tow Chain are Standard Equipment 1 Year Parts and Labor Warranty	
	BASE MACHINE	
0331XF	TD3418 Four Rotor 18 Ft. 2 In. Working Width Tedder	\$16,192.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL	
9200	French Operators Manual	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5PQ903198	French Operators Manual (TD3418)	\$146.31



TD3427 Six Rotor 26 Ft. 4 In. Working Width Tedder

Code	Description	List price(USD)
	TD3427 Six Rotor 26 Ft. 4 In. Working Width Tedder 10/2 Turbo Tines are Designed for Clean and Efficient Tedding Radial Pin Clutch 540 RPM PTO Shaft Fully Enclosed Oil Bath Gearboxes Finger Joints at Wing Pivot Points Standard Hydraulic Lift and Tilt Transport Lights, SMV, and Safety Tow Chain are Standard Equipment 1 Year Parts and Labor Warranty	
	BASE MACHINE	
0341XF	TD3427 Six Rotor 26 Ft. 4 In. Working Width Tedder	\$33,017.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL	
9200	French Operators Manual	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5PQ903199	French Operators Manual (TD3427)	\$167.20



WR0008 Carted Finger Wheel Rake with 8 Wheels

Code	Description	List price(USD)
WR0008 Carted Finger Wheel Rake with 8 Wheels		
Rake Wheel Diameter: 55 In. (1397 mm) Teeth Per Wheel: 40 Tooth Diameter: 7 mm (0.2756 In.) Transport Width: 8 Ft. 2 In. (2.5 m) Transport Length: 15 Ft. 6 In. (4.7 m) Windrow Width Adjustment: 24 to 51 In. (610 to 1,295 mm) at 40 degree working angle Raking Width: 17 Ft. 8 In. Maximum (5.4 m) at 40 degree working angle Raking Wheel Hubs: Tapered Bearings Wing Flex: 3.9 in. (10 cm) Down; 19.7 in. (50 cm) Up Number of Transport Wheels: 2 Number of Raking Wheels: 8 Transport Wheels: 205/70-15 Hitch Jack: Standard Center Kicker Wheel: Optional		
BASE MACHINE		
0350XF	WR0008 Carted Finger Wheel Rake with 8 Wheels	\$6,710.00
RAKE WHEELS		
Basic Factory Options		
CENTER KICKER WHEEL OPTION		
3100	WR00 Series Center Kicker Wheel	\$826.00
3110	WR00 Series No Center Kicker Wheel	In Base Price
Additional Factory Options		
WIND PANEL OPTION		
9010	Wind Panels with Hardware <i>Includes hardware and a quantity of 8 wind panels.</i>	\$420.00
DESTINATION AND LANGUAGE		
Additional Factory Options		
OPERATOR'S MANUAL AND DECAL KIT		



WR0008 Carted Finger Wheel Rake with 8 Wheels

Code	Description	List price(USD)
9200	WR00 Series French Operators Manual and Decal Kit	\$38.00
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
5EPWR00FRKIT	French Operators Manual and Decal Kit (WR00 Series)	\$41.80
5EPRRC001	Center Kicker Wheel (WR00 Series)	\$908.60
5EP18032659	Wind Panel with Hardware (WR00 Series)	\$56.11



WR0010 Carted Finger Wheel Rake with 10 Wheels

Code	Description	List price(USD)
WR0010 Carted Finger Wheel Rake with 10 Wheels		
	Rake Wheel Diameter: 55 In. (1397 mm) Teeth Per Wheel: 40 Tooth Diameter: 7 mm (0.2756 In.) Transport Width: 8 Ft. 2 In. (2.5 m) Transport Length: 17 Ft. 6 In. (5.3 m) Windrow Width Adjustment: 24 to 51 In. (610 to 1,295 mm) at 40 degree working angle Raking Width: 21 Ft. Maximum (6.4 m) at 40 degree working angle Raking Wheel Hubs: Tapered Bearings Wing Flex: 3.9 in. (10 cm) Down; 19.7 in. (50 cm) Up Number of Transport Wheels: 2 Number of Raking Wheels: 10 Transport Wheels: 205/70-15 Hitch Jack: Standard Center Kicker Wheel: Optional	
BASE MACHINE		
0351XF	WR0010 Carted Finger Wheel Rake with 10 Wheels	\$7,565.00
RAKE WHEELS		
Basic Factory Options		
CENTER KICKER WHEEL OPTION		
3100	WR00 Series Center Kicker Wheel	\$826.00
3110	WR00 Series No Center Kicker Wheel	In Base Price
Additional Factory Options		
WIND PANEL OPTION		
9010	Wind Panels with Hardware <i>Includes hardware and a quantity of 10 wind panels.</i>	\$524.00
DESTINATION AND LANGUAGE		
Additional Factory Options		
OPERATOR'S MANUAL AND DECAL KIT		



WR0010 Carted Finger Wheel Rake with 10 Wheels

Code	Description	List price(USD)
9200	WR00 Series French Operators Manual and Decal Kit	\$38.00
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
5EPWR00FRKIT	French Operators Manual and Decal Kit (WR00 Series)	\$41.80
5EPRRC001	Center Kicker Wheel (WR00 Series)	\$908.60
5EP18032659	Wind Panel with Hardware (WR00 Series)	\$56.11



WR0012 Carted Finger Wheel Rake with 12 Wheels

Code	Description	List price(USD)
WR0012 Carted Finger Wheel Rake with 12 Wheels		
	Rake Wheel Diameter: 55 In. (1397 mm) Teeth Per Wheel: 40 Tooth Diameter: 7 mm (0.2756 In.) Transport Width: 8 Ft. 2 In. (2.5 m) Transport Length: 18 Ft. 9 In. (5.7 m) Windrow Width Adjustment: 24 to 51 In. (610 to 1,295 mm) at 40 degree working angle Raking Width: 24 Ft. 4 In. Maximum (7.4 m) at 40 degree working angle Raking Wheel Hubs: Tapered Bearings Wing Flex: 3.9 in. (10 cm) Down; 19.7 in. (50 cm) Up Number of Transport Wheels: 2 Number of Raking Wheels: 12 Transport Wheels: 205/70-15 Hitch Jack: Standard Center Kicker Wheel: Optional	
BASE MACHINE		
0352XF	WR0012 Carted Finger Wheel Rake with 12 Wheels	\$8,496.00
RAKE WHEELS		
Basic Factory Options		
CENTER KICKER WHEEL OPTION		
3100	WR00 Series Center Kicker Wheel	\$826.00
3110	WR00 Series No Center Kicker Wheel	In Base Price
Additional Factory Options		
WIND PANEL OPTION		
9010	Wind Panels with Hardware <i>Includes hardware and a quantity of 12 wind panels.</i>	\$628.00
DESTINATION AND LANGUAGE		
Additional Factory Options		
OPERATOR'S MANUAL AND DECAL KIT		



WR0012 Carted Finger Wheel Rake with 12 Wheels

Code	Description	List price(USD)
9200	WR00 Series French Operators Manual and Decal Kit	\$38.00
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
5EPWR00FRKIT	French Operators Manual and Decal Kit (WR00 Series)	\$41.80
5EPRRC001	Center Kicker Wheel (WR00 Series)	\$908.60
5EP18032659	Wind Panel with Hardware (WR00 Series)	\$56.11

**WR3108 High Capacity Carted Wheel Rake**

Code	Description	List price(USD)
	WR3108 High Capacity Carted Wheel Rake Rake Wheel Diameter: 60 In. (1524 mm) Teeth Per Wheel: 40 Tooth Diameter: 0.28 In. (7 mm) Transport Width: 9.83 Ft. (3 m) Transport Length: 21.75 Ft. (6.6 m) Windrow Width Adjustment: 16 to 90 In. (406 to 2286 mm) Working Width: 16.75 Ft. (5.1 m) Maximum Raking Wheel Hubs: Ball Bearing Number of Transport Wheels: 2 Number of Raking Wheels: 8 Transport Wheels: 205/75-15 Hitch Jack: Standard Center Kicker Wheel: Optional	
	BASE MACHINE	
0360XF	WR3108 High Capacity Carted Wheel Rake	\$11,524.00
	RAKE WHEELS	
	Basic Factory Options	
	CENTER KICKER WHEEL OPTION	
3100	Center Kicker Wheel	\$922.00
3110	No Center Kicker Wheel <i>WR31 Series Wheel Rake.</i>	In Base Price
	Additional Factory Options	
	WIND PANEL OPTION	
9101	Wind Panel Kit for 60 Inch Wheel (WR31 Series) <i>Includes hardware and qty of 8 wind panels.</i>	\$317.00
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
5HPAROCKWS	Center Kicker Wheel (WR31 Series)	\$1,127.51
5HPBFOWP60	Wind Panel (WR31 Series) <i>Includes mounting hardware and one wind panel only.</i>	\$48.40

**WR3110 High Capacity Carted Wheel Rake**

Code	Description	List price(USD)
	WR3110 High Capacity Carted Wheel Rake Rake Wheel Diameter: 60 In. (1524 mm) Teeth Per Wheel: 40 Tooth Diameter: 0.28 In. (7 mm) Transport Width: 10.3 Ft. (3.2 m) Transport Length: 23.3 Ft. (7.1 m) Windrow Width Adjustment: 16 to 90 In. (406 to 2286 mm) Working Width: 20 Ft. (6.1 m) Maximum Raking Wheel Hubs: Ball Bearing Number of Transport Wheels: 2 Number of Raking Wheels: 10 Transport Wheels: 205/75-15 Hitch Jack: Standard Center Kicker Wheel: Optional	
	BASE MACHINE	
0361XF	WR3110 High Capacity Carted Wheel Rake	\$12,310.00
	RAKE WHEELS Basic Factory Options	
	CENTER KICKER WHEEL OPTION	
3100	Center Kicker Wheel	\$922.00
3110	No Center Kicker Wheel <i>WR31 Series Wheel Rake.</i>	In Base Price
	Additional Factory Options	
	WIND PANEL OPTION	
9101	Wind Panel Kit for 60 Inch Wheel (WR31 Series) <i>Includes hardware and qty of 10 wind panels.</i>	\$398.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5HPAROCKWS	Center Kicker Wheel (WR31 Series)	\$1,127.51
5HPBFOWP60	Wind Panel (WR31 Series) <i>Includes mounting hardware and one wind panel only.</i>	\$48.40

**WR3112 High Capacity Carted Wheel Rake**

Code	Description	List price(USD)
	WR3112 High Capacity Carted Wheel Rake Rake Wheel Diameter: 60 In. (1524 mm) Teeth Per Wheel: 40 Tooth Diameter: 0.28 In. (7 mm) Transport Width: 11 Ft. (3.4 m) Transport Length: 25.75 Ft. (7.6 m) Windrow Width Adjustment: 16 to 90 In. (406 to 2286 mm) Working Width: 24 Ft. (7.3 m) Maximum Raking Wheel Hubs: Ball Bearing Number of Transport Wheels: 2 Number of Raking Wheels: 12 Transport Wheels: 205/75-15 Hitch Jack: Standard Center Kicker Wheel: Optional	
	BASE MACHINE	
0362XF	WR3112 High Capacity Carted Wheel Rake	\$13,472.00
	RAKE WHEELS	
	Basic Factory Options	
	CENTER KICKER WHEEL OPTION	
3100	Center Kicker Wheel	\$922.00
3110	No Center Kicker Wheel <i>WR31 Series Wheel Rake.</i>	In Base Price
	Additional Factory Options	
	WIND PANEL OPTION	
9101	Wind Panel Kit for 60 Inch Wheel (WR31 Series) <i>Includes hardware and qty of 12 wind panels.</i>	\$476.00
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
5HPAROCKWS	Center Kicker Wheel (WR31 Series)	\$1,127.51
5HPBFOWP60	Wind Panel (WR31 Series) <i>Includes mounting hardware and one wind panel only.</i>	\$48.40



DC1000 Disc Mower Caddy

Code	Description	List price(USD)
	<p>DC1000 Disc Mower Caddy Variable Integrated Ballasting System Utilizes Standard John Deere Weights and Internal Ballast Hydraulic Lift 3-Point Hitch Includes Cylinders, Hoses, and Tips Adjustable Clevis Tongue Equal Angle Category IV 540 PTO Included 11L x 15SL Ribbed Implement Tires</p>	
	<p>BASE MACHINE <i>Assembly Required: 3 hours</i></p>	
0541XF	DC1000 Disc Mower Caddy	\$7,570.00

**DM5050 Disc Mower**

Code	Description	List price(USD)
	DM5050 Disc Mower Hitch Type: 3-Point Hitch Category: Category I or II (iMatch and Quick-Coupler Compatible) Cutting Width: 6 Ft. 6 In. Operating Weight: 874 Lbs. Operation Cutting Angle: +/- 25 Degrees Number of Cutting Discs: 5 Number of Knives: 10 PTO Drive: 540 RPM PTO HP Requirement: 40 HP Minimum Belt Drive: 4 V-Belts with Tensioner Average Swath Width: 4 Ft. 6 In. Cutterbar Lift Mechanism: Hydraulic Outer Swath Wheel: Optional Safety Breakaway: Yes Required Hydraulic Outlets: 1 Single Acting Valve Set-Up Time: 1.5 Hour Warranty: 1 Year	
	BASE MACHINE	
0561XF	DM5050 Disc Mower	\$14,259.00
	WHEELS AND TIRES Field Installed Options SWATH WHEEL	
9070	Swath Wheel Attachment (DM50 Series)	\$205.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5TIDM411274	Swath Wheel Attachment (DM50 Series)	\$225.51

**DM5060 Disc Mower**

Code	Description	List price(USD)
	DM5060 Disc Mower Hitch Type: 3-Point Hitch Category: Category I or II (iMatch and Quick-Coupler Compatible) Cutting Width: 7 Ft. 9 In. Operating Weight: 975 Lbs. Operation Cutting Angle: +/- 25 Degrees Number of Cutting Discs: 6 Number of Knives: 12 PTO Drive: 540 RPM PTO HP Requirement: 45 HP Minimum Belt Drive: 4 V-Belts with Tensioner Average Swath Width: 5 Ft. 9 In. Cutterbar Lift Mechanism: Hydraulic Outer Swath Wheel: Optional Safety Breakaway: Yes Required Hydraulic Outlets: 1 Single Acting Valve Set-Up Time: 1.5 Hour Warranty: 1 Year	
	BASE MACHINE	
0571XF	DM5060 Disc Mower	\$15,274.00
	WHEELS AND TIRES Field Installed Options SWATH WHEEL	
9070	Swath Wheel Attachment (DM50 Series)	\$205.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5TIDM411274	Swath Wheel Attachment (DM50 Series)	\$225.51

**DM5070 Disc Mower**

Code	Description	List price(USD)
	DM5070 Disc Mower Hitch Type: 3-Point Hitch Category: Category I or II (iMatch and Quick-Coupler Compatible) Cutting Width: 9 Ft. Operating Weight: 1143 Lbs. Operation Cutting Angle: +/- 25 Degrees Number of Cutting Discs: 7 Number of Knives: 14 PTO Drive: 540 RPM PTO HP Requirement: 55 HP Minimum Belt Drive: 4 V-Belts with Tensioner Average Swath Width: 7 Ft. Cutterbar Lift Mechanism: Hydraulic Outer Swath Wheel: Optional Safety Breakaway: Yes Required Hydraulic Outlets: 1 Single Acting Valve Set-Up Time: 1.5 Hour Warranty: 1 Year	
	BASE MACHINE	
0581XF	DM5070 Disc Mower	\$16,136.00
	WHEELS AND TIRES Field Installed Options SWATH WHEEL	
9070	Swath Wheel Attachment (DM50 Series)	\$205.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5TIDM411274	Swath Wheel Attachment (DM50 Series)	\$225.51



AB11D Single Tine Bale Spear for Current 600/700 Series Carrier

Code	Description	List price(USD)
	<p>AB11D Single Tine Bale Spear for Current 600/700 Series Carrier</p> <p>Primary Spear: One - 49 In. x 2 In. Approximate 44 In. Usable Length Stabilizing Spears: One - 20 In. x 1.25 In. Capacity: One Large Round Bale (2000 lbs.) Dimensions: 24H x 50W x 56L (600 and 700 Series Loaders) Operational Weight: 170 lbs. (600 and 700 Series Loaders)</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: DM00, DM01; 2L - JDLA; 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador, and U.S.</i></p>	
2001XF	AB11D Single Tine Bale Spear for Current 600/700 Series Carrier	\$1,050.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5MP43053	French Operator's Manual and Decal Kit	\$58.08



AB11E Single Tine Bale Spear for Current 300CX/400/500 Series Carrier

Code	Description	List price(USD)
	<p>AB11E Single Tine Bale Spear for Current 300CX/400/500 Series Carrier</p> <p>Primary Spear: One - 49 In. x 2 In. Approximate 44 In. Usable Length Stabilizing Spears: One - 20 In. x 1.25 In. Capacity: One Large Round Bale (2000 lbs.) Dimensions: 21H x 50W x 52L (300, 400, and 500 Series Loaders) Operational Weight: 125 lbs. (300, 400, and 500 Series Loaders)</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i></p>	
2002XF	AB11E Single Tine Bale Spear for Current 300CX/400/500 Series Carrier	\$762.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5MP43053	French Operator's Manual and Decal Kit	\$58.08

**AB11G Single Tine Bale Spear for Current Loaders with Global Carrier**

Code	Description	List price(USD)
	<p>AB11G Single Tine Bale Spear for Current Loaders with Global Carrier</p> <p>Primary Spear: One - 49 In. x 2 In. Approximate 44 In. Usable Length Stabilizing Spears: One - 20 In. x 1.25 In. Capacity: One Large Round Bale (2000 lbs.) Dimensions: 20H x 46W x 54L (Global Series Loaders) Operational Weight: 138 lbs. (Global Series Loaders)</p>	
	<p>BASE MACHINE</p> <p><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units:U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i></p>	
2003XF	AB11G Single Tine Bale Spear for Current Loaders with Global Carrier	\$999.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5MP43053	French Operator's Manual and Decal Kit	\$58.08

**AB12A Three Tine Bale Spear for Current 800 Series Carrier**

Code	Description	List price(USD)
	AB12A Three Tine Bale Spear for Current 800 Series Carrier Primary Spears: Three - 49 In. x 2 In. (Approximate 44 In. Usable Length) Capacity: One Large Round Bale (2500 lbs.) or One Large Square Bale (2500 lbs.) Dimensions: 25H x 55W x 58L (800 Series Loaders) Operational weight: 255 lbs. (800 Series Loaders)	
	BASE MACHINE <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	
2011XF	AB12A Three Tine Bale Spear for Current 800 Series Carrier	\$1,470.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECAL KIT	
9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5MP43053	French Operator's Manual and Decal Kit	\$58.08



AB12D Three Tine Bale Spear for Current 600/700 Series Carrier

Code	Description	List price(USD)
	<p>AB12D Three Tine Bale Spear for Current 600/700 Series Carrier</p> <p>Primary Spears: Three - 49 In. x 2 In. (Approximate 44 In. Usable Length)</p> <p>Capacity: One Large Round Bale (2500 lbs.) or One Large Square Bale (2500 lbs.)</p> <p>Dimensions: 24H x 50W x 56L (600 and 700 Series Loaders)</p> <p>Operational Weight: 210 lbs. (600 and 700 Series Loaders)</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i></p>	
2012XF	AB12D Three Tine Bale Spear for Current 600/700 Series Carrier	\$1,231.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5MP43053	French Operator's Manual and Decal Kit	\$58.08

**AB12E Three Tine Bale Spear for Current 300CX/400/500 Series Carrier**

Code	Description	List price(USD)
	<p>AB12E Three Tine Bale Spear for Current 300CX/400/500 Series Carrier</p> <p>Primary Spears: Three - 49 In. x 2 In. (Approximate 44 In. Usable Length)</p> <p>Capacity: One Large Round Bale (2500 lbs.) or One Large Square Bale (2500 lbs.)</p> <p>Dimensions: 21H x 50W x 52L (300CX, 400, and 500 Series Loaders)</p> <p>Operational Weight: 155 lbs. (300CX, 400, and 500 Series Loaders)</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i></p>	
2013XF	AB12E Three Tine Bale Spear for Current 300CX/400/500 Series Carrier	\$998.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5MP43053	French Operator's Manual and Decal Kit	\$58.08



AB12G Three Tine Bale Spear for Current Loaders with Global Carrier

Code	Description	List price(USD)
	<p>AB12G Three Tine Bale Spear for Current Loaders with Global Carrier</p> <p>Primary Spears: Three - 49 In. x 2 In. (Approximate 44 In. Usable Length) Capacity: One Large Round Bale (2500 lbs.) or One Large Square Bale (2500 lbs.) Dimensions: 20H x 46W x 54L (Global Series Loaders) Operational weight: 173 lbs. (Global Series Loaders)</p>	
	<p>BASE MACHINE</p> <p><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i></p>	
2014XF	AB12G Three Tine Bale Spear for Current Loaders with Global Carrier	\$1,140.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5MP43053	French Operator's Manual and Decal Kit	\$58.08



AB13D Heavy Duty Single Tine Bale Spear for Current 600/700 Series Carrier

Code	Description	List price(USD)
	<p>AB13D Heavy Duty Single Tine Bale Spear for Current 600/700 Series Carrier</p> <p>Primary Spear: One - 53 In. x 2.25 In. (Approximate 46 In. Usable Length)</p> <p>Stabilizing Spears: Two - 20 In. x 1.25 In.</p> <p>Capacity: One Large Round Bale (2500 lbs.)</p> <p>Dimensions: 24H x 50W x 59L (600 and 700 Series Loaders)</p> <p>Operational Weight: 215 lbs. (600 and 700 Series Loaders)</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i></p>	
2021XF	AB13D Heavy Duty Single Tine Bale Spear for Current 600/700 Series Carrier	\$1,161.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5MP43053	French Operator's Manual and Decal Kit	\$58.08

**AB13E Heavy Duty Single Tine Bale Spear for Current 300CX/400/500 Series Carrier**

Code	Description	List price(USD)
	<p>AB13E Heavy Duty Single Tine Bale Spear for Current 300CX/400/500 Series Carrier</p> <p>Primary Spear: One - 53 In. x 2.25 In. (Approximate 46 In. Usable Length)</p> <p>Stabilizing Spears: Two - 20 In. x 1.25 In.</p> <p>Capacity: One Large Round Bale (2500 lbs.)</p> <p>Dimensions: 20H x 49W x 56L (300, 400, and 500 Series Loaders)</p> <p>Operational Weight: 165 lbs. (300, 400, and 500 Series Loaders)</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i></p>	
2022XF	AB13E Heavy Duty Single Tine Bale Spear for Current 300CX/400/500 Series Carrier	\$979.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5MP43053	French Operator's Manual and Decal Kit	\$58.08

**AB13G Heavy Duty Single Tine Bale Spear for Current Loaders with Global Carrier**

Code	Description	List price(USD)
	<p>AB13G Heavy Duty Single Tine Bale Spear for Current Loaders with Global Carrier</p> <p>Primary Spear: One - 53 In. x 2.25 In. (Approximate 46 In. Usable Length)</p> <p>Stabilizing Spears: Two - 20 In. x 1.25 In.</p> <p>Capacity: One Large Round Bale (2500 lbs.)</p> <p>Dimensions: 23H x 46W x 56L (Global Series Loaders)</p> <p>Operational Weight: 185 lbs. (Global Series Loaders)</p>	
	<p>BASE MACHINE</p> <p><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i></p>	
2023XF	AB13G Heavy Duty Single Tine Bale Spear for Current Loaders with Global Carrier	\$1,166.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5MP43053	French Operator's Manual and Decal Kit	\$58.08



AB14A - Bale Spear

Code	Description	List price(USD)
	<p>AB14A - Bale Spear</p> <p>Primary Spears: Two - 49 In. x 2 In.</p> <p>Stabilizing Spears: Two - 28 In. x 1.25 In.</p> <p>Shipping Weight: 465 lbs. Operational Weight: 390 lbs. Dimensions: 17H x 25W x 70L</p>	
	<p>BASE MACHINE</p> <p><i>Handles (2) 6 Ft. or less round bales or (1) 4 x 8 square bale with 800 series loaders.</i></p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i></p>	
2031XF	AB14A - Bale Spear	\$2,278.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5MP43053	French Operator's Manual and Decal Kit	\$58.08



AB14D - Bale Spear

Code	Description	List price(USD)
	AB14D - Bale Spear Primary Spears: Two - 49 In. x 2 In. Stabilizing Spears: Two - 28 In. x 1.25 In. Shipping Weight: 465 lbs. Operational Weight: 390 lbs. Dimensions: 17H x 25W x 70L	
	BASE MACHINE <i>Handles (2) 6 Ft. or less round bales with 700 series loaders OR (1) 4 x 8 square bale with 600 and 700 series loaders. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	
2032XF	AB14D - Bale Spear	\$1,944.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECAL KIT	
9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5MP43053	French Operator's Manual and Decal Kit	\$58.08

**AB14G - Bale Spear**

Code	Description	List price(USD)
	<p>AB14G - Bale Spear</p> <p>Primary Spears: Two - 49 In. x 2 In.</p> <p>Stabilizing Spears: Two - 28 In. x 1.25 In.</p> <p>Shipping Weight: 465 lbs. Operational Weight: 390 lbs. Dimensions: 17H x 25W x 70L</p>	
	<p>BASE MACHINE</p> <p><i>Handles (2) 6 Ft. or less round bales or (1) 4 x 8 square bale on loaders with Global Carrier.</i></p> <p><i>Option is not compatible with Global Category II Carrier.</i></p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i></p>	
2033XF	AB14G - Bale Spear	\$1,881.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5MP43053	French Operator's Manual and Decal Kit	\$58.08



AB15A - Bale Spear

Code	Description	List price(USD)
	<p>AB15A - Bale Spear</p> <p>Two Primary Bottom Spear Options: Four - 53 In. x 2.2 In. Four - 41 In. x 2.2 In. Top Stabilizing Spears: Two - 28 In. x 1.25 In. Capacity: Two Large Square Bales Operational Weight: 808 lbs. Shipping Weight: 873 lbs. Dimensions: 60H x 72W x 60L</p>	
	<p>BASE MACHINE</p> <p><i>Handles two large 4 x 8 square bales for use with 800 series loaders.</i> <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i></p>	
2041XF	AB15A - Bale Spear	\$6,009.00
	<p>FRAME</p> <p>Basic Factory Options</p> <p>BALE SPEAR LENGTH</p>	
2410	41 In. Bale Spear <i>For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	\$800.00
2411	53 In. Bale Spear <i>For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	\$840.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5MP43053	French Operator's Manual and Decal Kit	\$58.08



AB16G Small Square Bale Handler for Current Loaders with Global Carrier

Code	Description	List price(USD)
	<p>AB16G Small Square Bale Handler for Current Loaders with Global Carrier</p> <p>Hydraulics: Single Auxiliary Hydraulic Service Shipping Weight With Pallet: 1190 lbs. Operational Weight: 1090 lbs. Dimensions: 31H x 80W x 90L 32 Engaging Teeth</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Picks up 8 flat or 10 indexed small square bales. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2053XF	AB16G Small Square Bale Handler for Current Loaders with Global Carrier	\$9,342.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit for Models: (AB16 Series)	No Added Cost

**AG10G Silage Defacer for Current Loaders with Global Carrier**

Code	Description	List price(USD)
	<p>AG10G Silage Defacer for Current Loaders with Global Carrier</p> <p>Shipping Weight: 870 lbs. Non-Sizing Cutting Tooth Motor Shaft: 1.5 In. Motor Chain Type: 80-ASA Equipment Weight: 735 lbs. Cutting Width: 96 In. Bearing: Greaseable Spherical Type Tooth Material: 50,000 Yield Strength Material</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2113XF	AG10G Silage Defacer for Current Loaders with Global Carrier	\$8,725.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AG10 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	\$134.32



AG11S Silage Defacer for Skid Steers

Code	Description	List price(USD)
	<p>AG11S Silage Defacer for Skid Steers Non-Sizing Cutting Tooth Bearing: Greaseable Spherical Type Motor Shaft: 1.5 In. Cutting Width: 96 In. Drive System: 80 ASA Chain</p>	
	<p>BASE MACHINE <i>Unit has reduced reach to address skid steers with limited lift capacity.</i></p>	
2121XF	AG11S Silage Defacer for Skid Steers	\$9,453.00



AG12S Silage Defacer for Skid Steers

Code	Description	List price(USD)
AG12S Silage Defacer for Skid Steers		
	Non-Sizing Cutting Tooth Bearing: Greaseable Spherical Type Motor Shaft: 1.5 In. Cutting Width: 96 In. Drive System: 80 ASA Chain	
BASE MACHINE		
2122XF	AG12S Silage Defacer for Skid Steers	\$10,385.00



AH11A Round Bale Hugger for Current 800 Series Carrier

Code	Description	List price(USD)
	<p>AH11A Round Bale Hugger for Current 800 Series Carrier</p> <p>Capacity: 1 Round Bale</p> <p>Hydraulic Service: Single Auxiliary</p> <p>Shipping Weight with Pallet: 825 lbs.</p> <p>Operational Weight: 725 lbs.</p> <p>Dimensions: 50H x 57W x 60L</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2131XF	AH11A Round Bale Hugger for Current 800 Series Carrier	\$6,973.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AH11 Series)	No Added Cost



AH11D Round Bale Hugger for Current 600/700 Series Carrier

Code	Description	List price(USD)
	<p>AH11D Round Bale Hugger for Current 600/700 Series Carrier</p> <p>Capacity: 1 Round Bale</p> <p>Hydraulic Service: Single Auxiliary</p> <p>Shipping Weight with Pallet: 825 lbs.</p> <p>Operational Weight: 725 lbs.</p> <p>Dimensions: 50H x 57W x 60L</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2132XF	AH11D Round Bale Hugger for Current 600/700 Series Carrier	\$6,880.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AH11 Series)	No Added Cost



AH11G Round Bale Hugger for Current Loaders with Global Carrier

Code	Description	List price(USD)
	<p>AH11G Round Bale Hugger for Current Loaders with Global Carrier</p> <p>Capacity: 1 Round Bale</p> <p>Hydraulic Service: Single Auxiliary</p> <p>Shipping Weight with Pallet: 825 lbs.</p> <p>Operational Weight: 725 lbs.</p> <p>Dimensions: 50H x 57W x 60L</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2133XF	AH11G Round Bale Hugger for Current Loaders with Global Carrier	\$6,235.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AH11 Series)	No Added Cost

**AB13K Heavy Duty Single Tine Bale Spear for Current Loaders with Global Category 2 Carrier (H480 Loader only)**

Code	Description	List price(USD)
	<p>AB13K Heavy Duty Single Tine Bale Spear for Current Loaders with Global Category 2 Carrier (H480 Loader only)</p> <p>Primary Spear: One - 53 In. x 2.25 In. (Approximate 46 In. Usable Length)</p> <p>Stabilizing Spears: Two - 20 In. x 1.25 In.</p> <p>Capacity: One Large Round Bale (3000 lbs.)</p> <p>Dimensions: 29H x 59W x 63L (Global Category 2 Carrier, H480 Loader)</p> <p>Operational Weight: 331 lbs. (Global Category 2 Carrier, H480 Loader)</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i></p>	
2164XF	AB13K Heavy Duty Single Tine Bale Spear for Current Loaders with Global Category 2 Carrier (H480 Loader only)	\$1,384.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5MP43053	French Operator's Manual and Decal Kit	\$58.08



HS2001 - 3-Point Single Tine Hay Spear

Code	Description	List price(USD)
HS2001 - 3-Point Single Tine Hay Spear		
	Primary Spears: One - 47 in. x 1.65 in. (119.4 cm. x 4.2 cm) (Approximate 41 in. (104.1 cm. Usable Length) Primary Spear Location: Top Stabilizing Spears: Two - 10 in. x 1.25 in. (25.4 cm. x 3.2 cm.) Stabilizing Spear Location: Bottom Replaceable Spears: Yes, Bolt-In Tine Framing: Tubular Bale Handling Capacity: One Large Round Bale Implement Capacity: 2200 lbs. at 24 in. (997.9 kg. at 61 cm.) Hitch: Category I and II (iMatch and Quick Coupler) Dimensions: 24.75 in. (H) x 37.5 in. (W) x 49.5 in. (L) (62.9 cm. x 95.3 cm. x 125.7 cm.) Assembly: 15 Minutes Operational Weight: 72 lbs. (32.7 kg.) Warranty: 1 Year	
BASE MACHINE		
2280XF	HS2001 - 3-Point Single Tine Hay Spear	\$524.00



HS2002 - 3-Point Dual Tine Hay Spear

Code	Description	List price(USD)
HS2002 - 3-Point Dual Tine Hay Spear		
	Primary Spears: Two - 47 in. x 1.65 in. (119.4 cm. x 4.2 cm) (Approximate 42.5 in. (108 cm. Usable Length) Primary Spear Location: Bottom Replaceable Spears: Yes, Bolt-In Tine Framing: Tubular Bale Handling Capacity: One Large Round Bale Implement Capacity: 3000 lbs. at 24 in. (1,360.8 kg. at 61 cm.) Hitch: Category II and III (Quick Coupler - II, III, and 3N) Dimensions: 26.5 in. (H) x 47.5 in. (W) x 51.5 in. (L) (67.3 cm. x 120.7 cm. x 130.8 cm.) Assembly: 15 Minutes Operational Weight: 138 lbs. (62.6 kg.) Warranty: 1 Year	
BASE MACHINE		
2281XF	HS2002 - 3-Point Dual Tine Hay Spear	\$733.00



HS2003 - 3-Point Triple Tine Hay Spear

Code	Description	List price(USD)
HS2003 - 3-Point Triple Tine Hay Spear		
	Primary Spears: Three - 47 in. x 1.65 in. (119.4 cm. x 4.2 cm) (Approximate 42.5 in. (108 cm. Usable Length) Primary Spear Location: Bottom Replaceable Spears: Yes, Bolt-In Tine Framing: Tubular Bale Handling Capacity: One Large Square Bale Implement Capacity: 3000 lbs. at 24 in. (1,360.8 kg. at 61 cm.) Hitch: Category II and III (Quick Coupler - II, III, and 3N) Dimensions: 26.5 in. (H) x 60 in. (W) x 51.5 in. (L) (67.3 cm. x 152.4 cm. x 130.8 cm.) Assembly: 30 Minutes Operational Weight: 178 lbs. (80.7 kg.) Warranty: 1 Year	
BASE MACHINE		
2282XF	HS2003 - 3-Point Triple Tine Hay Spear	\$1,075.00



HS2004 - 3-Point Quadruple Tine Hay Spear

Code	Description	List price(USD)
HS2004 - 3-Point Quadruple Tine Hay Spear		
Primary Spears: Four - 47 in. x 1.65 in. (119.4 cm. x 4.2 cm) (Approximate 42.5 in. (108 cm. Usable Length) Primary Spear Location: Bottom Replaceable Spears: Yes, Bolt-In Tine Framing: Tubular Bale Handling Capacity: Two Large Round Bales (up to 5 ft. x 6 ft.(1.5 m x 1.8 m) Implement Capacity: 4000 lbs. at 24 in. (1,814.4 kg. at 61 cm.) Hitch: Category II and III (Quick Coupler - II, III, and 3N) Dimensions: 26.5 in. (H) x 96 in. (W) x 51.5 in. (L) (67.3 cm. x 243.8 cm. x 130.8 cm.) Assembly: 30 Minutes Operational Weight: 255 lbs. (115.7 kg.) Warranty: 1 Year		
BASE MACHINE		
2283XF	HS2004 - 3-Point Quadruple Tine Hay Spear	\$1,462.00



AB14K Heavy Duty Bale Spear for Loaders with Global Category 2 Carrier

Code	Description	List price(USD)
	<p>AB14K Heavy Duty Bale Spear for Loaders with Global Category 2 Carrier</p> <p>Two Primary Spear Options: Two - 53 In. x 2.2 In. Two - 41 In. x 2.2 In. Stabilizing Spears: Two - 20 In. x 1.25 In. Capacity: Two Large Round Bales / One Large Square Bale Shipping Weight: 436 lbs. Operational Weight: 511 lbs. Dimensions:29H x 81W x 61L</p>	
	<p>BASE MACHINE</p> <p><i>Handles (2) 6 Ft. or less round bales or (1) 4 x 8 square bale on loaders with Global Category 2 Carrier.</i> <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i></p>	
2291XF	AB14K Heavy Duty Bale Spear for Loaders with Global Category 2 Carrier	\$2,433.00
	<p>FRAME</p> <p>Basic Factory Options</p> <p>BALE SPEAR LENGTH</p>	
2410	41 In. Bale Spear <i>For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	\$385.00
2411	53 In. Bale Spear <i>For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	\$405.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	



AB14K Heavy Duty Bale Spear for Loaders with Global Category 2 Carrier

Code	Description	List price(USD)
5MP43053	French Operator's Manual and Decal Kit	\$58.08

**AB15K Heavy Duty Bale Spear for 2 Large Square Bales for Loaders with Global Category 2 Carrier**

Code	Description	List price(USD)
	<p>AB15K Heavy Duty Bale Spear for 2 Large Square Bales for Loaders with Global Category 2 Carrier</p> <p>Two Primary Bottom Spear Options: Four - 53 In. x 2.2 In. Four - 41 In. x 2.2 In. Top Stabilizing Spears: Two - 28 In. x 1.25 In. Capacity: Two Large Square Bales Operational Weight: 800 lbs. Shipping Weight: 875 lbs. Dimensions: 69H x 72W x 60L</p>	
	<p>BASE MACHINE</p> <p><i>Handles two large 4 x 8 square bales on loaders with Global Category 2 Carrier.</i> <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i></p>	
2301XF	AB15K Heavy Duty Bale Spear for 2 Large Square Bales for Loaders with Global Category 2 Carrier	\$5,077.00
	<p>FRAME</p> <p>Basic Factory Options</p> <p>BALE SPEAR LENGTH</p>	
2410	41 In. Bale Spear <i>For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	\$800.00
2411	53 In. Bale Spear <i>For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	\$840.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	



AB15K Heavy Duty Bale Spear for 2 Large Square Bales for Loaders with Global Category 2 Carrier

Code	Description	List price(USD)
5MP43053	French Operator's Manual and Decal Kit	\$58.08



AB17K Large Square Bale Squeeze for Global Category 2 Carrier

Code	Description	List price(USD)
	<p>AB17K Large Square Bale Squeeze for Global Category 2 Carrier</p> <p>Two 96 In. Arms 110 In. Opening Width Capacity: Two Large Square Bales Hydraulics: Single Auxiliary Shipping Weight: 1875 lbs. Operational Weight: 1665 lbs. Dimensions: 68H x 91W x 99L</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2311XF	AB17K Large Square Bale Squeeze for Global Category 2 Carrier	\$12,005.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit for Models: (AB17K)	No Added Cost

**AB18K Bale Spear for 3 Large Square Bales for Loaders with Global Category 2 Carrier**

Code	Description	List price(USD)
	<p>AB18K Bale Spear for 3 Large Square Bales for Loaders with Global Category 2 Carrier</p> <p>Two Primary Bottom Spear Options: Four - 53 In. x 2.2 In. Four - 41 In. x 2.2 In. Top Stabilizing Spears: Two - 20 In. x 1.25 In. Capacity: Three Large Square Bales Operational Weight: 931 lbs. Shipping Weight: 1,062 lbs. Dimensions: 116H x 72W x 61L</p>	
	<p>BASE MACHINE</p> <p><i>Handles three large 4 x 4 x 8 square bales on loaders with Global Category 2 Carrier.</i> <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S., Canada, QC.</i> AB18K Bale Spear for 3 Large Square Bales for Loaders with Global Category 2 Carrier</p>	
2321XF		\$7,053.00
	<p>FRAME</p> <p>Basic Factory Options</p> <p>BALE SPEAR LENGTH</p>	
2410	41 In. Bale Spear <i>For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	\$800.00
2411	53 In. Bale Spear <i>For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	\$840.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECAL KIT</p>	
9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost