



AD11H - 60 In. Debris Grapple Bucket for Current 300/400 Series Carrier

Code	Description	List price(USD)
	<p>AD11H - 60 In. Debris Grapple Bucket for Current 300/400 Series Carrier</p> <p>Cutting Width: 60 In. Loader Series: 300 and 400 Only (Not 500 Series) Dimensions: W60 In. x H22 In. x D32 In. Capacity: 0.3 Cubic Foot Struck 0.4 Cubic Foot Heaped Grapple Opening: 32.75 In. Operational Weight: 540 lbs. Shipping Weight: 570 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	BASE MACHINE	
2061XF	AD11H - 60 In. Debris Grapple Bucket for Current 300/400 Series Carrier	\$4,895.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost

**AD11E - 72 In. Debris Grapple Bucket for Current 300/400/500 Series Carrier**

Code	Description	List price(USD)
	<p>AD11E - 72 In. Debris Grapple Bucket for Current 300/400/500 Series Carrier</p> <p>Cutting Width: 72 In. Loader Series: 300, 400, and 500 Dimensions: W72 In. x H22 In. x D32 In. Capacity: 0.4 Cubic Foot Struck 0.5 Cubic Foot Heaped Grapple Opening: 34.5 In. Operational Weight: 615 lbs. Shipping Weight: 684 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Hydraulic Kit 5MP107610 is required to adapt buckets to 1/2 In. body couplers. 1/2 In. body couplers are standard equipment for 500 series loader 3rd function oil lines and hoses. Order Hydraulic Kit through parts.</i></p> <p><i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2062XF	AD11E - 72 In. Debris Grapple Bucket for Current 300/400/500 Series Carrier	\$5,252.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost

**AD12D - 76 In. Debris Grapple Bucket for Current 600/700 Series Carrier**

Code	Description	List price(USD)
	<p>AD12D - 76 In. Debris Grapple Bucket for Current 600/700 Series Carrier</p> <p>Cutting Width: 76 In. Loader Series: 600 and 700 Dimensions: W77 In. x H29 In. x D41 In. Capacity: 0.6 Cubic Foot Struck 0.7 Cubic Foot Heaped Grapple Opening: 39.4 In. Operational Weight: 1100 lbs. Shipping Weight: 1150 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	BASE MACHINE	
2071XF	AD12D - 76 In. Debris Grapple Bucket for Current 600/700 Series Carrier	\$6,916.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
	<p>EDGE</p> <p>Field Installed Options</p> <p>DEBRIS BUCKET CUTTING EDGE KIT</p>	
9000	Cutting Edge Kit (AD12 Series Only) For 76 In. Debris Bucket	\$621.00
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FP10123	76 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	\$790.77

**AD12G - 76 In. Debris Grapple Bucket for Current Loaders with Global Carrier**

Code	Description	List price(USD)
	<p>AD12G - 76 In. Debris Grapple Bucket for Current Loaders with Global Carrier</p> <p>Cutting Width: 76 In. Loader Series: Global Carrier Dimensions: W77 In. x H29 In. x D39 In. Capacity: 0.6 Cubic Foot Struck 0.7 Cubic Foot Heaped Grapple Opening: 39.4 In. Operational Weight: 1080 lbs. Shipping Weight: 1130 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2072XF	AD12G - 76 In. Debris Grapple Bucket for Current Loaders with Global Carrier	\$6,847.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
	<p>EDGE</p> <p>Field Installed Options</p> <p>DEBRIS BUCKET CUTTING EDGE KIT</p>	
9000	Cutting Edge Kit (AD12 Series Only) For 76 In. Debris Bucket	\$621.00
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FP10123	76 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	\$790.77

**AD12D - 82 In. Debris Grapple Bucket for Current 600/700 Series Carrier**

Code	Description	List price(USD)
	AD12D - 82 In. Debris Grapple Bucket for Current 600/700 Series Carrier Cutting Width: 82" In. Loader Series: 600 and 700 Dimensions: W83 In. x H29 In. x D41 In. Capacity: 0.7 Cubic Foot Struck 0.8 Cubic Foot Heaped Grapple Opening: 39.4 In. Operational Weight: 1150 lbs. Shipping Weight: 1200 lbs. Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.	
	BASE MACHINE	
2073XF	AD12D - 82 In. Debris Grapple Bucket for Current 600/700 Series Carrier	\$7,330.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9200	French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
	EDGE Field Installed Options DEBRIS BUCKET CUTTING EDGE KIT	
9000	Cutting Edge Kit (AD12 Series Only) <i>For 82 In. Debris Bucket</i>	\$642.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5FP10089	82 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	\$669.14

**AD12G - 82 In. Debris Grapple Bucket for Current Loaders with Global Carrier**

Code	Description	List price(USD)
	<p>AD12G - 82 In. Debris Grapple Bucket for Current Loaders with Global Carrier</p> <p>Cutting Width: 82 In. Loader Series: Global Carrier Dimensions: W83 In. x H29 In. x D39 In. Capacity: 0.7 Cubic Foot Struck 0.8 Cubic Foot Heaped Grapple Opening: 39.4 In. Operational Weight: 1130 lbs. Shipping Weight: 1180 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2074XF	AD12G - 82 In. Debris Grapple Bucket for Current Loaders with Global Carrier	\$7,118.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
	<p>EDGE</p> <p>Field Installed Options</p> <p>DEBRIS BUCKET CUTTING EDGE KIT</p>	
9000	Cutting Edge Kit (AD12 Series Only) For 82 In. Debris Bucket	\$642.00
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FP10089	82 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	\$669.14

**AD12D - 88 In. Debris Grapple Bucket for Current 600/700 Series Carrier**

Code	Description	List price(USD)
	AD12D - 88 In. Debris Grapple Bucket for Current 600/700 Series Carrier Cutting Width: 88 In. Loader Series: 600 and 700 Dimensions: W89 In. x H29 In. x D41 In. Capacity: 0.85 Cubic Foot Struck 1.0 Cubic Foot Heaped Grapple Opening: 39.4 In. Operational Weight: 1200 lbs. Shipping Weight: 1250 lbs. Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.	
	BASE MACHINE	
2075XF	AD12D - 88 In. Debris Grapple Bucket for Current 600/700 Series Carrier	\$7,570.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9200	French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
	EDGE Field Installed Options DEBRIS BUCKET CUTTING EDGE KIT	
9000	Cutting Edge Kit (AD12 Series Only) <i>For 88 In. Debris Bucket</i>	\$678.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5FP10124	88 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	\$706.64

**AD12G - 88 In. Debris Grapple Bucket for Current Loaders with Global Carrier**

Code	Description	List price(USD)
	<p>AD12G - 88 In. Debris Grapple Bucket for Current Loaders with Global Carrier</p> <p>Cutting Width: 88 In. Loader Series: Global Carrier Dimensions: W89 In. x H29 In. x D39 In. Capacity: 0.85 Cubic Foot Struck 1.0 Cubic Foot Heaped Grapple Opening: 39.4 In. Operational Weight: 1180 lbs. Shipping Weight: 1230 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2076XF	AD12G - 88 In. Debris Grapple Bucket for Current Loaders with Global Carrier	\$7,428.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
	<p>EDGE</p> <p>Field Installed Options</p> <p>DEBRIS BUCKET CUTTING EDGE KIT</p>	
9000	Cutting Edge Kit (AD12 Series Only) For 88 In. Debris Bucket	\$678.00
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FP10124	88 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	\$706.64

**AD12G - 96 In. Debris Grapple Bucket for Current Loaders with Global Carrier**

Code	Description	List price(USD)
	<p>AD12G - 96 In. Debris Grapple Bucket for Current Loaders with Global Carrier</p> <p>Cutting Width: 96 In. Loader Series: Global Carrier Dimensions: W96 In. x H29 In. x D39 In. Capacity: 1.0 Cubic Foot Struck 1.2 Cubic Foot Heaped Grapple Opening: 39.4 In. Operational Weight: 1230 lbs. Shipping Weight: 1280 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2078XF	AD12G - 96 In. Debris Grapple Bucket for Current Loaders with Global Carrier	\$7,433.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
	<p>EDGE</p> <p>Field Installed Options</p> <p>DEBRIS BUCKET CUTTING EDGE KIT</p>	
9000	Cutting Edge Kit (AD12 Series Only) For 96 In. Debris Bucket	\$685.00
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FP10125	96 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	\$713.90



AE11E - 60 In. Free Stall Scraper for Current 300/400/500 Series Carrier

Code	Description	List price(USD)
	AE11E - 60 In. Free Stall Scraper for Current 300/400/500 Series Carrier Cutting Width: 60 In. Loader Series: 300, 400, and 500 Dimensions: W60 In. x H28 In. x D29 In. Optional Bolt-on Backdrag Weight: 138 lbs. Operational Weight: 240 lbs. Shipping Weight: 290 lbs.	
	BASE MACHINE	
2081XF	AE11E - 60 In. Free Stall Scraper for Current 300/400/500 Series Carrier	\$2,050.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9200	French Operators Manual and Decal Kit (AE11 Series)	No Added Cost
	MISCELLANEOUS Field Installed Options BACK DRAG ATTACHMENT	
9000	Back Drag Attachment (AE11E) <i>For 60 In. Free Stall Scraper.</i>	\$800.00
	ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5FP10736	60 In. Back Drag Attachment (AE11E)	\$969.28
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	\$134.32

**AE11E - 72 In. Free Stall Scraper for Current 300/400/500 Series Carrier**

Code	Description	List price(USD)
	AE11E - 72 In. Free Stall Scraper for Current 300/400/500 Series Carrier Cutting Width: 72 In. Loader Series: 300, 400, and 500 Dimensions: W72 In. x H28 In. x D29 In. Optional Bolt-on Backdrag Weight: 161 lbs. Operational Weight: 265 lbs. Shipping Weight: 315 lbs.	
	BASE MACHINE	
2082XF	AE11E - 72 In. Free Stall Scraper for Current 300/400/500 Series Carrier	\$2,375.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9200	French Operators Manual and Decal Kit (AE11 Series)	No Added Cost
	MISCELLANEOUS Field Installed Options BACK DRAG ATTACHMENT	
9000	Back Drag Attachment (AE11E) <i>For 72 In. Free Stall Scraper.</i>	\$833.00
	ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5FP10737	72 In. Back Drag Attachment (AE11E)	\$1,055.09
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	\$134.32

**AE11E - 84 In. Free Stall Scraper for Current 300/400/500 Series Carrier**

Code	Description	List price(USD)
	AE11E - 84 In. Free Stall Scraper for Current 300/400/500 Series Carrier Cutting Width: 84 In. Loader Series: 300, 400, and 500 Dimensions: W84 In. x H28 In. x D29 In. Optional Bolt-on Backdrag Weight: 194 lbs. Operational Weight: 285 lbs. Shipping Weight: 335 lbs.	
	BASE MACHINE	
2083XF	AE11E - 84 In. Free Stall Scraper for Current 300/400/500 Series Carrier	\$2,401.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9200	French Operators Manual and Decal Kit (AE11 Series)	No Added Cost
	MISCELLANEOUS Field Installed Options BACK DRAG ATTACHMENT	
9000	Back Drag Attachment (AE11E) <i>For 84 In. Free Stall Scraper.</i>	\$1,020.00
	ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	\$134.32



AE11E - 96 In. Free Stall Scraper for Current 300/400/500 Series Carrier

Code	Description	List price(USD)
	AE11E - 96 In. Free Stall Scraper for Current 300/400/500 Series Carrier Cutting Width: 96 In. Loader Series: 300, 400, and 500 Dimensions: W96 In. x H28 In. x D29 In. Optional Bolt-on Backdrag Weight: 226 lbs. Operational Weight: 305 lbs. Shipping Weight: 355 lbs.	
	BASE MACHINE	
2084XF	AE11E - 96 In. Free Stall Scraper for Current 300/400/500 Series Carrier	\$2,528.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9200	French Operators Manual and Decal Kit (AE11 Series)	No Added Cost
	MISCELLANEOUS Field Installed Options BACK DRAG ATTACHMENT	
9000	Back Drag Attachment (AE11E) <i>For 96 In. Free Stall Scraper.</i>	\$1,078.00
	ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	\$134.32



AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier

Code	Description	List price(USD)
	<p>AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier</p> <p>Cutting Width: 6 Ft. Loader Series: 300, 400, and 500 Dimensions: W72 In. x H23 In. x D34 In. Operational Weight: 400 lbs. Shipping Weight: 430 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	BASE MACHINE	
2091XF	AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier	\$3,295.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
	<p>EDGE</p> <p>Field Installed Options</p> <p>RUBBER EDGE KIT</p>	
9020	Rubber Edge Kit For 6 Ft. AF11E	\$637.00
	<p>HYDRAULICS</p> <p>Additional Factory Options</p> <p>HYDRAULICS</p>	
9000	Hydraulic angle Kit for 6 Ft. and 7 Ft. AF11E	\$755.00
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FP10726	Hydraulic Angle Kit for 6 Ft. and 7 Ft. AF11E	\$941.92
5FPLAF6486	Rubber Edge Kit for 6 Ft. AF11E	\$771.46



AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier

Code	Description	List price(USD)
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	\$134.32



AF11D - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier

Code	Description	List price(USD)
	<p>AF11D - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier</p> <p>Cutting Width: 7 Ft. Loader Series: 600 Series Loaders on 6000 Series Tractors Dimensions: W84 In. x H32 In. x D48 In. Operational Weight: 730 lbs. Shipping Weight: 780 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>ONLY 6000 series tractors. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2092XF	AF11D - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier	\$6,244.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
	<p>EDGE</p> <p>Field Installed Options</p> <p>RUBBER EDGE KIT</p>	
9020	Rubber Edge Kit For 7 Ft. AF11D and AF11G	\$799.00
9010	Rubber Top Flap Kit For 7 Ft. AF11D and AF11G.	\$303.00
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FPLAF6492	Rubber Top Flap Kit for 7 Ft. AF11D and AF11G	\$386.90



AF11D - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier

Code	Description	List price(USD)
5FPLAF1551	Rubber Edge Kit for 7 Ft. AF11D and AF11G	\$833.70
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	\$134.32



AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier

Code	Description	List price(USD)
	<p>AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier</p> <p>Cutting Width: 7 Ft. Loader Series: 300, 400, and 500 Dimensions: W84 In. x H23 In. x D34 In. Operational Weight: 450 lbs. Shipping Weight: 480 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	BASE MACHINE	
2093XF	AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier	\$3,345.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
	<p>EDGE</p> <p>Field Installed Options</p> <p>RUBBER EDGE KIT</p>	
9020	Rubber Edge Kit For 7 Ft. AF11E	\$683.00
	<p>HYDRAULICS</p> <p>Additional Factory Options</p> <p>HYDRAULICS</p>	
9000	Hydraulic angle Kit for 6 Ft. and 7 Ft. AF11E	\$755.00
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FP10726	Hydraulic Angle Kit for 6 Ft. and 7 Ft. AF11E	\$941.92
5FPLAF6487	Rubber Edge Kit for 7 Ft. AF11E	\$796.39



AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier

Code	Description	List price(USD)
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	\$134.32

**AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier**

Code	Description	List price(USD)
	<p>AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier</p> <p>Cutting Width: 7 Ft. Loader Series: Global Carrier on 6000 Series Tractors Dimensions: W84 In. x H32 In. x D48 In. Operational Weight: 710 lbs. Shipping Weight: 760 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>ONLY 6000 series tractors and smaller. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2094XF	AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier	\$5,859.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
	<p>EDGE</p> <p>Field Installed Options</p> <p>RUBBER EDGE KIT</p>	
9020	Rubber Edge Kit For 7 Ft. AF11D and AF11G	\$799.00
9010	Rubber Top Flap Kit For 7 Ft. AF11D and AF11G.	\$303.00
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FPLAF6492	Rubber Top Flap Kit for 7 Ft. AF11D and AF11G	\$386.90



AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier

Code	Description	List price(USD)
5FPLAF1551	Rubber Edge Kit for 7 Ft. AF11D and AF11G	\$833.70
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	\$134.32

**AF11D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier**

Code	Description	List price(USD)
	<p>AF11D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier</p> <p>Cutting Width: 8 Ft. Loader Series: 600 Series Loaders on 6000 Series Tractors Dimensions: W96 In. x H32 In. x D54 In. Operational Weight: 1195 lbs. Shipping Weight: 1245 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>ONLY 6000 series tractors. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2095XF	AF11D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier	\$6,446.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
	<p>EDGE</p> <p>Field Installed Options</p> <p>RUBBER EDGE KIT</p>	
9020	Rubber Edge Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G</i>	\$887.00
9010	Rubber Top Flap Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G.</i>	\$327.00
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FPLAF6493	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	\$340.02



AF11D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier

Code	Description	List price(USD)
5FPLAF1552	Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	\$924.44
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	\$134.32

**AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier**

Code	Description	List price(USD)
	<p>AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier</p> <p>Cutting Width: 8 Ft. Loader Series: Global Carrier on 6000 Series Tractors Dimensions: W96 In. x H32 In. x D54 In. Operational Weight: 1175 lbs. Shipping Weight: 1225 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>ONLY 6000 series tractors and smaller. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2096XF	AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier	\$6,422.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
	<p>EDGE</p> <p>Field Installed Options</p> <p>RUBBER EDGE KIT</p>	
9020	Rubber Edge Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G</i>	\$887.00
9010	Rubber Top Flap Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G.</i>	\$327.00
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FPLAF6493	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	\$340.02



AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier

Code	Description	List price(USD)
5FPLAF1552	Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	\$924.44
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	\$134.32

**AF12D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier**

Code	Description	List price(USD)
	<p>AF12D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier</p> <p>Cutting Width: 8 Ft. Loader Series: 600 and 700 Dimensions: W96 In. x H32 In. x D54 In. Operational Weight: 1195 lbs. Shipping Weight: 1245 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AF12D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier</p>	
2101XF		\$8,573.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
	<p>EDGE</p> <p>Field Installed Options</p> <p>RUBBER EDGE KIT</p>	
9020	Rubber Edge Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G</i>	\$887.00
9010	Rubber Top Flap Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G.</i>	\$327.00
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FPLAF6493	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	\$340.02
5FPLAF1552	Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	\$924.44
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	\$134.32

**AF12G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier**

Code	Description	List price(USD)
	<p>AF12G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier</p> <p>Cutting Width: 8 Ft. Loader Series: Global Carrier Dimensions: W96 In. x H32 In. x D54 In. Operational Weight: 1175 lbs. Shipping Weight: 1225 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2102XF	AF12G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier	\$7,639.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
	<p>EDGE</p> <p>Field Installed Options</p> <p>RUBBER EDGE KIT</p>	
9020	Rubber Edge Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G</i>	\$887.00
9010	Rubber Top Flap Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G.</i>	\$327.00
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FPLAF6493	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	\$340.02
5FPLAF1552	Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	\$924.44



AF12G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier

Code	Description	List price(USD)
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	\$134.32

**AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier**

Code	Description	List price(USD)
	<p>AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier</p> <p>Cutting Width: 9 Ft. Loader Series: 600 and 700 Dimensions: W96 In. x H32 In. x D54 In. Operational Weight: 1195 lbs. Shipping Weight: 1245 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier</p>	
2103XF		\$9,496.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
	<p>EDGE</p> <p>Field Installed Options</p> <p>RUBBER EDGE KIT</p>	
9020	Rubber Edge Kit For 9 Ft. AF12D and AF12G	\$968.00
9010	Rubber Top Flap Kit For 9 Ft. AF12D and AF12G.	\$351.00
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FPLAF6494	Rubber Top Flap Kit for 9 Ft. AF12D and AF12G	\$454.65
5FPLAF1553	Rubber Edge Kit for 9 Ft. AF12D and AF12G	\$1,188.40
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	\$134.32

**AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier**

Code	Description	List price(USD)
	<p>AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier</p> <p>Cutting Width: 9 Ft. Loader Series: Global Carrier Dimensions: W96 In. x H32 In. x D54 In. Operational Weight: 1175 lbs. Shipping Weight: 1225 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2104XF	AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier	\$8,550.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
	<p>EDGE</p> <p>Field Installed Options</p> <p>RUBBER EDGE KIT</p>	
9020	Rubber Edge Kit For 9 Ft. AF12D and AF12G	\$968.00
9010	Rubber Top Flap Kit For 9 Ft. AF12D and AF12G.	\$351.00
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FPLAF6494	Rubber Top Flap Kit for 9 Ft. AF12D and AF12G	\$454.65
5FPLAF1553	Rubber Edge Kit for 9 Ft. AF12D and AF12G	\$1,188.40



AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier

Code	Description	List price(USD)
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	\$134.32

**AF12D - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier**

Code	Description	List price(USD)
	<p>AF12D - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier</p> <p>Cutting Width: 10 Ft. Loader Series: 600 and 700 Dimensions: W96 In. x H32 In. x D54 In. Operational Weight: 1195 lbs. Shipping Weight: 1245 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AF12D - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier</p>	
2105XF		\$9,563.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
	<p>EDGE</p> <p>Field Installed Options</p> <p>RUBBER EDGE KIT</p>	
9020	Rubber Edge Kit For 10 Ft. AF12D and AF12G	\$1,052.00
9010	Rubber Top Flap Kit For 10 Ft. AF12D and AF12G.	\$375.00
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FPLAF1554	Rubber Edge Kit for 10 Ft. AF12D and AF12G	\$1,097.48
5FPLAF6495	Rubber Top Flap Kit for 10 Ft. AF12D and AF12G	\$464.97
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	\$134.32

**AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier**

Code	Description	List price(USD)
	<p>AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier</p> <p>Cutting Width: 10 Ft. Loader Series: Global Carrier Dimensions: W96 In. x H32 In. x D54 In. Operational Weight: 1175 lbs. Shipping Weight: 1225 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2106XF	AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier	\$8,801.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
	<p>EDGE</p> <p>Field Installed Options</p> <p>RUBBER EDGE KIT</p>	
9020	Rubber Edge Kit For 10 Ft. AF12D and AF12G	\$1,052.00
9010	Rubber Top Flap Kit For 10 Ft. AF12D and AF12G.	\$375.00
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FPLAF1554	Rubber Edge Kit for 10 Ft. AF12D and AF12G	\$1,097.48
5FPLAF6495	Rubber Top Flap Kit for 10 Ft. AF12D and AF12G	\$464.97



AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier

Code	Description	List price(USD)
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	\$134.32



AM11H - 60 In. Manure Fork with Grapple for Current 300CX/400 Series Carrier

Code	Description	List price(USD)
	<p>AM11H - 60 In. Manure Fork with Grapple for Current 300CX/400 Series Carrier</p> <p>Cutting Width: 60 In. Loader Series: 300 and 400 Only (Not 500 Series) Dimensions: W60 In. x H26.5 In. x D34 In. Grapple Opening: 37 In. Operational Weight: 457 lbs. Shipping Weight: 507 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2141XF	AM11H - 60 In. Manure Fork with Grapple for Current 300CX/400 Series Carrier	\$3,641.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AM11 Series)	No Added Cost

**AM11E - 72 In. Manure Fork with Grapple for Current 300CX/400/500 Series Carrier**

Code	Description	List price(USD)
	<p>AM11E - 72 In. Manure Fork with Grapple for Current 300CX/400/500 Series Carrier</p> <p>Cutting Width: 72 In. Loader Series: 300, 400, and 500 Dimensions: W72 In. x H26.5 In. x D34 In. Grapple Opening: 37 In. Operational Weight: 471 lbs. Shipping Weight: 521 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2142XF	AM11E - 72 In. Manure Fork with Grapple for Current 300CX/400/500 Series Carrier	\$3,730.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AM11 Series)	No Added Cost



AM11D - 84 In. Manure Fork with Grapple for Current 600/700 Series Carrier

Code	Description	List price(USD)
	<p>AM11D - 84 In. Manure Fork with Grapple for Current 600/700 Series Carrier</p> <p>Cutting Width: 84 In. Loader Series: 600 and 700 Dimensions: W84 In. x H27.5 In. x D26 In. Grapple Opening: 37 In. Operational Weight: 587 lbs. Shipping Weight: 637 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2143XF	AM11D - 84 In. Manure Fork with Grapple for Current 600/700 Series Carrier	\$4,300.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AM11 Series)	No Added Cost



AM11G - 84 In. Manure Fork with Grapple for Current Loaders with Global Carrier

Code	Description	List price(USD)
	<p>AM11G - 84 In. Manure Fork with Grapple for Current Loaders with Global Carrier</p> <p>Cutting Width: 84 In. Loader Series: Global Carrier Dimensions: W84 In. x H24 In. x D35 In. Grapple Opening: 37 In. Operational Weight: 537 lbs. Shipping Weight: 587 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2144XF	<p>AM11G - 84 In. Manure Fork with Grapple for Current Loaders with Global Carrier</p>	\$4,568.00
	<p>DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS</p>	
9200	<p>French Operators Manual and Decal Kit (AM11 Series)</p>	No Added Cost



AM11G - 96 In. Manure Fork with Grapple for Current Loaders with Global Carrier

Code	Description	List price(USD)
	<p>AM11G - 96 In. Manure Fork with Grapple for Current Loaders with Global Carrier</p> <p>Cutting Width: 96 In. Loader Series: Global Carrier Dimensions: W96 In. x H24 In. x D35 In. Grapple Opening: 37 In. Operational Weight: 601 lbs. Shipping Weight: 651 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p> <p>AM11G - 96 In. Manure Fork with Grapple for Current Loaders with Global Carrier</p>	\$5,298.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AM11 Series)	No Added Cost

**AP12A Fixed Pallet Fork for Current 800 Series Carrier**

Code	Description	List price(USD)
	AP12A Fixed Pallet Fork for Current 800 Series Carrier Pallet Forks (42 In. or 48 In. in Length): Two - 1.57 In. x 5.12 In. (600, 700, Global, and 800 Series Loaders) Load Rating: 5500 lbs. (600, 700, Global, and 800 Series Loaders) Dimensions (42 In. Forks or 48 In. Forks): 37H x 60W x 54L or 60L Operational Weight (42 In. Forks or 48 In. Forks): 445 or 465 lbs.	
	BASE MACHINE <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	
2151XF	AP12A Fixed Pallet Fork for Current 800 Series Carrier	\$2,533.00
	PALLET TINE LENGTH Basic Factory Options PALLET TINE	
1000	42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	No Added Cost
1010	48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	\$73.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9200	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5MP43053	French Operator's Manual and Decal Kit	\$58.08



AP12D Fixed Pallet Fork for Current 600/700 Series Carrier

Code	Description	List price(USD)
	<p>AP12D Fixed Pallet Fork for Current 600/700 Series Carrier</p> <p>Pallet Forks (42 In. or 48 In. in Length): Two - 1.57 In. x 5.12 In. (600, 700, Global, and 800 Series Loaders) Load Rating: 5500 lbs. (600, 700, Global, and 800 Series Loaders) Dimensions (42 In. Forks or 48 In. Forks): 34H x 50W x 54L or 60L Operational Weight (42 In. Forks or 48 In. Forks): 445 or 465 lbs.</p>	
	<p>BASE MACHINE</p> <p><i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2152XF	AP12D Fixed Pallet Fork for Current 600/700 Series Carrier	\$1,815.00
	<p>PALLET TINE LENGTH</p> <p>Basic Factory Options</p> <p>PALLET TINE</p>	
1000	42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	No Added Cost
1010	48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	\$73.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5MP43053	French Operator's Manual and Decal Kit	\$58.08



AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier

Code	Description	List price(USD)
	<p>AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier</p> <p>Pallet Forks (42 In. or 48 In. in Length): Two - 1.38 In. x 4.72 In. (200, 300, 400, and 500 Series Loaders) Load Rating: 3750 lbs. (200, 300, 400, and 500 Series Loaders) Dimensions (42 In. Forks or 48 In. Forks): 34H x 50W x 51L or 57L Operational Weight (42 In. Forks or 48 In. Forks): 380 or 395 lbs.</p>	
	<p>BASE MACHINE</p> <p><i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p> <p>AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier</p>	
2153XF		\$1,469.00
	<p>PALLET TINE LENGTH Basic Factory Options PALLET TINE</p>	
1000	42 In. Pallet Tine <i>Rated for 3750 lbs.</i>	No Added Cost
1010	48 In. Pallet Tine <i>Rated for 3750 lbs.</i>	\$54.00
	<p>DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
	<p>MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS</p>	
5MP43053	French Operator's Manual and Decal Kit	\$58.08



AP12G Fixed Pallet Fork for Current Loaders with Global Carrier

Code	Description	List price(USD)
	<p>AP12G Fixed Pallet Fork for Current Loaders with Global Carrier</p> <p>Pallet Forks (42 In. or 48 In. in Length): Two - 1.57 In. x 5.12 In. (600, 700, Global, and 800 Series Loaders) Load Rating: 5500 lbs. (600, 700, Global, and 800 Series Loaders) Dimensions (42 In. Forks or 48 In. Forks): 37H x 60W x 54L or 60L Operational Weight (42 In. Forks or 48 In. Forks): 456 or 476 lbs.</p>	
	<p>BASE MACHINE</p> <p><i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2154XF	AP12G Fixed Pallet Fork for Current Loaders with Global Carrier	\$1,748.00
	<p>PALLET TINE LENGTH</p> <p>Basic Factory Options</p> <p>PALLET TINE</p>	
1000	42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	No Added Cost
1010	48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	\$73.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5MP43053	French Operator's Manual and Decal Kit	\$58.08

**AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only)**

Code	Description	List price(USD)
	<p>AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only)</p> <p>Pallet Forks (48 In. in Length): Two - 2.00 In. x 5.00 In. (Global Category 2, Loader Carrier) Load Rating: 10,000 lbs. (Global Category 2 Carrier, H480 Loader) Dimensions (48 In. Forks): 43H x 59W x 60L Operational Weight (48 In. Forks): 812 lbs.</p>	
	<p>BASE MACHINE</p> <p><i>Note: 48 In Pallet Forks Included as Standard Equipment. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2155XF	AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only)	\$4,395.00
	<p>MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS</p>	
5MP43053	French Operator's Manual and Decal Kit	\$58.08



AP13D Floating Pallet Fork for Current 600/700 Series Carrier

Code	Description	List price(USD)
	AP13D Floating Pallet Fork for Current 600/700 Series Carrier Pallet Forks (42 In. or 48 In. in Length): Two - 1.57 In. x 5.12 In. Load Rating: 5500 lbs. Dimensions (42 In. Forks or 48 In. Forks): 34H x 50W x 54L or 60L Operational Weight (42 In. Forks or 48 In. Forks): 425 or 445 lbs.	
	BASE MACHINE <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AP13D Floating Pallet Fork for Current 600/700 Series Carrier	
2161XF		\$1,745.00
	PALLET TINE LENGTH Basic Factory Options PALLET TINE	
1000	42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	No Added Cost
1010	48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	\$120.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9200	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5MP43053	French Operator's Manual and Decal Kit	\$58.08

**AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier**

Code	Description	List price(USD)
	AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier Pallet Forks (42 In. or 48 In. in Length): Two - 1.38 In. x 4.72 In. Load Rating: 3750 lbs. Dimensions (42 In. Forks or 48 In. Forks): 31H x 50W x 51L or 57L Operational Weight (42 In. Forks or 48 In. Forks): 360 or 375 lbs.	
2162XF	BASE MACHINE <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier	\$1,534.00
	PALLET TINE LENGTH Basic Factory Options PALLET TINE	
1000	42 In. Pallet Tine <i>Rated for 3750 lbs.</i>	No Added Cost
1010	48 In. Pallet Tine <i>Rated for 3750 lbs.</i>	\$95.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9200	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5MP43053	French Operator's Manual and Decal Kit	\$58.08



AP13G Floating Pallet Fork for Current Loaders with Global Carrier

Code	Description	List price(USD)
	<p>AP13G Floating Pallet Fork for Current Loaders with Global Carrier</p> <p>Pallet Forks (42 In. or 48 In. in Length): Two - 1.57 In. x 5.12 In. Load Rating: 5500 lbs. Dimensions (42 In. Forks or 48 In. Forks): 32H x 49W x 52L or 58L Operational Weight (42 In. Forks or 48 In. Forks): 440 or 460 lbs.</p>	
	<p>BASE MACHINE</p> <p><i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2163XF	AP13G Floating Pallet Fork for Current Loaders with Global Carrier	\$1,668.00
	<p>PALLET TINE LENGTH</p> <p>Basic Factory Options</p> <p>PALLET TINE</p>	
1000	42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	No Added Cost
1010	48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	\$120.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5MP43053	French Operator's Manual and Decal Kit	\$58.08



AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier

Code	Description	List price(USD)
	<p>AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier</p> <p>Cutting Width: 55 In. Loader Series: 300 and 400 Only (Not 500 Series) Dimensions: W54.8 In. x H22 In. x D23 In. Capacity: 0.32 Cubic Foot Tine Diameter: 1-1/8 In. Tine Length: 22 In. Operational Weight: 282 lbs. Shipping Weight: 352 lbs.</p>	
	<p>BASE MACHINE</p> <p><i>Tine spacing is 2 In. on 55 In. model. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2171XF	AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier	\$2,368.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost



AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier

Code	Description	List price(USD)
AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier		
Cutting Width: 60 In. Loader Series: 300, 400, and 500 Dimensions: W68.4 In. (W65.9 In.) x H21.7 In. x D45 In. Capacity: 0.82 Cubic Foot Optional Hydraulic Grapple - Opening: 60 In. Optional Hydraulic Grapple - Weight: 375 lbs. Tine Diameter: 1-1/8 In. Tine Length: 39 In. Operational Weight: 585 lbs. (458 lbs.) Shipping Weight: 670 lbs. (550 lbs.)		
Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.		
BASE MACHINE		
2172XF	<i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier	\$3,284.00
FINISHING COMPONENTS		
Basic Factory Options		
TINE SPACING		
1000	2 In. Tine Spacing	In Base Price
1010	3 In. Tine Spacing	(\$263.00)
APPLICATIONS		
Field Installed Options		
GRAPPLES		



AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier

Code	Description	List price(USD)
9050	Grapple Attachment for Rock Bucket <i>Fits AR10E models with 66 In. and 75 In. working widths and used on 300/400/500 series loaders. Includes Grapple Attachment and Hydraulic Kit.</i>	\$3,645.00
DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS		
9200	French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS		
5MP103533	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>	\$177.88
5MP106503	Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths <i>No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics. No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics.</i>	\$4,072.52
5MP106524	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fittings compatible with 300 and 400 series loaders.</i>	\$170.81

**AR10D - 75 In. Rock Bucket for Current 600/700 Series Carrier**

Code	Description	List price(USD)
	AR10D - 75 In. Rock Bucket for Current 600/700 Series Carrier Cutting Width: 75 In. Loader Series: 600 and 700 Dimensions: W74.7 In. (W74.4 In.) x H21.7 In. x D45 In. Capacity: 0.89 Cubic Foot Optional Hydraulic Grapple - Opening: 60 In. Optional Hydraulic Grapple - Weight: 375 lbs. Tine Diameter: 1-1/8 In. Tine Length: 39 In. Operational Weight: 632 lbs. (528 lbs.) Shipping Weight: 707 lbs. (603 lbs.) Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.	
	BASE MACHINE <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AR10D - 75 In. Rock Bucket for Current 600/700 Series Carrier	\$3,811.00
	FINISHING COMPONENTS Basic Factory Options TINE SPACING	
1000	2 In. Tine Spacing	In Base Price
1010	3 In. Tine Spacing	(\$344.00)
	APPLICATIONS Field Installed Options GRAPPLES	
9060	Grapple Attachment for Rock Bucket	\$3,664.00



AR10D - 75 In. Rock Bucket for Current 600/700 Series Carrier

Code	Description	List price(USD)
	<i>Fits AR10D, and AR10G models with 66 In. and 75 In. working widths and used on 600/700 series loaders as well as loaders with global carriers. Includes Grapple Attachment and Hydraulic Kit.</i>	
	DESTINATION AND LANGUAGE	
	Field Installed Options	
	OPERATOR'S MANUAL AND DECALS	
9200	French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
5MP103533	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>	\$177.88
5MP106503	Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths <i>No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics. No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics.</i>	\$4,072.52



AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier

Code	Description	List price(USD)
<p>AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier</p>		
<p>Cutting Width: 75 In. Loader Series: 300, 400, and 500 Dimensions: W74.7 In. (W74.4 In.) x H21.7 In. x D45 In. Capacity: 0.89 Cubic Foot Optional Hydraulic Grapple - Opening: 60 In. Optional Hydraulic Grapple - Weight: 375 lbs. Tine Diameter: 1-1/8 In. Tine Length: 39 In. Operational Weight: 632 lbs. (528 lbs.) Shipping Weight: 707 lbs. (603 lbs.)</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>		
<p>BASE MACHINE</p>		
2174XF	<p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier</p>	\$3,582.00
<p>FINISHING COMPONENTS</p>		
<p>Basic Factory Options</p>		
<p>TINE SPACING</p>		
1000	2 In. Tine Spacing	In Base Price
1010	3 In. Tine Spacing	(\$358.00)
<p>APPLICATIONS</p>		
<p>Field Installed Options</p>		
<p>GRAPPLES</p>		



AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier

Code	Description	List price(USD)
9050	Grapple Attachment for Rock Bucket <i>Fits AR10E models with 66 In. and 75 In. working widths and used on 300/400/500 series loaders. Includes Grapple Attachment and Hydraulic Kit.</i>	\$3,645.00
DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS		
9200	French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS		
5MP103533	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>	\$177.88
5MP106503	Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths <i>No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics. No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics.</i>	\$4,072.52
5MP106524	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fittings compatible with 300 and 400 series loaders.</i>	\$170.81



AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier

Code	Description	List price(USD)
	AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier	
	Cutting Width: 75 In. Loader Series: Global Carrier Dimensions: W74.7 In. (W74.4 In.) x H21.7 In. x D45 In. Capacity: 0.89 Cubic Foot Optional Hydraulic Grapple - Opening: 60 In. Optional Hydraulic Grapple - Weight: 375 lbs. Tine Diameter: 1-1/8 In. Tine Length: 39 In. Operational Weight: 739 lbs. (619 lbs.) Shipping Weight: 814 lbs. (694 lbs.)	
	Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.	
	BASE MACHINE	
	<i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	
2175XF	AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier	\$4,060.00
	FINISHING COMPONENTS	
	Basic Factory Options	
	TINE SPACING	
1000	2 In. Tine Spacing	In Base Price
1010	3 In. Tine Spacing	(\$215.00)
	APPLICATIONS	
	Field Installed Options	

**AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier**

Code	Description	List price(USD)
	GRAPPLES	
9060	Grapple Attachment for Rock Bucket <i>Fits AR10D, and AR10G models with 66 In. and 75 In. working widths and used on 600/700 series loaders as well as loaders with global carriers. Includes Grapple Attachment and Hydraulic Kit.</i>	\$3,664.00
	DESTINATION AND LANGUAGE	
	Field Installed Options	
	OPERATOR'S MANUAL AND DECALS	
9200	French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
5MP103533	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>	\$177.88
5MP106503	Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths <i>No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics. No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics.</i>	\$4,072.52

**AR12A - 84 In. Rock Bucket for Current 800 Series Carrier**

Code	Description	List price(USD)
	AR12A - 84 In. Rock Bucket for Current 800 Series Carrier Cutting Width: 84 In. Loader Series: 800 Dimensions: W85 In. x H35 In. x D61 In. Capacity: 1.02 Cubic Foot Tine Diameter: 1-5/8 In. Tine Length: 46 In. Operational Weight: 1536 lbs. Shipping Weight: 1666 lbs.	
	BASE MACHINE <i>Tine spacing is 3 In. on AR12 series rock buckets. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	
2181XF	AR12A - 84 In. Rock Bucket for Current 800 Series Carrier	\$9,837.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9200	French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost



AR12D - 84 In. Rock Bucket for Current 600/700 Series Carrier

Code	Description	List price(USD)
	<p>AR12D - 84 In. Rock Bucket for Current 600/700 Series Carrier</p> <p>Cutting Width: 84 In. Loader Series: 600 and 700 Dimensions: W82.7 In. x H35 In. x D61 In. Capacity: 1.02 Cubic Foot Tine Diameter: 1-5/8 In. Tine Length: 46 In. Operational Weight: 1561 lbs. Shipping Weight: 1691 lbs.</p>	
	<p>BASE MACHINE</p> <p><i>Tine spacing is 3 In. on AR12 series rock buckets. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2182XF	AR12D - 84 In. Rock Bucket for Current 600/700 Series Carrier	\$10,019.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost



AR12G - 84 In. Rock Bucket for Current Loaders with Global Carrier

Code	Description	List price(USD)
	AR12G - 84 In. Rock Bucket for Current Loaders with Global Carrier	
	Cutting Width: 84 In. Loader Series: Global Carrier Dimensions: W82.7 In. x H35 In. x D61 In. Capacity: 1.02 Cubic Foot Tine Diameter: 1-5/8 In. Tine Length: 46 In. Operational Weight: 1481 lbs. Shipping Weight: 1611 lbs.	
	BASE MACHINE	
	<i>Tine spacing is 3 In. on AR12 series rock buckets. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	
2183XF	AR12G - 84 In. Rock Bucket for Current Loaders with Global Carrier	\$9,463.00
	DESTINATION AND LANGUAGE	
	Field Installed Options	
	OPERATOR'S MANUAL AND DECALS	
9200	French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost



AR12G - 93 In. Rock Bucket for Current Loaders with Global Carrier

Code	Description	List price(USD)
	<p>AR12G - 93 In. Rock Bucket for Current Loaders with Global Carrier</p> <p>Cutting Width: 93 In. Loader Series: Global Carrier Dimensions: W94 In. x H35 In. x D61 In. Capacity: 1.17 Cubic Foot Tine Diameter: 1-5/8 In. Tine Length: 46 In. Operational Weight: 1623 lbs. Shipping Weight: 1753 lbs.</p>	
	<p>BASE MACHINE</p> <p><i>Tine spacing is 3 In. on AR12 series rock buckets. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2186XF	<p>AR12G - 93 In. Rock Bucket for Current Loaders with Global Carrier</p>	\$9,300.00
	<p>DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS</p>	
9200	<p>French Operators Manual and Decal Kit(AR10 and AR12 Series)</p>	No Added Cost

**AY11H - 60 In. 4-In-1 Bucket for Current 300/400 Series Carrier**

Code	Description	List price(USD)
	<p>AY11H - 60 In. 4-In-1 Bucket for Current 300/400 Series Carrier</p> <p>Cutting Width: 1524 mm (60 In.) Loader Series: 300 and 400 only (Not 500 Series) Dimensions: W: 1572 mm (61.9 In.) x H: 683 mm (26.9 In.) x D: 711 mm (28.0 In.) Capacity: 3.69 Cubic Foot Grapple Opening: 723 mm (28.45 In.) Operational Weight: 163 kg (360 lbs.) Shipping Weight: 175 kg (385 lbs.)</p> <p>Hydraulic kit 5MP107610 is required to adapt buckets to 1/2 In. body couplers. 1/2 In. body couplers are standard equipment for 500 series loader 3rd function oil lines and hoses. (Please order through parts) Hydraulic functions on loader attachment require Third Function Hydraulic Lines and Hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p> <p>The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/ Attachments are Ordered.</p> <p>Pricing and Specifications are Recommended only and are Subject to Change without Notice.</p>	
	<p>BASE MACHINE</p> <p><i>Reference Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2211XF	AY11H - 60 In. 4-In-1 Bucket for Current 300/400 Series Carrier	\$3,691.00
	<p>EDGE</p> <p>Field Installed Options</p> <p>TOOTH BAR</p>	
9000	Tooth Bar for 4-In-1 Bucket <i>For AY11H-60 In. Bucket.</i>	\$686.00



AY11H - 60 In. 4-In-1 Bucket for Current 300/400 Series Carrier

Code	Description	List price(USD)
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9200	French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5FP10642	Tooth Bar for 60 In. 4-In-1 Bucket (AY11H)	\$820.84

**AY11E - 72 In. 4-In-1 Bucket for Current 300/400/500 Series Carrier**

Code	Description	List price(USD)
	<p>AY11E - 72 In. 4-In-1 Bucket for Current 300/400/500 Series Carrier</p> <p>Cutting Width: 72 In. Loader Series: 300, 400, and 500 Dimensions: W73.9 In. x H26.9 In. x D28.0 In. Capacity: 4.5 Cubic Foot Grapple Opening: 28.45 In. Operational Weight: 425 lbs. Shipping Weight: 450 lbs.</p> <p>Hydraulic kit 5MP107610 is required to adapt buckets to 1/2 In. body couplers. 1/2 In. body couplers are standard equipment for 500 series loader 3rd function oil lines and hoses.</p> <p>Hydraulic functions on loader attachment require Third Function Hydraulic Lines and Hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2212XF	AY11E - 72 In. 4-In-1 Bucket for Current 300/400/500 Series Carrier	\$3,973.00
	<p>EDGE</p> <p>Field Installed Options</p> <p>TOOTH BAR</p>	
9000	Tooth Bar for 4-In-1 Bucket <i>For AY11E-72 In. Bucket.</i>	\$821.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost



AY11E - 72 In. 4-In-1 Bucket for Current 300/400/500 Series Carrier

Code	Description	List price(USD)
5FP10643	<p>MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS</p> <p>Tooth Bar for 72 In. 4-In-1 Bucket (AY11E)</p>	\$986.50



AY12D - 72 In. 4-In-1 Bucket for Current 600/700 Series Carrier

Code	Description	List price(USD)
	<p>AY12D - 72 In. 4-In-1 Bucket for Current 600/700 Series Carrier</p> <p>Cutting Width: 72 In. Loader Series: 600 and 700 Dimensions: W72 In. x H20 In. x D29.38 In. Capacity: 17.07 Cubic Foot Grapple Opening: 34.78 In. Operational Weight: 900 lbs. Shipping Weight: 925 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2221XF	AY12D - 72 In. 4-In-1 Bucket for Current 600/700 Series Carrier	\$6,084.00
	<p>EDGE</p> <p>Field Installed Options</p> <p>TOOTH BAR</p>	
9000	Tooth Bar for 4-In-1 Bucket <i>For AY12-72 In. Bucket.</i>	\$876.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FP33823	Tooth Bar for 72 In. 4-In-1 Bucket (AY12)	\$942.60



AY12G - 72 In. 4-In-1 Bucket for Current Loaders with Global Carrier

Code	Description	List price(USD)
	<p>AY12G - 72 In. 4-In-1 Bucket for Current Loaders with Global Carrier</p> <p>Cutting Width: 72 In. Loader Series: Global Carrier Dimensions: W72 In. x H20 In. x D29.38 In. Capacity: 17.07 Cubic Foot Grapple Opening: 34.78 In. Operational Weight: 900 lbs. Shipping Weight: 925 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2222XF	AY12G - 72 In. 4-In-1 Bucket for Current Loaders with Global Carrier	\$6,222.00
	<p>EDGE</p> <p>Field Installed Options</p> <p>TOOTH BAR</p>	
9000	Tooth Bar for 4-In-1 Bucket <i>For AY12-72 In. Bucket.</i>	\$903.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FP33823	Tooth Bar for 72 In. 4-In-1 Bucket (AY12)	\$942.60



AY12D - 78 In. 4-In-1 Bucket for Current 600/700 Series Carrier

Code	Description	List price(USD)
	<p>AY12D - 78 In. 4-In-1 Bucket for Current 600/700 Series Carrier</p> <p>Cutting Width: 78 In. Loader Series: 600 and 700 Dimensions: W78 In. x H20 In. x D29.38 In. Capacity: 18.5 Cubic Foot Grapple Opening: 34.78 In. Operational Weight: 935 lbs. Shipping Weight: 960 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2223XF	AY12D - 78 In. 4-In-1 Bucket for Current 600/700 Series Carrier	\$6,429.00
	<p>EDGE</p> <p>Field Installed Options</p> <p>TOOTH BAR</p>	
9000	Tooth Bar for 4-In-1 Bucket <i>For AY12-78 In. Bucket.</i>	\$900.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FP16288	Tooth Bar for 78 In. 4-In-1 Bucket (AY12)	\$966.80

**AY12G - 78 In. 4-In-1 Bucket for Current Loaders with Global Carrier**

Code	Description	List price(USD)
	<p>AY12G - 78 In. 4-In-1 Bucket for Current Loaders with Global Carrier</p> <p>Cutting Width: 78 In. Loader Series: Global Carrier Dimensions: W78 In. x H20 In. x D29.38 In. Capacity: 18.5 Cubic Foot Grapple Opening: 34.78 In. Operational Weight: 935 lbs. Shipping Weight: 960 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2224XF	AY12G - 78 In. 4-In-1 Bucket for Current Loaders with Global Carrier	\$6,574.00
	<p>EDGE</p> <p>Field Installed Options</p> <p>TOOTH BAR</p>	
9000	Tooth Bar for 4-In-1 Bucket <i>For AY12-78 In. Bucket.</i>	\$927.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FP16288	Tooth Bar for 78 In. 4-In-1 Bucket (AY12)	\$966.80



AY12G - 84 In. 4-In-1 Bucket for Current Loaders with Global Carrier

Code	Description	List price(USD)
	<p>AY12G - 84 In. 4-In-1 Bucket for Current Loaders with Global Carrier</p> <p>Cutting Width: 84 In. Loader Series: Global Carrier Dimensions: W84 In. x H20 In. x D29.38 In. Capacity: 19.93 Cubic Foot Grapple Opening: 34.78 In. Operational Weight: 975 lbs. Shipping Weight: 1000 lbs.</p> <p>Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.</p>	
	<p>BASE MACHINE</p> <p><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i></p>	
2226XF	AY12G - 84 In. 4-In-1 Bucket for Current Loaders with Global Carrier	\$6,972.00
	<p>EDGE</p> <p>Field Installed Options</p> <p>TOOTH BAR</p>	
9000	Tooth Bar for 4-In-1 Bucket <i>For AY12-84 In. Bucket.</i>	\$956.00
	<p>DESTINATION AND LANGUAGE</p> <p>Field Installed Options</p> <p>OPERATOR'S MANUAL AND DECALS</p>	
9200	French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
	<p>MISCELLANEOUS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
5FP16193	Tooth Bar for 84 In. 4-In-1 Bucket (AY12)	\$1,128.56



AV20H Root Grapple - 60 In. for Current 300/400 Series Carrier

Code	Description	List price(USD)
	AV20H Root Grapple - 60 In. for Current 300/400 Series Carrier Cutting Width: 60 In. Loader Series: 300CX and 400 Only (Not 500 Series) Dimensions: W60 In. x H23 In. x D38.8 In. Grapple Opening: 27 In. Operational Weight: 381 lbs. Shipping Weight: 421 lbs.	
	BASE MACHINE <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	
2271XF	AV20H Root Grapple - 60 In. for Current 300/400 Series Carrier	\$3,098.00
	MISCELLANEOUS Field Installed Options PARKING STAND KIT	
9000	AV20 Series Parking Stand Kit - Bolt On	\$232.00
	ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5WS811395	AV20 Series Parking Stand Kit - Bolt On	\$255.20



AV20E Root Grapple - 62 In. for Current 400/500 Series Carrier

Code	Description	List price(USD)
	AV20E Root Grapple - 62 In. for Current 400/500 Series Carrier Cutting Width: 62 In. Loader Series: 400CX and 500 Only Dimensions: W62 In. x H25 In. x D54 In. Grapple Opening: 50 In. Operational Weight: 818 lbs. Shipping Weight: 858 lbs.	
	BASE MACHINE <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	
2272XF	AV20E Root Grapple - 62 In. for Current 400/500 Series Carrier	\$5,058.00
	MISCELLANEOUS Field Installed Options PARKING STAND KIT	
9000	AV20 Series Parking Stand Kit - Bolt On	\$232.00
	ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5WS811395	AV20 Series Parking Stand Kit - Bolt On	\$255.20

**AV20D Root Grapple - 77 In. for Current 600/700 Series Carrier**

Code	Description	List price(USD)
	AV20D Root Grapple - 77 In. for Current 600/700 Series Carrier	
	Cutting Width: 77 In. Loader Series: 600 and 700 Dimensions: W77 In. x H25 In. x D15 In. Grapple Opening: 50 In. Operational Weight: 1,000 lbs. Shipping Weight: 1,040 lbs.	
	BASE MACHINE	
	<i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	
2273XF	AV20D Root Grapple - 77 In. for Current 600/700 Series Carrier	\$5,990.00
	MISCELLANEOUS	
	Field Installed Options	
	PARKING STAND KIT	
9000	AV20 Series Parking Stand Kit - Bolt On	\$232.00
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
5WS811395	AV20 Series Parking Stand Kit - Bolt On	\$255.20



AV20G Root Grapple - 77 In. for Current Loaders with Global Carrier

Code	Description	List price(USD)
	AV20G Root Grapple - 77 In. for Current Loaders with Global Carrier Cutting Width: 77 In. Loader Series: Global Carriers Dimensions: W77 In. x H25 In. x D15 In. Grapple Opening: 50 In. Operational Weight: 972 lbs. Shipping Weight: 1012 lbs.	
2274XF	BASE MACHINE <i>Option is not compatible with Global Category II Carrier.</i> <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AV20G Root Grapple - 77 In. for Current Loaders with Global Carrier	\$5,865.00
9000	MISCELLANEOUS Field Installed Options PARKING STAND KIT AV20 Series Parking Stand Kit - Bolt On	\$232.00
5WS811395	ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS AV20 Series Parking Stand Kit - Bolt On	\$255.20

**AP13K Floating Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only)**

Code	Description	List price(USD)
	AP13K Floating Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only) Pallet Forks (48 In. in Length): Two - 2.0 In. x 5.0 In. Load Rating: 10,000 lbs. Dimensions: 42H x 62W x 61L Operational Weight 773 lbs.	
2331XF	BASE MACHINE <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> AP13K Floating Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only)	\$4,347.00
9200	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
5MP43053	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS French Operator's Manual and Decal Kit	\$58.08

**AP10F Pallet Fork Fixed Tines**

Code	Description	List price(USD)
AP10F Pallet Fork Fixed Tines		
Pallet Forks (36 In. or 42 In. in Length): Two - Class I Solid 1.0 In. x 3.0 or 1.18 x 3.13 In. Tines H120, D120 Series Loaders (Check Compatibility Chart For Complete Loader List) Frame Load Rating: 1250 lbs. Dimensions (36 In. Forks or 42 In. Forks): 24.5H x 49.25W x 45L or 51L Operational Weight (36 In. Forks or 42 In. Forks): 170 or 198 lbs.		
BASE MACHINE		
2341XF	AP10F Pallet Fork Fixed Tines	\$902.00
DESTINATION AND LANGUAGE		
Basic Factory Options		
DESTINATION		
0202	United States	In Base Price
0184	Canada	No Added Cost
OPERATOR'S MANUAL AND DECALS		
0409	English Operator's Manual	In Base Price
0413	French Operator's Manual	No Added Cost
0437	Spanish Operator's Manual	No Added Cost
ATTACHMENTS FOR FIELD CONVERSION		
OPERATOR'S MANUAL AND DECALS		
5WS105008	English Operator's Manual - AP10F, AP11F Pallet Fork	\$70.40
5WS101364	French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	\$71.51
5WS101375	Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	\$71.51
PALLET TINE LENGTH		
Basic Factory Options		
PALLET TINE		
2401	36 in. tines (900 lbs)	In Base Price



AP10F Pallet Fork Fixed Tines

Code	Description	List price(USD)
2400	42 in. tines (2000 lbs)	\$101.00



AP11F Pallet Fork Fixed Tines

Code	Description	List price(USD)
<p>AP11F Pallet Fork Fixed Tines Pallet Forks (36 In. or 42 In. in Length): Two - Class I Solid 1.0 In. x 3.0 or 1.18 x 3.13 In. Tines 120/H120/220R/D160 Loaders (Check Compatibility Chart For Complete Loader List) Frame Load Rating: 2000 lbs. Dimensions (36 In. Forks or 42 In. Forks): 24.5H x 49.38W x 44L or 50L Operational Weight (36 In. Forks or 42 In. Forks): 219 or 247 lbs.</p>		
<p>BASE MACHINE</p>		
2351XF	AP11F Pallet Fork Fixed Tines	\$1,149.00
<p>DESTINATION AND LANGUAGE Basic Factory Options DESTINATION</p>		
0202	United States	In Base Price
0184	Canada	No Added Cost
<p>OPERATOR'S MANUAL AND DECALS</p>		
0409	English Operator's Manual	In Base Price
0413	French Operator's Manual	No Added Cost
0437	Spanish Operator's Manual	No Added Cost
<p>ATTACHMENTS FOR FIELD CONVERSION OPERATOR'S MANUAL AND DECALS</p>		
5WS105008	English Operator's Manual - AP10F, AP11F Pallet Fork	\$70.40
5WS101364	French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	\$71.51
5WS101375	Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	\$71.51
<p>PALLET TINE LENGTH Basic Factory Options PALLET TINE</p>		
2401	36 in. tines (900 lbs)	(\$101.00)



AP11F Pallet Fork Fixed Tines

Code	Description	List price(USD)
2400	42 in. tines (2000 lbs)	In Base Price



AM20F - 50 in. Manure Fork

Code	Description	List price(USD)
	AM20F - 50 in. Manure Fork Operating Width: 50 In. Loader Series: 120/H120/220R/D160 (Check Compatibility Chart For Complete Loader List) Dimensions: W50 In. x H21.13 In. x D25 In. 7 tines at 1.25 In. diameter solid round steel Operational Weight: 141 lbs. Shipping Weight: 178 lbs.	
	BASE MACHINE	
2361XF	AM20F - 50 in. Manure Fork	\$1,047.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
0202	United States	In Base Price
0184	Canada	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	English Operator's Manual	In Base Price
0413	French Operator's Manual	No Added Cost
0437	Spanish Operator's Manual	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION OPERATOR'S MANUAL AND DECALS	
5WS105009	English Operator's Manual - AM20F Manure Fork	\$71.51
5WS101364	French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	\$71.51
5WS101375	Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	\$71.51

**AM20F - 60 in. Manure Fork**

Code	Description	List price(USD)
	AM20F - 60 in. Manure Fork Operating Width: 60 In. Loader Series: 120/H120/220R/D160 (Check Compatibility Chart For Complete Loader List) Dimensions: W60 In. x H21.13 In. x D25 In. 8 tines at 1.25 In. diameter solid round steel Operational Weight: 167 lbs. Shipping Weight: 204 lbs.	
	BASE MACHINE	
2362XF	AM20F - 60 in. Manure Fork	\$1,375.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
0202	United States	In Base Price
0184	Canada	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	English Operator's Manual	In Base Price
0413	French Operator's Manual	No Added Cost
0437	Spanish Operator's Manual	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION OPERATOR'S MANUAL AND DECALS	
5WS105009	English Operator's Manual - AM20F Manure Fork	\$71.51
5WS101364	French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	\$71.51
5WS101375	Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	\$71.51

**AY11F - 53 In. 4-in-1 Bucket for 100 - 300E Series Loader**

Code	Description	List price(USD)
	AY11F - 53 In. 4-in-1 Bucket for 100 - 300E Series Loader Cutting Width: 53 In. Loader Series: (F) 100 to 300 Dimensions: W53.6 In. x H23.7 In. x D25.0 In. Bucket Capacity: Struck: 6.1 Cubic Foot Heaped: 8.5 Cubic Foot Clam Opening: 32 In. Operational Weight: 280 lbs. Shipping Weight: 308 lbs. Warranty: 1 Year	
	BASE MACHINE <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	
2371XF	AY11F - 53 In. 4-in-1 Bucket for 100 - 300E Series Loader	\$2,739.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
	North America	
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	AY11F ENGLISH OM	No Added Cost
0413	AY11F FRENCH OM	No Added Cost
0437	AY11F SPANISH OM	No Added Cost
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
5MP43126	SPANISH OM/DECAL-LDR ATTACHMENTS	\$107.47
5MP76314	ENGLISH BUCKET LOADER ATTACHMENTS OM	\$20.85

**AV20F - 53 In. Root Grapple for 100 - 300E Series Loader**

Code	Description	List price(USD)
	AV20F - 53 In. Root Grapple for 100 - 300E Series Loader Cutting Width: 60 In. Loader Series: (F) 100 to 300 Dimensions: W53 In. x H25 In. x D23.8 In. Grapple Opening: 36 In. Operational Weight: 191 lbs. Shipping Weight: 219 lbs. Upper grapple tine qty: 4 Upper grapple tine spacing: 8.5 Lower grapple tine qty: 7 Lower grapple tine spacing: 8.5 Warranty: 1 Year	
	BASE MACHINE <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	
2381XF	AV20F - 53 In. Root Grapple for 100 - 300E Series Loader	\$2,088.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	AV20F ENGLISH OM	No Added Cost
0413	AV20F FRENCH OM	No Added Cost
0437	AV20F SPANISH OM	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5MP76314	ENGLISH BUCKET LOADER ATTACHMENTS OM	\$20.85
5MP43126	SPANISH OM/DECAL-LDR ATTACHMENTS	\$107.47

**AP11G Fixed Pallet Fork for Loaders with Global Carrier**

Code	Description	List price(USD)
	AP11G Fixed Pallet Fork for Loaders with Global Carrier Pallet Forks (42 In. or 48 In. in Length): Two - 1.38 In. x 4.72 In. Load Rating: 3750 lbs. (520R Loader with Global Carrier) Dimensions (42 In. Forks or 48 In. Forks): 37H x 49W x 51L or 57L Operational Weight (42 In. Forks or 48 In. Forks): 343 or 358 lbs.	
	BASE MACHINE <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	
2391XF	AP11G Fixed Pallet Fork for Loaders with Global Carrier	\$1,183.00
	PALLET TINE LENGTH Basic Factory Options PALLET TINE	
1000	42 In. Pallet Tine <i>Rated for 3750 lbs.</i>	In Base Price
1010	48 In. Pallet Tine <i>Rated for 3750 lbs.</i>	\$74.00
	DESTINATION AND LANGUAGE Field Installed Options OPERATOR'S MANUAL AND DECALS	
9200	French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
5MP43053	French Operator's Manual and Decal Kit	\$58.08



AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders

Code	Description	List price(USD)
	<p>AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders</p> <p>Cutting Width 59.6 Moldboard Height 21 Moldboard Thickness 12 GA Overall Depth 26.5 Weight 168 lbs Ship Weight 180 lbs Cutting Edge 1/4 x 6 Reversible Angle Adjustments 5, up to 30° Loader Compatibility 120R, 220R, H120, H130 Tractor Compatibility 1 & 2 Series Optional Equipment Rubber Deflector, Plow Guides, Urethane Cutting Edge & Urethane Skid Shoes</p>	
	<p>BASE MACHINE</p> <p><i>Serial Numbers ending up to 006486 not compatible with Mechanical Self-Leveling (MSL) Loader</i> AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders</p>	\$2,281.00
	<p>DESTINATION AND LANGUAGE</p> <p>Basic Factory Options</p> <p>DESTINATION</p>	
0202	United States	In Base Price
0184	Canada	No Added Cost
	<p>OPERATOR'S MANUAL AND DECALS</p>	
0409	English Operator's Manual	In Base Price
0413	French Operator's Manual	No Added Cost
0437	Spanish Operator's Manual	No Added Cost
	<p>EDGE</p> <p>Field Installed Options</p> <p>URETHANE CUTTING EDGE KIT</p>	
9862	Urethane Cutting Edge Kit	\$636.00
	<p>RUBBER DEFLECTOR KIT</p>	
9860	Rubber Deflector Kit	\$132.00



AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders

Code	Description	List price(USD)
	MISCELLANEOUS	
	Field Installed Options	
	PLOW GUIDE KIT	
9861	Plow Guide Kit	\$174.00
	URETHANE SKID SHOE KIT	
9863	Urethane Skid Shoe Kit	\$369.00
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
5WD1044516	Spanish Operator's Manual and Decal Kit	\$168.31
5WD1044515	French Operator's Manual and Decal Kit	\$168.31
5WD1044511	AF10 Rubber Deflector Kit	\$144.11
5WD1044517	HYDRAULIC ANGLE KIT	\$997.71
5WD1044513	Urethane Cutting Edge Kit	\$699.60
5WD1044512	AF10 Plow Guide Kit	\$190.31
5WD1044514	Urethane Skid Shoe Kit	\$404.80
	HYDRAULICS	
	Additional Factory Options	
	HYDRAULICS	
9561	HYDRAULIC ANGLE KIT <i>Requires loader 3rd function hydraulics</i>	\$907.00



Mechanical Roots Grapple

Code	Description	List price(USD)
	Mechanical Roots Grapple	
	Loader Compatibility: 120R, 220R, and 300E Non Self Leveling (NSL) only	
	Overall Dimensions:	
	Width: 53.9 inches	
	Height (closed): 23.5 inches	
	Depth (front to back): 30.7 inches	
	Maximum Jaw Opening: 42 inches	
	Maximum Clamping Diameter: 27 inches	
	Minimum Clamping Diameter: 7 inches	
	Number of grapple tines:	
	Upper: 6	
	Lower: 6	
	Tine spacing	
	Smallest: 8.75 inches	
	Largest: 11.34 inches	
	Lifting Capacity: 1,200 lbs.	
	Grapple Weight: 281 lbs.	
	Shipping Weight: 316 lbs.	
	Warranty: 1 Year	
	BASE MACHINE	
2421XF	Mechanical Roots Grapple	\$2,400.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
0202	United States	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	English OM & Decal Kit	No Added Cost
0413	French OM & Decal Kit	No Added Cost
0437	Spanish OM & Decal kit	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION	
	OPERATOR'S MANUAL AND DECALS	
5MP43128	Spanish OM and Decals - Mechanical Grapple	\$47.20
5MP43067	French OM and Decals - Mechanical Grapple	\$47.20

**SA20F Skid Steer Carrier Adapter**

Code	Description	List price(USD)
	SA20F Skid Steer Carrier Adapter Loader Compatibility: 120R, 220R, 300E Effective Dimensions: W49.4 In. x H18.2 In. x D3.4 In. Weight capacity: 1,500 lbs. Operational Weight: 78 lbs. Shipping Weight: 87 lbs. Warranty: 1 Year	
	BASE MACHINE	
8001XF	SA20F Skid Steer Carrier Adapter	\$918.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC CANADA	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	SA20F English OM	No Added Cost
0413	SA20F French OM/Decals	No Added Cost
0437	SA20F Spanish OM/Decals	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION	
	OPERATOR'S MANUAL AND DECALS	
5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	\$108.59
5WS105017	FRONTIER ADAPTER FRENCH OM/DECAL KIT	\$108.59



PG11 Pallet Fork Grapple

Code	Description	List price(USD)
	PG11 Pallet Fork Grapple Attaches to AP10 & AP11 Pallet Forks Requires 3rd Hydraulic Loader Function Dimensions: Grapple Clamp Length: 36 in Grapple Clamp Width: 5.35 in Product Weight: 62 lbs. Shipping Weight: 71 lbs. Warranty: 1 Year	
	BASE MACHINE	
8061XF	PG11 Pallet Fork Grapple	\$912.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC, CANADA	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	PG11 ENGLISH OM	No Added Cost
0413	PG11 FRENCH OM/DECAL KIT	No Added Cost
0437	PG11 SPANISH OM/DECAL KIT	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
5WS105028	PG11 FRENCH OM/DECAL KIT	\$61.60
5WS105030	PG11 SPANISH OM/DECAL KIT	\$61.60



PG12 PALLET FORK GRAPPLE

Code	Description	List price(USD)
PG12 PALLET FORK GRAPPLE Attaches to AP12F and AP12G Pallet Forks Requires 3rd Hydraulic Loader Function (Ordered separately) Optional 1/4" Hydraulic Coupler Kit for 200, 300, and 400 series loader 3rd function hydraulic kits Dimensions: Grapple Clamp Length: 39 in Grapple Clamp Width: 9.5 in Operational Weight: 110 lbs. Shipping Weight: 132 lbs. Warranty: 1 Year		
BASE MACHINE		
8071XF	PG12 PALLET FORK GRAPPLE	\$1,247.00
DESTINATION AND LANGUAGE Basic Factory Options DESTINATION		
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC, CANADA	No Added Cost
OPERATOR'S MANUAL AND DECALS		
0409	PG12 ENGLISH OM	No Added Cost
0413	PG12 FRENCH OM/DECAL KIT	No Added Cost
0437	PG12 SPANISH OM/DECAL KIT	No Added Cost
ATTACHMENTS - ORDER AS DESIRED Field Installed Options ATTACHMENTS - ORDER AS DESIRED		
9845	1/4" Hydraulic Coupler Kit for CUT Loader 3rd Function	\$67.00
9846	Adapter Kit for 3rd Function Multi-Coupler	\$46.00
ATTACHMENTS FOR FIELD CONVERSION ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS		
5MP43127	Spanish Operator's Manual and Decal Kit	\$58.08
5MP125683	1/4" Hydraulic Coupler Kit for CUT Loader 3rd Function	\$70.18



PG12 PALLET FORK GRAPPLE

Code	Description	List price(USD)
5MP125684	Adapter Kit for 3rd Function Multi-Coupler	\$58.67
5MP43053	French Operator's Manual and Decal Kit	\$58.08

**SA21E SKID STEER CARRIER ADAPTER**

Code	Description	List price(USD)
	SA21E SKID STEER CARRIER ADAPTER	
	Loader Compatibility: 300R, 320R, 400E, 440R (NSL/MSL), 512, 520M (NSL/MSL), 540M (NSL/MSL), 540R (MSL) Effective Dimensions: W49.4 In. x H22.5 In. x D5.6 In. Weight capacity: 4,000 lbs. Operational Weight: 118 lbs. Shipping Weight: 168 lbs. Warranty: 1 Year	
	BASE MACHINE	
8081XF	SA21E SKID STEER CARRIER ADAPTER	\$1,178.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC CANADA	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	SA20F English OM	No Added Cost
0413	SA20F French OM/Decals	No Added Cost
0437	SA20F Spanish OM/Decals	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION	
	OPERATOR'S MANUAL AND DECALS	
5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	\$108.59
5WS105017	FRONTIER ADAPTER FRENCH OM/DECAL KIT	\$108.59

**SA21G SKID STEER CARRIER ADAPTER**

Code	Description	List price(USD)
	SA21G SKID STEER CARRIER ADAPTER	
	Loader Compatibility: 520M (NSL/MSL), 540M (NSL/MSL), 540R (MSL), H310 (NSL/MSL) Effective Dimensions: W44.0 In. x H17.3 In. x D5.9 In. Weight capacity: 4,000 lbs. Operational Weight: 110 lbs. Shipping Weight: 160 lbs. Warranty: 1 Year	
	BASE MACHINE	
8091XF	SA21G SKID STEER CARRIER ADAPTER	\$1,140.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC CANADA	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	SA20F English OM	No Added Cost
0413	SA20F French OM/Decals	No Added Cost
0437	SA20F Spanish OM/Decals	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION	
	OPERATOR'S MANUAL AND DECALS	
5WS105017	FRONTIER ADAPTER FRENCH OM/DECAL KIT	\$108.59
5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	\$108.59



SA22D SKID STEER CARRIER ADAPTER

Code	Description	List price(USD)
	SA22D SKID STEER CARRIER ADAPTER	
	Loader Compatibility: JD 600 Style Loader Effective Dimensions: W49.4 In. x H23.1 In. x D5.0 In. Weight capacity: 5,000 lbs. Operational Weight: 140 lbs. Shipping Weight: 190 lbs. Warranty: 1 Year	
	BASE MACHINE	
8101XF	SA22D SKID STEER CARRIER ADAPTER	\$1,266.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC CANADA	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	SA20F English OM	No Added Cost
0413	SA20F French OM/Decals	No Added Cost
0437	SA20F Spanish OM/Decals	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION	
	OPERATOR'S MANUAL AND DECALS	
5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	\$108.59
5WS105017	FRONTIER ADAPTER FRENCH OM/DECAL KIT	\$108.59



DA21G QUICK ATTACH CARRIER ADAPTER

Code	Description	List price(USD)
<p>DA21G QUICK ATTACH CARRIER ADAPTER</p> <p>Loader Compatibility: 520M (NSL/MSL), 540M (NSL/MSL), 540R (MSL), H310 (NSL/MSL)</p> <p>Effective Dimensions: W49.4 In. x H20.2 In. x D4.4 In.</p> <p>Weight capacity: 4,000 lbs.</p> <p>Operational Weight: 102 lbs.</p> <p>Shipping Weight: 152 lbs.</p> <p>Warranty: 1 Year</p>		
<p>BASE MACHINE</p>		
8111XF	DA21G QUICK ATTACH CARRIER ADAPTER	\$937.00
<p>DESTINATION AND LANGUAGE</p> <p>Basic Factory Options</p> <p>DESTINATION</p>		
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC CANADA	No Added Cost
<p>OPERATOR'S MANUAL AND DECALS</p>		
0409	SA20F English OM	No Added Cost
0413	SA20F French OM/Decals	No Added Cost
0437	SA20F Spanish OM/Decals	No Added Cost
<p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>OPERATOR'S MANUAL AND DECALS</p>		
5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	\$108.59
5WS105017	FRONTIER ADAPTER FRENCH OM/DECAL KIT	\$108.59



GA21E GLOBAL CARRIER ADAPTER

Code	Description	List price(USD)
	GA21E GLOBAL CARRIER ADAPTER	
	Loader Compatibility: 440R (NSL/MSL), 512, 520M (NSL/MSL), 540M (NSL/MSL), 540R (NSL/MSL), H310 (NSL/MSL) Effective Dimensions: W49.4 In. x H21.1 In. x D4.3 In. Weight capacity: 4,000 lbs. Operational Weight: 140 lbs. Shipping Weight: 190 lbs. Warranty: 1 Year	
	BASE MACHINE	
8121XF	GA21E GLOBAL CARRIER ADAPTER	\$1,754.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC CANADA	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	SA20F English OM	No Added Cost
0413	SA20F French OM/Decals	No Added Cost
0437	SA20F Spanish OM/Decals	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION	
	OPERATOR'S MANUAL AND DECALS	
5WS105017	FRONTIER ADAPTER FRENCH OM/DECAL KIT	\$108.59
5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	\$108.59

**GA22D GLOBAL CARRIER ADAPTER**

Code	Description	List price(USD)
	GA22D GLOBAL CARRIER ADAPTER	
	Loader Compatibility: JD 600 Style Loader Effective Dimensions: W49.9 In. x H21.2 In. x D4.1 In. Weight capacity: 5,000 lbs. Operational Weight: 174 lbs. Shipping Weight: 224 lbs. Warranty: 1 Year	
	BASE MACHINE	
8131XF	GA22D GLOBAL CARRIER ADAPTER	\$1,957.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC CANADA	No Added Cost
	OPERATOR'S MANUAL AND DECALS	
0409	SA20F English OM	No Added Cost
0413	SA20F French OM/Decals	No Added Cost
0437	SA20F Spanish OM/Decals	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION	
	OPERATOR'S MANUAL AND DECALS	
5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	\$108.59
5WS105017	FRONTIER ADAPTER FRENCH OM/DECAL KIT	\$108.59