AY11H - 60 In. 4-In-1 Bucket for Current 300/400 Series Carrier

Equipment for Base Machine

Cutting Width: 1524 mm (60 In.)
Loader Series:
300 and 400 only (Not 500 Series)
Dimensions:
W: 1572 mm (61.9 In.) x H: 683 mm (26.9 In.) x D:
711 mm (28.0 In.)
Capacity:
3.69 Cubic Foot
Grapple Opening: 723 mm (28.45 In.)
Operational Weight: 163 kg (360 lbs.)
Shipping Weight: 175 kg (385 lbs.)

Hydraulic kit 5MPl07610 is required to adapt buckets to 1/2 In. body couplers. 1/2 In. body couplers are standard equipment for 500 series loader 3rd function oil lines and hoses. (Please order through parts)

Hydraulic functions on loader attachment require Third Function Hydraulic Lines and Hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject to Change without Notice.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2211XF		AY11H - 60 In. 4-In-1 Bucket for Current 300/400 Series Carrier Reference Loader Attachment Compatibility Chart for specific loader compatibility.	2,829.00
		TOOTH BAR	
9000		Tooth Bar for 4-In-1 Bucket For AY11H-60 In. Bucket.	526.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP10642	Miscellaneous Tooth Bar for 60 In. 4-In-1 Bucket (AY11H)	568.08
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AY11H - 60 In. 4-In-1 Bucket for Current 300/400 Series Carrier Continued
THIS PAGE INTENTIONALLY LEFT BLANK

AY11E - 72 In. 4-In-1 Bucket for Current 300/400/500 Series Carrier

Equipment for Base Machine

Cutting Width: 72 In.
Loader Series:
300, 400, and 500
Dimensions:
W73.9 In. x H26.9 In. x D28.0 In.
Capacity:
4.5 Cubic Foot
Grapple Opening: 28.45 In.
Operational Weight: 425 lbs.
Shipping Weight: 450 lbs.

Hydraulic kit 5MP107610 is required to adapt buckets to 1/2 In. body couplers. 1/2 In. body

couplers are standard equipment for 500 series loader 3rd function oil lines and hoses. Hydraulic functions on loader attachment require Third Function Hydraulic Lines and Hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2212XF		AY11E - 72 In. 4-In-1 Bucket for Current 300/400/500 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	3,046.00
		TOOTH BAR	
9000		Tooth Bar for 4-In-1 Bucket For AY11E-72 In. Bucket.	629.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP10643	Miscellaneous Tooth Bar for 72 In. 4-In-1 Bucket (AY11E)	679.32
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AY11E - 72 In. 4-In-1 Bucket for Current 300/400/500 Series Carrier Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AY12D - 72 In. 4-In-1 Bucket for Current 600/700 Series Carrier

Equipment for Base Machine

Cutting Width: 72 In.
Loader Series:
600 and 700
Dimensions:
W72 In. x H20 In. x D29.38 In.
Capacity:
17.07 Cubic Foot
Grapple Opening: 34.78 In.
Operational Weight: 900 lbs.
Shipping Weight: 925 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2221XF		AY12D - 72 In. 4-In-1 Bucket for Current 600/700 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	4,804.00
		TOOTH BAR	
9000		Tooth Bar for 4-In-1 Bucket For AY12-72 In. Bucket.	692.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP33823	Miscellaneous Tooth Bar for 72 In. 4-In-1 Bucket (AY12)	747.36
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AY12D - 72 In. 4-In-1 Bucket for Current 600/700 Series Carrier Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AY12D - 78 In. 4-In-1 Bucket for Current 600/700 Series Carrier

Equipment for Base Machine

Cutting Width: 78 In.
Loader Series:
600 and 700
Dimensions:
W78 In. x H20 In. x D29.38 In.
Capacity:
18.5 Cubic Foot
Grapple Opening: 34.78 In.
Operational Weight: 935 lbs.
Shipping Weight: 960 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2223XF		AY12D - 78 In. 4-In-1 Bucket for Current 600/700 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	5,076.00
		TOOTH BAR	
9000		Tooth Bar for 4-In-1 Bucket For AY12-78 In. Bucket.	711.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP16288	Miscellaneous Tooth Bar for 78 In. 4-In-1 Bucket (AY12)	767.88
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AY12D - 78 In. 4-In-1 Bucket for Current 600/700 Series Carrier Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AY12D - 84 In. 4-In-1 Bucket for Current 600/700 Series Carrier

Equipment for Base Machine

Cutting Width: 84 In.
Loader Series:
600 and 700
Dimensions:
W84 In. x H20 In. x D29.38 In.
Capacity:
19.93 Cubic Foot
Grapple Opening: 34.78 In.
Operational Weight: 975 lbs.
Shipping Weight: 1000 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2225XF		AY12D - 84 In. 4-In-1 Bucket for Current 600/700 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	5,314.00
		TOOTH BAR	
9000		Tooth Bar for 4-In-1 Bucket For AY12-84 In. Bucket.	733.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP16193	Miscellaneous Tooth Bar for 84 In. 4-In-1 Bucket (AY12)	791.64
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AY12D - 84 In. 4-In-1 Bucket for Current 600/700 Series Carrier Continued	_
THIS PAGE INTENTIONALLY LEFT BLANK	_

AY12G - 72 In. 4-In-1 Bucket for Current Loaders with Global Carrier

Equipment for Base Machine

Cutting Width: 72 In.
Loader Series:
Global Carrier
Dimensions:
W72 In. x H20 In. x D29.38 In.
Capacity:
17.07 Cubic Foot
Grapple Opening: 34.78 In.
Operational Weight: 900 lbs.
Shipping Weight: 925 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2222XF		AY12G - 72 In. 4-In-1 Bucket for Current Loaders with Global Carrier Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	4,770.00
		TOOTH BAR	
9000		Tooth Bar for 4-In-1 Bucket For AY12-72 In. Bucket.	692.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP33823	Miscellaneous Tooth Bar for 72 In. 4-In-1 Bucket (AY12)	747.36
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AY12G - 72 In. 4-In-1 Bucket for Current Loaders with Global Carrier Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AY12G - 78 In. 4-In-1 Bucket for Current Loaders with Global Carrier

Equipment for Base Machine

Cutting Width: 78 In.
Loader Series:
Global Carrier
Dimensions:
W78 In. x H20 In. x D29.38 In.
Capacity:
18.5 Cubic Foot
Grapple Opening: 34.78 In.
Operational Weight: 935 lbs.
Shipping Weight: 960 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category]
		BASE MACHINE	
2224XF		AY12G - 78 In. 4-In-1 Bucket for Current Loaders with Global Carrier Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	5,040.00
		TOOTH BAR	
9000		Tooth Bar for 4-In-1 Bucket For AYI2-78 In. Bucket.	711.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP16288	Miscellaneous Tooth Bar for 78 In. 4-In-1 Bucket (AY12)	767.88
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AY12G - 78 In. 4-In-1 Bucket for Current Loaders with Global Carrier Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AY12G - 84 In. 4-In-1 Bucket for Current Loaders with Global Carrier

Equipment for Base Machine

Cutting Width: 84 In.
Loader Series:
Global Carrier
Dimensions:
W84 In. x H20 In. x D29.38 In.
Capacity:
19.93 Cubic Foot
Grapple Opening: 34.78 In.
Operational Weight: 975 lbs.
Shipping Weight: 1000 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category]
		BASE MACHINE	
2226XF		AY12G - 84 In. 4-In-1 Bucket for Current Loaders with Global Carrier Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	5,345.00
		TOOTH BAR	
9000		Tooth Bar for 4-In-1 Bucket For AYI2-84 In. Bucket.	733.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP16193	Miscellaneous Tooth Bar for 84 In. 4-In-1 Bucket (AY12)	791.64
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AY12G - 84 In. 4-In-1 Bucket for Current Loaders with Global Carrier Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AY11F - 53 In. 4-in-1 Bucket for 100 - 300E Series Loader

Equipment for Base Machine

Cutting Width: 53 In.
Loader Series:
(F) 100 to 300
Dimensions:
W53.6 In. x H23.7 In. x D25.0 In.
Bucket Capacity:
Struck: 6.1 Cubic Foot
Heaped: 8.5 Cubic Foot
Clam Opening: 32 In.

Operational Weight: 280 lbs. Shipping Weight: 308 lbs. Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2371XF		AY11F - 53 In. 4-in-1 Bucket for 100 - 300E Series Loader Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	2,100.00
		DESTINATION	
0202		North America UNITED STATES	No Added Cost
0184		CANADA	No Added Cost
0205		QUEBEC	No Added Cost
		OPERATOR'S MANUAL AND DECALS	
0409		AY11F ENGLISH OM	No Added Cost
0413		AY11F FRENCH OM	No Added Cost
0437		AY11F SPANISH OM	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43126	Grapples SPANISH OPERATOR'S MANUAL	82.05
	5MP76314	Miscellaneous ENGLISH OPERATOR'S MANUAL	15.91
	5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

A	Y11F - 53 In. 4-in-1 Bucket for 100 - 300E Series Loader Continued
	THIS PAGE INTENTIONALLY LEFT BLANK

AB16A Small Square Bale Handler for Current 800 Series Carrier

Equipment for Base Machine

Hydraulics: Single Auxiliary Hydraulic Service Shipping Weight With Pallet: 1190 lbs. Operational Weight: 1090 lbs. Dimensions: 31H x 80W x 90L 32 Engaging Teeth

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2051XF		AB16A Small Square Bale Handler for Current 800 Series Carrier Picks up 8 flat or 10 indexed small square bales. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	8,529.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit for Models: (AB16 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AB16A Small Square Bale Handler for Current 800 Series Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

AB16D Small Square Bale Handler for Current 600/700 Series Carrier

Equipment for Base Machine

Hydraulics: Single Auxiliary Hydraulic Service Shipping Weight With Pallet: 1190 lbs. Operational Weight: 1090 lbs. Dimensions: 31H x 80W x 90L 32 Engaging Teeth

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2052XF		AB16D Small Square Bale Handler for Current 600/700 Series Carrier Picks up 8 flat or 10 indexed small square bales. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	7,438.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit for Models: (AB16 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AB16D Small Square Bale Handler for Current 600/700 Series Carrier Continued
THIS PAGE INTENTIONALLY LEFT BLANK
THIS PAGE INTENTIONALLY LEFT BLANK

Bid Term: 2/20/19 - 2/19/21

FRONTIER PRODUCTS

AB16G Small Square Bale Handler for Current Loaders with Global Carrier Equipment for Base Machine

Hydraulics: Single Auxiliary Hydraulic Service Shipping Weight With Pallet: 1190 lbs. Operational Weight: 1090 lbs. Dimensions: 31H x 80W x 90L 32 Engaging Teeth

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2053XF		AB16G Small Square Bale Handler for Current Loaders with Global Carrier Picks up 8 flat or 10 indexed small square bales. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	7,376.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit for Models: (AB16 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AB16G S	AB16G Small Square Bale Handler for Current Loaders with Global Carrier Continued		
	THIS PAGE INTENTIONALLY LEFT BLANK		

AB17K Large Square Bale Squeeze for Global Category 2 Carrier

Equipment for Base Machine

Two 96 In. Arms
110 In. Opening Width
Capacity: Two Large Square Bales
Hydraulics:
Single Auxiliary
Shipping Weight: 1875 lbs.
Operational Weight: 1665 lbs.
Dimensions: 68H x 91W x 99L

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2311XF		AB17K Large Square Bale Squeeze for Global Category 2 Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	9,479.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit for Models: (AB17K)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AB17K Large Square Bale Squeeze for Global Category 2 Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

AH11A Round Bale Hugger for Current 800 Series Carrier

Equipment for Base Machine

Capacity: 1 Round Bale Hydraulic Service: Single Auxiliary Shipping Weight with Pallet: 825 lbs. Operational Weight: 725 lbs. Dimensions: 50H x 57W x 60L

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
2131XF		BASE MACHINE AH11A Round Bale Hugger for Current 800 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	5,506.00
9200		OPERATOR'S MANUAL AND DECAL KIT French Operators Manual and Decal Kit (AH11 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AH11A Round Bale Hugger for Current 800 Series Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

AH11D Round Bale Hugger for Current 600/700 Series Carrier

Equipment for Base Machine

Capacity:
1 Round Bale
Hydraulic Service:
Single Auxiliary
Shipping Weight with Pallet:
825 lbs.
Operational Weight:
725 lbs.
Dimensions:
50H x 57W x 60L

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2132XF		AH11D Round Bale Hugger for Current 600/700 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	5,432.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit (AH11 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

Bid Term: 2/20/19 - 2/19/21

AH11D Round Bale Hugger for Current 600/700 Series Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

AH11G Round Bale Hugger for Current Loaders with Global Carrier

Equipment for Base Machine

Capacity:
1 Round Bale
Hydraulic Service:
Single Auxiliary
Shipping Weight with Pallet:
825 lbs.
Operational Weight:
725 lbs.
Dimensions:
50H x 57W x 60L

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2133XF		AH11G Round Bale Hugger for Current Loaders with Global Carrier Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	4,923.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit (AH11 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

Bid Term: 2/20/19 - 2/19/21

AH11G Round Bale Hugger for Current Loaders with Global Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

AD11H - 60 In. Debris Grapple Bucket for Current 300/400 Series Carrier Equipment for Base Machine

Cutting Width: 60 In.
Loader Series:
300 and 400 Only (Not 500 Series)
Dimensions:
W60 In. x H22 In. x D32 In.
Capacity:
0.3 Cubic Foot Struck
0.4 Cubic Foot Heaped
Grapple Opening: 32.75 In.
Operational Weight: 540 lbs.
Shipping Weight: 570 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
2061XF		BASE MACHINE AD11H - 60 In. Debris Grapple Bucket for Current 300/400 Series Carrier	3,752.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AD11H - 60 In. Debris Grapple Bucket for Current 300/400 Series Carrier Continued	_
	_
THIS PAGE INTENTIONALLY LEFT BLANK	

76.79

FRONTIER PRODUCTS

AD11E - 72 In. Debris Grapple Bucket for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 72 In.
Loader Series:
300, 400, and 500
Dimensions:
W72 In. x H22 In. x D32 In.
Capacity:
0.4 Cubic Foot Struck
0.5 Cubic Foot Heaped
Grapple Opening: 34.5 In.
Operational Weight: 615 lbs.
Shipping Weight: 684 lbs.

5MP43054

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2062XF		AD11E - 72 In. Debris Grapple Bucket for Current 300/400/500 Series Carrier Hydraulic Kit 5MP107610 is required to adapt buckets to 1/2 In. body couplers. 1/2 In. body couplers are standard equipment for 500 series loader 3rd function oil lines and hoses. Order Hydraulic Kit through parts. Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	4,026.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous	

FRENCH OM/DECAL-LDR ATTACHMENTS

AD11E - 72 In. Debris Grapple Bucket for Current 300/400/500 Series Carrier Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AD12D - 76 In. Debris Grapple Bucket for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 76 In.
Loader Series:
600 and 700
Dimensions:
W77 In. x H29 In. x D41 In.
Capacity:
0.6 Cubic Foot Struck
0.7 Cubic Foot Heaped
Grapple Opening: 39.4 In.
Operational Weight: 1100 lbs.
Shipping Weight: 1150 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2071XF		AD12D - 76 In. Debris Grapple Bucket for Current 600/700 Series Carrier	5,302.00
0000		OPERATOR'S MANUAL AND DECALS	No Added Cost
9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
		DEBRIS BUCKET CUTTING EDGE KIT	
9000		Cutting Edge Kit (AD12 Series Only) For 76 In. Debris Bucket	476.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP10123	Miscellaneous 76 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	514.08
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AD12D - 76 In. Debris Grapple Bucket for Current 600/700 Series Carrier Continued
THIS PAGE INTENTIONALLY LEFT BLANK

AD12D - 82 In. Debris Grapple Bucket for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 82" In.
Loader Series:
600 and 700
Dimensions:
W83 In. x H29 In. x D41 In.
Capacity:
0.7 Cubic Foot Struck
0.8 Cubic Foot Heaped
Grapple Opening: 39.4 In.
Operational Weight: 1150 lbs.
Shipping Weight: 1200 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2073XF		AD12D - 82 In. Debris Grapple Bucket for Current 600/700 Series Carrier	5,619.00
9200		OPERATOR'S MANUAL AND DECALS French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
9000		DEBRIS BUCKET CUTTING EDGE KIT Cutting Edge Kit (AD12 Series Only)	492.00
		For 82 In. Debris Bucket	
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP10089	Miscellaneous 82 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	531.36
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AD12D - 82 In. Debris Grapple Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AD12D - 88 In. Debris Grapple Bucket for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 88 In.
Loader Series:
600 and 700
Dimensions:
W89 In. x H29 In. x D41 In.
Capacity:
0.85 Cubic Foot Struck
1.0 Cubic Foot Heaped
Grapple Opening: 39.4 In.
Operational Weight: 1200 lbs.
Shipping Weight: 1250 lbs.

5MP43054

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2075XF		AD12D - 88 In. Debris Grapple Bucket for Current 600/700 Series Carrier	5,803.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
		DEBRIS BUCKET CUTTING EDGE KIT	
9000		Cutting Edge Kit (AD12 Series Only) For 88 In. Debris Bucket	519.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP10124	Miscellaneous 88 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	560.52
		Miscellaneous	

FRENCH OM/DECAL-LDR ATTACHMENTS

76.79

The Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS FRONTIER PRODUCTS

AD12D - 88 In. Debris Grapple Bucket for Current 600/700 Series Carrier Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AD12D - 96 In. Debris Grapple Bucket for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 96 In.
Loader Series:
600 and 700
Dimensions:
W96 In. x H29 In. x D41 In.
Capacity:
1.0 Cubic Foot Struck
1.2 Cubic Foot Heaped
Grapple Opening: 39.4 In.
Operational Weight: 1250 lbs.
Shipping Weight: 1300 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2077XF		AD12D - 96 In. Debris Grapple Bucket for Current 600/700 Series Carrier	5,908.00
9200		OPERATOR'S MANUAL AND DECALS French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
9000		DEBRIS BUCKET CUTTING EDGE KIT Cutting Edge Kit (AD12 Series Only) For 96 In. Debris Bucket	525.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP10125	Miscellaneous 96 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	588.00
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AD12D - 96 In	. Debris Grapple Bucket for Current 600/700 Series Carrier Continued
	THIS PAGE INTENTIONALLY LEFT BLANK

AD12G - 76 In. Debris Grapple Bucket for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 76 In.
Loader Series:
Global Carrier
Dimensions:
W77 In. x H29 In. x D39 In.
Capacity:
0.6 Cubic Foot Struck
0.7 Cubic Foot Heaped
Grapple Opening: 39.4 In.
Operational Weight: 1080 lbs.
Shipping Weight: 1130 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2072XF		AD12G - 76 In. Debris Grapple Bucket for Current Loaders with Global Carrier Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	5,249.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
		DEBRIS BUCKET CUTTING EDGE KIT	
9000		Cutting Edge Kit (AD12 Series Only) For 76 In. Debris Bucket	476.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP10123	Miscellaneous 76 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	514.08
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AD12G - 76 In. Debris Grapple Bucket for Current Loaders with Global Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

AD12G - 82 In. Debris Grapple Bucket for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 82 In.
Loader Series:
Global Carrier
Dimensions:
W83 In. x H29 In. x D39 In.
Capacity:
0.7 Cubic Foot Struck
0.8 Cubic Foot Heaped
Grapple Opening: 39.4 In.
Operational Weight: 1130 lbs.
Shipping Weight: 1180 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2074XF		AD12G - 82 In. Debris Grapple Bucket for Current Loaders with Global Carrier Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	5,456.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
		DEBRIS BUCKET CUTTING EDGE KIT	
9000		Cutting Edge Kit (AD12 Series Only) For 82 In. Debris Bucket	492.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP10089	Miscellaneous 82 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	531.36
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AD12G - 82 In. Debris Grapple Bucket for Current Loaders with Global Carrier Continued
THIS PAGE INTENTIONALLY LEFT BLANK

AD12G - 88 In. Debris Grapple Bucket for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 88 In.
Loader Series:
Global Carrier
Dimensions:
W89 In. x H29 In. x D39 In.
Capacity:
0.85 Cubic Foot Struck
1.0 Cubic Foot Heaped
Grapple Opening: 39.4 In.
Operational Weight: 1180 lbs.
Shipping Weight: 1230 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2076XF		AD12G - 88 In. Debris Grapple Bucket for Current Loaders with Global Carrier Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	5,694.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
		DEBRIS BUCKET CUTTING EDGE KIT	
9000		Cutting Edge Kit (AD12 Series Only) For 88 In. Debris Bucket	519.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP10124	Miscellaneous 88 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	560.52
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AD12G - 88 In. Debris Grapple Bucket for Current Loaders with Global Carrier Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AD12G - 96 In. Debris Grapple Bucket for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 96 In.
Loader Series:
Global Carrier
Dimensions:
W96 In. x H29 In. x D39 In.
Capacity:
1.0 Cubic Foot Struck
1.2 Cubic Foot Heaped
Grapple Opening: 39.4 In.
Operational Weight: 1230 lbs.
Shipping Weight: 1280 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2078XF		AD12G - 96 In. Debris Grapple Bucket for Current Loaders with Global Carrier Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	5,698.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
		DEBRIS BUCKET CUTTING EDGE KIT	
9000		Cutting Edge Kit (AD12 Series Only) For 96 In. Debris Bucket	525.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP10125	Miscellaneous 96 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	588.00
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

Bid Term: 2/20/19 - 2/19/21

AD12G - 96 In. Debris Grapple Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AE11E - 60 In. Free Stall Scraper for Current 300/400/500 Series Carrier

Equipment for Base Machine

Cutting Width: 60 In.
Loader Series:
300, 400, and 500
Dimensions:
W60 In. x H28 In. x D29 In.
Optional Bolt-on Backdrag Weight:
138 lbs.
Operational Weight: 240 lbs.

Shipping Weight: 290 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2081XF		AE11E - 60 In. Free Stall Scraper for Current 300/400/500 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	1,572.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AE11 Series)	No Added Cost
		BACK DRAG ATTACHMENT	
9000		Back Drag Attachment (AE11E) For 60 In. Free Stall Scraper.	614.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP10736	Miscellaneous 60 In. Back Drag Attachment (AE11E)	663.12
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AE11E - 60 In. Free Stall Scraper for Current 300/400/500 Series Carrier Continued

THIS PAGE IN	IENTIONALLY	LEFT BLANK
--------------	-------------	------------

AE11E - 72 In. Free Stall Scraper for Current 300/400/500 Series Carrier

Equipment for Base Machine

Cutting Width: 72 In.
Loader Series:
300, 400, and 500
Dimensions:
W72 In. x H28 In. x D29 In.
Optional Bolt-on Backdrag Weight:
161 lbs.
Operational Weight: 265 lbs.

Shipping Weight: 315 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2082XF		AE11E - 72 In. Free Stall Scraper for Current 300/400/500 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	1,820.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AE11 Series)	No Added Cost
		BACK DRAG ATTACHMENT	
9000		Back Drag Attachment (AE11E) For 72 In. Free Stall Scraper.	639.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP10737	Miscellaneous 72 In. Back Drag Attachment (AE11E)	690.12
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AE11E - 72 In. Free Stall Scraper for Current 300/400/500 Series Carrier Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AE11E - 84 In. Free Stall Scraper for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 84 In.
Loader Series:
300, 400, and 500
Dimensions:
W84 In. x H28 In. x D29 In.
Optional Bolt-on Backdrag Weight:
194 lbs.
Operational Weight: 285 lbs.

Shipping Weight: 335 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)	
		Select One Code From Each Required Category		
		BASE MACHINE		
2083XF		AE11E - 84 In. Free Stall Scraper for Current 300/400/500 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	1,896.00	
		OPERATOR'S MANUAL AND DECALS		
9200		French Operators Manual and Decal Kit (AE11 Series)	No Added Cost	
		BACK DRAG ATTACHMENT		
9000		Back Drag Attachment (AE11E) For 84 In. Free Stall Scraper.	805.00	
		ATTACHMENTS FOR FIELD CONVERSION		
	5FP10738	Miscellaneous 84 In. Back Drag Attachment (AE11E)	869.40	
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24	

AE11E - 84 In. Free Stall Scraper for Current 300/400/500 Series Carrier Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AE11E - 96 In. Free Stall Scraper for Current 300/400/500 Series Carrier

Equipment for Base Machine

Cutting Width: 96 In.
Loader Series:
300, 400, and 500
Dimensions:
W96 In. x H28 In. x D29 In.
Optional Bolt-on Backdrag Weight:
226 lbs.
Operational Weight: 305 lbs.

Shipping Weight: 355 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)	
		Select One Code From Each Required Category		
		BASE MACHINE		
2084XF		AE11E - 96 In. Free Stall Scraper for Current 300/400/500 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	1,996.00	
		OPERATOR'S MANUAL AND DECALS		
9200		French Operators Manual and Decal Kit (AE11 Series)	No Added Cost	
		BACK DRAG ATTACHMENT		
9000		Back Drag Attachment (AE11E) For 96 In. Free Stall Scraper.	851.00	
		ATTACHMENTS FOR FIELD CONVERSION		
	5FP10739	Miscellaneous 96 In. Back Drag Attachment (AE11E)	919.08	
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24	

AE11E - 96 In. Free Stall Scraper for Current 300/400/500 Series Carrier
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Liet Drice

FRONTIER PRODUCTS

AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders Equipment for Base Machine

Cutting Width 59.6
Moldboard Height 21
Moldboard Thickness 12 GA
Overall Depth 26.5
Weight 168 lbs
Ship Weight 180 lbs
Cutting Edge 1/4 x 6 Reversible
Angle Adjustments 5, up to 30°
Loader Compatibility H120, H130
Tractor Compatibility 1 & 2 Series, 25 HP max, 3774

lbs max Optional Equipment Rubber Deflector, Plow Guides, Urethane Cutting Edge & Urethane Skid Shoes

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2401XF		AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders	1,749.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	No Added Cost
		OPERATOR'S MANUAL AND DECALS	
0409		English Operator's Manual	In Base Price
0413		French Operator's Manual	No Added Cost
0437		Spanish Operator's Manual	No Added Cost
		URETHANE CUTTING EDGE KIT	
9862		Urethane Cutting Edge Kit	487.00
		RUBBER DEFLECTOR KIT	
9860		Rubber Deflector Kit	101.00
		PLOW GUIDE KIT	
9861		Plow Guide Kit	133.00
		URETHANE SKID SHOE KIT	
9863		Urethane Skid Shoe Kit	282.00
		HYDRAULICS	
9561		HYDRAULIC ANGLE KIT	695.00

ATTACHMENTS FOR FIELD CONVERSION

AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSIONContinued	
	5WD1044511	Miscellaneous AF10 Rubber Deflector Kit	113.12
	5WD1044515	French Operator's Manual and Decal Kit	131.04
	5WD1044517	HYDRAULIC ANGLE KIT	750.60
	5WD1044516	Spanish Operator's Manual and Decal Kit	131.04
	5WD1044513	Urethane Cutting Edge Kit	525.96
	5WD1044512	Plow Guide Kit AF10 Plow Guide Kit	148.96
	5WD1044514	Urethane Skid Shoe Kit Urethane Skid Shoe Kit	304.56

AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier

Equipment for Base Machine

Cutting Width: 6 Ft.
Loader Series:
300, 400, and 500
Dimensions:
W72 In. x H23 In. x D34 In.
Operational Weight: 400 lbs.
Shipping Weight: 430 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2091XF		AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	2,526.00
		OPERATOR'S MANUAL AND DECALS	_
9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
9020		RUBBER EDGE KIT Rubber Edge Kit For 6 Ft. AFIIE	488.00
9000		HYDRAULICS Hydraulic angle Kit for 6 Ft. and 7 Ft. AF11E	579.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP10726	Miscellaneous Hydraulic Angle Kit for 6 Ft. and 7 Ft. AF11E	625.32
	5FPLAF6486	Rubber Edge Kit for 6 Ft. AF11E	527.04
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier

Equipment for Base Machine

Cutting Width: 7 Ft.
Loader Series:
300, 400, and 500
Dimensions:
W84 In. x H23 In. x D34 In.
Operational Weight: 450 lbs.
Shipping Weight: 480 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Attachment Code Identifier		Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2093XF		AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	2,564.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
9020		RUBBER EDGE KIT Rubber Edge Kit For 7 Ft. AF11E	523.00
9000		HYDRAULICS Hydraulic angle Kit for 6 Ft. and 7 Ft. AF11E	579.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FP10726	Miscellaneous Hydraulic Angle Kit for 6 Ft. and 7 Ft. AF11E	625.32
	5FPLAF6487	Rubber Edge Kit for 7 Ft. AF11E	564.84
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500
Series Carrier
Continued

THIS	S PA	AGF.	INTFI	NTIC	DNALLY	I FFT	BLANK	(
1 1 11		' O'						•

AF11D - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier

Equipment for Base Machine

Cutting Width: 7 Ft.
Loader Series:
600 Series Loaders
on 6000 Series Tractors
Dimensions:
W84 In. x H32 In. x D48 In.
Operational Weight: 730 lbs.
Shipping Weight: 780 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2092XF		AF11D - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier ONLY 6000 series tractors. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	4,786.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
		RUBBER EDGE KIT	
9020		Rubber Edge Kit For 7 Ft. AF11D and AF11G	613.00
9010		Rubber Top Flap Kit For 7 Ft. AF11D and AF11G.	232.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FPLAF1551	Miscellaneous Rubber Edge Kit for 7 Ft. AF11D and AF11G	662.04
	5FPLAF6492	Rubber Top Flap Kit for 7 Ft. AF11D and AF11G	295.40
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AF11D - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/	700
Series Carrier	

Continued THIS PAGE INTENTIONALLY LEFT BLANK

AF11D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier

Equipment for Base Machine

Cutting Width: 8 Ft.
Loader Series:
600 Series Loaders
on 6000 Series Tractors
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1195 lbs.
Shipping Weight: 1245 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2095XF		AF11D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier ONLY 6000 series tractors. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	4,942.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
		RUBBER EDGE KIT	
9020		Rubber Edge Kit For 8 Ft. AF11D, AF11G, AF12D and AF12G	680.00
9010		Rubber Top Flap Kit For 8 Ft. AF11D, AF11G, AF12D and AF12G.	250.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FPLAF1552	Miscellaneous Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	734.40
	5FPLAF6493	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	270.00
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AF11D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700
Series Carrier
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier

Equipment for Base Machine

Cutting Width: 7 Ft.
Loader Series:
Global Carrier on 6000 Series Tractors
Dimensions:
W84 In. x H32 In. x D48 In.
Operational Weight: 710 lbs.
Shipping Weight: 760 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2094XF		AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier ONLY 6000 series tractors and smaller. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	4,491.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
		RUBBER EDGE KIT	
9020		Rubber Edge Kit For 7 Ft. AF11D and AF11G	613.00
9010		Rubber Top Flap Kit For 7 Ft. AF11D and AF11G.	232.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FPLAF1551	Miscellaneous Rubber Edge Kit for 7 Ft. AF11D and AF11G	662.04
	5FPLAF6492	Rubber Top Flap Kit for 7 Ft. AF11D and AF11G	295.40
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Continued			
IIS PAGE INTENTIONALLY LEFT BLANK			

AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier

Equipment for Base Machine

Cutting Width: 8 Ft.
Loader Series:
Global Carrier on 6000 Series Tractors
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1175 lbs.
Shipping Weight: 1225 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Cada	Attachment Identifier	December	List Price Suggested
Code	identifier	Select One Code From Each Required Category	USD (\$)
		BASE MACHINE	
2096XF		AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier ONLY 6000 series tractors and smaller. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	4,923.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
		RUBBER EDGE KIT	
9020		Rubber Edge Kit For 8 Ft. AF11D, AF11G, AF12D and AF12G	680.00
9010		Rubber Top Flap Kit For 8 Ft. AF11D, AF11G, AF12D and AF12G.	250.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FPLAF1552	Miscellaneous Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	734.40
	5FPLAF6493	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	270.00
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AF12D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier

Equipment for Base Machine

Cutting Width: 8 Ft.
Loader Series:
600 and 700
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1195 lbs.
Shipping Weight: 1245 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2101XF		AF12D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	6,572.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
		RUBBER EDGE KIT	
9020		Rubber Edge Kit For 8 Ft. AF11D, AF11G, AF12D and AF12G	680.00
9010		Rubber Top Flap Kit For 8 Ft. AF11D, AF11G, AF12D and AF12G.	250.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FPLAF1552	Miscellaneous Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	734.40
	5FPLAF6493	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	270.00
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AF12D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700
Series Carrier
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier

Equipment for Base Machine

Cutting Width: 9 Ft.
Loader Series:
600 and 700
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1195 lbs.
Shipping Weight: 1245 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2103XF		AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	7,280.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
9020		RUBBER EDGE KIT Rubber Edge Kit For 9 Ft. AF12D and AF12G	742.00
9010		Rubber Top Flap Kit For 9 Ft. AF12D and AF12G.	269.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FPLAF1553	Miscellaneous Rubber Edge Kit for 9 Ft. AF12D and AF12G	801.36
	5FPLAF6494	Rubber Top Flap Kit for 9 Ft. AF12D and AF12G	314.09
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/7	700
Series Carrier	

Continued THIS PAGE INTENTIONALLY LEFT BLANK

AF12D - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier

Equipment for Base Machine

Cutting Width: 10 Ft.
Loader Series:
600 and 700
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1195 lbs.
Shipping Weight: 1245 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2105XF		AF12D - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	7,331.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
9020		RUBBER EDGE KIT Rubber Edge Kit For 10 Ft. AF12D and AF12G	807.00
9010		Rubber Top Flap Kit For 10 Ft. AF12D and AF12G.	287.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FPLAF1554	Miscellaneous Rubber Edge Kit for 10 Ft. AF12D and AF12G	871.56
	5FPLAF6495	Rubber Top Flap Kit for 10 Ft. AF12D and AF12G	309.96
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AF12D - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700
Series Carrier
Continued

THI	IS P	AGE	INTF	NTIC	DNALLY	I FFT	BLANK	(
	10 I	$\neg \cup$) I I I I I				١

AF12G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier

Equipment for Base Machine

Cutting Width: 8 Ft.
Loader Series:
Global Carrier
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1175 lbs.
Shipping Weight: 1225 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2102XF		AF12G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	5,856.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
		RUBBER EDGE KIT	
9020		Rubber Edge Kit For 8 Ft. AF11D, AF11G, AF12D and AF12G	680.00
9010		Rubber Top Flap Kit For 8 Ft. AF11D, AF11G, AF12D and AF12G.	250.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FPLAF1552	Miscellaneous Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	734.40
	5FPLAF6493	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	270.00
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AF12G - 8 Ft. Boom Mounted Front	Blade with Hydraulic Angle for Current Loaders wi Global Carrier Continued		
THIS PAGE	INTENTIONALLY LEFT BLANK		

AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier

Equipment for Base Machine

Cutting Width: 9 Ft.
Loader Series:
Global Carrier
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1175 lbs.
Shipping Weight: 1225 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2104XF		AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	6,554.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
		RUBBER EDGE KIT	
9020		Rubber Edge Kit For 9 Ft. AF12D and AF12G	742.00
9010		Rubber Top Flap Kit For 9 Ft. AF12D and AF12G.	269.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FPLAF1553	Miscellaneous Rubber Edge Kit for 9 Ft. AF12D and AF12G	801.36
	5FPLAF6494	Rubber Top Flap Kit for 9 Ft. AF12D and AF12G	314.09
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Continued
THIS PAGE INTENTIONALLY LEFT BLANK

AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier

Equipment for Base Machine

Cutting Width: 10 Ft.
Loader Series:
Global Carrier
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1175 lbs.
Shipping Weight: 1225 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2106XF		AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	6,747.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
		RUBBER EDGE KIT	
9020		Rubber Edge Kit For 10 Ft. AF12D and AF12G	807.00
9010		Rubber Top Flap Kit For 10 Ft. AF12D and AF12G.	287.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5FPLAF1554	Miscellaneous Rubber Edge Kit for 10 Ft. AF12D and AF12G	871.56
	5FPLAF6495	Rubber Top Flap Kit for 10 Ft. AF12D and AF12G	309.96
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

EDONITIED DDODLIGTO

FRONTIER PRODUCTS						
AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Continued						
THIS PAGE INTENTIONALLY LEFT BLANK						

AM20F - 50 in. Manure Fork

Equipment for Base Machine

Shipping Weight: 178 lbs.

Operating Width: 50 In.
Loader Series:
120/H120/220R/D160 (Check Compatibility Chart For Complete Loader List) Dimensions:
W50 In. x H21.13 In. x D25 In.
7 tines at 1.25 In. diameter solid round steel
Operational Weight: 141 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	Ĭ
		BASE MACHINE	
2361XF		AM20F - 50 in. Manure Fork	788.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	No Added Cost
		OPERATOR'S MANUAL AND DECALS	
0409		English Operator's Manual	In Base Price
0413		French Operator's Manual	No Added Cost
0437		Spanish Operator's Manual	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5WS105009	Operator's Manual And Decals English Operator's Manual - AM20F Manure Fork	54.88
	5WS101364	French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	54.88
	5WS101375	Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	54.88

AM20F - 50 in. Manure Fork
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AM20F - 60 in. Manure Fork

Equipment for Base Machine

Shipping Weight: 204 lbs.

Operating Width: 60 In.
Loader Series:
120/H120/220R/D160 (Check Compatibility Chart For Complete Loader List)

Dimensions:
W60 In. x H21.13 In. x D25 In.
8 tines at 1.25 In. diameter solid round steel
Operational Weight: 167 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category]
		BASE MACHINE	
2362XF		AM20F - 60 in. Manure Fork	1,034.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	No Added Cost
		OPERATOR'S MANUAL AND DECALS	
0409		English Operator's Manual	In Base Price
0413		French Operator's Manual	No Added Cost
0437		Spanish Operator's Manual	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5WS105009	Operator's Manual And Decals English Operator's Manual - AM20F Manure Fork	54.88
	5WS101364	French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	54.88
	5WS101375	Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	54.88

AM20F - 60 in. Manure Fork
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AM11H - 60 In. Manure Fork with Grapple for Current 300CX/400 Series Carrier Equipment for Base Machine

Cutting Width: 60 In.
Loader Series:
300 and 400 Only (Not 500 Series)
Dimensions:
W60 In. x H26.5 In. x D34 In.
Grapple Opening: 37 In.
Operational Weight: 457 lbs.
Shipping Weight: 507 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
2141XF		BASE MACHINE AM11H - 60 In. Manure Fork with Grapple for Current 300CX/400 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	2,875.00
0200		OPERATOR'S MANUAL AND DECALS	No Added Cost
9200		French Operators Manual and Decal Kit (AM11 Series) ATTACHMENTS FOR FIELD CONVERSION	No Added Cost
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AM11F	l - 60 In. Mai	nure Fork with	Grapple for Continued	Current 300C	X/400 Series (Carrier
		THIS PAGE IN	TENTIONALL	Y LEFT BLAN	IK	
		THIS PAGE IN	TENTIONALL	Y LEFT BLAN	IK	

AM11E - 72 In. Manure Fork with Grapple for Current 300CX/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 72 In.
Loader Series:
300, 400, and 500
Dimensions:
W72 In. x H26.5 In. x D34 In.
Grapple Opening: 37 In.
Operational Weight: 471 lbs.
Shipping Weight: 521 lbs.
Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
2142XF		BASE MACHINE AM11E - 72 In. Manure Fork with Grapple for Current 300CX/400/500 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	2,945.00
9200		OPERATOR'S MANUAL AND DECALS French Operators Manual and Decal Kit (AM11 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AM11E - 72 In. Manure Fork with Grapple for Current 300CX/400/500 Series Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

AM11D - 84 In. Manure Fork with Grapple for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 84 In.
Loader Series:
600 and 700
Dimensions:
W84 In. x H27.5 In. x D26 In.
Grapple Opening: 37 In.
Operational Weight: 587 lbs.
Shipping Weight: 637 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
2143XF		BASE MACHINE AM11D - 84 In. Manure Fork with Grapple for Current 600/700 Series Carrier	3,395.00
		Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AM11 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AM11D - 84 In. I	Manure Fork with Grapple for Current 600/700 Series Carrier Continued
	THIS PAGE INTENTIONALLY LEFT BLANK

AM11D - 96 In. Manure Fork with Grapple for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 96 In.
Loader Series:
600 and 700
Dimensions:
W96 In. x H27.5 In. x D26 In.
Grapple Opening: 37 In.
Operational Weight: 651 lbs.
Shipping Weight: 701 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
01.15\(\frac{1}{5}\)		BASE MACHINE	
2145XF		AM11D - 96 In. Manure Fork with Grapple for Current 600/700 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	3,974.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AM11 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AM11D - 96 In. Manure Fork with Grapple for Current 600/700 Series Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

AM11G - 84 In. Manure Fork with Grapple for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 84 In.
Loader Series:
Global Carrier
Dimensions:
W84 In. x H24 In. x D35 In.
Grapple Opening: 37 In.
Operational Weight: 537 lbs.
Shipping Weight: 587 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
2144XF		BASE MACHINE AM11G - 84 In. Manure Fork with Grapple for Current Loaders with Global Carrier	3,607.00
214471		Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	3,007.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit (AM11 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AM11G - 84 In. Manure Fork with Grapple for Current Loaders with Global Carrier Continued
THIS PAGE INTENTIONALLY LEFT BLANK

AM11G - 96 In. Manure Fork with Grapple for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 96 In.
Loader Series:
Global Carrier
Dimensions:
W96 In. x H24 In. x D35 In.
Grapple Opening: 37 In.
Operational Weight: 601 lbs.
Shipping Weight: 651 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
2146XF		BASE MACHINE AM11G - 96 In. Manure Fork with Grapple for Current Loaders with Global Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	4,183.00
9200		OPERATOR'S MANUAL AND DECALS French Operators Manual and Decal Kit (AM11 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

Frontier 11/7/19 Price List-Effective 1/2/20

FRONTIER PRODUCTS

AM11G - 96 In. Manure Fork with Grapple for Current Loaders with Global Carrier Continued
THIS PAGE INTENTIONALLY LEFT BLANK

Bid Term: 2/20/19 - 2/19/21

FRONTIER PRODUCTS

AP10F Pallet Fork Fixed Tines

Equipment for Base Machine

Pallet Forks (36 In. or 42 In. in Length):
Two - Class I Solid 1.0 In. x 3.0 or 1.18 x 3.13
In. Tines
H120, D120 Series Loaders (Check Compatibility
Chart For Complete Loader List)
Frame Load Rating: 1250 lbs.
Dimensions (36 In. Forks or 42 In. Forks):
24.5H x 49.25W x 45L or 51L
Operational Weight

(36 In. Forks or 42 In. Forks):
170 or 198 lbs.
170 or 198 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2341XF		AP10F Pallet Fork Fixed Tines	684.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	No Added Cost
		OPERATOR'S MANUAL AND DECALS	
0409		English Operator's Manual	In Base Price
0413		French Operator's Manual	No Added Cost
0437		Spanish Operator's Manual	No Added Cost
		PALLET TINE	
2401		36 in. tines (900 lbs)	In Base Price
2400		42 in. tines (2000 lbs)	77.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5WS105008	Operator's Manual And Decals English Operator's Manual - AP10F, AP11F Pallet Fork	53.76
	5WS101364	French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	54.88
	5WS101375	Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	54.88

AP10F Pallet Fork Fixed Tines Continued THIS PAGE INTENTIONALLY LEFT BLANK

AP11F Pallet Fork Fixed Tines

Equipment for Base Machine

Pallet Forks (36 In. or 42 In. in Length):
Two - Class I Solid 1.0 In. x 3.0 or 1.18 x 3.13
In. Tines
120/H120/220R/D160 Loaders (Check Compatibility
Chart For Complete Loader List)
Frame Load Rating: 2000 lbs.
Dimensions (36 In. Forks or 42 In. Forks):
24.5H x 49.38W x 44L or 50L
Operational Weight

(36 In. Forks or 42 In. Forks):
219 or 247 lbs.

219 or 247 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2351XF		AP11F Pallet Fork Fixed Tines	864.00
		DESTINATION	
0202		United States	In Base Price
0184		Canada	No Added Cost
		OPERATOR'S MANUAL AND DECALS	
0409		English Operator's Manual	In Base Price
0413		French Operator's Manual	No Added Cost
0437		Spanish Operator's Manual	No Added Cost
		PALLET TINE	
2401		36 in. tines (900 lbs)	-77.00
2400		42 in. tines (2000 lbs)	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	5WS105008	Operator's Manual And Decals English Operator's Manual - AP10F, AP11F Pallet Fork	53.76
	5WS101364	French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	54.88
	5WS101375	Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	54.88

AP11F Pallet Fork Fixed Tines Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AP12A Fixed Pallet Fork for Current 800 Series Carrier

Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):
Two - 1.57 In. x 5.12 In.
(600, 700, Global, and
800 Series Loaders)
Load Rating: 5500 lbs.
(600, 700, Global, and
800 Series Loaders)
Dimensions (42 In. Forks or 48 In. Forks):
37H x 60W x 54L or 60L

Operational Weight (42 In. Forks or 48 In. Forks): 445 or 465 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2151XF		AP12A Fixed Pallet Fork for Current 800 Series Carrier Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	1,961.00
		PALLET TINE	
1000		42 In. Pallet Tine Rated for 5500 lbs.	No Added Cost
1010		48 In. Pallet Tine Rated for 5500 lbs.	57.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72

AP12A Fixed Pallet Fork for Current 800 Series Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier

Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):
Two - 1.38 In. x 4.72 In.
(200, 300, 400, and
500 Series Loaders)
Load Rating: 3750 lbs.
(200, 300, 400, and
500 Series Loaders)
Dimensions (42 In. Forks or 48 In. Forks):
34H x 50W x 51L or 57L

Operational Weight (42 In. Forks or 48 In. Forks): 380 or 395 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2153XF		AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	1,137.00
		PALLET TINE	
1000		42 In. Pallet Tine Rated for 3750 lbs.	No Added Cost
1010		48 In. Pallet Tine Rated for 3750 lbs.	42.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72

AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

AP12D Fixed Pallet Fork for Current 600/700 Series Carrier

Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):
Two - 1.57 In. x 5.12 In.
(600, 700, Global, and
800 Series Loaders)
Load Rating: 5500 lbs.
(600, 700, Global, and
800 Series Loaders)
Dimensions (42 In. Forks or 48 In. Forks):
34H x 50W x 54L or 60L

Operational Weight (42 In. Forks or 48 In. Forks): 445 or 465 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2152XF		AP12D Fixed Pallet Fork for Current 600/700 Series Carrier Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	1,405.00
		PALLET TINE	
1000		42 In. Pallet Tine Rated for 5500 lbs.	No Added Cost
1010		48 In. Pallet Tine Rated for 5500 lbs.	57.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72

Grounds Equipment Bid #ESCNJ 18/19-25

AP12D Fixed Pallet Fork for Current 600/700 Series Carrier Continued

FRONTIER PRODUCTS

THIS PAGE INTENTIONALLY LEFT BLANK

Bid Term: 2/20/19 - 2/19/21

FRONTIER PRODUCTS

AP12G Fixed Pallet Fork for Current Loaders with Global Carrier

Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):
Two - 1.57 In. x 5.12 In.
(600, 700, Global, and
800 Series Loaders)
Load Rating: 5500 lbs.
(600, 700, Global, and
800 Series Loaders)
Dimensions (42 In. Forks or 48 In. Forks):
37H x 60W x 54L or 60L

Operational Weight (42 In. Forks or 48 In. Forks): 456 or 476 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2154XF		AP12G Fixed Pallet Fork for Current Loaders with Global Carrier Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	1,353.00
		PALLET TINE	
1000		42 In. Pallet Tine Rated for 5500 lbs.	No Added Cost
1010		48 In. Pallet Tine Rated for 5500 lbs.	57.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72

AP12G Fixed Pallet Fork for Current Loaders with Global Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only)

Equipment for Base Machine

Pallet Forks (48 In. in Length):
Two - 2.00 In. x 5.00 In.
(Global Category 2,
Loader Carrier)
Load Rating: 10,000 lbs.
(Global Category 2 Carrier, H480 Loader)
Dimensions (48 In. Forks):
43H x 59W x 60L
Operational Weight

(48 In. Forks): 812 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2155XF		AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only) Note: 48 In Pallet Forks Included as Standard Equipment. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	3,402.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5MP43053 French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks

34.72

AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only)					
Continued					

THIS PAGE INTENTIONALLY LEFT BLANK

Bid Term: 2/20/19 - 2/19/21

FRONTIER PRODUCTS

AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier

Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):
Two - 1.38 In. x 4.72 In.
Load Rating: 3750 lbs.
Dimensions (42 In. Forks or 48 In. Forks):
31H x 50W x 51L or 57L
Operational Weight
(42 In. Forks or 48 In. Forks):

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2162XF		AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	1,187.00
		PALLET TINE	
1000		42 In. Pallet Tine Rated for 3750 lbs.	No Added Cost
1010		48 In. Pallet Tine Rated for 3750 lbs.	74.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72

Effective 1/2/20

FRONTIER PRODUCTS

AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier Continued
THIS PAGE INTENTIONALLY LEFT BLANK

AP13D Floating Pallet Fork for Current 600/700 Series Carrier

Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):
Two - 1.57 In. x 5.12 In.
Load Rating: 5500 lbs.
Dimensions (42 In. Forks or 48 In. Forks):
34H x 50W x 54L or 60L
Operational Weight
(42 In. Forks or 48 In. Forks):

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2161XF		AP13D Floating Pallet Fork for Current 600/700 Series Carrier Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	1,351.00
		PALLET TINE	
1000		42 In. Pallet Tine Rated for 5500 lbs.	No Added Cost
1010		48 In. Pallet Tine Rated for 5500 lbs.	93.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72

AP13D Floating Pallet Fork for Current 600/700 Series Carrier Continued
THIS PAGE INTENTIONALLY LEFT BLANK

Bid Term: 2/20/19 - 2/19/21

FRONTIER PRODUCTS

AP13G Floating Pallet Fork for Current Loaders with Global Carrier

Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):
Two - 1.57 In. x 5.12 In.
Load Rating: 5500 lbs.
Dimensions (42 In. Forks or 48 In. Forks):
32H x 49W x 52L or 58L
Operational Weight
(42 In. Forks or 48 In. Forks):

			List Price
Code	Attachment Identifier	Description	Suggested USD (\$)
			(1)
		Select One Code From Each Required Category	
		BASE MACHINE	
2163XF		AP13G Floating Pallet Fork for Current Loaders with Global Carrier Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	1,291.00
		PALLET TINE	
1000		42 In. Pallet Tine Rated for 5500 lbs.	No Added Cost
1010		48 In. Pallet Tine Rated for 5500 lbs.	93.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72

Effective 1/2/20

FRONTIER PRODUCTS

AP13G Floating Pallet Fork for Current Loaders with Global Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

Bid Term: 2/20/19 - 2/19/21

FRONTIER PRODUCTS

AP13K Floating Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only)

Equipment for Base Machine

Pallet Forks (48 In. in Length):
Two - 2.0 In. x 5.0 In.
Load Rating: 10,000 lbs.
Dimensions:
42H x 62W x 61L
Operational Weight
773 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category]
		BASE MACHINE	
2331XF		AP13K Floating Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only) Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	3,365.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72

AP13K Floating Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only) Continued				
THIS PAGE INTENTIONALLY LEFT BLANK				

AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier

Equipment for Base Machine

Cutting Width: 55 In.
Loader Series:
300 and 400 Only (Not 500 Series)
Dimensions:
W54.8 In. x H22 In. x D23 In.
Capacity:
0.32 Cubic Foot
Tine Diameter: 1-1/8 In.
Tine Length: 22 In.

Operational Weight: 282 lbs. Shipping Weight: 352 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2171XF		AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier Tine spacing is 2 In. on 55 In. model. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	1,798.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier

Equipment for Base Machine

Cutting Width: 60 In.
Loader Series:
300, 400, and 500
Dimensions:
W68.4 In. (W65.9 In.) x H21.7 In. x D45 In.
Capacity:
0.82 Cubic Foot
Optional Hydraulic Grapple - Opening:
60 In.
Optional Hydraulic Grapple - Weight:
375 lbs.
Tine Diameter: 1-1/8 In.
Tine Length: 39 In.
Operational Weight:
585 lbs. (458 lbs.)

Shipping Weight: 670 lbs. (550 lbs.)

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2172XF		AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	2,493.00
		TINE SPACING	
1000		2 In. Tine Spacing	In Base Price
1010		3 In. Tine Spacing	-200.00
9050		GRAPPLES Grapple Attachment for Rock Bucket Fits AR10E models with 66 In. and 75 In. working widths and used on 300/400/500 series loaders. Includes Grapple Attachment and Hydraulic Kit.	2,767.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79
	5MP106503	Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics. No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics.	3,063.96
	5MP103533	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.	146.72

AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	5MP106524	ATTACHMENTS FOR FIELD CONVERSIONContinued Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment Fittings compatible with 300 and 400 series loaders.	126.56

AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier

Equipment for Base Machine

Cutting Width: 75 In.
Loader Series:
300, 400, and 500
Dimensions:
W74.7 In. (W74.4 In.) x H21.7 In. x D45 In.
Capacity:
0.89 Cubic Foot
Optional Hydraulic Grapple - Opening:
60 In.
Optional Hydraulic Grapple - Weight:
375 lbs.
Tine Diameter: 1-1/8 In.
Tine Length: 39 In.
Operational Weight:
632 lbs. (528 lbs.)

Shipping Weight: 707 lbs. (603 lbs.)

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2174XF		AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	2,719.00
		TINE SPACING	
1000		2 In. Tine Spacing	In Base Price
1010		3 In. Tine Spacing	-272.00
		GRAPPLES	
9050		Grapple Attachment for Rock Bucket Fits AR10E models with 66 In. and 75 In. working widths and used on 300/400/500 series loaders. Includes Grapple Attachment and Hydraulic Kit.	2,767.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79
	5MP106503	Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics. No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics.	3,063.96
	5MP103533	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.	146.72

AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	5MP106524	ATTACHMENTS FOR FIELD CONVERSIONContinued Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment Fittings compatible with 300 and 400 series loaders	126.56

AR10D - 75 In. Rock Bucket for Current 600/700 Series Carrier

Equipment for Base Machine

Cutting Width: 75 In.
Loader Series:
600 and 700
Dimensions:
W74.7 In. (W74.4 In.) x H21.7 In. x D45 In.
Capacity:
0.89 Cubic Foot
Optional Hydraulic Grapple - Opening:
60 In.
Optional Hydraulic Grapple - Weight:
375 lbs.
Tine Diameter: 1-1/8 In.
Tine Length: 39 In.
Operational Weight:
632 lbs. (528 lbs.)

Shipping Weight: 707 lbs. (603 lbs.)

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2173XF		AR10D - 75 In. Rock Bucket for Current 600/700 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	2,893.00
		TINE SPACING	
1000		2 In. Tine Spacing	In Base Price
1010		3 In. Tine Spacing	-262.00
		GRAPPLES	
9060		Grapple Attachment for Rock Bucket Fits AR10D, and AR10G models with 66 In. and 75 In. working widths and used on 600/700 series loaders as well as loaders with global carriers. Includes Grapple Attachment and Hydraulic Kit.	2,782.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79
	5MP106503	Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths	3,063.96
		No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics. No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics.	
	5MP103533	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.	146.72

AR10D - 75 In. Rock Bucket for Current 600/700 Series Carrier Continued

Bid Term: 2/20/19 - 2/19/21

FRONTIER PRODUCTS

AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier

Equipment for Base Machine

Cutting Width: 75 In.
Loader Series:
Global Carrier
Dimensions:
W74.7 In. (W74.4 In.) x H21.7 In. x D45 In.
Capacity:
0.89 Cubic Foot
Optional Hydraulic Grapple - Opening:
60 In.
Optional Hydraulic Grapple - Weight:
375 lbs.
Tine Diameter: 1-1/8 In.
Tine Length: 39 In.
Operational Weight:
739 lbs. (619 lbs.)

Shipping Weight: 814 lbs. (694 lbs.)

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description Select One Code From Each Required Category	List Price Suggested USD (\$)
2175XF		BASE MACHINE AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	3,083.00
		TINE SPACING	
1000		2 In. Tine Spacing	In Base Price
1010		3 In. Tine Spacing	-163.00
9060		GRAPPLES Grapple Attachment for Rock Bucket Fits AR10D, and AR10G models with 66 In. and 75 In. working widths and used on 600/700 series loaders as well as loaders with global carriers. Includes Grapple Attachment and Hydraulic Kit.	2,782.00
9200		OPERATOR'S MANUAL AND DECALS French Operators Manual and Decal Kit(AR10 and AR12 Series) ATTACHMENTS FOR FIELD CONVERSION	No Added Cost
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79
	5MP106503	Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics. No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics.	3,063.96

AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	5MP103533	ATTACHMENTS FOR FIELD CONVERSIONContinued Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.	146.72

76.79

FRONTIER PRODUCTS

AR12A - 84 In. Rock Bucket for Current 800 Series Carrier

Equipment for Base Machine

Cutting Width: 84 In.
Loader Series: 800
Dimensions:
W85 In. x H35 In. x D61 In.
Capacity:
1.02 Cubic Foot
Tine Diameter: 1-5/8 In.
Tine Length: 46 In.

5MP43054

Operational Weight: 1536 lbs. Shipping Weight: 1666 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2181XF		AR12A - 84 In. Rock Bucket for Current 800 Series Carrier Tine spacing is 3 In. on AR12 series rock buckets. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	7,468.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous	

FRENCH OM/DECAL-LDR ATTACHMENTS

AR12A - 84 In. Rock Bucket for Current 800 Series Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

.

FRONTIER PRODUCTS

AR12A - 93 In. Rock Bucket for Current 800 Series Carrier

Equipment for Base Machine

Cutting Width: 93 In. Loader Series: 800

Dimensions:

W94 In. \times H35 In. \times D61 In.

Capacity: 1.17 Cubic Foot Tine Diameter: 1-5/8 In. Tine Length: 46 In.

Operational Weight: 1680 lbs. Shipping Weight: 1810 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)

Select One Code From Each Required Category

BASE MACHINE

2184XF AR12A - 93 In. Rock Bucket for Current 800 Series Carrier 8,328.00 Tine spacing is 3 In. on AR12 series rock buckets.

Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.

OPERATOR'S MANUAL AND DECALS

9200 French Operators Manual and Decal Kit(AR10 and AR12 Series) No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5MP43054 FRENCH OM/DECAL-LDR ATTACHMENTS 76.79

Grounds Equipment Bid #ESCNJ 18/19-25

FRONTIER PRODUCTS

AR12A - 93 In. Rock Bucket for Current 800 Series Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

76.79

FRONTIER PRODUCTS

AR12D - 84 In. Rock Bucket for Current 600/700 Series Carrier

Equipment for Base Machine

Cutting Width: 84 In.
Loader Series:
600 and 700
Dimensions:
W82.7 In. x H35 In. x D61 In.
Capacity:
1.02 Cubic Foot
Tine Diameter: 1-5/8 In.
Tine Length: 46 In.

5MP43054

Operational Weight: 1561 lbs. Shipping Weight: 1691 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
2182XF		BASE MACHINE AR12D - 84 In. Rock Bucket for Current 600/700 Series Carrier	7,607.00
		Tine spacing is 3 In. on AR12 series rock buckets. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous	

FRENCH OM/DECAL-LDR ATTACHMENTS

AR12D - 84 In. Rock Bucket for Current 600/700 Series Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

76.79

FRONTIER PRODUCTS

AR12D - 93 In. Rock Bucket for Current 600/700 Series Carrier

Equipment for Base Machine

Cutting Width: 93 In.
Loader Series:
600 and 700
Dimensions:
W94 In. x H35 In. x D61 In.
Capacity:
1.17 Cubic Foot
Tine Diameter: 1-5/8 In.
Tine Length: 46 In.

5MP43054

Operational Weight: 1718 lbs. Shipping Weight: 1848 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2185XF		AR12D - 93 In. Rock Bucket for Current 600/700 Series Carrier Tine spacing is 3 In. on AR12 series rock buckets. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	7,725.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous	

FRENCH OM/DECAL-LDR ATTACHMENTS

AR12D - 93 In. Rock Bucket for Current 600/700 Series Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

AR12G - 84 In. Rock Bucket for Current Loaders with Global Carrier

Equipment for Base Machine

Cutting Width: 84 In.
Loader Series:
Global Carrier
Dimensions:
W82.7 In. x H35 In. x D61 In.
Capacity:
1.02 Cubic Foot
Tine Diameter: 1-5/8 In.
Tine Length: 46 In.

Operational Weight: 1481 lbs. Shipping Weight: 1611 lbs.

	Attachment		List Price Suggested
Code	Identifier	Description	USD (\$)
		Select One Code From Each Required Category	7
			_
		D. 4.0 - M. 4.1 W. F	
		BASE MACHINE	
2183XF		AR12G - 84 In. Rock Bucket for Current Loaders with Global Carrier Tine spacing is 3 In. on AR12 series rock buckets.	7,185.00
		Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
		·	
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous	
	5MP43054	FRENCH OM/DECAL-LDR ATTACHMENTS	76.79

AR12G - 84 In. Rock Bucket for Current Loaders with Global Carrier
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

76.79

FRONTIER PRODUCTS

AR12G - 93 In. Rock Bucket for Current Loaders with Global Carrier

Equipment for Base Machine

Cutting Width: 93 In.
Loader Series:
Global Carrier
Dimensions:
W94 In. x H35 In. x D61 In.
Capacity:
1.17 Cubic Foot
Tine Diameter: 1-5/8 In.
Tine Length: 46 In.

5MP43054

Operational Weight: 1623 lbs. Shipping Weight: 1753 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2186XF		AR12G - 93 In. Rock Bucket for Current Loaders with Global Carrier Tine spacing is 3 In. on AR12 series rock buckets. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	7,061.00
		OPERATOR'S MANUAL AND DECALS	
9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous	

FRENCH OM/DECAL-LDR ATTACHMENTS

AR12G - 93 In. Rock Bucket for Current Loaders with Global Carrier Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AV20H Root Grapple - 60 In. for Current 300/400 Series Carrier

Equipment for Base Machine

Cutting Width: 60 In.
Loader Series:
300CX and 400 Only (Not 500 Series)
Dimensions:
W60 In. x H23 In. x D38.8 In.
Grapple Opening: 27 In.
Operational Weight: 381 lbs.

Shipping Weight: 421 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Solost One Code From Fool Deguired Cotogony	
		Select One Code From Each Required Category	
		BASE MACHINE	
2271XF		AV20H Root Grapple - 60 In. for Current 300/400 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	2,330.00
		PARKING STAND KIT	
9000		AV20 Series Parking Stand Kit - Bolt On	174.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5WS811395	Miscellaneous AV20 Series Parking Stand Kit - Bolt On	187.92

AV20H Root Grapple - 60 In. for Current 300/400 Series Carrier Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AV20E Root Grapple - 62 In. for Current 400/500 Series Carrier

Equipment for Base Machine

Cutting Width: 62 In.
Loader Series:
400CX and 500 Only
Dimensions:
W62 In. x H25 In. x D54 In.
Grapple Opening: 50 In.
Operational Weight: 818 lbs.

Shipping Weight: 858 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		Select Offic Gode From Each Required Category	
		BASE MACHINE	
2272XF		AV20E Root Grapple - 62 In. for Current 400/500 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	3,804.00
		PARKING STAND KIT	
9000		AV20 Series Parking Stand Kit - Bolt On	174.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5WS811395	Miscellaneous AV20 Series Parking Stand Kit - Bolt On	187.92

FRONTIER PRODUCTS AV20E Root Grapple - 62 In. for Current 400/500 Series Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

AV20D Root Grapple - 77 In. for Current 600/700 Series Carrier

Equipment for Base Machine

Cutting Width: 77 In.
Loader Series:
600 and 700
Dimensions:
W77 In. x H25 In. x D15 In.
Grapple Opening: 50 In.
Operational Weight: 1,000 lbs.

Shipping Weight: 1,040 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2273XF		AV20D Root Grapple - 77 In. for Current 600/700 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	4,504.00
		PARKING STAND KIT	
9000		AV20 Series Parking Stand Kit - Bolt On	174.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5WS811395	Miscellaneous AV20 Series Parking Stand Kit - Bolt On	187.92

AV20D Root Grapple - 77 In. for Current 600/700 Series Carrier Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AV20G Root Grapple - 77 In. for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 77 In.
Loader Series:
Global Carriers
Dimensions:
W77 In. x H25 In. x D15 In.
Grapple Opening: 50 In.
Operational Weight: 972 lbs.

Shipping Weight: 1012 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2274XF		AV20G Root Grapple - 77 In. for Current Loaders with Global Carrier Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	4,410.00
		PARKING STAND KIT	
9000		AV20 Series Parking Stand Kit - Bolt On	174.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5WS811395	Miscellaneous AV20 Series Parking Stand Kit - Bolt On	187.92

AV20G Root Grapple - 77 In. for Current Loaders with Global Carrier Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Lint Duine

FRONTIER PRODUCTS

AV20F - 53 In. Root Grapple for 100 - 300E Series Loader

Equipment for Base Machine

Cutting Width: 60 In.
Loader Series:
(F) 100 to 300
Dimensions:
W53 In. x H25 In. x D23.8 In.
Grapple Opening: 36 In.
Operational Weight: 191 lbs.
Shipping Weight: 219 lbs.
Upper grapple tine qty: 4
Upper grapple tine spacing: 8.5

Lower grapple tine qty: 7 Lower grapple tine spacing: 8.5 Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2381XF		AV20F - 53 In. Root Grapple for 100 - 300E Series Loader Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	1,570.00
		DESTINATION	
0202		UNITED STATES	No Added Cost
0184		CANADA	No Added Cost
		OPERATOR'S MANUAL AND DECALS	
0409		AV20F ENGLISH OM	No Added Cost
0413		AV20F FRENCH OM	No Added Cost
0437		AV20F SPANISH OM	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43126	Grapples SPANISH OPERATOR'S MANUAL	82.05
	5MP43054	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	76.79
	5MP76314	Miscellaneous ENGLISH OPERATOR'S MANUAL	15.91

AV20F - 53 In. Root Grapple for 100 - 300E Series Loader Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AG10A Silage Defacer for Current 800 Series Carrier

Equipment for Base Machine

Shipping Weight: 870 lbs.
Non-Sizing Cutting Tooth
Motor Shaft: 1.5 In.
Motor Chain Type: 80-ASA
Equipment Weight: 735 lbs.
Cutting Width: 96 In.
Bearing: Greaseable Spherical Type
Tooth Material:
50,000 Yield Strength Material

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
2111XF		BASE MACHINE AG10A Silage Defacer for Current 800 Series Carrier	8,404.00
		Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	o, .ooo
		OPERATOR'S MANUAL AND DECAL KIT	_
9200		French Operators Manual and Decal Kit (AG10 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AG10A Silage Defacer for Current 800 Series Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

AG10D Silage Defacer for Current 600/700 Series Carrier

Equipment for Base Machine

Shipping Weight: 870 lbs.
Non-Sizing Cutting Tooth
Motor Shaft: 1.5 In.
Motor Chain Type: 80-ASA
Equipment Weight: 735 lbs.
Cutting Width: 96 In.
Bearing: Greaseable Spherical Type
Tooth Material:
50,000 Yield Strength Material

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2112XF		AG10D Silage Defacer for Current 600/700 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	7,619.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit (AG10 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AG10D Silage De	efacer for Current 600/700 Series Carrier Continued
THIS PAG	SE INTENTIONALLY LEFT BLANK

AG10G Silage Defacer for Current Loaders with Global Carrier

Equipment for Base Machine

Shipping Weight: 870 lbs.
Non-Sizing Cutting Tooth
Motor Shaft: 1.5 In.
Motor Chain Type: 80-ASA
Equipment Weight: 735 lbs.
Cutting Width: 96 In.
Bearing: Greaseable Spherical Type
Tooth Material:
50,000 Yield Strength Material

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2113XF		AG10G Silage Defacer for Current Loaders with Global Carrier Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.	6,688.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit (AG10 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	114.24

AG10G Silage Defacer for Current Loaders with Global Carrier Continued
THIS PAGE INTENTIONALLY LEFT BLANK

AG11S Silage Defacer for Skid Steers

Equipment for Base Machine

Non-Sizing Cutting Tooth Bearing: Greaseable Spherical Type Motor Shaft: 1.5 In. Cutting Width: 96 In. Drive System: 80 ASA Chain

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
2121XF		BASE MACHINE AG11S Silage Defacer for Skid Steers Unit has reduced reach to address skid steers with limited lift capacity.	7,464.00

AG11S Silage Defacer for Skid Steers Continued THIS PAGE INTENTIONALLY LEFT BLANK

AG12S Silage Defacer for Skid Steers

Equipment for Base Machine

Non-Sizing Cutting Tooth Bearing: Greaseable Spherical Type Motor Shaft: 1.5 In. Cutting Width: 96 In. Drive System: 80 ASA Chain

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
2122XF		BASE MACHINE AG12S Silage Defacer for Skid Steers	7,961.00

AG12S Silage Defacer for Skid Steers Continued THIS PAGE INTENTIONALLY LEFT BLANK

Grounds Equipment Bid #ESCNJ 18/19-25

FRONTIER PRODUCTS

Telehandler Attachments

AT1096G Grapple - Hay & Forage

Equipment for Base Machine

Shipping Weight With Pallet: 740 lbs. Mounting Hardware: Included Width: 96 Ins.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
2251XF		BASE MACHINE AT1096G Grapple - Hay & Forage	6,127.00

FRONTIER PRODUCTS Telehandler Attachments

AT1096G Grapple - Hay & Forage Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

AT2016G Bucket - Hay & Forage

Equipment for Base Machine

Capacity: 1.6 Cubic Yard Cutting Edge: Standard Bolt On Shipping Weight With Pallet: 1350 lbs. Quick Attach: Yes Operational Weight: 1201 lbs. Width: 96 Ins.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
2252XF		BASE MACHINE AT2016G Bucket - Hay & Forage	3,981.00

FRONTIER PRODUCTS Telehandler Attachments

AT2016G Bucket - Hay & Forage Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

AT2016U Bucket & Grapple - Hay & Forage

Equipment for Base Machine

Shipping Weight with Pallet: 2090 lbs.
Grapple Opening-Bucket Edge to Point of Tines: 62.86 Ins.
Grapple Length: 94.63 Ins.
Outside to Outside
Grapple Height Open-Bucket
Bottom/Grapple Top: 89.98 Ins.
Grapple Height Closed-Bucket
Bottom/Grapple Top: 57.28 Ins.

Bucket Width - Cutting Edge to Rear Most Point: 48.15 Ins. Bucket Length: 96 Ins. Outside Bucket Height: 29.61 Ins.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2253XF	_	AT2016U Bucket & Grapple - Hay & Forage	10,031.00

FRONTIER PRODUCTS Telehandler Attachments

AT2016U Bucket & Grapple - Hay & Forage Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

MJ4062 Grapple Debris Bucket

Equipment for Base Machine

Capacity: 2.25 Cubic Yard
Hydraulic Service: Single Auxiliary
Shipping Weight with Pallet: 2336 lbs.
Quick Attach: Yes
Operational Weight: 2236 lbs.
Heap Capacity: 2-1/2 Cubic Yard
Dimensions: 53 In. H x 65 In. W x 96 In. L

Bolt on Cutting Edge: Optional

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
225BXF		BASE MACHINE MJ4062 Grapple Debris Bucket	12,441.00

FRONTIER PRODUCTS Telehandler Attachments

MJ4062 Grapple Debris Bucket Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

BG1096 Grapple - Brush - Skeleton Bucket

Equipment for Base Machine

Capacity: 1.19 Cubic Yard
Hydraulic Service: Single Auxiliary
Shipping Weight with Pallet: 1880 lbs.
Quick Attach: Yes
Operational Weight: 1780 lbs.
Dimensions: 35 In. H x 43.5 In. W x 99 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
2255XF		BASE MACHINE BG1096 Grapple - Brush - Skeleton Bucket	15,129.00

FRONTIER PRODUCTS Telehandler Attachments

BG1096 Grapple - Brush - Skeleton Bucket Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

MJ4060A Large Square Bale Fork

Equipment for Base Machine

Hydraulic Service: Single Auxiliary Shipping Weight with Pallet: 990 lbs. Quick Attach: Yes Operational Weight: 890 lbs. Dimensions: 95 In. Tall (Will Extend Above 4 x 4 Bales) and 75 In. Wide

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
2259XF		BASE MACHINE MJ4060A Large Square Bale Fork Handles up to two 4 Ft. x 4 Ft. x 8 Ft. bales or three 3 Ft. x 3 Ft. x 8 Ft. bales.	10,810.00

FRONTIER PRODUCTS Telehandler Attachments

MJ4060A Large Square Bale Fork Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

MJ4074 Bale Fork

Equipment for Base Machine

8 Small Square Bales Flat or 10 On Their Side Hydraulic Service: Single Auxiliary Quick Attach: Yes Operational Weight: 1090 lbs. Shipping Weight with Pallet: 1190 lbs. Dimensions: 31 In. H x 80 In. W x 90 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
225DXF		BASE MACHINE MJ4074 Bale Fork For flat 8 or Index 10 small square.	9,346.00

FRONTIER PRODUCTS Telehandler Attachments

MJ4074 Bale Fork Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

MJ4076 - 72 In. Manure Fork & Grab

Equipment for Base Machine

Hydraulic Service: Single Auxiliary Shipping Weight with Pallet: 1677 lbs. Quick Attach: Yes Operational Weight: 1577 lbs. Heap Capacity: 62 Cubic Feet Dimensions: 57 In. H x 62 In. W x 72 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE MJ4076 - 72 In. Manure Fork & Grab	9,956.00
		Handles loose material and bales.	0,000.00

MJ4076 - 72 In. Manure Fork & Grab Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

MJ4077 - 96 In. Manure Fork & Grab

Equipment for Base Machine

Hydraulic Service: Single Auxiliary Shipping Weight with Pallet: 1892 lbs. Quick Attach: Yes Operational Weight: 1792 lbs. Heap Capacity: 83 Cubic Feet Dimensions: 57 In. H x 62 In. W x 96 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
225FXF		BASE MACHINE MJ4077 - 96 In. Manure Fork & Grab Handles loose material and bales.	10,353.00

MJ4077 - 96 In. Manure Fork & Grab Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

BF1102S Bale Spear - Single or Dual Large Square

Equipment for Base Machine

Shipping Weight: 873 lbs. Dimensions: 60 In. H x 72 In. W x 60 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE BF1102S Bale Spear - Single or Dual Large Square	3,263,00

BF1102S Bale Spear - Single or Dual Large Square Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

MJ4037 Single Round Bale Spear

Equipment for Base Machine

Capacity: 1 Round Bale
Shipping Weight with Pallet: 334 lbs.
Quick Attach: Yes
Operational Weight: 259 lbs.
Dimensions: 17 In. H x 30 In. W x 49 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
2256VE		BASE MACHINE M 14027 Single Pound Pole Speer	2 000 00
2256XF		MJ4037 Single Round Bale Spear	2,090.00

MJ4037 Single Round Bale Spear Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

MJ4081 Bale Spear

Equipment for Base Machine

Capacity: Two Round Bales or One Large Square Bale Shipping Weight with Pallet: 465 lbs. Quick Attach: Yes Operational Weight: 390 lbs. Dimensions: 17 In. H x 25 In. W x 70 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
225HXF		BASE MACHINE MJ4081 Bale Spear Dual round or single square.	2,054.00

MJ4081 Bale Spear Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

MJ4090 Bale Squeeze

Equipment for Base Machine

Hydraulic Services: Single Auxiliary Shipping Weight with Pallet: 1850 lbs. Quick Attach: Yes
Operational Weight: 1600 lbs.
Dimensions: 40 In. H x 92 In. W x 104 In. L Carrying Capacity: 4000 lbs.
Maximum Width: 110 In.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
225KXF		BASE MACHINE MJ4090 Bale Squeeze Maximum width 110 In.	11,722.00

MJ4090 Bale Squeeze Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Grounds Equipment Bid #ESCNJ 18/19-25

FRONTIER PRODUCTS

Telehandler Attachments

MJ4091 Bale Squeeze

Equipment for Base Machine

Hydraulic Services: Single Auxiliary Shipping Weight with Pallet: 1650 lbs. Quick Attach: Yes
Operational Weight: 1400 lbs.
Dimensions: 40 In. H x 60 In. W x 106 In. L Carrying Capacity: 2000 lbs.
Maximum Width: 48 In.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
225LXF		MJ4091 Bale Squeeze Maximum width 48 In.	7,181.00

MJ4091 Bale Squeeze Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

MJ4099 Round Bale Hugger

Equipment for Base Machine

Capacity: 1 Round Bale
Hydraulic Service: Single Auxiliary
Shipping Weight with Pallet: 825 lbs.
Quick Attach: Yes
Operational Weight: 725 lbs.
Dimensions: 50 In. H x 57 In. W x 60 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
225NXF		BASE MACHINE MJ4099 Round Bale Hugger Maximum to 5 1/2 Ft. diameter.	5,261.00

MJ4099 Round Bale Hugger Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

MJ4059A Bucket - Light Material Handling (3.25 Cubic Yard) with Cutting Edge Equipment for Base Machine

Capacity: 3.25 Cubic Yard
Weight with Pallet: 1529 lbs.
Quick Attach: Yes
Operational Weight: 1429 lbs.
Heap Capacity: 3-1/4 Cubic Yard
Dimensions: 56 In. H x 62 In. W x 96 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
2258XF		BASE MACHINE MJ4059A Bucket - Light Material Handling (3.25 Cubic Yard) with Cutting Edge	5,896.00

MJ4059A Bucket - Light Material Handling (3.25 Cubic Yard) with Cutting Edge Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

MJ4061A Bucket - Light Material Handling (2.50 Cubic Yard) with Cutting Edge Equipment for Base Machine

Capacity: 2.50 Cubic Yard
Shipping Weight with Pallet: 1386 lbs.
Quick Attach: Yes
Operational Weight: 1286 lbs.
Heap Capacity: 2-1/2 Cubic Yard
Dimensions: 51 In. H x 55 In. W x 96 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
225AXF		BASE MACHINE MJ4061A Bucket - Light Material Handling (2.50 Cubic Yard) with Cutting Edge	6,116.00

Bid Term: 2/20/19 - 2/19/21

MJ4061A Bucket - Light Material Handling (2.50 Cubic Yard) with Cutting Edge Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

MJ4063A Bucket - Light Material Handling (2.25 Cubic Yard) with Cutting Edge Equipment for Base Machine

Capacity: 2.25 Cubic Yard
Shipping Weight with Pallet: 1378 lbs.
Quick Attach: Yes
Operational Weight: 1278 lbs.
Heap Capacity: 2-1/2 Cubic Yard
Dimensions: 48 In. H x 52 In. W x 96 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
225CXF		MJ4063A Bucket - Light Material Handling (2.25 Cubic Yard) with Cutting Edge	5,079.00

MJ4063A Bucket - Light Material Handling (2.25 Cubic Yard) with Cutting Edge Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

MJ4079A Bucket - General Purpose (1.75 Cubic Yard) with Cutting Edge

Equipment for Base Machine

Capacity: 1.75 Cubic Yard
Shipping Weight with Pallet: 1256 lbs.
Quick Attach: Yes
Operational Weight: 1156 lbs.
Heap Capacity: 1-3/4 Cubic Yard
Dimensions: 45 In. H x 45 In. W x 96 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	_
225GXF		MJ4079A Bucket - General Purpose (1.75 Cubic Yard) with Cutting Edge	5,008.00

MJ4079A Bucket - General Purpose (1.75 Cubic Yard) with Cutting Edge Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

MJ4118 Bucket - Silage & Light Materials (2.50 Cubic Yard) with Cutting Edge Equipment for Base Machine

Capacity: 2.50 Cubic Yards
Shipping Weight: 1672 lbs.
Shipping Weight with Pallet: 1672 lbs.
Quick Attach: Yes
Operational Weight: 1572 lbs.
Heap Capacity: 2-1/2 Cubic Yards
Dimensions: 49 In. H x 55 In. W x 96 In. L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
225OXF		BASE MACHINE MJ4118 Bucket - Silage & Light Materials (2.50 Cubic Yard) with Cutting Edge	7,412.00

MJ4118 Bucket - Silage & Light Materials (2.50 Cubic Yard) with Cutting Edge Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

MJ4058 - 48 In. Quick Attach Carriage

Equipment for Base Machine

Shipping Weight with Pallet: 477 lbs.
Quick Attach: Yes
Operational Weight: 402 lbs.
Heap Capacity: 6000 lbs.
Forks: Not Included
Dimensions: 18 In. H x 48 In. W x 49 In. L
42 In. Pallet Forks: Optional
48 In. Pallet Forks: Optional

60 In. Pallet Forks: Optional

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2257XF		MJ4058 - 48 In. Quick Attach Carriage Forks not included.	2,510.00
		PALLET TINE	
9000		42 In. Pallet Forks (Pair)	866.00
9010		48 In. Pallet Forks (Pair)	1,418.00
9020		60 In. Pallet forks (Pair)	1,632.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP11906	Miscellaneous 42 In. Pallet Forks (Pair)	935.28
	5MP11907	48 In. Pallet Forks (Pair)	1,531.44
	5MP12262	60 In. Pallet Forks (Pair)	1,762.56

Bid Term: 2/20/19 - 2/19/21

MJ4058 - 48 In. Quick Attach Carriage Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

MJ4084 - 48 In. Quick Attach Side Tilt Carriage

Equipment for Base Machine

Single Auxiliary Hydraulic Service
Shipping Weight with Pallet: 870 lbs.
Quick Attach: Yes
Heap Capacity: 6000 lbs.
Forks: Not Included
Dimensions: 28 In. H x 48 In. W x 49 In. L
42 In. Pallet Forks: Optional
48 In. Pallet Forks: Optional

60 In. Pallet Forks: Optional

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category]
		BASE MACHINE	
225IXF		MJ4084 - 48 In. Quick Attach Side Tilt Carriage Forks not included.	5,039.00
		PALLET TINE	
9000		42 In. Pallet Forks (Pair)	866.00
9010		48 In. Pallet Forks (Pair)	1,418.00
9020		60 In. Pallet forks (Pair)	1,632.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP11906	Miscellaneous 42 In. Pallet Forks (Pair)	935.28
	5MP11907	48 In. Pallet Forks (Pair)	1,531.44
	5MP12262	60 In. Pallet Forks (Pair)	1,762.56

MJ4084 - 48 In. Quick Attach Side Tilt Carriage Continued

THIS PAGE INTENTIONALLY LEFT BLANK

9020

FRONTIER PRODUCTS

Telehandler Attachments

MJ4085 - 48 In. Quick Attach Side Shift Carriage

Equipment for Base Machine

Hydraulic Service: Single Auxiliary
Shipping Weight with Pallet: 884 lbs.
Quick Attach: Yes
Operational Weight: 809 lbs.
Heap Capacity: 6000 lbs.
Forks: Not Included
Dimensions: 17 In. H x 48 In. W x 49 In. L
42 In. Pallet Forks: Optional

48 In. Pallet Forks: Optional 60 In. Pallet Forks: Optional

Code	Attachment Identifier	Description	List Price Suggested USD (\$)	
		Select One Code From Each Required Category		
		BASE MACHINE		
225JXF		MJ4085 - 48 In. Quick Attach Side Shift Carriage Forks not included.	5,727.00	
		PALLET TINE		
9000		42 In. Pallet Forks (Pair)	866.00	
9010		48 In. Pallet Forks (Pair)	1,418.00	

ATTACHMENTS FOR FIELD CONVERSION

60 In. Pallet forks (Pair)

5MP11906	Miscellaneous 42 In. Pallet Forks (Pair)	935.28
5MP11907	48 In. Pallet Forks (Pair)	1,531.44
5MP12262	60 In. Pallet Forks (Pair)	1,762.56

1,632.00

MJ4085 - 48 In. Quick Attach Side Shift Carriage Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

QC1072 - 72 in. Quick Attach Carriage

Equipment for Base Machine

Shipping Weight: 469 lbs.
Forks: Not Included
Dimensions: 18 In. H x 48 In. W x 74 In. L
42 In. Pallet Forks: Optional
48 In. Pallet Forks: Optional
60 In. Pallet Forks: Optional

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category]
		BASE MACHINE	
225QXF		QC1072 - 72 in. Quick Attach Carriage Forks not included.	3,903.00
		PALLET TINE	
9000		42 In. Pallet Forks (Pair)	866.00
9010		48 In. Pallet Forks (Pair)	1,418.00
9020		60 In. Pallet forks (Pair)	1,632.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP11906	Miscellaneous 42 In. Pallet Forks (Pair)	935.28
	5MP11907	48 In. Pallet Forks (Pair)	1,531.44
	5MP12262	60 In. Pallet Forks (Pair)	1,762.56

QC1072 - 72 in. Quick Attach Carriage Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Telehandler Attachments

SD1096A Silage Defacer without Auxiliary Hydraulic Motor Kit for 3800/3220/3420 Telehandlers

Equipment for Base Machine

Cutting Tooth: Non-sizing Bearings: Greaseable Spherical Type Motor Shaft: 1.5 In. Cutting Width: 96 Ins. Drive System: 80 ASA Chain

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE SD1006A Silogo Defener without Auxilians Hudroulia Mater Kit for 3800/2220/2420	9,147.00
225PXF		SD1096A Silage Defacer without Auxiliary Hydraulic Motor Kit for 3800/3220/3420 Telehandlers	9,147.00
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP11906	Miscellaneous 42 In. Pallet Forks (Pair)	935.28
	5MP11907	48 In. Pallet Forks (Pair)	1,531.44
	5MP12262	60 In. Pallet Forks (Pair)	1,762.56

SD1096A Silage Defacer without Auxiliary Hydraulic Motor Kit for 3800/3220/3420

Telehandlers Continued				
THIS PAGE INTENTIONALLY LEFT BLANK				

34.72

FRONTIER PRODUCTS

AB11E Single Tine Bale Spear for Current 300CX/400/500 Series Carrier

Equipment for Base Machine

Primary Spear: One - 49 In. x 2 In. Approximate 44 In. Usable Length Stabilizing Spears: One - 20 In. x 1.25 In. Capacity: One Large Round Bale (2000 lbs.) Dimensions: 21H x 50W x 52L (300, 400, and 500 Series Loaders)

5MP43053

Operational Weight: 125 lbs. (300, 400, and 500 Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2002XF		AB11E Single Tine Bale Spear for Current 300CX/400/500 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.	590.00
		OPERATOR'S MANUAL AND DECAL KIT	_
9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous	

French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale

Effective 1/2/20

FRONTIER PRODUCTS

AB11E Single Tine Bale Spear for Current 300CX/400/500 Series Carrier Continued THIS PAGE INTENTIONALLY LEFT BLANK

AB11D Single Tine Bale Spear for Current 600/700 Series Carrier

Equipment for Base Machine

Primary Spear: One - 49 In. x 2 In. Approximate 44 In. Usable Length Stabilizing Spears: One - 20 In. x 1.25 In. Capacity: One Large Round Bale (2000 lbs.) Dimensions: 24H x 50W x 56L (600 and 700 Series Loaders)

Operational Weight: 170 lbs. (600 and 700 Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2001XF		AB11D Single Tine Bale Spear for Current 600/700 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: DM00, DM01; 2L - JDLA; 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador, and U.S.	813.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72

Effective 1/2/20

FRONTIER PRODUCTS

AB11D Single Tine Bale Spear for Current 600/700 Series Carrier Continued
THIS PAGE INTENTIONALLY LEFT BLANK

AB11G Single Tine Bale Spear for Current Loaders with Global Carrier

Equipment for Base Machine

Primary Spear: One - 49 In. x 2 In. Approximate 44 In. Usable Length Stabilizing Spears: One - 20 In. x 1.25 In. Capacity: One Large Round Bale (2000 lbs.) Dimensions: 20H x 46W x 54L (Global Series Loaders)

5MP43053

Operational Weight: 138 lbs. (Global Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2003XF		AB11G Single Tine Bale Spear for Current Loaders with Global Carrier Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.	774.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous	

French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale

Spears and AP12 and AP13 Pallet Forks

34.72

AB11G Single Tine Bale Spear for Current Loaders with Global Carrier Continued
THIS PAGE INTENTIONALLY LEFT BLANK

34.72

Bid Term: 2/20/19 - 2/19/21

FRONTIER PRODUCTS

AB12E Three Tine Bale Spear for Current 300CX/400/500 Series Carrier

Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In. (Approximate 44 In. Usable Length) Capacity:
One Large Round Bale (2500 lbs.) or One Large Square Bale (2500 lbs.) Dimensions: 21H x 50W x 52L (300CX, 400, and 500 Series Loaders) Operational Weight: 155 lbs.

5MP43053

(300CX, 400, and 500 Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2013XF		AB12E Three Tine Bale Spear for Current 300CX/400/500 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.	788.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous	

French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale

AB12E Three Tine Bale Spear for Current 300CX/400/500 Series Carrier Continued

THIS PAGE INTENTIONALLY LEFT BLANK

List Dalas

34.72

FRONTIER PRODUCTS

AB12D Three Tine Bale Spear for Current 600/700 Series Carrier

Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In. (Approximate 44 In. Usable Length) Capacity:
One Large Round Bale (2500 lbs.) or One Large Square Bale (2500 lbs.) Dimensions: 24H x 50W x 56L (600 and 700 Series Loaders) Operational Weight: 210 lbs.

5MP43053

(600 and 700 Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2012XF		AB12D Three Tine Bale Spear for Current 600/700 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.	972.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous	

French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale

Effective 1/2/20

FRONTIER PRODUCTS

Α	B12D Three Tine Bale Spear for Current 600/700 Series Carrier Continued
	THIS PAGE INTENTIONALLY LEFT BLANK

Lint Daine

900.00

FRONTIER PRODUCTS

AB12G Three Tine Bale Spear for Current Loaders with Global Carrier

Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In. (Approximate 44 In. Usable Length) Capacity:
One Large Round Bale (2500 lbs.) or One Large Square Bale (2500 lbs.) Dimensions: 20H x 46W x 54L (Global Series Loaders) Operational weight: 173 lbs.

(Global Series Loaders)

Code	Attachment Identifier	Description	Suggested USD (\$)

Select One Code From Each Required Category

BASE MACHINE

2014XF AB12G Three Tine Bale Spear for Current Loaders with Global Carrier

Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile,

Mexico, Paraguay, El Salvador.

OPERATOR'S MANUAL AND DECAL KIT

9200 French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series) No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5MP43053 French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale 34.72

Effective 1/2/20

FRONTIER PRODUCTS

AB12G Three Tine Bale Spear for Current Loaders with Global Carrier Continued
THIS PAGE INTENTIONALLY LEFT BLANK

34.72

Bid Term: 2/20/19 - 2/19/21

FRONTIER PRODUCTS

AB12A Three Tine Bale Spear for Current 800 Series Carrier

Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In. (Approximate 44 In. Usable Length)
Capacity:
One Large Round Bale (2500 lbs.)
or One Large Square Bale (2500 lbs.)
Dimensions: 25H x 55W x 58L
(800 Series Loaders)
Operational weight: 255 lbs.

5MP43053

(800 Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2011XF		AB12A Three Tine Bale Spear for Current 800 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.	1,161.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	

French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale

AB12A Three Tine Bale Spear for Current 800 Series Carrier Continued
THIS PAGE INTENTIONALLY LEFT BLANK

34.72

Bid Term: 2/20/19 - 2/19/21

FRONTIER PRODUCTS

AB13E Heavy Duty Single Tine Bale Spear for Current 300CX/400/500 Series Carrier Equipment for Base Machine

Primary Spear: One - 53 In. x 2.25 In. (Approximate 46 In. Usable Length) Stabilizing Spears:
Two - 20 In. x 1.25 In.
Capacity:
One Large Round Bale (2500 lbs.)
Dimensions: 20H x 49W x 56L
(300, 400, and 500 Series Loaders)

5MP43053

Operational Weight: 165 lbs. (300, 400, and 500 Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2022XF		AB13E Heavy Duty Single Tine Bale Spear for Current 300CX/400/500 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.	773.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous	

French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale

AB13E Heavy Duty Single Tine Bale Spear for Current 300CX/400/500 Series Ca	arrier
THIS PAGE INTENTIONALLY LEFT BLANK	

AB13D Heavy Duty Single Tine Bale Spear for Current 600/700 Series Carrier Equipment for Base Machine

Primary Spear: One - 53 In. x 2.25 In. (Approximate 46 In. Usable Length) Stabilizing Spears: Two - 20 In. x 1.25 In. Capacity: One Large Round Bale (2500 lbs.) Dimensions: 24H x 50W x 59L (600 and 700 Series Loaders)

Operational Weight: 215 lbs. (600 and 700 Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2021XF		AB13D Heavy Duty Single Tine Bale Spear for Current 600/700 Series Carrier Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.	917.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale	34.72

AB13D Heavy Duty Single Tine Bale Spear for Current 600/700 Series Carrier Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB13G Heavy Duty Single Tine Bale Spear for Current Loaders with Global Carrier Equipment for Base Machine

Primary Spear: One - 53 In. x 2.25 In. (Approximate 46 In. Usable Length) Stabilizing Spears: Two - 20 In. x 1.25 In. Capacity: One Large Round Bale (2500 lbs.) Dimensions: 23H x 46W x 56L (Global Series Loaders)

Operational Weight: 185 lbs. (Global Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2023XF		AB13G Heavy Duty Single Tine Bale Spear for Current Loaders with Global Carrier Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.	921.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale	34.72

Spears and AP12 and AP13 Pallet Forks

Bid Term: 2/20/19 - 2/19/21

AB13G Heavy	Duty Single Tine	Bale Spear for Continued	Current Loaders	with Global Carr	ier
	THIS PAGE	E INTENTIONAL	LY LEFT BLANK		

AB13K Heavy Duty Single Tine Bale Spear for Current Loaders with Global Category 2 Carrier (H480 Loader only)

Equipment for Base Machine

Primary Spear: One - 53 In. x 2.25 In. (Approximate 46 In. Usable Length)
Stabilizing Spears:
Two - 20 In. x 1.25 In.
Capacity:
One Large Round Bale (3000 lbs.)
Dimensions: 29H x 59W x 63L
(Global Category 2 Carrier, H480 Loader)

Operational Weight: 331 lbs. (Global Category 2 Carrier, H480 Loader)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2164XF		AB13K Heavy Duty Single Tine Bale Spear for Current Loaders with Global Category 2 Carrier (H480 Loader only) Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.	1,093.00
9200		OPERATOR'S MANUAL AND DECAL KIT	No Added Cost
9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series) ATTACHMENTS FOR FIELD CONVERSION	ino Added Cost

Miscellaneous

5MP43053 French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale

Spears and AP12 and AP13 Pallet Forks

34.72

FRONTIER PRODUCTS					
AB13K Heavy Duty Single Tine Bale Spear for Current Loaders with Global Category 2 Carrier (H480 Loader only) Continued					

AB14A - Bale Spear

Equipment for Base Machine

Primary Spears:
Two - 49 In. x 2 In.
Stabilizing Spears:
Two - 28 In. x 1.25 In.
Shipping Weight: 465 lbs.
Operational Weight: 390 lbs.
Dimensions: 17H x 25W x 70L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2031XF		AB14A - Bale Spear Handles (2) 6 Ft. or less round bales or (1) 4 x 8 square bale with 800 series loaders. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.	1,799.00
		OPERATOR'S MANUAL AND DECAL KIT	_
9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72

AB14A - Bale Spear Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB14D - Bale Spear

Equipment for Base Machine

Primary Spears:
Two - 49 In. x 2 In.
Stabilizing Spears:
Two - 28 In. x 1.25 In.
Shipping Weight: 465 lbs.
Operational Weight: 390 lbs.
Dimensions: 17H x 25W x 70L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2032XF		AB14D - Bale Spear Handles (2) 6 Ft. or less round bales with 700 series loaders OR (1) 4 x 8 square bale with 600 and 700 series loaders. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.	1,535.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72

AB14D - Bale Spear
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB14G - Bale Spear

Equipment for Base Machine

Primary Spears:
Two - 49 In. x 2 In.
Stabilizing Spears:
Two - 28 In. x 1.25 In.
Shipping Weight: 465 lbs.
Operational Weight: 390 lbs.
Dimensions: 17H x 25W x 70L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2033XF		AB14G - Bale Spear Handles (2) 6 Ft. or less round bales or (1) 4 x 8 square bale on loaders with Global Carrier. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.	1,485.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale	34.72

AB14G - Bale Spear Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB14K Heavy Duty Bale Spear for Loaders with Global Category 2 Carrier Equipment for Base Machine

Two Primary Spear Options:
Two - 53 In. x 2.2 In.
Two - 41 In. x 2.2 In.
Stabilizing Spears:
Two - 20 In. x 1.25 In.

Operational Weight: 511 lbs. Dimensions:29H x 81W x 61L

Stabilizing Spears:
Two - 20 In. x 1.25 In.
Capacity: Two Large Round Bales / One Large Square

Bale

Shipping Weight: 436 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2291XF		AB14K Heavy Duty Bale Spear for Loaders with Global Category 2 Carrier Handles (2) 6 Ft. or less round bales or (1) 4 x 8 square bale on loaders with Global Category 2 Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.	1,921.00
		BALE SPEAR LENGTH	
2410		41 In. Bale Spear For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.	304.00
2411		53 In. Bale Spear For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.	320.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72

Bid Term: 2/20/19 - 2/19/21

AB14K Heavy	Duty Bale Spear fo	or Loaders with Continued	Global Category	2 Carrier
	THE DAGE INTE		ET DI ANIZ	
	THIS PAGE INTE	ENTIONALLY LE	FI BLANK	

AB15A - Bale Spear

Equipment for Base Machine

Two Primary Bottom Spear Options:
Four - 53 In. x 2.2 In.
Four - 41 In. x 2.2 In.
Top Stabilizing Spears:
Two - 28 In. x 1.25 In.
Capacity: Two Large Square Bales
Operational Weight: 808 lbs.
Shipping Weight: 873 lbs.

Dimensions: 60H x 72W x 60L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2041XF		AB15A - Bale Spear Handles two large 4 x 8 square bales for use with 800 series loaders. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.	4,745.00
		BALE SPEAR LENGTH	
2410		41 In. Bale Spear For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.	632.00
2411		53 In. Bale Spear For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.	663.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72

Bid Term: 2/20/19 - 2/19/21

AB15A - Bale Spear
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB15K Heavy Duty Bale Spear for 2 Large Square Bales for Loaders with Global Category 2 Carrier

Equipment for Base Machine

Two Primary Bottom Spear Options:
Four - 53 In. x 2.2 In.
Four - 41 In. x 2.2 In.
Top Stabilizing Spears:
Two - 28 In. x 1.25 In.
Capacity: Two Large Square Bales
Operational Weight: 800 lbs.
Shipping Weight: 875 lbs.

Dimensions: 69H x 72W x 60L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2301XF		AB15K Heavy Duty Bale Spear for 2 Large Square Bales for Loaders with Global Category 2 Carrier Handles two large 4 x 8 square bales on loaders with Global Category 2 Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.	4,009.00
		BALE SPEAR LENGTH	
2410		41 In. Bale Spear For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.	632.00
2411		53 In. Bale Spear For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.	663.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
		ATTACHMENTS FOR FIELD CONVERSION	
	5MP43053	Miscellaneous French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks	34.72

AB15K Heavy Duty Bale Spear for 2 Large Square Bales for Loaders with Global
Category 2 Carrier
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB18K Bale Spear for 3 Large Square Bales for Loaders with Global Category 2 Carrier Equipment for Base Machine

Two Primary Bottom Spear Options:
Four - 53 In. x 2.2 In.
Four - 41 In. x 2.2 In.
Top Stabilizing Spears:
Two - 20 In. x 1.25 In.
Capacity: Three Large Square Bales
Operational Weight: 931 lbs.
Shipping Weight: 1,062 lbs.

Dimensions:	116H	x	72W	Х	61L	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2321XF		AB18K Bale Spear for 3 Large Square Bales for Loaders with Global Category 2 Carrier Handles three large 4 x 4 x 8 square bales on loaders with Global Category 2 Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S., Canada, QC.	5,569.00
		BALE SPEAR LENGTH	
2410		41 In. Bale Spear For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.	632.00
2411		53 In. Bale Spear For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.	663.00
		OPERATOR'S MANUAL AND DECAL KIT	
9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost

Effective 1/2/20

FRONTIER PRODUCTS

AB18K Bale Spear for 3 Large Square Bales for Loaders with Global Category 2 Carrier Continued		
THIS PAGE INTENTIONALLY LEFT BLANK		

FRONTIER PRODUCTS Carrier Adapters

SA20F Skid Steer Carrier Adapter

Equipment for Base Machine

Loader Compatibilty: 120R, 220R, 300E Effective Dimensions: W49.4 In. x H18.2 In. x D3.4 In. Weight capacity: 1,500 lbs. Operational Weight: 78 lbs. Shipping Weight: 87 lbs.

Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
8001XF		SA20F Skid Steer Carrier Adapter	725.00
		DESTINATION	
0202		UNITED STATES	No Added Cost
0184		CANADA	No Added Cost
0205		QUEBEC CANADA	No Added Cost
		OPERATOR'S MANUAL AND DECALS	
0409		SA20F English OM	No Added Cost
0413		SA20F French OM/Decals	No Added Cost
0437		SA20F Spanish OM/Decals	No Added Cost

FRONTIER PRODUCTS Carrier Adapters

SA20F Skid Steer Carrier Adapter Continued

THIS PAGE INTENTIONALLY LEFT BLANK