

AY11H - 60 In. 4-In-1 Bucket for Current 300/400 Series Carrier
Equipment for Base Machine

Cutting Width: 1524 mm (60 In.)
 Loader Series:
 300 and 400 only (Not 500 Series)
 Dimensions:
 W: 1572 mm (61.9 In.) x H: 683 mm (26.9 In.) x D:
 711 mm (28.0 In.)
 Capacity:
 3.69 Cubic Foot
 Grapple Opening: 723 mm (28.45 In.)
 Operational Weight: 163 kg (360 lbs.)
 Shipping Weight: 175 kg (385 lbs.)

Hydraulic kit 5MP107610 is required to adapt buckets to 1/2 In. body couplers. 1/2 In. body couplers are standard equipment for 500 series loader 3rd function oil lines and hoses. (Please order through parts)
 Hydraulic functions on loader attachment require

Third Function Hydraulic Lines and Hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered.

Pricing and Specifications are Recommended only and are Subject to Change without Notice.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
2211XF		AY11H - 60 In. 4-In-1 Bucket for Current 300/400 Series Carrier <i>Reference Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,089.00
TOOTH BAR			
9000		Tooth Bar for 4-In-1 Bucket <i>For AY11H-60 In. Bucket.</i>	575.00
OPERATOR'S MANUAL AND DECALS			
9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
ATTACHMENTS FOR FIELD CONVERSION			
	Miscellaneous		
5FP10642		Tooth Bar for 60 In. 4-In-1 Bucket (AY11H)	596.20

AY11H - 60 In. 4-In-1 Bucket for Current 300/400 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AY11E - 72 In. 4-In-1 Bucket for Current 300/400/500 Series Carrier
 Equipment for Base Machine

Cutting Width: 72 In.
 Loader Series:
 300, 400, and 500
 Dimensions:
 W73.9 In. x H26.9 In. x D28.0 In.
 Capacity:
 4.5 Cubic Foot
 Grapple Opening: 28.45 In.
 Operational Weight: 425 lbs.
 Shipping Weight: 450 lbs.

loader 3rd function oil lines and hoses.

Hydraulic functions on loader attachment require Third Function Hydraulic Lines and Hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic kit 5MP107610 is required to adapt buckets to 1/2 In. body couplers. 1/2 In. body couplers are standard equipment for 500 series

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2212XF		AY11E - 72 In. 4-In-1 Bucket for Current 300/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,325.00
--------	--	---	----------

TOOTH BAR

9000		Tooth Bar for 4-In-1 Bucket <i>For AY11E-72 In. Bucket.</i>	687.00
------	--	--	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous Tooth Bar for 72 In. 4-In-1 Bucket (AY11E)	712.80
--	--	--	--------

AY11E - 72 In. 4-In-1 Bucket for Current 300/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AY12D - 72 In. 4-In-1 Bucket for Current 600/700 Series Carrier
Equipment for Base Machine

Cutting Width: 72 In.
 Loader Series:
 600 and 700
 Dimensions:
 W72 In. x H20 In. x D29.38 In.
 Capacity:
 17.07 Cubic Foot
 Grapple Opening: 34.78 In.
 Operational Weight: 900 lbs.
 Shipping Weight: 925 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2221XF		AY12D - 72 In. 4-In-1 Bucket for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,092.00
--------	--	---	----------

TOOTH BAR

9000		Tooth Bar for 4-In-1 Bucket <i>For AY12-72 In. Bucket.</i>	734.00
------	--	---	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5FP33823		Tooth Bar for 72 In. 4-In-1 Bucket (AY12)	784.31

AY12D - 72 In. 4-In-1 Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AY12D - 78 In. 4-In-1 Bucket for Current 600/700 Series Carrier
Equipment for Base Machine

Cutting Width: 78 In.
 Loader Series:
 600 and 700
 Dimensions:
 W78 In. x H20 In. x D29.38 In.
 Capacity:
 18.5 Cubic Foot
 Grapple Opening: 34.78 In.
 Operational Weight: 935 lbs.
 Shipping Weight: 960 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2223XF		AY12D - 78 In. 4-In-1 Bucket for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,381.00
--------	--	---	----------

TOOTH BAR

9000		Tooth Bar for 4-In-1 Bucket <i>For AY12-78 In. Bucket.</i>	754.00
------	--	---	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5FP16288		Tooth Bar for 78 In. 4-In-1 Bucket (AY12)	805.20

AY12D - 78 In. 4-In-1 Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AY12G - 72 In. 4-In-1 Bucket for Current Loaders with Global Carrier
Equipment for Base Machine

Cutting Width: 72 In.
Loader Series:
Global Carrier
Dimensions:
W72 In. x H20 In. x D29.38 In.
Capacity:
17.07 Cubic Foot
Grapple Opening: 34.78 In.
Operational Weight: 900 lbs.
Shipping Weight: 925 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2222XF		AY12G - 72 In. 4-In-1 Bucket for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,208.00
--------	--	--	----------

TOOTH BAR

9000		Tooth Bar for 4-In-1 Bucket <i>For AY12-72 In. Bucket.</i>	756.00
------	--	---	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5FP33823	Miscellaneous Tooth Bar for 72 In. 4-In-1 Bucket (AY12)	784.31
--	----------	---	--------

AY12G - 72 In. 4-In-1 Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AY12G - 78 In. 4-In-1 Bucket for Current Loaders with Global Carrier
Equipment for Base Machine

Cutting Width: 78 In.
 Loader Series:
 Global Carrier
 Dimensions:
 W78 In. x H20 In. x D29.38 In.
 Capacity:
 18.5 Cubic Foot
 Grapple Opening: 34.78 In.
 Operational Weight: 935 lbs.
 Shipping Weight: 960 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2224XF		AY12G - 78 In. 4-In-1 Bucket for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,502.00
--------	--	--	----------

TOOTH BAR

9000		Tooth Bar for 4-In-1 Bucket <i>For AY12-78 In. Bucket.</i>	776.00
------	--	---	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5FP16288	Miscellaneous Tooth Bar for 78 In. 4-In-1 Bucket (AY12)	805.20
--	----------	---	--------

AY12G - 78 In. 4-In-1 Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AY12G - 84 In. 4-In-1 Bucket for Current Loaders with Global Carrier
Equipment for Base Machine

Cutting Width: 84 In.
 Loader Series:
 Global Carrier
 Dimensions:
 W84 In. x H20 In. x D29.38 In.
 Capacity:
 19.93 Cubic Foot
 Grapple Opening: 34.78 In.
 Operational Weight: 975 lbs.
 Shipping Weight: 1000 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2226XF		AY12G - 84 In. 4-In-1 Bucket for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,835.00
--------	--	--	----------

TOOTH BAR

9000		Tooth Bar for 4-In-1 Bucket <i>For AY12-84 In. Bucket.</i>	800.00
------	--	---	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AY11 and AY12 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5FP16193	Miscellaneous Tooth Bar for 84 In. 4-In-1 Bucket (AY12)	830.51
--	----------	---	--------

AY12G - 84 In. 4-In-1 Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AY11F - 53 In. 4-in-1 Bucket for 100 - 300E Series Loader
Equipment for Base Machine

Cutting Width: 53 In.
Loader Series:
(F) 100 to 300
Dimensions:
W53.6 In. x H23.7 In. x D25.0 In.
Bucket Capacity:
Struck: 6.1 Cubic Foot
Heaped: 8.5 Cubic Foot
Clam Opening: 32 In.

Operational Weight: 280 lbs.
Shipping Weight: 308 lbs.
Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2371XF		AY11F - 53 In. 4-in-1 Bucket for 100 - 300E Series Loader <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,293.00
--------	--	---	----------

DESTINATION

	North America		
0202	UNITED STATES		No Added Cost
0184	CANADA		No Added Cost
0205	QUEBEC		No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		AY11F ENGLISH OM	No Added Cost
0413		AY11F FRENCH OM	No Added Cost
0437		AY11F SPANISH OM	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5MP76314		ENGLISH BUCKET LOADER ATTACHMENTS OM	13.20
5MP43126		SPANISH OM/DECAL-LDR ATTACHMENTS	74.80

AY11F - 53 In. 4-in-1 Bucket for 100 - 300E Series Loader

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB16G Small Square Bale Handler for Current Loaders with Global Carrier
Equipment for Base Machine

Hydraulics:

Single Auxiliary Hydraulic Service

Shipping Weight With Pallet:

1190 lbs.

Operational Weight: 1090 lbs.

Dimensions: 31H x 80W x 90L

32 Engaging Teeth

as well as a tractor with (3) SCV's. Please

reference the loader and tractor sales information
for additional information.Hydraulic functions on loader attachment require
third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2053XF		AB16G Small Square Bale Handler for Current Loaders with Global Carrier <i>Picks up 8 flat or 10 indexed small square bales. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,819.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit for Models: (AB16 Series)	No Added Cost
------	--	---	---------------

Attachment Information is not available in MOCI for the base code 2053XF

AB16G Small Square Bale Handler for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB17K Large Square Bale Squeeze for Global Category 2 Carrier
 Equipment for Base Machine

Two 96 In. Arms
 110 In. Opening Width
 Capacity: Two Large Square Bales
 Hydraulics:
 Single Auxiliary
 Shipping Weight: 1875 lbs.
 Operational Weight: 1665 lbs.
 Dimensions: 68H x 91W x 99L

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2311XF		AB17K Large Square Bale Squeeze for Global Category 2 Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	10,048.00
--------	--	---	-----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit for Models: (AB17K)	No Added Cost
------	--	---	---------------

Attachment Information is not available in MOCI for the base code 2311XF

AB17K Large Square Bale Squeeze for Global Category 2 Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AH11A Round Bale Hugger for Current 800 Series Carrier
Equipment for Base Machine

Capacity:
1 Round Bale
Hydraulic Service:
Single Auxiliary
Shipping Weight with Pallet:
825 lbs.
Operational Weight:
725 lbs.
Dimensions:
50H x 57W x 60L

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2131XF		AH11A Round Bale Hugger for Current 800 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,836.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AH11 Series)	No Added Cost
------	--	---	---------------

Attachment Information is not available in MOCI for the base code 2131XF

AH11A Round Bale Hugger for Current 800 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AH11D Round Bale Hugger for Current 600/700 Series Carrier
 Equipment for Base Machine

Capacity:
 1 Round Bale
 Hydraulic Service:
 Single Auxiliary
 Shipping Weight with Pallet:
 825 lbs.
 Operational Weight:
 725 lbs.
 Dimensions:
 50H x 57W x 60L

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2132XF		AH11D Round Bale Hugger for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,758.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AH11 Series)	No Added Cost
------	--	---	---------------

Attachment Information is not available in MOCI for the base code 2132XF

AH11D Round Bale Hugger for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AH11G Round Bale Hugger for Current Loaders with Global Carrier
 Equipment for Base Machine

Capacity:
 1 Round Bale
 Hydraulic Service:
 Single Auxiliary
 Shipping Weight with Pallet:
 825 lbs.
 Operational Weight:
 725 lbs.
 Dimensions:
 50H x 57W x 60L

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2133XF		AH11G Round Bale Hugger for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,218.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AH11 Series)	No Added Cost
------	--	---	---------------

Attachment Information is not available in MOCI for the base code 2133XF

AH11G Round Bale Hugger for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AD11H - 60 In. Debris Grapple Bucket for Current 300/400 Series Carrier
Equipment for Base Machine

Cutting Width: 60 In.
 Loader Series:
 300 and 400 Only (Not 500 Series)
 Dimensions:
 W60 In. x H22 In. x D32 In.
 Capacity:
 0.3 Cubic Foot Struck
 0.4 Cubic Foot Heaped
 Grapple Opening: 32.75 In.
 Operational Weight: 540 lbs.
 Shipping Weight: 570 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2061XF		AD11H - 60 In. Debris Grapple Bucket for Current 300/400 Series Carrier	4,097.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
------	--	---	---------------

Attachment Information is not available in MOCI for the base code 2061XF

AD11H - 60 In. Debris Grapple Bucket for Current 300/400 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AD11E - 72 In. Debris Grapple Bucket for Current 300/400/500 Series Carrier
Equipment for Base Machine

Cutting Width: 72 In.
 Loader Series:
 300, 400, and 500
 Dimensions:
 W72 In. x H22 In. x D32 In.
 Capacity:
 0.4 Cubic Foot Struck
 0.5 Cubic Foot Heaped
 Grapple Opening: 34.5 In.
 Operational Weight: 615 lbs.
 Shipping Weight: 684 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2062XF		AD11E - 72 In. Debris Grapple Bucket for Current 300/400/500 Series Carrier <i>Hydraulic Kit 5MP107610 is required to adapt buckets to 1/2 In. body couplers. 1/2 In. body couplers are standard equipment for 500 series loader 3rd function oil lines and hoses. Order Hydraulic Kit through parts.</i> <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,396.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
------	--	---	---------------

Attachment Information is not available in MOCI for the base code 2062XF

AD11E - 72 In. Debris Grapple Bucket for Current 300/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AD12D - 76 In. Debris Grapple Bucket for Current 600/700 Series Carrier
Equipment for Base Machine

Cutting Width: 76 In.
 Loader Series:
 600 and 700
 Dimensions:
 W77 In. x H29 In. x D41 In.
 Capacity:
 0.6 Cubic Foot Struck
 0.7 Cubic Foot Heaped
 Grapple Opening: 39.4 In.
 Operational Weight: 1100 lbs.
 Shipping Weight: 1150 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2071XF		AD12D - 76 In. Debris Grapple Bucket for Current 600/700 Series Carrier	5,789.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
------	--	---	---------------

DEBRIS BUCKET CUTTING EDGE KIT

9000		Cutting Edge Kit (AD12 Series Only) <i>For 76 In. Debris Bucket</i>	519.00
------	--	--	--------

ATTACHMENTS FOR FIELD CONVERSION

5FP10123		Miscellaneous 76 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	539.00
----------	--	--	--------

AD12D - 76 In. Debris Grapple Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AD12D - 82 In. Debris Grapple Bucket for Current 600/700 Series Carrier
Equipment for Base Machine

Cutting Width: 82" In.
 Loader Series:
 600 and 700
 Dimensions:
 W83 In. x H29 In. x D41 In.
 Capacity:
 0.7 Cubic Foot Struck
 0.8 Cubic Foot Heaped
 Grapple Opening: 39.4 In.
 Operational Weight: 1150 lbs.
 Shipping Weight: 1200 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2073XF		AD12D - 82 In. Debris Grapple Bucket for Current 600/700 Series Carrier	6,135.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
------	--	---	---------------

DEBRIS BUCKET CUTTING EDGE KIT

9000		Cutting Edge Kit (AD12 Series Only) <i>For 82 In. Debris Bucket</i>	537.00
------	--	--	--------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5FP10089		82 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	557.71

AD12D - 82 In. Debris Grapple Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AD12D - 88 In. Debris Grapple Bucket for Current 600/700 Series Carrier
Equipment for Base Machine

Cutting Width: 88 In.
 Loader Series:
 600 and 700
 Dimensions:
 W89 In. x H29 In. x D41 In.
 Capacity:
 0.85 Cubic Foot Struck
 1.0 Cubic Foot Heaped
 Grapple Opening: 39.4 In.
 Operational Weight: 1200 lbs.
 Shipping Weight: 1250 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2075XF		AD12D - 88 In. Debris Grapple Bucket for Current 600/700 Series Carrier	6,336.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
------	--	---	---------------

DEBRIS BUCKET CUTTING EDGE KIT

9000		Cutting Edge Kit (AD12 Series Only) <i>For 88 In. Debris Bucket</i>	567.00
------	--	--	--------

ATTACHMENTS FOR FIELD CONVERSION

	5FP10124	Miscellaneous 88 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	588.51
--	----------	--	--------

AD12D - 88 In. Debris Grapple Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AD12G - 76 In. Debris Grapple Bucket for Current Loaders with Global Carrier
Equipment for Base Machine

Cutting Width: 76 In.
Loader Series:
Global Carrier
Dimensions:
W77 In. x H29 In. x D39 In.
Capacity:
0.6 Cubic Foot Struck
0.7 Cubic Foot Heaped
Grapple Opening: 39.4 In.
Operational Weight: 1080 lbs.
Shipping Weight: 1130 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2072XF		AD12G - 76 In. Debris Grapple Bucket for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,730.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
------	--	---	---------------

DEBRIS BUCKET CUTTING EDGE KIT

9000		Cutting Edge Kit (AD12 Series Only) <i>For 76 In. Debris Bucket</i>	519.00
------	--	--	--------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5FP10123		76 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	539.00

AD12G - 76 In. Debris Grapple Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AD12G - 82 In. Debris Grapple Bucket for Current Loaders with Global Carrier
Equipment for Base Machine

Cutting Width: 82 In.
Loader Series:
Global Carrier
Dimensions:
W83 In. x H29 In. x D39 In.
Capacity:
0.7 Cubic Foot Struck
0.8 Cubic Foot Heaped
Grapple Opening: 39.4 In.
Operational Weight: 1130 lbs.
Shipping Weight: 1180 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2074XF		AD12G - 82 In. Debris Grapple Bucket for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,957.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
------	--	---	---------------

DEBRIS BUCKET CUTTING EDGE KIT

9000		Cutting Edge Kit (AD12 Series Only) <i>For 82 In. Debris Bucket</i>	537.00
------	--	--	--------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5FP10089		82 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	557.71

AD12G - 82 In. Debris Grapple Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AD12G - 88 In. Debris Grapple Bucket for Current Loaders with Global Carrier
Equipment for Base Machine

Cutting Width: 88 In.
Loader Series:
Global Carrier
Dimensions:
W89 In. x H29 In. x D39 In.
Capacity:
0.85 Cubic Foot Struck
1.0 Cubic Foot Heaped
Grapple Opening: 39.4 In.
Operational Weight: 1180 lbs.
Shipping Weight: 1230 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2076XF		AD12G - 88 In. Debris Grapple Bucket for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,217.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
------	--	---	---------------

DEBRIS BUCKET CUTTING EDGE KIT

9000		Cutting Edge Kit (AD12 Series Only) <i>For 88 In. Debris Bucket</i>	567.00
------	--	--	--------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5FP10124		88 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	588.51

AD12G - 88 In. Debris Grapple Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AD12G - 96 In. Debris Grapple Bucket for Current Loaders with Global Carrier
Equipment for Base Machine

Cutting Width: 96 In.
Loader Series:
Global Carrier
Dimensions:
W96 In. x H29 In. x D39 In.
Capacity:
1.0 Cubic Foot Struck
1.2 Cubic Foot Heaped
Grapple Opening: 39.4 In.
Operational Weight: 1230 lbs.
Shipping Weight: 1280 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2078XF		AD12G - 96 In. Debris Grapple Bucket for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,221.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AD11 and AD12 Series)	No Added Cost
------	--	---	---------------

DEBRIS BUCKET CUTTING EDGE KIT

9000		Cutting Edge Kit (AD12 Series Only) <i>For 96 In. Debris Bucket</i>	573.00
------	--	--	--------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5FP10125		96 In. Debris Bucket Cutting Edge Kit (AD12 Series Only)	595.11

AD12G - 96 In. Debris Grapple Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AE11E - 60 In. Free Stall Scraper for Current 300/400/500 Series Carrier
Equipment for Base Machine

Cutting Width: 60 In.

Shipping Weight: 290 lbs.

Loader Series:

300, 400, and 500

Dimensions:

W60 In. x H28 In. x D29 In.

Optional Bolt-on Backdrag Weight:

138 lbs.

Operational Weight: 240 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2081XF		AE11E - 60 In. Free Stall Scraper for Current 300/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,716.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AE11 Series)	No Added Cost
------	--	---	---------------

BACK DRAG ATTACHMENT

9000		Back Drag Attachment (AE11E) <i>For 60 In. Free Stall Scraper.</i>	670.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5FP10736		60 In. Back Drag Attachment (AE11E)	695.20
5MP43052		FRENCH OM/DECAL-LDR ATTACHMENTS	0.00

AE11E - 60 In. Free Stall Scraper for Current 300/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AE11E - 72 In. Free Stall Scraper for Current 300/400/500 Series Carrier
Equipment for Base Machine

Cutting Width: 72 In.

Shipping Weight: 315 lbs.

Loader Series:
300, 400, and 500

Dimensions:

W72 In. x H28 In. x D29 In.

Optional Bolt-on Backdrag Weight:
161 lbs.

Operational Weight: 265 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2082XF		AE11E - 72 In. Free Stall Scraper for Current 300/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,988.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AE11 Series)	No Added Cost
------	--	---	---------------

BACK DRAG ATTACHMENT

9000		Back Drag Attachment (AE11E) <i>For 72 In. Free Stall Scraper.</i>	697.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5FP10737		72 In. Back Drag Attachment (AE11E)	702.91
5MP43052		FRENCH OM/DECAL-LDR ATTACHMENTS	0.00

AE11E - 72 In. Free Stall Scraper for Current 300/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AE11E - 84 In. Free Stall Scraper for Current 300/400/500 Series Carrier
Equipment for Base Machine

Cutting Width: 84 In.

Shipping Weight: 335 lbs.

Loader Series:
300, 400, and 500

Dimensions:

W84 In. x H28 In. x D29 In.

Optional Bolt-on Backdrag Weight:
194 lbs.

Operational Weight: 285 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
2083XF		AE11E - 84 In. Free Stall Scraper for Current 300/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,010.00
OPERATOR'S MANUAL AND DECALS			
9200		French Operators Manual and Decal Kit (AE11 Series)	No Added Cost
BACK DRAG ATTACHMENT			
9000		Back Drag Attachment (AE11E) <i>For 84 In. Free Stall Scraper.</i>	853.00
ATTACHMENTS FOR FIELD CONVERSION			
5MP43052		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	0.00

AE11E - 84 In. Free Stall Scraper for Current 300/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AE11E - 96 In. Free Stall Scraper for Current 300/400/500 Series Carrier
 Equipment for Base Machine

Cutting Width: 96 In.

Shipping Weight: 355 lbs.

Loader Series:
 300, 400, and 500

Dimensions:
 W96 In. x H28 In. x D29 In.

Optional Bolt-on Backdrag Weight:
 226 lbs.

Operational Weight: 305 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2084XF		AE11E - 96 In. Free Stall Scraper for Current 300/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,116.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AE11 Series)	No Added Cost
------	--	---	---------------

BACK DRAG ATTACHMENT

9000		Back Drag Attachment (AE11E) <i>For 96 In. Free Stall Scraper.</i>	902.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

5MP43052		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	0.00
----------	--	---	------

AE11E - 96 In. Free Stall Scraper for Current 300/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders
Equipment for Base Machine

Cutting Width 59.6
Moldboard Height 21
Moldboard Thickness 12 GA
Overall Depth 26.5
Weight 168 lbs
Ship Weight 180 lbs
Cutting Edge 1/4 x 6 Reversible
Angle Adjustments 5, up to 30°
Loader Compatibility 120R, 220R, H120, H130
Tractor Compatibility 1 & 2 Series

Optional Equipment
Rubber Deflector, Plow Guides, Urethane
Cutting Edge & Urethane Skid Shoes

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2401XF		AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders <i>Not compatible with Mechanical Self-Leveling (MSL) Loaders.</i>	1,909.00
--------	--	---	----------

DESTINATION

0202		United States	In Base Price
0184		Canada	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		English Operator's Manual	In Base Price
0413		French Operator's Manual	No Added Cost
0437		Spanish Operator's Manual	No Added Cost

URETHANE CUTTING EDGE KIT

9862		Urethane Cutting Edge Kit	532.00
------	--	---------------------------	--------

RUBBER DEFLECTOR KIT

9860		Rubber Deflector Kit	110.00
------	--	----------------------	--------

PLOW GUIDE KIT

9861		Plow Guide Kit	145.00
------	--	----------------	--------

URETHANE SKID SHOE KIT

9863		Urethane Skid Shoe Kit	308.00
------	--	------------------------	--------

HYDRAULICS

9561		HYDRAULIC ANGLE KIT <i>Requires loader 3rd function hydraulics</i>	759.00
------	--	---	--------

AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Miscellaneous			
	5WD1044512	AF10 Plow Guide Kit	150.71
	5WD1044511	AF10 Rubber Deflector Kit	114.40
	5WD1044515	French Operator's Manual and Decal Kit	127.42
	5WD1044517	HYDRAULIC ANGLE KIT	787.60
	5WD1044516	Spanish Operator's Manual and Decal Kit	127.42
	5WD1044513	Urethane Cutting Edge Kit	552.20
	5WD1044514	Urethane Skid Shoe Kit	320.11

AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier

Equipment for Base Machine

Cutting Width: 6 Ft.

Loader Series:
300, 400, and 500

Dimensions:

W72 In. x H23 In. x D34 In.

Operational Weight: 400 lbs.

Shipping Weight: 430 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
2091XF		AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,758.00
OPERATOR'S MANUAL AND DECALS			
9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
RUBBER EDGE KIT			
9020		Rubber Edge Kit <i>For 6 Ft. AF11E</i>	533.00
HYDRAULICS			
9000		Hydraulic angle Kit for 6 Ft. and 7 Ft. AF11E	632.00
ATTACHMENTS FOR FIELD CONVERSION			
		Miscellaneous	
5MP43052		FRENCH OM/DECAL-LDR ATTACHMENTS	0.00
5FP10726		Hydraulic Angle Kit for 6 Ft. and 7 Ft. AF11E	655.60
5FPLAF6486		Rubber Edge Kit for 6 Ft. AF11E	553.31

**AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500
Series Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier

Equipment for Base Machine

Cutting Width: 7 Ft.

Loader Series:
300, 400, and 500

Dimensions:

W84 In. x H23 In. x D34 In.

Operational Weight: 450 lbs.

Shipping Weight: 480 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
2093XF		AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,799.00
OPERATOR'S MANUAL AND DECALS			
9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
RUBBER EDGE KIT			
9020		Rubber Edge Kit <i>For 7 Ft. AF11E</i>	571.00
HYDRAULICS			
9000		Hydraulic angle Kit for 6 Ft. and 7 Ft. AF11E	632.00
ATTACHMENTS FOR FIELD CONVERSION			
		Miscellaneous	
5MP43052		FRENCH OM/DECAL-LDR ATTACHMENTS	0.00
5FP10726		Hydraulic Angle Kit for 6 Ft. and 7 Ft. AF11E	655.60
5FPLAF6487		Rubber Edge Kit for 7 Ft. AF11E	592.91

**AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500
Series Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AF11D - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier

Equipment for Base Machine

Cutting Width: 7 Ft.
Loader Series:
600 Series Loaders
on 6000 Series Tractors
Dimensions:
W84 In. x H32 In. x D48 In.
Operational Weight: 730 lbs.
Shipping Weight: 780 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2092XF		AF11D - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier <i>ONLY 6000 series tractors.</i> <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,226.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
------	--	--	---------------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 7 Ft. AF11D and AF11G</i>	669.00
9010		Rubber Top Flap Kit <i>For 7 Ft. AF11D and AF11G.</i>	253.00

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5MP43052		FRENCH OM/DECAL-LDR ATTACHMENTS	0.00
5FPLAF1551		Rubber Edge Kit for 7 Ft. AF11D and AF11G	694.11
5FPLAF6492		Rubber Top Flap Kit for 7 Ft. AF11D and AF11G	262.91

**AF11D - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700
Series Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AF11D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier

Equipment for Base Machine

Cutting Width: 8 Ft.
Loader Series:
600 Series Loaders
on 6000 Series Tractors
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1195 lbs.
Shipping Weight: 1245 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2095XF		AF11D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier <i>ONLY 6000 series tractors.</i> <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,395.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
------	--	--	---------------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G</i>	742.00
9010		Rubber Top Flap Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G.</i>	273.00

ATTACHMENTS FOR FIELD CONVERSION

5MP43052		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	0.00
5FPLAF1552		Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	770.00
5FPLAF6493		Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	283.80

**AF11D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700
Series Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier

Equipment for Base Machine

Cutting Width: 7 Ft.
Loader Series:
Global Carrier on 6000 Series Tractors
Dimensions:
W84 In. x H32 In. x D48 In.
Operational Weight: 710 lbs.
Shipping Weight: 760 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2094XF		AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier <i>ONLY 6000 series tractors and smaller. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,904.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
------	--	--	---------------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 7 Ft. AF11D and AF11G</i>	669.00
9010		Rubber Top Flap Kit <i>For 7 Ft. AF11D and AF11G.</i>	253.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	0.00
5FPLAF1551	Rubber Edge Kit for 7 Ft. AF11D and AF11G	694.11
5FPLAF6492	Rubber Top Flap Kit for 7 Ft. AF11D and AF11G	262.91

**AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with
Global Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier

Equipment for Base Machine

Cutting Width: 8 Ft.
Loader Series:
Global Carrier on 6000 Series Tractors
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1175 lbs.
Shipping Weight: 1225 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2096XF		AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier <i>ONLY 6000 series tractors and smaller. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,375.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
------	--	--	---------------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G</i>	742.00
9010		Rubber Top Flap Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G.</i>	273.00

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	0.00
5FPLAF1552	Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	770.00
5FPLAF6493	Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	283.80

**AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with
Global Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AF12D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier

Equipment for Base Machine

Cutting Width: 8 Ft.

Loader Series:

600 and 700

Dimensions:

W96 In. x H32 In. x D54 In.

Operational Weight: 1195 lbs.

Shipping Weight: 1245 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
2101XF		AF12D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,175.00
OPERATOR'S MANUAL AND DECALS			
9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
RUBBER EDGE KIT			
9020		Rubber Edge Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G</i>	742.00
9010		Rubber Top Flap Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G.</i>	273.00
ATTACHMENTS FOR FIELD CONVERSION			
	Miscellaneous		
5MP43052		FRENCH OM/DECAL-LDR ATTACHMENTS	0.00
5FPLAF1552		Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	770.00
5FPLAF6493		Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	283.80

**AF12D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700
Series Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier

Equipment for Base Machine

Cutting Width: 9 Ft.

Loader Series:

600 and 700

Dimensions:

W96 In. x H32 In. x D54 In.

Operational Weight: 1195 lbs.

Shipping Weight: 1245 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2103XF		AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,948.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
------	--	--	---------------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 9 Ft. AF12D and AF12G</i>	810.00
9010		Rubber Top Flap Kit <i>For 9 Ft. AF12D and AF12G.</i>	294.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	0.00
5FPLAF1553	Rubber Edge Kit for 9 Ft. AF12D and AF12G	840.40
5FPLAF6494	Rubber Top Flap Kit for 9 Ft. AF12D and AF12G	304.71

**AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700
Series Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AF12D - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier

Equipment for Base Machine

Cutting Width: 10 Ft.
Loader Series:
600 and 700
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1195 lbs.
Shipping Weight: 1245 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2105XF		AF12D - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	8,004.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
------	--	--	---------------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 10 Ft. AF12D and AF12G</i>	881.00
9010		Rubber Top Flap Kit <i>For 10 Ft. AF12D and AF12G.</i>	314.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS	0.00
5FPLAF1554	Rubber Edge Kit for 10 Ft. AF12D and AF12G	914.11
5FPLAF6495	Rubber Top Flap Kit for 10 Ft. AF12D and AF12G	325.60

**AF12D - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700
Series Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AF12G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier

Equipment for Base Machine

Cutting Width: 8 Ft.
Loader Series:
Global Carrier
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1175 lbs.
Shipping Weight: 1225 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2102XF		AF12G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	6,394.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
------	--	--	---------------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G</i>	742.00
9010		Rubber Top Flap Kit <i>For 8 Ft. AF11D, AF11G, AF12D and AF12G.</i>	273.00

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous	FRENCH OM/DECAL-LDR ATTACHMENTS	0.00
5FPLAF1552		Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	770.00
5FPLAF6493		Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G	283.80

**AF12G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with
Global Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier

Equipment for Base Machine

Cutting Width: 9 Ft.
Loader Series:
Global Carrier
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1175 lbs.
Shipping Weight: 1225 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2104XF		AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,156.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
------	--	--	---------------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 9 Ft. AF12D and AF12G</i>	810.00
9010		Rubber Top Flap Kit <i>For 9 Ft. AF12D and AF12G.</i>	294.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5MP43052	FRENCH OM/DECAL-LDR ATTACHMENTS		0.00
5FPLAF1553	Rubber Edge Kit for 9 Ft. AF12D and AF12G		840.40
5FPLAF6494	Rubber Top Flap Kit for 9 Ft. AF12D and AF12G		304.71

**AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with
Global Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 10 Ft.
Loader Series:
Global Carrier
Dimensions:
W96 In. x H32 In. x D54 In.
Operational Weight: 1175 lbs.
Shipping Weight: 1225 lbs.

as well as a tractor with (3) SCV's. Please
reference the loader and tractor sales information
for additional information.

Hydraulic functions on loader attachment require
third function hydraulic lines and hoses on loader

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2106XF		AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,366.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AF11 and AF12 Series)	No Added Cost
------	--	--	---------------

RUBBER EDGE KIT

9020		Rubber Edge Kit <i>For 10 Ft. AF12D and AF12G</i>	881.00
9010		Rubber Top Flap Kit <i>For 10 Ft. AF12D and AF12G.</i>	314.00

ATTACHMENTS FOR FIELD CONVERSION

5MP43052	Miscellaneous	FRENCH OM/DECAL-LDR ATTACHMENTS	0.00
5FPLAF1554		Rubber Edge Kit for 10 Ft. AF12D and AF12G	914.11
5FPLAF6495		Rubber Top Flap Kit for 10 Ft. AF12D and AF12G	325.60

**AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders
with Global Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AM20F - 50 in. Manure Fork
Equipment for Base Machine

Operating Width: 50 In.
 Loader Series:
 120/H120/220R/D160 (Check Compatibility Chart For
 Complete Loader List)
 Dimensions:
 W50 In. x H21.13 In. x D25 In.
 7 tines at 1.25 In. diameter solid round steel
 Operational Weight: 141 lbs.

Shipping Weight: 178 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2361XF		AM20F - 50 in. Manure Fork	877.00
--------	--	----------------------------	--------

DESTINATION

0202		United States	In Base Price
0184		Canada	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		English Operator's Manual	In Base Price
0413		French Operator's Manual	No Added Cost
0437		Spanish Operator's Manual	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

Operator's Manual and Decals			
5WS105009		English Operator's Manual - AM20F Manure Fork	56.11
5WS101364		French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	56.11
5WS101375		Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	56.11

AM20F - 50 in. Manure Fork

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AM20F - 60 in. Manure Fork
Equipment for Base Machine

Operating Width: 60 In.

Shipping Weight: 204 lbs.

Loader Series:

120/H120/220R/D160 (Check Compatibility Chart For
Complete Loader List)

Dimensions:

W60 In. x H21.13 In. x D25 In.

8 tines at 1.25 In. diameter solid round steel

Operational Weight: 167 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2362XF		AM20F - 60 in. Manure Fork	1,151.00
--------	--	----------------------------	----------

DESTINATION

0202		United States	In Base Price
------	--	---------------	---------------

0184		Canada	No Added Cost
------	--	--------	---------------

OPERATOR'S MANUAL AND DECALS

0409		English Operator's Manual	In Base Price
------	--	---------------------------	---------------

0413		French Operator's Manual	No Added Cost
------	--	--------------------------	---------------

0437		Spanish Operator's Manual	No Added Cost
------	--	---------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Operator's Manual and Decals			
5WS105009		English Operator's Manual - AM20F Manure Fork	56.11
5WS101364		French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	56.11
5WS101375		Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	56.11

AM20F - 60 in. Manure Fork

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AM11H - 60 In. Manure Fork with Grapple for Current 300CX/400 Series Carrier
 Equipment for Base Machine

Cutting Width: 60 In.
 Loader Series:
 300 and 400 Only (Not 500 Series)
 Dimensions:
 W60 In. x H26.5 In. x D34 In.
 Grapple Opening: 37 In.
 Operational Weight: 457 lbs.
 Shipping Weight: 507 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2141XF		AM11H - 60 In. Manure Fork with Grapple for Current 300CX/400 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,048.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AM11 Series)	No Added Cost
------	--	---	---------------

Attachment Information is not available in MOCI for the base code 2141XF

AM11H - 60 In. Manure Fork with Grapple for Current 300CX/400 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AM11E - 72 In. Manure Fork with Grapple for Current 300CX/400/500 Series Carrier
 Equipment for Base Machine

Cutting Width: 72 In.
 Loader Series:
 300, 400, and 500
 Dimensions:
 W72 In. x H26.5 In. x D34 In.
 Grapple Opening: 37 In.
 Operational Weight: 471 lbs.
 Shipping Weight: 521 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2142XF		AM11E - 72 In. Manure Fork with Grapple for Current 300CX/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,122.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AM11 Series)	No Added Cost
------	--	---	---------------

Attachment Information is not available in MOCI for the base code 2142XF

AM11E - 72 In. Manure Fork with Grapple for Current 300CX/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AM11D - 84 In. Manure Fork with Grapple for Current 600/700 Series Carrier
 Equipment for Base Machine

Cutting Width: 84 In.
 Loader Series:
 600 and 700
 Dimensions:
 W84 In. x H27.5 In. x D26 In.
 Grapple Opening: 37 In.
 Operational Weight: 587 lbs.
 Shipping Weight: 637 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2143XF		AM11D - 84 In. Manure Fork with Grapple for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,599.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AM11 Series)	No Added Cost
------	--	---	---------------

Attachment Information is not available in MOCI for the base code 2143XF

AM11D - 84 In. Manure Fork with Grapple for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AM11G - 84 In. Manure Fork with Grapple for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 84 In.
 Loader Series:
 Global Carrier
 Dimensions:
 W84 In. x H24 In. x D35 In.
 Grapple Opening: 37 In.
 Operational Weight: 537 lbs.
 Shipping Weight: 587 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2144XF		AM11G - 84 In. Manure Fork with Grapple for Current Loaders with Global Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,823.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AM11 Series)	No Added Cost
------	--	---	---------------

Attachment Information is not available in MOCI for the base code 2144XF

AM11G - 84 In. Manure Fork with Grapple for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AM11G - 96 In. Manure Fork with Grapple for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 96 In.
 Loader Series:
 Global Carrier
 Dimensions:
 W96 In. x H24 In. x D35 In.
 Grapple Opening: 37 In.
 Operational Weight: 601 lbs.
 Shipping Weight: 651 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2146XF		AM11G - 96 In. Manure Fork with Grapple for Current Loaders with Global Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,434.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AM11 Series)	No Added Cost
------	--	---	---------------

Attachment Information is not available in MOCI for the base code 2146XF

AM11G - 96 In. Manure Fork with Grapple for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS**Material Handling****PG12 PALLET FORK GRAPPLE**

Equipment for Base Machine

Attaches to AP12F and AP12G Pallet Forks
Requires 3rd Hydraulic Loader Function (Ordered separately)
Optional 1/4" Hydraulic Coupler Kit for 200, 300, and 400 series loader 3rd function hydraulic kits
Dimensions:
Grapple Clamp Length: 39 in
Grapple Clamp Width: 9.5 in
Operational Weight: 110 lbs.

Shipping Weight: 132 lbs.
Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

8071XF		PG12 PALLET FORK GRAPPLE	1,044.00
--------	--	--------------------------	----------

DESTINATION

0202		UNITED STATES	No Added Cost
0184		CANADA	No Added Cost
0205		QUEBEC, CANADA	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		PG12 ENGLISH OM	No Added Cost
0413		PG12 FRENCH OM/DECAL KIT	No Added Cost
0437		PG12 SPANISH OM/DECAL KIT	No Added Cost

ATTACHMENTS - ORDER AS DESIRED

9845		1/4" Hydraulic Coupler Kit for CUT Loader 3rd Function	56.00
9846		Adapter Kit for 3rd Function Multi-Coupler	38.00

ATTACHMENTS FOR FIELD CONVERSION**Miscellaneous**

5MP125683		1/4" Hydraulic Coupler Kit for CUT Loader 3rd Function	72.68
5MP125684		Adapter Kit for 3rd Function Multi-Coupler	48.45
5MP43053		French Operator's Manual and Decal Kit	48.40
5MP43127		Spanish Operator's Manual and Decal Kit	48.40

Material Handling

PG12 PALLET FORK GRAPPLE

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

PG11 Pallet Fork Grapple
Equipment for Base Machine

Attaches to AP10 & AP11 Pallet Forks
Requires 3rd Hydraulic Loader Function
Dimensions:
Grapple Clamp Length: 36 in
Grapple Clamp Width: 5.35 in
Product Weight: 62 lbs.
Shipping Weight: 71 lbs.

Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

8061XF		PG11 Pallet Fork Grapple	763.00
--------	--	--------------------------	--------

DESTINATION

0202		UNITED STATES	No Added Cost
0184		CANADA	No Added Cost
0205		QUEBEC, CANADA	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		PG11 ENGLISH OM	No Added Cost
0413		PG11 FRENCH OM/DECAL KIT	No Added Cost
0437		PG11 SPANISH OM/DECAL KIT	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5WS105028	PG11 FRENCH OM/DECAL KIT		48.40
5WS105030	PG11 SPANISH OM/DECAL KIT		48.40

PG11 Pallet Fork Grapple

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AP10F Pallet Fork Fixed Tines
Equipment for Base Machine

Pallet Forks (36 In. or 42 In. in Length): (36 In. Forks or 42 In. Forks):
Two - Class I Solid 1.0 In. x 3.0 or 1.18 x 3.13 170 or 198 lbs.
In. Tines
H120, D120 Series Loaders (Check Compatibility
Chart For Complete Loader List)
Frame Load Rating: 1250 lbs.
Dimensions (36 In. Forks or 42 In. Forks):
24.5H x 49.25W x 45L or 51L
Operational Weight

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2341XF	AP10F Pallet Fork Fixed Tines	755.00
--------	-------------------------------	--------

DESTINATION

0202	United States	In Base Price
------	---------------	---------------

0184	Canada	No Added Cost
------	--------	---------------

OPERATOR'S MANUAL AND DECALS

0409	English Operator's Manual	In Base Price
------	---------------------------	---------------

0413	French Operator's Manual	No Added Cost
------	--------------------------	---------------

0437	Spanish Operator's Manual	No Added Cost
------	---------------------------	---------------

PALLET TINE

2401	36 in. tines (900 lbs)	In Base Price
------	------------------------	---------------

2400	42 in. tines (2000 lbs)	85.00
------	-------------------------	-------

ATTACHMENTS FOR FIELD CONVERSION

	Operator's Manual and Decals	
5WS105008	English Operator's Manual - AP10F, AP11F Pallet Fork	55.00
5WS101364	French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	56.11
5WS101375	Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	56.11

AP10F Pallet Fork Fixed Tines

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AP11F Pallet Fork Fixed Tines
Equipment for Base Machine

Pallet Forks (36 In. or 42 In. in Length):
Two - Class I Solid 1.0 In. x 3.0 or 1.18 x 3.13
In. Tines
120/H120/220R/D160 Loaders (Check Compatibility
Chart For Complete Loader List)
Frame Load Rating: 2000 lbs.
Dimensions (36 In. Forks or 42 In. Forks):
24.5H x 49.38W x 44L or 50L
Operational Weight

(36 In. Forks or 42 In. Forks):
219 or 247 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2351XF		AP11F Pallet Fork Fixed Tines	961.00
--------	--	-------------------------------	--------

DESTINATION

0202		United States	In Base Price
------	--	---------------	---------------

0184		Canada	No Added Cost
------	--	--------	---------------

OPERATOR'S MANUAL AND DECALS

0409		English Operator's Manual	In Base Price
------	--	---------------------------	---------------

0413		French Operator's Manual	No Added Cost
------	--	--------------------------	---------------

0437		Spanish Operator's Manual	No Added Cost
------	--	---------------------------	---------------

PALLET TINE

2401		36 in. tines (900 lbs)	-85.00
------	--	------------------------	--------

2400		42 in. tines (2000 lbs)	In Base Price
------	--	-------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Operator's Manual and Decals	
5WS105008	English Operator's Manual - AP10F, AP11F Pallet Fork	55.00
5WS101364	French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	56.11
5WS101375	Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork	56.11

AP11F Pallet Fork Fixed Tines

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AP12A Fixed Pallet Fork for Current 800 Series Carrier
Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):

Two - 1.57 In. x 5.12 In.
(600, 700, Global, and
800 Series Loaders)Load Rating: 5500 lbs.
(600, 700, Global, and
800 Series Loaders)Dimensions (42 In. Forks or 48 In. Forks):
37H x 60W x 54L or 60L

Operational Weight

(42 In. Forks or 48 In. Forks):
445 or 465 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2151XF		AP12A Fixed Pallet Fork for Current 800 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,120.00
--------	--	--	----------

PALLET TINE

1000		42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	No Added Cost
1010		48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	61.00

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
------	--	---	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit	48.40
--	----------	--	-------

AP12A Fixed Pallet Fork for Current 800 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier
Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):

Two - 1.38 In. x 4.72 In.
(200, 300, 400, and
500 Series Loaders)Load Rating: 3750 lbs.
(200, 300, 400, and
500 Series Loaders)Dimensions (42 In. Forks or 48 In. Forks):
34H x 50W x 51L or 57L

Operational Weight

(42 In. Forks or 48 In. Forks):
380 or 395 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2153XF		AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,230.00
--------	--	--	----------

PALLET TINE

1000		42 In. Pallet Tine <i>Rated for 3750 lbs.</i>	No Added Cost
1010		48 In. Pallet Tine <i>Rated for 3750 lbs.</i>	46.00

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
------	--	---	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit	48.40
--	----------	--	-------

AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AP12D Fixed Pallet Fork for Current 600/700 Series Carrier
Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):
Two - 1.57 In. x 5.12 In.
(600, 700, Global, and
800 Series Loaders)
Load Rating: 5500 lbs.
(600, 700, Global, and
800 Series Loaders)
Dimensions (42 In. Forks or 48 In. Forks):
34H x 50W x 54L or 60L

Operational Weight
(42 In. Forks or 48 In. Forks):
445 or 465 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2152XF		AP12D Fixed Pallet Fork for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,519.00
--------	--	--	----------

PALLET TINE

1000		42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	No Added Cost
1010		48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	61.00

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
------	--	---	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit	48.40
--	----------	--	-------

AP12D Fixed Pallet Fork for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AP12G Fixed Pallet Fork for Current Loaders with Global Carrier
Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):
Two - 1.57 In. x 5.12 In.
(600, 700, Global, and
800 Series Loaders)
Load Rating: 5500 lbs.
(600, 700, Global, and
800 Series Loaders)
Dimensions (42 In. Forks or 48 In. Forks):
37H x 60W x 54L or 60L

Operational Weight
(42 In. Forks or 48 In. Forks):
456 or 476 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2154XF		AP12G Fixed Pallet Fork for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,463.00
--------	--	---	----------

PALLET TINE

1000		42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	No Added Cost
1010		48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	61.00

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
------	--	---	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit	48.40
--	----------	--	-------

AP12G Fixed Pallet Fork for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only)
 Equipment for Base Machine

Pallet Forks (48 In. in Length): Two - 2.00 In. x 5.00 In. (Global Category 2, Loader Carrier) Load Rating: 10,000 lbs. (Global Category 2 Carrier, H480 Loader) Dimensions (48 In. Forks): 43H x 59W x 60L Operational Weight	(48 In. Forks): 812 lbs.
--	-----------------------------

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2155XF		AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only) <i>Note: 48 In Pallet Forks Included as Standard Equipment. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,678.00
--------	--	---	----------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous 5MP43053 French Operator's Manual and Decal Kit	48.40
--	--	---	-------

**AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480
Loader only)**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier
Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length): 360 or 375 lbs.
 Two - 1.38 In. x 4.72 In.
 Load Rating: 3750 lbs.
 Dimensions (42 In. Forks or 48 In. Forks):
 31H x 50W x 51L or 57L
 Operational Weight
 (42 In. Forks or 48 In. Forks):

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2162XF		AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,284.00
--------	--	---	----------

PALLET TINE

1000		42 In. Pallet Tine <i>Rated for 3750 lbs.</i>	No Added Cost
1010		48 In. Pallet Tine <i>Rated for 3750 lbs.</i>	80.00

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
------	--	---	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit	48.40
--	----------	--	-------

AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AP13D Floating Pallet Fork for Current 600/700 Series Carrier
Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length): 425 or 445 lbs.
 Two - 1.57 In. x 5.12 In.
 Load Rating: 5500 lbs.
 Dimensions (42 In. Forks or 48 In. Forks):
 34H x 50W x 54L or 60L
 Operational Weight
 (42 In. Forks or 48 In. Forks):

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
-------------	------------------------------	--------------------	--------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2161XF		AP13D Floating Pallet Fork for Current 600/700 Series Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,461.00
--------	--	---	----------

PALLET TINE

1000		42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	No Added Cost
1010		48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	101.00

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
------	--	---	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit	48.40
--	----------	--	-------

AP13D Floating Pallet Fork for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AP13G Floating Pallet Fork for Current Loaders with Global Carrier
Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length): 440 or 460 lbs.
 Two - 1.57 In. x 5.12 In.
 Load Rating: 5500 lbs.
 Dimensions (42 In. Forks or 48 In. Forks):
 32H x 49W x 52L or 58L
 Operational Weight
 (42 In. Forks or 48 In. Forks):

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2163XF		AP13G Floating Pallet Fork for Current Loaders with Global Carrier <i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,396.00
--------	--	--	----------

PALLET TINE

1000		42 In. Pallet Tine <i>Rated for 5500 lbs.</i>	No Added Cost
1010		48 In. Pallet Tine <i>Rated for 5500 lbs.</i>	101.00

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
------	--	---	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit	48.40
--	----------	--	-------

AP13G Floating Pallet Fork for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AP13K Floating Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only)

Equipment for Base Machine

Pallet Forks (48 In. in Length):
Two - 2.0 In. x 5.0 In.
Load Rating: 10,000 lbs.
Dimensions:
42H x 62W x 61L
Operational Weight
773 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2331XF		AP13K Floating Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only) <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,638.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
------	--	---	---------------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous	French Operator's Manual and Decal Kit	48.40
----------	----------------------	--	-------

**AP13K Floating Pallet Fork for Current Loaders with Global Category 2 Carrier (H480
Loader only)**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AP11G Fixed Pallet Fork for Loaders with Global Carrier
Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length): Two - (42 In. Forks or 48 In. Forks): 343 or 358 lbs.
1.38 In. x 4.72 In.
Load Rating: 3750 lbs.
(520R Loader with Global Carrier)
Dimensions (42 In. Forks or 48 In. Forks): 37H x
49W x 51L or 57L
Operational Weight

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2391XF		AP11G Fixed Pallet Fork for Loaders with Global Carrier <i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	990.00
--------	--	---	--------

PALLET TINE

1000		42 In. Pallet Tine <i>Rated for 3750 lbs.</i>	In Base Price
1010		48 In. Pallet Tine <i>Rated for 3750 lbs.</i>	62.00

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks	No Added Cost
------	--	---	---------------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053		Miscellaneous French Operator's Manual and Decal Kit	48.40
----------	--	--	-------

AP11G Fixed Pallet Fork for Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier
Equipment for Base Machine

Cutting Width: 55 In.
 Loader Series:
 300 and 400 Only (Not 500 Series)
 Dimensions:
 W54.8 In. x H22 In. x D23 In.
 Capacity:
 0.32 Cubic Foot
 Tine Diameter: 1-1/8 In.
 Tine Length: 22 In.

Operational Weight: 282 lbs.
 Shipping Weight: 352 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2171XF		AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier <i>Tine spacing is 2 In. on 55 In. model.</i> <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,982.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
------	--	---	---------------

Attachment Information is not available in MOCI for the base code 2171XF

AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier
Equipment for Base Machine

Cutting Width: 60 In.
 Loader Series:
 300, 400, and 500
 Dimensions:
 W68.4 In. (W65.9 In.) x H21.7 In. x D45 In.
 Capacity:
 0.82 Cubic Foot
 Optional Hydraulic Grapple - Opening:
 60 In.
 Optional Hydraulic Grapple - Weight:
 375 lbs.
 Tine Diameter: 1-1/8 In.
 Tine Length: 39 In.
 Operational Weight:
 585 lbs. (458 lbs.)

Shipping Weight:
 670 lbs. (550 lbs.)

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2172XF		AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,749.00
--------	--	---	----------

TINE SPACING

1000		2 In. Tine Spacing	In Base Price
1010		3 In. Tine Spacing	-220.00

GRAPPLES

9050		Grapple Attachment for Rock Bucket <i>Fits AR10E models with 66 In. and 75 In. working widths and used on 300/400/500 series loaders. Includes Grapple Attachment and Hydraulic Kit.</i>	3,051.00
------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AR10 and AR12 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION**Miscellaneous**

5MP106503		Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths <i>No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics. No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics.</i>	3,214.20
5MP103533		Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>	148.51
5MP106524		Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fittings compatible with 300 and 400 series loaders.</i>	127.60

AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier

Continued

AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier
Equipment for Base Machine

Cutting Width: 75 In.
Loader Series:
300, 400, and 500
Dimensions:
W74.7 In. (W74.4 In.) x H21.7 In. x D45 In.
Capacity:
0.89 Cubic Foot
Optional Hydraulic Grapple - Opening:
60 In.
Optional Hydraulic Grapple - Weight:
375 lbs.
Tine Diameter: 1-1/8 In.
Tine Length: 39 In.
Operational Weight:
632 lbs. (528 lbs.)

Shipping Weight:
707 lbs. (603 lbs.)

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2174XF		AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,998.00
--------	--	---	----------

TINE SPACING

1000		2 In. Tine Spacing	In Base Price
1010		3 In. Tine Spacing	-300.00

GRAPPLES

9050		Grapple Attachment for Rock Bucket <i>Fits AR10E models with 66 In. and 75 In. working widths and used on 300/400/500 series loaders. Includes Grapple Attachment and Hydraulic Kit.</i>	3,051.00
------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AR10 and AR12 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION**Miscellaneous**

5MP106503		Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths <i>No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics. No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics.</i>	3,214.20
5MP103533		Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>	148.51
5MP106524		Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fittings compatible with 300 and 400 series loaders.</i>	127.60

AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier

Continued

AR10D - 75 In. Rock Bucket for Current 600/700 Series Carrier
Equipment for Base Machine

Cutting Width: 75 In.
 Loader Series:
 600 and 700
 Dimensions:
 W74.7 In. (W74.4 In.) x H21.7 In. x D45 In.
 Capacity:
 0.89 Cubic Foot
 Optional Hydraulic Grapple - Opening:
 60 In.
 Optional Hydraulic Grapple - Weight:
 375 lbs.
 Tine Diameter: 1-1/8 In.
 Tine Length: 39 In.
 Operational Weight:
 632 lbs. (528 lbs.)

Shipping Weight:
 707 lbs. (603 lbs.)

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2173XF		AR10D - 75 In. Rock Bucket for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,190.00
--------	--	---	----------

TINE SPACING

1000		2 In. Tine Spacing	In Base Price
1010		3 In. Tine Spacing	-288.00

GRAPPLES

9060		Grapple Attachment for Rock Bucket <i>Fits AR10D, and AR10G models with 66 In. and 75 In. working widths and used on 600/700 series loaders as well as loaders with global carriers. Includes Grapple Attachment and Hydraulic Kit.</i>	3,067.00
------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AR10 and AR12 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5MP106503	Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths <i>No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics. No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics.</i>	3,214.20
5MP103533	Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>	148.51

AR10D - 75 In. Rock Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier
Equipment for Base Machine

Cutting Width: 75 In.
 Loader Series:
 Global Carrier
 Dimensions:
 W74.7 In. (W74.4 In.) x H21.7 In. x D45 In.
 Capacity:
 0.89 Cubic Foot
 Optional Hydraulic Grapple - Opening:
 60 In.
 Optional Hydraulic Grapple - Weight:
 375 lbs.
 Tine Diameter: 1-1/8 In.
 Tine Length: 39 In.
 Operational Weight:
 739 lbs. (619 lbs.)

Shipping Weight:
 814 lbs. (694 lbs.)

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2175XF		AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	3,398.00
--------	--	--	----------

TINE SPACING

1000		2 In. Tine Spacing	In Base Price
1010		3 In. Tine Spacing	-180.00

GRAPPLES

9060		Grapple Attachment for Rock Bucket <i>Fits AR10D, and AR10G models with 66 In. and 75 In. working widths and used on 600/700 series loaders as well as loaders with global carriers. Includes Grapple Attachment and Hydraulic Kit.</i>	3,067.00
------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit (AR10 and AR12 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

5MP106503	Miscellaneous	Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths <i>No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics. No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics.</i>	3,214.20
5MP103533		Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment <i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>	148.51

AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AR12A - 84 In. Rock Bucket for Current 800 Series Carrier
 Equipment for Base Machine

Cutting Width: 84 In.
 Loader Series: 800
 Dimensions:
 W85 In. x H35 In. x D61 In.
 Capacity:
 1.02 Cubic Foot
 Tine Diameter: 1-5/8 In.
 Tine Length: 46 In.

Operational Weight: 1536 lbs.
 Shipping Weight: 1666 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2181XF		AR12A - 84 In. Rock Bucket for Current 800 Series Carrier <i>Tine spacing is 3 In. on AR12 series rock buckets.</i> <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	8,233.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
------	--	---	---------------

Attachment Information is not available in MOCI for the base code 2181XF

AR12A - 84 In. Rock Bucket for Current 800 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AR12D - 84 In. Rock Bucket for Current 600/700 Series Carrier
Equipment for Base Machine

Cutting Width: 84 In.
 Loader Series:
 600 and 700
 Dimensions:
 W82.7 In. x H35 In. x D61 In.
 Capacity:
 1.02 Cubic Foot
 Tine Diameter: 1-5/8 In.
 Tine Length: 46 In.

Operational Weight: 1561 lbs.
 Shipping Weight: 1691 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2182XF		AR12D - 84 In. Rock Bucket for Current 600/700 Series Carrier <i>Tine spacing is 3 In. on AR12 series rock buckets. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	8,386.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
------	--	---	---------------

Attachment Information is not available in MOCI for the base code 2182XF

AR12D - 84 In. Rock Bucket for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AR12G - 84 In. Rock Bucket for Current Loaders with Global Carrier
Equipment for Base Machine

Cutting Width: 84 In.
 Loader Series:
 Global Carrier
 Dimensions:
 W82.7 In. x H35 In. x D61 In.
 Capacity:
 1.02 Cubic Foot
 Tine Diameter: 1-5/8 In.
 Tine Length: 46 In.

Operational Weight: 1481 lbs.
 Shipping Weight: 1611 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2183XF		AR12G - 84 In. Rock Bucket for Current Loaders with Global Carrier <i>Tine spacing is 3 In. on AR12 series rock buckets. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,920.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
------	--	---	---------------

Attachment Information is not available in MOCI for the base code 2183XF

AR12G - 84 In. Rock Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AR12G - 93 In. Rock Bucket for Current Loaders with Global Carrier
Equipment for Base Machine

Cutting Width: 93 In.
 Loader Series:
 Global Carrier
 Dimensions:
 W94 In. x H35 In. x D61 In.
 Capacity:
 1.17 Cubic Foot
 Tine Diameter: 1-5/8 In.
 Tine Length: 46 In.

Operational Weight: 1623 lbs.
 Shipping Weight: 1753 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2186XF		AR12G - 93 In. Rock Bucket for Current Loaders with Global Carrier <i>Tine spacing is 3 In. on AR12 series rock buckets. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,784.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operators Manual and Decal Kit(AR10 and AR12 Series)	No Added Cost
------	--	---	---------------

Attachment Information is not available in MOCI for the base code 2186XF

AR12G - 93 In. Rock Bucket for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AV20H Root Grapple - 60 In. for Current 300/400 Series Carrier
Equipment for Base Machine

Cutting Width: 60 In.
 Loader Series:
 300CX and 400 Only (Not 500 Series)
 Dimensions:
 W60 In. x H23 In. x D38.8 In.
 Grapple Opening: 27 In.
 Operational Weight: 381 lbs.

Shipping Weight: 421 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
-------------	------------------------------	--------------------	--------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2271XF		AV20H Root Grapple - 60 In. for Current 300/400 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	2,593.00
--------	--	--	----------

PARKING STAND KIT

9000		AV20 Series Parking Stand Kit - Bolt On	194.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

	5WS811395	Miscellaneous AV20 Series Parking Stand Kit - Bolt On	201.31
--	-----------	---	--------

AV20H Root Grapple - 60 In. for Current 300/400 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AV20E Root Grapple - 62 In. for Current 400/500 Series Carrier
Equipment for Base Machine

Cutting Width: 62 In.
Loader Series:
400CX and 500 Only
Dimensions:
W62 In. x H25 In. x D54 In.
Grapple Opening: 50 In.
Operational Weight: 818 lbs.

Shipping Weight: 858 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
-------------	------------------------------	--------------------	--------------------------------------

Select One Code From Each Required Category

BASE MACHINE

2272XF		AV20E Root Grapple - 62 In. for Current 400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,234.00
--------	--	--	----------

PARKING STAND KIT

9000		AV20 Series Parking Stand Kit - Bolt On	194.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

	5WS811395	Miscellaneous AV20 Series Parking Stand Kit - Bolt On	201.31
--	-----------	---	--------

AV20E Root Grapple - 62 In. for Current 400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AV20D Root Grapple - 77 In. for Current 600/700 Series Carrier
Equipment for Base Machine

Cutting Width: 77 In.
Loader Series:
600 and 700
Dimensions:
W77 In. x H25 In. x D15 In.
Grapple Opening: 50 In.
Operational Weight: 1,000 lbs.

Shipping Weight: 1,040 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2273XF		AV20D Root Grapple - 77 In. for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	5,014.00
--------	--	--	----------

PARKING STAND KIT

9000		AV20 Series Parking Stand Kit - Bolt On	194.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

	5WS811395	Miscellaneous AV20 Series Parking Stand Kit - Bolt On	201.31
--	-----------	---	--------

AV20D Root Grapple - 77 In. for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AV20G Root Grapple - 77 In. for Current Loaders with Global Carrier
 Equipment for Base Machine

Cutting Width: 77 In.
 Loader Series:
 Global Carriers
 Dimensions:
 W77 In. x H25 In. x D15 In.
 Grapple Opening: 50 In.
 Operational Weight: 972 lbs.

Shipping Weight: 1012 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2274XF		AV20G Root Grapple - 77 In. for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	4,909.00
--------	--	---	----------

PARKING STAND KIT

9000		AV20 Series Parking Stand Kit - Bolt On	194.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous AV20 Series Parking Stand Kit - Bolt On	201.31
--	--	---	--------

AV20G Root Grapple - 77 In. for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AV20F - 53 In. Root Grapple for 100 - 300E Series Loader
Equipment for Base Machine

Cutting Width: 60 In.
 Loader Series:
 (F) 100 to 300
 Dimensions:
 W53 In. x H25 In. x D23.8 In.
 Grapple Opening: 36 In.
 Operational Weight: 191 lbs.
 Shipping Weight: 219 lbs.
 Upper grapple tine qty: 4
 Upper grapple tine spacing: 8.5

Lower grapple tine qty: 7
 Lower grapple tine spacing: 8.5
 Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2381XF		AV20F - 53 In. Root Grapple for 100 - 300E Series Loader <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	1,748.00
--------	--	--	----------

DESTINATION

0202		UNITED STATES	No Added Cost
0184		CANADA	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		AV20F ENGLISH OM	No Added Cost
0413		AV20F FRENCH OM	No Added Cost
0437		AV20F SPANISH OM	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5MP76314	ENGLISH BUCKET LOADER ATTACHMENTS OM		13.20
5MP43126	SPANISH OM/DECAL-LDR ATTACHMENTS		74.80

AV20F - 53 In. Root Grapple for 100 - 300E Series Loader

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AG10G Silage Defacer for Current Loaders with Global Carrier
 Equipment for Base Machine

Shipping Weight: 870 lbs.
 Non-Sizing Cutting Tooth
 Motor Shaft: 1.5 In.
 Motor Chain Type: 80-ASA
 Equipment Weight: 735 lbs.
 Cutting Width: 96 In.
 Bearing: Greaseable Spherical Type
 Tooth Material:
 50,000 Yield Strength Material

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2113XF		AG10G Silage Defacer for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i>	7,302.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AG10 Series)	No Added Cost
------	--	---	---------------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous FRENCH OM/DECAL-LDR ATTACHMENTS	0.00
--	--	---	------

AG10G Silage Defacer for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AG11S Silage Defacer for Skid Steers
 Equipment for Base Machine

Non-Sizing Cutting Tooth
 Bearing: Greaseable Spherical Type
 Motor Shaft: 1.5 In.
 Cutting Width: 96 In.
 Drive System: 80 ASA Chain

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2121XF		AG11S Silage Defacer for Skid Steers <i>Unit has reduced reach to address skid steers with limited lift capacity.</i>	7,912.00
--------	--	--	----------

Attachment Information is not available in MOCI for the base code 2121XF

AG11S Silage Defacer for Skid Steers

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AG12S Silage Defacer for Skid Steers
 Equipment for Base Machine

Non-Sizing Cutting Tooth
 Bearing: Greaseable Spherical Type
 Motor Shaft: 1.5 In.
 Cutting Width: 96 In.
 Drive System: 80 ASA Chain

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2122XF		AG12S Silage Defacer for Skid Steers	8,692.00
--------	--	--------------------------------------	----------

Attachment Information is not available in MOCI for the base code 2122XF

AG12S Silage Defacer for Skid Steers

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB11E Single Tine Bale Spear for Current 300CX/400/500 Series Carrier
Equipment for Base Machine

Primary Spear: One - 49 In. x 2 In.
Approximate 44 In. Usable Length
Stabilizing Spears:
One - 20 In. x 1.25 In.
Capacity:
One Large Round Bale (2000 lbs.)
Dimensions: 21H x 50W x 52L
(300, 400, and 500 Series Loaders)

Operational Weight: 125 lbs.
(300, 400, and 500 Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2002XF		AB11E Single Tine Bale Spear for Current 300CX/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	638.00
--------	--	--	--------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit	48.40
--	----------	--	-------

AB11E Single Tine Bale Spear for Current 300CX/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB11D Single Tine Bale Spear for Current 600/700 Series Carrier
Equipment for Base Machine

Primary Spear: One - 49 In. x 2 In.
Approximate 44 In. Usable Length
Stabilizing Spears:
One - 20 In. x 1.25 In.
Capacity:
One Large Round Bale (2000 lbs.)
Dimensions: 24H x 50W x 56L
(600 and 700 Series Loaders)

Operational Weight: 170 lbs.
(600 and 700 Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2001XF		AB11D Single Tine Bale Spear for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: DM00, DM01; 2L - JDLA; 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador, and U.S.</i>	879.00
--------	--	---	--------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit	48.40
--	----------	--	-------

AB11D Single Tine Bale Spear for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB11G Single Tine Bale Spear for Current Loaders with Global Carrier
Equipment for Base Machine

Primary Spear: One - 49 In. x 2 In.
Approximate 44 In. Usable Length
Stabilizing Spears:
One - 20 In. x 1.25 In.
Capacity:
One Large Round Bale (2000 lbs.)
Dimensions: 20H x 46W x 54L
(Global Series Loaders)

Operational Weight: 138 lbs.
(Global Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2003XF		AB11G Single Tine Bale Spear for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	836.00
--------	--	---	--------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5MP43053		French Operator's Manual and Decal Kit	48.40

AB11G Single Tine Bale Spear for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB12E Three Tine Bale Spear for Current 300CX/400/500 Series Carrier
Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In.
(Approximate 44 In. Usable Length)
Capacity:
One Large Round Bale (2500 lbs.)
or One Large Square Bale (2500 lbs.)
Dimensions: 21H x 50W x 52L
(300CX, 400, and 500 Series Loaders)
Operational Weight: 155 lbs.

(300CX, 400, and 500 Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2013XF		AB12E Three Tine Bale Spear for Current 300CX/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	835.00
--------	--	---	--------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit	48.40
--	----------	--	-------

AB12E Three Tine Bale Spear for Current 300CX/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB12D Three Tine Bale Spear for Current 600/700 Series Carrier
Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In. (600 and 700 Series Loaders)
(Approximate 44 In. Usable Length)
Capacity:
One Large Round Bale (2500 lbs.)
or One Large Square Bale (2500 lbs.)
Dimensions: 24H x 50W x 56L
(600 and 700 Series Loaders)
Operational Weight: 210 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2012XF		AB12D Three Tine Bale Spear for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	1,030.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit	48.40
--	----------	--	-------

AB12D Three Tine Bale Spear for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB12G Three Tine Bale Spear for Current Loaders with Global Carrier
Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In. (Global Series Loaders)
(Approximate 44 In. Usable Length)
Capacity:
One Large Round Bale (2500 lbs.)
or One Large Square Bale (2500 lbs.)
Dimensions: 20H x 46W x 54L
(Global Series Loaders)
Operational weight: 173 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2014XF		AB12G Three Tine Bale Spear for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	954.00
--------	--	--	--------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5MP43053		French Operator's Manual and Decal Kit	48.40

AB12G Three Tine Bale Spear for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB12A Three Tine Bale Spear for Current 800 Series Carrier
Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In. (800 Series Loaders)
(Approximate 44 In. Usable Length)
Capacity:
One Large Round Bale (2500 lbs.)
or One Large Square Bale (2500 lbs.)
Dimensions: 25H x 55W x 58L
(800 Series Loaders)
Operational weight: 255 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2011XF		AB12A Three Tine Bale Spear for Current 800 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	1,231.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit	48.40
--	----------	--	-------

AB12A Three Tine Bale Spear for Current 800 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB13E Heavy Duty Single Tine Bale Spear for Current 300CX/400/500 Series Carrier
Equipment for Base Machine

Primary Spear: One - 53 In. x 2.25 In.
(Approximate 46 In. Usable Length)
Stabilizing Spears:
Two - 20 In. x 1.25 In.
Capacity:
One Large Round Bale (2500 lbs.)
Dimensions: 20H x 49W x 56L
(300, 400, and 500 Series Loaders)

Operational Weight: 165 lbs.
(300, 400, and 500 Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2022XF		AB13E Heavy Duty Single Tine Bale Spear for Current 300CX/400/500 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> <i>Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDIA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	819.00
--------	--	---	--------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit	48.40
--	----------	--	-------

AB13E Heavy Duty Single Tine Bale Spear for Current 300CX/400/500 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB13D Heavy Duty Single Tine Bale Spear for Current 600/700 Series Carrier
Equipment for Base Machine

Primary Spear: One - 53 In. x 2.25 In.
(Approximate 46 In. Usable Length)
Stabilizing Spears:
Two - 20 In. x 1.25 In.
Capacity:
One Large Round Bale (2500 lbs.)
Dimensions: 24H x 50W x 59L
(600 and 700 Series Loaders)

Operational Weight: 215 lbs.
(600 and 700 Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2021XF		AB13D Heavy Duty Single Tine Bale Spear for Current 600/700 Series Carrier <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> <i>Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDIA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	972.00
--------	--	---	--------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit	48.40
--	----------	--	-------

AB13D Heavy Duty Single Tine Bale Spear for Current 600/700 Series Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB13G Heavy Duty Single Tine Bale Spear for Current Loaders with Global Carrier
Equipment for Base Machine

Primary Spear: One - 53 In. x 2.25 In.
(Approximate 46 In. Usable Length)
Stabilizing Spears:
Two - 20 In. x 1.25 In.
Capacity:
One Large Round Bale (2500 lbs.)
Dimensions: 23H x 46W x 56L
(Global Series Loaders)

Operational Weight: 185 lbs.
(Global Series Loaders)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2023XF		AB13G Heavy Duty Single Tine Bale Spear for Current Loaders with Global Carrier <i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	976.00
--------	--	--	--------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit	48.40
--	----------	--	-------

AB13G Heavy Duty Single Tine Bale Spear for Current Loaders with Global Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB13K Heavy Duty Single Tine Bale Spear for Current Loaders with Global Category 2 Carrier (H480 Loader only) Equipment for Base Machine

Primary Spear: One - 53 In. x 2.25 In.
(Approximate 46 In. Usable Length)
Stabilizing Spears:
Two - 20 In. x 1.25 In.
Capacity:
One Large Round Bale (3000 lbs.)
Dimensions: 29H x 59W x 63L
(Global Category 2 Carrier, H480 Loader)

Operational Weight: 331 lbs.
(Global Category 2 Carrier, H480 Loader)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2164XF		AB13K Heavy Duty Single Tine Bale Spear for Current Loaders with Global Category 2 Carrier (H480 Loader only) <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDIA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	1,159.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053		Miscellaneous French Operator's Manual and Decal Kit	48.40
----------	--	--	-------

**AB13K Heavy Duty Single Tine Bale Spear for Current Loaders with Global Category 2
Carrier (H480 Loader only)**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB14A - Bale Spear
Equipment for Base Machine

Primary Spears:
Two - 49 In. x 2 In.
Stabilizing Spears:
Two - 28 In. x 1.25 In.
Shipping Weight: 465 lbs.
Operational Weight: 390 lbs.
Dimensions: 17H x 25W x 70L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2031XF		AB14A - Bale Spear <i>Handles (2) 6 Ft. or less round bales or (1) 4 x 8 square bale with 800 series loaders. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	1,907.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053		Miscellaneous French Operator's Manual and Decal Kit	48.40
----------	--	--	-------

AB14A - Bale Spear

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB14D - Bale Spear
Equipment for Base Machine

Primary Spears:
Two - 49 In. x 2 In.
Stabilizing Spears:
Two - 28 In. x 1.25 In.
Shipping Weight: 465 lbs.
Operational Weight: 390 lbs.
Dimensions: 17H x 25W x 70L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2032XF		AB14D - Bale Spear <i>Handles (2) 6 Ft. or less round bales with 700 series loaders OR (1) 4 x 8 square bale with 600 and 700 series loaders.</i> <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> <i>Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	1,627.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit	48.40
--	----------	--	-------

AB14D - Bale Spear

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB14G - Bale Spear
Equipment for Base Machine

Primary Spears:
Two - 49 In. x 2 In.
Stabilizing Spears:
Two - 28 In. x 1.25 In.
Shipping Weight: 465 lbs.
Operational Weight: 390 lbs.
Dimensions: 17H x 25W x 70L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2033XF		AB14G - Bale Spear <i>Handles (2) 6 Ft. or less round bales or (1) 4 x 8 square bale on loaders with Global Carrier. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	1,574.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit	48.40
--	----------	--	-------

AB14G - Bale Spear

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB14K Heavy Duty Bale Spear for Loaders with Global Category 2 Carrier
Equipment for Base Machine

Two Primary Spear Options:

Two - 53 In. x 2.2 In.

Two - 41 In. x 2.2 In.

Stabilizing Spears:

Two - 20 In. x 1.25 In.

Capacity: Two Large Round Bales / One Large Square
Bale

Shipping Weight: 436 lbs.

Operational Weight: 511 lbs.

Dimensions: 29H x 81W x 61L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2291XF		AB14K Heavy Duty Bale Spear for Loaders with Global Category 2 Carrier <i>Handles (2) 6 Ft. or less round bales or (1) 4 x 8 square bale on loaders with Global Category 2 Carrier.</i> <i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> <i>Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	2,036.00
--------	--	---	----------

BALE SPEAR LENGTH

2410		41 In. Bale Spear <i>For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	322.00
2411		53 In. Bale Spear <i>For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	339.00

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

	5MP43053	Miscellaneous French Operator's Manual and Decal Kit	48.40
--	----------	--	-------

AB14K Heavy Duty Bale Spear for Loaders with Global Category 2 Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB15A - Bale Spear
Equipment for Base Machine

Two Primary Bottom Spear Options:
 Four - 53 In. x 2.2 In.
 Four - 41 In. x 2.2 In.
 Top Stabilizing Spears:
 Two - 28 In. x 1.25 In.
 Capacity: Two Large Square Bales
 Operational Weight: 808 lbs.
 Shipping Weight: 873 lbs.

Dimensions: 60H x 72W x 60L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2041XF	AB15A - Bale Spear	Handles two large 4 x 8 square bales for use with 800 series loaders. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.	5,030.00
--------	--------------------	--	----------

BALE SPEAR LENGTH

2410	41 In. Bale Spear	For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.	670.00
2411	53 In. Bale Spear	For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.	703.00

OPERATOR'S MANUAL AND DECAL KIT

9200	French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)		No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous French Operator's Manual and Decal Kit		48.40
----------	--	--	-------

AB15A - Bale Spear

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB15K Heavy Duty Bale Spear for 2 Large Square Bales for Loaders with Global Category 2 Carrier Equipment for Base Machine

Two Primary Bottom Spear Options:

Four - 53 In. x 2.2 In.

Four - 41 In. x 2.2 In.

Top Stabilizing Spears:

Two - 28 In. x 1.25 In.

Capacity: Two Large Square Bales

Operational Weight: 800 lbs.

Shipping Weight: 875 lbs.

Dimensions: 69H x 72W x 60L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2301XF		AB15K Heavy Duty Bale Spear for 2 Large Square Bales for Loaders with Global Category 2 Carrier <i>Handles two large 4 x 8 square bales on loaders with Global Category 2 Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i>	4,250.00
--------	--	--	----------

BALE SPEAR LENGTH

2410		41 In. Bale Spear <i>For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	670.00
2411		53 In. Bale Spear <i>For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	703.00

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

5MP43053	Miscellaneous	French Operator's Manual and Decal Kit	48.40
----------	---------------	--	-------

**AB15K Heavy Duty Bale Spear for 2 Large Square Bales for Loaders with Global
Category 2 Carrier**
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

AB18K Bale Spear for 3 Large Square Bales for Loaders with Global Category 2 Carrier
Equipment for Base Machine

Two Primary Bottom Spear Options:

Four - 53 In. x 2.2 In.

Four - 41 In. x 2.2 In.

Top Stabilizing Spears:

Two - 20 In. x 1.25 In.

Capacity: Three Large Square Bales

Operational Weight: 931 lbs.

Shipping Weight: 1,062 lbs.

Dimensions: 116H x 72W x 61L

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2321XF		AB18K Bale Spear for 3 Large Square Bales for Loaders with Global Category 2 Carrier <i>Handles three large 4 x 4 x 8 square bales on loaders with Global Category 2 Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S., Canada, QC.</i>	5,903.00
--------	--	--	----------

BALE SPEAR LENGTH

2410		41 In. Bale Spear <i>For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	670.00
2411		53 In. Bale Spear <i>For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>	703.00

OPERATOR'S MANUAL AND DECAL KIT

9200		French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)	No Added Cost
------	--	--	---------------

Attachment Information is not available in MOCI for the base code 2321XF

AB18K Bale Spear for 3 Large Square Bales for Loaders with Global Category 2 Carrier

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS**Carrier Adapters****SA20F SKID STEER CARRIER ADAPTER**

Equipment for Base Machine

Loader Compatibility:

120R, 220R, 300E

Effective Dimensions: W49.4 In. x H18.2 In. x D3.4 In.

Weight capacity: 1,500 lbs.

Operational Weight: 78 lbs.

Shipping Weight: 87 lbs.

Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

8001XF		SA20F SKID STEER CARRIER ADAPTER	769.00
--------	--	----------------------------------	--------

DESTINATION

0202		UNITED STATES	No Added Cost
0184		CANADA	No Added Cost
0205		QUEBEC CANADA	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		SA20F English OM	No Added Cost
0413		SA20F French OM/Decals	No Added Cost
0437		SA20F Spanish OM/Decals	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

	5WS105017	Operator's Manual and Decals FRONTIER ADAPTER FRENCH OM/DECAL KIT	98.71
	5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	98.71

FRONTIER PRODUCTS

Carrier Adapters

SA20F SKID STEER CARRIER ADAPTER

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS**Carrier Adapters****SA21E SKID STEER CARRIER ADAPTER**

Equipment for Base Machine

Loader Compatibility:

300R, 320R, 400E, 440R (NSL/MSL), 512, 520M
(NSL/MSL), 540M (NSL/MSL), 540R (MSL)

Effective Dimensions:

W49.4 In. x H22.5 In. x D5.6 In.

Weight capacity: 4,000 lbs.

Operational Weight: 118 lbs.

Shipping Weight: 168 lbs.

Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

8081XF		SA21E SKID STEER CARRIER ADAPTER	986.00
--------	--	----------------------------------	--------

DESTINATION

0202		UNITED STATES	No Added Cost
0184		CANADA	No Added Cost
0205		QUEBEC CANADA	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		SA20F English OM	No Added Cost
0413		SA20F French OM/Decals	No Added Cost
0437		SA20F Spanish OM/Decals	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

5WS105017	Operator's Manual and Decals FRONTIER ADAPTER FRENCH OM/DECAL KIT	98.71
5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	98.71

FRONTIER PRODUCTS

Carrier Adapters

SA21E SKID STEER CARRIER ADAPTER

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS**Carrier Adapters****SA21G SKID STEER CARRIER ADAPTER**

Equipment for Base Machine

Loader Compatibility:

520M (NSL/MSL), 540M (NSL/MSL), 540R (MSL), H310
(NSL/MSL)

Warranty: 1 Year

Effective Dimensions:

W44.0 In. x H17.3 In. x D5.9 In.

Weight capacity: 4,000 lbs.

Operational Weight: 110 lbs.

Shipping Weight: 160 lbs.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

8091XF		SA21G SKID STEER CARRIER ADAPTER	954.00
--------	--	----------------------------------	--------

DESTINATION

0202		UNITED STATES	No Added Cost
0184		CANADA	No Added Cost
0205		QUEBEC CANADA	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		SA20F English OM	No Added Cost
0413		SA20F French OM/Decals	No Added Cost
0437		SA20F Spanish OM/Decals	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

5WS105017	Operator's Manual and Decals FRONTIER ADAPTER FRENCH OM/DECAL KIT	98.71
5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	98.71

FRONTIER PRODUCTS

Carrier Adapters

SA21G SKID STEER CARRIER ADAPTER

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS**Carrier Adapters****SA22D SKID STEER CARRIER ADAPTER**

Equipment for Base Machine

Loader Compatibility:
 JD 600 Style Loader
 Effective Dimensions:
 W49.4 In. x H23.1 In. x D5.0 In.
 Weight capacity: 5,000 lbs.
 Operational Weight: 140 lbs.
 Shipping Weight: 190 lbs.

Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

8101XF		SA22D SKID STEER CARRIER ADAPTER	1,060.00
--------	--	----------------------------------	----------

DESTINATION

0202		UNITED STATES	No Added Cost
0184		CANADA	No Added Cost
0205		QUEBEC CANADA	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		SA20F English OM	No Added Cost
0413		SA20F French OM/Decals	No Added Cost
0437		SA20F Spanish OM/Decals	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

	5WS105017	Operator's Manual and Decals FRONTIER ADAPTER FRENCH OM/DECAL KIT	98.71
	5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	98.71

FRONTIER PRODUCTS

Carrier Adapters

SA22D SKID STEER CARRIER ADAPTER

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS**Carrier Adapters****DA21G QUICK ATTACH CARRIER ADAPTER**

Equipment for Base Machine

Loader Compatibility:

520M (NSL/MSL), 540M (NSL/MSL), 540R (MSL), H310
(NSL/MSL)

Effective Dimensions:

W49.4 In. x H20.2 In. x D4.4 In.

Weight capacity: 4,000 lbs.

Operational Weight: 102 lbs.

Shipping Weight: 152 lbs.

Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

8111XF		DA21G QUICK ATTACH CARRIER ADAPTER	784.00
--------	--	------------------------------------	--------

DESTINATION

0202		UNITED STATES	No Added Cost
0184		CANADA	No Added Cost
0205		QUEBEC CANADA	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		SA20F English OM	No Added Cost
0413		SA20F French OM/Decals	No Added Cost
0437		SA20F Spanish OM/Decals	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

5WS105017	Operator's Manual and Decals FRONTIER ADAPTER FRENCH OM/DECAL KIT	98.71
5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	98.71

FRONTIER PRODUCTS

Carrier Adapters

DA21G QUICK ATTACH CARRIER ADAPTER

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Carrier Adapters**GA21E GLOBAL CARRIER ADAPTER**
Equipment for Base Machine

Loader Compatibility:
440R (NSL/MSL), 512, 520M (NSL/MSL), 540M
(NSL/MSL), 540R (NSL/MSL), H310 (NSL/MSL)
Effective Dimensions:
W49.4 In. x H21.1 In. x D4.3 In.
Weight capacity: 4,000 lbs.
Operational Weight: 140 lbs.
Shipping Weight: 190 lbs.

Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

8121XF		GA21E GLOBAL CARRIER ADAPTER	1,468.00
--------	--	------------------------------	----------

DESTINATION

0202		UNITED STATES	No Added Cost
0184		CANADA	No Added Cost
0205		QUEBEC CANADA	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		SA20F English OM	No Added Cost
0413		SA20F French OM/Decals	No Added Cost
0437		SA20F Spanish OM/Decals	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

5WS105017	Operator's Manual and Decals FRONTIER ADAPTER FRENCH OM/DECAL KIT	98.71
5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	98.71

Carrier Adapters

GA21E GLOBAL CARRIER ADAPTER

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

Carrier Adapters**GA22D GLOBAL CARRIER ADAPTER**
Equipment for Base Machine

Loader Compatibility:
JD 600 Style Loader
Effective Dimensions:
W49.9 In. x H21.2 In. x D4.1 In.
Weight capacity: 5,000 lbs.
Operational Weight: 174 lbs.
Shipping Weight: 224 lbs.

Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
-------------	------------------------------	--------------------	--------------------------------------

Select One Code From Each Required Category

BASE MACHINE

8131XF		GA22D GLOBAL CARRIER ADAPTER	1,638.00
--------	--	------------------------------	----------

DESTINATION

0202		UNITED STATES	No Added Cost
0184		CANADA	No Added Cost
0205		QUEBEC CANADA	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		SA20F English OM	No Added Cost
0413		SA20F French OM/Decals	No Added Cost
0437		SA20F Spanish OM/Decals	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

	5WS105017	Operator's Manual and Decals FRONTIER ADAPTER FRENCH OM/DECAL KIT	98.71
	5WS105018	FRONTIER ADAPTER SPANISH OM/DECAL KIT	98.71

Carrier Adapters

GA22D GLOBAL CARRIER ADAPTER

Continued

THIS PAGE INTENTIONALLY LEFT BLANK
