

**JOHN DEERE TURF & UTILITY PRODUCTS
SPECIAL APPLICATION MOWERS**

**9009A TerrainCut Rough Mower
Equipment for Base Machine**

Gross Engine HP 55.6 (41.6 kW)
Four Cylinder Tier 4 Compliant
Turbo Diesel Engine requires
ultra low sulfur fuel (less than
15 ppm sulfur) B20 Compatible ;
eHydro Electronic Controlled
Servo Hydrostatic Drive with
AutoPedal GRIP All Wheel Drive
Power Steering with Double
acting steering cylinder
Internal Wet Disc Brakes 108 In.
(274cm) Cutting Width 26.5x14-12

Turf Drive Tires 20x10-8 Turf
Steer Tires Air Ride Suspension
Seat with Armrest and
Retractable Seat Belt
TechControl Display with built
in Machine Settings Controls and
Electrical Diagnostics One-Touch
Lift/Lower cutting unit Joystick
control (5) Rotary Deck
Hydraulic Motors (5) 27 In.
(68.58 cm) Floating Rotary Rear
Discharge Decks 2-Post Roll Over

Protection Structure 3 Front
Work Lights Command Arm with
Operator Controls

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1443TC		9009A TerrainCut Rough Mower Standard Power Port Kit Standard Light Kit	88,899.00
--------	--	---	-----------

DESTINATION

001A		United States/Canada	In Base Price
------	--	----------------------	---------------

OPERATOR'S MANUAL

0443		All Other Countries (English / Spanish)	In Base Price
------	--	---	---------------

MISCELLANEOUS

9764		Canopy Kit <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	625.00
------	--	--	--------

ROLLER SCRAPERS

9768		27 In. Rear Roller Scraper Kits <i>1 kit needed per deck</i>	360.00
------	--	---	--------

MULCH KITS

9765		27 In. Mulch Kit <i>1 kit needed per machine. Does not include mulch blade. Blades must be ordered through parts system</i>	645.00
------	--	--	--------

ROLLERS

9843		27" Rear Stepped Roller, 9009A <i>(1) 9843 kit needed per 9009A.</i>	1,880.00
9845		27" Cast Front Roller Kit	1,880.00

JOHN DEERE TURF & UTILITY PRODUCTS
SPECIAL APPLICATION MOWERS

9009A TerrainCut Rough Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ROLLERS Continued...			
ATTACHMENTS FOR FIELD CONVERSION			
		Lighting	
BUC10762		LED Work Light Kit <i>Includes 2 LED Flood Lights. Replaces (3) standard halogen work lights that are shipped standard with the machine. When installing this kit, the center light mounting position does not get used. Use outer light mounting positions only. Requires (2) AUC15219 adapter harnesses ordered separately from parts for installation on MY 19 and prior machines.</i>	375.57
BTC10347		Light Kit	341.33
		Miscellaneous	
BTC10789		(1) 27 In. Mulch Kit	138.03
BTC10790		(1) 27 In. Rear Roller Scraper Kit	77.04
		Miscellaneous	
BTC10338		Canopy	668.76
		Rollers	
BUC10125		(1) 27" Rear stepped roller for 9009A and 7400A. <i>Order (5) BUC10125 for complete 9009A TerrainCut Order (3) BUC10125 for complete 7400A TerrainCut Will fit both 9009A and 7400A</i>	402.31

**JOHN DEERE TURF & UTILITY PRODUCTS
SPECIAL APPLICATION MOWERS**

**7400A TerrainCut Trim and Surrounds Mower
Equipment for Base Machine**

Gross Engine HP 41.6 (31 kW)
Three Cylinder Turbo Tier 4
Diesel Engine B20 Compatible
eHydro Electronic controlled
Servo Hydrostatic Drive with
AutoPedal Power Steering with
Double acting steering cylinder
Internal Wet Disc Brakes (3)
Independent Wheel Motors GRIP
All Wheel Drive Width On Demand
74 In. (188cm) or 68 In. (173cm)
Mowing Width Reach Trimming
System with Maximum 15 In.
(38cm) Shift Outside Front Tire
(2) 24x12-12 Turf Trac Front
Drive Tires (1) 24x12-12 Multi

Trac Rear Drive Tire Full
Suspension Seat with Armrest and
Retractable Seat Belt
TechControl Display with built
in Machine Settings Controls and
Electrical Diagnostics One-Touch
Lift/Lower cutting unit Joystick
control Foot Activated Tilt
Steering Column (3) Rotary Deck
Hydraulic Motors (3) 27 In.
(69cm) Floating Rotary Rear
Discharge Decks 10 Gauge Steel
Decks with Top Mounted Frame and
Front Deck Bumper (1) 27 In., 3
In. Diameter Rear Roller per
Deck (2) Front Greasable Caster

Wheels Per Deck 2-Post Roll Over
Protection Structure Command Arm
Operator Controls 12 U.S. Gallon
Fuel Capacity John Deere Golf
Operator Videos and All Products
Safety Video DVD Set

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1436TC		7400A TerrainCut Trim and Surrounds Mower Standard Power Port Kit	53,799.00
--------	--	--	-----------

DESTINATION

001A		United States/Canada	In Base Price
------	--	----------------------	---------------

OPERATOR'S MANUAL

0443		All Other Countries (English / Spanish)	In Base Price
------	--	---	---------------

LIGHTING

9766		Light Kit	319.00
------	--	-----------	--------

MISCELLANEOUS

9767		Joystick Kit	1,134.00
9764		Canopy Kit <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	625.00

ROLLER SCRAPERS

9831		27 In. Rear Roller Scraper <i>1 kit needed per deck</i>	216.00
------	--	--	--------

MULCH KITS

9830		27 In Mulch Kit <i>1 kit needed per machine. Does not include mulch blade. Blades must be ordered through</i>	387.00
------	--	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS
SPECIAL APPLICATION MOWERS

7400A TerrainCut Trim and Surrounds Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		MULCH KITS Continued... <i>parts system</i>	
		ROLLERS	
9842		27" Rear Stepped Roller, 7400A <i>(1) 9842 kit needed per 7400A.</i>	1,128.00
9845		27" Cast Front Roller Kit	1,128.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Lighting	
BUC10762		LED Work Light Kit <i>Includes 2 LED Flood Lights. Replaces (3) standard halogen work lights that are shipped standard with the machine. When installing this kit, the center light mounting position does not get used. Use outer light mounting positions only. Requires (2) AUC15219 adapter harnesses ordered separately from parts for installation on MY 19 and prior machines.</i>	375.57
BTC10347		Light Kit	341.33
		Miscellaneous	
BTC10789		(1) 27 In. Mulch Kit	138.03
BTC10790		(1) 27 In. Rear Roller Scraper Kit	77.04
TCB11575		(1) 685.8-mm (27-in.) Mulch Kit	157.29
TCB11255		(1) 685.8-mm (27-in.) Rear Roller Scraper Kit	88.81
		Miscellaneous	
BTC10338		Canopy	668.76
BTC10393		Joystick Kit	1,213.39
		Rollers	
BUC10125		(1) 27" Rear stepped roller for 9009A and 7400A. <i>Order (5) BUC10125 for complete 9009A TerrainCut Order (3) BUC10125 for complete 7400A TerrainCut Will fit both 9009A and 7400A</i>	402.31

**JOHN DEERE TURF & UTILITY PRODUCTS
SPECIAL APPLICATION MOWERS**

**8800A TerrainCut Rough Mower
Equipment for Base Machine**

Gross Engine HP 49.2 (36.7 kW)
Four Cylinder Turbo Diesel
Engine B7 Compliant eHydro
Electronic controlled Servo
Hydrostatic Drive GRIP All Wheel
Drive Power Steering with Double
acting steering cylinder
Internal Wet Disc Brakes 223.52
cm (88 In.) Cutting Width
26.5x14-12 Turf Drive Tyres
20x10-8 Turf Steer Tyres Full
Suspension Seat with Armrest and
Retractable Seat Belt
TechControl Display with built
in Machine Settings Controls and

Electrical Diagnostics One-Touch
Lift/Lower cutting unit Joystick
control (5) Rotary Deck
Hydraulic Motors (5) 53.34 cm
(21 In.) Floating Rotary Rear
Discharge Decks (1) 53.34 cm (21
In.), 7.62 cm (3 In.) Diameter
Rear Roller per Deck (2) 12.7 cm
(5 In.), 10.16 cm (4 In.)
Diameter Front Rollers Per Deck
2-Post Roll Over Protection
Structure 3 Front Work Lights
Command Arm with Operator
Controls The Above
Specifications are Indicative of

the Base Feature Machine only
and may Differ if Alternative
Options/Attachments are Ordered.
Pricing and Specifications are
Recommended only and are Subject
to Change without Notice.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1506TC		8800A TerrainCut Rough Mower Standard Power Port Kit Standard Light Kit	79,189.00
--------	--	---	-----------

DESTINATION

001A		United States/Canada	In Base Price
------	--	----------------------	---------------

OPERATOR'S MANUAL

0443		All Other Countries (English / Spanish)	In Base Price
------	--	---	---------------

MISCELLANEOUS

9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	849.00
9764		Canopy Kit <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	625.00

ROLLERS

9846		21" Cast Front Roller Kit	1,650.00
------	--	---------------------------	----------

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
SPECIAL APPLICATION MOWERS

8800A TerrainCut Rough Mower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Lighting	
BUC10762		LED Work Light Kit <i>Includes 2 LED Flood Lights. Replaces (3) standard halogen work lights that are shipped standard with the machine. When installing this kit, the center light mounting position does not get used. Use outer light mounting positions only. Requires (2) AUC15219 adapter harnesses ordered separately from parts for installation on MY 19 and prior machines.</i>	375.57
BTC10347		Light Kit	341.33
		Miscellaneous	
TCB11463		(5) 558.8-mm (22-in.) Smooth Roller Scrapers	125.19
TCB11461		Mulching Kit (1)	83.46
TCU32775		New High Lift Blade	29.81
TCU32776		New Medium Lift Blade	28.69
TCU32778		New Mulch Blade	28.12
		Miscellaneous	
BTC10338		Canopy	668.76

JOHN DEERE TURF & UTILITY PRODUCTS
SPECIAL APPLICATION MOWERS

Current Attachments for Non-Current Special Application Mowers
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
		3245C Independent Deck Mower Attachments	
TCB11166		(1) 22 In. Smooth Roller Scraper (5) <i>TCB11166 Kits Must be Ordered for a Complete Machine.</i>	82.39