

JOHN DEERE TURF & UTILITY PRODUCTS**SPECIAL APPLICATION MOWERS****7400A TerrainCut Trim and Surrounds Mower**

Equipment for Base Machine

ENGINE:
Gross Engine HP 41.6 (31 kW)
Three Cylinder Turbo Tier 4
Diesel Engine
B20 Compatible

TRANSMISSION:
eHydro Electronic controlled
Servo
Hydrostatic Drive with AutoPedal
Internal Wet Disc Brakes
GRIP All Wheel Drive

OPERATOR STATION:
Full Suspension Seat with
Armrest and Retractable Seat
Belt
TechControl Display with built
in Machine Settings Controls and
Electrical Diagnostics
One-Touch Lift/Lower cutting
unit Joystick control
Foot Activated Tilt Steering

Column
2-Post Roll Over Protection
Structure
Command Arm Operator Controls
12 U.S. Gallon Fuel Capacity

HYDRAULICS:
Power Steering with Double
acting steering cylinder
(3) Independent Wheel Motors

ELECTRICAL:
12-volt Power Port

CUTTING UNITS:
(3) Rotary Deck Hydraulic Motors
(3) 27 In. (69cm) Floating
Rotary Rear Discharge Decks
10 Gauge Steel Decks with Top
Mounted Frame and Front Deck
Bumper
(1) 27 In., 3 In. Diameter Rear
Roller per Deck

(2) Front Greaseable Caster
Wheels Per Deck
Width On Demand 74 In. (188cm)
or 68 In. (173cm) Mowing Width
Reach Trimming System with
Maximum 15 In. (38cm) Shift
Outside Front Tire

WHEELS AND TIRES:
(2) 24x12-12 Turf Trac Front
Drive Tires
(1) 24x12-12 Multi Trac Rear
Drive Tire

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE*F.O.B. Raleigh, North Carolina*

143ATC		7400A TerrainCut Trim and Surrounds Mower <i>EPA Final Tier 4 B20 compatible outside of the European Union. Diesel engine, 3 cylinders, direct injection, turbocharged, liquid cooled with centrifugal pump Engine output, gross SAE J1995: 41.6 HP (31.0 kW). Engine output is provided by the engine manufacturer to be used for comparison purposes only. Engine Displacement: 1568 cc</i>	56,549.00
--------	--	--	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

OPERATOR'S MANUAL

0443	All Other Countries (English / Spanish)	In Base Price
------	---	---------------

MISCELLANEOUS

9767	Joystick Kit	1,185.00
9764	Canopy Kit <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	653.00

ROLLER SCRAPERS

9861	27 In. Rear Roller Scraper Kit, 7400A	226.00
------	---------------------------------------	--------

JOHN DEERE TURF & UTILITY PRODUCTS

SPECIAL APPLICATION MOWERS

7400A TerrainCut Trim and Surrounds Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ROLLER SCRAPERS Continued... <i>(1) 9861 kit needed per 7400A.</i>	
		MULCH KITS	
9830		27 In Mulch Kit, 7400A <i>(1) kit needed per 7400A. Does not include mulch blade. Blades must be ordered through parts system</i>	404.00
		ROLLERS	
9856		27" Rear Stepped Roller, 7400A <i>(1) 9856 kit needed per 7400A.</i>	1,179.00
9858		27" Cast Front Roller Kit, 7400A <i>(1) 9858 kit needed per 7400A.</i>	1,179.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous	
BUC10762		LED Work Light Kit <i>Includes 2 LED Flood Lights. Replaces (3) standard halogen work lights that are shipped standard with the machine. When installing this kit, the center light mounting position does not get used. Use outer light mounting positions only. Requires (2) AUC15219 adapter harnesses ordered separately from parts for installation on MY 19 and prior machines.</i>	392.69
		Miscellaneous	
TCU27401		BLADE, HIGH LIFT 27 INCH DECK	39.50
TCU27876		BLADE, HIGH LIFT MULCH 27 INCH DECK	34.19
TCU38740		BLADE, LOW LIFT 27 INCH DECK	28.03
UC12014		BLADE, LOW LIFT MULCH 27 INCH DECK	59.93
BTC10338		Canopy	698.71
BUC10149		FRONT ROLLER KIT, 27 INCH CAST IRON <i>BUC10149 fits MY19 and prior years. Not interchangeable with MY20 cast front rollers.</i>	420.51
BUC10909		FRONT ROLLER KIT, 27 INCH CAST IRON <i>BUC10909 fits MY20 and later years. Not interchangeable with MY19 cast front rollers.</i>	402.31
BUC11168		JOYSTICK KIT <i>For MY20 and later.</i>	1,391.00
BTC10789		MULCHING KIT, 27 INCH DECK <i>Fits On MY16 and Later Decks. Includes Baffle and Mounting Hardware only. Does Not Include Mulching Blades. (5) BTC10789 Must be ordered for complete 9009A Machine. (3) BTC10789 Must be ordered for complete 7400A Machine. Mulching Blades TCU27876 or UC12014 Must Be Ordered Separately Through Parts.</i>	144.46

JOHN DEERE TURF & UTILITY PRODUCTS

SPECIAL APPLICATION MOWERS

7400A TerrainCut Trim and Surrounds Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BUC10908	REAR STEPPED ROLLER KIT, 27 INCH <i>Fits MY20 and Later Decks. Not Interchangeable With Earlier Model Decks. Order (5) BUC10908 for complete 9009A TerrainCut Order (3) BUC10908 for complete 7400A TerrainCut</i>	402.31
	BUC10825	SCRAPER KIT, 27 INCH REAR ROLLER <i>For MY20 and later.</i>	46.34

JOHN DEERE TURF & UTILITY PRODUCTS

SPECIAL APPLICATION MOWERS

8800A TerrainCut Rough Mower
Equipment for Base Machine

ENGINE:
Gross Engine HP 55.1 HP (41.1 kW)
Four Cylinder Diesel engine
Direct injection, turbocharged
Liquid cooled with centrifugal pump

Armrest and Retractable Seat
Belt
TechControl Display with built in Machine Settings Controls and Electrical Diagnostics
One-Touch Lift/Lower cutting unit Joystick control

(1) 53.34 cm (21 In.), 7.62 cm (3 In.) Diameter Rear Roller per Deck
(2) 12.7 cm (5 In.), 10.16 cm (4 In.) Diameter Front Rollers Per Deck

TRANSMISSION:
eHydro Electronic Controlled Servo Hydrostatic Drive with AutoPedal
Internal Wet Disc Brakes
GRIP All Wheel Drive

HYDRAULICS:
Power Steering with Double acting steering cylinder
(5) Rotary Deck Hydraulic Motors

WHEELS AND TIRES:
26X12-12 Multi-Trac C/S
20X10-8 Multi-Trac C/S Steer Tires

OPERATOR STATION:
Command Arm with Operator Controls
2-Post Roll Over Protection Structure
Air Ride Suspension Seat with

ELECTRICAL:
2 Front LED Work Lights
12-volt Power Port

CUTTING UNITS:
223.52 cm (88 In.) Cutting Width
(5) 53.34 cm (21 In.) Floating Rotary Rear Discharge Decks

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

150ATC		8800A TerrainCut Rough Mower <i>EPA Final Tier 4 Diesel engine, 4 cylinders, direct injection, turbocharged, liquid cooled with centrifugal pump B20 compatible outside of the European Union. Engine output, gross SAE J1995: 55.1 HP (41.1 kW). Engine output is provided by the engine manufacturer to be used for comparison purposes only. Engine Displacement: 2091 cc</i>	83,079.00
--------	--	---	-----------

DESTINATION

001A		United States/Canada	In Base Price
------	--	----------------------	---------------

OPERATOR'S MANUAL

0443		All Other Countries (English / Spanish)	In Base Price
------	--	---	---------------

MISCELLANEOUS

9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	887.00
9764		Canopy Kit <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	653.00

ROLLER SCRAPERS

9863		21 In. Rear Roller Scraper, 8800A.	611.00
------	--	------------------------------------	--------

JOHN DEERE TURF & UTILITY PRODUCTS

SPECIAL APPLICATION MOWERS

8800A TerrainCut Rough Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ROLLER SCRAPERS Continued... <i>(1) kit needed per 8008A. TCB11463</i>	
		MULCH KITS	
9864		21 In. Mulch Kit, 8800A <i>(1) kit needed per 8800A. Does not include mulch blades. Blades must be ordered through parts system. TCB11461</i>	408.00
		ROLLERS	
9860		21" Cast Front Roller Kit, 8800A <i>(1) 9860 kit needed per 8800A.</i>	1,724.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous	
BUC10762		LED Work Light Kit <i>Includes 2 LED Flood Lights. Replaces (3) standard halogen work lights that are shipped standard with the machine. When installing this kit, the center light mounting position does not get used. Use outer light mounting positions only. Requires (2) AUC15219 adapter harnesses ordered separately from parts for installation on MY 19 and prior machines.</i>	392.69
		Miscellaneous	
TCU32775		BLADE, HIGH LIFT 21 INCH IRS DECK <i>Blade Fits on MY14 and Later 8800 Decks.</i>	29.73
TCU32776		BLADE, MEDIUM LIFT 21 INCH IRS DECK <i>Blade Fits on MY14 and Later 8800 Decks.</i>	28.69
TCU32778		BLADE, MULCH 21 INCH IRS DECK <i>Blade Fits on MY14 and Later 8800 Decks.</i>	28.12
BTC10338		Canopy	698.71
BUC10150		FRONT ROLLER KIT, 21 INCH CAST IRON <i>Fits MY19 and later models.</i>	369.16
TCB11461		MULCHING KIT, 21 INCH IRS DECK <i>Includes baffles and mounting hardware only. Does not include mulching blade. (5) TCB11461 Must be ordered for complete 8800A machine. Mulching blade TCU32778 must be ordered separately through Parts.</i>	87.74
TCB11463		SCRAPER KIT, 21 INCH REAR ROLLER <i>1 kit needed per machine.</i>	130.54

JOHN DEERE TURF & UTILITY PRODUCTS

SPECIAL APPLICATION MOWERS

9009A TerrainCut Rough Mower
Equipment for Base Machine

ENGINE:
Gross Engine HP 55.1 HP (41.1 kW)
Four Cylinder Diesel engine
Direct injection, turbocharged
Liquid cooled with centrifugal pump

TRANSMISSION:
eHydro Electronic Controlled
Servo Hydrostatic Drive with AutoPedal
Internal Wet Disc Brakes
GRIP All Wheel Drive

OPERATOR STATION:
Command Arm with Operator Controls
2-Post Roll Over Protection

Structure
Air Ride Suspension Seat with Armrest and Retractable Seat
Belt
TechControl Display with built in Machine Settings Controls and Electrical Diagnostics
One-Touch Lift/Lower cutting unit Joystick control

HYDRAULICS:
Power Steering with Double acting steering cylinder

ELECTRICAL:
2 Front LED Work Lights
12-volt Power Port

CUTTING UNITS:

108 In. (274cm) Cutting Width
(5) Rotary Deck Hydraulic Motors
(5) 27 In. (68.58 cm) Floating Rotary Rear Discharge Decks

WHEELS AND TIRES:
26.5x14-12 Turf Drive Tires
20X12-10 Turf Steer Tires

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

1445TC		9009A TerrainCut Rough Mower <i>EPA Final Tier 4 Diesel engine, 4 cylinders, direct injection, turbocharged, liquid cooled with centrifugal pump B20 compatible outside of the European Union. Engine output, gross SAE J1995: 55.1 HP (41.1 kW). Engine output is provided by the engine manufacturer to be used for comparison purposes only. Engine Displacement: 2091 cc</i>	93,229.00
--------	--	---	-----------

DESTINATION

001A		United States/Canada	In Base Price
------	--	----------------------	---------------

OPERATOR'S MANUAL

0443		All Other Countries (English / Spanish)	In Base Price
------	--	---	---------------

MISCELLANEOUS

9792		Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	887.00
9764		Canopy Kit	653.00

ROLLER SCRAPERS

9862		27 In. Rear Roller Scraper Kit, 9009A <i>(1) 9862 kit needed per 9009A.</i>	376.00
------	--	--	--------

JOHN DEERE TURF & UTILITY PRODUCTS

SPECIAL APPLICATION MOWERS

9009A TerrainCut Rough Mower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		MULCH KITS	
9765		27 In. Mulch Kit, 9009A <i>(1) kit needed per 9009A. Does not include mulch blade. Blades must be ordered through parts system</i>	674.00
		ROLLERS	
9857		27" Rear Stepped Roller, 9009A <i>(1) 9857 kit needed per 9009A.</i>	1,965.00
9859		27" Cast Front Roller Kit, 9009A <i>(1) 9859 kit needed per 9009A.</i>	1,965.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Miscellaneous	
BUC10762		LED Work Light Kit <i>Includes 2 LED Flood Lights. Replaces (3) standard halogen work lights that are shipped standard with the machine. When installing this kit, the center light mounting position does not get used. Use outer light mounting positions only. Requires (2) AUC15219 adapter harnesses ordered separately from parts for installation on MY 19 and prior machines.</i>	392.69
		Miscellaneous	
TCU27401		BLADE, HIGH LIFT 27 INCH DECK	39.50
TCU27876		BLADE, HIGH LIFT MULCH 27 INCH DECK	34.19
TCU38740		BLADE, LOW LIFT 27 INCH DECK	28.03
UC12014		BLADE, LOW LIFT MULCH 27 INCH DECK	59.93
BTC10338		Canopy	698.71
BUC10909		FRONT ROLLER KIT, 27 INCH CAST IRON <i>BUC10909 fits MY20 and later years. Not interchangeable with MY19 cast front rollers.</i>	402.31
BUC10149		FRONT ROLLER KIT, 27 INCH CAST IRON <i>BUC10149 fits MY19 and prior years. Not interchangeable with MY20 cast front rollers.</i>	420.51
BTC10789		MULCHING KIT, 27 INCH DECK <i>Fits On MY16 and Later Decks. Includes Baffle and Mounting Hardware only. Does Not Include Mulching Blades. (5) BTC10789 Must be ordered for complete 9009A Machine. (3) BTC10789 Must be ordered for complete 7400A Machine. Mulching Blades TCU27876 or UC12014 Must Be Ordered Separately Through Parts.</i>	144.46
BUC10908		REAR STEPPED ROLLER KIT, 27 INCH <i>Fits MY20 and Later Decks. Not Interchangeable With Earlier Model Decks. Order (5) BUC10908 for complete 9009A TerrainCut Order (3) BUC10908 for complete 7400A TerrainCut</i>	402.31
BUC10825		SCRAPER KIT, 27 INCH REAR ROLLER <i>For MY20 and later.</i>	46.34

JOHN DEERE TURF & UTILITY PRODUCTS

SPECIAL APPLICATION MOWERS

Current Attachments for Non-Current Special Application Mowers
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Attachment Information is not available in MOCI for the base code G15200DUM