Stylbreath[°]

480 EAST 150 SOUTH WINAMAC, IN 46996 (574)946-6631

January 1,2019

MODEL NUMBER

DESCRIPTION

SINGLE AXLE HOOK HOISTS

	SINGLE AXLE HOOK HOISTS	
U09-HK-84	9,000 lb, adjustable frame, Hook Height 35 1/2"	\$ 20,781.91
U09-HK-84 HD	9,000 lb, adjustable frame, Hook Height 35 1/2" (Hydraulic delete)	\$ 19,781.91
U09-HK-120	9,000 lb, adjustable frame, Hook Height 35 1/2"	\$ 21,162.76
U09-HK-120 HD	9,000 lb, adjustable frame, Hook Height 35 1/2" (Hydraulic delete)	\$ 20,162.76
U13-HK-120	13,000 lb, adjustable frame, Hook Height 35 1/2"	\$ 22,009.57
U13-HK-120 HD	13,000 lb, adjustable frame, Hook Height 35 1/2" (Hydraulic delete)	\$ 21,009.57
U13-HK-132	13,000 lb, adjustable frame, Hook Height 35 1/2"	\$ 22,009.57
U13-HK-132 HD	13,000 lb, adjustable frame, Hook Height 35 1/2" (Hydraulic delete)	\$ 21,009.57
U13-HK-144	13,000 lb, adjustable frame, Hook Height 35 1/2"	\$ 22,009.57
U13-HK-144 HD	13,000 lb, adjustable frame, Hook Height 35 1/2" (Hydraulic delete)	\$ 21,009.57
U20-HK-120	20,000, adjustable frame, Height 54" or 61 3/4" bolt on hook	\$ 24,231.91
U20-HK-120 HD	20,000, adjustable frame, Height 54" or 61 3/4" bolt on hook (Hydraulic delete)	\$ 23,231.91
U20-HK-132	20,000, adjustable frame adjustable frame, Height 54" or 61 3/4" bolt on hook	\$ 24,231.91
U20-HK-132 HD	20,000, adjustable frame adjustable frame, Height 54" or 61 3/4" bolt on hook (Hydraulic delete)	\$ 23,231.91
U20-HK-144	20,000, adjustable frame, adjustable frame, Height 54" or 61 3/4" bolt on hook	\$ 24,231.91
U20-HK-144 HD	20,000, adjustable frame, adjustable frame, Height 54" or 61 3/4" bolt on hook (Hydraulic delete)	\$ 23,231.91
U20/13-HK-120	13k-20k lb adjustable frame, Height 35 1/2" & 54" pin on hook	\$ 24,942.55
U20/13-HK-120 HD	13k-20k lb adjustable frame, Height 35 1/2" & 54" pin on hook (Hydraulic delete)	\$ 23,942.55
U20/13-HK-132	13k-20k lb adjustable frame, Height 35 1/2" & 54" pin on hook	\$ 24,942.55
U20/13-HK-132 HD	13k-20k lb adjustable frame, Height 35 1/2" & 54" pin on hook (Hydraulic delete)	\$ 23,942.55
U20/13-HK-144	13k-20k lb adjustable frame, Height 35 1/2" & 54" pin on hook	\$ 24,942.55
U20/13-HK-144 HD	13k-20k lb adjustable frame, Height 35 1/2" & 54" pin on hook (Hydraulic delete)	\$ 23,942.55
U25/18-HK-120	18k-25k lb adjustable frame, Height 35 1/2" & 54" pin on hook	\$ 25,831.91
U25/18-HK-120 HD	18k-25k lb adjustable frame, Height 35 1/2" & 54" pin on hook (Hydraulic delete)	\$ 24,831.91
U25/18-HK-132	18k-25k lb adjustable frame, Height 35 1/2" & 54" pin on hook	\$ 25,831.91
U25/18-HK-132 HD	18k-25k lb adjustable frame, Height 35 1/2" & 54" pin on hook (Hydraulic delete)	\$ 24,831.91
U25/18-HK-144	18k-25k lb adjustable frame, Height 35 1/2" & 54" pin on hook	\$ 25,831.91
U25/18-HK-144 HD	18k-25k lb adjustable frame, Height 35 1/2" & 54" pin on hook (Hydraulic delete)	\$ 24,831.91

U30-HK-138	30,000 lb adjustable frame, Height 54" or 61 3/4" pin on hook	\$ 32,888.29
U30-HK-138 HD	30,000 lb adjustable frame, Height 54" or 61 3/4" pin on hook (Hydraulic delete)	\$ 31,888.29
U30-HK-156	30,000 lb adjustable frame, Height 54" or 61 3/4" pin on hook	\$ 32,888.29
U30-HK-156 HD	30,000 lb adjustable frame, Height 54" or 61 3/4" pin on hook (Hydraulic delete)	\$ 31,888.29
U30-HK-176	30,000 lb adjustable frame, Height 54" or 61 3/4" pin on hook	\$ 32,888.29
U30-HK-176 HD	30,000 lb adjustable frame, Height 54" or 61 3/4" pin on hook (Hydraulic delete)	\$ 31,888.29
U20-DPHK-120	20,000 lb Higher dump angle, stockpile when dumping, Height 54" / 120" clear frame	\$ 25,178.72
U20-DPHK-120 HD	20,000 lb Higher dump angle, stockpile when dumping, Height 54" / 120" clear frame (Hydraulic delete)	\$ 24,178.72
U20-DPHK-144	20,000 lb Higher dump angle, stockpile when dumping, Height 54" / 144" clear frame	\$ 24,927.65
U20-DPHK-144 HD	20,000 lb Higher dump angle, stockpile when dumping, Height 54" / 144" clear frame (Hydraulic delete)	\$ 23,927.65
U30-DPHK-176	20,000 lb Higher dump angle, stockpile when dumping, Height 54" / 176" clear frame	\$ 32,286.17
U30-DPHK-176 HD	20,000 lb Higher dump angle, stockpile when dumping, Height 54" / 176" clear frame (Hydraulic delete)	\$ 31,286.17

HOOK HOISTS OPTIONS:

ADD-ON AIR COMPRESSOR FOR NON-AIR CHASSIS

8834	FACTORY MOUNT - Add-on air compressor for non-air trucks 1 gal tank (1.27 CFM @ 100 psi) - (parts and labor) - May be needed foi \$	625.53
8834-2	FACTORY MOUNT - Add-on air compressor for non-air trucks 2.5 gal tank (2.62 CFM @ 100 psi) - (parts and labor) - May be needed f \$	936.17
	TARPER SYSTEMS	
981	Pioneer HR2000PP Hi-Roller Pull Tarp (Hydraulic Gantry) Armless - w/ 12V power pack - Also Used on Roll Off Trailers - Up to 40' "spi \$	5,554.25
999INT	Pioneer HR2000PTO Hi-Roller Pull Tarp (Hydraulic Gantry) Armless - Integrated (1) Spool Galbreath Valve and Diverter- Also Used on \$	5,554.25
NNOAR	FACTORY MOUNT - Installation of ARMLESS Pioneer Tarping Systems (labor only) - (Includes Offset Mounting Platform for Tarper & \\$	1,131.91
1500	Pioneer HR1500PTO Econo Cover (Hydraulic Gantry) Fixed Arm - A3400 - Non-Integrated - Pioneer Valve and Diverter Included - Alsc \$	5,062.76
2500	PIONEER HR2500 - POWERGLIDE (HG) FOR CABLES (Non-Integrated) w/ steel arms - 3-spool Pioneer valve & diverter included \$	6,378.72
900	Pioneer Strong-Arm Rack n' Pinion RP4500SARG (Hydraulic Gantry) - 153568 or 226603 for Hooks - Non-Integrated - (3) Spool Pione \$	10,012.76
NON INST	FACTORY MOUNT - Installation of Non-Integrated Pioneer Tarping Systems (parts and labor; tarp system separate) - (Includes Offset \$	4,053.19
250INT	PIONEER HR2500 - POWERGLIDE (HG) FOR CABLES (Integrated) w/ steel arms - 3-spool Galbreath valve & diverter included \$	6,812.76
900INT	Pioneer Strong-Arm Rack n' Pinion RP4500SARG (Hydraulic Gantry) - A4319 (cable) 226604 (hook) - Integrated (3) Spool Galbreath V 💲	9,690.42
990INT	Pioneer Strong- Arm Rack n' Pinion RP4500SAR (fixed Gantry) A4923 for cable, 226604 for HK - Integtared (2) spool Galbreath valve : \$	9,079.78
INT INST	FACTORY MOUNT - Installation and Integration of Pioneer Tarping Systems (parts and labor; tarp system separate) - (Includes Offset \$	3,469.14
FMINT	FACTORY MOUNT - Installation and Integration of Competitive Brand Tarping Systems (parts and labor; tarp system separate) - (Inclu \$	4,053.19
TINOFG	FACTORY MOUNT - Installation of Non-Integrated Competitive Brand Tarping Systems (parts and labor; tarp system separate) - (Inclu \$	4,637.23
HPTS	Hydraulic Plumbing Kit to Integrate Tarping Systems - same as factory - 236502 - May want to add TFB option \$	559.57
TPOP	SHIP OUT - Tarper Mounting Platform - Includes Protective Valve Cover \$	256.38
TPOP1	SHIP OUT - Galbreath Std. Off-Set Tarper Mounting Platform - Includes Protective Valve Cover - For CNG and DEF Tank Interference / \$	269.14
TFB	Galbreath Tarper Fender Mounting Brackets - Specify Axle Spread - 2K1085 \$	176.59
TFBMM	Galbreath Tarper Fender Mounting Brackets - For MACK M-RIDE Axles - 224193 \$	521.27
TFBTT	Galbreath Tarper Fender Mounting Brackets - For FREIGHTLINER TUFF TRAC Axles - 211813 \$	544.68
	CNG RELATED	
CNGH	FACTORY MOUNT - CNG Handling Charge when Chassis has not had CNG Fueling System Installed \$	478.72
CNGH2	FACTORY MOUNT - Charge for CNG Up fitter to Install CNG System at the Galbreath Facility \$	1,732.97

TOOLBOXES

17	Steel Toolbox - 16" X 20" X 24" - Opens from the Front - 0936AO - Galbreath Made - Toolbox Mounting Brackets Included	\$	715.95
17A	Steel Toolbox - 16" X 20" X 48" - Opens from the Front - 4395AO - Galbreath Made - Toolbox Mounting Brackets Included	\$	874.46
17B	Aluminum Toolbox - 18" X 18" X 24" - Opens from the Front - A4819 - Toolbox Mounting Brackets Included	\$	704.25
17C	Aluminum Toolbox - 18" X 18" X 48" - Opens from the Front - A4820 - Toolbox Mounting Brackets Included	\$	980.85
17D	Steel Toolbox - 16" X 20" X 36" - Opens from the Front - 1573BO - Galbreath Made - Toolbox Mounting Brackets Included	\$	776.59
17E	Poly Toolbox - 19" X 20" X 36" - Opens from the Top - A4033 - Toolbox Mounting Brackets Included	\$	555.31
17F	Aluminum Toolbox - 18" X 18" X 36" - Opens from the Front - A4516 - Toolbox Mounting Brackets Included	\$	718.08
G015	Steel Toolbox - 18" X 18" X 36" - Opens from the Front - 227987 - Buyers Brand Toolbox Option - Toolbox Mounting Brackets Include	2 \$	579.78
G018	Steel Toolbox - 16" X 20" X 24" - Opens from the Front (For High Mounts, includes mounting brackets) - 228969 - Standard Toolbox (\$	617.02
G021	Steel Toolbox - 18" X 18" X 24" - Opens from the Front - 229306 - Standard Toolbox Option - Toolbox Mounting Brackets Included	\$	562.76
G022	Steel Toolbox - 18" X 18" X 36" - Opens from the Front - 229307 - Standard Toolbox Option - Toolbox Mounting Brackets Included	\$	611.70
G023	Steel Toolbox - 18" X 18" X 48" - Opens from the Front - 229308 - Standard Toolbox Option - Toolbox Mounting Brackets Included	\$	684.04
G024	Steel Toolbox - 14" X 16" X 24" - Opens from the Front - 229310 - Standard Toolbox Option - Toolbox Mounting Brackets Included	\$	546.80
G025	Steel Toolbox - 14" X 12" X 14" - Opens from the Front - 229309 - Standard Toolbox Option - Toolbox Mounting Brackets Included	\$	513.82
G027	Steel Toolbox - 14" X 12" X 24" - Opens from the Front - 229311 - Standard Toolbox Option - Toolbox Mounting Brackets Included	\$	527.65
TINST	FACTORY MOUNT - Install Toolbox on Hoist when hoist comes with a Side Mount Oil Reservoir using Combo Brackets - (labor only) -	\$	73.40
	LIFT AXLES - LESS TIRES & RIMS		
36A	13,000 lb. Steerable 2-Tire Watson & Chalin - A2399 - Use on U5 with Rod - Specify Hub Type	\$	10,728.20
36C	13,000 lb. Steerable 2-Tire Watson & Chalin - A2400 - Inside Frame Mount - Use on U5 with Rod Type Cylinders- Specify Hub Type	\$	10,728.20
36H	13,000 lb. Steerable 2-Tire Hendrickson - A5569 - Use with Rod Cylinders and Quad Axles	\$	10,536.40
36D	13,000 lb. Non-Steer 2-Tire Silent Drive AA-230 includes air kit (A3449)- A2398 - Use on U5 with Rod	\$	9,959.60
37L	13,000 lb. Non-Steer 2-Tire Hendrickson - A5997 - Use on Tri-Axle with Rod Cylinders	\$	8,624.00
INNON	FACTORY MOUNT - Install Non-Steer Lift Axle (labor only) - Set Per Layout - Add to Non-Steer Lift Axles	\$	1,793.40
INSTEER	FACTORY MOUNT - Install Steerable Lift Axle (labor only) - Set Per Layout - Add to Steerable Lift Axles	\$	2,017.40
	FENDERS		
1/4FND	1/4 Poly Fenders - 24" for use with Lift Axles or in lieu of half round fenders	\$	285.60
1/4FND2	1/4 Poly Fenders - 24" for use with Tandem Axle Trailers (2 sets)	\$	571.20
1PLY	Poly Half Round Fenders w/ Brackets - 5496BO - Single Axle Hoist	\$	910.00
1AAA	Contoured Smooth Steel Tandem Axle Fenders w/ Brackets for Axle Spread Range of 49"-55" - Specify Axle Spread - 171529(cable),	:\$	1,125.60
5A	Contoured Poly Tandem Fenders w/ Brackets for Axle Spread Range of 52"-53" - Specify Tandem Axle Spread - 6912AO	\$	879.20
5B	Poly Half Round 44" Fenders - Specify Tire Size - A4531 (9616AO for brackets) - Single Axle Hoist	\$	847.00
5V	Contoured Steel Diamond Plate 12 gauge Tandem Axle Fenders w/ Brackets - Specify Axle Spread - 6741BO	\$	1,461.60
AH1	Flat Top 3/16" Steel Tread Plate Tandem Axle Fenders w/ Brackets - Galbreath Heavy Duty Models - 132094	\$	1,891.40
F1	Aluminum Tread Plate Flat Top Fenders w/ Brackets for Tandem Axle - 8651AO	\$	2,284.80
FD44	Steel Half Round 44" Fenders (3114) - w/ Mounting Brackets (9616AO) - Single Axle - 8486BO prev. p/n	\$	925.40
FND4	Steel Half Round 48" Fenders for 22.5 Tires (9616AO for Brackets) - 171135 - Single Axle Hoist	\$	788.20
HK44	Aluminum Half Round Fenders 44" - Specify Tire Size - A1042 uses 9616AO mounting brackets - Small Single Axle Cable/Hook Hoist/	(\$	742.00
HK5A	Aluminum Half Round Diamond Plate Fenders (Large) 50" - Specify Tire Size - 9797 uses 9616AO mounting brackets - Single Axle Cab	\$	974.40
PLST	Plastic Half Round Fenders 38"/16.5 Dually - A2425 (9616AO for brackets) - Single Axle Hoist	\$	485.80
TFB	Galbreath Tarper Fender Mounting Brackets - Specify Axle Spread - 2K1085	\$	232.40
1INFND	FACTORY MOUNT - Installation of Single Axle/Lift Axle Fenders - (labor only; add to option picked)	\$	385.00

2INFND		\$	624.40
	TIRES AND RIMS		
36A-2		\$	2,471.27
36LA-2		\$	2,540.42
36LTR-2		\$	2,021.27
36M2-2		\$	2,090.42
RO04-2		\$	873.40
RO11-2		\$	1,018.08
RO14-2		\$	1,574.46
RO17-2	FACTORY MOUNT - Rims Only - (2) - Aluminum 22.5 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only	\$	1,323.40
SS2-AL	FACTORY MOUNT - (2) Tires with Aluminum Rims 455/55R22.5L - 20 Ply Super Singles- 10 Hole Hub Piloted - (parts and labor) - For L	\$	6,056.38
T001/R011-2	FACTORY MOUNT - (2) Tires with Steel Rims 11R-24.5-H - 16 Ply - 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only	\$	2,178.72
T001/R014-2	FACTORY MOUNT - (2) Tires with Aluminum Rims 11R-24.5-H - 16 Ply - 10 Hole Hub Piloted - (parts and labor) - For Lift Axles Only	\$	3,282.97
TR31/RS17-2	FACTORY MOUNT - (2) Tires with Steel Rims 315-80R-22.5-L - 20 Ply - 10 Hole Hub Piloted - 9" Rim - (parts and labor) - For Lift Axles (\$	3,095.74
TR31/RS18-2	FACTORY MOUNT - (2) Tires with Aluminum Rims 315-80R-22.5-L - 20 Ply - 10 Hole Hub Piloted - 9" Rim - (parts and labor) - For Lift /	\$	3,546.80
UPBRG	UPCHARGE - FACTORY MOUNT - upgrade to Bridgestone Tires - SET OF 2 - (parts only)	\$	841.48
UPMCH	UPCHARGE - FACTORY MOUNT - upgrade to Michelin Tires - SET OF 2 - (parts only)	\$	1,165.95
7524-1	FACTORY MOUNT - (20) Wheel Check Indicators - Single Axle - (parts and labor)	\$	40.42
TCC	Tire Chain Holder 24" long by 7.5" wide by 9" high - features aluminum diamond plate cover	\$	154.25
INTCC	FACTORY MOUNT - Tire Chain Holder 24" long by 7.5" wide by 9" high - features aluminum diamond plate cover - (parts and labor)	\$	230.85
	BUMPERS & PINTLE HOOKS		
B4	SHIP OUT - Reese Style Hitch on Pintle Ready Aprons (Class V - 3,000 lbs. Vertical Load, 16,000 lbs. Gross Trailer Weight - Receiver No	\$	280.85
6A	FACTORY MOUNT - Install Reese Style Hitch Only (parts and labor) - (Individual Receivers Not Included) - A2891 - 117189 - 178258 - 🗆	\$	482.97
40U3	SHIP OUT - Pintle Hook w/ Glad Hands and Pintle Mounting Plate - 8617BO/8922BO/7898BO - 20K Vertical and 100K Tow Rating - 89	\$	1,338.29
INST PH	FACTORY MOUNT - (labor only) Installation of Pintle Hook Options (ADD to option picks 40U3, 44U3)	\$	584.04
FMPH	SHIP OUT - Fish Mount Pintle Hook - 2359 & 196981	\$	1,691.48
INFMPH	FACTORY MOUNT - Installation of Option FMPH - Fish Mount Pintle Hook (parts and labor) - 2359 & 196981	\$	2,877.65
HKSA AE	FACTORY MOUNT - Install Air and Electric for Pintle Hook if Available (parts and labor) - May Need to Add Option 8834 (A4880 - Add	\$	491.48
SAPH	SHIP OUT - Pintle Hook w/ Pintle Plate w/o glad hands 30k lb. GTW rating - Used On Single or Tandem Axle Cable Hoists w/ Pintle Ad	\$	152.12
SAPH INST	FACTORY MOUNT - Pintle Hook w/ Pintle Plate w/o glad hands 30k lb. GTW rating (parts and labor) - Used On Single or Tandem Axle	\$	1,042.55
	PTO & PUMP OPTIONS		
PTO5	Single Axles - SHIP OUT - Muncie DS PTO for (Fuller direct mount) Manual Transmission - Electric over Air - 233318 (For factory mour	\$	1,234.04
PTO6	Single Axles - SHIP OUT - Muncie DS PTO for (Allison direct mount) Automatic Transmission - Hot Shift - 202663 (For factory mountin	\$	2,031.91
PTO7	Ford F550/650/750 ONLY - SHIP OUT - Muncie DS PTO for (TorqShift direct mount) Automatic Transmission - Hot Shift - 202663 (241	\$	2,595.74
WET	UPCHARGE for Muncie PTO to be Wet Spline (Most Chelsea/Parker PTO's are Wet Spline)	\$	132.97
PTO INST	FACTORY MOUNT - Any PTO option pick (labor only)	\$	510.63
13Y1	UPCHARGE FACTORY MOUNT - Front Mount Pump with Mounting Brackets in Place - A4890 - (parts and labor)	\$	4,368.08
	HYDRAULIC / WET KIT OPTIONS		
HSLV		\$	370.21
HC2	, Hook Hoist - Built w/ Double Acting Hydraulic Hook-Up at the Rear of the Hoist - Includes Control Valve - Two 1" Hydraulic Tubes to t	\$	1,062.76
H025		\$	669.14
-		•	

IN H025	FACTORY MOUNT - Installation of High Pressure Filter Kit (Parts and Labor: Includes Hoses, Fittings, Mount Bracket: 50 GPM max. &	\$	778.72
ROST	Remote Breather - Mounted on the Tarper Gantry, Driver's side - Keeps Snow and Ice Away from the Oil Reservoir Air Breather LIGHTING	\$	305.31
13A		\$	119.14
LIT2		\$	230.85
LIT3		\$	184.04
LIT4		\$	102.12
INST WL	FACTORY MOUNT - Installation of Work/Mid Body Light Options (labor only) - 13A, LIT2, LIT3, & LIT4	Ś	73.40
SFTY	High Visibility Package - Requires Special Tower, Bumper and Wiring Harness - One (1) Beacon Light ON Tarper Gantry, (2) Work Ligh	Ś	903.19
SFTY1	High Visibility Package - Requires Special Tower, Bumper and Wiring Harness - One (1) Beacon Light ON Tarper Gantry and (2) Stroke		630.85
IN SFTY		\$	438.29
	SCALES	Ŷ	150.25
5661	SHIP OUT - Air Weigh Scales Kit for Lift Axles - Must be Added to Option 5658 for Spring Chassis Suspension or to Option 5664 for Air	Ś	715.95
5664		\$	3,656.38
INST SCAL		\$	920.21
	FRAME RELATED	Ŧ	
DHH1	UPCHARGE - Built w/ Dual Hook Height Option 54" & 61.75" - Wider Range of Container Pick Up Options used on U3-DPHK - 171580	Ś	1.375.53
	MISC./SAFETY		,
HUCK	SHIP OUT - Hoist Mounting Huck Bolts for Dealer Hoist Installation - PER HOIST	\$	179.78
J013	SHIP OUT - Rear View Camera System (3rd Eye) - 7" HD Display, Single Camera	\$	1,329.78
IN RVC	FACTORY MOUNT - Installation of Any Single Rear View Camera System - (labor only) - ADD to Camera Option	\$	1,022.34
24E	SHIP OUT - Rear Window Screen to be Mounted to Tarper Gantry w/ Brackets - 6125BO (parts only)	\$	105.31
INST 24E	FACTORY MOUNT - Rear Window Screen Mounted to Tarper Gantry w/ Brackets - 6125BO - (parts and labor)	\$	362.76
34CC	FACTORY MOUNT - 20 lb. Fire Extinguisher Mounted on Top Of Outside Controls Protective Cover - A4016 - (parts and labor)	\$	389.36
34CJ	DOT Approved Roadside Reflector Kit - Required if the Vehicle Breaks Down - A4012	\$	28.72
HAI	SHIP OUT - Hoist Up Alarm Audio Interrupter - Alarm Silenced When Parking Brake is Applied (Air Brake Systems Only) - 140868	\$	85.10
IN HAI	FACTORY MOUNT - Hoist Up Alarm Audio Interrupter - Alarm Silenced When Parking Brake is Applied (Air Brake Systems Only) - 140	\$	263.82
ROST	Remote Breather - Mounted on the Tarper Gantry, Driver's side - Keeps Snow and Ice Away from the Oil Reservoir Air Breather	\$	305.31
TPOP	SHIP OUT - Tarper Mounting Platform - Includes Protective Valve Cover	\$	256.38
TPOP1	SHIP OUT - Galbreath Std. Off-Set Tarper Mounting Platform - Includes Protective Valve Cover - For CNG and DEF Tank Interference /	\$	269.14
SPEE1	FACTORY MOUNT - Hoist Up Ground Speed Control and PTO Rev Control Programming - This is for Software Programming Only - Cha	\$	715.95
SPEE2	FACTORY MOUNT - Hoist Up Ground Speed Control Software Programming Only (Cummins Engine/Allison Transmission)	\$	357.44
SAPT	UPCHARGE - Paint unit special color - Single Axle Hoists & OR Trail Hoist (indicate special paint code on order) - (parts and labor)	\$	1,423.40
*0131	SHIP OUT - Shovel Holder Assembly - 210131	\$	55.31
0131IN	FACTORY MOUNT - Installation of Shovel Holder Assembly - 210131 (parts and labor)	\$	131.91
S013	SHIP OUT - Hoist Up In Cab Audible Alarm	\$	24.46
INS013	FACTORY MOUNT - Hoist Up In Cab Audible Alarm - (parts and labor)	\$	171.27
TCC	Tire Chain Holder 24" long by 7.5" wide by 9" high - features aluminum diamond plate cover	\$	154.25
INTCC	FACTORY MOUNT - Tire Chain Holder 24" long by 7.5" wide by 9" high - features aluminum diamond plate cover - (parts and labor)	\$	230.85