

**Quick-Adjust 5 Cutting Units for 180 and 220 E-Cut Hybrid Walk Greens Mowers**

Code	Description	List price(USD)
	Quick-Adjust 5 Cutting Units for 180 and 220 E-Cut Hybrid Walk Greens Mowers Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Single Cutting Unit Only	
	BASE MACHINE	
55A0M	Quick-Adjust 5 Cutting Units for 180 and 220 E-Cut Hybrid Walk Greens Mowers	\$3,503.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	US / Canada	In Base Price
	REEL CUTTING UNITS Basic Factory Options REEL WIDTH	
1201	7-Blade 22 In. (55.9 cm) Cutting Unit with 4.8mm Bedknife and Direct Mount Grass Catcher <i>Includes Direct Mount Grass Catcher</i> <i>Less Front and Rear Rollers, Motor and counter weight.</i>	(\$259.00)
1202	11-Blade 18 In. (45.7 cm) Cutting Unit with 2.0mm bedknife and Direct Mount Grass Catcher <i>Includes Direct Mount Grass Catcher</i> <i>Less Front and Rear Rollers, Motor and Counter Weight</i>	In Base Price
1203	11-Blade 22 In. (55.9 cm) Cutting Unit with 2.0mm Bedknife and Direct Mount Grass Catcher <i>Includes Direct Mount Grass Catcher</i> <i>Less Front and Rear Rollers, Motor and counter weight.</i>	(\$146.00)
1213	14-Blade 18 In. (45.7 cm) Cutting Unit with 2.0mm tool steel bedknife and Direct Mount Grass Catcher <i>Includes Direct Mount Grass Catcher</i> <i>Less Front and Rear Rollers, Motor, and Counter Weight</i>	\$147.00
1214	14-Blade 22 In. (55.9 cm) Cutting Unit with 2.0mm tool steel Bedknife and Direct Mount Catcher	\$147.00

**Quick-Adjust 5 Cutting Units for 180 and 220 E-Cut Hybrid Walk Greens Mowers**

Code	Description	List price(USD)
1215	<i>Includes Direct Mount Grass Catcher Less Front and Rear Rollers, Motor and counter weight.</i> 11-Blade 22 In. (55.9 cm) Cutting Unit with 2.0mm bedknife and Paddle Clip Grass Catcher <i>Includes Large Paddle Clip Grass Catcher and side plate inserts Less Front and Rear Rollers, Motor, and Counter Weight</i>	(\$172.00)
1216	14-Blade 22 In. (55.9 cm) Cutting Unit with 2.0mm tool steel bedknife and Paddle Clip Grass Catcher <i>Includes Large Paddle Clip Grass Catcher and side plate inserts Less Front and Rear Rollers, Motor and Counter Weight</i>	\$122.00
1293	11-Blade 18 In. (45.7 cm) Cutting Unit with 2.0mm bedknife and Paddle Clip Grass Catcher <i>Includes Large Paddle Clip Grass Catcher and side plate inserts Less Front and Rear Rollers, Motor and Counter Weight</i>	(\$5.00)
1294	14-Blade 18 In. (45.7 cm) Cutting Unit with 2.0mm tool steel bedknife and Paddle Clip Grass Catcher <i>Includes Large Paddle Clip Grass Catcher and side plate inserts Less Front and Rear Rollers, Motor and Counter Weight</i>	\$142.00
	ROLLERS	
	Basic Factory Options	
	FRONT ROLLERS	
1300	2 In. (5 cm) x 22 In. (55.9 cm) Diameter Machine Grooved Roller with Solid End Caps	\$214.00
1301	2 In. (5 cm) x 22 In. (55.9 cm) Diameter Machined Smooth Solid Roller	\$206.00
1308	2 In. (5 cm) x 18 In. (45.7 cm) Diameter Machine Grooved Roller with Solid End Caps	\$236.00
1309	2 In. (5 cm) x 18 In. (45.7 cm) Diameter Machined Smooth Solid Roller	\$206.00
1322	2 In. (5 cm) x 18 In. (45.7 cm) Hollow Smooth Roller	\$146.00
1390	Less Front Rollers	In Base Price
	REAR ROLLERS	
1602	2 In. (5 cm) x 22 In. (55.9 cm) Diameter Wide Tube / Hollow Smooth Rollers	\$146.00

**Quick-Adjust 5 Cutting Units for 180 and 220 E-Cut Hybrid Walk Greens Mowers**

Code	Description	List price(USD)
1622	2 In. (5 cm) x 18 In. (45.7 cm) Diameter Wide Tube / Hollow Smooth Rollers	\$146.00
1690	Less Rear Rollers	In Base Price
CUTTING UNIT ATTACHMENTS		
Basic Factory Options		
CUTTING UNIT COUNTERWEIGHTS		
1400	QA5 Cutting Unit Only Counterweight	\$81.00
1408	QA5 Cutting Unit FTC / GTC / Front Rotary Brush Only Counterweight	\$81.00
1490	Less Counterweight Kit	In Base Price
Field Installed Options		
FAIRWAY TENDER CONDITIONER		
9743	QA5 Rotary Brush / DT Rotary Brush / GTC / FTC Drive	\$1,638.00
GREENS TENDER CONDITIONER		
9742	55.9 cm (22-in.) QA5 Greens Tender Conditioner Shaft and Blades	\$370.00
9782	45.7 cm (18-in.) QA5 Greens Tender Conditioner Shaft and Blades	\$340.00
FRONT BRUSHES		
9819	45.7 cm (18-in.) Front Rotary Brush for QA5 Cutting Units	\$267.00
9821	55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units	\$267.00
9823	45.7 cm (18-in.) Front Rotary DT (Dense Turf) Brush for QA5 Cutting Units	\$267.00
9825	55.9 cm (22-in.) Front Rotary DT (Dense Turf) Brush for QA5 Cutting Units	\$267.00
MISCELLANEOUS		
9783	Push Brush Kit	\$668.00



7700A PrecisionCut Fairway Mower

Code	Description	List price(USD)
	7700A PrecisionCut Fairway Mower	
	<p>ENGINE: Three Cylinder Diesel Engine Direct Inject Turbocharged Liquid Cooled with Centrifugal Pump</p> <p>TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Internal Wet Disc Brakes</p> <p>OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure</p> <p>HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability</p> <p>ELECTRICAL: 2 Front LED Work Lights Factory Installed 12-volt Power Port</p> <p>CUTTING UNITS: 100 In. (2.54 m) Cutting Width Rear Cutting Unit Attaching Point Yokes</p> <p>WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires</p>	
	BASE MACHINE	



7700A PrecisionCut Fairway Mower

Code	Description	List price(USD)
142ATC	<p><i>EPA Final Tier 4 Compliant B20 Compatible 41.6 HP (31 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information. Fuquay-Varina, North Carolina</i></p> <p>7700A PrecisionCut Fairway Mower</p>	\$70,489.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other countries (English/Spanish)	In Base Price
	CUTTING UNITS	
	Basic Factory Options	
	REEL CUTTING UNITS	
1290	Less Cutting Units	In Base Price
	55.9 cm (22-in.) QA7 Cutting Units 55.9 cm (22-in.) Width per cutting unit	
1208	Quick Adjust 7 (QA7) 8-blade Cutting Units 0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife with Hardened Insert (less aggressive) Less Front Rollers	\$17,822.00
1209	Quick Adjust 7 (QA7) 10-blade Cutting Units 0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife with Hardened Insert (less aggressive) Less Front Rollers	\$18,168.00
	REEL FRONT ROLLERS	
1390	Less Front Rollers	In Base Price
	55.9 cm (22-in.) Front Rollers 55.9 cm (22-in.) Standard Width Rollers	
1305	76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	\$1,564.00
1307	76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	\$2,544.00

**7700A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
REEL CUTTING UNIT COUNTER WEIGHTS		
1401	QA7 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	\$406.00
1403	QA7 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	\$906.00
1406	QA7 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	\$406.00
1408	Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>	In Base Price
Field Installed Options		
FAIRWAY TENDER CONDITIONER		
9739	(5) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Requires QA7 FTC Gear Drive.</i>	\$3,463.00
9744	(5) QA7 FTC Gear Drive <i>Requires QA7 FTC Shaft and Blades.</i>	\$8,188.00
GRASS CATCHERS		
9852	(3) Front Grass Catchers and (2) Rear Grass Catchers with Latch Style Mounting System for QA7 Cutting Units	\$2,552.00
REAR ROLLER POWER BRUSHES		
9746	(5) QA7 22" Rear Roller Power Brushes <i>Requires QA7 Rear Roller Power Brush Drive.</i>	\$922.00
9749	(5) QA7 Rear Roller Power Brush Drive <i>Used with QA7 Rear Roller Power Brush</i>	\$2,522.00
ROLLER SCRAPERS		
9754	(5) 22 In. 3 In. Diameter Heavy DutyGrooved Disc Roller Scrapers	\$958.00
9756	(5) 22 In. Smooth Roller Scrapers	\$100.00
9849	(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	\$229.00



7700A PrecisionCut Fairway Mower

Code	Description	List price(USD)
9851	(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA7 Verticutters with 50.8 mm (2-in.) Smooth Front Rollers	\$382.00
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
BUC10401	1) Quick Adjust 7 (QA7) 8-Blade 558.8-mm (22 In.) Cutting Unit with 6.3 mm bedknife with Hardened Insert <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	\$3,822.04
BUC10402	(1) Quick Adjust 7 (QA7) 10-Blade 558.8-mm (22-in.) Cutting Unit with 6.3 mm bedknife with Hardened Insert <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	\$3,896.94
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	\$86.67
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	\$86.67
BM22721	(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	\$194.74
FAIRWAY TENDER CONDITIONER		
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
BTC10759	(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10782 FTC Shaft Kit. Not compatible with previous FTC Shaft Kits.</i>	\$1,756.94
BTC10782	(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	\$743.66

**7700A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
GRASS CATCHERS		
TCB11414	Front Wing Latch Kit for QA7 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position on Fairway Mowers with QA7 Cutting Units. 1 Kit includes parts for both wing cutting units.</i>	\$306.01
BUC10563	Right Hand Catcher Latch (QA7) <i>2 needed (1 front, 1 rear) on Fairway Mowers with 22-in. (55.9 cm) or 26-in. (66 cm) QA7 Cutting Units</i>	\$218.29
BTC10718	(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	\$241.81
BUC10566	(1) 55.9 cm (22-in.) Grass Catcher for QA7 Cutting Units (Latch System) <i>5 required for complete machine</i>	\$329.56
BUC10562	Left Hand Catcher Latch (QA7) <i>3 needed (2 front, 1 rear) on Fairway Mowers with 22-in. (55.9 cm) or 26-in. (66 cm) QA7 Cutting Units.</i>	\$218.29
BTC10719	Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	\$252.51
REAR ROLLER POWER BRUSHES		
BTC10768	(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10835 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	\$540.36
BTC10835	(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	\$197.96
BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design.</i>	\$88.81

**7700A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
	<i>Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	
ROLLER SCRAPERS		
BM23002	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	\$205.44
BUC10342	(1) 558.8 mm (22-in.) Smooth Roller Scraper with Mounting Hardware for QA7 Cutting Units <i>DOES NOT require TCA19587 mounting brackets. Already included in kit. One kit required per cutting unit.</i>	\$94.16
BUC10114	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA7 Verticutter with 50.8 mm (2-in.) Smooth Front Roller	\$82.39
BUC10112	(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	\$49.21
ROLLERS		
BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps	\$545.70
BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller	\$323.14
BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller	\$334.91
REEL CUTTING UNIT ATTACHING YOKES		
BUC11121	55.9-cm (22-in.) Quick-Adjust 7 (QA7) Fairway Mower yoke <i>5 required for complete machine. Requires (1) BUC11260 kickplate, hose guide, and hardware kit.</i>	\$270.71
BUC11260	QA7 Fairway Mower kickplates, hose guides, and hardware <i>1 required for complete machine.</i>	\$212.93
VERTICAL CUTTING UNITS		
BUC10408	(1) Quick-Adjust 7 (QA7) 558.8-mm (22-in.) Vertical Cutting Unit with Smooth Front and Rear Roller and Counterweight	\$2,649.31



7700A PrecisionCut Fairway Mower

Code	Description	List price(USD)
	<i>Less Yoke and Motor</i>	
	MISCELLANEOUS	
TCU13823	Height of Cut Gauge Bar	\$136.62
	BEDKNIVES	
TCU32581	Bedknife, 6.3 mm Tournament with Hardened Insert, Less Aggressive	\$149.99
UC23576	Bedknife, 12 mm Fairway High Cut	\$42.89
UC23563	Bedknife, 9.5 mm Fairway Low Cut	\$43.61
UC23565	Bedknife, 6.3 mm Low-Cut	\$48.95
	TRACTION DRIVE UNIT	
	Basic Factory Options	
	TRACTION DRIVE UNIT	
1190	2WD Traction Unit	In Base Price
1191	Factory Installed 4WD Traction Unit	\$5,642.00
	Field Installed Options	
	TRACTION DRIVE UNIT	
9753	4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	\$5,642.00
	ATTACHMENTS FOR FIELD CONVERSION	
	TRACTION DRIVE UNIT	
BTC10391	Four-Wheel Drive (4WD) Conversion Kit	\$6,049.79
	MACHINE CONNECTIVITY	
	Basic Factory Options	
	CONNECTIVITY HARDWARE	
183B	Less JDLink™ Hardware	In Base Price
183E	JDLink™ Modem <i>Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets.</i> <i>JDLink™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.</i> <i>JDLink™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.</i>	\$932.00

**7700A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
	MISCELLANEOUS	
	Field Installed Options	
	MISCELLANEOUS	
9764	Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	\$734.00
9792	Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	\$964.00
9871	ShadePro(TM) Canopy <i>Canopy with Integrated Adjustable Dual Fan.</i>	\$1,428.00
	OPERATOR'S STATION AND CONTROLS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
BUC11050	ShadePro(TM) Canopy <i>Canopy with Integrated Adjustable Dual Fan.</i>	\$1,527.99
BTC10338	Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	\$787.51



7500A PrecisionCut Fairway Mower

Code	Description	List price(USD)
	<p>7500A PrecisionCut Fairway Mower</p> <p>ENGINE: Three Cylinder Diesel Engine Direct Inject Turbocharged Liquid Cooled with Centrifugal Pump</p> <p>TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Internal Wet Disc Brakes</p> <p>OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure</p> <p>HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability</p> <p>ELECTRICAL: 2 Front LED Work Lights Factory Installed 12-volt Power Port</p> <p>CUTTING UNITS: 100 In. (2.54 m) Cutting Width Rear Cutting Unit Attaching Point Yokes</p> <p>WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires</p> <p>BASE MACHINE</p>	



7500A PrecisionCut Fairway Mower

Code	Description	List price(USD)
151ATC	<p><i>EPA Final Tier 4 Compliant B20 Compatible 41.6 HP (31 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information. Fuquay-Varina, North Carolina</i></p> <p>7500A PrecisionCut Fairway Mower</p>	\$68,359.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other countries (English/Spanish)	In Base Price
	CUTTING UNITS	
	Basic Factory Options	
	REEL CUTTING UNITS	
1290	Less Cutting Units	In Base Price
	55.9 cm (22-In.) QA5 Cutting Units 55.9 cm (22-in.) Width per cutting unit	
1201	Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units 0.189-in (4.8 mm) adjustable Low Cut Fairway bedknife Less Front and Rear Rollers	\$14,666.00
1203	Quick Adjust 5 (QA5) 11-blade Cutting Units 0.078-in (2 mm) adjustable Hardened Tool Steel Bedknife (4 mm less aggressive than standard geometry from cutting edge to center of reel) Less Front and Rear Rollers	\$15,230.00
	REEL FRONT ROLLERS	
1390	Less Front Rollers	In Base Price
	55.9 cm (22-in.) Front Rollers 55.9 cm (22-in.) Standard Width Rollers	
1302	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$1,041.00
1303	50.8 mm (2-in.) Diameter Spiral Grooved Rollers	\$1,910.00
1304	50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers	\$1,028.00

**7500A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
1305	76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed.</i> 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.	\$1,564.00
1307	76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps <i>Not compatible if FTC installed.</i> 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.	\$2,544.00
1324	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$2,198.00
1325	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$2,105.00
1327	63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	\$1,505.00
1329	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$2,105.00
REEL REAR ROLLERS		
1690	Less Rear Rollers 55.9 cm (22-in.) Rear Rollers	In Base Price
1602	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$1,041.00
1618	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$2,198.00
1620	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$2,105.00
1624	50.8 mm (2-in.) Diameter MT Smooth Rollers	\$2,105.00

**7500A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
	<i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	
REEL CUTTING UNIT COUNTER WEIGHTS		
1400	QA5 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	\$406.00
1402	QA5 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	\$906.00
1404	QA5 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	\$406.00
1408	Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>	In Base Price
Field Installed Options		
FAIRWAY TENDER CONDITIONER		
9737	(5) QA5 22" Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires QA5 GTC/FTC Gear Drive. Cannot be installed if using Front Rotary Turf Brush option 3" roller when used on the QA5 is not compatible.</i>	\$3,181.00
9743	(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	\$8,188.00
GRASS CATCHERS		
9827	(3) FRONT Grass Catchers and Mounting Brackets <i>Note: Order code is for FRONT 3 cutting units only; Must also order Code 9828 OR 9829 for complete machine.</i>	\$1,298.00
9828	(2) REAR Grass Catchers and Mounting Brackets <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	\$865.00
9829	(2) REAR Grass Catcher Bail Kit and Grass Catchers <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	\$854.00
REAR ROLLER POWER BRUSHES		
9748	(5) QA5 Rear Roller Power Brush Drive	\$2,522.00

**7500A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
	<i>Used with Rear Roller Power Brush.</i>	
9791	(5) QA5 22 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	\$922.00
	FRONT TURF BRUSHES	
9751	(5) 22 In. Front Rotary Turf Brush <i>Brush can be used in place of using FTC/GTC Shaft and Blades Kit.</i>	\$1,335.00
	MISCELLANEOUS	
9752	Hydraulic Down Pressure Kit <i>Additional valve added to machine to increase down pressure cutting units.</i>	\$1,156.00
	ROLLER SCRAPERS	
9756	(5) 22 In. Smooth Roller Scrapers <i>Adjustable cable design.</i>	\$100.00
9849	(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers	\$229.00
9850	(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	\$165.00
	ATTACHMENTS FOR FIELD CONVERSION	
	REEL CUTTING UNITS	
BUC10415	(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,266.71
BUC11255	(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,144.73
	REEL CUTTING UNIT COUNTER WEIGHTS	
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	\$86.67
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	\$86.67
BM22705	(1) QA5 Rear Roller Power Brush Only Counter Weight Kit	\$194.74

**7500A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
	<i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	
	FAIRWAY TENDER CONDITIONER	
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
BTC10778	(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$395.90
BTC10779	(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$681.59
BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits. Not compatible with 3" (76.2 mm) Front Roller.</i>	\$1,756.94
	GRASS CATCHERS	
BTC10408	(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10501.</i>	\$200.09
BUC10523	Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 55.9 cm (22-in.) QA5 cutting units, used only in rear cutting unit and front center locations when using Paddle Clip grass catchers on front and rear. 3 required.</i>	\$65.27

**7500A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
BTC11038	(1) 558.8 mm (22-in.) Rear Grass Catcher for QA5 Cutting Units (Latch System) <i>2 needed for rear locations on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	\$246.10
BTC10605	Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	\$151.94
BTC11011	Left Hand Catcher Latch <i>2 needed for front grass catchers and 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	\$218.29
BTC11010	Right Hand Catcher Latch <i>1 needed for front grass catchers 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	\$218.29
BTC10501	(1) 558.8 mm (22-in.) Rear Grass Catcher Bail Kit <i>Requires 2 for complete machine & rear grass catchers BTC10408.</i>	\$256.80
BTC10718	(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	\$241.81
BTC10909	(1) 558.8 mm (22-in.) Front Grass Catcher for QA5 Cutting Units (Latch System) <i>3 needed for front on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	\$246.10
BTC10719	Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	\$252.51
REAR ROLLER POWER BRUSHES		
BTC10767	(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	\$540.36

**7500A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
BTC10834	(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	\$197.96
BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	\$88.81
FRONT TURF BRUSHES		
BTC10773	(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$285.69
BTC10775	(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$285.69
MISCELLANEOUS		
TCU13823	Height of Cut Gauge Bar	\$136.62
BM24372	Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	\$88.81
ROLLER SCRAPERS		
BM23002	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	\$205.44
BM22995	(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	\$21.40
BUC10112	(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	\$49.21
TCA19547	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	\$53.21

**7500A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
BUC10113	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	\$35.31
ROLLERS		
BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$545.70
BTC10267	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	\$451.54
BM23566	(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	\$471.87
BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	\$220.41
BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	\$220.41
BM24202	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	\$195.81
BM19821	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Spiral Grooved Roller	\$409.81
BUC10786	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Smooth Roller <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$451.54
BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	\$323.14
BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$334.91
REEL CUTTING UNIT ATTACHING YOKES		
BUC11259	QA5 Fairway Mower kickplates, hose guides, and hardware	\$179.76



7500A PrecisionCut Fairway Mower

Code	Description	List price(USD)
	<i>1 required for complete machine</i>	
BUC11154	55.9-cm (22-in.) Quick-Adjust 5 (QA5) Fairway Mower yoke <i>5 required for complete machine. Requires (1) BUC11259 kickplate, hose guide, and hardware kit.</i>	\$501.83
BEDKNIVES		
ET11066	Bedknife, 3.2 mm with Hardened Insert	\$116.06
TCU36165	Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	\$125.26
UC18873	Bedknife, 3.2 mm Standard	\$38.45
UC18869	Bedknife, 2.5mm Tournament	\$39.78
UC23562	Bedknife, 7.6 mm Fairway Hi-Cut	\$39.79
UC28163	Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	\$45.86
UC28156	Bedknife, 4.8 mm Fairway Low Cut	\$35.69
VERTICAL CUTTING UNITS		
BUC10417	(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor</i>	\$3,230.33
TRACTION DRIVE UNIT		
Field Installed Options		
TRACTION DRIVE UNIT		
9753	4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	\$5,642.00
ATTACHMENTS FOR FIELD CONVERSION		
TRACTION DRIVE UNIT		
BTC10391	Four-Wheel Drive (4WD) Conversion Kit	\$6,049.79
MACHINE CONNECTIVITY		
Basic Factory Options		
CONNECTIVITY HARDWARE		
183B	Less JDLink™ Hardware	In Base Price
183E	JDLink™ Modem <i>JDLink™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.</i>	\$932.00



7500A PrecisionCut Fairway Mower

Code	Description	List price(USD)
	<p><i>JDLink™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.</i></p> <p><i>Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets.</i></p>	
	<p>MISCELLANEOUS</p> <p>Field Installed Options</p> <p>MISCELLANEOUS</p>	
9764	<p>Canopy</p> <p><i>This kit includes canopy, frame and brackets to attach to ROPS.</i></p>	\$734.00
9792	<p>Air Ride Suspension Kit</p> <p><i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i></p>	\$964.00
9871	<p>ShadePro(TM) Canopy</p> <p><i>Canopy with Integrated Adjustable Dual Fan.</i></p>	\$1,428.00
	<p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
BTC10346	<p>Hydraulic Down Pressure Kit</p>	\$1,239.06
	<p>OPERATOR'S STATION AND CONTROLS</p> <p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>MISCELLANEOUS</p>	
BTC10338	<p>Canopy</p> <p><i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i></p>	\$787.51
BUC11050	<p>ShadePro(TM) Canopy</p> <p><i>Canopy with Integrated Adjustable Dual Fan.</i></p>	\$1,527.99



8700A PrecisionCut Fairway Mower

Code	Description	List price(USD)
8700A PrecisionCut Fairway Mower		
	<p>ENGINE: Four Cylinder Diesel Engine Direct Inject Turbocharged Liquid Cooled with Centrifugal Pump</p> <p>TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Internal Wet Disc Brakes</p> <p>OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure</p> <p>HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability</p> <p>ELECTRICAL: 2 Front LED Work Lights Factory Installed 12-volt Power Port</p> <p>CUTTING UNITS: 100 In. (2.54 m) Cutting Width Rear Cutting Unit Attaching Point Yokes</p> <p>WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires</p>	
	BASE MACHINE	



8700A PrecisionCut Fairway Mower

Code	Description	List price(USD)
152ATC	<p><i>EPA Final Tier 4 Compliant B20 Compatible 55.1 HP (41.1 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information. Fuquay-Varina, North Carolina</i></p> <p>8700A PrecisionCut Fairway Mower</p>	\$77,339.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other countries (English/Spanish)	In Base Price
	CUTTING UNITS	
	Basic Factory Options	
	REEL CUTTING UNITS	
1290	Less Cutting Units	In Base Price
	55.9 cm (22-In.) QA7 Cutting Units 55.9 cm (22-in.) Width per cutting unit	
1208	Quick Adjust 7 (QA7) 8-blade Cutting Units 0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife with Hardened Insert (less aggressive) Less Front Rollers	\$17,822.00
1209	Quick Adjust 7 (QA7) 10-blade Cutting Units 0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife with Hardened Insert (less aggressive) Less Front Rollers	\$18,168.00
	REEL FRONT ROLLERS	
1390	Less Front Rollers	In Base Price
	55.9 cm (22-in.) Front Rollers 55.9 cm (22-in.) Standard Width Rollers	
1305	76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	\$1,564.00
1307	76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	\$2,544.00

**8700A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
REEL CUTTING UNIT COUNTER WEIGHTS		
1401	QA7 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	\$406.00
1403	QA7 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	\$906.00
1406	QA7 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	\$406.00
1408	Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>	In Base Price
Field Installed Options		
FAIRWAY TENDER CONDITIONER		
9739	(5) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Requires QA7 FTC Gear Drive.</i>	\$3,463.00
9744	(5) QA7 FTC Gear Drive <i>Requires QA7 FTC Shaft and Blades.</i>	\$8,188.00
GRASS CATCHERS		
9852	(3) Front Grass Catchers and (2) Rear Grass Catchers with Latch Style Mounting System for QA7 Cutting Units	\$2,552.00
REAR ROLLER POWER BRUSHES		
9746	(5) QA7 22" Rear Roller Power Brushes <i>Requires QA7 Rear Roller Power Brush Drive.</i>	\$922.00
9749	(5) QA7 Rear Roller Power Brush Drive <i>Used with QA7 Rear Roller Power Brush</i>	\$2,522.00
ROLLER SCRAPERS		
9754	(5) 22 In. 3 In. Diameter Heavy DutyGrooved Disc Roller Scrapers	\$958.00
9756	(5) 22 In. Smooth Roller Scrapers	\$100.00
9849	(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	\$229.00

**8700A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
9851	(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA7 Verticutters with 50.8 mm (2-in.) Smooth Front Rollers	\$382.00
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
BUC10402	(1) Quick Adjust 7 (QA7) 10-Blade 558.8-mm (22-in.) Cutting Unit with 6.3 mm bedknife with Hardened Insert <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	\$3,896.94
BUC10401	1) Quick Adjust 7 (QA7) 8-Blade 558.8-mm (22 In.) Cutting Unit with 6.3 mm bedknife with Hardened Insert <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	\$3,822.04
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	\$86.67
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	\$86.67
BM22721	(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	\$194.74
FAIRWAY TENDER CONDITIONER		
BTC10782	(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	\$743.66
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
BTC10759	(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10782 FTC Shaft Kit. Not compatible with previous FTC Shaft Kits.</i>	\$1,756.94

**8700A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
GRASS CATCHERS		
TCB11414	Front Wing Latch Kit for QA7 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position on Fairway Mowers with QA7 Cutting Units. 1 Kit includes parts for both wing cutting units.</i>	\$306.01
BUC10562	Left Hand Catcher Latch (QA7) <i>3 needed (2 front, 1 rear) on Fairway Mowers with 22-in. (55.9 cm) or 26-in. (66 cm) QA7 Cutting Units.</i>	\$218.29
BTC10718	(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	\$241.81
BTC10719	Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	\$252.51
BUC10566	(1) 55.9 cm (22-in.) Grass Catcher for QA7 Cutting Units (Latch System) <i>5 required for complete machine</i>	\$329.56
BUC10563	Right Hand Catcher Latch (QA7) <i>2 needed (1 front, 1 rear) on Fairway Mowers with 22-in. (55.9 cm) or 26-in. (66 cm) QA7 Cutting Units</i>	\$218.29
REAR ROLLER POWER BRUSHES		
BTC10768	(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10835 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	\$540.36
BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	\$88.81
BTC10835	(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA7 Cutting Units	\$197.96

**8700A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
	<i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	
ROLLER SCRAPERS		
BM23002	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	\$205.44
BUC10114	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA7 Verticutter with 50.8 mm (2-in.) Smooth Front Roller	\$82.39
BUC10112	(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller <i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	\$49.21
BUC10342	(1) 558.8 mm (22-in.) Smooth Roller Scraper with Mounting Hardware for QA7 Cutting Units <i>DOES NOT require TCA19587 mounting brackets. Already included in kit. One kit required per cutting unit.</i>	\$94.16
ROLLERS		
BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps	\$545.70
BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller	\$334.91
BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller	\$323.14
REEL CUTTING UNIT ATTACHING YOKES		
BUC11121	55.9-cm (22-in.) Quick-Adjust 7 (QA7) Fairway Mower yoke <i>5 required for complete machine. Requires (1) BUC11260 kickplate, hose guide, and hardware kit.</i>	\$270.71
BUC11260	QA7 Fairway Mower kickplates, hose guides, and hardware <i>1 required for complete machine.</i>	\$212.93
BEDKNIVES		
TCU32581	Bedknife, 6.3 mm Tournament with Hardened Insert, Less Aggressive	\$149.99
UC23576	Bedknife, 12 mm Fairway High Cut	\$42.89



8700A PrecisionCut Fairway Mower

Code	Description	List price(USD)
UC23563	Bedknife, 9.5 mm Fairway Low Cut	\$43.61
UC23565	Bedknife, 6.3 mm Low-Cut	\$48.95
VERTICAL CUTTING UNITS		
BUC10408	(1) Quick-Adjust 7 (QA7) 558.8-mm (22-in.) Vertical Cutting Unit with Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor</i>	\$2,649.31
MISCELLANEOUS		
TCU13823	Height of Cut Gauge Bar	\$136.62
TRACTION DRIVE UNIT		
Field Installed Options		
TRACTION DRIVE UNIT		
9753	4WD Conversion Kit <i>Converts 2WD Traction Unit into 4WD Traction Unit.</i>	\$5,642.00
ATTACHMENTS FOR FIELD CONVERSION		
TRACTION DRIVE UNIT		
BTC10391	Four-Wheel Drive (4WD) Conversion Kit	\$6,049.79
MACHINE CONNECTIVITY		
Basic Factory Options		
CONNECTIVITY HARDWARE		
183B	Less JDLink™ Hardware	In Base Price
183E	JDLink™ Modem <i>Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets.</i> <i>JDLink™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.</i> <i>JDLink™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.</i>	\$932.00
MISCELLANEOUS		
Field Installed Options		
MISCELLANEOUS		
9764	Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	\$734.00



8700A PrecisionCut Fairway Mower

Code	Description	List price(USD)
9792	Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	\$964.00
9871	ShadePro(TM) Canopy <i>Canopy with Integrated Adjustable Dual Fan.</i>	\$1,428.00
	OPERATOR'S STATION AND CONTROLS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
BUC11050	ShadePro(TM) Canopy <i>Canopy with Integrated Adjustable Dual Fan.</i>	\$1,527.99
BTC10338	Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	\$787.51



8900A PrecisionCut Large Area Reel Mower 2.9 m (114-in.)

Code	Description	List price(USD)
	8900A PrecisionCut Large Area Reel Mower 2.9 m (114-in.)	
	<p>ENGINE: Four Cylinder, Turbo-Charged Diesel</p> <p>CHASSIS: 2-Post SAE J21294 ROPS with seat belts Rear Cutting Unit Attaching Point</p> <p>HYDRAULICS: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal GRIP All-Wheel Drive Traction System (4WD) Five Hydraulic Reel Motors with Quick Removal Feature On-Board Backlapping with Pressure Compensation and Adjustable Reel Speed control</p> <p>OPERATOR STATION: Command Arm with Operator Controls with Power Charging Port TechControl Display with built in Machine Setting Controls and Electrical Diagnostics Foot Activated Tilt Steering Column One-Touch Lift/Lower cutting unit Joystick control Air Ride Suspension Seat with Armrest and Retractable Seat Belt 2 Front LED Work Lights Factory Installed 12V Power Port</p> <p>STEERING AND BRAKES: Power Steering with Double acting steering cylinder Internal Wet Disc Brakes Electronically Actuated Parking Brake</p> <p>WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Rear Steering Tires</p>	
	BASE MACHINE	

**8900A PrecisionCut Large Area Reel Mower 2.9 m (114-in.)**

Code	Description	List price(USD)
	<i>EPA Tier 4 Compliant B20 Compatible 55.1 HP (41.1 kW) - Engine hp is provided by the engine manufacturer for comparison purposes only. Actual operating hp will be less. Refer to engine manufacturer's website for additional information.</i>	
155ITC	8900A PrecisionCut Large Area Reel Mower 2.9 m (114-in.)	\$102,469.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States/Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other countries (English/Spanish)	In Base Price
	CUTTING UNITS	
	Basic Factory Options	
	REEL CUTTING UNITS	
1290	Less Cutting Units and Yokes	In Base Price
	26 Inch QA7 Cutting Units 66 cm (26-in.) Width per Cutting Unit	
1204	Quick Adjust 7 (QA7) 5-blade 66 cm (26-in.) Cutting Units	\$16,650.00
1206	Quick Adjust 7 (QA7) 8-blade 66 cm (26-in.) Cutting Units	\$17,656.00
1218	Quick Adjust 7 (QA7) 10-blade 66 cm (26-in.) Cutting Units	\$17,656.00
	REEL FRONT ROLLERS	
1390	Less Front Rollers	In Base Price
	26 Inch Front Rollers	
1315	66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	\$1,218.00
1316	66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	\$1,564.00
1317	66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	\$2,811.00
	REEL CUTTING UNIT COUNTER WEIGHTS	
1402	Cutting Unit ONLY Counterweights	\$406.00

**8900A PrecisionCut Large Area Reel Mower 2.9 m (114-in.)**

Code	Description	List price(USD)
	<i>Select if NOT installing FTCs or Rear Roller Power Brushes on 66 cm (26-in.) cutting units.</i>	
1404	Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brushes on 66 cm (26-in.) cutting units.</i>	\$906.00
1409	Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTCs on 66 cm (26-in.) cutting units.</i>	\$406.00
1490	Less Cutting Unit Counterweights <i>Select if installing BOTH FTCs and Rear Roller Power Brushes on 66 cm (26-in.) cutting units.</i>	In Base Price
Field Installed Options		
FAIRWAY TENDER CONDITIONER		
9741	Fairway Tender Conditioner Shaft and Blades, 66 cm (26-in.) <i>Set of 5. Requires code 9744 (FTC Gear Drive).</i>	\$3,405.00
9744	FTC Gear Drive <i>Set of 5. Requires code 9741 (Fairway Tender Conditioner Shaft and Blades).</i>	\$8,191.00
GRASS CATCHERS		
9736	Paddle Clip Grass Catchers with Mounting Hardware for QA7 26 In. (66.04 cm) Cutting Units <i>Includes Grass catchers, mounting hardware and wing latch kit</i>	\$2,203.00
9852	(3) Front Grass Catchers and (2) Rear Grass Catchers with Latch Style Mounting System for 26-in. (66 cm) QA7	\$3,169.00
REAR ROLLER POWER BRUSHES		
9747	Rear Roller Power Brushes <i>Set of 5. Requires Code 9749 (Rear Roller Power Brush Drive).</i>	\$1,147.00
9749	Rear Roller Power Brush Drive <i>Set of 5. Requires Code 9747 (Rear Roller Power Brushes).</i>	\$2,523.00
ROLLER SCRAPERS		
9760	66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers <i>Set of 5. Requires (5) TCA19587 from parts. Not compatible with FTCs.</i>	\$877.00



8900A PrecisionCut Large Area Reel Mower 2.9 m (114-in.)

Code	Description	List price(USD)
9757	66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers <i>Provides 2 of kit BM17383 (sets of 3 scrapers) for a total of 6. Requires TCA19587 from parts for each individual scraper. Not compatible with Rear Roller Power Brush installed.</i>	\$369.00
9835	66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers for Vertical Cutting Units <i>Set of 5, Front and Rear.</i>	\$759.00
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
BUC10403	(1) Quick-Adjust 7 (QA7) 5-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,144.73
BUC10409	(1) Quick-Adjust 7 (QA7) 660.4 mm (26-in.) Vertical Cutting Unit with Front and Rear Rollers <i>Less Yoke, Motor, and Counterweight</i>	\$2,656.81
BUC10407	(1) Quick-Adjust 7 (QA7) 10-Blade 660.4 mm (26-in.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,360.87
BUC10404	(1) Quick-Adjust 7 (QA7) 8-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,360.87
REEL FRONT ROLLERS		
BM19818	(1) 660.4-mm (26-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	\$603.49
BM17671	(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	\$261.09
BM25318	(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	\$334.91
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or FTC Kits.</i>	\$86.67
BM22721	(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit	\$194.74

**8900A PrecisionCut Large Area Reel Mower 2.9 m (114-in.)**

Code	Description	List price(USD)
	<i>Needed if only installing Rear Roller Power Brush on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	\$86.67
FAIRWAY TENDER CONDITIONER		
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
BTC10759	(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10781 FTC Shaft Kit. Not compatible with previous FTC Kits.</i>	\$1,756.94
BTC10781	(1) 66 cm (26-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	\$729.74
GRASS CATCHERS		
TCB11414	Front Wing Latch Kit for QA7 Cutting Units <i>Secures grass catchers to wing cutting units when raised into the transport position.</i>	\$306.01
BUC10562	Left Hand Catcher Latch (QA7) <i>3 needed (2 front, 1 rear) on Fairway Mowers with 22-in. (55.9 cm) or 26-in. (66 cm) QA7 Cutting Units with Latch Style Grass Catchers.</i>	\$218.29
BUC10563	Right Hand Catcher Latch (QA7) <i>2 needed (1 front, 1 rear) on Fairway Mowers with 22-in. (55.9 cm) or 26-in. (66 cm) QA7 Cutting Units with Latch Style Grass Catchers.</i>	\$218.29

**8900A PrecisionCut Large Area Reel Mower 2.9 m (114-in.)**

Code	Description	List price(USD)
BUC10106	(1) 660.4 mm (26-in.) Grass Catcher with Paddle Clip and Mounting Hardware <i>5 required for complete machine. Also requires TCB11414 QA7 Wing Latch Kit to secure grass catchers to wing cutting units when raised in transport position.</i>	\$410.89
BUC10569	(1) 66 cm (26-in.) Grass Catcher for QA7 Cutting Units (Latch System) <i>5 required for complete machine. (3 BUC10562 LH Catcher Latches and (2) BUC10563 RH Catcher Latches needed.</i>	\$461.17
REAR ROLLER POWER BRUSHES		
BTC10836	(1) 66 cm (26-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	\$246.10
BTC10768	(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10836 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	\$540.36
BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	\$88.81
ROLLER SCRAPERS		
BM23005	(1) 660.4 mm (26-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC). 1 required per cutting unit.</i>	\$188.31
BUC10076	(1) 660.4 mm (26-in.) Smooth Front Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	\$79.19
BUC10110	(1) 660.4 mm (26-in.) Smooth Rear Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	\$83.46

**8900A PrecisionCut Large Area Reel Mower 2.9 m (114-in.)**

Code	Description	List price(USD)
BUC10325	(1) 660.4 mm (26-in.) Smooth Roller Scraper with Mounting Hardware <i>Includes all mounting hardware and brackets.</i>	\$139.10
MISCELLANEOUS		
TCU13823	Height of Cut Gauge Bar	\$136.62
REEL CUTTING UNIT ATTACHING YOKES		
BUC11261	8900A Kickplates, Hose Guides, and Hardware <i>1 required for complete machine.</i>	\$281.41
BUC11153	66-cm (26-in.) Quick-Adjust 7 (QA7) Fairway Mower yoke <i>5 required for complete machine. Requires (1) BUC11261 Kickplate, Hose Guide, and Hardware kit.</i>	\$349.89
BEDKNIVES		
TCU34070	Bedknife, 6.3 mm with Hardened Insert, Less Aggressive for 66 cm (26-in.) QA7 Cutting Units	\$161.69
UC23481	Bedknife, 15.8 mm Standard for 66 cm (26-in.) QA7 Cutting Units	\$46.97
UC23566	Bedknife, 6.3 mm Tournament for 66 cm (26-in.) QA7 Cutting Units	\$52.31
MACHINE CONNECTIVITY		
Basic Factory Options		
CONNECTIVITY HARDWARE		
183B	Less JDLink™ Hardware	In Base Price
183E	JDLink™ Modem <i>Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets.</i> <i>JDLink™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.</i> <i>JDLink™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.</i>	\$932.00
OPERATOR'S STATION AND CONTROLS		
Field Installed Options		
MISCELLANEOUS		
9764	Canopy	\$735.00



8900A PrecisionCut Large Area Reel Mower 2.9 m (114-in.)

Code	Description	List price(USD)
9871	ShadePro(TM) Canopy <i>Canopy with Integrated Adjustable Dual Fan</i>	\$1,428.00
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
BTC10338	Canopy	\$787.51
BUC11050	ShadePro(TM) Canopy <i>Canopy with Integrated Adjustable Dual Fan.</i>	\$1,527.99



8900A PrecisionCut Large Area Reel Mower 3.3 m (130-in.)

Code	Description	List price(USD)
	8900A PrecisionCut Large Area Reel Mower 3.3 m (130-in.)	
	<p>ENGINE: Four Cylinder, Turbo-Charged Diesel</p> <p>CHASSIS: 2-Post SAE J21294 ROPS with seat belts Rear Cutting Unit Attaching Point</p> <p>HYDRAULICS: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal GRIP All-Wheel Drive Traction System (4WD) Five Hydraulic Reel Motors with Quick Removal Feature On-Board Backlapping with Pressure Compensation and Adjustable Reel Speed control</p> <p>OPERATOR STATION: Command Arm with Operator Controls with Power Charging Port TechControl Display with built in Machine Setting Controls and Electrical Diagnostics Foot Activated Tilt Steering Column One-Touch Lift/Lower cutting unit Joystick control Air Ride Suspension Seat with Armrest and Retractable Seat Belt 2 Front LED Work Lights Factory Installed 12V Power Port</p> <p>STEERING AND BRAKES: Power Steering with Double acting steering cylinder Internal Wet Disc Brakes Electronically Actuated Parking Brake</p> <p>WHEELS AND TIRES: 26.5x14-12 Turf Drive Tires 20x10-8 Turf Rear Steering Tires</p>	
	BASE MACHINE	

**8900A PrecisionCut Large Area Reel Mower 3.3 m (130-in.)**

Code	Description	List price(USD)
	<i>EPA Tier 4 Compliant B20 Compatible 55.1 HP (41.1 kW) - Engine hp is provided by the engine manufacturer for comparison purposes only. Actual operating hp will be less. Refer to engine manufacturer's website for additional information.</i>	
155MTC	8900A PrecisionCut Large Area Reel Mower 3.3 m (130-in.)	\$102,709.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States/Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other countries (English/Spanish)	In Base Price
	CUTTING UNITS	
	Basic Factory Options	
	REEL CUTTING UNITS	
1290	Less Cutting Units and Yokes	In Base Price
	30 Inch QA7 Cutting Units 76.2 cm (30-in.) Width per Cutting Unit	
1205	Quick Adjust 7 (QA7) 5-blade 76.2 cm (30-in.) Cutting Units	\$18,940.00
1207	Quick Adjust 7 (QA7) 8-blade 76.2 cm (30-in.) Cutting Units	\$20,199.00
1219	Quick Adjust 7 (QA7) 10-blade 76.2 cm (30-in.) Cutting Units	\$20,199.00
	REEL FRONT ROLLERS	
1390	Less Front Rollers	In Base Price
	30 Inch Front Rollers	
1318	76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	\$1,282.00
1319	76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	\$1,629.00
1329	76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	\$3,681.00
	REEL CUTTING UNIT COUNTER WEIGHTS	
1402	Cutting Unit ONLY Counterweights	\$406.00
1490	Less Cutting Unit Counterweights	In Base Price

**8900A PrecisionCut Large Area Reel Mower 3.3 m (130-in.)**

Code	Description	List price(USD)
Field Installed Options		
ROLLER SCRAPERS		
9759	76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers <i>Set of 5. Requires (5) TCA19587 from parts.</i>	\$959.00
9762	76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers <i>Provides 2 of kit BM18440 (sets of 3) scraper for a total of 6. Requires TCA19587 from parts for each scraper.</i>	\$479.00
9836	76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers for Vertical Cutting Units <i>Set of 5, Front and Rear</i>	\$835.00
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
BUC10410	(1) Quick-Adjust 7 (QA7) 762 mm (30-in.) Vertical Cutting Unit with Front and Rear Rollers <i>Less yoke, motor, and counterweight</i>	\$3,049.50
REEL FRONT ROLLERS		
BM19819	(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	\$788.59
BM18439	(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	\$274.99
BM25319	(1) 762 mm (30-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	\$348.81
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22762	(1) Cutting Unit ONLY Counter Weight Kit	\$86.67
ROLLER SCRAPERS		
BUC10326	(1) 762 mm (30-in.) Smooth Roller Scraper with Mounting Hardware <i>Includes all mounting hardware and brackets.</i>	\$150.87
BM23004	(1) 762 mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>1 required per cutting unit.</i>	\$205.44

**8900A PrecisionCut Large Area Reel Mower 3.3 m (130-in.)**

Code	Description	List price(USD)
BUC10077	(1) 762 mm (30-in.) Smooth Front Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	\$88.81
BUC10111	(1) 762 mm (30-in.) Smooth Rear Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit</i>	\$88.81
MISCELLANEOUS		
TCU13823	Height of Cut Gauge Bar	\$136.62
BEDKNIVES		
UC11472	Bedknife, 6.3 mm Tournament for 76.2 cm (30-in.) QA7 Cutting Units	\$69.46
UC23564	Bedknife, 15.8 mm Standard for 76.2 cm (30-in.) QA7 Cutting Units	\$51.16
REEL CUTTING UNIT ATTACHING YOKES		
BUC11261	8900A Kickplates, Hose Guides, and Hardware <i>1 required for complete machine.</i>	\$281.41
BUC11124	76.2-cm (30-in.) Quick-Adjust 7 (QA7) Fairway Mower yoke <i>5 required for complete machine. Requires (1) BUC11261 Kickplate, Hose Guide, and Hardware kit.</i>	\$394.83
MACHINE CONNECTIVITY		
Basic Factory Options		
CONNECTIVITY HARDWARE		
183B	Less JDLink™ Hardware	In Base Price
183E	JDLink™ Modem <i>JDLink™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.</i> <i>JDLink™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.</i> <i>Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets.</i>	\$932.00
OPERATOR'S STATION AND CONTROLS		
Field Installed Options		
MISCELLANEOUS		



8900A PrecisionCut Large Area Reel Mower 3.3 m (130-in.)

Code	Description	List price(USD)
9764	Canopy	\$735.00
9871	ShadePro(TM) Canopy <i>Canopy with Integrated Adjustable Dual Fan</i>	\$1,428.00
ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS		
BUC11050	ShadePro(TM) Canopy <i>Canopy with Integrated Adjustable Dual Fan.</i>	\$1,527.99
BTC10338	Canopy	\$787.51

**8000A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
	<p>8000A E-Cut Hybrid Fairway Mower</p> <p>ENGINE: Three Cylinder Diesel Engine Direct Inject Turbocharged Liquid Cooled with Centrifugal Pump</p> <p>TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive Three Wheel Drive GRIP All-Wheel Drive Traction System Internal Wet Disc Brakes</p> <p>OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure</p> <p>HYDRAULICS: Power Steering with Double acting steering cylinder Hydraulic Down Pressure with mechanical On/Off adjustability</p> <p>ELECTRICAL: 2 Front LED Work Lights Factory Installed 12-volt Power Port Five Brushless Electric Reel Motors Independent Electric Reel Motor Controllers 48-volt, 180-amp Alternator On-Board Electric Backlapping with Adjustable Reel Speed control</p> <p>CUTTING UNITS: 80 In. (2.03 m) Cutting Width Rear Cutting Unit Attaching Point Yokes</p> <p>WHEELS AND TIRES:</p>	



8000A E-Cut Hybrid Fairway Mower

Code	Description	List price(USD)
	Three Wheel Configuration 24x13-12 Smooth Drive and Steering Tires	
	BASE MACHINE	
	<i>EPA Final Tier 4 Compliant B20 Compatible 41.6 HP (31 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information. Fuquay-Varina, North Carolina</i>	
177ATC	8000A E-Cut Hybrid Fairway Mower	\$65,359.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other countries (English/Spanish)	In Base Price
	CUTTING UNITS	
	Basic Factory Options	
	REEL CUTTING UNITS	
1290	Less Cutting Units	In Base Price
	45.7 cm (18-in.) QA5 Cutting Units 45.7 cm (18-in.) Width per cutting unit	
1200	Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units 0.189-in (4.8 mm) adjustable Low Cut Fairway bedknife Less Front and Rear Rollers	\$14,300.00
1202	Quick Adjust 5 (QA5) 11-blade Cutting Units 0.078-in (2 mm) adjustable Hardened Tool Steel Bedknife (4 mm less aggressive than standard geometry from cutting edge to center of reel) Less Front and Rear Rollers	\$15,959.00
	REEL FRONT ROLLERS	
1390	Less Front Rollers	In Base Price
	45.7 cm (18-in.) Front Rollers 45.7 cm (18-in.) Standard Width Rollers	
1309	50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers	\$1,028.00

**8000A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
1310	50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers	\$1,028.00
1311	50.8 mm (2-in.) Diameter Spiral Grooved Rollers	\$2,298.00
1312	76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed.</i> 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.	\$2,240.00
1321	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$2,298.00
1322	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$729.00
1326	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,829.00
1328	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$2,298.00
REEL REAR ROLLERS		
1690	Less Rear Rollers 45.7 cm (18-in.) Rear Rollers	In Base Price
1619	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,829.00
1621	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$2,298.00
1622	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$729.00
1623	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$2,298.00
REEL CUTTING UNIT COUNTER WEIGHTS		
1400	QA5 Cutting Unit ONLY Counterweights	\$406.00

**8000A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
	<i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	
1402	QA5 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	\$906.00
1404	QA5 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	\$406.00
1408	Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>	In Base Price
Field Installed Options		
FAIRWAY TENDER CONDITIONER		
9740	(5) QA5 18" Fairway Tender Conditioners Shaft (FTC) and Blades <i>Requires QA5 GTC/FTC Gear Drive. Not compatible with 3 In roller option.</i>	\$3,181.00
9743	(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	\$8,188.00
GRASS CATCHERS		
9834	(3) FRONT Latch Style Grass Catchers and Mounting Brackets and (2) REAR Grass Catcher Bail Kits and Grass Catchers <i>Note: Cutting unit shield extensions should only be used in dry conditions.</i>	\$2,373.00
9847	(3) Front Grass Catchers and (2) Rear Grass Catchers with Latch Style Mounting System <i>Reduced catcher clearance for removal and installation compared to Bail System.</i>	\$2,163.00
REAR ROLLER POWER BRUSHES		
9745	(5) QA5 18 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	\$922.00
9748	(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	\$2,522.00
ROLLER SCRAPERS		
9755	(5) 18 In. Smooth Roller Scrapers	\$100.00
9758	(5) 18 In. 3 In. Diameter Heavy Duty Grooved Roller Scrapers	\$841.00

**8000A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
9848	<i>Not compatible with Fairway Tender Conditioner option 9740.</i> (5) 45.7 cm (18-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	\$165.00
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
BUC10412	(1) Quick Adjust 5 (QA5) 11-Blade 457.2-mm (18-in.) Cutting Unit with 2.0-mm Hardened Tool Steel bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,422.93
BUC11254	(1) Quick Adjust 5 (QA5) 7-Blade 457.2-mm (18-in.) Heavy Section Cutting Unit with 4.8-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,066.61
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	\$86.67
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	\$86.67
BM22705	(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	\$194.74
FAIRWAY TENDER CONDITIONER		
BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 45.7 cm (18-in.) QA5 Cutting units requires BTC10783 GTC Shaft Kit, BTC10780 FTC Shaft Kit, BTC10774 Front Rotary Brush Kit, or BTC10776 DT Front Rotary Brush Kit.</i> <i>Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i> <i>Not compatible with 3" (76.2 mm) Front Roller.</i>	\$1,756.94
BTC10783	(1) 45.7 cm (18-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit.</i> <i>Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$364.87

**8000A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
BTC10780	(1) 45.7 cm (18-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$681.59
GRASS CATCHERS		
BTC10406	(1) 457.2 (18-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10405.</i>	\$246.10
BTC11011	Left Hand Catcher Latch <i>2 needed for front grass catchers on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using Bail System in rear. 3 needed (2 front, 1 rear) on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using BUC10617 latch catchers in rear.</i>	\$218.29
BTC10405	(1) 457.2-mm (18-in.) Rear Grass Catcher Bail System <i>Requires 2 for complete machine & rear grass catchers with handles BTC10406.</i>	\$330.63
BTC11010	Right Hand Catcher Latch <i>1 needed for front grass catchers on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using Bail System in rear. 2 needed (1 front, 1 rear) on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using BUC10617 latch catchers in rear.</i>	\$218.29
BTC11039	(1) 457.2 mm (18-in.) Front Grass Catcher for QA5 Cutting Units <i>3 needed for front on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011</i>	\$246.10
BUC10523	Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 45.7 cm (18-in.) QA5 cutting units, used only in front cutting unit locations when using Paddle Clip grass catchers. 3 required.</i>	\$65.27
BTC10717	(1) 457.2-mm (18-in.) Front Grass Catcher with large paddle clip	\$263.21

**8000A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
	<i>3 required for complete machine. Also requires (3) Grass Catcher Side Plate Insert Kits (BM24199).</i>	
BTC10605	Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	\$151.94
BUC10617	(1) 457.2 mm (18-in.) Rear Grass Catcher for QA5 Cutting Units (Latch System) <i>2 needed for rear on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using Latch kits BTC11010 and BTC11011. Reduced catcher clearance for removal and installation compared to Bail System.</i>	\$246.10
REAR ROLLER POWER BRUSHES		
BTC10833	(1) 45.7 cm (18-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	\$197.96
BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	\$88.81
BTC10767	(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 45.7 cm (18-in.) QA5 Cutting Units requires BTC10833 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	\$540.36
ROLLER SCRAPERS		
BM23015	(1) 457.2-mm (18-in.) Smooth Roller Scraper <i>Adjustable cable design.</i>	\$21.40
BM23014	(1) 457.2-mm (18-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners.</i>	\$179.76
BUC10428	(1) 45.7 cm (18-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	\$35.31
TCA19585	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Grooved Roller Scraper	\$18.41

**8000A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
	<i>Need to order 5 for completed machine.</i>	
	ROLLERS	
BM22868	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Grooved Roller	\$220.41
BM20561	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Roller	\$220.41
BM24204	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	\$157.29
BM22879	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Spiral Grooved Roller with Spiral End Caps	\$493.27
BM23567	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	\$391.61
BTC10281	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	\$493.27
TCA19509	(1) 45.72 cm (18 in.) x 7.6 cm (3 in.) Diameter Hollow Smooth Roller <i>Not compatible with Fairway Tender Conditioners (FTC) when used as a front roller.</i>	\$302.18
BM25316	(1) 457.2 mm (18 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting units if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$480.43
BUC10787	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) MT Smooth Roller <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$493.27
	BEDKNIVES	
TCU36878	Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	\$123.78
UC23445	Bedknife, Hi-Cut Fairway 7.6 mm	\$66.54
UC28157	Bedknife, 4.8 mm Fairway Low Cut	\$41.69
UC18877	Bedknife, 2.5 mm Tournament	\$41.56
	FRONT TURF BRUSHES	
BTC10774	(1) 45.7 cm (18-in.) Front Rotary Brush for QA5 Cutting Units	\$285.69



8000A E-Cut Hybrid Fairway Mower

Code	Description	List price(USD)
BTC10776	<p><i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i></p> <p>(1) 45.7 cm (18-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units</p> <p><i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i></p>	\$285.69
MISCELLANEOUS		
TCU13823	Height of Cut Gauge Bar	\$136.62
BM24372	Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	\$88.81
VERTICAL CUTTING UNITS		
BUC10763	(1) Quick-Adjust 5 (QA5) 457.2-mm (18-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor</i>	\$3,387.61
REEL CUTTING UNIT ATTACHING YOKES		
BUC11157	45.7-cm (18-in.) QA5 Fairway Mower yoke <i>5 required per machine. Does not required kickplates, hose guides, or additional hardware..</i>	\$383.06
MACHINE CONNECTIVITY		
Basic Factory Options		
CONNECTIVITY HARDWARE		
183B	Less JDLink™ Hardware	In Base Price
183E	JDLink™ Modem <i>Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets. JDLink™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.</i>	\$932.00
<i>JDLink™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.</i>		
MISCELLANEOUS		
Field Installed Options		
MISCELLANEOUS		
9764	Canopy	\$734.00

**8000A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
9871	<i>This kit includes canopy, frame and brackets to attach to ROPS.</i> ShadePro(TM) Canopy <i>Canopy with Integrated Adjustable Dual Fan.</i> <i>Installation of ShadePro requires (1) BM17972 Wheel weight for rear wheel and (4) 19M8983 mounting bolts.</i>	\$1,428.00
OPERATOR'S STATION AND CONTROLS		
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
BUC11050	ShadePro(TM) Canopy <i>Canopy with Integrated Adjustable Dual Fan.</i> <i>Installation of ShadePro requires (1) BM17972 Wheel weight for rear wheel and (4) 19M8983 mounting bolts.</i>	\$1,527.99
BTC10338	Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	\$787.51
WHEELS AND TIRES		
ATTACHMENTS FOR FIELD CONVERSION		
WHEELS AND TIRES		
TCU25388	UltraTrac Fairway Mower Tire <i>For installation on front position of 8000 and 8000A E-Cut Hybrid Fairway Mowers.</i>	\$257.86

**22B Walk Greens Mower Trailer**

Code	Description	List price(USD)
	<p>22B Walk Greens Mower Trailer Carries 2 Walk Greens Mowers Compatible with A, B, C, SL, and 180 and 220 E-Cut Hybrid Walk Greens Mowers Multiple angle location ramp with stainless steel latch system Spray-On Bedliner on floor of trailer bed and ramp Welded storage holders for retaining bar when not in use Box Capacity: 12.7 Cu. Ft. (0.36 cu. m) Maximum Load: 1000 Lbs. (454 kg) Maximum Payload: 700 Lbs. (318 kg) Pneumatic Turf Tires 2 Ply 22.5x10.00-8 Ball Bearing, Double Sealed Wheel Bearings 1-7/8 In. Dia. (4.8 cm) Hitch Coupler Inside Box 60"L X 40"W Outside Box 62"L x46"W Box Side Panels 8.5" Tall Front Wall 13" Tall Outside to Outside Tire is 66" Ramp Down Position 27" L X 46" W down Trailer Tongue 43" L</p>	
	<p>BASE MACHINE <i>Must be Ordered in Quantities of Two.</i> <i>Requires Utility Vehicles to be Equipped With 1-7/8 In. (4.8cm) Ball Hitch.</i></p>	
0522TC	22B Walk Greens Mower Trailer	\$3,281.00
	<p>DESTINATION AND LANGUAGE Basic Factory Options DESTINATION</p>	
001A	United States and Canada	In Base Price
	<p>OPERATOR'S MANUAL</p>	
0443	All Other Countries (English / Spanish)	In Base Price



2550 PrecisionCut Triplex Mower

Code	Description	List price(USD)
	<p>2550 PrecisionCut Triplex Mower</p> <p>ENGINE: 3-cylinder Diesel Liquid Cooled EPA Tier 4 Compliant Single Fuel Tank with 7.9 US gallon (30 L) capacity</p> <p>CHASSIS: Offset Cutting Unit Design 2-post SAE J21294 ROPS with seat belts Double Upstops for Front Cutting Units</p> <p>HYDRAULICS: Directed mounted hydraulic pumps Hydrostatic traction drive Single reel pump Quik-Tatch Hydraulic reel motors Micro-Lap backlapping valve with reel speed control and pressure compensation U-Shaped Hydraulic Reservoir Hydraulic Oil Cooler</p> <p>ELECTRICAL: White Box controller Sit-on-Seat Diagnostics BCI Group 40 Maintenance Free Battery</p> <p>OPERATOR STATION: Command Arm Operator Controls One Touch Hand Operated Lift / Lower Joystick Four Function LED Warning Monitor with Hour Meter Hand Operated Mow / Transport Lever Hand Operated Engine Throttle Lever Dual Traction Pedals Foot actuated 5-Position Adjustable Tilt Steering Column Integrated Cup Holder and Radio Holder Storage Compartment built into Fuel tank</p> <p>STEERING AND BRAKES:</p>	



2550 PrecisionCut Triplex Mower

Code	Description	List price(USD)
	Hydrostatic Power Steering Disc Brakes Foot Operated Parking Brake	
	BASE MACHINE	
	<i>19.6 HP (14.6kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.</i> EPA Tier 4 and EU Stage V Compliant	
1162TC	2550 PrecisionCut Triplex Mower	\$39,609.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other Countries (English / Spanish)	In Base Price
	WHEELS AND TIRES	
	Basic Factory Options	
	WHEELS AND TIRES	
1022	Smooth Tires and Wheels (20x10.00-10, 2 ply)	\$611.00
1023	Turf Guard Traction Tires and Wheels (20x10.00-10, 2 ply)	\$653.00
1024	Smooth Tires and Wheels (20x10.00-10, 4 ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	\$611.00
1040	Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10, 4 ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	\$611.00
1043	Smooth Tires and Wheels (18x10.5-10, 4-ply)	\$653.00
1149	Less Wheels and Tires	In Base Price
	ATTACHMENTS FOR FIELD CONVERSION	
	WHEELS AND TIRES	
BM19749	Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	\$699.79
BM19748	Tires and Wheels (20x10.00-10), (3) Smooth 2-ply Rated	\$654.84

**2550 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
BUC10621	Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	\$654.84
BUC10620	Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens</i>	\$654.84
BUC10575	Tires and Wheels (18x10.50-10), (3) Smooth 4-ply Rated	\$699.79
DRIVE SYSTEM		
Basic Factory Options		
DRIVE SYSTEM		
1190	Two-Wheel Drive (2WD) <i>Dealer installed</i>	In Base Price
1192	Rear Wheel Assist - Traditional Parallel System <i>Dealer installed</i> <i>Less aggressive on fine turf, especially during turns</i> <i>Parallel circuit design</i>	\$3,205.00
1193	Rear Wheel Assist - GRIP All-Wheel Drive <i>Dealer installed</i> <i>Most aggressive rear wheel assist system</i> <i>Series Parallel Circuit design</i>	\$3,338.00
ATTACHMENTS FOR FIELD CONVERSION		
DRIVE SYSTEM		
BTC11025	2WD Axle and Hub Kit <i>Does not include wheel and tire.</i>	\$190.46
BUC10269	Third Wheel Assist Kit (Parallel Circuit) <i>For MY 18 and Later 2500 Riding Greens Mowers.</i> <i>Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	\$3,435.77
BUC10272	Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 18 and Later 2500 Riding Greens Mowers.</i> <i>Series Parallel Circuit. Most aggressive traction system.</i>	\$3,578.09
CUTTING UNITS		
Basic Factory Options		
REEL CUTTING UNITS		

**2550 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
	<i>5-in. (12.7 cm) Diameter Quik-Tatch Cutting Units 22-in. (55.9 cm) Cutting Width per Cutting Unit 62-in. (157.5 cm) Total Width of Cut Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i>	
1201	Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$8,803.00
1203	Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$9,142.00
1212	Quick Adjust 5 (QA5) Vertical Cutting Units <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Maximum operating depth 0.125-in. (3.2 mm).</i>	\$9,043.00
1214	Quick Adjust 5 (QA5) 14-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$10,020.00
1290	Less Cutting Units	In Base Price
	REEL FRONT ROLLERS	
	<i>55.9 cm (22-in.) Standard Width Rollers</i>	
1300	50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers with Solid Endcaps	\$643.00
1302	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$438.00
1304	50.8 mm (2-in.) Diameter Machined Grooved Wide Solid Rollers	\$618.00
1305	76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	\$939.00

**2550 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
	<i>Not compatible if FTC installed. 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	
1307	76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral Endcaps <i>Not compatible with FTCs / GTCs.</i>	\$1,527.00
1324	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,319.00
1325	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,263.00
1327	63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	\$904.00
1329	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,263.00
1390	Less Front Rollers	In Base Price
	REEL REAR ROLLERS	
	<i>55.9 cm (22-in.) Standard Width Rollers</i>	
1601	50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers <i>Recommended when using direct mount (Bullhorn) style grass catcher system (Code 3202).</i>	\$618.00
1602	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	\$438.00
1618	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,319.00
1620	50.8 mm (2-in.) Diameter MT Grooved Rollers	\$1,263.00



2550 PrecisionCut Triplex Mower

Code	Description	List price(USD)
	<i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	
1624	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,263.00
1690	Less Rear Rollers	In Base Price
REEL CUTTING UNIT COUNTER WEIGHTS		
1400	Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs / GTCs or Rear Roller Power Brushes on cutting units.</i>	\$243.00
1403	Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	\$544.00
1408	Cutting Unit and FTC / GTC ONLY Counterweights <i>Select if ONLY installing FTC / GTC on cutting units.</i>	\$243.00
1490	Less Cutting Unit Counterweights <i>Select if installing BOTH FTC / GTC and Rear Roller Power Brush on cutting units.</i>	In Base Price
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS		
3200	Cutting Unit Attaching Yokes and Paddle Clip Style Molded One-Piece Grass Catchers <i>Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	\$1,893.00
3201	Cutting Unit Rear Attaching Yokes for FAIRWAYS and Paddle Clip Style Molded One-Piece Grass Catchers <i>DO NOT USE ON GREENS. Yokes attach at rear of cutting unit like fairway mowers and are recommended for use in fairways, tees, surrounds, and approaches. Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	\$2,934.00
3202	Cutting Unit Attaching Yokes and Direct Mounted (Bullhorn) Molded One-Piece Grass Catchers	\$1,744.00



2550 PrecisionCut Triplex Mower

Code	Description	List price(USD)
	<i>Front Cutting Units use Direct Mounted (Bullhorn) style grass catchers and mounts. Rear Grass Catcher includes Bail System. 50.8 mm (2-in.) Diameter Machined Solid Smooth Rollers (Code 1601) are also recommended on the rear of the cutting unit for better balance when lowering cutting units.</i>	
3210	Less Cutting Unit Yokes and Grass Catchers	In Base Price
	Field Installed Options	
	FAIRWAY TENDER CONDITIONER	
9738	Fairway Tender Conditioner Shaft and Blades <i>Set of 3. Not compatible with 7.6 cm (3-in.) Front Rollers. Requires Code 9743 (FTC / GTC / Rotary Brush Gear Drive).</i>	\$1,909.00
9743	FTC / GTC / Front Rotary Brush Gear Drive <i>Set of 3. Requires Code 9738, 9742, 9751, or 9801.</i>	\$4,915.00
	GREENS TENDER CONDITIONER	
9742	Greens Tender Conditioner Shaft and Blades <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$1,107.00
	FRONT TURF BRUSHES	
9751	Front Rotary Turf Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$801.00
9801	Front Rotary DT Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$801.00
	REAR ROLLER POWER BRUSHES	
9750	Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9791 (Rear Roller Power Brushes).</i>	\$1,514.00
9791	Rear Roller Power Brushes <i>Set of 3. Requires Code 9750 (Rear Roller Power Brush Drive).</i>	\$554.00
	ROLLER SCRAPERS	
9756	Smooth Roller Scrapers <i>Set of 3 for either Front or Rear Rollers.</i>	\$60.00
9849	(3) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Rear Rollers	\$137.00



2550 PrecisionCut Triplex Mower

Code	Description	List price(USD)
9850	(3) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	\$99.00
MISCELLANEOUS		
9805	Cutting Unit Top Shield Extensions <i>Set of 3. Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	\$110.00
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
BUC10415	(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,266.71
BUC10416	(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,580.21
BM23080	Cutting Unit Top Shield Extension (set of 3) <i>Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	\$117.70
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	\$86.67
BM22705	(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if ONLY installing Rear Roller Power Brush on cutting unit.</i>	\$194.74
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	\$86.67
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS		
BTC10408	(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>1 needed for 2500's.</i>	\$200.09
BTC10718	(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units	\$241.81



2550 PrecisionCut Triplex Mower

Code	Description	List price(USD)
	<i>2 needed for complete machine for 2500's Weight Transfer System.</i>	
BUC10523	Weight Transfer Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System.</i>	\$65.27
BUC10546	Direct Mount Front Grass Catcher Brackets for QA5 Cutting Units <i>2 needed on front cutting units for 2500s when installing bullhorn / direct mount grass catchers. Improved angle for easier grass catcher removal and installation.</i>	\$93.09
BTC10726	55.9 cm (22-in.) Direct Mount Front Grass Catcher for QA5 Cutting Units <i>2 needed for complete machine for 2500's.</i>	\$241.81
TCB11356	Cutting Unit Yokes Kit for MY 1998 through 2008 2500 Riding Greens Mowers	\$1,143.83
BUC10484	Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine</i>	\$1,915.30
BUC10223	Cutting Unit Yokes Kit for MY 2009 to Current 2500 Riding Greens Mowers or QA5 Cutting Units <i>For Paddle Clip Style Grass Catchers only. Less Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	\$801.43
BTC10407	Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	\$215.07
BUC10224	Direct Mount Cutting Unit Yokes Kit for MY 2009 - Current Riding Greens Mowers or QA5 Cutting Units <i>For Direct Mount / Bullhorn Style Grass Catchers Only. Includes Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	\$786.46
BTC10914	Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	\$201.16



2550 PrecisionCut Triplex Mower

Code	Description	List price(USD)
FAIRWAY TENDER CONDITIONER		
BTC10779	(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$681.59
GREENS TENDER CONDITIONER		
BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	\$1,756.94
BTC10778	(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$395.90
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
FRONT TURF BRUSHES		
BTC10773	(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$285.69
BTC10775	(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$285.69
REAR ROLLER POWER BRUSHES		
BTC10834	(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units	\$197.96



2550 PrecisionCut Triplex Mower

Code	Description	List price(USD)
BTC10767	<i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i> (1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	\$540.36
BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	\$88.81
ROLLER SCRAPERS		
BM22995	(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	\$21.40
BM23002	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's.</i>	\$205.44
BUC10112	(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	\$49.21
BUC10113	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	\$35.31
TCA19547	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	\$53.21
MISCELLANEOUS		
AMT2978	Height of Cut Gauge Bar	\$117.88
ROLLERS		
BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	\$220.41
BTC10267	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller	\$451.54

**2550 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
	<i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	
BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	\$220.41
BM23566	(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	\$471.87
BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not Compatible if FTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$545.70
BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	\$323.14
BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$334.91
BUC10786	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Smooth Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	\$451.54
BM18712	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	\$228.99
BM18480	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	\$197.96
BM18711	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller <i>Recommended on rear of cutting unit when using Direct Mount (Bullhorn) style grass catcher system for better balance and even lowering.</i>	\$220.41
BEDKNIVES		

**2550 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
TCU36165	Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	\$125.26
ET11066	Bedknife, 3.2 mm with Hardened Insert	\$116.06
UC23562	Bedknife, 7.6 mm Fairway Hi-Cut	\$39.79
UC18873	Bedknife, 3.2 mm Standard	\$38.45
UC18869	Bedknife, 2.5mm Tournament	\$39.78
UC28163	Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	\$45.86
UC28156	Bedknife, 4.8 mm Fairway Low Cut	\$35.69
VERTICAL CUTTING UNITS		
BUC10417	(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor.</i>	\$3,230.33
MACHINE CONNECTIVITY		
Basic Factory Options		
CONNECTIVITY HARDWARE		
183B	Less JDLink™ Hardware	In Base Price
183E	JDLink™ Modem <i>JDLink™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.</i> <i>JDLink™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.</i> <i>Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets.</i>	\$932.00
OPERATOR'S STATION AND CONTROLS		
Basic Factory Options		
SEAT		
2009	Standard Seat	\$575.00
2010	Deluxe Suspension Seat with Left Side Armrest	\$1,044.00
2090	Less Seat	In Base Price
Field Installed Options		
MISCELLANEOUS		



2550 PrecisionCut Triplex Mower

Code	Description	List price(USD)
9769	Greens Mower Storage and Convenience Kit <i>Contains Storage Area Pad and Elastic Storage Retainer.</i>	\$105.00
9770	Hydraulic Oil Leak Detector	\$1,820.00
ATTACHMENTS FOR FIELD CONVERSION		
SEAT		
BTC10757	Seat, Standard	\$616.31
BTC10758	Seat, Deluxe Suspension with Armrests	\$1,119.21
AMT2477	Arm Rest Kit (Includes one Arm Rest and hardware)	\$235.25
MISCELLANEOUS		
BM19739	Greens Mower Convenience Kit <i>For Diesel Models ONLY; Contains Storage Area Pad and Elastic Storage Retainer.</i>	\$112.36
LIGHTING		
BUC10675	LED Work Light Kit <i>2 forward facing front mounted LED work lights, and 1 LED strip for center grass catcher illumination.</i>	\$631.30
MISCELLANEOUS		
Field Installed Options		
MISCELLANEOUS		
9766	LED Work Light Kit <i>2 forward facing LED work lights at front of operator platform, and one frame-mounted LED light strip to illuminate rear grass catcher.</i>	\$589.00
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
BUC10429	Hydraulic Leak Detector Kit	\$1,950.61
BTC10686	Dew Whip with end support bracket <i>Fits MY 2014 - Current Gas and All Model Year Diesel 2500s.</i>	\$185.11
ENGINE		
TCA19916	B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	\$331.87



2550 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
	2550 E-Cut Hybrid Triplex Mower	
	ENGINE: 3-cylinder Diesel Liquid Cooled EPA Tier 4 Compliant Single Fuel Tank with 7.9 US gallon (30 L) capacity Up to 30% Fuel Savings at reduced engine throttle (2250 rpm)	
	CHASSIS: Offset Cutting Unit Design 2-post SAE J21294 ROPS with seat belts Double Upstops for Front Cutting Units	
	HYDRAULICS: Directed mounted hydraulic pumps Hydrostatic traction drive U-Shaped Hydraulic Reservoir Hydraulic Oil Cooler	
	ELECTRICAL: White Box controller Sit-on-Seat Diagnostics On-Board Reel Circuit Diagnostics BCI Group 40 Maintenance Free Battery Brushless Electric Reel Motors 48-Volt, 100-amp Alternator Reel Switch Box for Reel Speed and Direction Control	
	OPERATOR STATION: Command Arm Operator Controls One Touch Hand Operated Lift / Lower Joystick Four Function LED Warning Monitor with Hour Meter Hand Operated Mow / Transport Lever Hand Operated Engine Throttle Lever Reduced Engine RPM notch Dual Traction Pedals Foot actuated 5-Position Adjustable Tilt Steering Column Integrated Cup Holder and Radio Holder Storage Compartment built into Fuel tank	



2550 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
	STEERING AND BRAKES: Hydrostatic Power Steering Disc Brakes Foot Operated Parking Brake	
	BASE MACHINE	
1172TC	<i>19.6 HP (14.6kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.</i> EPA Tier 4 and EU Stage V Compliant 2550 E-Cut Hybrid Triplex Mower	\$42,049.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other Countries (English / Spanish)	In Base Price
	WHEELS AND TIRES	
	Basic Factory Options	
	WHEELS AND TIRES	
1022	Smooth Tires and Wheels (20x10.00-10, 2 ply)	\$611.00
1023	Turf Guard Traction Tires and Wheels (20x10.00-10, 2 ply)	\$653.00
1024	Smooth Tires and Wheels (20x10.00-10, 4 ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	\$611.00
1040	Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10, 4 ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	\$611.00
1043	Smooth Tires and Wheels (18x10.5-10, 4-ply)	\$653.00
1149	Less Wheels and Tires	In Base Price
	ATTACHMENTS FOR FIELD CONVERSION	
	WHEELS AND TIRES	
BM19749	Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	\$699.79
BM19748	Tires and Wheels (20x10.00-10), (3) Smooth 2-ply Rated	\$654.84

**2550 E-Cut Hybrid Triplex Mower**

Code	Description	List price(USD)
BUC10621	Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	\$654.84
BUC10620	Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens</i>	\$654.84
BUC10575	Tires and Wheels (18x10.50-10), (3) Smooth 4-ply Rated	\$699.79
DRIVE SYSTEM		
Basic Factory Options		
DRIVE SYSTEM		
1190	Two-Wheel Drive (2WD) <i>Dealer installed</i>	In Base Price
1192	Rear Wheel Assist - Traditional Parallel System <i>Dealer installed</i> <i>Less aggressive on fine turf, especially during turns</i> <i>Parallel circuit design</i>	\$3,205.00
1193	Rear Wheel Assist - GRIP All-Wheel Drive <i>Dealer installed</i> <i>Most aggressive rear wheel assist system</i> <i>Series Parallel Circuit design</i>	\$3,338.00
ATTACHMENTS FOR FIELD CONVERSION		
DRIVE SYSTEM		
BTC11025	2WD Axle and Hub Kit <i>Does not include wheel and tire.</i>	\$190.46
BUC10272	Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 18 and Later 2500 Riding Greens Mowers.</i> <i>Series Parallel Circuit. Most aggressive traction system.</i>	\$3,578.09
BUC10269	Third Wheel Assist Kit (Parallel Circuit) <i>For MY 18 and Later 2500 Riding Greens Mowers.</i> <i>Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	\$3,435.77
CUTTING UNITS		
Basic Factory Options		
REEL CUTTING UNITS		

**2550 E-Cut Hybrid Triplex Mower**

Code	Description	List price(USD)
	<i>5-in. (12.7 cm) Diameter Quik-Tatch Cutting Units 22-in. (55.9 cm) Cutting Width per Cutting Unit 62-in. (157.5 cm) Total Width of Cut Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i>	
1201	Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$8,803.00
1203	Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$9,142.00
1212	Quick Adjust 5 (QA5) Vertical Cutting Units <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Maximum operating depth 0.125-in. (3.2 mm).</i>	\$9,043.00
1214	Quick Adjust 5 (QA5) 14-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$10,020.00
1290	Less Cutting Units	In Base Price
	REEL FRONT ROLLERS	
	<i>55.9 cm (22-in.) Standard Width Rollers</i>	
1300	50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers with Solid Endcaps	\$643.00
1302	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$438.00
1304	50.8 mm (2-in.) Diameter Machined Grooved Wide Solid Rollers	\$618.00
1305	76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	\$939.00

**2550 E-Cut Hybrid Triplex Mower**

Code	Description	List price(USD)
	<i>Not compatible if FTC installed. 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	
1307	76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral Endcaps <i>Not compatible with FTCs / GTCs.</i>	\$1,527.00
1324	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,319.00
1325	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,263.00
1327	63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	\$904.00
1329	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,263.00
1390	Less Front Rollers	In Base Price
	REEL REAR ROLLERS	
	<i>55.9 cm (22-in.) Standard Width Rollers</i>	
1601	50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers <i>Recommended when using direct mount (Bullhorn) style grass catcher system (Code 3202).</i>	\$618.00
1602	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	\$438.00
1618	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,319.00
1620	50.8 mm (2-in.) Diameter MT Grooved Rollers	\$1,263.00

**2550 E-Cut Hybrid Triplex Mower**

Code	Description	List price(USD)
	<i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	
1624	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,263.00
1690	Less Rear Rollers	In Base Price
REEL CUTTING UNIT COUNTER WEIGHTS		
1400	Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs / GTCs or Rear Roller Power Brushes on cutting units.</i>	\$243.00
1403	Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	\$544.00
1408	Cutting Unit and FTC / GTC ONLY Counterweights <i>Select if ONLY installing FTC / GTC on cutting units.</i>	\$243.00
1490	Less Cutting Unit Counterweights <i>Select if installing BOTH FTC / GTC and Rear Roller Power Brush on cutting units.</i>	In Base Price
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS		
3200	Cutting Unit Attaching Yokes and Paddle Clip Style Molded One-Piece Grass Catchers <i>Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	\$1,893.00
3201	Cutting Unit Rear Attaching Yokes for FAIRWAYS and Paddle Clip Style Molded One-Piece Grass Catchers <i>DO NOT USE ON GREENS. Yokes attach at rear of cutting unit like fairway mowers and are recommended for use in fairways, tees, surrounds, and approaches. Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	\$2,934.00
3202	Cutting Unit Attaching Yokes and Direct Mounted (Bullhorn) Molded One-Piece Grass Catchers	\$1,744.00



2550 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
	<i>Front Cutting Units use Direct Mounted (Bullhorn) style grass catchers and mounts. Rear Grass Catcher includes Bail System. 50.8 mm (2-in.) Diameter Machined Solid Smooth Rollers (Code 1601) are also recommended on the rear of the cutting unit for better balance when lowering cutting units.</i>	
3210	Less Cutting Unit Yokes and Grass Catchers	In Base Price
	Field Installed Options	
	FAIRWAY TENDER CONDITIONER	
9738	Fairway Tender Conditioner Shaft and Blades <i>Set of 3. Not compatible with 7.6 cm (3-in.) Front Rollers. Requires Code 9743 (FTC / GTC / Rotary Brush Gear Drive).</i>	\$1,909.00
9743	FTC / GTC / Front Rotary Brush Gear Drive <i>Set of 3. Requires Code 9738, 9742, 9751, or 9801.</i>	\$4,915.00
	GREENS TENDER CONDITIONER	
9742	Greens Tender Conditioner Shaft and Blades <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$1,107.00
	FRONT TURF BRUSHES	
9751	Front Rotary Turf Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$801.00
9801	Front Rotary DT Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$801.00
	REAR ROLLER POWER BRUSHES	
9750	Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9791 (Rear Roller Power Brushes).</i>	\$1,514.00
9791	Rear Roller Power Brushes <i>Set of 3. Requires Code 9750 (Rear Roller Power Brush Drive).</i>	\$554.00
	ROLLER SCRAPERS	
9756	Smooth Roller Scrapers <i>Set of 3 for either Front or Rear Rollers.</i>	\$60.00
9849	(3) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Rear Rollers	\$137.00



2550 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
9850	(3) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	\$99.00
MISCELLANEOUS		
9805	Cutting Unit Top Shield Extensions <i>Set of 3. Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	\$110.00
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
BUC10415	(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,266.71
BUC10416	(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,580.21
BM23080	Cutting Unit Top Shield Extension (set of 3) <i>Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	\$117.70
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	\$86.67
BM22705	(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if ONLY installing Rear Roller Power Brush on cutting unit.</i>	\$194.74
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	\$86.67
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS		
BTC10408	(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>1 needed for 2500's.</i>	\$200.09
BTC10718	(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units	\$241.81



2550 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
	<i>2 needed for complete machine for 2500's Weight Transfer System.</i>	
BUC10523	Weight Transfer Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System.</i>	\$65.27
BUC10546	Direct Mount Front Grass Catcher Brackets for QA5 Cutting Units <i>2 needed on front cutting units for 2500s when installing bullhorn / direct mount grass catchers. Improved angle for easier grass catcher removal and installation.</i>	\$93.09
BTC10726	55.9 cm (22-in.) Direct Mount Front Grass Catcher for QA5 Cutting Units <i>2 needed for complete machine for 2500's.</i>	\$241.81
TCB11356	Cutting Unit Yokes Kit for MY 1998 through 2008 2500 Riding Greens Mowers	\$1,143.83
BUC10223	Cutting Unit Yokes Kit for MY 2009 to Current 2500 Riding Greens Mowers or QA5 Cutting Units <i>For Paddle Clip Style Grass Catchers only. Less Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	\$801.43
BUC10484	Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine</i>	\$1,915.30
BTC10407	Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	\$215.07
BTC10914	Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	\$201.16
BUC10224	Direct Mount Cutting Unit Yokes Kit for MY 2009 - Current Riding Greens Mowers or QA5 Cutting Units <i>For Direct Mount / Bullhorn Style Grass Catchers Only. Includes Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	\$786.46

**2550 E-Cut Hybrid Triplex Mower**

Code	Description	List price(USD)
FAIRWAY TENDER CONDITIONER		
BTC10779	(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$681.59
GREENS TENDER CONDITIONER		
BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	\$1,756.94
BTC10778	(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$395.90
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
FRONT TURF BRUSHES		
BTC10773	(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$285.69
BTC10775	(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$285.69
REAR ROLLER POWER BRUSHES		
BTC10834	(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units	\$197.96



2550 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
BTC10767	<i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i> (1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	\$540.36
BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	\$88.81
ROLLER SCRAPERS		
BM22995	(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	\$21.40
BM23002	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's.</i>	\$205.44
BUC10113	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	\$35.31
TCA19547	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	\$53.21
BUC10112	(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	\$49.21
MISCELLANEOUS		
AMT2978	Height of Cut Gauge Bar	\$117.88
ROLLERS		
BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	\$220.41
BTC10267	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller	\$451.54

**2550 E-Cut Hybrid Triplex Mower**

Code	Description	List price(USD)
	<i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	
BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	\$220.41
BM23566	(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	\$471.87
BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not Compatible if FTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$545.70
BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	\$323.14
BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$334.91
BUC10786	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Smooth Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	\$451.54
BM18712	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	\$228.99
BM18480	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	\$197.96
BM18711	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller <i>Recommended on rear of cutting unit when using Direct Mount (Bullhorn) style grass catcher system for better balance and even lowering.</i>	\$220.41
BEDKNIVES		



2550 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
TCU36165	Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	\$125.26
ET11066	Bedknife, 3.2 mm with Hardened Insert	\$116.06
UC28163	Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	\$45.86
UC23562	Bedknife, 7.6 mm Fairway Hi-Cut	\$39.79
UC18869	Bedknife, 2.5mm Tournament	\$39.78
UC18873	Bedknife, 3.2 mm Standard	\$38.45
UC28156	Bedknife, 4.8 mm Fairway Low Cut	\$35.69
VERTICAL CUTTING UNITS		
BUC10417	(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor.</i>	\$3,230.33
MACHINE CONNECTIVITY		
Basic Factory Options		
CONNECTIVITY HARDWARE		
183B	Less JDLink™ Hardware	In Base Price
183E	JDLink™ Modem <i>JDLink™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.</i> <i>JDLink™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.</i> <i>Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets.</i>	\$932.00
OPERATOR'S STATION AND CONTROLS		
Basic Factory Options		
SEAT		
2009	Standard Seat	\$575.00
2010	Deluxe Suspension Seat with Left Side Armrest	\$1,044.00
2090	Less Seat	In Base Price
Field Installed Options		
MISCELLANEOUS		



2550 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
9769	Greens Mower Storage and Convenience Kit <i>Contains Storage Area Pad and Elastic Storage Retainer.</i>	\$105.00
9770	Hydraulic Oil Leak Detector	\$1,820.00
ATTACHMENTS FOR FIELD CONVERSION		
SEAT		
BTC10757	Seat, Standard	\$616.31
BTC10758	Seat, Deluxe Suspension with Armrests	\$1,119.21
AMT2477	Arm Rest Kit (Includes one Arm Rest and hardware)	\$235.25
MISCELLANEOUS		
BM19739	Greens Mower Convenience Kit <i>For Diesel Models ONLY; Contains Storage Area Pad and Elastic Storage Retainer.</i>	\$112.36
LIGHTING		
BUC10675	LED Work Light Kit <i>2 forward facing front mounted LED work lights, and 1 LED strip for center grass catcher illumination.</i>	\$631.30
MISCELLANEOUS		
Field Installed Options		
MISCELLANEOUS		
9766	LED Work Light Kit <i>2 forward facing LED work lights at front of operator platform, and one frame-mounted LED light strip to illuminate rear grass catcher.</i>	\$589.00
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
BUC10429	Hydraulic Leak Detector Kit	\$1,950.61
BTC10686	Dew Whip with end support bracket <i>Fits MY 2014 - Current Gas and All Model Year Diesel 2500s.</i>	\$185.11
ENGINE		
TCA19916	B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	\$331.87



2653B PrecisionCut Trim and Surrounds Mower

Code	Description	List price(USD)
	2653B PrecisionCut Trim and Surrounds Mower	
	<p>ENGINE: 19.6 HP (14.6 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information. 3-cylinder IDI Diesel Engine Liquid Cooled 7.4 US Gallon (28 L) Fuel Capacity</p> <p>CHASSIS: 2-post ISO 21299 ROPS with Seat Belts</p> <p>HYDRAULICS: U-shaped Hydraulic Reservoir Hydrostatic Traction Drive Hydraulic Reel Motors Single Reel Pump Micro-lap Backlapping Valves with Reel Speed Control and Pressure Compensation Oil Cooler GRIP All-Wheel Drive Traction System</p> <p>ELECTRICAL: White Box controller with On Board Diagnostics Sit-On-Seat Diagnostics BCI Group 40 Maintenance Free Battery</p> <p>OPERATOR STATION: Dual traction pedals Four Function LED Warning Monitor with Hour Meter One Touch Hand Operated Lift / Lower Joystick Hand Operated Engine Throttle Lever Hand Operated Mow / Transport Lever</p> <p>STEERING AND BRAKES: Hydrostatic Power Steering Hand Operated Parking Brake</p>	
	BASE MACHINE	



2653B PrecisionCut Trim and Surrounds Mower

Code	Description	List price(USD)
1228TC	2653B PrecisionCut Trim and Surrounds Mower	\$34,389.00
DESTINATION AND LANGUAGE		
Basic Factory Options		
DESTINATION		
001A	United States and Canada	In Base Price
OPERATOR'S MANUAL		
0443	All Other Countries (English / Spanish)	In Base Price
WHEELS AND TIRES		
Basic Factory Options		
WHEELS AND TIRES		
1145	20x12-10 Turf Trac Front Tires with 20x10-8 Turf Trac Rear Tire	\$338.00
1146	20x10-10 Multi Trac Front Tires with 20x10-8 Turf Trac Rear Tire	\$461.00
1147	20x10-10 Ribbed Front Tires with 20x10-8 Turf Trac Rear Tire	\$461.00
1149	Less Front Wheels and Tires <i>20x10-8 Turf Trac Rear Tire will still be included in crate with machine.</i>	In Base Price
ATTACHMENTS FOR FIELD CONVERSION		
WHEELS AND TIRES		
BTC11033	20x10-10 Multi Trac Front Wheels and Tires <i>Set of 2</i>	\$472.94
BTC11035	20x10-10 Ribbed Front Wheels and Tires <i>Set of 2</i>	\$472.94
BTC11034	20x12-10 Turf Trac Front Wheels and Tires <i>Set of 2</i>	\$346.69
CUTTING UNITS		
Basic Factory Options		
REEL CUTTING UNITS		
26 Inch QA7 Cutting Units <i>66 cm (26-in.) Width per cutting unit</i>		
1204	Quick Adjust 7 (QA7) 5-blade 66 cm (26-in.) Cutting Units	\$10,103.00
1206	Quick Adjust 7 (QA7) 8-blade 66 cm (26-in.) Cutting Units	\$10,707.00
1218	Quick Adjust 7 (QA7) 10-blade 66 cm (26-in.) Cutting Units	\$10,707.00

**2653B PrecisionCut Trim and Surrounds Mower**

Code	Description	List price(USD)
	30 Inch QA7 Cutting Units <i>76.2 cm (30-in.) Width per cutting unit</i>	
1205	Quick Adjust 7 (QA7) 5-blade 76.2 cm (30-in.) Cutting Units	\$11,757.00
1207	Quick Adjust 7 (QA7) 8-blade 76.2 cm (30-in.) Cutting Units	\$12,513.00
1219	Quick Adjust 7 (QA7) 10-blade 76.2 cm (30-in.) Cutting Units	\$12,513.00
1290	Less Cutting Units, Front Lift Arms, and Yokes	In Base Price
REEL FRONT ROLLERS		
	26 Inch Front Rollers	
1315	66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	\$730.00
1316	66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	\$939.00
1317	66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	\$1,687.00
	30 Inch Front Rollers	
1318	76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	\$769.00
1319	76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	\$977.00
1320	76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	\$2,209.00
1390	Less Front Rollers	In Base Price
REEL CUTTING UNIT COUNTER WEIGHTS		
1402	Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on 66 cm (26-in.) cutting units. Required for all 76.2 cm (30-in.) cutting units.</i>	\$243.00
1404	Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on 66 cm (26-in.) cutting units. Not compatible with 76.2 cm (30-in.) cutting units.</i>	\$544.00
1409	Cutting Unit and FTC ONLY Counterweights	\$243.00



2653B PrecisionCut Trim and Surrounds Mower

Code	Description	List price(USD)
1490	<p>Select if ONLY installing FTC on 66 cm (26-in.) cutting units. Not compatible with 76.2 cm (30-in.) cutting units.</p> <p>Less Cutting Unit Counterweights</p> <p>Select if installing BOTH FTC and Rear Roller Power Brush on 66 cm (26-in.) cutting units. Not compatible with 76.2 cm (30-in.) cutting units.</p>	In Base Price
Field Installed Options		
GRASS CATCHERS		
9736	<p>Grass Catchers and Mounting Hardware for 66 cm (26-in.) QA7 Cutting Units</p> <p>Front mounted grass catchers for front cutting units, rear mounted grass catcher for rear cutting unit. Not compatible with Rear Roller Power Brush. Not compatible with 76.2 cm (30-in.) cutting units.</p>	\$1,638.00
FAIRWAY TENDER CONDITIONER		
9741	<p>Fairway Tender Conditioner Shaft and Blades, 66 cm (26-in.)</p> <p>Set of 3. Requires code 9744 (FTC Gear Drive). Not compatible with 76.2 cm (30-in.) cutting units.</p>	\$2,043.00
9744	<p>FTC Gear Drive</p> <p>Set of 3. Requires code 9741 (Fairway Tender Conditioner Shaft and Blades). Not compatible with 76.2 cm (30-in.) cutting units.</p>	\$4,915.00
REAR ROLLER POWER BRUSHES		
9747	<p>Rear Roller Power Brushes</p> <p>Set of 3. Requires Code 9749 (Rear Roller Power Brush Drive). Not compatible with Grass Catchers. Not compatible with 76.2 cm (30-in.) cutting units.</p>	\$688.00
9749	<p>Rear Roller Power Brush Drive</p> <p>Set of 3. Requires Code 9747 (Rear Roller Power Brushes). Not compatible with Grass Catchers. Not compatible with 76.2 cm (30-in.) cutting units.</p>	\$1,514.00
ROLLER SCRAPERS		
9757	<p>66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers</p> <p>Set of 3. Requires (3) TCA19587 from parts. Not compatible with Rear Roller Power Brushes.</p>	\$185.00

**2653B PrecisionCut Trim and Surrounds Mower**

Code	Description	List price(USD)
	<i>Requires code 9865 if using in combination with grass catchers.</i>	
9759	76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts.</i>	\$575.00
9760	66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts. Not compatible with FTCs.</i>	\$526.00
9762	76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers <i>Set of 3. Requires (3) TCA19587 from parts.</i>	\$240.00
9835	66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers for Vertical Cutting Units <i>Set of 3, Front and Rear.</i>	\$455.00
9865	66 cm (26-in.) Smooth Rear Roller Scraper for Rear Cutting Unit (Compatible with Rear Mounted Grass Catcher) <i>Required when using rear roller scrapers in combination with grass catchers on 2653B and 7200A PrecisionCut Trim and Surrounds Mowers. Includes 1 smooth rear roller scraper and mounting hardware. Needed for rear cutting unit only. Select order code 9757 to order the scrapers for the front cutting units.</i>	\$141.00
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	\$86.67
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or FTC Kits.</i>	\$86.67
BM22721	(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	\$194.74
GRASS CATCHERS		
BM22759	(1) 660.4-mm (26-in.) Grass Catcher for QA7 Cutting Units	\$450.47

**2653B PrecisionCut Trim and Surrounds Mower**

Code	Description	List price(USD)
	<i>Grass catchers mount to front of cutting unit on front cutting units, and to rear of cutting unit on rear cutting unit. Requires BM22760 Mounting Hardware Kit. 1 Kit required per grass catcher. Not compatible with Rear Roller Power Brushes. Requires BM18185 Orifice Kit.</i>	
BM22760	Mounting Hardware for 660.4 mm (26-in.) Grass Catcher <i>Includes parts to install grass catchers on a complete 2653B or 7200/7200A.</i>	\$353.10
BM18185	Grass Catcher Orifice <i>1 Kit Required for installation of Grass Catchers on 2653B. Not required on 7200/7200A.</i>	\$51.36
FAIRWAY TENDER CONDITIONER		
BTC10759	(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10781 FTC Shaft Kit. Not compatible with previous FTC Kits.</i>	\$1,756.94
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
BTC10781	(1) 66 cm (26-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	\$729.74
REAR ROLLER POWER BRUSHES		
BTC10768	(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10836 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	\$540.36
BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design.</i>	\$88.81

**2653B PrecisionCut Trim and Surrounds Mower**

Code	Description	List price(USD)
	<i>Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	
BTC10836	(1) 66 cm (26-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives. Not compatible with Grass Catchers.</i>	\$246.10
ROLLER SCRAPERS		
BM23005	(1) 660.4 mm (26-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC). 1 required per cutting unit.</i>	\$188.31
BM23004	(1) 762 mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>1 required per cutting unit.</i>	\$205.44
BUC10326	(1) 762 mm (30-in.) Smooth Roller Scraper with Mounting Hardware <i>Includes all hardware and mounting brackets.</i>	\$150.87
BUC10110	(1) 660.4 mm (26-in.) Smooth Rear Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit</i>	\$83.46
BUC10076	(1) 660.4 mm (26-in.) Smooth Front Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	\$79.19
BUC10299	66 cm (26-in.) Smooth Rear Roller Scraper for Rear Cutting Unit (Compatible with Rear Mounted Grass Catcher) <i>Required when using rear roller scrapers in combination with grass catchers on 2653B and 7200A PrecisionCut Trim and Surrounds Mowers. Includes 1 smooth rear roller scraper and mounting hardware. Needed for rear cutting unit only.</i>	\$150.87
BUC10325	(1) 660.4 mm (26-in.) Smooth Roller Scraper with Mounting Hardware <i>Includes all hardware and mounting brackets.</i>	\$139.10
ROLLERS		

**2653B PrecisionCut Trim and Surrounds Mower**

Code	Description	List price(USD)
BM19819	(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	\$788.59
BM18439	(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	\$274.99
BM17671	(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	\$261.09
BM19818	(1) 660.4-mm (26-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	\$603.49
BM25319	(1) 762 mm (30-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	\$348.81
BM25318	(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	\$334.91
REEL CUTTING UNIT ATTACHING YOKES		
BM22763	(1) Conversion Mounting Kit old machine to new Quick-Adjust 7 (QA7) Cutting Units <i>Contains Parts to Convert (1) Cutting Unit.</i>	\$204.37
BM22764	(1) Conversion Mounting Kit 2009 machine to old cutting ESP™ cutting units <i>Contains Parts to Convert (1) Cutting Unit.</i>	\$95.23
TCB11374	(3) Front Yokes for 660.4 mm (26-in.) QA7 Cutting Units	\$824.97
TCB11373	(3) Front Yokes for 762 mm (30-in.) QA7 Cutting Units	\$1,046.46
TCB11353	(2) Front Lift Arms for 2653B PrecisionCut with 660.4 mm (26-in.) QA7 Cutting Units	\$567.10
TCB11355	(2) Front Lift Arms for 2653B PrecisionCut with 762 mm (30-in.) QA7 Cutting Units	\$788.59
MISCELLANEOUS		
TCU13823	Height of Cut Gauge Bar	\$136.62
BEDKNIVES		
UC11472	Bedknife, 6.3 mm Tournament for 76.2 cm (30-in.) QA7 Cutting Units	\$69.46
TCU34070	Bedknife, 6.3 mm with Hardened Insert, Less Aggressive for 66 cm (26-in.) QA7 Cutting Units	\$161.69

**2653B PrecisionCut Trim and Surrounds Mower**

Code	Description	List price(USD)
UC23566	Bedknife, 6.3 mm Tournament for 66 cm (26-in.) QA7 Cutting Units	\$52.31
UC23481	Bedknife, 15.8 mm Standard for 66 cm (26-in.) QA7 Cutting Units	\$46.97
UC23564	Bedknife, 15.8 mm Standard for 76.2 cm (30-in.) QA7 Cutting Units	\$51.16
CUTTING UNITS		
BUC10410	(1) Quick-Adjust 7 (QA7) 762 mm (30-in.) Vertical Cutting Unit with Front and Rear Rollers <i>Less yoke, motor, and counterweight</i>	\$3,049.50
BUC10404	(1) Quick-Adjust 7 (QA7) 8-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,360.87
BUC10403	(1) Quick-Adjust 7 (QA7) 5-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,144.73
BUC10407	(1) Quick-Adjust 7 (QA7) 10-Blade 660.4 mm (26-in.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,360.87
BUC10409	(1) Quick-Adjust 7 (QA7) 660.4 mm (26-in.) Vertical Cutting Unit with Front and Rear Rollers <i>Less yoke, motor, and counterweight</i>	\$2,656.81
MACHINE CONNECTIVITY		
Basic Factory Options		
CONNECTIVITY HARDWARE		
183B	Less JDLink™ Hardware	In Base Price
183E	JDLink™ Modem <i>Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets.</i> <i>JDLink™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.</i> <i>JDLink™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.</i>	\$932.00



2653B PrecisionCut Trim and Surrounds Mower

Code	Description	List price(USD)
OPERATOR'S STATION AND CONTROLS		
Basic Factory Options		
SEAT		
2009	Standard Seat	\$575.00
2010	Deluxe Suspension Seat with Armrest	\$1,044.00
2090	Less Seat	In Base Price
Field Installed Options		
LIGHTING		
9766	LED Work Light Kit <i>2 forward facing LED work lights at front of operator platform, and one frame-mounted LED light strip to illuminate rear cutting unit. Also requires (1) TCB11065 Mounting Kit from parts to complete installation.</i>	\$589.00
ATTACHMENTS FOR FIELD CONVERSION		
SEAT		
BTC10758	Seat, Deluxe Suspension with Armrests	\$1,119.21
BTC10757	Seat, Standard	\$616.31
AM117680	Arm Rest Kit	\$399.71
LIGHTING		
BUC10675	LED Work Light Kit <i>2 forward facing LED work lights at front of operator platform, and one frame-mounted LED light strip to illuminate rear cutting unit. Also requires (1) TCB11065 Mounting Kit to complete installation.</i>	\$631.30
TCB11065	Light Bracket Kit, Front <i>Required to Mount BM19746 Front Light Kit.</i>	\$123.06



2700 PrecisionCut Triplex Mower

Code	Description	List price(USD)
	<p>2700 PrecisionCut Triplex Mower</p> <p>ENGINE: Electronically Controlled 2-cylinder V Twin EFI Electronic Throttle Air Cooled Single Fuel Tank with 5.2 US gallon (10 L) capacity</p> <p>CHASSIS: Removable Cast Aluminum Foot Platform Mesh Platform Cover Cutting Unit Contour Following System Factory Installed Cutting Unit Steering Limiters 2-post SAE J21294 ROPS with seat belts</p> <p>TRANSMISSION: eHydro Electronically controlled Traction Pump AutoPedal feature in Transport</p> <p>HYDRAULICS: Proportional Lift / Lower Valve, electronically controlled Proportional Mow Valve, electronically controlled Frequency of Clip Control (3) Independent Lift Cylinders Power Steering with Double Acting Steering Cylinder Quik-Tatch Hydraulic reel motors Hydraulic Oil Cooler</p> <p>ELECTRICAL: Factory Installed 12 Volt Power Port Reel Speed Sensors Wheel Speed Sensors</p> <p>ADVANCED TECHCONTROL DISPLAY: Passcode Protected Settings Frequency of Clip, Fixed, and Off Reel Speed Modes Eco, Min, and Max Engine Speed Modes Mow, Transport, and Turn Speeds Clean Up Pass Mode Rate of Drop and Lift Rate Control</p>	



2700 PrecisionCut Triplex Mower

Code	Description	List price(USD)
	<p>Front to Rear Cutting Unit Timing Service Timers and Diagnostics</p> <p>OPERATOR STATION: Command Arm Operator Controls One Touch Hand Operated Lift / Lower Joystick Mow / Transport Switch Independently adjustable Tilt Steering Column and Steering Wheel Dual Traction Pedals Integrated Cup Holder and Radio Holder</p> <p>BRAKES: Disc Brakes Hand Operated Parking Brake</p>	
	<p>BASE MACHINE <i>19 hp (14.2 kW) at 3600 rpm Engine Manufacturer Gross Power, Tested in accordance with SAE J1940 / J1995. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</i></p>	
1232TC	2700 PrecisionCut Triplex Mower	\$40,079.00
	<p>DESTINATION AND LANGUAGE Basic Factory Options DESTINATION</p>	
001A	United States and Canada	In Base Price
	<p>OPERATOR'S MANUAL</p>	
0443	All Other Countries (English / Spanish)	In Base Price
	<p>WHEELS AND TIRES Basic Factory Options WHEELS AND TIRES</p>	
1022	Smooth Tires and Wheels (20x10.00-10, 2 ply)	\$611.00
1023	Turf Guard Traction Tires and Wheels (20x10.00-10, 2 ply)	\$653.00
1024	Smooth Tires and Wheels (20x10.00-10, 4 ply)	\$611.00



2700 PrecisionCut Triplex Mower

Code	Description	List price(USD)
	<i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	
1040	Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10, 4 ply)	\$611.00
	<i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	
1149	Less Wheels and Tires	In Base Price
ATTACHMENTS FOR FIELD CONVERSION		
WHEELS AND TIRES		
BM19749	Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	\$699.79
BM19748	Tires and Wheels (20x10.00-10), (3) Smooth 2-ply Rated	\$654.84
BUC10621	Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	\$654.84
BUC10620	Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens</i>	\$654.84
DRIVE SYSTEM		
Basic Factory Options		
DRIVE SYSTEM		
1190	Two-Wheel Drive (2WD)	In Base Price
1193	Rear Wheel Assist - GRIP All-Wheel Drive <i>Most aggressive rear wheel assist system</i> <i>Series Parallel Circuit design</i>	\$3,338.00
ATTACHMENTS FOR FIELD CONVERSION		
DRIVE SYSTEM		
BTC11025	2WD Axle and Hub Kit <i>Does not include wheel and tire.</i>	\$190.46
CUTTING UNITS		
Basic Factory Options		
REEL CUTTING UNITS		
	<i>5-in. (12.7 cm) Diameter Quik-Tatch Cutting Units</i> <i>22-in. (55.9 cm) Cutting Width per Cutting Unit</i> <i>62-in. (157.5 cm) Total Width of Cut</i>	

**2700 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
	<i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i>	
1201	Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$8,803.00
1203	Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$9,142.00
1212	Quick Adjust 5 (QA5) Vertical Cutting Units <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Maximum operating depth 0.125-in. (3.2 mm).</i>	\$9,043.00
1214	Quick Adjust 5 (QA5) 14-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$10,020.00
1290	Less Cutting Units	In Base Price
	REEL FRONT ROLLERS	
	<i>55.9 cm (22-in.) Standard Width Rollers</i>	
1300	50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers with Solid Endcaps	\$643.00
1302	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$438.00
1304	50.8 mm (2-in.) Diameter Machined Grooved Wide Solid Rollers	\$618.00
1305	76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed. 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$939.00
1307	76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral Endcaps	\$1,527.00

**2700 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
	<i>Not compatible with FTCs / GTCs.</i>	
1324	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,319.00
1325	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,319.00
1327	63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	\$904.00
1329	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,263.00
1390	Less Front Rollers	In Base Price
	REEL REAR ROLLERS	
	<i>55.9 cm (22-in.) Standard Width Rollers</i>	
1601	50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers <i>Recommended when using direct mount (Bullhorn) style grass catcher system (Code 3202).</i>	\$618.00
1602	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	\$438.00
1618	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,319.00
1620	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,319.00
1624	50.8 mm (2-in.) Diameter MT Smooth Rollers	\$1,263.00

**2700 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
	<i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	
1690	Less Rear Rollers	In Base Price
REEL CUTTING UNIT COUNTER WEIGHTS		
1400	Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs / GTCs or Rear Roller Power Brushes on cutting units.</i>	\$243.00
1403	Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	\$544.00
1408	Cutting Unit and FTC / GTC ONLY Counterweights <i>Select if ONLY installing FTC / GTC on cutting units.</i>	\$243.00
1490	Less Cutting Unit Counterweights <i>Select if installing BOTH FTC / GTC and Rear Roller Power Brush on cutting units.</i>	In Base Price
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS		
3203	Cutting Unit Attaching Yokes and Translucent Yellow Grass Catchers <i>Includes Yokes, Yellow Grass Catchers, and Catcher Mounting Hardware.</i> <i>Translucent Yellow provides good contrast with grass clippings to more accurately see fill level. With ample ambient lighting, level can also be seen from outside of machine.</i>	\$1,271.00
3204	Cutting Unit Attaching Yokes and Black Grass Catchers <i>Includes Yokes, Black Grass Catchers, and Catcher Mounting Hardware.</i>	\$1,271.00
3210	Less Cutting Unit Yokes and Grass Catchers	In Base Price
Field Installed Options		
VERTICAL CUTTING UNITS		
9121	Quick Adjust 5 (QA5) Vertical Cutting Units <i>Complete Set of 3</i> <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing.</i>	\$9,043.00

**2700 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
	<i>Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Maximum operating depth 0.125-in. (3.2 mm). Less Motors and Counterweights.</i>	
FAIRWAY TENDER CONDITIONER		
9738	Fairway Tender Conditioner Shaft and Blades <i>Set of 3. Not compatible with 7.6 cm (3-in.) Front Rollers. Requires Code 9743 (FTC / GTC / Rotary Brush Gear Drive).</i>	\$1,909.00
9743	FTC / GTC / Front Rotary Brush Gear Drive <i>Set of 3. Requires Code 9738, 9742, 9751, or 9801.</i>	\$4,915.00
GREENS TENDER CONDITIONER		
9742	Greens Tender Conditioner Shaft and Blades <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$1,107.00
FRONT TURF BRUSHES		
9751	Front Rotary Turf Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$801.00
9801	Front Rotary DT Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$801.00
REAR ROLLER POWER BRUSHES		
9750	Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9791 (Rear Roller Power Brushes).</i>	\$1,514.00
9791	Rear Roller Power Brushes <i>Set of 3. Requires Code 9750 (Rear Roller Power Brush Drive).</i>	\$554.00
ROLLER SCRAPERS		
9756	Cable Style Smooth Roller Scrapers <i>Set of 3 for either Front or Rear Rollers.</i>	\$60.00
9849	(3) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Rear Rollers	\$137.00
9850	(3) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	\$99.00
MISCELLANEOUS		

**2700 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
9805	Cutting Unit Top Shield Extensions <i>Set of 3. Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	\$110.00
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
BUC10415	(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,266.71
BUC10416	(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,580.21
BM23080	Cutting Unit Top Shield Extension (set of 3) <i>Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	\$117.70
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	\$86.67
BM22705	(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if ONLY installing Rear Roller Power Brush on cutting unit.</i>	\$194.74
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	\$86.67
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS		
BUC11329	Translucent Yellow Grass Catchers for 2700 / 2750 Triplex Mowers <i>3 required for complete machine. Grass catcher only, does not include Grass Catcher Mounting Hardware or Cutting Unit Yokes.</i>	\$247.17
BUC11330	Black Grass Catchers for 2700 / 2750 Triplex Mowers <i>3 required for complete machine. Grass catcher only, does not include Grass Catcher Mounting Hardware or Cutting Unit Yokes.</i>	\$247.17

**2700 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
BUC11201	Cutting Unit Yoke and Grass Catcher Mounting Kit for 2700 / 2750 Triplex Mowers <i>3 required for complete machine. Includes grass catcher wear plates.</i>	\$271.79
VERTICAL CUTTING UNITS		
BUC10417	(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor.</i>	\$3,230.33
FAIRWAY TENDER CONDITIONER		
BTC10779	(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$681.59
GREENS TENDER CONDITIONER		
BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	\$1,756.94
BTC10778	(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$395.90
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
FRONT TURF BRUSHES		
BTC10773	(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units	\$285.69



2700 PrecisionCut Triplex Mower

Code	Description	List price(USD)
BTC10775	<p><i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i></p> <p>(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units</p> <p><i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i></p>	\$285.69
REAR ROLLER POWER BRUSHES		
BTC10767	<p>(1) Rear Roller Power Brush Drive for QA5 Cutting Units</p> <p><i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i></p>	\$540.36
BTC10834	<p>(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units</p> <p><i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i></p>	\$197.96
BUC10268	<p>(1) Rear Roller Power Brush Upgrade Kit</p> <p><i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i></p>	\$88.81
ROLLER SCRAPERS		
BM22995	<p>(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units</p> <p><i>Adjustable cable design.</i></p>	\$21.40
BM23002	<p>(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units</p> <p><i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's.</i></p>	\$205.44
BUC10113	<p>(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller</p>	\$35.31
TCA19547	<p>(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units</p>	\$53.21



2700 PrecisionCut Triplex Mower

Code	Description	List price(USD)
BUC10112	(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	\$49.21
	MISCELLANEOUS	
AMT2978	Height of Cut Gauge Bar	\$117.88
	ROLLERS	
BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	\$220.41
BTC10267	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	\$451.54
BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	\$220.41
BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not Compatible if FTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$545.70
BM23566	(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	\$471.87
BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	\$323.14
BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$334.91
BUC10786	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Smooth Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	\$451.54

**2700 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
BM18712	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	\$228.99
BM18480	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	\$197.96
BM18711	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller	\$220.41
BEDKNIVES		
ET11066	Bedknife, 3.2 mm with Hardened Insert	\$116.06
TCU36165	Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	\$125.26
UC28163	Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	\$45.86
UC18869	Bedknife, 2.5mm Tournament	\$39.78
UC23562	Bedknife, 7.6 mm Fairway Hi-Cut	\$39.79
UC18873	Bedknife, 3.2 mm Standard	\$38.45
UC28156	Bedknife, 4.8 mm Fairway Low Cut	\$35.69
OPERATOR'S STATION AND CONTROLS		
Basic Factory Options		
SEAT		
2009	Standard Seat	\$575.00
2010	Deluxe Suspension Seat with Left Side Armrest	\$1,758.00
2090	Less Seat	In Base Price
Field Installed Options		
MISCELLANEOUS		
9766	LED Work Light Kit <i>2 forward facing ROPS mounted LED work lights, 1 rearward facing ROPS mounted LED work light, and 1 LED strip for center grass catcher illumination.</i>	\$589.00
9769	Greens Mower Storage and Convenience Kit <i>Mounts to RH side of machine by fuel tank. Includes removable tray, fixed storage bin, and accommodates cup cutter.</i>	\$459.00
9770	Hydraulic Oil Leak Detector	\$589.00
9854	Dew Whip Holder	\$164.00
ATTACHMENTS FOR FIELD CONVERSION		

**2700 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
SEAT		
BTC10757	Seat, Standard	\$616.31
BUC10219	Deluxe Suspension Seat with Armrests for 2700 / 2750 Triplex Mowers	\$1,804.01
MISCELLANEOUS		
BUC10583	Mesh Platform Cover Kit <i>Ships standard with all 2700 and 2750 Triplex Mowers. This bundle can be used to order a replacement or extra.</i>	\$31.03
BUC10541	Storage and Convenience Kit for 2700 / 2750 Triplex Mowers <i>Mounts to RH side of machine by fuel tank. Includes removable tray, fixed storage bin, and accommodates cup cutter.</i>	\$492.20
LIGHTING		
BUC10430	LED Work Light Kit <i>2 forward facing ROPS mounted LED work lights, 1 rearward facing ROPS mounted LED work light, and 1 LED strip for center grass catcher illumination.</i>	\$631.30
MACHINE CONNECTIVITY		
Basic Factory Options		
CONNECTIVITY HARDWARE		
183B	Less JDLink™ Hardware	In Base Price
183E	JDLink™ Modem <i>JDLink™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.</i> <i>JDLink™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.</i> <i>Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets.</i>	\$932.00
MISCELLANEOUS		
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
BUC10540	Dew Whip Holder Kit for 2700 / 2750 Triplex Mowers	\$176.56
BUC10123	Hydraulic Oil Leak Detector Kit for 2700 / 2750 Triplex Mowers	\$631.30



2700 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
	2700 E-Cut Hybrid Triplex Mower	
	ENGINE: Electronically Controlled 2-cylinder V Twin EFI Electronic Throttle Air Cooled Single Fuel Tank with 5.2 US gallon (10 L) capacity	
	CHASSIS: Removable Cast Aluminum Foot Platform Mesh Platform Cover Cutting Unit Contour Following System Factory Installed Cutting Unit Steering Limiters 2-post SAE J21294 ROPS with seat belts	
	TRANSMISSION: eHydro Electronically controlled Traction Pump AutoPedal feature in Transport	
	HYDRAULICS: Proportional Lift / Lower Valve, electronically controlled (3) Independent Lift Cylinders Power Steering with Double Acting Steering Cylinder Quik-Tatch Hydraulic reel motors	
	ELECTRICAL: 56-Volt, 100 amp Alternator Brushless Electric Reel Motors Reel Speed Sensors Wheel Speed Sensors Factory Installed 12 Volt Power Port	
	ADVANCED TECHCONTROL DISPLAY: Passcode Protected Settings Frequency of Clip, Fixed, and Off Reel Speed Modes Eco, Min, and Max Engine Speed Modes Mow, Transport, and Turn Speeds Clean Up Pass Mode Rate of Drop and Lift Rate Control Front to Rear Cutting Unit Timing	

**2700 E-Cut Hybrid Triplex Mower**

Code	Description	List price(USD)
	<p>Service Timers and Diagnostics</p> <p>OPERATOR STATION: Command Arm Operator Controls One Touch Hand Operated Lift / Lower Joystick Mow / Transport Switch Independently adjustable Tilt Steering Column and Steering Wheel Dual Traction Pedals Integrated Cup Holder and Radio Holder</p> <p>BRAKES: Disc Brakes Hand Operated Parking Brake</p>	
	BASE MACHINE	
	<p><i>19 hp (14.2 kW) at 3600 rpm Engine Manufacturer Gross Power, Tested in accordance with SAE J1940 / J1995. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</i></p>	
1242TC	2700 E-Cut Hybrid Triplex Mower	\$43,559.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other Countries (English / Spanish)	In Base Price
	WHEELS AND TIRES	
	Basic Factory Options	
	WHEELS AND TIRES	
1022	Smooth Tires and Wheels (20x10.00-10, 2 ply)	\$611.00
1023	Turf Guard Traction Tires and Wheels (20x10.00-10, 2 ply)	\$653.00
1024	Smooth Tires and Wheels (20x10.00-10, 4 ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	\$611.00



2700 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
1040	Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10, 4 ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	\$611.00
1149	Less Wheels and Tires	In Base Price
ATTACHMENTS FOR FIELD CONVERSION		
WHEELS AND TIRES		
BM19749	Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	\$699.79
BM19748	Tires and Wheels (20x10.00-10), (3) Smooth 2-ply Rated	\$654.84
BUC10621	Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	\$654.84
BUC10620	Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens</i>	\$654.84
DRIVE SYSTEM		
Basic Factory Options		
DRIVE SYSTEM		
1190	Two-Wheel Drive (2WD)	In Base Price
1193	Rear Wheel Assist - GRIP All-Wheel Drive <i>Most aggressive rear wheel assist system</i> <i>Series Parallel Circuit design</i>	\$3,338.00
ATTACHMENTS FOR FIELD CONVERSION		
DRIVE SYSTEM		
BTC11025	2WD Axle and Hub Kit <i>Does not include wheel and tire.</i>	\$190.46
CUTTING UNITS		
Basic Factory Options		
REEL CUTTING UNITS		
5-in. (12.7 cm) Diameter Quik-Tatch Cutting Units 22-in. (55.9 cm) Cutting Width per Cutting Unit 62-in. (157.5 cm) Total Width of Cut Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution		

**2700 E-Cut Hybrid Triplex Mower**

Code	Description	List price(USD)
1201	Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$8,803.00
1203	Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$9,142.00
1212	Quick Adjust 5 (QA5) Vertical Cutting Units <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Maximum operating depth 0.125-in. (3.2 mm).</i>	\$9,043.00
1214	Quick Adjust 5 (QA5) 14-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$10,020.00
1290	Less Cutting Units	In Base Price
	REEL FRONT ROLLERS	
	<i>55.9 cm (22-in.) Standard Width Rollers</i>	
1300	50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers with Solid Endcaps	\$643.00
1302	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$438.00
1304	50.8 mm (2-in.) Diameter Machined Grooved Wide Solid Rollers	\$618.00
1305	76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed. 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$939.00
1307	76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral Endcaps <i>Not compatible with FTCs / GTCs.</i>	\$1,527.00



2700 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
1324	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,319.00
1325	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,319.00
1327	63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	\$904.00
1329	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,263.00
1390	Less Front Rollers	In Base Price
	REEL REAR ROLLERS	
	<i>55.9 cm (22-in.) Standard Width Rollers</i>	
1601	50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers <i>Recommended when using direct mount (Bullhorn) style grass catcher system (Code 3202).</i>	\$618.00
1602	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	\$438.00
1618	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,319.00
1620	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,319.00
1624	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,263.00



2700 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
1690	Less Rear Rollers	In Base Price
REEL CUTTING UNIT COUNTER WEIGHTS		
1400	Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs / GTCs or Rear Roller Power Brushes on cutting units.</i>	\$243.00
1403	Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	\$544.00
1408	Cutting Unit and FTC / GTC ONLY Counterweights <i>Select if ONLY installing FTC / GTC on cutting units.</i>	\$243.00
1490	Less Cutting Unit Counterweights <i>Select if installing BOTH FTC / GTC and Rear Roller Power Brush on cutting units.</i>	In Base Price
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS		
3203	Cutting Unit Attaching Yokes and Translucent Yellow Grass Catchers <i>Includes Yokes, Yellow Grass Catchers, and Catcher Mounting Hardware. Translucent Yellow provides good contrast with grass clippings to more accurately see fill level. With ample ambient lighting, level can also be seen from outside of machine.</i>	\$1,271.00
3204	Cutting Unit Attaching Yokes and Black Grass Catchers <i>Includes Yokes, Black Grass Catchers, and Catcher Mounting Hardware.</i>	\$1,271.00
3210	Less Cutting Unit Yokes and Grass Catchers	In Base Price
Field Installed Options		
VERTICAL CUTTING UNITS		
9121	Quick Adjust 5 (QA5) Vertical Cutting Units <i>Complete Set of 3 27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers.</i>	\$9,043.00



2700 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
	<i>Maximum operating depth 0.125-in. (3.2 mm). Less Motors and Counterweights.</i>	
	FAIRWAY TENDER CONDITIONER	
9738	Fairway Tender Conditioner Shaft and Blades <i>Set of 3. Not compatible with 7.6 cm (3-in.) Front Rollers. Requires Code 9743 (FTC / GTC / Rotary Brush Gear Drive).</i>	\$1,909.00
9743	FTC / GTC / Front Rotary Brush Gear Drive <i>Set of 3. Requires Code 9738, 9742, 9751, or 9801.</i>	\$4,915.00
	GREENS TENDER CONDITIONER	
9742	Greens Tender Conditioner Shaft and Blades <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$1,107.00
	FRONT TURF BRUSHES	
9751	Front Rotary Turf Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$801.00
9801	Front Rotary DT Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$801.00
	REAR ROLLER POWER BRUSHES	
9750	Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9791 (Rear Roller Power Brushes).</i>	\$1,514.00
9791	Rear Roller Power Brushes <i>Set of 3. Requires Code 9750 (Rear Roller Power Brush Drive).</i>	\$554.00
	ROLLER SCRAPERS	
9756	Cable Style Smooth Roller Scrapers <i>Set of 3 for either Front or Rear Rollers.</i>	\$60.00
9849	(3) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Rear Rollers	\$137.00
9850	(3) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	\$99.00
	MISCELLANEOUS	
9805	Cutting Unit Top Shield Extensions	\$110.00

**2700 E-Cut Hybrid Triplex Mower**

Code	Description	List price(USD)
	<i>Set of 3. Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
BUC10415	(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,266.71
BUC10416	(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,580.21
BM23080	Cutting Unit Top Shield Extension (set of 3) <i>Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	\$117.70
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	\$86.67
BM22705	(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if ONLY installing Rear Roller Power Brush on cutting unit.</i>	\$194.74
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	\$86.67
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS		
BUC11329	Translucent Yellow Grass Catchers for 2700 / 2750 Triplex Mowers <i>3 required for complete machine. Grass catcher only, does not include Grass Catcher Mounting Hardware or Cutting Unit Yokes.</i>	\$247.17
BUC11330	Black Grass Catchers for 2700 / 2750 Triplex Mowers <i>3 required for complete machine. Grass catcher only, does not include Grass Catcher Mounting Hardware or Cutting Unit Yokes.</i>	\$247.17

**2700 E-Cut Hybrid Triplex Mower**

Code	Description	List price(USD)
BUC11201	Cutting Unit Yoke and Grass Catcher Mounting Kit for 2700 / 2750 Triplex Mowers <i>3 required for complete machine. Includes grass catcher wear plates.</i>	\$271.79
VERTICAL CUTTING UNITS		
BUC10417	(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor.</i>	\$3,230.33
FAIRWAY TENDER CONDITIONER		
BTC10779	(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$681.59
GREENS TENDER CONDITIONER		
BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	\$1,756.94
BTC10778	(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$395.90
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
FRONT TURF BRUSHES		
BTC10773	(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units	\$285.69

**2700 E-Cut Hybrid Triplex Mower**

Code	Description	List price(USD)
BTC10775	<p><i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i></p> <p>(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units</p> <p><i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i></p>	\$285.69
REAR ROLLER POWER BRUSHES		
BTC10767	<p>(1) Rear Roller Power Brush Drive for QA5 Cutting Units</p> <p><i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i></p>	\$540.36
BTC10834	<p>(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units</p> <p><i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i></p>	\$197.96
BUC10268	<p>(1) Rear Roller Power Brush Upgrade Kit</p> <p><i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i></p>	\$88.81
ROLLER SCRAPERS		
BM22995	<p>(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units</p> <p><i>Adjustable cable design.</i></p>	\$21.40
BM23002	<p>(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units</p> <p><i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's.</i></p>	\$205.44
BUC10112	<p>(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller</p>	\$49.21
TCA19547	<p>(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units</p>	\$53.21



2700 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
BUC10113	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	\$35.31
MISCELLANEOUS		
AMT2978	Height of Cut Gauge Bar	\$117.88
ROLLERS		
BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	\$220.41
BTC10267	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	\$451.54
BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	\$220.41
BM23566	(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	\$471.87
BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not Compatible if FTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$545.70
BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	\$323.14
BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$334.91
BUC10786	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Smooth Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	\$451.54

**2700 E-Cut Hybrid Triplex Mower**

Code	Description	List price(USD)
BM18712	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	\$228.99
BM18480	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	\$197.96
BM18711	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller	\$220.41
BEDKNIVES		
TCU36165	Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	\$125.26
ET11066	Bedknife, 3.2 mm with Hardened Insert	\$116.06
UC18869	Bedknife, 2.5mm Tournament	\$39.78
UC18873	Bedknife, 3.2 mm Standard	\$38.45
UC23562	Bedknife, 7.6 mm Fairway Hi-Cut	\$39.79
UC28163	Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	\$45.86
UC28156	Bedknife, 4.8 mm Fairway Low Cut	\$35.69
OPERATOR'S STATION AND CONTROLS		
Basic Factory Options		
SEAT		
2009	Standard Seat	\$575.00
2010	Deluxe Suspension Seat with Left Side Armrest	\$1,758.00
2090	Less Seat	In Base Price
Field Installed Options		
MISCELLANEOUS		
9766	LED Work Light Kit <i>2 forward facing ROPS mounted LED work lights, 1 rearward facing ROPS mounted LED work light, and 1 LED strip for center grass catcher illumination.</i>	\$589.00
9769	Greens Mower Storage and Convenience Kit <i>Mounts to RH side of machine by fuel tank. Includes removable tray, fixed storage bin, and accommodates cup cutter.</i>	\$459.00
9770	Hydraulic Oil Leak Detector	\$589.00
9854	Dew Whip Holder	\$164.00
ATTACHMENTS FOR FIELD CONVERSION		



2700 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
SEAT		
BTC10757	Seat, Standard	\$616.31
BUC10219	Deluxe Suspension Seat with Armrests for 2700 / 2750 Triplex Mowers	\$1,804.01
MISCELLANEOUS		
BUC10583	Mesh Platform Cover Kit <i>Ships standard with all 2700 and 2750 Triplex Mowers. This bundle can be used to order a replacement or extra.</i>	\$31.03
BUC10541	Storage and Convenience Kit for 2700 / 2750 Triplex Mowers <i>Mounts to RH side of machine by fuel tank. Includes removable tray, fixed storage bin, and accommodates cup cutter.</i>	\$492.20
LIGHTING		
BUC10430	LED Work Light Kit <i>2 forward facing ROPS mounted LED work lights, 1 rearward facing ROPS mounted LED work light, and 1 LED strip for center grass catcher illumination.</i>	\$631.30
MACHINE CONNECTIVITY		
Basic Factory Options		
CONNECTIVITY HARDWARE		
183B	Less JDLink™ Hardware	In Base Price
183E	JDLink™ Modem <i>JDLink™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.</i> <i>JDLink™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.</i> <i>Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets.</i>	\$932.00
MISCELLANEOUS		
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
BUC10540	Dew Whip Holder Kit for 2700 / 2750 Triplex Mowers	\$176.56
BUC10123	Hydraulic Oil Leak Detector Kit for 2700 / 2750 Triplex Mowers	\$631.30



2750 PrecisionCut Triplex Mower

Code	Description	List price(USD)
	2750 PrecisionCut Triplex Mower	
	ENGINE: Electronically Controlled 3-cylinder Diesel Electronic Throttle Liquid Cooled Single Fuel Tank with 5.2 US gallon (10 L) capacity	
	CHASSIS: Removable Cast Aluminum Foot Platform Mesh Platform Cover Cutting Unit Contour Following System Factory Installed Cutting Unit Steering Limiters 2-post SAE J21294 ROPS with seat belts	
	TRANSMISSION: eHydro Electronically controlled Traction Pump AutoPedal feature in Transport	
	HYDRAULICS: Proportional Lift / Lower Valve, electronically controlled Proportional Mow Valve, electronically controlled Frequency of Clip Control (3) Independent Lift Cylinders Power Steering with Double Acting Steering Cylinder Quik-Tatch Hydraulic reel motors Hydraulic Oil Cooler	
	ELECTRICAL: Factory Installed 12 Volt Power Port Reel Speed Sensors Wheel Speed Sensors	
	ADVANCED TECHCONTROL DISPLAY: Passcode Protected Settings Frequency of Clip, Fixed, and Off Reel Speed Modes Eco, Min, and Max Engine Speed Modes Mow, Transport, and Turn Speeds Clean Up Pass Mode Rate of Drop Control	



2750 PrecisionCut Triplex Mower

Code	Description	List price(USD)
	Lift Rate Control Front to Rear Cutting Unit Timing Service Timers and Diagnostics OPERATOR STATION: Command Arm Operator Controls One Touch Hand Operated Lift / Lower Joystick Mow / Transport Switch Independently adjustable Tilt Steering Column and Steering Wheel Dual Traction Pedals Integrated Cup Holder and Radio Holder BRAKES: Disc Brakes Hand Operated Parking Brake	
	BASE MACHINE	
	<i>19 HP (14.2 kW) at 3000 rpm per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information. EPA Tier 4 Compliant</i>	
1252TC	2750 PrecisionCut Triplex Mower	\$45,459.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other Countries (English / Spanish)	In Base Price
	WHEELS AND TIRES	
	Basic Factory Options	
	WHEELS AND TIRES	
1022	Smooth Tires and Wheels (20x10.00-10, 2 ply)	\$611.00
1023	Turf Guard Traction Tires and Wheels (20x10.00-10, 2 ply)	\$653.00
1024	Smooth Tires and Wheels (20x10.00-10, 4 ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	\$611.00



2750 PrecisionCut Triplex Mower

Code	Description	List price(USD)
1040	Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10, 4 ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	\$611.00
1149	Less Wheels and Tires	In Base Price
ATTACHMENTS FOR FIELD CONVERSION		
WHEELS AND TIRES		
BM19749	Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	\$699.79
BM19748	Tires and Wheels (20x10.00-10), (3) Smooth 2-ply Rated	\$654.84
BUC10621	Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	\$654.84
BUC10620	Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens</i>	\$654.84
DRIVE SYSTEM		
Basic Factory Options		
DRIVE SYSTEM		
1190	Two-Wheel Drive (2WD)	In Base Price
1193	Rear Wheel Assist - GRIP All-Wheel Drive <i>Most aggressive rear wheel assist system</i> <i>Series Parallel Circuit design</i>	\$3,338.00
ATTACHMENTS FOR FIELD CONVERSION		
DRIVE SYSTEM		
BTC11025	2WD Axle and Hub Kit <i>Does not include wheel and tire.</i>	\$190.46
CUTTING UNITS		
Basic Factory Options		
REEL CUTTING UNITS		
5-in. (12.7 cm) Diameter Quik-Tatch Cutting Units 22-in. (55.9 cm) Cutting Width per Cutting Unit 62-in. (157.5 cm) Total Width of Cut Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution		

**2750 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
1201	Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$8,803.00
1203	Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$9,142.00
1212	Quick Adjust 5 (QA5) Vertical Cutting Units <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Maximum operating depth 0.125-in. (3.2 mm).</i>	\$9,043.00
1214	Quick Adjust 5 (QA5) 14-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$10,020.00
1290	Less Cutting Units	In Base Price
	REEL FRONT ROLLERS	
	<i>55.9 cm (22-in.) Standard Width Rollers</i>	
1300	50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers with Solid Endcaps	\$643.00
1302	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$438.00
1304	50.8 mm (2-in.) Diameter Machined Grooved Wide Solid Rollers	\$618.00
1305	76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed. 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$939.00
1307	76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral Endcaps <i>Not compatible with FTCs / GTCs.</i>	\$1,527.00

**2750 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
1324	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,319.00
1325	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,319.00
1327	63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	\$904.00
1329	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,263.00
1390	Less Front Rollers	In Base Price
REEL REAR ROLLERS		
	<i>55.9 cm (22-in.) Standard Width Rollers</i>	
1601	50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers <i>Recommended when using direct mount (Bullhorn) style grass catcher system (Code 3202).</i>	\$618.00
1602	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	\$438.00
1618	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,319.00
1620	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,319.00
1624	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,263.00

**2750 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
1690	Less Rear Rollers	In Base Price
REEL CUTTING UNIT COUNTER WEIGHTS		
1400	Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs / GTCs or Rear Roller Power Brushes on cutting units.</i>	\$243.00
1403	Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	\$544.00
1408	Cutting Unit and FTC / GTC ONLY Counterweights <i>Select if ONLY installing FTC / GTC on cutting units.</i>	\$243.00
1490	Less Cutting Unit Counterweights <i>Select if installing BOTH FTC / GTC and Rear Roller Power Brush on cutting units.</i>	In Base Price
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS		
3203	Cutting Unit Attaching Yokes and Translucent Yellow Grass Catchers <i>Includes Yokes, Yellow Grass Catchers, and Catcher Mounting Hardware. Translucent Yellow provides good contrast with grass clippings to more accurately see fill level. With ample ambient lighting, level can also be seen from outside of machine.</i>	\$1,271.00
3204	Cutting Unit Attaching Yokes and Black Grass Catchers <i>Includes Yokes, Black Grass Catchers, and Catcher Mounting Hardware.</i>	\$1,271.00
3210	Less Cutting Unit Yokes and Grass Catchers	In Base Price
Field Installed Options		
VERTICAL CUTTING UNITS		
9121	Quick Adjust 5 (QA5) Vertical Cutting Units <i>Complete Set of 3 27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers.</i>	\$9,043.00



2750 PrecisionCut Triplex Mower

Code	Description	List price(USD)
	<i>Maximum operating depth 0.125-in. (3.2 mm). Less Motors and Counterweights.</i>	
	FAIRWAY TENDER CONDITIONER	
9738	Fairway Tender Conditioner Shaft and Blades <i>Set of 3. Not compatible with 7.6 cm (3-in.) Front Rollers. Requires Code 9743 (FTC / GTC / Rotary Brush Gear Drive).</i>	\$1,909.00
9743	FTC / GTC / Front Rotary Brush Gear Drive <i>Set of 3. Requires Code 9738, 9742, 9751, or 9801.</i>	\$4,915.00
	GREENS TENDER CONDITIONER	
9742	Greens Tender Conditioner Shaft and Blades <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$1,107.00
	FRONT TURF BRUSHES	
9751	Front Rotary Turf Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$801.00
9801	Front Rotary DT Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$801.00
	REAR ROLLER POWER BRUSHES	
9750	Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9791 (Rear Roller Power Brushes).</i>	\$1,514.00
9791	Rear Roller Power Brushes <i>Set of 3. Requires Code 9750 (Rear Roller Power Brush Drive).</i>	\$554.00
	ROLLER SCRAPERS	
9756	Cable Style Smooth Roller Scrapers <i>Set of 3 for either Front or Rear Rollers.</i>	\$60.00
9849	(3) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Rear Rollers	\$137.00
9850	(3) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	\$99.00
	MISCELLANEOUS	
9805	Cutting Unit Top Shield Extensions	\$110.00

**2750 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
	<p><i>Set of 3. Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i></p>	
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
BUC10415	(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,266.71
BUC10416	(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,580.21
BM23080	Cutting Unit Top Shield Extension (set of 3) <i>Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	\$117.70
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	\$86.67
BM22705	(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if ONLY installing Rear Roller Power Brush on cutting unit.</i>	\$194.74
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	\$86.67
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS		
BUC11329	Translucent Yellow Grass Catchers for 2700 / 2750 Triplex Mowers <i>3 required for complete machine. Grass catcher only, does not include Grass Catcher Mounting Hardware or Cutting Unit Yokes.</i>	\$247.17
BUC11330	Black Grass Catchers for 2700 / 2750 Triplex Mowers <i>3 required for complete machine. Grass catcher only, does not include Grass Catcher Mounting Hardware or Cutting Unit Yokes.</i>	\$247.17

**2750 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
BUC11201	Cutting Unit Yoke and Grass Catcher Mounting Kit for 2700 / 2750 Triplex Mowers <i>3 required for complete machine. Includes grass catcher wear plates.</i>	\$271.79
VERTICAL CUTTING UNITS		
BUC10417	(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor.</i>	\$3,230.33
FAIRWAY TENDER CONDITIONER		
BTC10779	(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$681.59
GREENS TENDER CONDITIONER		
BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	\$1,756.94
BTC10778	(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$395.90
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
FRONT TURF BRUSHES		
BTC10773	(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units	\$285.69



2750 PrecisionCut Triplex Mower

Code	Description	List price(USD)
BTC10775	<p><i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i></p> <p>(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units</p> <p><i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i></p>	\$285.69
REAR ROLLER POWER BRUSHES		
BTC10767	<p>(1) Rear Roller Power Brush Drive for QA5 Cutting Units</p> <p><i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i></p>	\$540.36
BTC10834	<p>(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units</p> <p><i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i></p>	\$197.96
BUC10268	<p>(1) Rear Roller Power Brush Upgrade Kit</p> <p><i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i></p>	\$88.81
ROLLER SCRAPERS		
BM22995	<p>(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units</p> <p><i>Adjustable cable design.</i></p>	\$21.40
BM23002	<p>(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units</p> <p><i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's.</i></p>	\$205.44
BUC10112	<p>(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller</p>	\$49.21
TCA19547	<p>(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units</p>	\$53.21

**2750 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
BUC10113	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	\$35.31
MISCELLANEOUS		
AMT2978	Height of Cut Gauge Bar	\$117.88
ROLLERS		
BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	\$220.41
BTC10267	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	\$451.54
BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	\$220.41
BM23566	(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	\$471.87
BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not Compatible if FTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$545.70
BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	\$323.14
BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$334.91
BUC10786	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Smooth Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	\$451.54

**2750 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
BM18712	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	\$228.99
BM18480	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	\$197.96
BM18711	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller	\$220.41
BEDKNIVES		
TCU36165	Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	\$125.26
ET11066	Bedknife, 3.2 mm with Hardened Insert	\$116.06
UC28156	Bedknife, 4.8 mm Fairway Low Cut	\$35.69
UC18873	Bedknife, 3.2 mm Standard	\$38.45
UC18869	Bedknife, 2.5mm Tournament	\$39.78
UC23562	Bedknife, 7.6 mm Fairway Hi-Cut	\$39.79
UC28163	Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	\$45.86
OPERATOR'S STATION AND CONTROLS		
Basic Factory Options		
SEAT		
2009	Standard Seat	\$575.00
2010	Deluxe Suspension Seat with Left Side Armrest	\$1,758.00
2090	Less Seat	In Base Price
Field Installed Options		
MISCELLANEOUS		
9766	LED Work Light Kit <i>2 forward facing ROPS mounted LED work lights, 1 rearward facing ROPS mounted LED work light, and 1 LED strip for center grass catcher illumination.</i>	\$589.00
9769	Greens Mower Storage and Convenience Kit <i>Mounts to RH side of machine by fuel tank. Includes removable tray, fixed storage bin, and accommodates cup cutter.</i>	\$459.00
9770	Hydraulic Oil Leak Detector	\$589.00
9854	Dew Whip Holder	\$164.00
ATTACHMENTS FOR FIELD CONVERSION		



2750 PrecisionCut Triplex Mower

Code	Description	List price(USD)
SEAT		
BTC10757	Seat, Standard	\$616.31
BUC10219	Deluxe Suspension Seat with Armrests for 2700 / 2750 Triplex Mowers	\$1,804.01
MISCELLANEOUS		
BUC10583	Mesh Platform Cover Kit <i>Ships standard with all 2700 and 2750 Triplex Mowers. This bundle can be used to order a replacement or extra.</i>	\$31.03
BUC10541	Storage and Convenience Kit for 2700 / 2750 Triplex Mowers <i>Mounts to RH side of machine by fuel tank. Includes removable tray, fixed storage bin, and accommodates cup cutter.</i>	\$492.20
LIGHTING		
BUC10430	LED Work Light Kit <i>2 forward facing ROPS mounted LED work lights, 1 rearward facing ROPS mounted LED work light, and 1 LED strip for center grass catcher illumination.</i>	\$631.30
MACHINE CONNECTIVITY		
Basic Factory Options		
CONNECTIVITY HARDWARE		
183B	Less JDLINK™ Hardware	In Base Price
183E	JDLINK™ Modem <i>JDLINK™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.</i> <i>JDLINK™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.</i> <i>Includes field installed antenna, JDLINK™ Modem (MTG), machine harness, and all required brackets.</i>	\$932.00
MISCELLANEOUS		
ATTACHMENTS FOR FIELD CONVERSION		
ENGINE		
TCA19916	B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	\$331.87
MISCELLANEOUS		



2750 PrecisionCut Triplex Mower

Code	Description	List price(USD)
BUC10540	Dew Whip Holder Kit for 2700 / 2750 Triplex Mowers	\$176.56
BUC10123	Hydraulic Oil Leak Detector Kit for 2700 / 2750 Triplex Mowers	\$631.30

**2750 E-Cut Hybrid Triplex Mower**

Code	Description	List price(USD)
	<p>2750 E-Cut Hybrid Triplex Mower</p> <p>ENGINE: Electronically Controlled 3-cylinder Diesel Electronic Throttle Control Liquid Cooled Single Fuel Tank with 5.2 US gallon (10 L) capacity</p> <p>CHASSIS: Removable Cast Aluminum Foot Platform Mesh Platform Cover Cutting Unit Contour Following System Factory Installed Cutting Unit Steering Limiters 2-post SAE J21294 ROPS with seat belts</p> <p>TRANSMISSION: eHydro Electronically controlled Traction Pump AutoPedal feature in Transport</p> <p>HYDRAULICS: Proportional Lift / Lower Valve, electronically controlled (3) Independent Lift Cylinders Power Steering with Double Acting Steering Cylinder Quik-Tatch Hydraulic reel motors</p> <p>ELECTRICAL: 56-Volt, 100 amp Alternator Brushless Electric Reel Motors Reel Speed Sensors Wheel Speed Sensors Factory Installed 12 Volt Power Port</p> <p>ADVANCED TECHCONTROL DISPLAY: Passcode Protected Settings Frequency of Clip, Fixed, and Off Reel Speed Modes Eco, Min, and Max Engine Speed Modes Mow, Transport, and Turn Speeds Clean Up Pass Mode Rate of Drop and Lift Rate Control Front to Rear Cutting Unit Timing</p>	



2750 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
	<p>Service Timers and Diagnostics</p> <p>OPERATOR STATION: Command Arm Operator Controls One Touch Hand Operated Lift / Lower Joystick Mow / Transport Switch Independently adjustable Tilt Steering Column and Steering Wheel Dual Traction Pedals Integrated Cup Holder and Radio Holder</p> <p>BRAKES: Disc Brakes Hand Operated Parking Brake</p>	
	BASE MACHINE	
	<p><i>19 HP (14.2 kW) at 3000 rpm per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information.</i></p> <p><i>EPA Tier 4 Compliant</i></p>	
1262TC	2750 E-Cut Hybrid Triplex Mower	\$49,069.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other Countries (English / Spanish)	In Base Price
	WHEELS AND TIRES	
	Basic Factory Options	
	WHEELS AND TIRES	
1022	Smooth Tires and Wheels (20x10.00-10, 2 ply)	\$611.00
1023	Turf Guard Traction Tires and Wheels (20x10.00-10, 2 ply)	\$653.00
1024	Smooth Tires and Wheels (20x10.00-10, 4 ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	\$611.00
1040	Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10, 4 ply)	\$611.00



2750 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
1149	<p><i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i></p> <p>Less Wheels and Tires</p>	In Base Price
ATTACHMENTS FOR FIELD CONVERSION		
WHEELS AND TIRES		
BM19749	Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	\$699.79
BM19748	Tires and Wheels (20x10.00-10), (3) Smooth 2-ply Rated	\$654.84
BUC10621	Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated	\$654.84
	<i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	
BUC10620	Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated	\$654.84
	<i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens</i>	
DRIVE SYSTEM		
Basic Factory Options		
DRIVE SYSTEM		
1190	Two-Wheel Drive (2WD)	In Base Price
1193	Rear Wheel Assist - GRIP All-Wheel Drive	\$3,338.00
	<i>Most aggressive rear wheel assist system</i>	
	<i>Series Parallel Circuit design</i>	
ATTACHMENTS FOR FIELD CONVERSION		
DRIVE SYSTEM		
BTC11025	2WD Axle and Hub Kit	\$190.46
	<i>Does not include wheel and tire.</i>	
CUTTING UNITS		
Basic Factory Options		
REEL CUTTING UNITS		
	<i>5-in. (12.7 cm) Diameter Quik-Tatch Cutting Units</i>	
	<i>22-in. (55.9 cm) Cutting Width per Cutting Unit</i>	
	<i>62-in. (157.5 cm) Total Width of Cut</i>	
	<i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i>	
1201	Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units	\$8,803.00

**2750 E-Cut Hybrid Triplex Mower**

Code	Description	List price(USD)
	<i>0.189-in (4.8 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	
1203	Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$9,142.00
1212	Quick Adjust 5 (QA5) Vertical Cutting Units <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Maximum operating depth 0.125-in. (3.2 mm).</i>	\$9,043.00
1214	Quick Adjust 5 (QA5) 14-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$10,020.00
1290	Less Cutting Units	In Base Price
	REEL FRONT ROLLERS	
	<i>55.9 cm (22-in.) Standard Width Rollers</i>	
1300	50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers with Solid Endcaps	\$643.00
1302	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$438.00
1304	50.8 mm (2-in.) Diameter Machined Grooved Wide Solid Rollers	\$618.00
1305	76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed. 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$939.00
1307	76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral Endcaps <i>Not compatible with FTCs / GTCs.</i>	\$1,527.00
1324	50.8 mm (2-in.) Diameter MT Spiral Rollers	\$1,319.00

**2750 E-Cut Hybrid Triplex Mower**

Code	Description	List price(USD)
	<i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	
1325	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,319.00
1327	63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	\$904.00
1329	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,263.00
1390	Less Front Rollers	In Base Price
	REEL REAR ROLLERS	
	<i>55.9 cm (22-in.) Standard Width Rollers</i>	
1601	50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers <i>Recommended when using direct mount (Bullhorn) style grass catcher system (Code 3202).</i>	\$618.00
1602	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	\$438.00
1618	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,319.00
1620	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,319.00
1624	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,263.00
1690	Less Rear Rollers	In Base Price

**2750 E-Cut Hybrid Triplex Mower**

Code	Description	List price(USD)
REEL CUTTING UNIT COUNTER WEIGHTS		
1400	Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs / GTCs or Rear Roller Power Brushes on cutting units.</i>	\$243.00
1403	Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	\$544.00
1408	Cutting Unit and FTC / GTC ONLY Counterweights <i>Select if ONLY installing FTC / GTC on cutting units.</i>	\$243.00
1490	Less Cutting Unit Counterweights <i>Select if installing BOTH FTC / GTC and Rear Roller Power Brush on cutting units.</i>	In Base Price
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS		
3203	Cutting Unit Attaching Yokes and Translucent Yellow Grass Catchers <i>Includes Yokes, Yellow Grass Catchers, and Catcher Mounting Hardware. Translucent Yellow provides good contrast with grass clippings to more accurately see fill level. With ample ambient lighting, level can also be seen from outside of machine.</i>	\$1,271.00
3204	Cutting Unit Attaching Yokes and Black Grass Catchers <i>Includes Yokes, Black Grass Catchers, and Catcher Mounting Hardware.</i>	\$1,271.00
3210	Less Cutting Unit Yokes and Grass Catchers	In Base Price
Field Installed Options		
VERTICAL CUTTING UNITS		
9121	Quick Adjust 5 (QA5) Vertical Cutting Units <i>Complete Set of 3 27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Maximum operating depth 0.125-in. (3.2 mm). Less Motors and Counterweights.</i>	\$9,043.00



2750 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
FAIRWAY TENDER CONDITIONER		
9738	Fairway Tender Conditioner Shaft and Blades <i>Set of 3. Not compatible with 7.6 cm (3-in.) Front Rollers. Requires Code 9743 (FTC / GTC / Rotary Brush Gear Drive).</i>	\$1,909.00
9743	FTC / GTC / Front Rotary Brush Gear Drive <i>Set of 3. Requires Code 9738, 9742, 9751, or 9801.</i>	\$4,915.00
GREENS TENDER CONDITIONER		
9742	Greens Tender Conditioner Shaft and Blades <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$1,107.00
FRONT TURF BRUSHES		
9751	Front Rotary Turf Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$801.00
9801	Front Rotary DT Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$801.00
REAR ROLLER POWER BRUSHES		
9750	Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9791 (Rear Roller Power Brushes).</i>	\$1,514.00
9791	Rear Roller Power Brushes <i>Set of 3. Requires Code 9750 (Rear Roller Power Brush Drive).</i>	\$554.00
ROLLER SCRAPERS		
9756	Cable Style Smooth Roller Scrapers <i>Set of 3 for either Front or Rear Rollers.</i>	\$60.00
9849	(3) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Rear Rollers	\$137.00
9850	(3) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	\$99.00
MISCELLANEOUS		
9805	Cutting Unit Top Shield Extensions	\$110.00

**2750 E-Cut Hybrid Triplex Mower**

Code	Description	List price(USD)
	<i>Set of 3. Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
BUC10415	(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,266.71
BUC10416	(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,580.21
BM23080	Cutting Unit Top Shield Extension (set of 3) <i>Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	\$117.70
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	\$86.67
BM22705	(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if ONLY installing Rear Roller Power Brush on cutting unit.</i>	\$194.74
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	\$86.67
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS		
BUC11330	Black Grass Catchers for 2700 / 2750 Triplex Mowers <i>3 required for complete machine. Grass catcher only, does not include Grass Catcher Mounting Hardware or Cutting Unit Yokes.</i>	\$247.17
BUC11329	Translucent Yellow Grass Catchers for 2700 / 2750 Triplex Mowers <i>3 required for complete machine. Grass catcher only, does not include Grass Catcher Mounting Hardware or Cutting Unit Yokes.</i>	\$247.17



2750 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
BUC11201	Cutting Unit Yoke and Grass Catcher Mounting Kit for 2700 / 2750 Triplex Mowers <i>3 required for complete machine. Includes grass catcher wear plates.</i>	\$271.79
VERTICAL CUTTING UNITS		
BUC10417	(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor.</i>	\$3,230.33
FAIRWAY TENDER CONDITIONER		
BTC10779	(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$681.59
GREENS TENDER CONDITIONER		
BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	\$1,756.94
BTC10778	(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$395.90
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
FRONT TURF BRUSHES		
BTC10773	(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units	\$285.69

**2750 E-Cut Hybrid Triplex Mower**

Code	Description	List price(USD)
BTC10775	<p><i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i></p> <p>(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units</p> <p><i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i></p>	\$285.69
REAR ROLLER POWER BRUSHES		
BTC10767	<p>(1) Rear Roller Power Brush Drive for QA5 Cutting Units</p> <p><i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i></p>	\$540.36
BTC10834	<p>(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units</p> <p><i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i></p>	\$197.96
BUC10268	<p>(1) Rear Roller Power Brush Upgrade Kit</p> <p><i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i></p>	\$88.81
ROLLER SCRAPERS		
BM22995	<p>(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units</p> <p><i>Adjustable cable design.</i></p>	\$21.40
BM23002	<p>(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units</p> <p><i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's.</i></p>	\$205.44
BUC10112	<p>(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller</p>	\$49.21
BUC10113	<p>(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller</p>	\$35.31



2750 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
TCA19547	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	\$53.21
MISCELLANEOUS		
AMT2978	Height of Cut Gauge Bar	\$117.88
ROLLERS		
BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	\$220.41
BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	\$220.41
BTC10267	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	\$451.54
BM23566	(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	\$471.87
BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not Compatible if FTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$545.70
BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	\$323.14
BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$334.91
BUC10786	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Smooth Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	\$451.54

**2750 E-Cut Hybrid Triplex Mower**

Code	Description	List price(USD)
BM18712	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	\$228.99
BM18480	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	\$197.96
BM18711	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller	\$220.41
BEDKNIVES		
TCU36165	Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	\$125.26
ET11066	Bedknife, 3.2 mm with Hardened Insert	\$116.06
UC28156	Bedknife, 4.8 mm Fairway Low Cut	\$35.69
UC23562	Bedknife, 7.6 mm Fairway Hi-Cut	\$39.79
UC18869	Bedknife, 2.5mm Tournament	\$39.78
UC18873	Bedknife, 3.2 mm Standard	\$38.45
UC28163	Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	\$45.86
OPERATOR'S STATION AND CONTROLS		
Basic Factory Options		
SEAT		
2009	Standard Seat	\$575.00
2010	Deluxe Suspension Seat with Left Side Armrest	\$1,758.00
2090	Less Seat	In Base Price
Field Installed Options		
MISCELLANEOUS		
9766	LED Work Light Kit <i>2 forward facing ROPS mounted LED work lights, 1 rearward facing ROPS mounted LED work light, and 1 LED strip for center grass catcher illumination.</i>	\$589.00
9769	Greens Mower Storage and Convenience Kit <i>Mounts to RH side of machine by fuel tank. Includes removable tray, fixed storage bin, and accommodates cup cutter.</i>	\$459.00
9770	Hydraulic Oil Leak Detector	\$589.00
9854	Dew Whip Holder	\$164.00
ATTACHMENTS FOR FIELD CONVERSION		



2750 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
SEAT		
BTC10757	Seat, Standard	\$616.31
BUC10219	Deluxe Suspension Seat with Armrests for 2700 / 2750 Triplex Mowers	\$1,804.01
MISCELLANEOUS		
BUC10583	Mesh Platform Cover Kit <i>Ships standard with all 2700 and 2750 Triplex Mowers. This bundle can be used to order a replacement or extra.</i>	\$31.03
BUC10541	Storage and Convenience Kit for 2700 / 2750 Triplex Mowers <i>Mounts to RH side of machine by fuel tank. Includes removable tray, fixed storage bin, and accommodates cup cutter.</i>	\$492.20
LIGHTING		
BUC10430	LED Work Light Kit <i>2 forward facing ROPS mounted LED work lights, 1 rearward facing ROPS mounted LED work light, and 1 LED strip for center grass catcher illumination.</i>	\$631.30
MACHINE CONNECTIVITY		
Basic Factory Options		
CONNECTIVITY HARDWARE		
183B	Less JDLink™ Hardware	In Base Price
183E	JDLink™ Modem <i>JDLink™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.</i> <i>JDLink™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.</i> <i>Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets.</i>	\$932.00
MISCELLANEOUS		
ATTACHMENTS FOR FIELD CONVERSION		
ENGINE		
TCA19916	B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	\$331.87
MISCELLANEOUS		



2750 E-Cut Hybrid Triplex Mower

Code	Description	List price(USD)
BUC10540	Dew Whip Holder Kit for 2700 / 2750 Triplex Mowers	\$176.56
BUC10123	Hydraulic Oil Leak Detector Kit for 2700 / 2750 Triplex Mowers	\$631.30



2400 PrecisionCut Triplex Mower

Code	Description	List price(USD)
	<p>2400 PrecisionCut Triplex Mower</p> <p>ENGINE: Twin cylinder Gas with Overhead Valves Full Pressure Lubrication Air Cooled Single Fuel Tank with 7.9 US gallon (30 L) capacity</p> <p>CHASSIS: Offset Cutting Unit Design 2-post SAE J21294 ROPS with seat belts Double Upstops for Front Cutting Units Storage Compartment behind Operator</p> <p>HYDRAULICS: Directed mounted hydraulic pumps Hydrostatic traction drive Single reel pump Quik-Tatch Hydraulic reel motors Micro-Lap backlapping valve with reel speed control and pressure compensation U-Shaped Hydraulic Reservoir Hydraulic Oil Cooler</p> <p>ELECTRICAL: White Box controller Sit-on-Seat Diagnostics BCI Group 40 Maintenance Free Battery</p> <p>OPERATOR STATION: Command Arm Operator Controls One Touch Hand Operated Lift / Lower Joystick Four Function LED Warning Monitor with Hour Meter Hand Operated Mow / Transport Lever Hand Operated Engine Throttle Lever Dual Traction Pedals Foot actuated 5-Position Adjustable Tilt Steering Column Integrated Cup Holder and Radio Holder</p> <p>STEERING AND BRAKES:</p>	



2400 PrecisionCut Triplex Mower

Code	Description	List price(USD)
	Hydrostatic Power Steering Disc Brakes Foot Operated Parking Brake	
	BASE MACHINE	
	<i>19 hp (14.2 kW) at 3600 rpm Engine Manufacturer Gross Power, tested in accordance with SAE J1940 / J1995. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</i>	
1272TC	2400 PrecisionCut Triplex Mower	\$31,599.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other Countries (English / Spanish)	In Base Price
	WHEELS AND TIRES	
	Basic Factory Options	
	WHEELS AND TIRES	
1022	Smooth Tires and Wheels (20x10.00-10, 2 ply)	\$611.00
1023	Turf Guard Traction Tires and Wheels (20x10.00-10, 2 ply)	\$653.00
1024	Smooth Tires and Wheels (20x10.00-10, 4 ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	\$611.00
1040	Balloon Rounded Edge Smooth Tires and Wheels (20x10.00-10, 4 ply) <i>Lowest recommended tire pressure 15 psi (1.03 bar). Due to higher pressures, may cause marking on soft greens.</i>	\$611.00
1043	Smooth Tires and Wheels (18x10.5-10, 4-ply)	\$653.00
1149	Less Wheels and Tires	In Base Price
	ATTACHMENTS FOR FIELD CONVERSION	
	WHEELS AND TIRES	
BM19749	Tires and Wheels (20x10.00-10), (3) Turf Guard Traction	\$699.79

**2400 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
BM19748	Tires and Wheels (20x10.00-10), (3) Smooth 2-ply Rated	\$654.84
BUC10621	Tires and Wheels (20x10.00-10), (3) Ballon Rounded Edge Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens.</i>	\$654.84
BUC10620	Tires and Wheels (20x10.00-10), (3) Smooth 4 Ply-Rated <i>Lowest Recommended Tire pressure 15 PSI (1.03 bar). Due to higher pressures may cause marking on soft greens</i>	\$654.84
BUC10575	Tires and Wheels (18x10.50-10), (3) Smooth 4-ply Rated	\$699.79
DRIVE SYSTEM		
Basic Factory Options		
DRIVE SYSTEM		
1190	Two-Wheel Drive (2WD) <i>Dealer installed</i>	In Base Price
1192	Rear Wheel Assist - Traditional Parallel System <i>Dealer installed</i> <i>Less aggressive on fine turf, especially during turns</i> <i>Parallel circuit design</i>	\$3,205.00
1193	Rear Wheel Assist - GRIP All-Wheel Drive <i>Dealer installed</i> <i>Most aggressive rear wheel assist system</i> <i>Series Parallel Circuit design</i>	\$3,338.00
ATTACHMENTS FOR FIELD CONVERSION		
DRIVE SYSTEM		
BTC11025	2WD Axle and Hub Kit <i>Does not include wheel and tire.</i>	\$190.46
BUC10269	Third Wheel Assist Kit (Parallel Circuit) <i>For MY 18 and Later 2500 Riding Greens Mowers.</i> <i>Traditional Parallel Circuit System. Less aggressive, especially during turns.</i>	\$3,435.77
BUC10272	Third Wheel Assist Kit (GRIP All-Wheel Drive Traction System) <i>For MY 18 and Later 2500 Riding Greens Mowers.</i> <i>Series Parallel Circuit. Most aggressive traction system.</i>	\$3,578.09
CUTTING UNITS		
Basic Factory Options		

**2400 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
REEL CUTTING UNITS		
	<i>5-in. (12.7 cm) Diameter Quik-Tatch Cutting Units 22-in. (55.9 cm) Cutting Width per Cutting Unit 62-in. (157.5 cm) Total Width of Cut Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i>	
1201	Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$8,803.00
1203	Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$9,142.00
1212	Quick Adjust 5 (QA5) Vertical Cutting Units <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Maximum operating depth 0.125-in. (3.2 mm).</i>	\$9,043.00
1214	Quick Adjust 5 (QA5) 14-blade Cutting Units <i>0.078-in. (2 mm) hardened tool steel adjustable bedknife Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Less Front and Rear Rollers</i>	\$10,020.00
1290	Less Cutting Units	In Base Price
REEL FRONT ROLLERS		
	<i>55.9 cm (22-in.) Standard Width Rollers</i>	
1300	50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers with Solid Endcaps	\$643.00
1302	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$438.00
1304	50.8 mm (2-in.) Diameter Machined Grooved Wide Solid Rollers	\$618.00
1305	76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	\$939.00

**2400 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
	<i>Not compatible if FTC installed. 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	
1307	76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral Endcaps <i>Not compatible with FTCs / GTCs.</i>	\$1,527.00
1324	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,319.00
1325	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,263.00
1327	63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	\$904.00
1329	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,263.00
1390	Less Front Rollers	In Base Price
	REEL REAR ROLLERS	
	<i>55.9 cm (22-in.) Standard Width Rollers</i>	
1601	50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers <i>Recommended when using direct mount (Bullhorn) style grass catcher system (Code 3202).</i>	\$618.00
1602	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Front Rollers	\$438.00
1618	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,319.00
1620	50.8 mm (2-in.) Diameter MT Grooved Rollers	\$1,263.00



2400 PrecisionCut Triplex Mower

Code	Description	List price(USD)
	<i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	
1624	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>NOT FOR USE ON GREENS. For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,263.00
1690	Less Rear Rollers	In Base Price
REEL CUTTING UNIT COUNTER WEIGHTS		
1400	Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs / GTCs or Rear Roller Power Brushes on cutting units.</i>	\$243.00
1403	Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	\$544.00
1408	Cutting Unit and FTC / GTC ONLY Counterweights <i>Select if ONLY installing FTC / GTC on cutting units.</i>	\$243.00
1490	Less Cutting Unit Counterweights <i>Select if installing BOTH FTC / GTC and Rear Roller Power Brush on cutting units.</i>	In Base Price
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS		
3200	Cutting Unit Attaching Yokes and Paddle Clip Style Molded One-Piece Grass Catchers <i>Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	\$1,893.00
3201	Cutting Unit Rear Attaching Yokes for FAIRWAYS and Paddle Clip Style Molded One-Piece Grass Catchers <i>DO NOT USE ON GREENS. Yokes attach at rear of cutting unit like fairway mowers and are recommended for use in fairways, tees, surrounds, and approaches. Front Grass Catchers include Paddle Clips and Side Plate Inserts. Rear Grass Catcher includes Bail System.</i>	\$2,934.00
3202	Cutting Unit Attaching Yokes and Direct Mounted (Bullhorn) Molded One-Piece Grass Catchers	\$1,744.00



2400 PrecisionCut Triplex Mower

Code	Description	List price(USD)
	<i>Front Cutting Units use Direct Mounted (Bullhorn) style grass catchers and mounts. Rear Grass Catcher includes Bail System. 50.8 mm (2-in.) Diameter Machined Solid Smooth Rollers (Code 1601) are also recommended on the rear of the cutting unit for better balance when lowering cutting units.</i>	
3210	Less Cutting Unit Yokes and Grass Catchers	In Base Price
	Field Installed Options	
	FAIRWAY TENDER CONDITIONER	
9738	Fairway Tender Conditioner Shaft and Blades <i>Set of 3. Not compatible with 7.6 cm (3-in.) Front Rollers. Requires Code 9743 (FTC / GTC / Rotary Brush Gear Drive).</i>	\$1,909.00
9743	FTC / GTC / Front Rotary Brush Gear Drive <i>Set of 3. Requires Code 9738, 9742, 9751, or 9801.</i>	\$4,915.00
	GREENS TENDER CONDITIONER	
9742	Greens Tender Conditioner Shaft and Blades <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$1,107.00
	FRONT TURF BRUSHES	
9751	Front Rotary Turf Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$801.00
9801	Front Rotary DT Brush <i>Set of 3. Requires Code 9743 (FTC / GTC / Front Rotary Brush Gear Drive).</i>	\$801.00
	REAR ROLLER POWER BRUSHES	
9750	Rear Roller Power Brush Drive <i>Set of 3. Requires Code 9791 (Rear Roller Power Brushes).</i>	\$1,514.00
9791	Rear Roller Power Brushes <i>Set of 3. Requires Code 9750 (Rear Roller Power Brush Drive).</i>	\$554.00
	ROLLER SCRAPERS	
9756	Smooth Roller Scrapers <i>Set of 3 for either Front or Rear Rollers.</i>	\$60.00
9849	(3) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Rear Rollers	\$137.00



2400 PrecisionCut Triplex Mower

Code	Description	List price(USD)
9850	(3) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	\$99.00
MISCELLANEOUS		
9805	Cutting Unit Top Shield Extensions <i>Set of 3. Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	\$110.00
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
BUC10415	(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,266.71
BUC10416	(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,580.21
BM23080	Cutting Unit Top Shield Extension (set of 3) <i>Improves Grass Catching performance in dry conditions. Recommended to remove in wet conditions. Adjust shields to 1.5 mm (0.059-in.) gap between shield and reel blades.</i>	\$117.70
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC/Rotary Brush on cutting unit.</i>	\$86.67
BM22705	(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if ONLY installing Rear Roller Power Brush on cutting unit.</i>	\$194.74
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	\$86.67
REEL CUTTING UNIT ATTACHING YOKES AND GRASS CATCHERS		
BTC10408	(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>1 needed for 2500's.</i>	\$200.09
BTC10718	(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units	\$241.81

**2400 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
	<i>2 needed for complete machine for 2500's Weight Transfer System.</i>	
BUC10523	Weight Transfer Grass Catcher Side Plate Insert <i>2 Needed for complete machine 2500's Weight Transfer System.</i>	\$65.27
BUC10546	Direct Mount Front Grass Catcher Brackets for QA5 Cutting Units <i>2 needed on front cutting units for 2500s when installing bullhorn / direct mount grass catchers. Improved angle for easier grass catcher removal and installation.</i>	\$93.09
BTC10726	55.9 cm (22-in.) Direct Mount Front Grass Catcher for QA5 Cutting Units <i>2 needed for complete machine for 2500's.</i>	\$241.81
TCB11356	Cutting Unit Yokes Kit for MY 1998 through 2008 2500 Riding Greens Mowers	\$1,143.83
BUC10484	Cutting Unit Rear Attaching Point Yoke Kit for FAIRWAYS <i>These yokes attach at the rear of the cutting unit and are for units used in fairway applications one (1) kit needed per machine</i>	\$1,915.30
BTC10407	Rear Grass Catcher Bail Kit <i>Mounting Bail needed for rear cutting unit 1 needed per machine.</i>	\$215.07
BUC10223	Cutting Unit Yokes Kit for MY 2009 to Current 2500 Riding Greens Mowers or QA5 Cutting Units <i>For Paddle Clip Style Grass Catchers only. Less Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	\$801.43
BTC10914	Weight Transfer Grass Catcher Mounting Kit <i>Mounting Hardware for complete machine.</i>	\$201.16
BUC10224	Direct Mount Cutting Unit Yokes Kit for MY 2009 - Current Riding Greens Mowers or QA5 Cutting Units <i>For Direct Mount / Bullhorn Style Grass Catchers Only. Includes Upstops. Includes 3 yokes with nitrocarburized rods and composite bushings. Does not include grass catchers or grass catcher mounting brackets.</i>	\$786.46

**2400 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
FAIRWAY TENDER CONDITIONER		
BTC10779	(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$681.59
GREENS TENDER CONDITIONER		
BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	\$1,756.94
BTC10778	(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$395.90
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
FRONT TURF BRUSHES		
BTC10773	(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$285.69
BTC10775	(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$285.69
REAR ROLLER POWER BRUSHES		
BTC10834	(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units	\$197.96



2400 PrecisionCut Triplex Mower

Code	Description	List price(USD)
	<i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	
BTC10767	(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	\$540.36
BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	\$88.81
ROLLER SCRAPERS		
BM22995	(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	\$21.40
BM23002	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Can be used on QA5 Cutting units by ordering (1) TCA19597 for each scraper from parts. Requires 3 for 2500's.</i>	\$205.44
BUC10113	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	\$35.31
BUC10112	(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	\$49.21
TCA19547	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	\$53.21
MISCELLANEOUS		
AMT2978	Height of Cut Gauge Bar	\$117.88
ROLLERS		
BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	\$220.41
BTC10267	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller	\$451.54

**2400 PrecisionCut Triplex Mower**

Code	Description	List price(USD)
	<i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	
BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	\$220.41
BM23566	(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	\$471.87
BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not Compatible if FTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$545.70
BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	\$323.14
BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC installed. 7.62 cm (3 In.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$334.91
BUC10786	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Smooth Roller <i>NOT FOR USE ON GREENS. Roller used to help reduce roller overlaps in fairways. For best results install MT rollers on front and rear roller location of cutting unit.</i>	\$451.54
BM18712	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	\$228.99
BM18480	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	\$197.96
BM18711	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller <i>Recommended on rear of cutting unit when using Direct Mount (Bullhorn) style grass catcher system for better balance and even lowering.</i>	\$220.41
BEDKNIVES		



2400 PrecisionCut Triplex Mower

Code	Description	List price(USD)
TCU36165	Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	\$125.26
ET11066	Bedknife, 3.2 mm with Hardened Insert	\$116.06
UC18869	Bedknife, 2.5mm Tournament	\$39.78
UC18873	Bedknife, 3.2 mm Standard	\$38.45
UC23562	Bedknife, 7.6 mm Fairway Hi-Cut	\$39.79
UC28163	Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	\$45.86
UC28156	Bedknife, 4.8 mm Fairway Low Cut	\$35.69
VERTICAL CUTTING UNITS		
BUC10417	(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor.</i>	\$3,230.33
MACHINE CONNECTIVITY		
Basic Factory Options		
CONNECTIVITY HARDWARE		
183B	Less JDLink™ Hardware	In Base Price
183E	JDLink™ Modem <i>JDLink™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.</i> <i>JDLink™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.</i> <i>Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets.</i>	\$932.00
OPERATOR'S STATION AND CONTROLS		
Basic Factory Options		
SEAT		
2009	Standard Seat	\$575.00
2010	Deluxe Suspension Seat with Left Side Armrest	\$1,044.00
2090	Less Seat	In Base Price
Field Installed Options		
MISCELLANEOUS		



2400 PrecisionCut Triplex Mower

Code	Description	List price(USD)
9770	Hydraulic Oil Leak Detector	\$1,820.00
	ATTACHMENTS FOR FIELD CONVERSION	
	SEAT	
BTC10757	Seat, Standard	\$616.31
BTC10758	Seat, Deluxe Suspension with Armrests	\$1,119.21
AMT2477	Arm Rest Kit (Includes one Arm Rest and hardware)	\$235.25
	LIGHTING	
BUC10675	LED Work Light Kit <i>2 forward facing front mounted LED work lights, and 1 LED strip for center grass catcher illumination.</i>	\$631.30
	MISCELLANEOUS	
	Field Installed Options	
	MISCELLANEOUS	
9766	LED Work Light Kit <i>2 forward facing LED work lights at front of operator platform, and one frame-mounted LED light strip to illuminate rear grass catcher.</i>	\$589.00
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
BUC10429	Hydraulic Leak Detector Kit	\$1,950.61
BTC10686	Dew Whip with end support bracket <i>Fits MY 2014 - Current Gas and All Model Year Diesel 2500s.</i>	\$185.11

**6080A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
	<p>6080A PrecisionCut Fairway Mower</p> <p>ENGINE: Three Cylinder Diesel Engine Indirect Injection Liquid Cooled with Centrifugal Pump</p> <p>TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive Three Wheel Drive GRIP All-Wheel Drive Traction System Internal Wet Disc Brakes</p> <p>OPERATOR STATION: Command Arm with Operator Controls Mechanically Controlled Throttle Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure</p> <p>HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Single Reel Circuit Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability</p> <p>ELECTRICAL: 2 Front LED Work Lights Factory Installed 12-volt Power Port</p> <p>CUTTING UNITS: 80 In. (2.03 m) Cutting Width Rear Cutting Unit Attaching Point Yokes</p> <p>WHEELS AND TIRES: Three Wheel Configuration 24x13-12 Smooth Drive and Steering Tires</p>	

**6080A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
	BASE MACHINE	
	<i>EPA Final Tier 4 Compliant B20 Compatible 24.7 HP (18.4 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information. Fuquay-Varina, North Carolina</i>	
1564TC	6080A PrecisionCut Fairway Mower	\$44,679.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other countries (English/Spanish)	In Base Price
	CUTTING UNITS	
	Basic Factory Options	
	REEL CUTTING UNITS	
1290	Less Cutting Units	In Base Price
	45.7 cm (18-in.) QA5 Cutting Units 45.7 cm (18-in.) Width per cutting unit	
1200	Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units 0.189-in (4.8 mm) adjustable Low Cut Fairway bedknife Less Front and Rear Rollers	\$14,300.00
1202	Quick Adjust 5 (QA5) 11-blade Cutting Units 0.078-in (2 mm) adjustable Hardened Tool Steel Bedknife (4 mm less aggressive than standard geometry from cutting edge to center of reel) Less Front and Rear Rollers	\$15,959.00
	REEL FRONT ROLLERS	
1390	Less Front Rollers	In Base Price
	45.7 cm (18-in.) Front Rollers 45.7 cm (18-in.) Standard Width Rollers	
1309	50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers	\$1,028.00
1310	50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers	\$1,028.00

**6080A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
1311	50.8 mm (2-in.) Diameter Spiral Grooved Rollers	\$2,298.00
1312	76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed.</i> 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.	\$2,240.00
1321	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$2,298.00
1322	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$729.00
1326	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,829.00
1328	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$2,298.00
REEL REAR ROLLERS		
1690	Less Rear Rollers 45.7 cm (18-in.) Rear Rollers	In Base Price
1619	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,829.00
1621	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$2,298.00
1622	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$729.00
1623	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$2,298.00
REEL CUTTING UNIT COUNTER WEIGHTS		
1400	QA5 Cutting Unit ONLY Counterweights	\$406.00

**6080A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
	<i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	
1402	QA5 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	\$906.00
1404	QA5 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	\$406.00
1408	Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>	In Base Price
Field Installed Options		
FAIRWAY TENDER CONDITIONER		
9740	(5) QA5 18" Fairway Tender Conditioners Shaft (FTC) and Blades <i>Requires QA5 GTC/FTC Gear Drive. Not compatible with 3 In roller option.</i>	\$3,181.00
9743	(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	\$8,188.00
GRASS CATCHERS		
9834	(3) FRONT Latch Style Grass Catchers and Mounting Brackets and (2) REAR Grass Catcher Bail Kits and Grass Catchers <i>Note: Cutting unit shield extensions should only be used in dry conditions.</i>	\$2,373.00
9847	(3) Front Grass Catchers and (2) Rear Grass Catchers with Latch Style Mounting System <i>Reduced catcher clearance for removal and installation compared to Bail System.</i>	\$2,163.00
REAR ROLLER POWER BRUSHES		
9745	(5) QA5 18 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	\$922.00
9748	(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	\$2,522.00
ROLLER SCRAPERS		
9755	(5) 18 In. Smooth Roller Scrapers	\$100.00
9758	(5) 18 In. 3 In. Diameter Heavy Duty Grooved Roller Scrapers	\$841.00

**6080A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
9848	<i>Not compatible with Fairway Tender Conditioner option 9740.</i> (5) 45.7 cm (18-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	\$165.00
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
BUC10412	(1) Quick Adjust 5 (QA5) 11-Blade 457.2-mm (18-in.) Cutting Unit with 2.0-mm Hardened Tool Steel bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,422.93
BUC11254	(1) Quick Adjust 5 (QA5) 7-Blade 457.2-mm (18-in.) Heavy Section Cutting Unit with 4.8-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,066.61
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	\$86.67
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	\$86.67
BM22705	(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	\$194.74
FAIRWAY TENDER CONDITIONER		
BTC10783	(1) 45.7 cm (18-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit.</i> <i>Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$364.87
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design.</i> <i>Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft.</i> <i>Includes parts to update one cutting unit.</i>	\$88.81
BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units	\$1,756.94

**6080A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
BTC10780	<p><i>Installation on Reel Mowers with 45.7 cm (18-in.) QA5 Cutting units requires BTC10783 GTC Shaft Kit, BTC10780 FTC Shaft Kit, BTC10774 Front Rotary Brush Kit, or BTC10776 DT Front Rotary Brush Kit.</i></p> <p><i>Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i></p> <p><i>Not compatible with 3" (76.2 mm) Front Roller.</i></p> <p>(1) 45.7 cm (18-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units</p> <p><i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit.</i></p> <p><i>Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i></p>	\$681.59
GRASS CATCHERS		
BTC10405	<p>(1) 457.2-mm (18-in.) Rear Grass Catcher Bail System</p> <p><i>Requires 2 for complete machine & rear grass catchers with handles BTC10406.</i></p>	\$330.63
BTC11010	<p>Right Hand Catcher Latch</p> <p><i>1 needed for front grass catchers on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using Bail System in rear.</i></p> <p><i>2 needed (1 front, 1 rear) on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using BUC10617 latch catchers in rear.</i></p>	\$218.29
BTC11039	<p>(1) 457.2 mm (18-in.) Front Grass Catcher for QA5 Cutting Units</p> <p><i>3 needed for front on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011</i></p>	\$246.10
BTC11011	<p>Left Hand Catcher Latch</p> <p><i>2 needed for front grass catchers on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using Bail System in rear.</i></p> <p><i>3 needed (2 front, 1 rear) on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using BUC10617 latch catchers in rear.</i></p>	\$218.29
BTC10717	<p>(1) 457.2-mm (18-in.) Front Grass Catcher with large paddle clip</p> <p><i>3 required for complete machine. Also requires (3) Grass Catcher Side Plate Insert Kits (BM24199).</i></p>	\$263.21
BTC10605	<p>Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3)</p> <p><i>Needed for front 3 cutting units.</i></p>	\$151.94
BTC10406	<p>(1) 457.2 (18-in.) Rear Grass Catcher with Handles</p>	\$246.10



6080A PrecisionCut Fairway Mower

Code	Description	List price(USD)
	<i>Requires 2 for complete machine & rear grass catcher bail system BTC10405.</i>	
BUC10523	Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 55.9 cm (22-in.) QA5 cutting units, used only in rear cutting unit and front center locations when using Paddle Clip grass catchers on front and rear. 3 required.</i>	\$65.27
BUC10617	(1) 457.2 mm (18-in.) Rear Grass Catcher for QA5 Cutting Units (Latch System) <i>2 needed for rear on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using Latch kits BTC11010 and BTC11011. Reduced catcher clearance for removal and installation compared to Bail System.</i>	\$246.10
REAR ROLLER POWER BRUSHES		
BTC10833	(1) 45.7 cm (18-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	\$197.96
BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	\$88.81
BTC10767	(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 45.7 cm (18-in.) QA5 Cutting Units requires BTC10833 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	\$540.36
ROLLER SCRAPERS		
BM23015	(1) 457.2-mm (18-in.) Smooth Roller Scraper <i>Adjustable cable design.</i>	\$21.40
BM23014	(1) 457.2-mm (18-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners.</i>	\$179.76
BUC10428	(1) 45.7 cm (18-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	\$35.31

**6080A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
TCA19585	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Grooved Roller Scraper <i>Need to order 5 for completed machine.</i>	\$18.41
ROLLERS		
BM24204	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	\$157.29
BM20561	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Roller	\$220.41
BM22868	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Grooved Roller	\$220.41
BM22879	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Spiral Grooved Roller with Spiral End Caps	\$493.27
BTC10281	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	\$493.27
BM23567	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	\$391.61
TCA19509	(1) 45.72 cm (18 in.) x 7.6 cm (3 in.) Diameter Hollow Smooth Roller <i>Not compatible with Fairway Tender Conditioners (FTC) when used as a front roller.</i>	\$302.18
BM25316	(1) 457.2 mm (18 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting units if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$480.43
BUC10787	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) MT Smooth Roller <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$493.27
BEDKNIVES		
TCU36878	Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	\$123.78
FRONT TURF BRUSHES		
BTC10776	(1) 45.7 cm (18-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$285.69



6080A PrecisionCut Fairway Mower

Code	Description	List price(USD)
BTC10774	(1) 45.7 cm (18-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$285.69
MISCELLANEOUS		
TCU13823	Height of Cut Gauge Bar	\$136.62
BM24372	Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	\$88.81
VERTICAL CUTTING UNITS		
BUC10763	(1) Quick-Adjust 5 (QA5) 457.2-mm (18-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor</i>	\$3,387.61
REEL CUTTING UNIT ATTACHING YOKES		
BUC11157	45.7-cm (18-in.) QA5 Fairway Mower yoke <i>5 required per machine. Does not required kickplates, hose guides, or additional hardware..</i>	\$383.06
MISCELLANEOUS		
Field Installed Options		
MISCELLANEOUS		
9764	Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	\$734.00
ATTACHMENTS FOR FIELD CONVERSION		
ENGINE		
TCA19917	B20 Biodiesel Conversion Kit <i>This kit converts one machine to use B20 Diesel fuel.</i>	\$256.13
OPERATOR'S STATION AND CONTROLS		
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
BTC10338	Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	\$787.51
BUC11050	ShadePro(TM) Canopy <i>Canopy with Integrated Adjustable Dual Fan. Installation of ShadePro requires (1) BM17972 Wheel weight for rear wheel and (4) 19M8983 mounting bolts.</i>	\$1,527.99
WHEELS AND TIRES		



6080A PrecisionCut Fairway Mower

Code	Description	List price(USD)
ATTACHMENTS FOR FIELD CONVERSION WHEELS AND TIRES		
TCU25388	UltraTrac Fairway Mower Tire <i>For installation on front position of 8000 and 8000A E-Cut Hybrid Fairway Mowers.</i>	\$257.86



6080A E-Cut Hybrid Fairway Mower

Code	Description	List price(USD)
6080A E-Cut Hybrid Fairway Mower		
	<p>ENGINE: Three Cylinder Diesel Engine Indirect Injection Liquid Cooled with Centrifugal Pump</p> <p>TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive Three Wheel Drive GRIP All-Wheel Drive Traction System Internal Wet Disc Brakes</p> <p>OPERATOR STATION: Command Arm with Operator Controls Mechanically Controlled Throttle Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure</p> <p>HYDRAULICS: Power Steering with Double acting steering cylinder Hydraulic Down Pressure with mechanical On/Off adjustability</p> <p>ELECTRICAL: 2 Front LED Work Lights Factory Installed 12-volt Power Port Five Brushless Electric Reel Motors Independent Electric Reel Motor Controllers 48-volt, 180-amp Alternator On-Board Electric Backlapping with Adjustable Reel Speed control</p> <p>CUTTING UNITS: 80 In. (2.03 m) Cutting Width Rear Cutting Unit Attaching Point Yokes</p> <p>WHEELS AND TIRES:</p>	

**6080A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
	Three Wheel Configuration 24x13-12 Smooth Drive and Steering Tires	
	BASE MACHINE	
	<i>EPA Final Tier 4 Compliant B20 Compatible 24.7 HP (18.4 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information Fuquay-Varina, North Carolina</i>	
1567TC	6080A E-Cut Hybrid Fairway Mower	\$49,019.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other countries (English/Spanish)	In Base Price
	CUTTING UNITS	
	Basic Factory Options	
	REEL CUTTING UNITS	
1290	Less Cutting Units	In Base Price
	45.7 cm (18-in.) QA5 Cutting Units 45.7 cm (18-in.) Width per cutting unit	
1200	Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units 0.189-in (4.8 mm) adjustable Low Cut Fairway bedknife Less Front and Rear Rollers	\$14,300.00
1202	Quick Adjust 5 (QA5) 11-blade Cutting Units 0.078-in (2 mm) adjustable Hardened Tool Steel Bedknife (4 mm less aggressive than standard geometry from cutting edge to center of reel) Less Front and Rear Rollers	\$15,959.00
	REEL FRONT ROLLERS	
1390	Less Front Rollers	In Base Price
	45.7 cm (18-in.) Front Rollers 45.7 cm (18-in.) Standard Width Rollers	
1309	50.8 mm (2-in.) Diameter Machined Smooth Solid Rollers	\$1,028.00

**6080A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
1310	50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers	\$1,028.00
1311	50.8 mm (2-in.) Diameter Spiral Grooved Rollers	\$2,298.00
1312	76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed.</i> 76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.	\$2,240.00
1321	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$2,298.00
1322	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$729.00
1326	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$1,829.00
1328	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$2,298.00
REEL REAR ROLLERS		
1690	Less Rear Rollers 45.7 cm (18-in.) Rear Rollers	In Base Price
1619	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$1,829.00
1621	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$2,298.00
1622	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$729.00
1623	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$2,298.00
REEL CUTTING UNIT COUNTER WEIGHTS		
1400	QA5 Cutting Unit ONLY Counterweights	\$406.00

**6080A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
	<i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	
1402	QA5 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	\$906.00
1404	QA5 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	\$406.00
1408	Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>	In Base Price
Field Installed Options		
FAIRWAY TENDER CONDITIONER		
9740	(5) QA5 18" Fairway Tender Conditioners Shaft (FTC) and Blades <i>Requires QA5 GTC/FTC Gear Drive. Not compatible with 3 In roller option.</i>	\$3,181.00
9743	(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	\$8,188.00
GRASS CATCHERS		
9834	(3) FRONT Latch Style Grass Catchers and Mounting Brackets and (2) REAR Grass Catcher Bail Kits and Grass Catchers <i>Note: Cutting unit shield extensions should only be used in dry conditions.</i>	\$2,373.00
9847	(3) Front Grass Catchers and (2) Rear Grass Catchers with Latch Style Mounting System <i>Reduced catcher clearance for removal and installation compared to Bail System.</i>	\$2,163.00
REAR ROLLER POWER BRUSHES		
9745	(5) QA5 18 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	\$922.00
9748	(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	\$2,522.00
ROLLER SCRAPERS		
9755	(5) 18 In. Smooth Roller Scrapers	\$100.00
9758	(5) 18 In. 3 In. Diameter Heavy Duty Grooved Roller Scrapers	\$841.00

**6080A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
9848	<i>Not compatible with Fairway Tender Conditioner option 9740.</i> (5) 45.7 cm (18-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	\$165.00
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
BUC10412	(1) Quick Adjust 5 (QA5) 11-Blade 457.2-mm (18-in.) Cutting Unit with 2.0-mm Hardened Tool Steel bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,422.93
BUC11254	(1) Quick Adjust 5 (QA5) 7-Blade 457.2-mm (18-in.) Heavy Section Cutting Unit with 4.8-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,066.61
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	\$86.67
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	\$86.67
BM22705	(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	\$194.74
FAIRWAY TENDER CONDITIONER		
BTC10783	(1) 45.7 cm (18-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit.</i> <i>Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$364.87
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design.</i> <i>Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft.</i> <i>Includes parts to update one cutting unit.</i>	\$88.81
BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units	\$1,756.94

**6080A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
BTC10780	<p><i>Installation on Reel Mowers with 45.7 cm (18-in.) QA5 Cutting units requires BTC10783 GTC Shaft Kit, BTC10780 FTC Shaft Kit, BTC10774 Front Rotary Brush Kit, or BTC10776 DT Front Rotary Brush Kit.</i></p> <p><i>Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i></p> <p><i>Not compatible with 3" (76.2 mm) Front Roller.</i></p> <p>(1) 45.7 cm (18-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units</p> <p><i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit.</i></p> <p><i>Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i></p>	\$681.59
GRASS CATCHERS		
BTC11011	<p>Left Hand Catcher Latch</p> <p><i>2 needed for front grass catchers on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using Bail System in rear.</i></p> <p><i>3 needed (2 front, 1 rear) on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using BUC10617 latch catchers in rear.</i></p>	\$218.29
BTC11039	<p>(1) 457.2 mm (18-in.) Front Grass Catcher for QA5 Cutting Units</p> <p><i>3 needed for front on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011</i></p>	\$246.10
BUC10523	<p>Weight Transfer Grass Catcher Side Plate Insert</p> <p><i>On Fairway Mowers with 55.9 cm (22-in.) QA5 cutting units, used only in rear cutting unit and front center locations when using Paddle Clip grass catchers on front and rear. 3 required.</i></p>	\$65.27
BTC10406	<p>(1) 457.2 (18-in.) Rear Grass Catcher with Handles</p> <p><i>Requires 2 for complete machine & rear grass catcher bail system BTC10405.</i></p>	\$246.10
BTC11010	<p>Right Hand Catcher Latch</p> <p><i>1 needed for front grass catchers on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using Bail System in rear.</i></p> <p><i>2 needed (1 front, 1 rear) on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using BUC10617 latch catchers in rear.</i></p>	\$218.29
BTC10405	<p>(1) 457.2-mm (18-in.) Rear Grass Catcher Bail System</p> <p><i>Requires 2 for complete machine & rear grass catchers with handles BTC10406.</i></p>	\$330.63
BTC10717	<p>(1) 457.2-mm (18-in.) Front Grass Catcher with large paddle clip</p>	\$263.21

**6080A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
	<i>3 required for complete machine. Also requires (3) Grass Catcher Side Plate Insert Kits (BM24199).</i>	
BTC10605	Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	\$151.94
BUC10617	(1) 457.2 mm (18-in.) Rear Grass Catcher for QA5 Cutting Units (Latch System) <i>2 needed for rear on Fairway Mowers with 45.7 cm (18-in.) QA5 Cutting Units when using Latch kits BTC11010 and BTC11011. Reduced catcher clearance for removal and installation compared to Bail System.</i>	\$246.10
REAR ROLLER POWER BRUSHES		
BTC10833	(1) 45.7 cm (18-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	\$197.96
BTC10767	(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 45.7 cm (18-in.) QA5 Cutting Units requires BTC10833 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	\$540.36
BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	\$88.81
ROLLER SCRAPERS		
BM23015	(1) 457.2-mm (18-in.) Smooth Roller Scraper <i>Adjustable cable design.</i>	\$21.40
BM23014	(1) 457.2-mm (18-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners.</i>	\$179.76
TCA19585	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Grooved Roller Scraper <i>Need to order 5 for completed machine.</i>	\$18.41

**6080A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
BUC10428	(1) 45.7 cm (18-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	\$35.31
ROLLERS		
BM24204	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	\$157.29
BM22879	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Spiral Grooved Roller with Spiral End Caps	\$493.27
BM22868	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Grooved Roller	\$220.41
BM20561	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Roller	\$220.41
BM23567	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	\$391.61
BTC10281	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	\$493.27
TCA19509	(1) 45.72 cm (18 in.) x 7.6 cm (3 in.) Diameter Hollow Smooth Roller <i>Not compatible with Fairway Tender Conditioners (FTC) when used as a front roller.</i>	\$302.18
BM25316	(1) 457.2 mm (18 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting units if FTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$480.43
BUC10787	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) MT Smooth Roller <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$493.27
MISCELLANEOUS		
BM24372	Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	\$88.81
TCU13823	Height of Cut Gauge Bar	\$136.62
FRONT TURF BRUSHES		
BTC10774	(1) 45.7 cm (18-in.) Front Rotary Brush for QA5 Cutting Units	\$285.69

**6080A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
BTC10776	<p><i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i></p> <p>(1) 45.7 cm (18-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units</p> <p><i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i></p>	\$285.69
BEDKNIVES		
TCU36878	Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	\$123.78
UC23445	Bedknife, Hi-Cut Fairway 7.6 mm	\$66.54
UC28157	Bedknife, 4.8 mm Fairway Low Cut	\$41.69
UC18877	Bedknife, 2.5 mm Tournament	\$41.56
VERTICAL CUTTING UNITS		
BUC10763	<p>(1) Quick-Adjust 5 (QA5) 457.2-mm (18-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight</p> <p><i>Less Yoke and Motor</i></p>	\$3,387.61
REEL CUTTING UNIT ATTACHING YOKES		
BUC11157	<p>45.7-cm (18-in.) QA5 Fairway Mower yoke</p> <p><i>5 required per machine. Does not required kickplates, hose guides, or additional hardware..</i></p>	\$383.06
MACHINE CONNECTIVITY		
Basic Factory Options		
CONNECTIVITY HARDWARE		
183B	Less JDLink™ Hardware	In Base Price
183E	<p>JDLink™ Modem</p> <p><i>Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets.</i></p> <p><i>JDLink™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.</i></p> <p><i>JDLink™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.</i></p>	\$932.00
MISCELLANEOUS		
Field Installed Options		

**6080A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
	MISCELLANEOUS	
9764	Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	\$734.00
9871	ShadePro(TM) Canopy <i>Installation of ShadePro requires (1) BM17972 Wheel weight for rear wheel and (4) 19M8983 mounting bolts. Canopy with Integrated Adjustable Dual Fan.</i>	\$1,428.00
	WHEELS AND TIRES ATTACHMENTS FOR FIELD CONVERSION WHEELS AND TIRES	
TCU25388	UltraTrac Fairway Mower Tire <i>For installation on front position of 8000 and 8000A E-Cut Hybrid Fairway Mowers.</i>	\$257.86
	OPERATOR'S STATION AND CONTROLS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
BUC11050	ShadePro(TM) Canopy <i>Canopy with Integrated Adjustable Dual Fan. Installation of ShadePro requires (1) BM17972 Wheel weight for rear wheel and (4) 19M8983 mounting bolts.</i>	\$1,527.99
BTC10338	Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	\$787.51



6500A PrecisionCut Fairway Mower

Code	Description	List price(USD)
6500A PrecisionCut Fairway Mower		
	<p>ENGINE: Three Cylinder Diesel Engine Indirect Injection Liquid Cooled with Centrifugal Pump</p> <p>TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive Three Wheel Drive GRIP All-Wheel Drive Traction System Internal Wet Disc Brakes</p> <p>OPERATOR STATION: Command Arm with Operator Controls Mechanically Controlled Throttle Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure</p> <p>HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Single Reel Circuit Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability</p> <p>ELECTRICAL: 2 Front LED Work Lights Factory Installed 12-volt Power Port</p> <p>CUTTING UNITS: 100 In. (2.54 m) Cutting Width Rear Cutting Unit Attaching Point Yokes</p> <p>WHEELS AND TIRES: Three Wheel Configuration</p>	



6500A PrecisionCut Fairway Mower

Code	Description	List price(USD)
	26.5x14-12 Smooth Drive Tires 24x13-12 Smooth Steering Tire	
	BASE MACHINE <i>EPA Final Tier 4 Compliant B20 Compatible 24.7 HP (18.4 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information Fuquay-Varina, North Carolina</i>	
1575TC	6500A PrecisionCut Fairway Mower	\$52,929.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other countries (English/Spanish)	In Base Price
	CUTTING UNITS Basic Factory Options REEL CUTTING UNITS	
1290	Less Cutting Units	In Base Price
	55.9 cm (22-in.) QA5 Cutting Units 55.9 cm (22-in.) Width per cutting unit	
1201	Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units 0.189-in (4.8 mm) adjustable Low Cut Fairway bedknife Less Front and Rear Rollers	\$14,666.00
1203	Quick Adjust 5 (QA5) 11-blade Cutting Units 0.078-in (2 mm) adjustable Hardened Tool Steel Bedknife (4 mm less aggressive than standard geometry from cutting edge to center of reel) Less Front and Rear Rollers	\$15,230.00
	REEL FRONT ROLLERS	
1390	Less Front Rollers	In Base Price
	55.9 cm (22-in.) Front Rollers 55.9 cm (22-in.) Standard Width Rollers	
1302	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$1,041.00

**6500A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
1303	50.8 mm (2-in.) Diameter Spiral Grooved Rollers	\$1,910.00
1304	50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers	\$1,028.00
1305	76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed.</i> <i>76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$1,564.00
1307	76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps <i>Not compatible if FTC installed.</i> <i>76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$2,544.00
1324	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$2,198.00
1325	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$2,105.00
1327	63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	\$1,505.00
1329	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$2,105.00
REEL REAR ROLLERS		
1690	Less Rear Rollers	In Base Price
	55.9 cm (22-in.) Rear Rollers	
1602	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$1,041.00
1618	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$2,198.00
1620	50.8 mm (2-in.) Diameter MT Grooved Rollers	\$2,105.00

**6500A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
	<i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	
1624	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$2,105.00
REEL CUTTING UNIT COUNTER WEIGHTS		
1400	QA5 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	\$406.00
1402	QA5 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	\$906.00
1404	QA5 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	\$406.00
1408	Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>	In Base Price
Field Installed Options		
FAIRWAY TENDER CONDITIONER		
9737	(5) QA5 22" Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires QA5 GTC/FTC Gear Drive. Cannot be installed if using Front Rotary Turf Brush option 3" roller when used on the QA5 is not compatible.</i>	\$3,181.00
9743	(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	\$8,188.00
GRASS CATCHERS		
9827	(3) FRONT Grass Catchers and Mounting Brackets <i>Note: Order code is for FRONT 3 cutting units only; Must also order Code 9828 OR 9829 for complete machine.</i>	\$1,298.00
9828	(2) REAR Grass Catchers and Mounting Brackets <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	\$865.00
9829	(2) REAR Grass Catcher Bail Kit and Grass Catchers	\$854.00

**6500A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
	<i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	
REAR ROLLER POWER BRUSHES		
9748	(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	\$2,522.00
9791	(5) QA5 22 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	\$922.00
FRONT TURF BRUSHES		
9751	(5) 22 In. Front Rotary Turf Brush <i>Brush can be used in place of using FTC/GTC Shaft and Blades Kit.</i>	\$1,335.00
MISCELLANEOUS		
9752	Hydraulic Down Pressure Kit <i>Additional valve added to machine to increase down pressure cutting units.</i>	\$1,156.00
ROLLER SCRAPERS		
9756	(5) 22 In. Smooth Roller Scrapers <i>Adjustable cable design.</i>	\$100.00
9849	(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers	\$229.00
9850	(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	\$165.00
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
BUC10415	(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,266.71
BUC11255	(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,144.73
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	\$86.67

**6500A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	\$86.67
BM22705	(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	\$194.74
FAIRWAY TENDER CONDITIONER		
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
BTC10778	(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$395.90
BTC10779	(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$681.59
BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits. Not compatible with 3" (76.2 mm) Front Roller.</i>	\$1,756.94
GRASS CATCHERS		
BTC10408	(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10501.</i>	\$200.09
BTC11011	Left Hand Catcher Latch	\$218.29

**6500A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
	<i>2 needed for front grass catchers and 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	
BTC10605	Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	\$151.94
BTC11010	Right Hand Catcher Latch <i>1 needed for front grass catchers 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	\$218.29
BTC10719	Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	\$252.51
BTC10501	(1) 558.8 mm (22-in.) Rear Grass Catcher Bail Kit <i>Requires 2 for complete machine & rear grass catchers BTC10408.</i>	\$256.80
BTC11038	(1) 558.8 mm (22-in.) Rear Grass Catcher for QA5 Cutting Units (Latch System) <i>2 needed for rear locations on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	\$246.10
BUC10523	Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 55.9 cm (22-in.) QA5 cutting units, used only in rear cutting unit and front center locations when using Paddle Clip grass catchers on front and rear. 3 required.</i>	\$65.27
BTC10909	(1) 558.8 mm (22-in.) Front Grass Catcher for QA5 Cutting Units (Latch System) <i>3 needed for front on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	\$246.10
BTC10718	(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	\$241.81
REAR ROLLER POWER BRUSHES		
BTC10834	(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units	\$197.96

**6500A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
	<i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	
BTC10767	(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	\$540.36
BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	\$88.81
FRONT TURF BRUSHES		
BTC10775	(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$285.69
BTC10773	(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$285.69
MISCELLANEOUS		
TCU13823	Height of Cut Gauge Bar	\$136.62
BM24372	Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	\$88.81
ROLLER SCRAPERS		
BM23002	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	\$205.44
BM22995	(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	\$21.40
BUC10112	(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	\$49.21

**6500A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
TCA19547	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	\$53.21
BUC10113	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	\$35.31
ROLLERS		
BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$545.70
BM23566	(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	\$471.87
BTC10267	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	\$451.54
BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	\$220.41
BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	\$220.41
BM19821	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Spiral Grooved Roller	\$409.81
BM24202	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	\$195.81
BUC10786	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Smooth Roller <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$451.54
BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	\$323.14
BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$334.91

**6500A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
VERTICAL CUTTING UNITS		
BUC10417	(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor</i>	\$3,230.33
REEL CUTTING UNIT ATTACHING YOKES		
BUC11154	55.9-cm (22-in.) Quick-Adjust 5 (QA5) Fairway Mower yoke <i>5 required for complete machine. Requires (1) BUC11259 kickplate, hose guide, and hardware kit.</i>	\$501.83
BUC11259	QA5 Fairway Mower kickplates, hose guides, and hardware <i>1 required for complete machine</i>	\$179.76
BEDKNIVES		
TCU36165	Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	\$125.26
ET11066	Bedknife, 3.2 mm with Hardened Insert	\$116.06
UC23562	Bedknife, 7.6 mm Fairway Hi-Cut	\$39.79
UC18869	Bedknife, 2.5mm Tournament	\$39.78
UC18873	Bedknife, 3.2 mm Standard	\$38.45
UC28163	Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	\$45.86
UC28156	Bedknife, 4.8 mm Fairway Low Cut	\$35.69
MACHINE CONNECTIVITY		
Basic Factory Options		
CONNECTIVITY HARDWARE		
183B	Less JDLink™ Hardware	In Base Price
183E	JDLink™ Modem <i>JDLink™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.</i> <i>JDLink™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.</i> <i>Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets.</i>	\$932.00
MISCELLANEOUS		
Field Installed Options		

**6500A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
MISCELLANEOUS		
9764	Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	\$734.00
9792	Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	\$964.00
9871	ShadePro(TM) Canopy <i>Installation of ShadePro requires (1) BM17972 Wheel weight for rear wheel and (4) 19M8983 mounting bolts. Canopy with Integrated Adjustable Dual Fan.</i>	\$1,428.00
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
BTC10346	Hydraulic Down Pressure Kit	\$1,239.06
OPERATOR'S STATION AND CONTROLS		
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
BUC11050	ShadePro(TM) Canopy <i>Canopy with Integrated Adjustable Dual Fan. Installation of ShadePro requires (1) BM17972 Wheel weight for rear wheel and (4) 19M8983 mounting bolts.</i>	\$1,527.99
BTC10338	Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	\$787.51



6500A E-Cut Hybrid Fairway Mower

Code	Description	List price(USD)
6500A E-Cut Hybrid Fairway Mower		
	<p>ENGINE: Three Cylinder Diesel Engine Indirect Injection Liquid Cooled with Centrifugal Pump</p> <p>TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive Three Wheel Drive GRIP All-Wheel Drive Traction System Internal Wet Disc Brakes</p> <p>OPERATOR STATION: Command Arm with Operator Controls Mechanically Controlled Throttle Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure</p> <p>HYDRAULICS: Power Steering with Double acting steering cylinder Hydraulic Down Pressure with mechanical On/Off adjustability</p> <p>ELECTRICAL: 2 Front LED Work Lights Factory Installed 12-volt Power Port Five Brushless Electric Reel Motors Independent Electric Reel Motor Controllers 48-volt, 180-amp Alternator On-Board Electric Backlapping with Adjustable Reel Speed control</p> <p>CUTTING UNITS: 100 In. (2.54 m) Cutting Width Rear Cutting Unit Attaching Point Yokes</p> <p>WHEELS AND TIRES:</p>	

**6500A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
	Three Wheel Configuration 26.5x14-12 Smooth Drive Tires 24x13-12 Smooth Steering Tire	
	BASE MACHINE <i>EPA Final Tier 4 Compliant</i> <i>B20 Compatible</i> <i>24.7 HP (18.4 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only.</i> <i>Actual operating hp will be less. Refer to the engine manufacturer's website for additional information</i> <i>Fuquay-Varina, North Carolina</i>	
1576TC	6500A E-Cut Hybrid Fairway Mower	\$57,279.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other countries (English/Spanish)	In Base Price
	CUTTING UNITS Basic Factory Options REEL CUTTING UNITS	
1290	Less Cutting Units 55.9 cm (22-in.) QA5 Cutting Units <i>55.9 cm (22-in.) Width per cutting unit</i>	In Base Price
1201	Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units <i>0.189-in (4.8 mm) adjustable Low Cut Fairway bedknife</i> <i>Less Front and Rear Rollers</i>	\$14,666.00
1203	Quick Adjust 5 (QA5) 11-blade Cutting Units <i>0.078-in (2 mm) adjustable Hardened Tool Steel Bedknife (4 mm less aggressive than standard geometry from cutting edge to center of reel)</i> <i>Less Front and Rear Rollers</i>	\$15,230.00
	REEL FRONT ROLLERS	
1390	Less Front Rollers 55.9 cm (22-in.) Front Rollers <i>55.9 cm (22-in.) Standard Width Rollers</i>	In Base Price

**6500A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
1302	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$1,041.00
1303	50.8 mm (2-in.) Diameter Spiral Grooved Rollers	\$1,910.00
1304	50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers	\$1,028.00
1305	76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed.</i> <i>76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$1,564.00
1307	76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps <i>Not compatible if FTC installed.</i> <i>76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$2,544.00
1324	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$2,198.00
1325	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$2,105.00
1327	63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	\$1,505.00
1329	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$2,105.00
REEL REAR ROLLERS		
1690	Less Rear Rollers	In Base Price
	55.9 cm (22-in.) Rear Rollers	
1602	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$1,041.00
1618	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$2,198.00
1620	50.8 mm (2-in.) Diameter MT Grooved Rollers	\$2,105.00

**6500A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
	<i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	
1624	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$2,105.00
REEL CUTTING UNIT COUNTER WEIGHTS		
1400	QA5 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	\$406.00
1402	QA5 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	\$906.00
1404	QA5 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	\$406.00
1408	Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>	In Base Price
Field Installed Options		
FAIRWAY TENDER CONDITIONER		
9737	(5) QA5 22" Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires QA5 GTC/FTC Gear Drive. Cannot be installed if using Front Rotary Turf Brush option 3" roller when used on the QA5 is not compatible.</i>	\$3,181.00
9743	(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	\$8,188.00
GRASS CATCHERS		
9827	(3) FRONT Grass Catchers and Mounting Brackets <i>Note: Order code is for FRONT 3 cutting units only; Must also order Code 9828 OR 9829 for complete machine.</i>	\$1,298.00
9828	(2) REAR Grass Catchers and Mounting Brackets <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	\$865.00
9829	(2) REAR Grass Catcher Bail Kit and Grass Catchers	\$854.00

**6500A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
	<i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	
	REAR ROLLER POWER BRUSHES	
9748	(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	\$2,522.00
9791	(5) QA5 22 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	\$922.00
	FRONT TURF BRUSHES	
9751	(5) 22 In. Front Rotary Turf Brush <i>Brush can be used in place of using FTC/GTC Shaft and Blades Kit.</i>	\$1,335.00
	MISCELLANEOUS	
9752	Hydraulic Down Pressure Kit <i>Additional valve added to machine to increase down pressure cutting units.</i>	\$1,156.00
	ROLLER SCRAPERS	
9756	(5) 22 In. Smooth Roller Scrapers <i>Adjustable cable design.</i>	\$100.00
9849	(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers	\$229.00
9850	(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	\$165.00
	ATTACHMENTS FOR FIELD CONVERSION	
	REEL CUTTING UNITS	
BUC10415	(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,266.71
BUC11255	(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,144.73
	REEL CUTTING UNIT COUNTER WEIGHTS	
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	\$86.67

**6500A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	\$86.67
BM22705	(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	\$194.74
FAIRWAY TENDER CONDITIONER		
BTC10779	(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$681.59
BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits. Not compatible with 3" (76.2 mm) Front Roller.</i>	\$1,756.94
BTC10778	(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$395.90
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
GRASS CATCHERS		
BTC10408	(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10501.</i>	\$200.09
BTC11010	Right Hand Catcher Latch	\$218.29

**6500A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
BTC10501	<i>1 needed for front grass catchers 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i> (1) 558.8 mm (22-in.) Rear Grass Catcher Bail Kit <i>Requires 2 for complete machine & rear grass catchers BTC10408.</i>	\$256.80
BTC10605	Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	\$151.94
BTC11011	Left Hand Catcher Latch <i>2 needed for front grass catchers and 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	\$218.29
BTC10718	(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	\$241.81
BUC10523	Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 55.9 cm (22-in.) QA5 cutting units, used only in rear cutting unit and front center locations when using Paddle Clip grass catchers on front and rear. 3 required.</i>	\$65.27
BTC10719	Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	\$252.51
BTC11038	(1) 558.8 mm (22-in.) Rear Grass Catcher for QA5 Cutting Units (Latch System) <i>2 needed for rear locations on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	\$246.10
BTC10909	(1) 558.8 mm (22-in.) Front Grass Catcher for QA5 Cutting Units (Latch System) <i>3 needed for front on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	\$246.10
REAR ROLLER POWER BRUSHES		
BTC10767	(1) Rear Roller Power Brush Drive for QA5 Cutting Units	\$540.36

**6500A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
	<i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	
BTC10834	(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units <i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	\$197.96
BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	\$88.81
FRONT TURF BRUSHES		
BTC10773	(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$285.69
BTC10775	(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$285.69
MISCELLANEOUS		
BM24372	Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i>	\$88.81
TCU13823	Height of Cut Gauge Bar	\$136.62
ROLLER SCRAPERS		
BM23002	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i>	\$205.44
BM22995	(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i>	\$21.40



6500A E-Cut Hybrid Fairway Mower

Code	Description	List price(USD)
TCA19547	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units	\$53.21
BUC10113	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	\$35.31
BUC10112	(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	\$49.21
ROLLERS		
BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$545.70
BTC10267	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	\$451.54
BM23566	(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	\$471.87
BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	\$220.41
BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	\$220.41
BM19821	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Spiral Grooved Roller	\$409.81
BM24202	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	\$195.81
BUC10786	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Smooth Roller <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$451.54
BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	\$323.14
BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller	\$334.91

**6500A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
	<i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	
	BEDKNIVES	
TCU36165	Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	\$125.26
ET11066	Bedknife, 3.2 mm with Hardened Insert	\$116.06
UC28163	Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	\$45.86
UC18869	Bedknife, 2.5mm Tournament	\$39.78
UC23562	Bedknife, 7.6 mm Fairway Hi-Cut	\$39.79
UC28156	Bedknife, 4.8 mm Fairway Low Cut	\$35.69
UC18873	Bedknife, 3.2 mm Standard	\$38.45
	VERTICAL CUTTING UNITS	
BUC10417	(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor</i>	\$3,230.33
	REEL CUTTING UNIT ATTACHING YOKES	
BUC11259	QA5 Fairway Mower kickplates, hose guides, and hardware <i>1 required for complete machine</i>	\$179.76
BUC11154	55.9-cm (22-in.) Quick-Adjust 5 (QA5) Fairway Mower yoke <i>5 required for complete machine. Requires (1) BUC11259 kickplate, hose guide, and hardware kit.</i>	\$501.83
	MACHINE CONNECTIVITY	
	Basic Factory Options	
	CONNECTIVITY HARDWARE	
183B	Less JDLINK™ Hardware	In Base Price
183E	JDLINK™ Modem <i>JDLINK™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.</i> <i>JDLINK™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.</i> <i>Includes field installed antenna, JDLINK™ Modem (MTG), machine harness, and all required brackets.</i>	\$932.00

**6500A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
	MISCELLANEOUS	
	Field Installed Options	
	MISCELLANEOUS	
9764	Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	\$734.00
9792	Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	\$964.00
9871	ShadePro(TM) Canopy <i>Canopy with Integrated Adjustable Dual Fan. Installation of ShadePro requires (1) BM17972 Wheel weight for rear wheel and (4) 19M8983 mounting bolts.</i>	\$1,428.00
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
BTC10346	Hydraulic Down Pressure Kit	\$1,239.06
	OPERATOR'S STATION AND CONTROLS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
BUC11050	ShadePro(TM) Canopy <i>Canopy with Integrated Adjustable Dual Fan. Installation of ShadePro requires (1) BM17972 Wheel weight for rear wheel and (4) 19M8983 mounting bolts.</i>	\$1,527.99
BTC10338	Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	\$787.51



6700A PrecisionCut Fairway Mower

Code	Description	List price(USD)
6700A PrecisionCut Fairway Mower		
	<p>ENGINE: Three Cylinder Diesel Engine Indirect Injection Liquid Cooled with Centrifugal Pump</p> <p>TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive Three Wheel Drive GRIP All-Wheel Drive Traction System Internal Wet Disc Brakes</p> <p>OPERATOR STATION: Command Arm with Operator Controls Mechanically Controlled Throttle Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure</p> <p>HYDRAULICS: Power Steering with Double acting steering cylinder On-Board Backlapping with Adjustable Reel Speed control Single Reel Circuit Five Hydraulic Reel Motors with Quick Removal Feature Hydraulic Down Pressure with mechanical On/Off adjustability</p> <p>ELECTRICAL: 2 Front LED Work Lights Factory Installed 12-volt Power Port</p> <p>CUTTING UNITS: 100 In. (2.54 m) Cutting Width Rear Cutting Unit Attaching Point Yokes</p> <p>WHEELS AND TIRES: Three Wheel Configuration</p>	

**6700A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
	26.5x14-12 Smooth Drive Tires 24x13-12 Smooth Steering Tire	
	BASE MACHINE <i>EPA Final Tier 4 Compliant B20 Compatible 24.7 HP (18.4 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information Fuquay-Varina, North Carolina</i>	
1583TC	6700A PrecisionCut Fairway Mower	\$58,669.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other countries (English/Spanish)	In Base Price
	CUTTING UNITS Basic Factory Options REEL CUTTING UNITS	
1290	Less Cutting Units	In Base Price
	55.9 cm (22-in.) QA7 Cutting Units 55.9 cm (22-in.) Width per cutting unit	
1208	Quick Adjust 7 (QA7) 8-blade Cutting Units 0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife with Hardened Insert (less aggressive) Less Front Rollers	\$17,822.00
1209	Quick Adjust 7 (QA7) 10-blade Cutting Units 0.248-in (6.3 mm) adjustable Tournament / Ultra Low Cut bedknife with Hardened Insert (less aggressive) Less Front Rollers	\$18,168.00
	REEL FRONT ROLLERS	
1390	Less Front Rollers	In Base Price
	55.9 cm (22-in.) Front Rollers 55.9 cm (22-in.) Standard Width Rollers	
1305	76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	\$1,564.00

**6700A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
1307	76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	\$2,544.00
REEL CUTTING UNIT COUNTER WEIGHTS		
1401	QA7 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	\$406.00
1403	QA7 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	\$906.00
1406	QA7 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	\$406.00
1408	Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>	In Base Price
Field Installed Options		
FAIRWAY TENDER CONDITIONER		
9739	(5) QA7 22" Fairway Tender Conditioners Shaft and Blades <i>Requires QA7 FTC Gear Drive.</i>	\$3,463.00
9744	(5) QA7 FTC Gear Drive <i>Requires QA7 FTC Shaft and Blades.</i>	\$8,188.00
GRASS CATCHERS		
9852	(3) Front Grass Catchers and (2) Rear Grass Catchers with Latch Style Mounting System for QA7 Cutting Units	\$2,552.00
REAR ROLLER POWER BRUSHES		
9746	(5) QA7 22" Rear Roller Power Brushes <i>Requires QA7 Rear Roller Power Brush Drive.</i>	\$922.00
9749	(5) QA7 Rear Roller Power Brush Drive <i>Used with QA7 Rear Roller Power Brush</i>	\$2,522.00
ROLLER SCRAPERS		
9754	(5) 22 In. 3 In. Diameter Heavy Duty Grooved Disc Roller Scrapers	\$958.00
9756	(5) 22 In. Smooth Roller Scrapers	\$100.00
9849	(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers	\$229.00

**6700A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
	<i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i>	
9851	(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA7 Verticutters with 50.8 mm (2-in.) Smooth Front Rollers	\$382.00
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
BUC10402	(1) Quick Adjust 7 (QA7) 10-Blade 558.8-mm (22-in.) Cutting Unit with 6.3 mm bedknife with Hardened Insert <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	\$3,896.94
BUC10401	1) Quick Adjust 7 (QA7) 8-Blade 558.8-mm (22 In.) Cutting Unit with 6.3 mm bedknife with Hardened Insert <i>Less Yoke, Front Roller, Motor, and Counterweight</i>	\$3,822.04
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	\$86.67
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	\$86.67
BM22721	(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	\$194.74
FAIRWAY TENDER CONDITIONER		
BTC10782	(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	\$743.66
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
BTC10759	(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units	\$1,756.94

**6700A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
	<i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10782 FTC Shaft Kit. Not compatible with previous FTC Shaft Kits.</i>	
GRASS CATCHERS		
TCB11414	Front Wing Latch Kit for QA7 Cutting Units <i>Needed to Secure Wing Grass Catchers when in Transport Position on Fairway Mowers with QA7 Cutting Units. 1 Kit includes parts for both wing cutting units.</i>	\$306.01
BUC10562	Left Hand Catcher Latch (QA7) <i>3 needed (2 front, 1 rear) on Fairway Mowers with 22-in. (55.9 cm) or 26-in. (66 cm) QA7 Cutting Units.</i>	\$218.29
BTC10718	(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	\$241.81
BTC10719	Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	\$252.51
BUC10563	Right Hand Catcher Latch (QA7) <i>2 needed (1 front, 1 rear) on Fairway Mowers with 22-in. (55.9 cm) or 26-in. (66 cm) QA7 Cutting Units</i>	\$218.29
BUC10566	(1) 55.9 cm (22-in.) Grass Catcher for QA7 Cutting Units (Latch System) <i>5 required for complete machine</i>	\$329.56
REAR ROLLER POWER BRUSHES		
BTC10835	(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i>	\$197.96
BTC10768	(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA7 Cutting Units requires BTC10835 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	\$540.36
BUC10268	(1) Rear Roller Power Brush Upgrade Kit	\$88.81

**6700A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
	<p><i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design.</i></p> <p><i>Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing.</i></p> <p><i>Includes parts to update one cutting unit.</i></p>	
ROLLER SCRAPERS		
BM23002	<p>(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units</p> <p><i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i></p>	\$205.44
BUC10114	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA7 Verticutter with 50.8 mm (2-in.) Smooth Front Roller	\$82.39
BUC10342	<p>(1) 558.8 mm (22-in.) Smooth Roller Scraper with Mounting Hardware for QA7 Cutting Units</p> <p><i>DOES NOT require TCA19587 mounting brackets. Already included in kit. One kit required per cutting unit.</i></p>	\$94.16
BUC10112	<p>(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller</p> <p><i>On Fairway Mowers with QA7 Cutting Units, compatible only with vertical cutting units.</i></p>	\$49.21
ROLLERS		
BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps	\$545.70
BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller	\$323.14
BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller	\$334.91
VERTICAL CUTTING UNITS		
BUC10408	<p>(1) Quick-Adjust 7 (QA7) 558.8-mm (22-in.) Vertical Cutting Unit with Smooth Front and Rear Roller and Counterweight</p> <p><i>Less Yoke and Motor</i></p>	\$2,649.31
REEL CUTTING UNIT ATTACHING YOKES		
BUC11260	QA7 Fairway Mower kickplates, hose guides, and hardware	\$212.93
	<i>1 required for complete machine.</i>	

**6700A PrecisionCut Fairway Mower**

Code	Description	List price(USD)
BUC11121	55.9-cm (22-in.) Quick-Adjust 7 (QA7) Fairway Mower yoke <i>5 required for complete machine. Requires (1) BUC11260 kickplate, hose guide, and hardware kit.</i>	\$270.71
MISCELLANEOUS		
TCU13823	Height of Cut Gauge Bar	\$136.62
BEDKNIVES		
TCU32581	Bedknife, 6.3 mm Tournament with Hardened Insert, Less Aggressive	\$149.99
UC23565	Bedknife, 6.3 mm Low-Cut	\$48.95
UC23563	Bedknife, 9.5 mm Fairway Low Cut	\$43.61
UC23576	Bedknife, 12 mm Fairway High Cut	\$42.89
MACHINE CONNECTIVITY		
Basic Factory Options		
CONNECTIVITY HARDWARE		
183B	Less JDLink™ Hardware	In Base Price
183E	JDLink™ Modem <i>Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets.</i> <i>JDLink™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.</i> <i>JDLink™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.</i>	\$932.00
MISCELLANEOUS		
Field Installed Options		
MISCELLANEOUS		
9764	Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	\$734.00
9792	Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	\$964.00
9871	ShadePro(TM) Canopy <i>Canopy with Integrated Adjustable Dual Fan.</i>	\$1,428.00



6700A PrecisionCut Fairway Mower

Code	Description	List price(USD)
	<p><i>Installation of ShadePro requires (1) BM17972 Wheel weight for rear wheel and (4) 19M8983 mounting bolts.</i></p> <p>ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS</p>	
BTC10346	Hydraulic Down Pressure Kit	\$1,239.06
	<p>OPERATOR'S STATION AND CONTROLS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS</p>	
BTC10338	<p>Canopy</p> <p><i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i></p>	\$787.51
BUC11050	<p>ShadePro(TM) Canopy</p> <p><i>Canopy with Integrated Adjustable Dual Fan.</i></p> <p><i>Installation of ShadePro requires (1) BM17972 Wheel weight for rear wheel and (4) 19M8983 mounting bolts.</i></p>	\$1,527.99



7200A PrecisionCut Trim and Surrounds Mower

Code	Description	List price(USD)
7200A PrecisionCut Trim and Surrounds Mower		
	<p>ENGINE: 24.7 HP (18.4 kw) per SAE J1995 - Engine hp is provided by the engine manufacturer for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information. 3-cylinder Diesel Engine Liquid Cooled 12 gal. Fuel Capacity</p> <p>CHASSIS: 2-Post Roll Over Protection Structure</p> <p>HYDRAULICS: eHydro Electronic Controlled Hydrostatic Drive Three Independent Wheel Motors</p> <p>GRIP All-Wheel Drive (AWD) Three Hydraulic Reel Motors Micro-lap Backlapping Valve with Reel Speed Control and Pressure Compensation</p> <p>CUTTING SYSTEM: Width On Demand Reach Trimming System</p> <p>OPERATOR STATION: Command Arm Operator Controls TechControl Display with built in Machine Settings Controls and Electrical Diagnostics One-Touch Lift and Lower Joystick Control Foot Activated Tilt Steering Column Factory Installed 12V Power Port</p> <p>STEERING AND BRAKES: Power Steering with Double Acting Steering Cylinder Internal Wet Disc Brakes</p> <p>WHEELS AND TIRES:</p>	

**7200A PrecisionCut Trim and Surrounds Mower**

Code	Description	List price(USD)
	Two 24x12-12 Turf Trac Front Drive Tires One 24x12-12 Multi Trac Rear Drive Tire	
	BASE MACHINE	
1766TC	7200A PrecisionCut Trim and Surrounds Mower	\$40,739.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other Countries	In Base Price
	CUTTING UNITS Basic Factory Options REEL CUTTING UNITS	
	26 Inch QA7 Cutting Units <i>66 cm (26-in.) Width per cutting unit</i>	
1204	Quick Adjust 7 (QA7) 5-blade 66 cm (26-in.) Cutting Units	\$10,225.00
1206	Quick Adjust 7 (QA7) 8-blade 66 cm (26-in.) Cutting Units	\$10,828.00
1218	Quick Adjust 7 (QA7) 10-blade 66 cm (26-in.) Cutting Units	\$10,828.00
	30 Inch QA7 Cutting Units <i>76.2 cm (30-in.) Width per cutting unit</i>	
1205	Quick Adjust 7 (QA7) 5-blade 76.2 cm (30-in.) Cutting Units	\$11,902.00
1207	Quick Adjust 7 (QA7) 8-blade 76.2 cm (30-in.) Cutting Units	\$12,655.00
1219	Quick Adjust 7 (QA7) 10-blade 76.2 cm (30-in.) Cutting Units	\$12,655.00
1290	Less Cutting Units, Front Lift Arms, and Yokes	In Base Price
	REEL FRONT ROLLERS	
	26 Inch Front Rollers 66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	\$731.00
1315		
1316	66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	\$938.00
1317	66 cm (26-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	\$1,686.00

**7200A PrecisionCut Trim and Surrounds Mower**

Code	Description	List price(USD)
1318	30 Inch Front Rollers 76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Smooth Solid Rollers	\$768.00
1319	76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers	\$977.00
1320	76.2 cm (30-in.) Wide x 76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps	\$2,209.00
1390	Less Front Rollers	In Base Price
REEL CUTTING UNIT COUNTER WEIGHTS		
1402	Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on 66 cm (26-in.) cutting units. Required for all 76.2 cm (30-in.) cutting units.</i>	\$243.00
1404	Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on 66 cm (26-in.) cutting units. Not compatible with 76.2 cm (30-in.) cutting units.</i>	\$544.00
1409	Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on 66 cm (26-in.) cutting units. Not compatible with 76.2 cm (30-in.) cutting units.</i>	\$243.00
1490	Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on 66 cm (26-in.) cutting units. Not compatible with 76.2 cm (30-in.) cutting units.</i>	In Base Price
Field Installed Options		
GRASS CATCHERS		
9736	Grass Catchers and Mounting Hardware for 66 cm (26-in.) QA7 Cutting Units <i>Front mounted grass catchers for front cutting units, rear mounted grass catcher for rear cutting unit. Not compatible with Rear Roller Power Brush. Not compatible with 76.2 cm (30-in.) cutting units.</i>	\$1,589.00
FAIRWAY TENDER CONDITIONER		
9741	Fairway Tender Conditioner Shaft and Blades, 66 cm (26-in.)	\$2,042.00



7200A PrecisionCut Trim and Surrounds Mower

Code	Description	List price(USD)
9744	<p><i>Set of 3. Requires code 9744 (FTC Gear Drive). Not compatible with 76.2 cm (30-in.) cutting units.</i></p> <p>FTC Gear Drive</p> <p><i>Set of 3. Requires code 9741 (Fairway Tender Conditioner Shaft and Blades). Not compatible with 76.2 cm (30-in.) cutting units.</i></p>	\$4,913.00
REAR ROLLER POWER BRUSHES		
9747	<p>Rear Roller Power Brushes</p> <p><i>Set of 3. Requires Code 9749 (Rear Roller Power Brush Drive). Not compatible with Grass Catchers. Not compatible with 76.2 cm (30-in.) cutting units.</i></p>	\$688.00
9749	<p>Rear Roller Power Brush Drive</p> <p><i>Set of 3. Requires Code 9747 (Rear Roller Power Brushes). Not compatible with Grass Catchers. Not compatible with 76.2 cm (30-in.) cutting units.</i></p>	\$1,514.00
ROLLER SCRAPERS		
9757	<p>66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers</p> <p><i>Set of 3. Requires (3) TCA19587 from parts. Not compatible with Rear Roller Power Brushes. Requires code 9865 if using in combination with grass catchers.</i></p>	\$185.00
9759	<p>76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers</p> <p><i>Set of 3. Requires (3) TCA19587 from parts.</i></p>	\$575.00
9760	<p>66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller Scrapers</p> <p><i>Set of 3. Requires (3) TCA19587 from parts. Not compatible with FTCs.</i></p>	\$526.00
9762	<p>76.2 cm (30-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers</p> <p><i>Set of 3. Requires (3) TCA19587 from parts.</i></p>	\$240.00
9835	<p>66 cm (26-in.) wide by 76.2 mm (3-in.) Diameter Smooth Roller Scrapers for Vertical Cutting Units</p> <p><i>Set of 3, Front and Rear.</i></p>	\$455.00

**7200A PrecisionCut Trim and Surrounds Mower**

Code	Description	List price(USD)
9865	66 cm (26-in.) Smooth Rear Roller Scraper for Rear Cutting Unit (Compatible with Rear Mounted Grass Catcher) <i>Required when using rear roller scrapers in combination with grass catchers on 2653B and 7200A PrecisionCut Trim and Surrounds Mowers. Includes 1 smooth rear roller scraper and mounting hardware. Needed for rear cutting unit only. Select order code 9757 to order the scrapers for the front cutting units.</i>	\$141.00
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	\$86.67
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or FTC Kits.</i>	\$86.67
BM22721	(1) QA7 Rear Roller Power Brush ONLY Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on 66 cm (26-in.) QA7 Cutting Unit. Not available for 76.2 cm (30-in.) QA7 Cutting Units.</i>	\$194.74
GRASS CATCHERS		
BM22760	Mounting Hardware for 660.4 mm (26-in.) Grass Catcher <i>Includes parts to install grass catchers on a complete 2653B or 7200/7200A.</i>	\$353.10
BM22759	(1) 660.4-mm (26-in.) Grass Catcher for QA7 Cutting Units <i>Grass catchers mount to front of cutting unit on front cutting units, and to rear of cutting unit on rear cutting unit. Requires BM22760 Mounting Hardware Kit. 1 Kit required per grass catcher. Not compatible with Rear Roller Power Brushes.</i>	\$450.47
FAIRWAY TENDER CONDITIONER		
BTC10781	(1) 66 cm (26-in.) Fairway Tender Conditioner Shaft and Blades for QA7 Cutting Units <i>Requires BTC10759 FTC Drive Kit. Not compatible with previous FTC Drive Kits.</i>	\$729.74
BTC10759	(1) Fairway Tender Conditioner Gear Drive for QA7 Cutting Units	\$1,756.94

**7200A PrecisionCut Trim and Surrounds Mower**

Code	Description	List price(USD)
	<i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10781 FTC Shaft Kit. Not compatible with previous FTC Kits.</i>	
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
REAR ROLLER POWER BRUSHES		
BTC10836	(1) 66 cm (26-in.) Rear Roller Power Brush for QA7 Cutting Units <i>Requires BTC10768 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives. Not compatible with Grass Catchers.</i>	\$246.10
BUC10268	(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i>	\$88.81
BTC10768	(1) Rear Roller Power Brush Drive for QA7 Cutting Units <i>Installation on Reel Mowers with 66 cm (26-in.) QA7 Cutting Units requires BTC10836 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i>	\$540.36
ROLLER SCRAPERS		
BM23005	(1) 660.4 mm (26-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>Not compatible with Fairway Tender Conditioners (FTC). 1 required per cutting unit.</i>	\$188.31
BM23004	(1) 762 mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Grooved Roller Scraper <i>1 required per cutting unit.</i>	\$205.44
BUC10326	(1) 762 mm (30-in.) Smooth Roller Scraper with Mounting Hardware <i>Includes all hardware and mounting brackets.</i>	\$150.87

**7200A PrecisionCut Trim and Surrounds Mower**

Code	Description	List price(USD)
BUC10076	(1) 660.4 mm (26-in.) Smooth Front Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit.</i>	\$79.19
BUC10110	(1) 660.4 mm (26-in.) Smooth Rear Roller Scraper for Vertical Cutting Units <i>1 required per cutting unit</i>	\$83.46
BUC10299	66 cm (26-in.) Smooth Rear Roller Scraper for Rear Cutting Unit (Compatible with Rear Mounted Grass Catcher) <i>Required when using rear roller scrapers in combination with grass catchers on 2653B and 7200A PrecisionCut Trim and Surrounds Mowers. Includes 1 smooth rear roller scraper and mounting hardware. Needed for rear cutting unit only.</i>	\$150.87
BUC10325	(1) 660.4 mm (26-in.) Smooth Roller Scraper with Mounting Hardware <i>Includes all hardware and mounting brackets.</i>	\$139.10
ROLLERS		
BM19819	(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	\$788.59
BM18439	(1) 762-mm (30-in.) x 76.2-mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	\$274.99
BM17671	(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	\$261.09
BM19818	(1) 660.4-mm (26-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	\$603.49
BM25318	(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	\$334.91
BM25319	(1) 762 mm (30-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	\$348.81
MISCELLANEOUS		
TCU13823	Height of Cut Gauge Bar	\$136.62
BEDKNIVES		
UC11472	Bedknife, 6.3 mm Tournament for 76.2 cm (30-in.) QA7 Cutting Units	\$69.46

**7200A PrecisionCut Trim and Surrounds Mower**

Code	Description	List price(USD)
TCU34070	Bedknife, 6.3 mm with Hardened Insert, Less Aggressive for 66 cm (26-in.) QA7 Cutting Units	\$161.69
UC23566	Bedknife, 6.3 mm Tournament for 66 cm (26-in.) QA7 Cutting Units	\$52.31
UC23564	Bedknife, 15.8 mm Standard for 76.2 cm (30-in.) QA7 Cutting Units	\$51.16
UC23481	Bedknife, 15.8 mm Standard for 66 cm (26-in.) QA7 Cutting Units	\$46.97
CUTTING UNITS		
BUC10410	(1) Quick-Adjust 7 (QA7) 762 mm (30-in.) Vertical Cutting Unit with Front and Rear Rollers <i>Less yoke, motor, and counterweight</i>	\$3,049.50
BUC10404	(1) Quick-Adjust 7 (QA7) 8-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,360.87
BUC10403	(1) Quick-Adjust 7 (QA7) 5-Blade 660.4-mm (26-in.) Cutting Unit with 6.3-mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,144.73
BUC10407	(1) Quick-Adjust 7 (QA7) 10-Blade 660.4 mm (26-in.) Cutting Unit with 6.3 mm bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,360.87
BUC10409	(1) Quick-Adjust 7 (QA7) 660.4 mm (26-in.) Vertical Cutting Unit with Front and Rear Rollers <i>Less yoke, motor, and counterweight</i>	\$2,656.81
REEL CUTTING UNIT ATTACHING YOKES		
TCB11374	(3) Front Yokes for 660.4 mm (26-in.) QA7 Cutting Units	\$824.97
TCB11373	(3) Front Yokes for 762 mm (30-in.) QA7 Cutting Units	\$1,046.46
TCB11476	(2) Front Lift Arms for 660.4 mm (26-in.) QA7 Cutting Units	\$702.99
TCB11477	(2) Front Lift Arms for 762 mm (30-in.) QA7 Cutting Units	\$948.01
MACHINE CONNECTIVITY		
Basic Factory Options		
CONNECTIVITY HARDWARE		
183B	Less JDLink™ Hardware	In Base Price



7200A PrecisionCut Trim and Surrounds Mower

Code	Description	List price(USD)
183E	<p>JDLink™ Modem Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets. JDLink™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.</p> <p>JDLink™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details.</p>	\$932.00
<p>OPERATOR'S STATION AND CONTROLS</p> <p>Field Installed Options</p> <p>LIGHTING</p>		
9766	LED Work Light Kit	\$375.00
<p>MISCELLANEOUS</p>		
9767	<p>Joystick Kit Single lever multi function JoyStick Control replaces lift lower with 4 function lever WOD is still on switch.</p>	\$1,276.00
9764	Canopy	\$735.00
9871	<p>ShadePro(TM) Canopy Canopy with Integrated Adjustable Dual Fan. 7200A comes standard with (1) wheel weight. Installation of ShadePro requires (1) additional BM17972 Wheel weight for rear wheel and (4) 19M10444 mounting bolts.</p>	\$1,428.00
<p>ATTACHMENTS FOR FIELD CONVERSION</p> <p>LIGHTING</p>		
BUC10762	<p>LED Work Light Kit Includes 2 LED Flood Lights. When installing this kit, the center light mounting position does not get used. Use outer light mounting positions only. Requires (2) AUC15219 adapter harnesses ordered separately from parts for installation on MY 19 and prior machines.</p>	\$442.99
<p>MISCELLANEOUS</p>		
BUC11050	<p>ShadePro(TM) Canopy Canopy with Integrated Adjustable Dual Fan.</p>	\$1,527.99



7200A PrecisionCut Trim and Surrounds Mower

Code	Description	List price(USD)
BTC10338	<p><i>7200A comes standard with (1) wheel weight. Installation of ShadePro requires (1) additional BM17972 Wheel weight for rear wheel and (4) 19M10444 mounting bolts.</i></p> <p>Canopy</p>	\$787.51



7500A E-Cut Hybrid Fairway Mower

Code	Description	List price(USD)
7500A E-Cut Hybrid Fairway Mower		
	<p>ENGINE: Three Cylinder Diesel Engine Direct Inject Turbocharged Liquid Cooled with Centrifugal Pump</p> <p>TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Two Wheel Drive Internal Wet Disc Brakes</p> <p>OPERATOR STATION: Command Arm with Operator Controls Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings, Controls, and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure</p> <p>HYDRAULICS: Power Steering with Double acting steering cylinder Hydraulic Down Pressure with mechanical On/Off adjustability</p> <p>ELECTRICAL: 2 Front LED Work Lights Factory Installed 12-volt Power Port Five Brushless Electric Reel Motors Independent Electric Reel Motor Controllers 48-volt, 180-amp Alternator On-Board Electric Backlapping with Adjustable Reel Speed control</p> <p>CUTTING UNITS: 100 In. (2.54 m) Cutting Width Rear Cutting Unit Attaching Point Yokes</p> <p>WHEELS AND TIRES:</p>	



7500A E-Cut Hybrid Fairway Mower

Code	Description	List price(USD)
	26.5x14-12 Turf Drive Tires 20x10-8 Turf Steer Tires	
	BASE MACHINE <i>EPA Final Tier 4 Compliant B20 Compatible 41.6 HP (31 kW) per SAE J1995 - Engine hp is provided by the engine manufacturer to be used for comparison purposes only. Actual operating hp will be less. Refer to the engine manufacturer's website for additional information. Fuquay-Varina, North Carolina</i>	
1788TC	7500A E-Cut Hybrid Fairway Mower	\$72,709.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other countries (English/Spanish)	In Base Price
	CUTTING UNITS Basic Factory Options REEL CUTTING UNITS	
1290	Less Cutting Units	In Base Price
	55.9 cm (22-in.) QA5 Cutting Units 55.9 cm (22-in.) Width per cutting unit	
1201	Quick Adjust 5 (QA5) 7-blade Heavy Section Cutting Units 0.189-in (4.8 mm) adjustable Low Cut Fairway bedknife Less Front and Rear Rollers	\$14,666.00
1203	Quick Adjust 5 (QA5) 11-blade Cutting Units 0.078-in (2 mm) adjustable Hardened Tool Steel Bedknife (4 mm less aggressive than standard geometry from cutting edge to center of reel) Less Front and Rear Rollers	\$15,230.00
	REEL FRONT ROLLERS	
1390	Less Front Rollers	In Base Price
	55.9 cm (22-in.) Front Rollers 55.9 cm (22-in.) Standard Width Rollers	
1302	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$1,041.00

**7500A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
1303	50.8 mm (2-in.) Diameter Spiral Grooved Rollers	\$1,910.00
1304	50.8 mm (2-in.) Diameter Machined Grooved Solid Rollers	\$1,028.00
1305	76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Not compatible if FTC installed.</i> <i>76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$1,564.00
1307	76.2 mm (3-in.) Diameter Spiral Grooved Rollers with Spiral End Caps <i>Not compatible if FTC installed.</i> <i>76.2 mm (3-in.) Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$2,544.00
1324	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$2,198.00
1325	50.8 mm (2-in.) Diameter MT Grooved Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$2,105.00
1327	63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Rollers <i>Compatible with FTCs and GTCs, except for when Front Roller Bracket is set to Position #3.</i>	\$1,505.00
1329	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$2,105.00
REEL REAR ROLLERS		
1690	Less Rear Rollers	In Base Price
	55.9 cm (22-in.) Rear Rollers	
1602	50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Rollers	\$1,041.00
1618	50.8 mm (2-in.) Diameter MT Spiral Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$2,198.00
1620	50.8 mm (2-in.) Diameter MT Grooved Rollers	\$2,105.00

**7500A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
	<i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	
1624	50.8 mm (2-in.) Diameter MT Smooth Rollers <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the front of the cutting unit.</i>	\$2,105.00
REEL CUTTING UNIT COUNTER WEIGHTS		
1400	QA5 Cutting Unit ONLY Counterweights <i>Select if NOT installing FTCs or Rear Roller Power Brushes on cutting units.</i>	\$406.00
1402	QA5 Cutting Unit and Rear Roller Power Brush ONLY Counterweights <i>Select if ONLY installing Rear Roller Power Brush on cutting units.</i>	\$906.00
1404	QA5 Cutting Unit and FTC ONLY Counterweights <i>Select if ONLY installing FTC on cutting units.</i>	\$406.00
1408	Less Cutting Unit Counterweights <i>Select if installing BOTH FTC and Rear Roller Power Brush on cutting units.</i>	In Base Price
Field Installed Options		
FAIRWAY TENDER CONDITIONER		
9737	(5) QA5 22" Fairway Tender Conditioners (FTC) Shaft and Blades <i>Requires QA5 GTC/FTC Gear Drive. Cannot be installed if using Front Rotary Turf Brush option 3" roller when used on the QA5 is not compatible.</i>	\$3,181.00
9743	(5) QA5 GTC/FTC Gear Drive <i>Used with FTC/GTC Shaft and Blades or Front Rotary Turf Brush.</i>	\$8,188.00
GRASS CATCHERS		
9827	(3) FRONT Grass Catchers and Mounting Brackets <i>Note: Order code is for FRONT 3 cutting units only; Must also order Code 9828 OR 9829 for complete machine.</i>	\$1,298.00
9828	(2) REAR Grass Catchers and Mounting Brackets <i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	\$865.00
9829	(2) REAR Grass Catcher Bail Kit and Grass Catchers	\$854.00

**7500A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
	<i>Note: Order code is for REAR units only; Select code 9828 or 9829 for Rear cutting units and code 9827 for front cutting units</i>	
REAR ROLLER POWER BRUSHES		
9748	(5) QA5 Rear Roller Power Brush Drive <i>Used with Rear Roller Power Brush.</i>	\$2,522.00
9791	(5) QA5 22 In. Rear Roller Power Brushes <i>Requires QA5 Rear Roller Power Brush Drive.</i>	\$922.00
FRONT TURF BRUSHES		
9751	(5) 22 In. Front Rotary Turf Brush <i>Brush can be used in place of using FTC/GTC Shaft and Blades Kit.</i>	\$1,335.00
MISCELLANEOUS		
9752	Hydraulic Down Pressure Kit <i>Additional valve added to machine to increase down pressure cutting units.</i>	\$1,156.00
ROLLER SCRAPERS		
9756	(5) 22 In. Smooth Roller Scrapers <i>Adjustable cable design.</i>	\$100.00
9849	(5) 55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers	\$229.00
9850	(5) 55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	\$165.00
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
BUC10415	(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,266.71
BUC11255	(1) Quick-Adjust 5 (QA5) 7-Blade 558.8-mm (22-in.) Heavy Section Cutting Unit with 4.8-mm Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,144.73
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing Rear Roller Power Brush or GTC / FTC Kits.</i>	\$86.67

**7500A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC/GTC on cutting unit.</i>	\$86.67
BM22705	(1) QA5 Rear Roller Power Brush Only Counter Weight Kit <i>Needed if only installing Rear Roller Power Brush on cutting unit.</i>	\$194.74
FAIRWAY TENDER CONDITIONER		
BTC10778	(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$395.90
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits. Not compatible with 3" (76.2 mm) Front Roller.</i>	\$1,756.94
BTC10779	(1) 55.9 cm (22-in.) Fairway Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$681.59
GRASS CATCHERS		
BTC10408	(1) 558.8 mm (22-in.) Rear Grass Catcher with Handles <i>Requires 2 for complete machine & rear grass catcher bail system BTC10501.</i>	\$200.09
BTC11011	Left Hand Catcher Latch	\$218.29

**7500A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
	<i>2 needed for front grass catchers and 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	
BTC10718	(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units <i>Only used in rear cutting unit locations on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units. 2 required.</i>	\$241.81
BTC10501	(1) 558.8 mm (22-in.) Rear Grass Catcher Bail Kit <i>Requires 2 for complete machine & rear grass catchers BTC10408.</i>	\$256.80
BTC11010	Right Hand Catcher Latch <i>1 needed for front grass catchers 1 needed for rear grass catchers on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units.</i>	\$218.29
BUC10523	Weight Transfer Grass Catcher Side Plate Insert <i>On Fairway Mowers with 55.9 cm (22-in.) QA5 cutting units, used only in rear cutting unit and front center locations when using Paddle Clip grass catchers on front and rear. 3 required.</i>	\$65.27
BTC11038	(1) 558.8 mm (22-in.) Rear Grass Catcher for QA5 Cutting Units (Latch System) <i>2 needed for rear locations on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	\$246.10
BTC10719	Front High-Capacity Catcher with Large Paddle Clip for QA5 and QA7 Cutting Units <i>3 needed for front location on Fairway Mowers with 55.9 cm (22-in.) QA5 or QA7 Cutting Units.</i>	\$252.51
BTC10909	(1) 558.8 mm (22-in.) Front Grass Catcher for QA5 Cutting Units (Latch System) <i>3 needed for front on Fairway Mowers with 55.9 cm (22-in.) QA5 Cutting Units when using Latch kit BTC11010 and BTC11011.</i>	\$246.10
BTC10605	Front Grass Catcher Mounting Kit for QA5 Cutting Units (set of 3) <i>Needed for front 3 cutting units.</i>	\$151.94
REAR ROLLER POWER BRUSHES		
BTC10834	(1) 55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units	\$197.96

**7500A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
BUC10268	<p><i>Requires BTC10767 Rear Roller Power Brush Drive. Not compatible with previous Rear Roller Power Brush Drives.</i></p> <p>(1) Rear Roller Power Brush Upgrade Kit <i>Updates previous versions of Rear Roller Power Brushes for QA5 and QA7 Cutting Units to latest design. Includes two complete subassemblies, one for each end of the brush shaft, with the seals and bearings already press fit. Includes a seal spacer and bushing. Includes parts to update one cutting unit.</i></p>	\$88.81
BTC10767	<p>(1) Rear Roller Power Brush Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting Units requires BTC10834 Rear Roller Power Brush. Not compatible with previous Rear Roller Power Brushes.</i></p>	\$540.36
FRONT TURF BRUSHES		
BTC10773	<p>(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i></p>	\$285.69
BTC10775	<p>(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i></p>	\$285.69
MISCELLANEOUS		
BM24372	<p>Slope Leveling Kit for QA5 Cutting Units <i>1 kit required per cutting unit.</i></p>	\$88.81
TCU13823	<p>Height of Cut Gauge Bar</p>	\$136.62
ROLLER SCRAPERS		
BM23002	<p>(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Grooved Roller Scraper for QA5 and QA7 Cutting Units <i>Not compatible with Fairway Tender Conditioners (FTC). Requires (1) TCA19597 for each scraper from parts.</i></p>	\$205.44
BM22995	<p>(1) 558.8-mm (22-in.) Smooth Roller Scraper for QA5 Cutting Units <i>Adjustable cable design.</i></p>	\$21.40
TCA19547	<p>(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Machine Grooved Roller Scraper for QA5 Cutting Units</p>	\$53.21

**7500A E-Cut Hybrid Fairway Mower**

Code	Description	List price(USD)
BUC10112	(1) 55.9 cm (22-in.) Rear Roller Scraper (Solid) for QA5 or QA7 Cutting Unit with 50.8 mm (2-in.) Smooth Rear Roller	\$49.21
BUC10113	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	\$35.31
ROLLERS		
BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$545.70
BTC10267	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Grooved Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	\$451.54
BM23566	(1) 558.8-mm (22-in.) x 50.8 mm (2-in.) MT Spiral Roller <i>Patented Roller used to help reduce roller overlaps in fairways. For best results install in front and rear roller location of cutting unit.</i>	\$471.87
BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	\$220.41
BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	\$220.41
BM19821	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Spiral Grooved Roller	\$409.81
BM24202	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	\$195.81
BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible on QA5 Cutting Units if FTC / GTC installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$334.91
BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	\$323.14
BUC10786	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) MT Smooth Roller <i>For best results in minimizing overlap marks in fairways, use in combination with another MT roller on the rear of the cutting unit.</i>	\$451.54



7500A E-Cut Hybrid Fairway Mower

Code	Description	List price(USD)
	BEDKNIVES	
TCU36165	Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	\$125.26
ET11066	Bedknife, 3.2 mm with Hardened Insert	\$116.06
	VERTICAL CUTTING UNITS	
BUC10417	(1) Quick-Adjust 5 (QA5) 558.8-mm (22-in.) Vertical Cutting Unit With Smooth Front and Rear Roller and Counterweight <i>Less Yoke and Motor</i>	\$3,230.33
	REEL CUTTING UNIT ATTACHING YOKES	
BUC11154	55.9-cm (22-in.) Quick-Adjust 5 (QA5) Fairway Mower yoke <i>5 required for complete machine. Requires (1) BUC11259 kickplate, hose guide, and hardware kit.</i>	\$501.83
BUC11259	QA5 Fairway Mower kickplates, hose guides, and hardware <i>1 required for complete machine</i>	\$179.76
	TRACTION DRIVE UNIT	
	Field Installed Options	
	TRACTION DRIVE UNIT	
9753	4WD Conversion Kit	\$5,642.00
	ATTACHMENTS FOR FIELD CONVERSION	
	TRACTION DRIVE UNIT	
BTC10391	Four-Wheel Drive (4WD) Conversion Kit	\$6,049.79
	MISCELLANEOUS	
	Field Installed Options	
	MISCELLANEOUS	
9764	Canopy <i>This kit includes canopy, frame and brackets to attach to ROPS.</i>	\$734.00
9792	Air Ride Suspension Kit <i>This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.</i>	\$964.00
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
BTC10346	Hydraulic Down Pressure Kit	\$1,239.06
	ENGINE	
TCA19917	B20 Biodiesel Conversion Kit	\$256.13



7500A E-Cut Hybrid Fairway Mower

Code	Description	List price(USD)
	<i>This kit converts one machine to use B20 Diesel fuel.</i>	
	OPERATOR'S STATION AND CONTROLS	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
BTC10338	Canopy <i>For A Model PrecisionCut and E-Cut Hybrid Fairway Mowers.</i>	\$787.51
BUC11050	ShadePro(TM) Canopy <i>Canopy with Integrated Adjustable Dual Fan.</i>	\$1,527.99

**Quick-Adjust 5 Cutting Units for 2500B, 2500E, 2400, 2550, 2700, and 2750 Triplex Mowers**

Code	Description	List price(USD)
	Quick-Adjust 5 Cutting Units for 2500B, 2500E, 2400, 2550, 2700, and 2750 Triplex Mowers 22-in. (55.9 cm) Cutting Width per Cutting Unit 62-in. (157.5 cm) Total Width of Cut Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Complete Set of 3 Cutting Units	
	BASE MACHINE	
5002TC	Quick-Adjust 5 Cutting Units for 2500B, 2500E, 2400, 2550, 2700, and 2750 Triplex Mowers	\$9,137.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	US / Canada	In Base Price
	REEL CUTTING UNITS Basic Factory Options REEL BLADE COUNT	
1220	7-Blade Cutting Unit	(\$339.00)
1223	11-Blade Cutting Unit	In Base Price
1224	14-Blade Cutting Unit	\$879.00
1225	Verticutter <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing. Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Select Codes 1390 and 1690 unless wanting to order additional rollers. Maximum operating depth 0.125-in. (3.2 mm). Less yokes, motors, and counterweights.</i>	(\$99.00)
	ROLLERS Basic Factory Options FRONT ROLLERS	
1300	2 In. (5 cm) x 22 In. (55.9 cm) Diameter Machine Grooved Roller with Solid End Caps	\$642.00

**Quick-Adjust 5 Cutting Units for 2500B, 2500E, 2400, 2550, 2700, and 2750 Triplex Mowers**

Code	Description	List price(USD)
1301	2 In. (5 cm) x 22 In. (55.9 cm) Diameter Machined Smooth Solid Roller	\$618.00
1302	2 In. (5 cm) x 22 In. (55.9 cm) Diameter Wide Tube / Hollow Smooth Roller	\$438.00
1304	2 In. (5 cm) x 22 In. (55.9 cm) Diameter Machine Grooved Wide Solid Roller	\$618.00
1305	3 In. (7.6 cm) x 22 In. (55.9 cm) Diameter Heavy Duty Grooved Disc Roller	\$938.00
1307	3 In. (7.6 cm) x 22 In. (55.9 cm) Diameter Heavy Duty Spiral Roller with Spiral End Caps	\$1,527.00
1324	2 In. (5 cm) x 22 In. (55.9 cm) MT Spiral Roller	\$1,319.00
1325	2 In. (5 cm) x 22 In. (55.9 cm) MT Grooved Roller	\$1,262.00
1327	2.5 In. (6.4 cm) Heavy Duty Grooved Disc Roller	\$903.00
1329	2 In. (5 cm) x 22 In. (55.9 cm) MT Smooth Roller	\$1,262.00
1390	Less Front Rollers	In Base Price
REAR ROLLERS		
1601	2 In. (5 cm) x 22 In. (55.9 cm) Diameter Machined Smooth Solid Roller	\$618.00
1602	2 In. (5 cm) x 22 In. (55.9 cm) Diameter Wide Tube / Hollow Smooth Rollers	\$438.00
1618	2 In. (5 cm) x 22 In. (55.9 cm) Diameter MT Spiral Roller	\$1,319.00
1620	2 In. (5 cm) x 22 In. (55.9 cm) Diameter MT Grooved Roller	\$1,262.00
1624	2 In. (5 cm) x 22 In. (55.9 cm) Diameter MT Smooth Roller	\$1,262.00
1690	Less Rear Rollers	In Base Price
CUTTING UNIT ATTACHMENTS		
Basic Factory Options		
CUTTING UNIT COUNTERWEIGHTS		
1400	QA5 Cutting Unit Only Counterweight	\$243.00
1403	QA5 Cutting Unit Rear Roller Power Brush Only Counterweight	\$543.00
1408	QA5 Cutting Unit FTC / GTC / Front Rotary Brush Only Counterweight	\$243.00
1490	Less Counterweight Kit	In Base Price

**Quick-Adjust 5 Cutting Units for 2500B, 2500E, 2400, 2550, 2700, and 2750 Triplex Mowers**

Code	Description	List price(USD)
REEL CUTTING UNIT YOKES AND GRASS CATCHERS		
3200	22 In. (55.9 cm) Cutting Unit Attaching Yokes and Molded One Piece Grass Catchers <i>For 2500B and 2500E E-Cut Hybrid Riding Greens Mowers; 2400 PrecisionCut, 2550 PrecisionCut, and 2550 E-Cut Hybrid Triplex Mowers</i>	\$1,892.00
3201	22 In. (55.9 cm) Cutting Unit Rear Attaching Yokes for FAIRWAYS and Molded One Piece Grass Catchers <i>For 2500B and 2500E E-Cut Hybrid Riding Greens Mowers; 2400 PrecisionCut, 2550 PrecisionCut, and 2550 E-Cut Hybrid Triplex Mowers</i>	\$2,933.00
3202	22 In. (55.9 cm) Cutting Unit Attaching Yokes and Bullhorn Direct Mounted One Piece Grass Catchers <i>For 2500B and 2500E E-Cut Hybrid Riding Greens Mowers; 2400 PrecisionCut, 2550 PrecisionCut, and 2550 E-Cut Hybrid Triplex Mowers</i>	\$1,744.00
3203	Cutting Unit Attaching Yokes and Translucent Yellow Grass Catchers for 2700 / 2750 Triplex Mowers <i>Includes Yokes, Yellow Grass Catchers, and Catcher Mounting Hardware. Translucent Yellow provides good contrast with grass clippings to more accurately see fill level. With ample ambient lighting, level can also be seen from outside of machine.</i>	\$1,270.00
3204	Cutting Unit Attaching Yokes and Black Grass Catchers for 2700 / 2750 Triplex Mowers <i>Includes Yokes, Black Grass Catchers, and Catcher Mounting Hardware.</i>	\$1,270.00
3210	Less Cutting Unit Yokes <i>Does not include grass catchers.</i>	In Base Price
Field Installed Options		
FAIRWAY TENDER CONDITIONER		
9737	55.9 cm (22-in.) QA5 Fairway Tender Conditioner Shaft and Blades	\$1,908.00
9743	QA5 Rotary Brush / DT Rotary Brush / GTC / FTC Drive	\$4,913.00
GREENS TENDER CONDITIONER		

**Quick-Adjust 5 Cutting Units for 2500B, 2500E, 2400, 2550, 2700, and 2750 Triplex Mowers**

Code	Description	List price(USD)
9742	55.9 cm (22-in.) QA5 Greens Tender Conditioner Shaft and Blades	\$1,107.00
FRONT BRUSHES		
9821	55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units	\$801.00
9825	55.9 cm (22-in.) Front Rotary DT (Dense Turf) Brush for QA5 Cutting Units	\$801.00
REAR ROLLER POWER BRUSHES		
9748	Rear Roller Power Brush Drive for QA5 Cutting Units	\$1,513.00
9791	55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units	\$554.00
SCRAPERS		
9849	55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers	\$137.00
9850	55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	\$99.00
MISCELLANEOUS		
9805	Cutting Unit Top Shield Extensions	\$110.00



Quick-Adjust 5 Cutting Units for 6500A / 7500A PrecisionCut and 6500A / 7500A E-Cut Hybrid Fairway Mowers

Code	Description	List price(USD)
Quick-Adjust 5 Cutting Units for 6500A / 7500A PrecisionCut and 6500A / 7500A E-Cut Hybrid Fairway Mowers		
	55.9 cm (22-in.) Width per cutting unit 254 cm (100-in.) Total Width of Cut 12.7 cm (5-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Complete Set of 5 Cutting Units	
BASE MACHINE		
5004TC	Quick-Adjust 5 Cutting Units for 6500A / 7500A PrecisionCut and 6500A / 7500A E-Cut Hybrid Fairway Mowers	\$15,228.00
DESTINATION AND LANGUAGE Basic Factory Options DESTINATION		
001A	US / Canada	In Base Price
REEL CUTTING UNITS Basic Factory Options REEL BLADE COUNT		
1220	7-Blade Cutting Unit	(\$565.00)
1223	11-Blade Cutting Unit	In Base Price
1225	Verticutter <i>27 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing.</i> <i>Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Select Codes 1390 and 1690 unless wanting to order additional rollers.</i> <i>Maximum operating depth 0.125-in. (3.2 mm).</i> <i>Less yokes, motors, and counterweights.</i>	(\$164.00)
ROLLERS Basic Factory Options FRONT ROLLERS		

**Quick-Adjust 5 Cutting Units for 6500A / 7500A PrecisionCut and 6500A / 7500A E-Cut Hybrid Fairway Mowers**

Code	Description	List price(USD)
1302	2 In. (5 cm) x 22 In. (55.9 cm) Diameter Wide Tube / Hollow Smooth Roller	\$1,041.00
1303	2 In. (5 cm) x 22 In. (55.9 cm) Diameter Spiral Grooved Roller	\$1,910.00
1304	2 In. (5 cm) x 22 In. (55.9 cm) Diameter Machine Grooved Wide Solid Roller	\$1,028.00
1305	3 In. (7.6 cm) x 22 In. (55.9 cm) Diameter Heavy Duty Grooved Disc Roller	\$1,564.00
1307	3 In. (7.6 cm) x 22 In. (55.9 cm) Diameter Heavy Duty Spiral Roller with Spiral End Caps	\$2,545.00
1324	2 In. (5 cm) x 22 In. (55.9 cm) MT Spiral Roller	\$2,198.00
1325	2 In. (5 cm) x 22 In. (55.9 cm) MT Grooved Roller	\$2,105.00
1327	2.5 In. (6.4 cm) Heavy Duty Grooved Disc Roller	\$1,505.00
1329	2 In. (5 cm) x 22 In. (55.9 cm) MT Smooth Roller	\$2,105.00
1390	Less Front Rollers	In Base Price
REAR ROLLERS		
1602	2 In. (5 cm) x 22 In. (55.9 cm) Diameter Wide Tube / Hollow Smooth Rollers	\$1,041.00
1618	2 In. (5 cm) x 22 In. (55.9 cm) Diameter MT Spiral Roller	\$2,198.00
1620	2 In. (5 cm) x 22 In. (55.9 cm) Diameter MT Grooved Roller	\$2,105.00
1624	2 In. (5 cm) x 22 In. (55.9 cm) Diameter MT Smooth Roller	\$2,105.00
1690	Less Rear Rollers	In Base Price
CUTTING UNIT ATTACHMENTS		
Basic Factory Options		
CUTTING UNIT COUNTERWEIGHTS		
1400	QA5 Cutting Unit Only Counterweight	\$406.00
1403	QA5 Cutting Unit Rear Roller Power Brush Only Counterweight	\$906.00
1408	QA5 Cutting Unit FTC / GTC / Front Rotary Brush Only Counterweight	\$406.00
1490	Less Counterweight Kit	In Base Price
REEL CUTTING UNIT YOKES AND GRASS CATCHERS		
3205	Cutting Unit Yokes	\$2,682.00



Quick-Adjust 5 Cutting Units for 6500A / 7500A PrecisionCut and 6500A / 7500A E-Cut Hybrid Fairway Mowers

Code	Description	List price(USD)
	<i>Complete set of 5 cutting unit yokes. Also includes kickplates, hose guides, and yoke mounting hardware.</i>	
3210	Less Cutting Unit Yokes <i>Does not include kickplates, hose guides, or yoke mounting hardware.</i>	In Base Price
Field Installed Options		
FAIRWAY TENDER CONDITIONER		
9737	55.9 cm (22-in.) QA5 Fairway Tender Conditioner Shaft and Blades	\$3,180.00
9743	QA5 Rotary Brush / DT Rotary Brush / GTC / FTC Drive	\$8,188.00
FRONT BRUSHES		
9821	55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units	\$1,334.00
REAR ROLLER POWER BRUSHES		
9748	Rear Roller Power Brush Drive for QA5 Cutting Units	\$2,522.00
9791	55.9 cm (22-in.) Rear Roller Power Brush for QA5 Cutting Units	\$923.00
GRASS CATCHERS		
9827	Front Grass Catchers with Latch Style Mounting Brackets	\$1,298.00
9828	Rear Grass Catchers with Latch Style Mounting Brackets	\$865.00
9829	Rear Grass Catchers with Bail System	\$854.00
SCRAPERS		
9756	22 In. (55.9 cm) Smooth Roller Scrapers	\$100.00
9849	55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers	\$230.00
9850	55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	\$164.00



Quick-Adjust 5 Cutting Units for 6080A PrecisionCut and 6080A / 8000A E-Cut Hybrid Fairway Mowers

Code	Description	List price(USD)
	Quick-Adjust 5 Cutting Units for 6080A PrecisionCut and 6080A / 8000A E-Cut Hybrid Fairway Mowers 45.7 cm (18-in.) Width per cutting unit 203.2 cm (80-in.) Total Width of Cut 12.7 cm (5-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments Complete Set of 5 Cutting Units	
	BASE MACHINE	
5005TC	Quick-Adjust 5 Cutting Units for 6080A PrecisionCut and 6080A / 8000A E-Cut Hybrid Fairway Mowers	\$15,959.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	US / Canada	In Base Price
	REEL CUTTING UNITS Basic Factory Options REEL BLADE COUNT	
1220	7-Blade Cutting Unit	(\$1,657.00)
1223	11-Blade Cutting Unit	In Base Price
1225	Verticutter <i>21 carbide-tipped verticutter blades at 0.75-in. (19 mm) standard spacing.</i> <i>Includes 2-in (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Rollers. Select Codes 1390 and 1690 unless wanting to order additional rollers.</i> <i>Maximum operating depth 0.125-in. (3.2 mm).</i> <i>Less yokes, motors, and counterweights.</i>	(\$164.00)
	ROLLERS Basic Factory Options FRONT ROLLERS	
1309	2 In. (5 cm) x 18 In. (45.7 cm) Diameter Machined Smooth Solid Roller	\$1,028.00



Quick-Adjust 5 Cutting Units for 6080A PrecisionCut and 6080A / 8000A E-Cut Hybrid Fairway Mowers

Code	Description	List price(USD)
1310	2 In. (5 cm) x 18 In. (45.7 cm) Diameter Machine Grooved Roller	\$982.00
1311	2 In. (5 cm) x 18 In. (45.7 cm) Diameter Spiral Grooved Roller	\$2,298.00
1312	3 In. (7.6 cm) x 18 In. (45.7 cm) Diameter Heavy Duty Grooved Disc Roller	\$2,240.00
1321	2 In. (5 cm) x 18 In. (45.7 cm) MT Grooved Roller	\$2,298.00
1322	2 In. (5 cm) x 18 In. (45.7 cm) Hollow Smooth Roller	\$729.00
1326	2 In. (5 cm) x 18 In. (45.7 cm) MT Spiral Roller	\$1,828.00
1328	2 In. (5 cm) x 18 In. (45.7 cm) MT Smooth Roller	\$2,298.00
1390	Less Front Rollers	In Base Price
REAR ROLLERS		
1619	2 In. (5 cm) x 18 In. (45.7 cm) Diameter MT Spiral Roller	\$1,828.00
1621	2 In. (5 cm) x 18 In. (45.7 cm) Diameter MT Grooved Roller	\$2,298.00
1622	2 In. (5 cm) x 18 In. (45.7 cm) Diameter Wide Tube / Hollow Smooth Rollers	\$729.00
1623	2 In. (5 cm) x 18 In. (45.7 cm) Diameter MT Smooth Roller	\$2,298.00
1690	Less Rear Rollers	In Base Price
CUTTING UNIT ATTACHMENTS		
Basic Factory Options		
CUTTING UNIT COUNTERWEIGHTS		
1400	QA5 Cutting Unit Only Counterweight	\$406.00
1403	QA5 Cutting Unit Rear Roller Power Brush Only Counterweight	\$906.00
1408	QA5 Cutting Unit FTC / GTC / Front Rotary Brush Only Counterweight	\$406.00
1490	Less Counterweight Kit	In Base Price
REEL CUTTING UNIT YOKES AND GRASS CATCHERS		
3205	Cutting Unit Yokes <i>Complete set of 5 cutting unit yokes. Also includes kickplates, hose guides, and yoke mounting hardware.</i>	\$1,913.00
3210	Less Cutting Unit Yokes <i>Does not include kickplates, hose guides, or yoke mounting hardware.</i>	In Base Price
Field Installed Options		



Quick-Adjust 5 Cutting Units for 6080A PrecisionCut and 6080A / 8000A E-Cut Hybrid Fairway Mowers

Code	Description	List price(USD)
FAIRWAY TENDER CONDITIONER		
9740	45.7 cm (18-in.) QA5 Fairway Tender Conditioner Shaft and Blades	\$3,180.00
9743	QA5 Rotary Brush / DT Rotary Brush / GTC / FTC Drive	\$8,188.00
REAR ROLLER POWER BRUSHES		
9745	45.7 cm (18-in.) Rear Roller Power Brush for QA5 Cutting Units	\$923.00
9748	Rear Roller Power Brush Drive for QA5 Cutting Units	\$2,522.00
GRASS CATCHERS		
9834	Front Grass Catchers with Latch Style Mounting Brackets and Rear Grass Catchers with Bail System	\$2,373.00
9847	(3) Front Grass Catchers and (2) Rear Grass Catchers with Latch Style Mounting System	\$2,163.00
SCRAPERS		
9755	18 In. (45.7 cm) Smooth Roller Scrapers	\$100.00
9758	18 In. (45.7 cm) x 3 In. (7.6 cm) Diameter Heavy Duty Grooved Roller Scrapers	\$840.00
9848	45.7 cm (18-in.) Front Roller Scrapers (Solid) for QA5 Cutting Units with 50.8 mm (2-in.) Smooth Front Rollers	\$164.00



Quick-Adjust 7 Cutting Units for 2653B PrecisionCut Trim and Surrounds Mower

Code	Description	List price(USD)
	Quick-Adjust 7 Cutting Units for 2653B PrecisionCut Trim and Surrounds Mower 17.8 cm (7-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments 7.6 cm (3-in.) Diameter Hollow Smooth Rear Rollers Includes Lift Arms and Yokes Complete Set of 3 Cutting Units	
	BASE MACHINE	
5012TC	Quick-Adjust 7 Cutting Units for 2653B PrecisionCut Trim and Surrounds Mower	\$10,702.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	US / Canada	In Base Price
	REEL CUTTING UNITS Basic Factory Options REEL WIDTH	
1204	5-blade 66 cm (26-in.) Cutting Units <i>Includes Lift Arms and Yokes</i>	(\$603.00)
1205	5-blade 76.2 cm (30-in.) Cutting Units <i>Includes Lift Arms and Yokes</i>	\$1,051.00
1206	8-blade 66 cm (26-in.) Cutting Units <i>Includes Lift Arms and Yokes</i>	In Base Price
1207	8-blade 76.2 cm (30-in.) Cutting Units <i>Includes Lift Arms and Yokes</i>	\$1,806.00
1218	10-blade 66 cm (26-in.) Cutting Units <i>Includes Lift Arms and Yokes</i>	No Added Cost
1219	10-blade 76.2 cm (30-in.) Cutting Units <i>Includes Lift Arms and Yokes</i>	\$1,806.00
1227	66 cm (26-in.) Verticutter	(\$2,501.00)

**Quick-Adjust 7 Cutting Units for 2653B PrecisionCut Trim and Surrounds Mower**

Code	Description	List price(USD)
	<i>Includes Yokes, Counterweights, Front Rollers, and Rear Rollers Less Motors Select Code 1390 unless wanting to order additional Rollers. Select Code 1490 unless wanting to order additional Counterweights.</i>	
1228	76.2 cm (30-in.) Verticutter <i>Includes Yokes, Counterweights, Front Rollers, and Rear Rollers. Less Motors Select Code 1390 unless wanting to order additional Rollers. Select Code 1490 unless wanting to order additional Counterweights.</i>	(\$1,195.00)
	ROLLERS Basic Factory Options FRONT ROLLERS	
1315	3 In. (7.6 cm) x 26 In. (66 cm) Diameter Heavy Duty Smooth Solid Roller	\$730.00
1316	3 In. (7.6 cm) x 26 In. (66 cm) Diameter Heavy Duty Grooved Disc Roller	\$938.00
1317	3 In. (7.6 cm) x 26 In. (66 cm) Diameter Heavy Duty Spiral Roller with Spiral End Caps	\$1,686.00
1318	3 In. (7.6 cm) x 30 In. (76.2 cm) Diameter Heavy Duty Smooth Solid Roller	\$768.00
1319	3 In. (7.6 cm) x 30 In. (76.2 cm) Diameter Heavy Duty Grooved Disc Roller	\$977.00
1320	3 In. (7.6 cm) x 30 In. (76.2 cm) Diameter Heavy Duty Spiral Roller with Spiral End Caps	\$2,208.00
1390	Less Front Rollers	In Base Price
	CUTTING UNIT ATTACHMENTS Basic Factory Options CUTTING UNIT COUNTERWEIGHTS	
1402	QA7 Cutting Unit Only Counterweight	\$243.00
1404	QA7 Cutting Unit Rear Roller Power Brush Only Counterweight	\$543.00
1406	QA7 Cutting Unit FTC Only Counterweight	\$243.00
1490	Less Counterweight Kit	In Base Price



Quick-Adjust 7 Cutting Units for 2653B PrecisionCut Trim and Surrounds Mower

Code	Description	List price(USD)
Field Installed Options		
FAIRWAY TENDER CONDITIONER		
9741	66 cm (26-in.) QA7 Fairway Tender Conditioner Shaft and Blades	\$2,042.00
9744	QA7 FTC Drive	\$4,913.00
REAR ROLLER POWER BRUSHES		
9747	66 cm (26-in.) Rear Roller Power Brush for QA7 Cutting Units	\$687.00
9749	Rear Roller Power Brush Drive for QA7 Cutting Units	\$1,513.00
GRASS CATCHERS		
9736	Grass Catchers with Mounting Hardware for 26 In. (66 cm) QA7 Cutting Units	\$1,637.00
SCRAPERS		
9757	26 In. (66 cm) Smooth Roller Scrapers	\$185.00
9759	30 In. (76.2 cm) x 3 In. (7.6 cm) Diameter Heavy Duty Grooved Roller Scrapers	\$575.00
9760	26 In. (66 cm) x 3 In. (7.6 cm) Diameter Heavy Duty Grooved Roller Scrapers	\$525.00
9762	30 In. (76.2 cm) Smooth Roller Scrapers	\$240.00
9835	26 In. (66 cm) Smooth Roller Scrapers for Verticutters Only (Front and Rear)	\$455.00
9836	30 In. (76.2 cm) Smooth Roller Scrapers for Verticutters Only (Front and Rear)	\$501.00



Quick-Adjust 7 Cutting Units for 7200A PrecisionCut Trim and Surrounds Mower

Code	Description	List price(USD)
	Quick-Adjust 7 Cutting Units for 7200A PrecisionCut Trim and Surrounds Mower 17.8 cm (7-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments 7.6 cm (3-in.) Diameter Hollow Smooth Rear Rollers Includes Lift Arms and Yokes Complete Set of 3 Cutting Units	
	BASE MACHINE	
5013TC	Quick-Adjust 7 Cutting Units for 7200A PrecisionCut Trim and Surrounds Mower	\$10,828.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	US / Canada	In Base Price
	REEL CUTTING UNITS Basic Factory Options REEL WIDTH	
1204	5-blade 66 cm (26-in.) Cutting Units <i>Includes Lift Arms and Yokes</i>	(\$603.00)
1205	5-blade 76.2 cm (30-in.) Cutting Units <i>Includes Lift Arms and Yokes</i>	\$1,073.00
1206	8-blade 66 cm (26-in.) Cutting Units <i>Includes Lift Arms and Yokes</i>	In Base Price
1207	8-blade 76.2 cm (30-in.) Cutting Units <i>Includes Lift Arms and Yokes</i>	\$1,827.00
1218	10-blade 66 cm (26-in.) Cutting Units <i>Includes Lift Arms and Yokes</i>	No Added Cost
1219	10-blade 76.2 cm (30-in.) Cutting Units <i>Includes Lift Arms and Yokes</i>	\$1,827.00
1227	66 cm (26-in.) Verticutter	(\$2,628.00)

**Quick-Adjust 7 Cutting Units for 7200A PrecisionCut Trim and Surrounds Mower**

Code	Description	List price(USD)
	<i>Includes Yokes, Counterweights, Front Rollers, and Rear Rollers Less Motors Select Code 1390 unless wanting to order additional Rollers. Select Code 1490 unless wanting to order additional Counterweights.</i>	
1228	76.2 cm (30-in.) Verticutter <i>Includes Yokes, Counterweights, Front Rollers, and Rear Rollers. Less Motors Select Code 1390 unless wanting to order additional Rollers. Select Code 1490 unless wanting to order additional Counterweights.</i>	(\$1,322.00)
	ROLLERS Basic Factory Options FRONT ROLLERS	
1315	3 In. (7.6 cm) x 26 In. (66 cm) Diameter Heavy Duty Smooth Solid Roller	\$730.00
1316	3 In. (7.6 cm) x 26 In. (66 cm) Diameter Heavy Duty Grooved Disc Roller	\$938.00
1317	3 In. (7.6 cm) x 26 In. (66 cm) Diameter Heavy Duty Spiral Roller with Spiral End Caps	\$1,686.00
1318	3 In. (7.6 cm) x 30 In. (76.2 cm) Diameter Heavy Duty Smooth Solid Roller	\$768.00
1319	3 In. (7.6 cm) x 30 In. (76.2 cm) Diameter Heavy Duty Grooved Disc Roller	\$977.00
1320	3 In. (7.6 cm) x 30 In. (76.2 cm) Diameter Heavy Duty Spiral Roller with Spiral End Caps	\$2,208.00
1390	Less Front Rollers	In Base Price
	CUTTING UNIT ATTACHMENTS Basic Factory Options CUTTING UNIT COUNTERWEIGHTS	
1402	QA7 Cutting Unit Only Counterweight	\$243.00
1404	QA7 Cutting Unit Rear Roller Power Brush Only Counterweight	\$543.00
1406	QA7 Cutting Unit FTC Only Counterweight	\$243.00
1490	Less Counterweight Kit	In Base Price



Quick-Adjust 7 Cutting Units for 7200A PrecisionCut Trim and Surrounds Mower

Code	Description	List price(USD)
Field Installed Options		
FAIRWAY TENDER CONDITIONER		
9741	66 cm (26-in.) QA7 Fairway Tender Conditioner Shaft and Blades	\$2,042.00
9744	QA7 FTC Drive	\$4,913.00
REAR ROLLER POWER BRUSHES		
9747	66 cm (26-in.) Rear Roller Power Brush for QA7 Cutting Units	\$687.00
9749	Rear Roller Power Brush Drive for QA7 Cutting Units	\$1,513.00
GRASS CATCHERS		
9736	Grass Catchers with Mounting Hardware for 26 In. (66 cm) QA7 Cutting Units	\$1,637.00
SCRAPERS		
9757	26 In. (66 cm) Smooth Roller Scrapers	\$185.00
9759	30 In. (76.2 cm) x 3 In. (7.6 cm) Diameter Heavy Duty Grooved Roller Scrapers	\$575.00
9760	26 In. (66 cm) x 3 In. (7.6 cm) Diameter Heavy Duty Grooved Roller Scrapers	\$525.00
9762	30 In. (76.2 cm) Smooth Roller Scrapers	\$240.00
9835	26 In. (66 cm) Smooth Roller Scrapers for Verticutters Only (Front and Rear)	\$455.00
9836	30 In. (76.2 cm) Smooth Roller Scrapers for Verticutters Only (Front and Rear)	\$501.00

**Quick-Adjust 7 Cutting Units for 6700A, 7700A, and 8700A PrecisionCut Fairway Mowers**

Code	Description	List price(USD)
	Quick-Adjust 7 Cutting Units for 6700A, 7700A, and 8700A PrecisionCut Fairway Mowers 55.9 cm (22-in.) Width per cutting unit 254 cm (100-in.) Total Width of Cut 17.8 cm (7-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments 76.2 mm (3-in.) Diameter Wide Tube / Hollow Smooth Rear Roller Complete Set of 5 Cutting Units	
	BASE MACHINE	
5014TC	Quick-Adjust 7 Cutting Units for 6700A, 7700A, and 8700A PrecisionCut Fairway Mowers	\$17,820.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	US / Canada	In Base Price
	REEL CUTTING UNITS	
	Basic Factory Options	
	REEL BLADE COUNT	
1221	8-Blade Cutting Unit	In Base Price
1222	10-Blade Cutting Unit	\$347.00
1225	Verticutter <i>Includes Front and Rear Rollers and Counterweights. Includes 2-in. (50.8 mm) Diameter Wide Tube / Hollow Smooth Front and Rear Roller. Less Yokes and Motors. Select Code 1390 unless wanting to order additional Rollers. Select Code 1490 unless wanting to order additional Counterweights.</i>	(\$5,473.00)
	ROLLERS	
	Basic Factory Options	
	FRONT ROLLERS	

**Quick-Adjust 7 Cutting Units for 6700A, 7700A, and 8700A PrecisionCut Fairway Mowers**

Code	Description	List price(USD)
1305	3 In. (7.6 cm) x 22 In. (55.9 cm) Diameter Heavy Duty Grooved Disc Roller	\$1,564.00
1307	3 In. (7.6 cm) x 22 In. (55.9 cm) Diameter Heavy Duty Spiral Roller with Spiral End Caps	\$2,545.00
1390	Less Front Rollers	In Base Price
CUTTING UNIT ATTACHMENTS		
Basic Factory Options		
CUTTING UNIT COUNTERWEIGHTS		
1402	QA7 Cutting Unit Only Counterweight	\$406.00
1404	QA7 Cutting Unit Rear Roller Power Brush Only Counterweight	\$906.00
1406	QA7 Cutting Unit FTC Only Counterweight	\$406.00
1490	Less Counterweight Kit	In Base Price
REEL CUTTING UNIT YOKES AND GRASS CATCHERS		
3205	Cutting Unit Yokes <i>Complete set of 5 cutting unit yokes. Also includes kickplates, hose guides, and yoke mounting hardware.</i>	\$1,563.00
3210	Less Cutting Unit Yokes <i>Does not include kickplates, hose guides, or yoke mounting hardware.</i>	In Base Price
Field Installed Options		
FAIRWAY TENDER CONDITIONER		
9739	55.9 cm (22-in.) QA7 Fairway Tender Conditioner Shaft and Blades	\$3,463.00
9744	QA7 FTC Drive	\$8,188.00
REAR ROLLER POWER BRUSHES		
9746	55.9 cm (22-in.) Rear Roller Power Brush for QA7 Cutting Units	\$923.00
9749	Rear Roller Power Brush Drive for QA7 Cutting Units	\$2,522.00
GRASS CATCHERS		
9852	(3) Front Grass Catchers and (2) Rear Grass Catchers with Latch Style Mounting System for QA7 Cutting Units	\$2,163.00
SCRAPERS		
9754	22 In. (55.9 cm) x 3 In. (7.6 cm) Diameter Heavy Duty Grooved Roller Scrapers	\$959.00

**Quick-Adjust 7 Cutting Units for 6700A, 7700A, and 8700A PrecisionCut Fairway Mowers**

Code	Description	List price(USD)
9756	22 In. (55.9 cm) Smooth Roller Scrapers	\$264.00
9849	55.9 cm (22-in.) Rear Roller Scrapers (Solid) for QA5 or QA7 with 50.8 mm (2-in.) Smooth Rear Rollers	\$230.00
9851	55.9 cm (22-in.) Front Roller Scrapers (Solid) for QA7 Verticutters with 50.8 mm (2-in.) Smooth Front Rollers	\$383.00

**Quick-Adjust 7 Cutting Units for 8900A PrecisionCut Fairway Mowers**

Code	Description	List price(USD)
	Quick-Adjust 7 Cutting Units for 8900A PrecisionCut Fairway Mowers	
	17.8 cm (7-in.) Diameter Cutting Units Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Dual Point Notch System Reel to Bedknife Adjustment in 0.0005-in. (0.0127 mm) increments 76.2 cm (3-in.) Diameter Hollow Smooth Rear Rollers Complete Set of 5 Cutting Units	
	BASE MACHINE	
5015TC	Quick-Adjust 7 Cutting Units for 8900A PrecisionCut Fairway Mowers	\$17,649.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	US / Canada	In Base Price
	REEL CUTTING UNITS	
	Basic Factory Options	
	REEL WIDTH	
1204	5-blade 66 cm (26-in.) Cutting Units	(\$1,006.00)
1205	5-blade 76.2 cm (30-in.) Cutting Units	\$1,284.00
1206	8-blade 66 cm (26-in.) Cutting Units	In Base Price
1207	8-blade 76.2 cm (30-in.) Cutting Units	\$2,541.00
1218	10-blade 66 cm (26-in.) Cutting Units	No Added Cost
1219	10-blade 76.2 cm (30-in.) Cutting Units	\$2,541.00
1227	66 cm (26-in.) Verticutter <i>Includes Counterweights, Front Rollers, and Rear Rollers Less Motors Select Code 1390 unless wanting to order additional Rollers. Select Code 1490 unless wanting to order additional Counterweights.</i>	(\$2,415.00)
1228	76.2 cm (30-in.) Verticutter <i>Includes Counterweights, Front Rollers, and Rear Rollers Less Motors</i>	(\$671.00)

**Quick-Adjust 7 Cutting Units for 8900A PrecisionCut Fairway Mowers**

Code	Description	List price(USD)
	<i>Select Code 1390 unless wanting to order additional Rollers. Select Code 1490 unless wanting to order additional Counterweights.</i>	
	ROLLERS	
	Basic Factory Options	
	FRONT ROLLERS	
1315	3 In. (7.6 cm) x 26 In. (66 cm) Diameter Heavy Duty Smooth Solid Roller	\$1,217.00
1316	3 In. (7.6 cm) x 26 In. (66 cm) Diameter Heavy Duty Grooved Disc Roller	\$1,564.00
1317	3 In. (7.6 cm) x 26 In. (66 cm) Diameter Heavy Duty Spiral Roller with Spiral End Caps	\$2,810.00
1318	3 In. (7.6 cm) x 30 In. (76.2 cm) Diameter Heavy Duty Smooth Solid Roller	\$1,281.00
1319	3 In. (7.6 cm) x 30 In. (76.2 cm) Diameter Heavy Duty Grooved Disc Roller	\$1,628.00
1320	3 In. (7.6 cm) x 30 In. (76.2 cm) Diameter Heavy Duty Spiral Roller with Spiral End Caps	\$3,680.00
1390	Less Front Rollers	In Base Price
	CUTTING UNIT ATTACHMENTS	
	Basic Factory Options	
	CUTTING UNIT COUNTERWEIGHTS	
1402	QA7 Cutting Unit Only Counterweight	\$406.00
1404	QA7 Cutting Unit Rear Roller Power Brush Only Counterweight	\$906.00
1406	QA7 Cutting Unit FTC Only Counterweight	\$406.00
1490	Less Counterweight Kit	In Base Price
	REEL CUTTING UNIT YOKES AND GRASS CATCHERS	
3206	Cutting Unit Yokes for 26-in. (66 cm) Quick-Adjust 7 Cutting Units <i>Complete set of 5 cutting unit yokes. Also includes kickplates, hose guides, and yoke mounting hardware.</i>	\$1,231.00
3207	Cutting Unit Yokes for 30-in (76.2 cm) Quick-Adjust 7 Cutting Units	\$1,317.00

**Quick-Adjust 7 Cutting Units for 8900A PrecisionCut Fairway Mowers**

Code	Description	List price(USD)
3210	<i>Complete set of 5 cutting unit yokes. Also includes kickplates, hose guides, and yoke mounting hardware.</i> Less Cutting Unit Yokes <i>Does not include kickplates, hose guides, or yoke mounting hardware.</i>	In Base Price
Field Installed Options		
FAIRWAY TENDER CONDITIONER		
9741	66 cm (26-in.) QA7 Fairway Tender Conditioner Shaft and Blades	\$3,403.00
9744	QA7 FTC Drive	\$8,188.00
REAR ROLLER POWER BRUSHES		
9747	66 cm (26-in.) Rear Roller Power Brush for QA7 Cutting Units	\$1,146.00
9749	Rear Roller Power Brush Drive for QA7 Cutting Units	\$2,522.00
GRASS CATCHERS		
9736	Grass Catchers with Mounting Hardware for 26 In. (66 cm) QA7 Cutting Units	\$2,250.00
9852	(3) Front Grass Catchers and (2) Rear Grass Catchers with Latch Style Mounting System for QA7 Cutting Units <i>Available for 66 cm (26-in.) QA7 Cutting Units Only.</i>	\$3,168.00
SCRAPERS		
9757	26 In. (66 cm) Smooth Roller Scrapers	\$369.00
9759	30 In. (76.2 cm) x 3 In. (7.6 cm) Diameter Heavy Duty Grooved Roller Scrapers	\$959.00
9760	26 In. (66 cm) x 3 In. (7.6 cm) Diameter Heavy Duty Grooved Roller Scrapers	\$876.00
9762	30 In. (76.2 cm) Smooth Roller Scrapers	\$479.00
9835	26 In. (66 cm) Smooth Roller Scrapers for Verticutters Only (Front and Rear)	\$758.00
9836	30 In. (76.2 cm) Smooth Roller Scrapers for Verticutters Only (Front and Rear)	\$835.00

**220 E-Cut Hybrid Walk Greens Mower**

Code	Description	List price(USD)
	220 E-Cut Hybrid Walk Greens Mower 3.2 hp (2.4 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information. Gas Engine Dual Aluminum Drive Rear Traction Drum 2.7 Qts. (2.5L) Fuel Tank Operator Presence System Enclosed Roller Drive Differential Foam Wrapped, 4-position Adjustable Handle Bar Meets CARB, EPA, and EU Stage V Standards Electric Drive Motor for Cutting Unit On Board Backlapping On Board Electrical Diagnostic Light Adjustable Frequency of Clip	
	BASE MACHINE	
5508M	220 E-Cut Hybrid Walk Greens Mower	\$12,349.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	US and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other Countries (English / Spanish)	In Base Price
	CUTTING UNITS	
	Basic Factory Options	
	REEL CUTTING UNITS	
	<i>12.7 cm (5-in.) Diameter Cutting Units</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i>	
1203	Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Unit with 2.0 mm Bedknife <i>Includes Direct Mount Grass Catcher</i> <i>Less Front and Rear Rollers, Motor and Counter Weight.</i>	\$3,360.00
1214	Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Units with 2.0 mm Hardened Tool Steel Bedknife	\$3,653.00

**220 E-Cut Hybrid Walk Greens Mower**

Code	Description	List price(USD)
	<i>Includes Direct Mount Grass Catcher Less Front and Rear Rollers, Motor and Counter Weight.</i>	
1215	Quick Adjust 5 (QA5) Eleven Blade 22 In. (55.9 cm) Cutting Unit with 2.0 mm Bedknife <i>Includes Large Paddle Clip Grass Catcher and side plate inserts Less Front and Rear Rollers, Motor and Counter Weight</i>	\$3,333.00
1216	Quick Adjust 5 (QA5) Fourteen Blade 22 In. (55.9 cm) Cutting Unit with 2.0 mm Hardened Tool Steel Bedknife <i>Includes Large Paddle Clip Grass Catcher and side plate inserts Less Front and Rear Rollers, Motor and Counter Weight</i>	\$3,627.00
1290	Less Cutting Unit	In Base Price
REEL FRONT ROLLERS		
1300	55.9 cm (22-in.) x 50.8 mm (2-in.) Diameter Machined Grooved Solid Roller with Solid End Caps	\$214.00
1301	55.9 cm (22-in.) x 50.8 mm (2-in.) Diameter Machined Smooth Solid Roller	\$206.00
1302	55.9 cm (22-in.) x 50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Roller	\$146.00
1390	Less Front Roller	In Base Price
REEL REAR ROLLERS		
1602	55.9 cm (22-in.) x 50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Roller	\$146.00
1690	Less Rear Roller	In Base Price
REEL CUTTING UNIT COUNTER WEIGHTS		
1400	QA5 Cutting Unit ONLY Counterweight <i>Select if NOT installing GTC or Rotary Brush on cutting unit</i>	\$81.00
1407	QA5 Cutting Unit and GTC / Rotary Brush ONLY Counterweight <i>Select if ONLY installing GTC or Rotary Brush on cutting unit</i>	\$81.00
1490	Less Counterweight <i>Select if ordering LESS cutting unit</i>	In Base Price
Field Installed Options		
FRONT TURF BRUSHES		
9783	Push Brush <i>During operation brush is lowered in front of grass catcher</i>	\$668.00

**220 E-Cut Hybrid Walk Greens Mower**

Code	Description	List price(USD)
9821	55.9 cm (22-in.) QA5 Front Rotary Turf Brush	\$267.00
9825	55.9 cm (22-in.) QA5 Front Rotary DT Turf Brush	\$267.00
GRASS CATCHERS		
9812	QA5 Grass Catcher with Large Paddle Clip	\$225.00
9813	QA5 Grass Catcher Side Plate Insert	\$61.00
GREENS TENDER CONDITIONER		
9742	QA5 Greens Tender Conditioner Shaft and Blades	\$369.00
9743	QA5 GTC / Front Rotary Brush Gear Drive	\$1,638.00
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
BUC10415	(1) Quick-Adjust 5 (QA5) 11-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,266.71
TCA23621	14 Blade Reel for 55.9 cm (22-in.) QA5 Cutting Units	\$446.82
BUC10416	(1) Quick Adjust 5 (QA5) 14-Blade 558.8-mm (22-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,580.21
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC / GTC / Rotary Brush on cutting unit.</i>	\$86.67
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing GTC / FTC / Rotary Brush Kits.</i>	\$86.67
FRONT TURF BRUSHES		
BTC10773	(1) 55.9 cm (22-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$285.69
BTC10775	(1) 55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$285.69
BM25531	Push Brush for Fixed Head and E-Cut Hybrid Walk Greens Mowers	\$716.90



220 E-Cut Hybrid Walk Greens Mower

Code	Description	List price(USD)
TCU29767	Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with BM23449 or BM25331 brush kits.</i>	\$260.22
GRASS CATCHERS		
BTC10718	(1) 558.8 mm (22-in.) Weight Transfer Grass Catcher with Large Paddle Clip (Low Profile) for QA5 and QA7 Cutting Units	\$241.81
BUC10523	Weight Transfer Grass Catcher Side Plate Insert <i>Required when using BTC10718 Grass Catcher with Large Paddle Clip on 220 E-Cut Hybrid.</i>	\$65.27
BTC10726	55.9 cm (22-in.) Direct Mount Front Grass Catcher for QA5 Cutting Units <i>Requires BUC10546 Direct Mount Grass Catcher Bracket Kit.</i>	\$241.81
BUC10546	Direct Mount Front Grass Catcher Brackets for QA5 Cutting Units	\$93.09
GREENS TENDER CONDITIONER		
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
BTC10778	(1) 55.9 cm (22-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$395.90
BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 55.9 cm (22-in.) QA5 Cutting units requires BTC10778 GTC Shaft Kit, BTC10779 FTC Shaft Kit, BTC10773 Front Rotary Brush Kit, or BTC10775 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	\$1,756.94
ROLLERS		

**220 E-Cut Hybrid Walk Greens Mower**

Code	Description	List price(USD)
BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	\$220.41
BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	\$220.41
BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not compatible if FTC / GTC / Rotary Brush installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$545.70
BM19821	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Spiral Grooved Roller	\$409.81
BM24202	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	\$195.81
BM18711	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller	\$220.41
BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC / Rotary Brush installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$334.91
BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	\$323.14
BM18480	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	\$197.96
BM18712	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	\$228.99
BEDKNIVES		
TCU36165	Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	\$125.26
ET11066	Bedknife, 3.2 mm with Hardened Insert	\$116.06
UC28163	Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	\$45.86
UC28156	Bedknife, 4.8 mm Fairway Low Cut	\$35.69
UC18873	Bedknife, 3.2 mm Standard	\$38.45



220 E-Cut Hybrid Walk Greens Mower

Code	Description	List price(USD)
UC23562	Bedknife, 7.6 mm Fairway Hi-Cut	\$39.79
UC18869	Bedknife, 2.5mm Tournament	\$39.78
ROLLER SCRAPERS		
BUC10113	(1) 55.9 cm (22-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	\$35.31
MISCELLANEOUS		
Field Installed Options		
LIGHTING		
9766	LED Light Kit	\$571.00
MISCELLANEOUS		
9779	Transport Wheels and Kickstand	\$631.00
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		
BUC10949	Transport Wheels and Kickstand <i>Tubular kickstand design.</i>	\$632.37



180SL PrecisionCut Walk Greens Mower

Code	Description	List price(USD)
	<p>180SL PrecisionCut Walk Greens Mower 3.2 hp (2.4 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information. Gas Engine Dual Aluminum Drive Rear Traction Drum 2.7 Qts. (2.5L) Fuel Tank Operator Presence System Enclosed Roller Drive Differential Foam Wrapped, 4-position Adjustable Handle Bar Meets CARB, EPA, and EU Stage V Standards</p>	
	BASE MACHINE	
5515M	180SL PrecisionCut Walk Greens Mower	\$12,339.00
	<p>DESTINATION AND LANGUAGE Basic Factory Options DESTINATION</p>	
001A	US and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other Countries (English / Spanish)	In Base Price
	<p>CUTTING UNITS Basic Factory Options REEL CUTTING UNITS <i>12.7 cm (5-in.) Diameter Reel</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i> <i>Infinitely Adjustable Bedknife-to-Reel with Knob System</i></p>	
1223	11-Blade Reel	In Base Price
1224	14-Blade Reel	\$147.00
	REEL FRONT ROLLERS	
1308	45.7 cm (18-in.) x 50.8 mm (2-in.) Diameter Machined Grooved Solid Roller with Solid End Cap	\$236.00
1309	45.7 cm (18-in.) x 50.8 mm (2-in.) Diameter Machined Smooth Solid Roller	\$206.00

**180SL PrecisionCut Walk Greens Mower**

Code	Description	List price(USD)
1321	45.7 cm (18-in.) x 50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Roller	\$146.00
1390	Less Front Roller	In Base Price
Field Installed Options		
FRONT TURF BRUSHES		
9781	180SL Front Rotary Turf Brush	\$316.00
9783	Push Brush <i>During operation brush is lowered in front of grass catcher</i>	\$668.00
9801	180SL Front Rotary DT Turf Brush	\$316.00
GREENS TENDER CONDITIONER		
9780	GTC / Front Rotary Brush Gear Drive for SL Walk Greens Mowers	\$1,598.00
9782	Greens Tender Conditioner Shaft and Blades for SL Walk Greens Mowers	\$609.00
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
TCA23624	14 Blade Reel for 45.7 cm (18-in.) Fixed Head Walk Greens Mowers	\$362.20
FRONT TURF BRUSHES		
BM25531	Push Brush for Fixed Head and E-Cut Hybrid Walk Greens Mowers	\$716.90
TCU29767	Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with BM23449 or BM25331 brush kits.</i>	\$260.22
BM24731	45.7 cm (18-in.) Front Rotary Dense Turf (DT) Brush for Fixed Head Walk Greens Mowers <i>Brush with helix design and increased bristles; Can not be used with GTC. Also need to order Gear Drive.</i>	\$338.11
BM20569	45.7 cm (18-in.) Rotary Brush for Fixed Head Walk Greens Mowers <i>Requires Gear Drive.</i>	\$338.11
GREENS TENDER CONDITIONER		
BM20568	45.7 cm (18-in.) Greens Tender Conditioner for Fixed Head Walk Greens Mowers <i>Requires Gear Drive.</i>	\$652.70

**180SL PrecisionCut Walk Greens Mower**

Code	Description	List price(USD)
ROLLERS		
BM22879	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Spiral Grooved Roller with Spiral End Caps	\$493.27
BM22868	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Grooved Roller	\$220.41
BM20561	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Roller	\$220.41
BM24204	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	\$157.29
TCA19509	(1) 45.72 cm (18 in.) x 7.6 cm (3 in.) Diameter Hollow Smooth Roller <i>Not compatible if FTC / GTC / Rotary Brush installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$302.18
BM25316	(1) 457.2 mm (18 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC / Rotary Brush installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$480.43
BM24203	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	\$157.29
BM20562	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller with Solid End Caps	\$253.59
BEDKNIVES		
TCU36878	Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	\$123.78
UC18877	Bedknife, 2.5 mm Tournament	\$41.56
UC23445	Bedknife, Hi-Cut Fairway 7.6 mm	\$66.54
UC28157	Bedknife, 4.8 mm Fairway Low Cut	\$41.69
MISCELLANEOUS		
Field Installed Options		
LIGHTING		
9766	LED Light Kit	\$571.00
MISCELLANEOUS		
9779	Transport Wheels and Kickstand	\$631.00
ATTACHMENTS FOR FIELD CONVERSION		
MISCELLANEOUS		



180SL PrecisionCut Walk Greens Mower

Code	Description	List price(USD)
BUC10949	Transport Wheels and Kickstand <i>Tubular kickstand design.</i>	\$632.37
AMT2859	Reel Clutch Kit <i>Disengages Reel to Make it Easier to Pull Machine Backwards in Tight Mowing Conditions.</i>	\$469.76
AMT2865	Frequency of Clip Speed Up Kit for Fixed Head Walk Greens Mowers <i>Increases Clip Frequency to .160</i>	\$222.00



220SL PrecisionCut Walk Greens Mower

Code	Description	List price(USD)
	<p>220SL PrecisionCut Walk Greens Mower 3.2 hp (2.4 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information. Gas Engine Dual Aluminum Drive Rear Traction Drum 2.7 Qts. (2.5L) Fuel Tank Operator Presence System Enclosed Roller Drive Differential Foam Wrapped, 4-position Adjustable Handle Bar Meets CARB, EPA, and EU Stage V Standards</p>	
	BASE MACHINE	
5526M	220SL PrecisionCut Walk Greens Mower	\$11,919.00
	<p>DESTINATION AND LANGUAGE Basic Factory Options DESTINATION</p>	
001A	US and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other Countries (English / Spanish)	In Base Price
	<p>CUTTING UNITS Basic Factory Options REEL CUTTING UNITS <i>12.7 cm (5-in.) Diameter Reel</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i> <i>Infinitely Adjustable Bedknife-to-Reel with Knob System</i></p>	
1223	11-Blade Reel	In Base Price
1224	14-Blade Reel	\$294.00
	REEL FRONT ROLLERS	
1300	55.9 cm (22-in.) x 50.8 mm (2-in.) Diameter Machined Grooved Solid Roller with Solid End Caps	\$214.00
1301	55.9 cm (22-in.) x 50.8 mm (2-in.) Diameter Machined Smooth Solid Roller	\$206.00



220SL PrecisionCut Walk Greens Mower

Code	Description	List price(USD)
1302	55.9 cm (22-in.) x 50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Roller	\$146.00
1390	Less Front Roller	In Base Price
Field Installed Options		
FRONT TURF BRUSHES		
9783	Push Brush <i>During operation brush is lowered in front of grass catcher</i>	\$668.00
9820	220SL Front Rotary Turf Brush	\$316.00
9824	220SL Front Rotary DT Turf Brush	\$316.00
GREENS TENDER CONDITIONER		
9780	GTC / Front Rotary Brush Gear Drive for SL Walk Greens Mowers	\$1,598.00
9782	Greens Tender Conditioner Shaft and Blades for SL Walk Greens Mowers	\$638.00
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
TCA23623	14 Blade Reel for 55.9 cm (22-in.) Fixed Head Walk Greens Mowers	\$448.83
FRONT TURF BRUSHES		
BM25531	Push Brush for Fixed Head and E-Cut Hybrid Walk Greens Mowers	\$716.90
TCU29767	Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with BM23449 or BM25331 brush kits.</i>	\$260.22
BM20567	55.9 cm (22-in.) Rotary Brush for Fixed Head Walk Greens Mowers <i>Requires Gear Drive.</i>	\$338.11
BM24729	55.9 cm (22-in.) Front Rotary Dense Turf (DT) Brush for Fixed Head Walk Greens Mowers <i>Brush with helix design and increased bristles. Can not be used with GTC. Also need to order Gear Drive.</i>	\$338.11
GREENS TENDER CONDITIONER		
BM20566	55.9 cm (22-in.) Greens Tender Conditioner for Fixed Head Walk Greens Mowers <i>Requires Gear Drive.</i>	\$683.73

**220SL PrecisionCut Walk Greens Mower**

Code	Description	List price(USD)
ROLLERS		
BE23416	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller <i>This Roller is 20mm Shorter Than BM18481.</i>	\$220.41
BM18481	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Wide Solid Roller	\$220.41
BM19817	(1) 558.8-mm (22-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with spiral end caps <i>Not compatible if FTC / GTC / Rotary Brush installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$545.70
BM19821	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Spiral Grooved Roller	\$409.81
BM24202	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	\$195.81
BM18711	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller	\$220.41
BM25317	(1) 558.8-mm (22 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC / Rotary Brush installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$334.91
BM26408	(1) 558.8 (22-in.) x 63.5 mm (2.5-in.) Diameter Heavy Duty Grooved Disc Roller <i>Compatible with FTCs. Not compatible with FTCs when roller is installed in front roller position #3.</i>	\$323.14
BM18480	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	\$197.96
BM18712	(1) 558.8-mm (22-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	\$228.99
BEDKNIVES		
TCU36165	Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	\$125.26
ET11066	Bedknife, 3.2 mm with Hardened Insert	\$116.06
UC23562	Bedknife, 7.6 mm Fairway Hi-Cut	\$39.79
UC18873	Bedknife, 3.2 mm Standard	\$38.45



220SL PrecisionCut Walk Greens Mower

Code	Description	List price(USD)
UC28156	Bedknife, 4.8 mm Fairway Low Cut	\$35.69
UC28163	Bedknife, 2.0mm Ultra Low-Cut, Less Aggressive	\$45.86
UC18869	Bedknife, 2.5mm Tournament	\$39.78
	MISCELLANEOUS	
	Field Installed Options	
	LIGHTING	
9766	LED Light Kit	\$571.00
	MISCELLANEOUS	
9779	Transport Wheels and Kickstand	\$631.00
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
BUC10949	Transport Wheels and Kickstand <i>Tubular kickstand design.</i>	\$632.37
AMT2865	Frequency of Clip Speed Up Kit for Fixed Head Walk Greens Mowers <i>Increases Clip Frequency to .160</i>	\$222.00
AMT2859	Reel Clutch Kit <i>Disengages Reel to Make it Easier to Pull Machine Backwards in Tight Mowing Conditions.</i>	\$469.76



260SL PrecisionCut Walk Greens Mower

Code	Description	List price(USD)
	<p>260SL PrecisionCut Walk Greens Mower 3.5 hp (2.6 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.</p> <p>Gas Engine Dual Aluminum Drive Rear Traction Drum 2.7 Qts. (2.5L) Fuel Tank Operator Presence System Enclosed Roller Drive Differential Foam Wrapped, 4-position Adjustable Handle Bar Meets CARB Standards</p>	
	BASE MACHINE	
5533M	260SL PrecisionCut Walk Greens Mower	\$12,069.00
	<p>DESTINATION AND LANGUAGE Basic Factory Options DESTINATION</p>	
001A	US and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other Countries (English / Spanish)	In Base Price
	<p>CUTTING UNITS Basic Factory Options REEL CUTTING UNITS 12.7 cm (5-in.) Diameter Reel Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution Infinitely Adjustable Bedknife-to-Reel with Knob System</p>	
1220	7-Blade Reel	In Base Price
	REEL FRONT ROLLERS	
1313	66 cm (26-in.) x 50.8 mm (2-in.) Diameter Machined Grooved Solid Roller with Solid End Caps	\$226.00



260SL PrecisionCut Walk Greens Mower

Code	Description	List price(USD)
1314	66 cm (26-in.) x 50.8 mm (2-in.) Diameter Machined Smooth Solid Roller	\$210.00
1390	Less Front Roller	In Base Price
Field Installed Options		
FRONT TURF BRUSHES		
9822	260SL Front Rotary Turf Brush	\$280.00
GREENS TENDER CONDITIONER		
9780	GTC / Front Rotary Brush Gear Drive for SL Walk Greens Mowers	\$1,420.00
9782	Greens Tender Conditioner Shaft and Blades for SL Walk Greens Mowers	\$594.00
ATTACHMENTS FOR FIELD CONVERSION		
FRONT TURF BRUSHES		
BM20571	66 cm (26-in.) Rotary Brush for Fixed Head Walk Greens Mowers	\$338.11
GREENS TENDER CONDITIONER		
BM20570	66 cm (26-in.) Greens Tender™ Conditioner for Fixed Head Walk Greens Mowers	\$716.90
ROLLERS		
BM19818	(1) 660.4-mm (26-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	\$603.49
BM17671	(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	\$261.09
BM25318	(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	\$334.91
BM20563	(1) 660.4-mm (26-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller	\$253.59
BM20564	(1) 660.4-mm (26-in.) x 50.8-mm (2 In.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	\$272.86
MISCELLANEOUS		
Field Installed Options		
LIGHTING		
9766	Light Kit	\$438.00
MISCELLANEOUS		
9779	Transport Wheels and Stand	\$561.00



260SL PrecisionCut Walk Greens Mower

Code	Description	List price(USD)
	ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
BM20579	Light Kit for Fixed Head Walk Greens Mowers	\$528.59
	MISCELLANEOUS	
AMT2865	Frequency of Clip Speed Up Kit for Fixed Head Walk Greens Mowers <i>Increases Clip Frequency to .160</i>	\$222.00
AMT2859	Reel Clutch Kit <i>Disengages Reel to Make it Easier to Pull Machine Backwards in Tight Mowing Conditions.</i>	\$469.76
BM20578	Transport Wheels and Stand for Fixed Head Walk Greens Mowers	\$677.31



260SL PrecisionCut Walk Greens Mower

Code	Description	List price(USD)
	<p>260SL PrecisionCut Walk Greens Mower 3.2 hp (2.4 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information. Gas Engine Dual Aluminum Drive Rear Traction Drum 2.7 Qts. (2.5L) Fuel Tank Operator Presence System Enclosed Roller Drive Differential Foam Wrapped, 4-position Adjustable Handle Bar Meets CARB, EPA, and EU Stage V Standards</p>	
	BASE MACHINE	
5534M	260SL PrecisionCut Walk Greens Mower	\$13,579.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	US and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other Countries (English / Spanish)	In Base Price
	CUTTING UNITS	
	Basic Factory Options	
	REEL CUTTING UNITS	
	<i>12.7 cm (5-in.) Diameter Reel</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i> <i>Infinitely Adjustable Bedknife-to-Reel with Knob System</i>	
1223	11-Blade Reel	\$123.00
	REEL FRONT ROLLERS	
1313	66 cm (26-in.) x 50.8 mm (2-in.) Diameter Machined Grooved Solid Roller with Solid End Caps	\$254.00
1314	66 cm (26-in.) x 50.8 mm (2-in.) Diameter Machined Smooth Solid Roller	\$236.00
1390	Less Front Roller	In Base Price
	Field Installed Options	
	FRONT TURF BRUSHES	

**260SL PrecisionCut Walk Greens Mower**

Code	Description	List price(USD)
9822	260SL Front Rotary Turf Brush	\$316.00
	GREENS TENDER CONDITIONER	
9780	GTC / Front Rotary Brush Gear Drive for SL Walk Greens Mowers	\$1,598.00
9782	Greens Tender Conditioner Shaft and Blades for SL Walk Greens Mowers	\$668.00
	ATTACHMENTS FOR FIELD CONVERSION	
	FRONT TURF BRUSHES	
BM20571	66 cm (26-in.) Rotary Brush for Fixed Head Walk Greens Mowers	\$338.11
	GREENS TENDER CONDITIONER	
BM20570	66 cm (26-in.) Greens Tender™ Conditioner for Fixed Head Walk Greens Mowers	\$716.90
	ROLLERS	
BM19818	(1) 660.4-mm (26-in.) x 76.2-mm (3-in.) Diameter Spiral Grooved Roller with Spiral End Caps	\$603.49
BM17671	(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy-Duty Smooth Solid Roller	\$261.09
BM25318	(1) 660.4 mm (26-in.) x 76.2 mm (3-in.) Diameter Heavy Duty Grooved Disc Roller	\$334.91
BM20564	(1) 660.4-mm (26-in.) x 50.8-mm (2 In.) Diameter Machined Grooved Solid Front Roller with Solid End Caps	\$272.86
BM20563	(1) 660.4-mm (26-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Front Roller	\$253.59
	MISCELLANEOUS	
	Field Installed Options	
	LIGHTING	
9766	LED Light Kit	\$571.00
	MISCELLANEOUS	
9779	Transport Wheels and Kickstand	\$631.00
	ATTACHMENTS FOR FIELD CONVERSION	
	LIGHTING	
BUC10782	LED Light Kit for SL PrecisionCut Walk Greens Mowers	\$572.46
	MISCELLANEOUS	
BUC10949	Transport Wheels and Kickstand	\$632.37

**260SL PrecisionCut Walk Greens Mower**

Code	Description	List price(USD)
AMT2859	<i>Tubular kickstand design.</i> Reel Clutch Kit <i>Disengages Reel to Make it Easier to Pull Machine Backwards in Tight Mowing Conditions.</i>	\$469.76
AMT2865	Frequency of Clip Speed Up Kit for Fixed Head Walk Greens Mowers <i>Increases Clip Frequency to .160</i>	\$222.00

**180 E-Cut Hybrid Walk Greens Mower**

Code	Description	List price(USD)
	<p>180 E-Cut Hybrid Walk Greens Mower 3.2 hp (2.4 kW) at 3600 rpm, Engine Manufacturer Net Power, Tested in accordance with SAE J1349. The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information. Gas Engine Dual Aluminum Drive Rear Traction Drum 2.7 Qts. (2.5L) Fuel Tank Operator Presence System Enclosed Roller Drive Differential Foam Wrapped, 4-position Adjustable Handle Bar Meets CARB, EPA, and EU Stage V Standards Electric Drive Motor for Cutting Unit On Board Backlapping On Board Electrical Diagnostic Light Adjustable Frequency of Clip</p>	
	BASE MACHINE	
5543M	180 E-Cut Hybrid Walk Greens Mower	\$12,299.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	US and Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other Countries (English / Spanish)	In Base Price
	CUTTING UNITS	
	Basic Factory Options	
	REEL CUTTING UNITS	
	<p><i>12.7 cm (5-in.) Diameter Cutting Units</i> <i>Speed Link Height of Cut System, adjusts 0.001-in. (0.0254 mm) per revolution</i> <i>Dual Point Notch System Bedknife to Reel Adjustment in 0.0005-in. (0.0127 mm) increments</i></p>	
1202	Quick Adjust 5 (QA5) Eleven Blade 18 In. (45.7 cm) Cutting Unit with 2.0 mm Hardened Tool Steel Bedknife <i>Includes Direct Mount Grass Catcher</i> <i>Less Front and Rear Rollers, Motor and Counter Weight</i>	\$3,505.00
1213	Quick Adjust 5 (QA5) Fourteen Blade 18 In. (45.7 cm) Cutting Unit with 2.0 mm Hardened Tool Steel Bedknife	\$3,653.00

**180 E-Cut Hybrid Walk Greens Mower**

Code	Description	List price(USD)
	<i>Includes Direct Mount Grass Catcher Less Front and Rear Rollers, Motor and Counter Weight</i>	
1293	Quick Adjust 5 (QA5) Eleven Blade 18 In. (45.7 cm) Cutting Unit with 2.0 mm Hardened Tool Steel Bedknife <i>Includes Large Paddle Clip Grass Catcher and side plate inserts Less Front and Rear Rollers, Motor and Counter Weight</i>	\$3,500.00
1294	Quick Adjust 5 (QA5) Fourteen Blade 18 In. (45.7 cm) Cutting Unit with 2.0 mm Hardened Tool Steel Bedknife <i>Includes Large Paddle Clip Grass Catcher and side plate inserts Less Front and Rear Rollers, Motor and Counter Weight</i>	\$3,649.00
1290	Less Cutting Unit	In Base Price
REEL FRONT ROLLERS		
1308	45.7 cm (18-in.) x 50.8 mm (2-in.) Diameter Machined Grooved Solid Roller with Solid End Cap	\$236.00
1309	45.7 cm (18-in.) x 50.8 mm (2-in.) Diameter Machined Smooth Solid Roller	\$206.00
1321	45.7 cm (18-in.) x 50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Roller	\$146.00
1390	Less Front Roller	In Base Price
REEL REAR ROLLERS		
1622	45.7 cm (18-in.) x 50.8 mm (2-in.) Diameter Wide Tube / Hollow Smooth Roller	\$146.00
1690	Less Rear Roller	In Base Price
REEL CUTTING UNIT COUNTER WEIGHTS		
1400	QA5 Cutting Unit ONLY Counterweight <i>Select if NOT installing GTC or Rotary Brush on cutting unit</i>	\$81.00
1407	QA5 Cutting Unit and GTC / Rotary Brush ONLY Counterweight <i>Select if ONLY installing GTC or Rotary Brush on cutting unit</i>	\$81.00
1490	Less Counterweight <i>Select if ordering LESS cutting unit</i>	In Base Price
Field Installed Options		
FRONT TURF BRUSHES		
9783	Push Brush <i>During operation brush is lowered in front of grass catcher</i>	\$668.00

**180 E-Cut Hybrid Walk Greens Mower**

Code	Description	List price(USD)
9819	45.7 cm (18-in.) QA5 Front Rotary Turf Brush	\$267.00
9823	45.7 cm (18-in.) QA5 Front Rotary DT Turf Brush	\$267.00
GRASS CATCHERS		
9812	QA5 Grass Catcher with Large Paddle Clip	\$245.00
9813	QA5 Grass Catcher Side Plate Insert	\$61.00
GREENS TENDER CONDITIONER		
9742	QA5 Greens Tender Conditioner Shaft and Blades	\$341.00
9743	QA5 GTC / Front Rotary Brush Gear Drive	\$1,638.00
REEL CUTTING UNITS		
ATTACHMENTS FOR FIELD CONVERSION		
REEL CUTTING UNITS		
TCA23622	14 Blade Reel for 45.7 cm (18-in.) QA5 Cutting Units	\$434.63
BUC10413	(1) Quick Adjust 5 (QA5) 14-Blade 457.2-mm (18-in.) Cutting Unit with 2.0-mm Hardened Tool Steel Bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,353.39
BUC10412	(1) Quick Adjust 5 (QA5) 11-Blade 457.2-mm (18-in.) Cutting Unit with 2.0-mm Hardened Tool Steel bedknife <i>Less Yoke, Front Roller, Rear Roller, Motor, and Counterweight</i>	\$3,422.93
REEL CUTTING UNIT COUNTER WEIGHTS		
BM22762	(1) Cutting Unit ONLY Counter Weight Kit <i>Needed if NOT installing GTC / FTC / Rotary Brush Kits.</i>	\$86.67
BM22704	(1) Fairway Tender Conditioner (FTC), Greens Tender Conditioner (GTC), or Rotary Brush ONLY Counter Weight Kit <i>Needed if ONLY installing FTC / GTC / Rotary Brush on cutting unit.</i>	\$86.67
FRONT TURF BRUSHES		
BTC10774	(1) 45.7 cm (18-in.) Front Rotary Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$285.69
BTC10776	(1) 45.7 cm (18-in.) Front Rotary Dense Turf (DT) Brush for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$285.69

**180 E-Cut Hybrid Walk Greens Mower**

Code	Description	List price(USD)
BM25531	Push Brush for Fixed Head and E-Cut Hybrid Walk Greens Mowers	\$716.90
TCU29767	Soft Bristle Brush for Push Brush Kit (Brush only) <i>Softer bristles than standard brush supplied with BM23449 or BM25331 brush kits.</i>	\$260.22
GRASS CATCHERS		
BUC10523	Weight Transfer Grass Catcher Side Plate Insert <i>Required when using BTC10716 Grass Catcher with Large Paddle Clip on 180 E-Cut Hybrid.</i>	\$65.27
BUC10546	Direct Mount Front Grass Catcher Brackets for QA5 Cutting Units	\$93.09
BTC10716	(1) 457.2-mm (18-in.) Grass Catcher with large paddle clip	\$263.21
BTC10629	45.7 cm (18-in.) Direct Mount Grass Catcher <i>Requires BUC10546 Direct Mount Grass Catcher Bracket Kit.</i>	\$241.81
GREENS TENDER CONDITIONER		
BUC10283	(1) FTC / GTC / Rotary Brush Upgrade Kit <i>Upgrades previous versions of FTC / GTC / Front Rotary Brush for QA5 and QA7 Cutting Units to latest design. Includes 3 triple lip seals, 4 bearings, 1 seal spacer, 2 washers, 2 snap rings, and 1 output shaft. Includes parts to update one cutting unit.</i>	\$88.81
BTC10760	(1) Greens Tender Conditioner (GTC), Fairway Tender Conditioner (FTC), Rotary Brush Gear Drive for QA5 Cutting Units <i>Installation on Reel Mowers with 45.7 cm (18-in.) QA5 Cutting units requires BTC10783 GTC Shaft Kit, BTC10780 FTC Shaft Kit, BTC10774 Front Rotary Brush Kit, or BTC10776 DT Front Rotary Brush Kit. Not compatible with previous FTC, GTC, Front Rotary Brush, or DT Front Rotary Brush Kits.</i>	\$1,756.94
BTC10783	(1) 45.7 cm (18-in.) Greens Tender Conditioner Shaft and Blades for QA5 Cutting Units <i>Requires BTC10760 GTC / FTC / Rotary Brush Drive Kit. Not compatible with previous GTC / FTC / Rotary Brush Drive Kits.</i>	\$364.87
ROLLERS		

**180 E-Cut Hybrid Walk Greens Mower**

Code	Description	List price(USD)
BM22879	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Spiral Grooved Roller with Spiral End Caps	\$493.27
BM20561	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Machined Smooth Solid Roller	\$220.41
BM22868	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Grooved Roller	\$220.41
BM24204	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Hollow Smooth Roller	\$157.29
BM25316	(1) 457.2 mm (18 in.) x 7.6 cm (3 in.) Diameter Heavy-Duty Grooved Disc Roller <i>Not compatible if FTC / GTC / Rotary Brush installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$480.43
TCA19509	(1) 45.72 cm (18 in.) x 7.6 cm (3 in.) Diameter Hollow Smooth Roller <i>Not compatible if FTC / GTC / Rotary Brush installed. 3 In. Diameter Front Rollers Raise the Minimum Height of Cut.</i>	\$302.18
BM24203	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Wide Tube Hollow Smooth Roller	\$157.29
BM20562	(1) 457.2-mm (18-in.) x 50.8-mm (2-in.) Diameter Machined Grooved Solid Roller with Solid End Caps	\$253.59
BEDKNIVES		
TCU36878	Bedknife, 2.0 mm Ultra Low Cut Hardened Tool Steel, Less Aggressive	\$123.78
ROLLER SCRAPERS		
BUC10428	(1) 45.7 cm (18-in.) Front Roller Scraper (Solid) for QA5 Cutting Unit with 50.8 mm (2-in.) Smooth Front Roller	\$35.31
MISCELLANEOUS		
Field Installed Options		
LIGHTING		
9766	LED Light Kit	\$571.00
MISCELLANEOUS		
9779	Transport Wheels and Kickstand	\$631.00
ATTACHMENTS FOR FIELD CONVERSION		
LIGHTING		
BUC10812	LED Light Kit for E-Cut Hybrid Walk Greens Mowers	\$572.46



180 E-Cut Hybrid Walk Greens Mower

Code	Description	List price(USD)
MISCELLANEOUS		
BUC10949	Transport Wheels and Kickstand <i>Tubular kickstand design.</i>	\$632.37