



## HV513 SFA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
<b>- A -</b>			
ACCESS, CAB .....	<b>16ZBT</b>		<b>287</b>
- Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab			
ACCESS, CAB AND FRAME .....			<b>288</b>
ACCESSORY WIRING, SPECIAL .....			<b>109</b>
AFTERTREATMENT COVER .....			<b>66</b>
AIR BRAKE ABS .....	<b>04AZA</b>		<b>28</b>
- Bendix - AntiLock Brake System Full Vehicle Wheel Control System (4-Channel)			
AIR CLEANER .....	<b>12VBC</b>		<b>113</b>
- Single Element			
AIR COMPRESSOR .....	<b>04SPM</b>		<b>48</b>
- Bendix - BA-921 Head Unload - 15.9 CFM			
AIR COMPRESSOR DISCHARGE LINE .....			<b>49</b>
AIR CONDITIONER .....			<b>290</b>
AIR DRYER .....			<b>49</b>
AIR DRYER LOCATION .....	<b>04VKC</b>		<b>50</b>
- Mounted Inside Left Rail, Back of Cab			
AIR SUPPLY, AUXILIARY .....			<b>57</b>
AIR TANK .....			<b>53</b>
AIR TANK LOCATION .....	<b>04VKJ</b>		<b>53</b>
- (02) Mounted Under Battery Box, Outside Left Rail, Back of Cab, Perpendicular to Rail			
ALARM, PARK BRAKE, TIMER .....			<b>68</b>
ALARM, PARKING BRAKE .....			<b>68</b>
ALLISON SPARE INPUT/OUTPUT .....			<b>162</b>
ALTERNATOR .....	<b>08GXJ</b>		<b>69</b>
- Leece-Neville - AVI160P2013 - Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount			
ANTI-FREEZE .....	<b>12703</b>	<b>No Opt</b>	<b>113</b>
- Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection			
ANTI-SIPHON DEVICE .....			<b>280</b>
ARM REST, LEFT, PASSENGER SEAT .....			<b>290</b>
ARM REST, RIGHT, DRIVER SEAT .....			<b>291</b>



## HV513 SFA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
<b>- A -</b>			
AUTOMATIC CLIMATE CONTROL.....			291
AUTOMATIC NEUTRAL.....			164
AUXILIARY FUEL DRAW TUBE.....			280
AUXILIARY HARNESS.....			69
AXLE CONFIGURATION..... - Navistar 4x2	<b>01ANA</b>		1
AXLE SHAFT MODIFICATION.....			255
AXLE SPACING, FIRST PUSHER.....			248
AXLE SPACING, SECOND PUSHER.....			249
AXLE SPACING, TAG.....			251
AXLE SPACING, THIRD PUSHER.....			249
AXLE, FRONT DRIVING.....			22
AXLE, FRONT DRIVING, LUBE.....			22
AXLE, FRONT NON-DRIVING..... - Meritor - MFS-12-143A - Wide Track, I-Beam Type, 12,000-lb Capacity	<b>02ARW</b>		15
AXLE, LIFT, CONTROLS.....			251
AXLE, PUSHER, LIFT TYPE.....			239
AXLE, PUSHER, LIFT TYPE, ID.....			248
AXLE, REAR, LIFT, LUBE.....			254
AXLE, REAR, LUBE.....			254
AXLE, REAR, SINGLE..... - Meritor - RS-23-160 - Single Reduction, 23,000-lb Capacity, 200 Wheel Ends	<b>14051</b>		171
AXLE, REAR, TANDEM.....			186
AXLE, TAG, LIFT TYPE.....			249
<b>- B -</b>			
BACK-UP ALARM.....			69
BATTERY BOX..... - Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Cab	<b>08VUL</b>		70



## HV513 SFA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
<b>- B -</b>			
BATTERY BOX COVER .....			77
BATTERY CABLES .....			77
BATTERY DISCONNECT SWITCH .....			78
BATTERY SYSTEM .....	<b>08MSG</b>		78
- Fleetrite Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud			
BATTERY TERMINALS .....			80
BDY INTG, ADDITIONAL CAB HOLE .....			391
BDY INTG, DASH IND LT TRICOLOR .....			391
BDY INTG, HEADLIGHTS, WIG WAG .....			392
BDY INTG, I/O EXP HARNESS .....			393
BDY INTG, INDICATOR LIGHTS .....			392
BDY INTG, POWER MODULE AUX .....			393
BDY INTG, PTO ACCOMMODATION .....			394
BDY INTG, REMOTE POWER MODULE .....			390
BDY INTG, REMOTE START/STOP .....			395
BDY INTG, RPM I/O HARNESS .....			395
BDY INTG, SWITCH DUAL OUTPUT .....			396
BDY INTG, SWITCH MOMNTRY 3 POS .....			397
BDY INTG, SWITCH, INTERLOCKED .....			396
BDY INTG, THEFT DETERRENT SYS .....			397
BEACON MOUNTING BRACKET .....			80
BLOCK HEATER, ENGINE .....			114
BODY BUILDER WIRING .....			80
BRAKE ATTACHMENT .....			48
BRAKE CHAMBERS, ADDITIONAL .....			47
BRAKE CHAMBERS, FRONT AXLE .....			36
BRAKE CHAMBERS, REAR AXLE .....			44
BRAKE CHAMBERS, SPRING .....			45



## HV513 SFA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
<b>- B -</b>			
BRAKE DRUMS, FRONT.....			354
BRAKE DRUMS, REAR.....			354
BRAKE IDENTITY, REAR.....			39
BRAKE LININGS, REAR.....			45
BRAKE PACKAGE, FRONT.....	04WEZ		33
- Bendix Spicer - ADB22X - Air, Disc Type, Extended Service; Size 22.5"			
BRAKE PACKAGE, REAR.....	04WEY		38
- Bendix Spicer - ADB22X - Air, Disc Type, Extended Service; Size 22.5"			
BRAKE SHOES, REAR.....			46
BRAKE SYSTEM, AIR.....	04091		25
- Dual System for Straight Truck Applications			
BRAKES, AIR CAM, PUSHER AXLE.....			57
BRAKES, AIR CAM, TAG AXLE.....			58
BRAKES, FRONT, AIR CAM.....			35
BRAKES, FRONT, AIR DISC.....	04JBZ		34
- 22.5 Dia, Includes 18" Sq. In. Brake Chambers			
BRAKES, REAR, AIR CAM.....			41
BRAKES, REAR, AIR DISC.....	04JCC		39
- 22.5 Dia, Includes 18/24" Sq. In. Brake Chambers			
BUG DEFLECTOR.....			93
BUG SCREEN.....			93
BUMPER EXTENSION, FRONT.....			6
BUMPER, FRONT.....	01LLA		7
- Swept Back, Steel, Heavy Duty			
BUNK, LOWER.....			291
BUSHINGS, EQUALIZER BEAM.....			255
<b>- C -</b>			
CAB.....	16030		284
- Conventional, Day Cab			
CAB INTERIOR TRIM.....	16VKB		291
- Classic, for Day Cab			



## HV513 SFA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- C -			
CAB INTERIOR TRIM ACCENT.....			295
CAB REAR SUSPENSION.....	<b>16WSK</b>		295
- Air Bag Type			
CAB SOUND INSULATION.....			295
CB RADIO.....			80
CHASSIS COATING.....			94
CIGAR LIGHTER.....			81
CIRCUIT BREAKERS.....	<b>08XAH</b>	No Opt	81
- Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses			
CLEARANCE/MARKER LIGHTS.....	<b>08WPH</b>	No Opt	81
- Truck Lite (05) Amber LED Lights, Flush Mounted on Cab or Sunshade			
CLUTCH.....	<b>11001</b>		107
- Omit Item (Clutch & Control)			
CLUTCH EFFECTS.....			108
CLUTCH HOUSING.....			164
COATING IDENTITY, FRONT WHEELS.....			355
COATING IDENTITY, REAR WHEELS.....			355
COLD STARTING EQUIPMENT.....			114
CONSOLE, CENTER.....			296
CONTROL VALVE, FRONT BRAKE.....			58
COOLANT FILTER.....			114
COURTESY LIGHT.....			81
COVER PLATE.....			296
COWL TRAY LID.....			296
CROSSMEMBER, AF, SPECIAL.....			8
CROSSMEMBER, FRONT.....			8
CROSSMEMBER, INTERMEDIATE.....			9
CROSSMEMBER, INTERMEDIATE LOC.....			9
CROSSMEMBER, REAR, AF.....			10



## HV513 SFA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
<b>- C -</b>			
CROSSMEMBER, SUSPENSION.....			10
CURTAIN, WINDSHIELD.....			296
CUSTOMER SERVICES.....			95
<b>- D -</b>			
DATA RECORDER.....			81
DECK PLATE.....			11
DEF TANK.....	<b>15DYP</b>		280
- 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab			
DEF TANK COVER.....			281
DIFF. SWITCH CONTROLS.....			255
DIFFERENTIAL, LOCKING.....			255
DISCONNECT, FRONT HARNESS.....			82
DOME LIGHT, CAB.....			82
DRAIN VALVE.....	<b>04732</b>		58
- Berg with Pull Chain, for Air Tank			
DRIVELINE SYSTEM.....	<b>06DGR</b>		61
- Dana Spicer 1810HD, for 4x2/6x2			
DUST SHIELDS, FRONT BRAKE.....			37
DUST SHIELDS, REAR BRAKE.....			47
<b>- E -</b>			
ELECTRIC TRAILER BRAKE/LIGHTS.....			82
ELECTRICAL SYSTEM.....	<b>08000</b>	<b>No Opt</b>	68
- 12-Volt, Standard Equipment			
ELECTRONIC VEHICLE MONITORING.....			296
EMISSION COMPLIANCE.....			114
ENGINE COMPRESSION BRAKE.....	<b>07SDK</b>		66
- by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch			
ENGINE CONTROL, REMOTE MOUNTED.....			115
ENGINE WATER COOLER.....			115



## HV513 SFA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
<b>- E -</b>			
ENGINE, DIESEL.....	12BDX		109
- International - A26 - EPA 2017, 365HP @ 1700 RPM, 1250 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 365 Peak HP (Max)			
EXHAUST HEIGHT.....			66
EXHAUST SYSTEM.....	07BKP		62
- Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Short Horizontal Tail Pipe, Frame Mounted Right Side Back of Cab			
<b>- F -</b>			
FAN DRIVE.....	12THT	No Opt	113
- Horton - Drivemaster - Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed			
FAN DRIVE SPECIAL EFFECTS.....			115
FAN OVERRIDE.....			115
FEDERAL EMISSIONS.....			115
FENDER EXTENSIONS.....	09585		93
- Rubber			
FIFTH WHEEL LOCATION.....			102
FIFTH WHEEL MOUNTING ANGLES.....			103
FIFTH WHEEL, AIR SLIDE.....			95
FIFTH WHEEL, STATIONARY.....			99
FIRE EXTINGUISHER.....			104
FIRE EXTINGUISHER BRACKET.....			104
FOG LIGHTS.....			82
FRAME EXTENSION, FRONT.....			11
FRAME RAILS.....	01CBU		3
- Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL			
FRAME RAILS WITH TAPERED REAR.....			12
FRAME REINFORCEMENT.....			6
FRAME, SPECIAL EFFECTS.....			12



## HV513 SFA INDEX

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	STANDARD	OPT.	PAGE NO.
<b>- F -</b>			
FRESH AIR FILTER.....			297
FRONT END.....	<b>09WBK</b>	No Opt	93
- Tilting, Fiberglass, with Three Piece Construction, Includes Long Hood			
FUEL COOLER.....			281
FUEL HEATER.....			281
FUEL TANK.....	<b>15SRE</b>		259
- Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 50 US Gal (189L), Mounted Left Side, Under Cab			
FUEL TANK CAP.....			281
FUEL TANK STRAPS.....			281
FUEL/WATER SEPARATOR.....	<b>15LKU</b>		282
- Racor Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor			
<b>- G -</b>			
GAUGE CLUSTER.....	<b>16GDC</b>		297
- Base Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 3 Inch Monochromatic Text Display			
GAUGE, AIR APPLICATION.....			298
GAUGE, AIR CLEANER RESTRICTION.....			298
GAUGE, AIR PRESSURE.....			298
GAUGE, LOAD INDICATING REAR.....			298
GAUGE, OIL TEMP, AUTO TRANS.....			298
GAUGE, OIL TEMP, ENGINE.....			299
GAUGE, OIL TEMP, MANUAL TRAN.....			299
GAUGE, OIL TEMP, REAR AXLE.....			299
GAUGE, TEMPERATURE, AMBIENT.....			299
GAUGE, VOLTMETER.....			299
GRAB HANDLE, ADDITIONAL EXT.....			301
GRAB HANDLE, CAB INTERIOR.....			301





## HV513 SFA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
<b>- G -</b>			
GRAB HANDLE, EXTERIOR.....			300
GREASE FITTINGS.....			109
GRILLE.....	<b>09HBM</b>		93
- Stationary, Chrome			
GRILLE EMBER SCREEN.....			94
<b>- H -</b>			
HAND CONTROL VALVE, AIR.....			58
HEADLIGHT WARNING BUZZER.....			83
HEADLIGHTS.....			83
HEADLIGHTS AUTO.....			83
HEADLIGHTS ON W/WIPERS.....			83
HEATER.....	<b>16BAL</b>	<b>No Opt</b>	301
HEATER HOSES.....			301
HEATER SHUT-OFF VALVES.....			301
HOOD, HATCH.....			94
HORN, AIR.....			83
HORN, ELECTRIC.....	<b>08VAY</b>		83
- Disc Style			
HOSE CLAMPS, HEATER HOSE.....			301
HOSE CLAMPS, RADIATOR HOSES.....			115
HOSE TENDER.....			58
HOURLY METER, PTO.....			302
HUB BRAND, FRONT.....			356
HUB MODIFICATIONS, REAR.....			356
HUB ODOMETER.....			104
HYDRAULIC RETARDER.....			164
<b>- I -</b>			
IGNITION SWITCH.....			83



## HV513 SFA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
<b>- I -</b>			
INDICATOR, BATTERY WARNING .....			84
INPUT SHAFT .....			165
INSTRUMENT PANEL .....	<b>16XJN</b>		302
- Flat Panel .....			
INSULATION, SPLASH PANELS .....			94
IP CLUSTER DISPLAY .....	<b>16HKT</b>		302
- On Board Diagnostics Display of Fault Codes in Gauge Cluster .....			
<b>- J -</b>			
JUMP START STUD .....			84
JUNCTION BLOCK .....			84
<b>- K -</b>			
KEYLESS ENTRY SYSTEM REMOTE .....			302
KEYS - ALL ALIKE .....			104
<b>- L -</b>			
LABEL, DEF .....			104
LANGUAGE IDENTITY .....			104
LICENSE PLATE HOLDER .....			14
LIGHT, WORK .....			84
LOCATION FUEL/WATER SEPARATOR .....			283
LOGOS EXTERIOR .....	<b>09AAB</b>		94
- Model Badges .....			
LOGOS EXTERIOR, ENGINE .....	<b>09AAE</b>		94
- Badges .....			
<b>- M -</b>			
MIRROR, CONVEX, HOOD MOUNTED .....			305
MIRROR, CONVEX, LOOK DOWN .....			303



## HV513 SFA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
<b>- M -</b>			
MIRRORS.....	<b>16SNL</b>		<b>303</b>
- (02) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width			
MODESTY PANEL.....			<b>306</b>
MOUNTING BRACKETS.....			<b>306</b>
MUD FLAP HOLDER.....			<b>104</b>
MUD FLAPS, REAR.....			<b>105</b>
MUFFLER/TAIL PIPE GUARD.....			<b>67</b>
<b>- N -</b>			
NEUTRAL AT STOP.....	<b>13WV</b>	<b>No Opt</b>	<b>165</b>
- Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released			
<b>- O -</b>			
OIL COOLER MANUAL TRANSMISSION.....			<b>165</b>
OIL COOLER, AUTO TRANSMISSION.....			<b>165</b>
OIL COOLER, TRANSFER CASE.....			<b>166</b>
OIL PAN.....			<b>116</b>
OVER THE AIR PROGRAMMING.....			<b>105</b>
<b>- P -</b>			
PAINT CLASS.....			<b>105</b>
PAINT IDENTITY, FRONT WHEELS.....			<b>356</b>
PAINT IDENTITY, PT-2.....			<b>105</b>
PAINT IDENTITY, REAR WHEELS.....			<b>357</b>
PAINT SCHEMATIC, PT-1.....	<b>10060</b>		<b>106</b>
- Single Color, Design 100			
PAINT TYPE.....	<b>10761</b>	<b>No Opt</b>	<b>106</b>
- Base Coat/Clear Coat, 1-2 Tone			
PAINT, CAB SUNSHADE.....			<b>105</b>



## HV513 SFA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
<b>- P -</b>			
PAINT, NON-REFLECTING.....			105
POWER SOURCE.....			85
POWER SOURCE, ADDITIONAL.....			85
POWER SOURCE, SPECIAL.....			85
POWER SOURCE, TERMINAL TYPE.....			85
PROVISION FOR PTO.....			166
PTO CONTROL, DASH MOUNTED.....			166
PTO EFFECTS, ENGINE FRONT.....			116
PTO LOCATION.....			166
PTO, ENGINE REAR.....			116
PUSHER LIFT AXLE TIRE SLR.....			258
<b>- Q -</b>			
QUARTER FENDERS.....			94,106
<b>- R -</b>			
RADIATOR.....	12XBD	No Opt	113
- Aluminum; Welded, Front to Back CrossFlow System, 1292 SqIn, 1008 SqIn CAC			
RADIATOR HOSES.....			116
RADIO.....	08RMX		85
- Omit, Includes Wiring and Antenna			
RADIO, AUXILIARY CONTROLS.....			86
RAIN CAP.....			67
RECOVERY SHACKLE FRONT.....			12
REINFORCEMENT, PINTLE HOOK.....			13
RUNNING LIGHT.....			86
<b>- S -</b>			
SAFETY TRIANGLES.....			106
SEAT BELT.....			306



## HV513 SFA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
<b>- S -</b>			
SEAT BELT COMFORT CLIP.....			307
SEAT, DRIVER.....	<b>16JNT</b>		307
- National - 2000 - Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust			
SEAT, PASSENGER.....	<b>16400</b>		316
- Omit Item			
SEAT, REAR.....			324
SEAT, TWO-MAN PASSENGER.....			326
SEATBELT WARNING LIGHT IND.....			326
SEATBELT WARNING PREWIRE.....			327
SERVICES, TOWING.....			363
SHIFT CONTROL PARAMETERS.....			168
SHOCK ABSORBERS, FRONT.....			24
SHOCK ABSORBERS, REAR.....			256
SLACK ADJUSTER, PUSHER AXLE.....			59
SLACK ADJUSTER, TAG AXLE.....			59
SLACK ADJUSTERS, FRONT.....			37
SLACK ADJUSTERS, REAR.....			45
SNOW SHIELD.....			86
SOLENOID, AIR.....			86
SPACER BLOCK, SPRING, FRONT.....			24
SPEAKERS.....	<b>08RMS</b>		87
- Omit			
SPECIAL RATING, GAWR.....			48
SPECIAL RATING, GVWR.....			106
SPRING BRAKE MODULATOR VALVE.....			59
SPRINGS, FRONT AUXILIARY.....			25
SPRINGS, REAR AUXILIARY.....			256
SRV CONTRACT, EXT ALLISON XMSN.....			365



## HV513 SFA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
<b>- S -</b>			
SRV CONTRACT, EXT C A B .....			368
SRV CONTRACT, EXT COOLING S Y S .....			368
SRV CONTRACT, EXT EATON X M S N .....			369
SRV CONTRACT, EXT E L E C T R I C A L .....			370
SRV CONTRACT, EXT E N G M / C O M P .....			378
SRV CONTRACT, EXT E N G I N E .....			371
SRV CONTRACT, EXT E N G I N E / A F T R .....			375
SRV CONTRACT, EXT F R A M E .....			378
SRV CONTRACT, EXT H E N D S U S P .....			379
SRV CONTRACT, EXT H T R / A C S Y S .....			380
SRV CONTRACT, EXT M A J O R C O M P .....			380
SRV CONTRACT, EXT S T A R T E R / A L T .....			382
SRV CONTRACT, EXT V E H C O V E R A G E .....			383
STARTING M O T O R .....	<b>08WXG</b>		87
- Mitsubishi Electric Automotive America - 105P - 12-Volt, with Soft-Start			
STEERING C O L U M N .....	<b>05AAA</b>		61
- Stationary			
STEERING G E A R .....	<b>05PSA</b>		60
- Sheppard - M100 - Power			
STEERING W H E E L .....	<b>05CAW</b>		61
- 4-Spoke; 18" Dia., Black			
STOP-LIGHT W I R I N G M O D I F I E D .....			88
STOP, T U R N, T A I L & B / U L I G H T S .....			88
SUNSHADE, E X T E R I O R .....			327
SUSPENSION A I R C O N T R O L V A L V E .....			257
SUSPENSION L E V E L I N G V A L V E .....			257
SUSPENSION/REAR-AXLE I D E N T I T Y .....			257
SUSPENSION, F R O N T, S P R I N G .....	<b>03ADC</b>		22
- Parabolic Taper Leaf, Shackle Type, 12,000-lb Capacity, with Shock Absorbers			
SUSPENSION, R E A R, A I R, S I N G L E .....			201



## HV513 SFA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
<b>- S -</b>			
SUSPENSION, REAR, AIR, TANDEM.....			204
SUSPENSION, REAR, SINGLE..... - 23,500-lb Capacity, Vari-Rate Springs	<b>14SAN</b>		215
SUSPENSION, REAR, TANDEM.....			221
SWITCH, AIR HORN, PASSENGER.....			88
SWITCH, AUXILIARY.....			89
SWITCH, BODY CIRCUITS, MID.....			89
SWITCH, BODY CIRCUITS, REAR.....			90
SWITCH, FOR EXHAUST.....			67
SWITCH, MARKER INTERRUPT.....			91
SWITCH, TOGGLE, FOR WORK LIGHT.....			91
<b>- T -</b>			
TAG LIFT AXLE TIRE SLR.....			259
TAIL LIGHT WIRING MODIFIED.....			91
TAIL PIPE..... - (1) Horizontal, Short, with Heat Diffuser	<b>07WDR</b>		67
TELEMATICS BRACKET.....			327
TEST EXTERIOR LIGHTS.....			92
THRU-SHAFT.....			169
TIRE CARRIER.....			13
TIRE VALVE CAP.....			357
TIRE, SPARE.....			357
TIRES..... - Goodyear 11R22.5 LR-G ENDURANCE RSA 496 rev/mile 75 MPH All-Position	<b>7372138132</b>		398
TOOL KIT.....			107
TORQUE RODS.....			258
TOW HOOK, FRONT.....			13
TOW HOOK, REAR.....			13
TOW LOOP, FRONT.....			13



## HV513 SFA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
<b>- T -</b>			
TOW LOOP, REAR .....			14
TRAILER AUXILIARY FEED CIRCUIT.....			92
TRAILER CONNECTION SOCKET.....			92
TRAILER CONNECTIONS.....			60
TRAILER HOSES.....			60
TRANSFER CASE.....			169
TRANSMISSION COOLER HOSES.....			170
TRANSMISSION LUBE PUMP.....			170
TRANSMISSION OIL.....			171
TRANSMISSION SHIFT CONTROL.....			171
TRANSMISSION TCM LOCATION.....			162
TRANSMISSION, AUTOMATIC.....	<b>13ATL</b>		116
<ul style="list-style-type: none"> <li>- Allison - 3000 HS - 5th Generation Controls,</li> <li>Close Ratio, 5-Speed with Overdrive, Less PTO</li> <li>Provision, Less Retarder, Includes Oil Level</li> <li>Sensor, with 80,000-lb GVW and GCW Max</li> </ul>			
TRANSMISSION, AUXILIARY.....			169
TRANSMISSION, MANUAL.....			133
TRANSVERSE TORQUE RODS.....			258
TURN SIGNAL SWITCH.....			92
TURN SIGNALS, FRONT.....	<b>08XGT</b>		92
<ul style="list-style-type: none"> <li>- Includes LED Side Turn Lights Mounted on Fender</li> </ul>			
<b>- U -</b>			
USB PORT.....			92
<b>- V -</b>			
VIRTUAL GA, OIL TEMP,AUTO X M S N.....			300
VIRTUAL GA,OIL TEMP,MANL X M S N.....			300
VIRTUAL GA,OIL TEMP,REAR AXLE.....			300
VIRTUAL GAUGE, AIR APPLICATION.....			299
VIRTUAL GAUGE, AIR PRESSURE.....			299





## HV513 SFA INDEX

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	STANDARD	OPT.	PAGE NO.
<b>- V -</b>			
VIRTUAL GAUGE, OIL TEMP, ENG .....			300
<b>- W -</b>			
WARRANTY .....	40127	No Opt	362
- Standard for HV513, HV613 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2030A			
WHEEL BEARING, FRONT, LUBE .....			358
WHEEL BRAND, FRONT .....			357
WHEEL GUARDS, FRONT .....			358
WHEEL GUARDS, REAR .....			358
WHEEL IDENTITY .....			358
WHEEL SEALS, FRONT .....			359
WHEEL SEALS, REAR .....			359
WHEEL, REAR, IDENTITY .....			358
WHEEL, SPARE, DISC .....			351
WHEELBASE RANGE .....	01WUC		14
- 144" (345cm) Through and Including 161" (390cm)			
WHEELS, FRONT .....	27DUW		329
- Accuride - 51408 - DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs			
WHEELS, LIFT AXLE PUSHER .....			359
WHEELS, REAR .....	28DUW		342
- Accuride - 51408 - DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs			
WINDOW, MANUAL .....	16XCK		328
- (02) and Manual Door Locks, Left and Right Doors			
WINDOW, POWER .....			328
WINDSHIELD .....			328
WINDSHIELD WASHER RESERVOIR .....			328
WINDSHIELD WIPER BLADES .....			329
WINDSHIELD WIPER SPD CONTROL .....			93
WIRING, SPECIAL .....			93



# HV513 SFA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- W -			
WORKLIGHT ON W / B A C K U P .....			<b>93</b>
- 2 -			
2-SPEED SHIFT P A C K A G E .....			<b>258</b>
2-WAY R A D I O .....			<b>81</b>



**HV513 SFA**

**STANDARD EQUIPMENT**

**MODEL CODE: HV51300 LIST PRICE: \$183,404.00**

- |   |  |  |
|---|--|--|
| <p><b>01 FRAMES</b><br/>01ANA - AXLE CONFIGURATION {Navistar} 4x2<br/><b>NOTE:</b> Pricing may change if axle configuration is changed.<br/>01CBU - FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL<br/>01LLA - BUMPER, FRONT Swept Back, Steel, Heavy Duty<br/>01WUC - WHEELBASE RANGE 144" (345cm) Through and Including 161" (390cm)</p> <p><b>02 AXLE, FRONT</b><br/>02ARW - AXLE, FRONT NON-DRIVING {Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity</p> <p><b>03A SUSPENSION, FRONT</b><br/>03ADC - SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 12,000-lb Capacity, with Shock Absorbers</p> <p><b>04 BRAKES</b><br/>04091 - BRAKE SYSTEM, AIR Dual System for Straight Truck Applications<br/>* BRAKE LINES Color and Size Coded Nylon<br/>* DRAIN VALVE Twist-Type<br/>* GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster<br/>* PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel<br/>* QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4<br/>* SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes)<br/>* SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes)<br/>* SPRING BRAKE MODULATOR VALVE {Bendix} R-7 for 4x2, SR-7 with relay valve for 6x4/8x6<br/>04AZA - AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)<br/>04WEZ - BRAKE PACKAGE, FRONT {Bendix Spicer ADB22X} Air, Disc Type, Extended Service; Size 22.5"<br/>04JBZ - BRAKES, FRONT, AIR DISC 22.5 Dia, Includes 18" Sq. In. Brake Chambers</p> | <p><b>04 BRAKES (CONT.)</b><br/>04WEY - BRAKE PACKAGE, REAR {Bendix Spicer ADB22X} Air, Disc Type, Extended Service; Size 22.5"<br/>04JCC - BRAKES, REAR, AIR DISC 22.5 Dia, Includes 18/24" Sq. In. Brake Chambers<br/>04SPM - AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM<br/>04VKC - AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab<br/>04VKJ - AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Back of Cab, Perpendicular to Rail<br/>04732 - DRAIN VALVE {Berg} with Pull Chain, for Air Tank</p> <p><b>05 STEERING</b><br/>05PSA - STEERING GEAR {Sheppard M100} Power<br/>05AAA - STEERING COLUMN Stationary<br/>05CAW - STEERING WHEEL 4-Spoke; 18" Dia., Black</p> <p><b>06 DRIVELINES</b><br/>06DGR - DRIVELINE SYSTEM {Dana Spicer} 1810HD, for 4x2/6x2</p> <p><b>07 EXHAUST SYSTEM</b><br/>07BKP - EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Short Horizontal Tail Pipe, Frame Mounted Right Side Back of Cab<br/>07SDK - ENGINE COMPRESSION BRAKE by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch<br/>07WDR - TAIL PIPE (1) Horizontal, Short, with Heat Diffuser</p> <p><b>08 ELECTRICAL</b><br/>08000 - ELECTRICAL SYSTEM 12-Volt, Standard Equipment<br/>* DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab<br/>* HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel<br/>* HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever<br/>* PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light<br/>* STARTER SWITCH Electric, Key Operated<br/>* STOP, TURN, TAIL &amp; B/U LIGHTS Dual, Rear, Combination with Reflector</p> | <p><b>08 ELECTRICAL (CONT.)</b><br/>* TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature<br/>* WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever<br/>* WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted<br/>* WIRING, CHASSIS Color Coded and Continuously Numbered<br/>08GXJ - ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount<br/>08VUL - BATTERY BOX Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Cab<br/>08MSG - BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud<br/>08XAH - CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses<br/>08WPH - CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade<br/>08VAY - HORN, ELECTRIC Disc Style<br/>08RMX - RADIO Omit, Includes Wiring and Antenna<br/>08RMS - SPEAKERS Omit<br/>08WXG - STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start<br/>08XGT - TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender</p> <p><b>09 FRONT END</b><br/>09WBK - FRONT END Tilting, Fiberglass, with Three Piece Construction, Includes Long Hood<br/>09585 - FENDER EXTENSIONS Rubber<br/>09HBM - GRILLE Stationary, Chrome<br/>09AAB - LOGOS EXTERIOR Model Badges<br/>09AAE - LOGOS EXTERIOR, ENGINE Badges</p> <p><b>10 PAINT &amp; MISCELLANEOUS</b><br/>10060 - PAINT SCHEMATIC, PT-1 Single Color, Design 100<br/>* PAINT SCHEMATIC ID LETTERS "WM"</p> |
|---|--|--|

Refer To General Info for Metric Conversion Tables



**HV513 SFA**

**STANDARD EQUIPMENT**

**MODEL CODE: HV51300**

- 10 PAINT & MISCELLANEOUS (CONT.)**
  - 10761 - PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
- 11 CLUTCH**
  - 11001 - CLUTCH Omit Item (Clutch & Control)
- 12 ENGINE**
  - 12BDX - ENGINE, DIESEL {International A26} EPA 2017, 365HP @ 1700 RPM, 1250 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 365 Peak HP (Max)
  - 12XBD - RADIATOR Aluminum; Welded, Front to Back CrossFlow System, 1292 SqIn, 1008 SqIn CAC
    - \* DEAERATION SYSTEM with Surge Tank
    - \* HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type; Thermoplastic Coolant Hose Clamps
    - \* RADIATOR HOSES Premium, Rubber
  - 12THT - FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed
    - \* FAN Nylon
  - 12VBC - AIR CLEANER Single Element
  - 12703 - ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
- 13 TRANSMISSION**
  - 13ATL - TRANSMISSION, AUTOMATIC {Allison 3000 HS} 5th Generation Controls, Close Ratio, 5-Speed with Overdrive, Less PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max
  - 13WVV - NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released
- 14A AXLE, REAR**
  - 14051 - AXLE, REAR, SINGLE {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends
    - \* RATIO: 2.50, 2.67, 2.80, 2.93, 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.89, 5.38, 5.63, 6.14, 6.43, 6.83 OR 7.17
- 14B SUSPENSION, REAR**
  - 14SAN - SUSPENSION, REAR, SINGLE 23,500-lb Capacity, Vari-Rate Springs
- 15 FUEL TANKS**
  - 15SRE - FUEL TANK Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 50 US Gal (189L), Mounted Left Side, Under Cab
  - 15DYP - DEF TANK 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab
  - 15LKU - FUEL/WATER SEPARATOR {Racor} Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor
- 16 CAB (CONT.)**
  - NOTE:** Mirror Dimensions are Rounded to the Nearest 0.5" - For U.S. Only
  - 16JNT - SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust
  - 16400 - SEAT, PASSENGER Omit Item
  - 16XCK - WINDOW, MANUAL (2) and Manual Door Locks, Left and Right Doors
- 27/28 WHEELS & TIRES**
  - 27DUW - WHEELS, FRONT {Accuride 51408} DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
  - 28DUW - WHEELS, REAR {Accuride 51408} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
  - 737213 8132 (02) 11R22.5 14-PR LR-G SINGLE FRONT RADIAL TIRES {Goodyear ENDURANCE RSA}
  - 737213 8132 (04) 11R22.5 14-PR LR-G DUAL REAR RADIAL TIRES {Goodyear ENDURANCE RSA}
- 40 WARRANTY**
  - 40127 - WARRANTY Standard for HV513, HV613 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2030A

Refer To General Info for Metric Conversion Tables



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>AXLE CONFIGURATION</b>  <i>Navistar</i>  4x2 REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR, 01LNS, 01LTR, 01LTS, 01LTT, 01LZD, 01MBP, 01MDP or 01MDS BUMPER, FRONT REQS: Code 06DGC, 06DGD, 06DGM or 06DGR(std) DRIVELINE SYSTEM N/A: SPECIAL RATING, GVWR : Code 04VGG AIR DRYER LOCATION : Code 04AAA, 04AAU, 04AAY and 04ABA BRAKE CHAMBERS, ADDITIONAL : Code 01WBA, 01WBC and 01WPZ CROSSMEMBER, SUSPENSION : Code 01SAZ CROSSMEMBER, REAR, AF : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 01CAW FRAME RAILS : SUSPENSION, REAR, TANDEM : SUSPENSION, REAR, AIR, TANDEM : Code 02EZU AXLE, FRONT DRIVING : AXLE, REAR, TANDEM : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 13TKX TRANSFER CASE : Code 08WML HEADLIGHTS : Code 07BLD EXHAUST SYSTEM AVAIL: Code 01WMA CROSSMEMBER, INTERMEDIATE NOTE: Pricing may change if axle configuration is changed.	01ANA	STD	
6x4 REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR, 01LNS, 01LTR, 01LTS, 01LTT, 01LZD, 01MBP, 01MDP or 01MDS BUMPER, FRONT REQS: Code 06DGT, 06DGU, 06DGX or 06DHB DRIVELINE SYSTEM N/A: Code 04VGG AIR DRYER LOCATION : Code 04WYB BRAKE CHAMBERS, SPRING or Code 04NDA and 04NEX BRAKES, REAR, AIR CAM : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 02EZU AXLE, FRONT DRIVING : AXLE, REAR, SINGLE : Code 13TKX TRANSFER CASE : Code 08WML HEADLIGHTS : Code 07BLD EXHAUST SYSTEM NOTE: Pricing may change if axle configuration is changed.	01AND	\$1,524	0/0
6x6 REQS: Code 04VGG AIR DRYER LOCATION REQS: Code 07BKS or 07BLD EXHAUST SYSTEM REQS: Code 04091(std) BRAKE SYSTEM, AIR <p style="text-align: center;">(SEE NEXT PAGE)</p>	01ANE	\$1,524	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>AXLE CONFIGURATION</b> <span style="float: right;">(SEE PREV PAGE)</span></p> <p><i>Navistar</i></p> <p>REQS: Code 01LRT or 01MDR BUMPER, FRONT            REQS: Code 14ULX or 14ULY SUSPENSION, REAR, TANDEM            REQS: Code 14GVL, 14GVN or 14HRE AXLE, REAR, TANDEM            REQS: Code 06DHR or 06DHS DRIVELINE SYSTEM            REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC            -OR- TRANSMISSION, MANUAL            REQS: Code 15SWE or 15SWG FUEL TANK            N/A: SRV CONTRACT, EXT VEH COVERAGE                  : SRV CONTRACT, EXT HTR/AC SYS                  : SRV CONTRACT, EXT MAJOR COMP                  : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT                  : SRV CONTRACT, EXT ELECTRICAL                  : SRV CONTRACT, EXT COOLING SYS                  : Code 10NZL and 10NZN SPECIAL RATING, GVWR                  : Code 04WHT and 04774 SPECIAL RATING, GAWR                  : AXLE, FRONT NON-DRIVING                  : Code 04WBX DUST SHIELDS, FRONT BRAKE                  : Code 04WDM DUST SHIELDS, REAR BRAKE                  : Code 04AZE AIR BRAKE ABS                  : Code 04AAA, 04AAU, 04AAY and 04ABA BRAKE CHAMBERS, ADDITIONAL                  : Code 04VHZ AIR TANK LOCATION                  : Code 01WBA, 01WBC and 01WPZ CROSSMEMBER, SUSPENSION                  : Code 01UAA CROSSMEMBER, AF, SPECIAL                  : Code 01CAW FRAME RAILS                  : Code 01WDU CROSSMEMBER, FRONT                  : Code 01WLZ and 01WMA CROSSMEMBER, INTERMEDIATE                  : Code 03WAJ, 03WAK and 03770 SPRINGS, FRONT AUXILIARY                  : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE                  : Code 14SZB SPRINGS, REAR AUXILIARY                  : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE                  : SUSPENSION, REAR, AIR, TANDEM                  : AXLE, REAR, SINGLE                  : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE                  : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE            AVAIL: Code 01SAL CROSSMEMBER, REAR, AF                  : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY            NOTE: Pricing may change if axle configuration is changed.</p>	01ANE		



# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT  
 NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>FRAME RAILS</b></p> <p>NOTE: For Application, Refer to            FRAME/REINFORCEMENT SELECTION Chart in the            Compatibility Chart Section of Electronic            Price pages or CT-400 Sales Data Book</p> <p>Heat Treated Alloy Steel (120,000 PSI Yield);            10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x            8.0mm); 480.0" (12192) Maximum OAL            REQS: Code 01GBP FRAME REINFORCEMENT, when in            combination with Code 02AEU, 02AEV, 02AEW,            02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR,            02AYJ or 02AYK AXLE, FRONT NON-DRIVING            REQS: Code 01GBP FRAME REINFORCEMENT, when in            combination with Code 10022 CHASSIS            COATING            REQS: Code 01GBP FRAME REINFORCEMENT, when in            combination with Code 14TBZ SUSPENSION,            REAR, AIR, SINGLE            REQS: Code 01GBP FRAME REINFORCEMENT, when in            combination with Code 14UNW, 14UNX, 14UNY            or 14UPL SUSPENSION, REAR, AIR, TANDEM            REQS: Code 01GBP FRAME REINFORCEMENT, when in            combination with Code 14WLR or 14WNK AXLE,            TAG, LIFT TYPE            REQS: Code 03ACP, 03ACR, 03ACS, 03ADC(std),            03ADD, 03ADE, 03ADG, 03AGA, 03AGU, 03AHL,            03AHR or 03AHU SUSPENSION, FRONT, SPRING            REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION,            REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 01UBG FRAME, SPECIAL EFFECTS                  : Code 01GBP FRAME REINFORCEMENT, when in            combination with Code 14UZB, 14UZR, 14UZS,            14UZT, 14UZU, 14UZV, 14UZW or 14UZX            SUSPENSION, REAR, TANDEM and Code 10EYC or            10EYD FIFTH WHEEL, STATIONARY            AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS</p> <p>Heat Treated Alloy Steel (125,000 PSI Yield);            11.25" x 4.00" x 0.500" (285.75mm x 101.6mm x            12.7mm); 480.8" (12212mm) Maximum OAL            REQS: Code 04091(std) BRAKE SYSTEM, AIR            REQS: Code 03ACP, 03ACR, 03ACS, 03ADC(std),            03ADD, 03ADE, 03ADG, 03AGA, 03AGU, 03AHL,            03AHR or 03AHU SUSPENSION, FRONT, SPRING            REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL,            14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA,            14VKL or 14698 SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, SINGLE            -OR- Code 14TAX SUSPENSION, REAR, AIR, SINGLE            -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW,            14UNX, 14UNY or 14UPL SUSPENSION, REAR,            AIR, TANDEM</p> <p style="text-align: right;"><b>(SEE NEXT PAGE)</b></p>	<p>01CBU</p> <p>01CGE</p>	<p>STD</p> <p>\$2,200 0/0</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<i><b>ITEM DESCRIPTION</b></i>	<b>NOTE: WEIGHTS - FRONT/REAR</b>		
<i><b>ITEM DESCRIPTION</b></i>	<i><b>CODE</b></i>	<i><b>HV513 SFA</b></i>	
<p><b>FRAME RAILS</b> <span style="float: right;">(SEE PREV PAGE)</span></p> <p>NOTE: For Application, Refer to            FRAME/REINFORCEMENT SELECTION Chart in the            Compatibility Chart Section of Electronic            Price pages or CT-400 Sales Data Book</p> <p>REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX,            15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS,            15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD,            15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD,            15SRE(std), 15SSC, 15STM, 15SVN, 15SVP,            15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE,            15SWG, 15SWJ or 15SWK FUEL TANK</p> <p>N/A: Code 01616 FRAME RAILS WITH TAPERED REAR            : Code 01UBG FRAME, SPECIAL EFFECTS            : Code 01UAN and 01WDR FRAME EXTENSION,            FRONT            : Code 01GBP FRAME REINFORCEMENT            : Code 14WNL AXLE, PUSHER, LIFT TYPE            : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE            : Code 15LLP LOCATION FUEL/WATER SEPARATOR,            when in combination with Code 16CAB CAB            : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC,            10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR            SLIDE            : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH,            10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL,            STATIONARY            : Code 10STA, 10WDA and 10WDN FIFTH WHEEL            MOUNTING ANGLES            AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS</p> <p>Heat Treated Alloy Steel (120,000 PSI Yield);            12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x            9.5mm); 480.0" (12192mm) Maximum OAL            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 16030(std) CAB            REQS: Code 04JDC, 04VKA, 04VKB or 04VKC AIR            DRYER LOCATION            REQS: Code 01WMA CROSSMEMBER, INTERMEDIATE            REQS: Code 03ACP, 03ACR, 03ACS, 03ADD, 03ADE,            03ADG, 03AGA, 03AGU, 03AHL, 03AHR or 03AHU            SUSPENSION, FRONT, SPRING            REQS: Code 14SAL, 14SAN(std), 14TBW, 14VAH or            14VAJ SUSPENSION, REAR, SINGLE            -OR- Code 14UHD, 14UHE, 14UHK, 14UHL, 14ULX,            14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZR,            14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX,            14VKL or 14698 SUSPENSION, REAR, TANDEM            -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, AIR, TANDEM            REQS: Code 15DPL, 15DPM, 15DUX, 15DYY, 15SJR,            15SJZ, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ            or 15SWK FUEL TANK            N/A: Code 04SBV AIR COMPRESSOR or Code 04VCL            AIR TANK LOCATION or Code 07BLG EXHAUST            SYSTEM or CROSSMEMBER, SUSPENSION or            BATTERY BOX            : Code 04AZS and 04AZY AIR BRAKE ABS, when            in combination with Code 04092 BRAKE            SYSTEM, AIR</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>01CGE</p> <p>01CAW</p>	<p>\$1,502</p>	<p>0/0</p>

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-4

SUBJECT TO CHANGE WITHOUT NOTICE







## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>FRAME RAILS</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p>NOTE: For Application, Refer to            FRAME/REINFORCEMENT SELECTION Chart in the            Compatibility Chart Section of Electronic            Price pages or CT-400 Sales Data Book</p> <p>-OR- SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 01UBG FRAME, SPECIAL EFFECTS                  : Code 01UAN and 01WDT FRAME EXTENSION,                  FRONT                  : Code 01GBP FRAME REINFORCEMENT                  : Code 14WLM and 14WNL AXLE, PUSHER, LIFT                  TYPE                  : Code 14WNL AXLE, PUSHER, LIFT TYPE                  : Code 15LLP LOCATION FUEL/WATER SEPARATOR,                  when in combination with Code 16CAB CAB            AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS                  : Code 10021 CHASSIS COATING</p>	01CAJ		
<p><b>FRAME REINFORCEMENT</b></p> <p>NOTE: For Application, Refer to            FRAME/REINFORCEMENT SELECTION Chart in the            Compatibility Chart Section of Electronic            Price pages or CT-400 Sales Data Book</p> <p>Full Outer C-Channel, Heat Treated Alloy Steel            (120,000 PSI Yield), 10.813" x 3.892" x 0.312"            (274.6mm x 98.8mm x 7.9mm), 480.0" (12192mm) OAL            REQS: Code 01CBU(std) FRAME RAILS            REQS: Code 14TAX, 14TBZ or 14TCL SUSPENSION,            REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 01616 FRAME RAILS WITH TAPERED REAR,            when in combination with Code 01ANA AXLE            CONFIGURATION                  : Code 01WDR FRAME EXTENSION, FRONT                  : Code 14UZW SUSPENSION, REAR, TANDEM or                  Code 14UNT SUSPENSION, REAR, AIR, TANDEM,                  when in combination with Code 01616 FRAME                  RAILS WITH TAPERED REAR                  : FIFTH WHEEL, AIR SLIDE                  : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and                  10HKP FIFTH WHEEL, STATIONARY or Code                  10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD,                  10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE,                  when in combination with Code 14UNA                  SUSPENSION, REAR, TANDEM                  : Code 10JAX, 10JAY and 10JAZ FIFTH WHEEL,                  STATIONARY            AVAIL: Code 10022 CHASSIS COATING</p>	01GBP	\$1,700	0/0
<p><b>BUMPER EXTENSION, FRONT</b></p> <p>4.0"</p> <p>REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR,            01LNS, 01LRT, 01LZD, 01MBP, 01MDP, 01MDR            or 01MDS BUMPER, FRONT            N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT            FRAME EXTENSION, FRONT  <span style="float: right;"><i>(SEE NEXT PAGE)</i></span></p>	01WAC	\$50	+20/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>BUMPER EXTENSION, FRONT</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span>			
N/A: Code 01586 TOW LOOP, FRONT	01WAC		
<b>BUMPER, FRONT</b>			
Swept Back, Steel, Heavy Duty N/A: Code 01ANE AXLE CONFIGURATION	01LLA	<b>STD</b>	
Contoured, Stainless Steel, Polished N/A: Code 01ANE AXLE CONFIGURATION	01MDP	\$362	
Contoured, Steel, Painted 0001 Canyon Black, Heavy Duty REQS: Code 01UAM, 01UAN, 01WDR, 01WDS or 01WDT FRAME EXTENSION, FRONT N/A: Code 01ANE AXLE CONFIGURATION	01LNS	\$79	- 15 / 0
Contoured, Steel, Painted, Heavy Duty REQS: Code 01UAM, 01UAN, 01WDR, 01WDS or 01WDT FRAME EXTENSION, FRONT N/A: Code 01ANE AXLE CONFIGURATION	01LMX	\$79	- 15 / 0
Flat, Aluminum, Stainless Steel Clad, Heavy Duty REQS: Code 02AEU, 02AEV, 02AEW, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02ATG, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING -OR- AXLE, FRONT DRIVING N/A: Code 01ANE AXLE CONFIGURATION : Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 01WAC BUMPER EXTENSION, FRONT : Code 08XJG FOG LIGHTS	01LTT	\$445	
Flat, Steel, Heavy Duty N/A: Code 01ANE AXLE CONFIGURATION : Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 01WAC BUMPER EXTENSION, FRONT : Code 08XJG FOG LIGHTS	01LTR	N/C	
Flat, Steel, Painted Black, Heavy Duty N/A: Code 01ANE AXLE CONFIGURATION : Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 01WAC BUMPER EXTENSION, FRONT : Code 08XJG FOG LIGHTS	01LTS	\$40	
Omit Item N/A: Code 01ANE AXLE CONFIGURATION : Code 01LEH LICENSE PLATE HOLDER AVAIL: Code 08XJG and 08585 FOG LIGHTS	01LLK	\$200CR -96/+20	
Swept Back, Aluminum, Stainless Steel Clad, Heavy Duty N/A: Code 01ANE AXLE CONFIGURATION	01LZD	\$469	0 / 0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>BUMPER, FRONT</b> (CONTINUED)  Swept Back, Steel, Painted 0001 Canyon Black, Heavy Duty N/A: Code 01ANE AXLE CONFIGURATION  Swept Back 15-Degrees, Steel, for use with Front Frame Extensions, Heavy Duty REQS: Code 01UAM, 01UAN, 01WDR, 01WDS or 01WDT FRAME EXTENSION, FRONT N/A: Code 01ANE AXLE CONFIGURATION  Swept Back 15-Degrees, Stainless Steel, Polished, with Headlight Provision REQS: Code 01ANE AXLE CONFIGURATION REQS: Code 01UAM, 01UAN, 01WDR, 01WDS or 01WDT FRAME EXTENSION, FRONT REQS: Code 01WAC BUMPER EXTENSION, FRONT REQS: Code 08WML HEADLIGHTS N/A: AXLE, FRONT NON-DRIVING  Contoured, Stainless Steel, Polished, Includes Mounting Holes for 1 CPI Bumper Mounted Siren N/A: Code 01ANE AXLE CONFIGURATION  Swept Back 15-Degrees, Steel, Painted Black, with Headlight Provision, Heavy Duty REQS: Code 01ANE AXLE CONFIGURATION REQS: Code 01UAM, 01UAN, 01WDR, 01WDS or 01WDT FRAME EXTENSION, FRONT REQS: Code 01WAC BUMPER EXTENSION, FRONT REQS: Code 08WML HEADLIGHTS N/A: AXLE, FRONT NON-DRIVING	01LNR  01MBP  01MDR  01MDS  01LRT	N/C  \$125  \$590  \$414  \$466	0/0          +16/+5          +40/+5
<b>CROSSMEMBER, AF, SPECIAL</b>  (02) Drop Center Crossmembers for Bridge Formula Mixer REQS: Code 01AND AXLE CONFIGURATION REQS: Code 14UHK, 14ULX, 14ULY, 14UZB or 14UZU SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE REQS: Code 15SJZ, 15SSC, 15SWD, 15SWE, 15SWG or 15SXN FUEL TANK N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : SUSPENSION, REAR, AIR, TANDEM : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 01580 TOW LOOP, REAR	01UAA	\$366	+16/+5
<b>CROSSMEMBER, FRONT</b>  for Hydraulic Pump, Mounting Flange to Accommodate Pump REQS: Code 01UAM, 01UAN, 01WDR, 01WDS or 01WDT FRAME EXTENSION, FRONT N/A: Code 01ANE AXLE CONFIGURATION	01WDU	\$155	+40/+5



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>CROSSMEMBER, INTERMEDIATE</b>			
<p>(1) Additional, 5-Piece, Located 9" Back of Cab            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 16030(std) CAB            REQS: Code 04JDC or 04VHT AIR DRYER LOCATION,            when in combination with Code 04WZJ AIR            TANK LOCATION            REQS: Code 04EBD or 04EBS AIR DRYER, when in            combination with Code 04WZJ AIR TANK            LOCATION            N/A: Code 01CAW FRAME RAILS                  : Code 15LML FUEL/WATER SEPARATOR, when in            combination with Code 01ANA AXLE            CONFIGURATION            AVAIL: Code 01WLY DECK PLATE</p> <p>(1) 5-Piece in lieu of Each Single Dogbone with            4x2 &amp; 4x4 Chassis; Each Double Dogbone with 6x4,            6x6 &amp; 8x6 Tridem Chassis            REQS: Code 01AND AXLE CONFIGURATION, when in            combination with Code 14WLM, 14WNH, 14WNJ,            14WNL or 14WNM AXLE, PUSHER, LIFT TYPE            REQS: Code 16030 CAB, when in combination with            Code 14WLM, 14WNH, 14WNJ, 14WNL or 14WNM            AXLE, PUSHER, LIFT TYPE            REQS: Code 01WPZ CROSSMEMBER, SUSPENSION, when            in combination with Code 14UHL, 14ULX,            14ULY or 14UMB SUSPENSION, REAR, TANDEM            REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME            RAILS, when in combination with Code            16ZBP, 16ZGR or 16ZHH ACCESS, CAB AND            FRAME            REQS: Code 01CAW or 01CBU FRAME RAILS, when in            combination with Code 14WLM, 14WNH, 14WNJ,            14WNL or 14WNM AXLE, PUSHER, LIFT TYPE            N/A: Code 01ANE AXLE CONFIGURATION                  : Code 16ZBP, 16ZGR and 16ZHH ACCESS, CAB            AND FRAME, when in combination with Code            16CAB or 16196 CAB                  : Code 15LML FUEL/WATER SEPARATOR, when in            combination with Code 01ANA AXLE            CONFIGURATION</p>	<p style="text-align: center;">01WLZ</p> <p style="text-align: center;">01WMA</p>	<p style="text-align: center;">\$309 +25/+37</p> <p style="text-align: center;">\$429 +20/+30</p>	
<b>CROSSMEMBER, INTERMEDIATE LOC</b>			
<p>1st Located 16" Back of Cab, 2nd Located 56" Back            of Cab            REQS: Code 08VUJ, 08VUK or 08WJJ BATTERY BOX            REQS: Code 14ULX, 14UZB or 14UZU SUSPENSION,            REAR, TANDEM            REQS: Code 14UNX or 14UPL SUSPENSION, REAR, AIR,            TANDEM            REQS: Code 07BKP or 07BKS EXHAUST SYSTEM            REQS: Code 15SGJ, 15SJZ or 15SWE FUEL TANK            REQS: Code 15LKU FUEL/WATER SEPARATOR            N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM            AXLE, PUSHER, LIFT TYPE                  : TRANSFER CASE or TRANSMISSION, AUXILIARY            or Code 15LLP, 15LLY, 15LMG, 15LMK, 15LMU,            15LMW, 15LNH, 15LNJ and 15LNK LOCATION            FUEL/WATER SEPARATOR</p>	<p style="text-align: center;">01UBH</p>	<p style="text-align: center;">\$116 +1/+154</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>CROSSMEMBER, REAR, AF</b>  (02) N/A: Code 01ANE AXLE CONFIGURATION : Code 01616 FRAME RAILS WITH TAPERED REAR  (1) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR  (1) 89" Rearward of Center of Tandem Suspension or Single Rear Axle REQS: Code 01AND AXLE CONFIGURATION REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE, when in combination with Code 01ANA AXLE CONFIGURATION REQS: Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM, when in combination with Code 01AND AXLE CONFIGURATION N/A: Code 01616 FRAME RAILS WITH TAPERED REAR	01SAM    01SAL    01SAZ	\$227 -20/+60    \$116 -8/+28    \$116 -12/+32	
<b>CROSSMEMBER, SUSPENSION</b>  (1) 7-Piece Steel in lieu of (1) Double Dogbone, Forward REQS: Code 01AND AXLE CONFIGURATION REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14VKL or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE N/A: SUSPENSION, REAR, AIR, TANDEM  (02) 7-Piece Steel in lieu of (2) Double Dogbone, Forward and Center REQS: Code 01AND AXLE CONFIGURATION REQS: Code 14UHK, 14UNA or 14VKL SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE N/A: SUSPENSION, REAR, AIR, TANDEM  (02) 5-Piece Steel in lieu of (2) Double Dogbone, Forward and Rear REQS: Code 01AND AXLE CONFIGURATION REQS: Code 01WMA CROSSMEMBER, INTERMEDIATE REQS: Code 14UHL, 14ULX, 14ULY, 14UMB or 14UZB SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE N/A: Code 01616 FRAME RAILS WITH TAPERED REAR or AXLE, TAG, LIFT TYPE : SUSPENSION, REAR, AIR, TANDEM	01WBC           01WBA           01WPZ	\$139 +10/+19           \$260 +10/+39           \$265 -3/+124	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>DECK PLATE</b>	<b>HV513 SFA</b>		
Aluminum, (2) Sections, Flush Mounted REQS: Code 16ZHH or 16ZHM ACCESS, CAB AND FRAME N/A: Code 16XTK, 16XTM, 16ZBB, 16ZBT(std) and 16ZBU ACCESS, CAB AVAIL: Code 01WMA CROSSMEMBER, INTERMEDIATE	01WLS	\$90	+15/+7
Aluminum, (3) Sections, Flush Mounted REQS: Code 16ZHH or 16ZHM ACCESS, CAB AND FRAME REQS: Code 16ZGR, 16ZHH or 16ZHM ACCESS, CAB AND FRAME N/A: Code 16XTK, 16XTM, 16ZBB, 16ZBT(std) and 16ZBU ACCESS, CAB AVAIL: Code 01WMA CROSSMEMBER, INTERMEDIATE	01WLT	\$149	+22/+11
<b>Bustin</b>			
Aluminum, (2) Sections REQS: Code 16ZBP ACCESS, CAB AND FRAME N/A: Code 16XTK, 16XTM, 16ZBB, 16ZBT(std) and 16ZBU ACCESS, CAB	01WLY	\$1,119	+3/+16
<b>FRAME EXTENSION, FRONT</b>			
Integral; 20" In Front of Grille REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR, 01LNS, 01LRT, 01LZD, 01MBP, 01MDP, 01MDR or 01MDS BUMPER, FRONT N/A: Code 01WAC BUMPER EXTENSION, FRONT : Code 01WPL RECOVERY SHACKLE FRONT	01WDS	\$590	+148/-43
Integral; 27" In Front of Grille REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR, 01LNS, 01LRT, 01LZD, 01MBP, 01MDP, 01MDR or 01MDS BUMPER, FRONT N/A: Code 01CAG and 01CAW FRAME RAILS : Code 01WAC BUMPER EXTENSION, FRONT : Code 01WPL RECOVERY SHACKLE FRONT AVAIL: Code 08585 FOG LIGHTS	01UAM	\$695	+110/-20
Integral; 20" In Front of Grille, with Outer C-Channel Reinforcement REQS: Code 01GBP FRAME REINFORCEMENT REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR, 01LNS, 01LRT, 01LZD, 01MBP, 01MDP, 01MDR or 01MDS BUMPER, FRONT N/A: Code 01CAG and 01CAJ FRAME RAILS : Code 01WAC BUMPER EXTENSION, FRONT : Code 01WPL RECOVERY SHACKLE FRONT	01WDT	\$690	+168/-22
Integral; 27" In Front of Grille, with Outer C-Channel Reinforcement REQS: Code 01CBU(std) FRAME RAILS REQS: Code 01GBP FRAME REINFORCEMENT REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR, 01LNS, 01LRT, 01LZD, 01MBP, 01MDP, 01MDR or 01MDS BUMPER, FRONT N/A: Code 01WAC BUMPER EXTENSION, FRONT : Code 01WPL RECOVERY SHACKLE FRONT AVAIL: Code 08585 FOG LIGHTS	01UAN	\$795	+215/-40



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>FRAME EXTENSION, FRONT</b> (CONTINUED)  Bolt On Type; 20" In Front of Grille, without Crossmember REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR, 01LNS, 01LRT, 01LZD, 01MBP, 01MDP, 01MDR or 01MDS BUMPER, FRONT N/A: Code 01CGE FRAME RAILS : Code 01WAC BUMPER EXTENSION, FRONT : Code 01586 TOW LOOP, FRONT : Code 01WPL RECOVERY SHACKLE FRONT AVAIL: Code 08585 FOG LIGHTS	01WDR	\$222	+ 100/- 11
<b>FRAME RAILS WITH TAPERED REAR</b>  N/A: Code 04619 TRAILER CONNECTIONS : Code 01SAL, 01SAM and 01SAZ CROSSMEMBER, REAR, AF : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 01CGE FRAME RAILS : Code 01GBP FRAME REINFORCEMENT, when in combination with Code 01ANA AXLE CONFIGURATION : Code 08TME and 08TMG TRAILER CONNECTION SOCKET : Code 01GTA REINFORCEMENT, PINTLE HOOK : Code 01572 TOW HOOK, REAR : Code 01580 TOW LOOP, REAR	01616	\$87	0/0
<b>FRAME, SPECIAL EFFECTS</b>  Bolt Transition Plates to Frame for Mixer Body REQS: Code 01CAW FRAME RAILS REQS: Code 07BKS EXHAUST SYSTEM REQS: Code 08VUJ, 08VUK, 08VUL(std) or 08VUM BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM REQS: Code 15SJZ, 15SMD, 15SWD, 15SWE or 15SWG FUEL TANK  Dimple on Left and Right Top Flange of Frame Rail to Reference Rear Axle Centerline	01UBG	\$205	+ 24/+ 29
<b>RECOVERY SHACKLE FRONT</b>  (02) Frame Mounted N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 01570 TOW HOOK, FRONT : Code 01586 TOW LOOP, FRONT	01WPL	\$290	+ 25/- 4





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
<b>REINFORCEMENT, PINTLE HOOK</b>  Ahead of Rear Crossmember for Pintle Hook N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 01572 TOW HOOK, REAR	01GTA	\$176	0/+27
<b>TIRE CARRIER</b>  Underslung Basket Type REQS: Code 14UNA SUSPENSION, REAR, TANDEM or Code 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 01AND AXLE CONFIGURATION REQS: Code 14UNA or 14VKL SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 01616 FRAME RAILS WITH TAPERED REAR or Code 01572 TOW HOOK, REAR or Code 01580 TOW LOOP, REAR, when in combination with Code 01CAW FRAME RAILS : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 08THM, 08TKB, 08TKJ, 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	01553	\$199	-20/+97
<b>TOW HOOK, FRONT</b>  (02) Frame Mounted REQS: Code 01UAM, 01UAN, 01WDS or 01WDT FRAME EXTENSION, FRONT N/A: Code 01586 TOW LOOP, FRONT : Code 01WPL RECOVERY SHACKLE FRONT	01570	\$118	+9/-1
<b>TOW HOOK, REAR</b>  (02) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 01GTA REINFORCEMENT, PINTLE HOOK : Code 01580 TOW LOOP, REAR AVAIL: Code 08TKB and 08TPS STOP, TURN, TAIL & B/U LIGHTS	01572	\$75	0/+10
<b>TOW LOOP, FRONT</b>  N/A: Code 01WDR FRAME EXTENSION, FRONT : Code 01WAC BUMPER EXTENSION, FRONT : Code 01570 TOW HOOK, FRONT : Code 01WPL RECOVERY SHACKLE FRONT	01586	\$618	+85/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>TOW LOOP, REAR</b>  Heavy Duty REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 08TME and 08TMG TRAILER CONNECTION SOCKET : Code 01572 TOW HOOK, REAR AVAIL: Code 08TPS STOP, TURN, TAIL & B/U LIGHTS	01580	\$408	0/+86
<b>WHEELBASE RANGE</b>  144" (345cm) Through and Including 161" (390cm) 163" (415cm) Through and Including 209" (530cm) 167" (425cm) Through and Including 197" (500cm) 199" (505cm) Through and Including 264" (670cm) 211" (535cm) Through and Including 280" (710cm) 254" (645cm) Through and Including 287" (730cm) 266" (675cm) Through and Including 311" (790cm) 282" (715cm) Through and Including 311" (790cm)	01WUC 01WUB 01WTY 01WTX 01WUA 01WVN 01WTW 01WTZ	<b>STD</b>  \$686  N/C  \$817  \$1,124  N/C  \$1,390  \$1,682	  0/0  0/0  0/0  0/0  0/0  0/0
<b>LICENSE PLATE HOLDER</b>  Single Plate, Swing Type, Mounted Below Front Bumper REQS: Code 01LLA(std), 01LMX, 01LNR, 01LNS, 01LRT, 01LTR, 01LTS, 01LTT, 01LZD, 01MBP, 01MDP, 01MDR or 01MDS BUMPER, FRONT	01LEH	\$29	+3/0





# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>HV513 SFA</i>	
<p><b>AXLE, FRONT NON-DRIVING</b> (CONTINUED)</p> <p><i>Meritor</i></p> <p>- <b>MFS-14-143A</b> -  Wide Track, I-Beam Type, 14,000-lb Capacity  REQS: Code 05PSA(std) STEERING GEAR  REQS: Code 04JCN BRAKES, FRONT, AIR DISC  -OR- Code 04JCG, 04JCJ, 04193 or 04196 BRAKES,  FRONT, AIR CAM  REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR,  01LNS, 01LTR, 01LTS, 01LTT, 01LZD, 01MBP,  01MDP or 01MDS BUMPER, FRONT  REQS: Code 03ADD, 03ADE or 03AGU SUSPENSION,  FRONT, SPRING  N/A: Code 01ANE AXLE CONFIGURATION  : Code 04WZK BRAKE PACKAGE, FRONT  : Code 27DBA, 27DJK, 27DJH, 27DJJ, 27DJL,  27DMZ, 27DTZ, 27DUA, 27DUN and 27DVD  WHEELS, FRONT  : Code 02WLD AXLE, FRONT DRIVING, LUBE  : Code 02EZX AXLE, FRONT DRIVING  : Code 14WLM, 14WNL, 14WNN, 14WNL and 14WNN  AXLE, PUSHER, LIFT TYPE  : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE  AVAIL: Code 10NZN SPECIAL RATING, GVWR</p> <p>- <b>MFS-16-133A</b> -  Wide Track, I-Beam Type, 16,000-lb Capacity  REQS: Code 05PTB STEERING GEAR  REQS: Code 27DBA, 27DEL, 27DJK, 27DJH, 27DJJ,  27DJL, 27DMJ, 27DMK, 27DMZ, 27DPN, 27DPR,  27DTD, 27DTH, 27DTT, 27DUK, 27DUL, 27DUM,  27DUN, 27DUP, 27DUR, 27DUS, 27DVD, 27DVG,  27DVH, 27DVN or 27DVP WHEELS, FRONT  REQS: Code 04JCN or 04JDD BRAKES, FRONT, AIR  DISC  REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR,  01LNS, 01LTR, 01LTS, 01LTT, 01LZD, 01MBP,  01MDP or 01MDS BUMPER, FRONT  REQS: Code 03ACP, 03ADE or 03AHU SUSPENSION,  FRONT, SPRING  N/A: Code 01ANE AXLE CONFIGURATION  : Code 04WHX BRAKE PACKAGE, FRONT  : Code 29AEM and 29331 BRAKE DRUMS, FRONT  : Code 04WBX DUST SHIELDS, FRONT BRAKE  : Code 04LAA SLACK ADJUSTERS, FRONT  : Code 04JCG, 04JCJ, 04JCP, 04193 and 04196  BRAKES, FRONT, AIR CAM  : Code 29ADX HUB BRAND, FRONT  : Code 02WLD AXLE, FRONT DRIVING, LUBE  : Code 02EZX AXLE, FRONT DRIVING</p> <p>- <b>MFS-16-143A</b> -  Wide Track, I-Beam Type, 16,000-lb Capacity  REQS: Code 05PTB STEERING GEAR  REQS: Code 04193 BRAKES, FRONT, AIR CAM  REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR,  01LNS, 01LTR, 01LTS, 01LTT, 01LZD, 01MBP,  01MDP or 01MDS BUMPER, FRONT  REQS: Code 03ACP, 03ADE or 03AHU SUSPENSION,  FRONT, SPRING</p> <p>(SEE NEXT PAGE)</p>	<p>02ARV</p> <p>02AUR</p> <p>02ARU</p>	<p>\$700</p> <p>\$2,717</p> <p>\$1,827</p>	<p>+60/0</p> <p>+186/0</p> <p>+148/0</p>



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	CODE	HV513 SFA
<p><b>AXLE, FRONT NON-DRIVING</b> <span style="float: right;">(SEE PREV PAGE)</span></p> <p><i>Meritor</i></p> <p><b>- MFS-16-143A -</b>            N/A: Code 01ANE AXLE CONFIGURATION            : Code 04JBZ(std), 04JCN, 04JDD and 04JDE            BRAKES, FRONT, AIR DISC            : Code 29ADX HUB BRAND, FRONT            : Code 27DEM, 27DVJ, 27DVK, 27DVR and 27DVS            WHEELS, FRONT            : Code 02WLD AXLE, FRONT DRIVING, LUBE            : Code 02EZU AXLE, FRONT DRIVING            AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p> <p><b>- MFS-18-133A -</b>            Wide Track, I-Beam Type, 18,000-lb Capacity            REQS: Code 05PTB STEERING GEAR            REQS: Code 04JCN, 04JDD or 04JDE BRAKES, FRONT,            AIR DISC            -OR- Code 04193 BRAKES, FRONT, AIR CAM            REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR,            01LNS, 01LTR, 01LTS, 01LTT, 01LZD, 01MBP,            01MDP or 01MDS BUMPER, FRONT            REQS: Code 03ACR, 03ACS, 03ADG or 03AHU            SUSPENSION, FRONT, SPRING            N/A: Code 01ANE AXLE CONFIGURATION            : Code 16LJX, 16LJY and 16LJZ SEAT, REAR,            when in combination with Code 16196 CAB            : Code 01CAG FRAME RAILS            : Code 29ADX HUB BRAND, FRONT            : Code 27DEM, 27DTE, 27DTU, 27DVJ, 27DVK,            27DVR and 27DVS WHEELS, FRONT            : Code 02WLD AXLE, FRONT DRIVING, LUBE            : Code 02EZU AXLE, FRONT DRIVING</p> <p><b>- MFS-20-133A -</b>            Wide Track, I-Beam Type, 20,000-lb Capacity            REQS: Code 05PTB STEERING GEAR            REQS: Code 04JCN, 04JDD or 04JDE BRAKES, FRONT,            AIR DISC            -OR- Code 04193 BRAKES, FRONT, AIR CAM            REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR,            01LNS, 01LTR, 01LTS, 01LTT, 01LZD, 01MBP,            01MDP or 01MDS BUMPER, FRONT            REQS: Code 03ACS, 03ADG, 03AGA, 03AHL, 03AHU or            03AJP SUSPENSION, FRONT, SPRING            N/A: Code 01ANE AXLE CONFIGURATION            : Code 16LJX, 16LJY and 16LJZ SEAT, REAR,            when in combination with Code 16196 CAB            : Code 01CAG FRAME RAILS            : Code 29ADX HUB BRAND, FRONT            : Code 27DEM, 27DTE and 27DTU WHEELS, FRONT            : Code 02WLD AXLE, FRONT DRIVING, LUBE            : Code 02EZU AXLE, FRONT DRIVING</p> <p><b>- MFS-22-133A -</b>            Wide Track, I-Beam Type, 22,000-lb Capacity            REQS: Code 05PUE STEERING GEAR</p>	<p>02ARU</p> <p>02ARZ</p> <p>\$2,015 +186/0</p> <p>02ARY</p> <p>\$2,153 +186/0</p> <p>02ATB</p> <p>\$2,312 +186/0</p>	<p>(SEE NEXT PAGE)</p>	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-17**

**SUBJECT TO CHANGE WITHOUT NOTICE**



# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b> <b>NOTE: WEIGHTS - FRONT/REAR</b>
---

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>AXLE, FRONT NON-DRIVING</b> (SEE PREV PAGE)</p> <p><i>Meritor</i></p> <p>- <b>MFS-22-133A</b> -  REQS: Code 27DBA, 27DEL, 27DHK, 27DJH, 27DJJ, 27DJL, 27DMJ, 27DMK, 27DMZ, 27DPN, 27DTD, 27DTH, 27DTZ, 27DUA, 27DUK, 27DUL, 27DUM, 27DUN, 27DUP, 27DUR, 27DUS, 27DVD, 27DVG, 27DVH, 27DVN or 27DVP WHEELS, FRONT  REQS: Code 04193 BRAKES, FRONT, AIR CAM  REQS: Code 04091(std) BRAKE SYSTEM, AIR  REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR, 01LNS, 01LTR, 01LTS, 01LTT, 01LZD, 01MBP, 01MDP or 01MDS BUMPER, FRONT  REQS: Code 03AHL or 03AHR SUSPENSION, FRONT, SPRING  N/A: Code 01ANE AXLE CONFIGURATION  : Code 16LJX, 16LJY and 16LJZ SEAT, REAR, when in combination with Code 16196 CAB  : Code 16196 CAB  : Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC  : Code 01CAG and 01CAJ FRAME RAILS  : Code 29ADX HUB BRAND, FRONT  : Code 02WLD AXLE, FRONT DRIVING, LUBE  : Code 02EZO AXLE, FRONT DRIVING  AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p> <p><i>Dana Spicer</i></p> <p>- <b>D-2000W</b> -  Wide Track, I-Beam Type, 18,000-lb Capacity  REQS: Code 05PTB STEERING GEAR  REQS: Code 27DBA, 27DHK, 27DJH, 27DJJ, 27DJL, 27DPN, 27DTH, 27DUK, 27DUL, 27DUM, 27DUN, 27DUR or 27DUS WHEELS, FRONT  REQS: Code 04JCN, 04JDD or 04JDE BRAKES, FRONT, AIR DISC  -OR- Code 04193 BRAKES, FRONT, AIR CAM  REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR, 01LNS, 01LTR, 01LTS, 01LTT, 01LZD, 01MBP, 01MDP or 01MDS BUMPER, FRONT  REQS: Code 03ACR or 03ADG SUSPENSION, FRONT, SPRING  N/A: Code 01ANE AXLE CONFIGURATION  : Code 29ADX HUB BRAND, FRONT  : Code 02WLD AXLE, FRONT DRIVING, LUBE  : Code 02EZO AXLE, FRONT DRIVING  NOTE: Axle Lead Time is 52 Days</p> <p>Wide Track, I-Beam Type, 20,000-lb Capacity  REQS: Code 05PTB STEERING GEAR  REQS: Code 27DBA, 27DHK, 27DJH, 27DJJ, 27DJL, 27DPN, 27DTH, 27DUK, 27DUL, 27DUM, 27DUN, 27DUP, 27DUR or 27DUS WHEELS, FRONT  REQS: Code 04JCN, 04JDD or 04JDE BRAKES, FRONT, AIR DISC  -OR- Code 04193 BRAKES, FRONT, AIR CAM  REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR, 01LNS, 01LTR, 01LTS, 01LTT, 01LZD, 01MBP, 01MDP or 01MDS BUMPER, FRONT</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>02ATB</p> <p>02AYK</p> <p>02AYJ</p>	<p>\$3,089 +201/0</p> <p>\$3,189 +201/0</p>	



# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>AXLE, FRONT NON-DRIVING (SEE PREV PAGE)</b></p> <p><i>Dana Spicer</i></p> <p><b>- D-2000W -</b>            REQS: Code 03ACP, 03ACS, 03ADE, 03AGA, 03AHR or 03AHU SUSPENSION, FRONT, SPRING            N/A: Code 01ANE AXLE CONFIGURATION            : Code 01CAG FRAME RAILS            : SHOCK ABSORBERS, FRONT, when in combination with Code 03ACS SUSPENSION, FRONT, SPRING            : Code 29ADX HUB BRAND, FRONT            : Code 02WLD AXLE, FRONT DRIVING, LUBE            : Code 02EZU AXLE, FRONT DRIVING            NOTE: Axle Lead Time is 52 Days</p> <p><b>- D-2200W -</b>            Wide Track, I-Beam Type, 22,000-lb Capacity            REQS: Code 05PUE STEERING GEAR            REQS: Code 04JDD BRAKES, FRONT, AIR DISC            -OR- Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM            REQS: Code 04091(std) BRAKE SYSTEM, AIR            REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR, 01LNS, 01LTR, 01LTS, 01LTT, 01LZD, 01MBP, 01MDP or 01MDS BUMPER, FRONT            REQS: Code 03AHL or 03AHR SUSPENSION, FRONT, SPRING            N/A: Code 01ANE AXLE CONFIGURATION            : Code 04WZK BRAKE PACKAGE, FRONT            : Code 01CAG FRAME RAILS            : Code 29ADX HUB BRAND, FRONT            : Code 27DEL, 27DEM, 27DMJ, 27DMK, 27DMZ, 27DPR, 27DTE, 27DTU, 27DTZ, 27DUA, 27DVD, 27DVH, 27DVJ, 27DVK, 27DVN, 27DVR and 27DVS WHEELS, FRONT            : Code 02WLD AXLE, FRONT DRIVING, LUBE            : Code 02EZU AXLE, FRONT DRIVING            : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE            : Code 14WLR and 14W NK AXLE, TAG, LIFT TYPE</p> <p><b>- E-1202W -</b>            Wide Track, I-Beam Type, 12,000-lb Capacity            REQS: Code 05PSA(std) STEERING GEAR            REQS: Code 04JBZ(std) BRAKES, FRONT, AIR DISC            -OR- Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM            REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR, 01LNS, 01LTR, 01LTS, 01LTT, 01LZD, 01MBP, 01MDP or 01MDS BUMPER, FRONT            REQS: Code 03ADC(std) SUSPENSION, FRONT, SPRING            N/A: Code 01ANE AXLE CONFIGURATION            : Code 04WZK BRAKE PACKAGE, FRONT            : Code 27DBA, 27DHK, 27DJH, 27DJJ, 27D JL, 27DMZ, 27DTZ, 27DUA, 27DUL, 27DUN and 27DVD WHEELS, FRONT            : Code 02WLD AXLE, FRONT DRIVING, LUBE            : Code 02EZU AXLE, FRONT DRIVING            : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE            (SEE NEXT PAGE)</p>	<p>02AYJ</p> <p>02AYT</p> <p>02AGE</p>	<p></p> <p>\$3,189 +201/0</p> <p>\$537 -9/0</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>AXLE, FRONT NON-DRIVING</b> <span style="float: right;">(SEE PREV PAGE)</span></p> <p><i>Dana Spicer</i></p> <p>- <b>E-1202W</b> -            N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE            AVAIL: Code 10NZN SPECIAL RATING, GWR</p> <p>- <b>E-1462W</b> -            Wide Track, I-Beam Type, 14,000-lb Capacity            REQS: Code 05PSA(std) STEERING GEAR            REQS: Code 04JCN BRAKES, FRONT, AIR DISC            -OR- Code 04JCG, 04JCJ, 04193 or 04196 BRAKES,            FRONT, AIR CAM            REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR,            01LNS, 01LTR, 01LTS, 01LZD, 01MBP, 01MDP            or 01MDS BUMPER, FRONT            REQS: Code 03ADD, 03ADE or 03AGU SUSPENSION,            FRONT, SPRING            N/A: Code 01ANE AXLE CONFIGURATION                  : Code 04WZK BRAKE PACKAGE, FRONT                  : Code 04WBX DUST SHIELDS, FRONT BRAKE                  : Code 27DHK, 27DJH, 27DJJ, 27DMZ, 27DTZ,                  27DUA, 27DUL, 27DUM, 27DUN and 27DVD                  WHEELS, FRONT                  : Code 02WLD AXLE, FRONT DRIVING, LUBE                  : Code 02EZX AXLE, FRONT DRIVING</p> <p>- <b>I-160W</b> -            Wide Track, I-Beam Type, 16,000-lb Capacity            REQS: Code 05PTB STEERING GEAR            REQS: Code 04193 BRAKES, FRONT, AIR CAM            REQS: Code 04091(std) BRAKE SYSTEM, AIR            REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR,            01LNS, 01LTR, 01LTS, 01LTT, 01LZD, 01MBP,            01MDP or 01MDS BUMPER, FRONT            REQS: Code 03ACP or 03ADE SUSPENSION, FRONT,            SPRING            N/A: Code 01ANE AXLE CONFIGURATION                  : Code 04JBZ(std), 04JCN, 04JDD and 04JDE                  BRAKES, FRONT, AIR DISC                  : Code 29ADX HUB BRAND, FRONT                  : Code 27DEM, 27DMZ, 27DTE, 27DTU, 27DTZ,                  27DUA, 27DVD, 27DVJ, 27DVK, 27DVR and                  27DVS WHEELS, FRONT                  : Code 02WLD AXLE, FRONT DRIVING, LUBE                  : Code 02EZX AXLE, FRONT DRIVING            AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p> <p>- <b>I-180W</b> -            Wide Track, I-Beam Type, 18,000-lb Capacity            REQS: Code 05PTB STEERING GEAR            REQS: Code 04193 BRAKES, FRONT, AIR CAM            REQS: Code 04091(std) BRAKE SYSTEM, AIR            REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR,            01LNS, 01LTR, 01LTS, 01LTT, 01LZD, 01MBP,            01MDP or 01MDS BUMPER, FRONT            REQS: Code 03ACR or 03ADG SUSPENSION, FRONT,            SPRING            N/A: Code 01ANE AXLE CONFIGURATION                  : Code 16LJX, 16LJY and 16LJZ SEAT, REAR,                  when in combination with Code 16196 CAB  <span style="float: right;">(SEE NEXT PAGE)</span></p>	<p>02AGE</p> <p>02AGC</p> <p>02AEU</p> <p>02AEV</p>	<p></p> <p>\$1,128 + 28/0</p> <p>\$1,901 + 111/0</p> <p>\$2,370 + 145/0</p>	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-20**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>AXLE, FRONT NON-DRIVING</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p><i>Dana Spicer</i></p> <p><b>- I-180W -</b>            N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE            BRAKES, FRONT, AIR DISC            : Code 01CAG FRAME RAILS            : Code 29ADX HUB BRAND, FRONT            : Code 27DEM, 27DTE, 27DTU, 27DVJ, 27DVK,            27DVR and 27DVS WHEELS, FRONT            : Code 02WLD AXLE, FRONT DRIVING, LUBE            : Code 02EZU AXLE, FRONT DRIVING            AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p> <p><b>- I-200W -</b>            Wide Track, I-Beam Type, 20,000-lb Capacity            REQS: Code 05PTB STEERING GEAR            REQS: Code 04193 BRAKES, FRONT, AIR CAM            REQS: Code 04091(std) BRAKE SYSTEM, AIR            REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR,            01LNS, 01LTR, 01LTS, 01LTT, 01LZD, 01MBP,            01MDP or 01MDS BUMPER, FRONT            REQS: Code 03ACS, 03ADG, 03AGA, 03AHL or 03AHU            SUSPENSION, FRONT, SPRING            N/A: Code 01ANE AXLE CONFIGURATION            : Code 16LJX, 16LJY and 16LJZ SEAT, REAR,            when in combination with Code 16196 CAB            : Code 04JBZ(std), 04JCN, 04JDD and 04JDE            BRAKES, FRONT, AIR DISC            : Code 01CAG FRAME RAILS            : Code 29ADX HUB BRAND, FRONT            : Code 27DEM, 27DTE, 27DTU, 27DVJ, 27DVK,            27DVR and 27DVS WHEELS, FRONT            : Code 02WLD AXLE, FRONT DRIVING, LUBE            : Code 02EZU AXLE, FRONT DRIVING            AVAIL: Code 04WHX BRAKE PACKAGE, FRONT            NOTE: Axle Lead Time is 52 Days</p> <p><b>- I-220W -</b>            Wide Track, I-Beam Type, 22,000-lb Capacity            REQS: Code 05PUE STEERING GEAR            REQS: Code 27DBA, 27DEL, 27DHK, 27DJH, 27DJJ,            27DJL, 27DMJ, 27DMK, 27DMX, 27DPN, 27DTD,            27DTH, 27DTZ, 27DUA, 27DUK, 27DUL, 27DUM,            27DUN, 27DUP, 27DUR, 27DUS, 27DVD, 27DVG,            27DVH, 27DVN or 27DVP WHEELS, FRONT            REQS: Code 04193 BRAKES, FRONT, AIR CAM            REQS: Code 04091(std) BRAKE SYSTEM, AIR            REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR,            01LNS, 01LTR, 01LTS, 01LTT, 01LZD, 01MBP,            01MDP or 01MDS BUMPER, FRONT            REQS: Code 03AHL or 03AHR SUSPENSION, FRONT,            SPRING            N/A: Code 01ANE AXLE CONFIGURATION            : Code 16LJX, 16LJY and 16LJZ SEAT, REAR,            when in combination with Code 16196 CAB            : Code 16196 CAB            : Code 04JBZ(std), 04JCN, 04JDD and 04JDE            BRAKES, FRONT, AIR DISC            : Code 01CAG and 01CAJ FRAME RAILS            : Code 29ADX HUB BRAND, FRONT</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>			
	02AEV		
	02AEW	\$2,443	+ 145/0
	02AGT	\$2,810	+ 145/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>AXLE, FRONT NON-DRIVING</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span>  <b>Dana Spicer</b>  - <b>I-220W</b> - N/A: Code 02WLD AXLE, FRONT DRIVING, LUBE : Code 02EZU AXLE, FRONT DRIVING AVAIL: Code 04WHX BRAKE PACKAGE, FRONT NOTE: Axle Lead Time is 52 Days	02AGT		
<b>AXLE, FRONT DRIVING</b>  <b>Fabco</b>  - <b>SDA-2100</b> - Single Reduction, Wide Track, 21,000-lb Capacity, with Hub Piloted Wheel Mounting REQS: Code 01ANE AXLE CONFIGURATION REQS: Code 04AZA(std) or 04AZJ AIR BRAKE ABS REQS: Code 05PUE STEERING GEAR REQS: Code 27DBA, 27DHK, 27DJH, 27DJJ, 27DPN, 27DUL, 27DUM, 27DUN, 27DUS or 27DVH WHEELS, FRONT REQS: Code 04JCP BRAKES, FRONT, AIR CAM REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 03AGA or 03AHL SUSPENSION, FRONT, SPRING N/A: Code 10NZL and 10NZN SPECIAL RATING, GVWR : AXLE, FRONT NON-DRIVING : Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04LGR BRAKE ATTACHMENT : Code 01CAG and 01CAW FRAME RAILS : SUSPENSION, REAR, AIR, SINGLE or Code 14UNW, 14UNX, 14UNY and 14UPL SUSPENSION, REAR, AIR, TANDEM : Code 29WLK WHEEL BEARING, FRONT, LUBE NOTE: Axle Lead Time is 60 Days	02EZU	\$62,219 +1561/0	
<b>AXLE, FRONT DRIVING, LUBE</b>  <b>EmGard</b>  - <b>FE-75W-90</b> - Synthetic Oil; 30 thru 39.99 Pints N/A: AXLE, FRONT NON-DRIVING : Code 29WLK WHEEL BEARING, FRONT, LUBE	02WLD	\$146	
<b>SUSPENSION, FRONT, SPRING</b>  Parabolic Taper Leaf, Shackle Type, 12,000-lb Capacity, with Shock Absorbers REQS: Code 02AGE or 02ARW(std) AXLE, FRONT NON-DRIVING N/A: Code 01CAW FRAME RAILS : Code 03WAM SPACER BLOCK, SPRING, FRONT : Code 03708 SHOCK ABSORBERS, FRONT : Code 02EZU AXLE, FRONT DRIVING	03ADC	<b>STD</b>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>SUSPENSION, FRONT, SPRING</b> (CONTINUED)	<b>HV513 SFA</b>		
Multileaf, Shackle Type, 14,000-lb Capacity, for Reduced Deflection Vocational Use, with Shock Absorbers REQS: Code 02AGC or 02ARV AXLE, FRONT NON-DRIVING N/A: Code 04AZS AIR BRAKE ABS : Code 03WAM SPACER BLOCK, SPRING, FRONT : Code 03708 SHOCK ABSORBERS, FRONT : Code 02EZU AXLE, FRONT DRIVING	03AGU	\$244	+105/0
Parabolic Taper Leaf, Shackle Type, 14,000-lb Capacity, with Shock Absorbers REQS: Code 02AGC, 02ARV or 02ARW(std) AXLE, FRONT NON-DRIVING N/A: Code 03WAM SPACER BLOCK, SPRING, FRONT : Code 03708 SHOCK ABSORBERS, FRONT : Code 02EZU AXLE, FRONT DRIVING	03ADD	\$244	+44/0
Multileaf, Shackle Type, 16,000-lb Capacity, Less Shock Absorbers REQS: Code 02AEU, 02ARU, 02AUR or 02AYJ AXLE, FRONT NON-DRIVING N/A: Code 03WAM SPACER BLOCK, SPRING, FRONT : Code 02EZU AXLE, FRONT DRIVING	03ACP	\$283	+173/0
Parabolic Taper Leaf, Shackle Type, 16,000-lb Capacity, with Shock Absorbers REQS: Code 02AEU, 02AGC, 02ARU, 02ARV, 02AUR or 02AYJ AXLE, FRONT NON-DRIVING N/A: Code 03708 SHOCK ABSORBERS, FRONT : Code 02EZU AXLE, FRONT DRIVING	03ADE	\$283	+44/0
Multileaf, Shackle Type, 18,000-lb Capacity, Less Shock Absorbers REQS: Code 02AEV, 02ARZ or 02AYK AXLE, FRONT NON-DRIVING N/A: Code 03WAM SPACER BLOCK, SPRING, FRONT : Code 02EZU AXLE, FRONT DRIVING	03ACR	\$317	+190/0
Parabolic Taper Leaf, Shackle Type, 18,000-lb Capacity, with Shock Absorbers REQS: Code 02AEV, 02AEW, 02ARY, 02ARZ or 02AYK AXLE, FRONT NON-DRIVING N/A: Code 03708 SHOCK ABSORBERS, FRONT : Code 02EZU AXLE, FRONT DRIVING	03ADG	\$450	+4/0
Multi-Stage Parabolic Taper Leaf, Shackle Type, 20,000-lb Capacity, with Shock Absorbers REQS: Code 02AEW, 02ARU, 02ARY, 02ARZ, 02AUR or 02AYJ AXLE, FRONT NON-DRIVING N/A: Code 03WAM SPACER BLOCK, SPRING, FRONT : Code 03708 SHOCK ABSORBERS, FRONT : Code 02EZU AXLE, FRONT DRIVING	03AHU	\$856	+166/0
Multileaf, Shackle Type, 20,000-lb Capacity, Less Shock Absorbers REQS: Code 02AEW, 02ARY, 02ARZ or 02AYJ AXLE, FRONT NON-DRIVING N/A: Code 01CAG FRAME RAILS : Code 03WAM SPACER BLOCK, SPRING, FRONT (SEE NEXT PAGE)	03ACS	\$528	+223/0

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-23**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>SUSPENSION, FRONT, SPRING (SEE PREV PAGE)</b></p> <p>N/A: Code 02EZU AXLE, FRONT DRIVING</p> <p>Parabolic Taper Leaf, Shackle Type, 20,000-lb Capacity, with Shock Absorbers            REQS: Code 02AEW, 02ARY or 02AYJ AXLE, FRONT NON-DRIVING            -OR- AXLE, FRONT DRIVING            N/A: Code 03708 SHOCK ABSORBERS, FRONT</p> <p>Parabolic Taper Leaf, Shackle Type, 20,000-lb Capacity, Includes (1) Extra Leaf on Right Side, with Shock Absorbers            REQS: Code 01CAJ FRAME RAILS            REQS: Code 02ARY AXLE, FRONT NON-DRIVING            N/A: Code 03WAM SPACER BLOCK, SPRING, FRONT : Code 03708 SHOCK ABSORBERS, FRONT : Code 02EZU AXLE, FRONT DRIVING</p> <p>Parabolic Taper Leaf, Shackle Type, 22,000-lb Capacity, Steel Springs 20K Capacity and (2) Rubber Auxiliary Springs 2K Capacity, with Shock Absorbers            REQS: Code 02AEW, 02AGT, 02ARY, 02ATB or 02AYT AXLE, FRONT NON-DRIVING            -OR- AXLE, FRONT DRIVING            N/A: Code 04AZY AIR BRAKE ABS : Code 03WAM SPACER BLOCK, SPRING, FRONT : Code 03708 SHOCK ABSORBERS, FRONT</p> <p>Parabolic Taper Leaf, Shackle Type, 23,000-lb Capacity, with Shock Absorbers            REQS: Code 02AGT, 02ATB, 02AYJ or 02AYT AXLE, FRONT NON-DRIVING            N/A: Code 04AZS AIR BRAKE ABS : Code 03WAM SPACER BLOCK, SPRING, FRONT : Code 03708 SHOCK ABSORBERS, FRONT : Code 02EZU AXLE, FRONT DRIVING</p>	<p>03ACS</p> <p>03AGA</p> <p>03AJP</p> <p>03AHL</p> <p>03AHR</p>	<p></p> <p>\$724</p> <p>\$770</p> <p>\$944</p> <p>\$1,151</p>	<p></p> <p>+57/0</p> <p>+81/0</p> <p>+60/+1</p> <p>+91/0</p>
<p><b>SHOCK ABSORBERS, FRONT</b></p> <p>REQS: Code 03ACP, 03ACR or 03ACS SUSPENSION, FRONT, SPRING</p>	<p>03708</p>	<p>\$265</p>	<p>+47/0</p>
<p><b>SPACER BLOCK, SPRING, FRONT</b></p> <p>(1) Left Side Only            REQS: Code 02AYJ or 02AYK AXLE, FRONT NON-DRIVING, when in combination with Code 04JBZ, 04JCN, 04JDD or 04JDE BRAKES, FRONT, AIR DISC and Code 05PTB STEERING GEAR            REQS: Code 03ADE, 03ADG, 03AGA or 03AHL SUSPENSION, FRONT, SPRING</p>	<p>03WAM</p>	<p>\$147</p>	<p>+8/0</p>



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>SPRINGS, FRONT AUXILIARY</b>			
Air Bag, Left Side Only, Driver Control N/A: Code 01ANE AXLE CONFIGURATION	03WAK	\$770	+15/0
Air Bag, Right Side Only, Driver Control REQS: Code 02ARY AXLE, FRONT NON-DRIVING, when in combination with Code 04VHZ AIR TANK LOCATION REQS: Code 04619 TRAILER CONNECTIONS, when in combination with Code 04VHZ AIR TANK LOCATION REQS: Code 01CBU FRAME RAILS, when in combination with Code 04VHZ AIR TANK LOCATION REQS: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 04VHZ AIR TANK LOCATION REQS: Code 03AGA SUSPENSION, FRONT, SPRING, when in combination with Code 04VHZ AIR TANK LOCATION N/A: Code 01ANE AXLE CONFIGURATION : Code 04VHZ AIR TANK LOCATION : Code 04VHZ AIR TANK LOCATION, when in combination with Code 04092 BRAKE SYSTEM, AIR	03WAJ	\$770	+15/0
Rubber N/A: Code 01ANE AXLE CONFIGURATION	03770	\$111	+10/0
<b>BRAKE SYSTEM, AIR</b>			
Dual System for Straight Truck Applications INCLS: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes) : SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes) : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : BRAKE LINES Color and Size Coded Nylon : SPRING BRAKE MODULATOR VALVE {Bendix} R-7 for 4x2, SR-7 with relay valve for 6x4/8x6 : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : DRAIN VALVE Twist-Type REQS: Code 04JBZ(std), 04JCN or 04JDD BRAKES, FRONT, AIR DISC -OR- BRAKES, FRONT, AIR CAM N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME : Code 29331 BRAKE DRUMS, FRONT or Code 29334 BRAKE DRUMS, REAR : Code 04WHL BRAKE PACKAGE, REAR : Code 04AAA, 04AAU, 04AAY and 04ABA BRAKE CHAMBERS, ADDITIONAL : Code 04WDT SPRING BRAKE MODULATOR VALVE : Code 04692 and 04808 HOSE TENDER : Code 08WAA and 08WLL LIGHT, WORK	04091	<b>STD</b>	
<i>(SEE NEXT PAGE)</i>			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<b>BRAKE SYSTEM, AIR</b> <span style="float: right;">(SEE PREV PAGE)</span>			
N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 04WHT SPECIAL RATING, GAWR REC: Code 08HAA, 08HAB, 08HAE or 08HAU BODY BUILDER WIRING	04091		
Dual System for Tractor Applications INCLS: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes) : SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes) : PARKING BRAKE CONTROL Yellow and Red Knobs, Located on Instrument Panel : BRAKE LINES Color and Size Coded Nylon : TRAILER HOSES AND CABLES 12' Coiled Trailer Lighting Cable and with 7-Way Connector and with 12' Coiled Nylon Trailer Brake Hose : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for Forward Rear Axle : HAND CONTROL VALVE, AIR Mounted in Instrument Panel : TRACTOR PROTECTION VALVE : GLAD HANDS (2) One for Service and One for Emergency; Trailer Hoses from Cab : HOSE TENDER Back of Cab Mounted : DRAIN VALVE Twist-Type : SWITCH, AUXILIARY Interrupter for Cab and Trailer Clearance/Marker Lights (Blinks Lights with Headlight Switch in "OFF" or "ON" Position) Instrument Panel Mounted REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC or Code 04NDB or 04NDH BRAKES, REAR, AIR CAM, when in combination with Code 01AND AXLE CONFIGURATION REQS: Code 04AZS or 04AZY AIR BRAKE ABS REQS: Code 04AAA, 04AAA, 04AAU or 04AAU BRAKE CHAMBERS, ADDITIONAL, when in combination with Code 01AND AXLE CONFIGURATION and Code 04EVH, 04EXU or 04EXW BRAKE CHAMBERS, REAR AXLE REQS: Code 10WSX or 10WSX MUD FLAPS, REAR REQS: Code 10WPR, 10WPR, 10WPR, 10WPT, 10WPT or 10WPT MUD FLAP HOLDER REQS: Code 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATG, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING REQS: Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, AIR DISC	04092	\$346	+ 1/0
<i>(SEE NEXT PAGE)</i>			

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-26**

**SUBJECT TO CHANGE WITHOUT NOTICE**



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>BRAKE SYSTEM, AIR</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p>REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, AIR, TANDEM            REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERB, 14ERC or 14051(std) AXLE, REAR, SINGLE            -OR- AXLE, REAR, TANDEM            N/A: Code 01ANE AXLE CONFIGURATION                  : Code 16XWY WINDSHIELD WASHER RESERVOIR or Code 04WRP DRAIN VALVE or Code 01MEJ FRAME, SPECIAL EFFECTS or Code 08XDZ BATTERY BOX or Code 08TPS STOP, TURN, TAIL &amp; B/U LIGHTS or Code 04VHZ and 04WZJ AIR TANK LOCATION or Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE or Code 03ADG, 03AGA, 03AHL and 03AHU SUSPENSION, FRONT, SPRING or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE                  : Code 16196 CAB                  : Code 16AAH GAUGE, AIR PRESSURE                  : Code 16917 MOUNTING BRACKETS                  : Code 04WZJ AIR TANK LOCATION                  : Code 04596 CONTROL VALVE, FRONT BRAKE                  : Code 04619 TRAILER CONNECTIONS                  : Code 01CGE FRAME RAILS                  : Code 32WAA WHEELS, REAR                  : Code 02EZU AXLE, FRONT DRIVING                  : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE                  : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE                  : Code 14877 and 14881 DIFFERENTIAL, LOCKING or Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK and 02AYT AXLE, FRONT NON-DRIVING, when in combination with Code 01ANA AXLE CONFIGURATION                  : Code 08VZP BEACON MOUNTING BRACKET                  : Code 08NAA TAIL LIGHT WIRING MODIFIED                  : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS                  : Code 08TME and 08TMG TRAILER CONNECTION SOCKET                  : Code 08TKK TRAILER AUXILIARY FEED CIRCUIT                  : Code 07BLD EXHAUST SYSTEM            AVAIL: Code 10NZN SPECIAL RATING, GVWR                  : Code 04ERC BRAKE CHAMBERS, SPRING                  : Code 08HAA BODY BUILDER WIRING</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>04092</p>		









## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT  
 NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>AIR BRAKE ABS</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p><i>Bendix</i></p> <p><b>- AntiLock Brake System -</b></p> <p>REQS: Code 14SAL, 14SAN, 14SCD, 14SCE, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE or Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB, 14UNA, 14UZB, 14UZR, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM, when in combination with Code 04092 BRAKE SYSTEM, AIR</p> <p>REQS: Code 14TAX, 14TBZ or 14TCL SUSPENSION, REAR, AIR, SINGLE or Code 04JBZ(std), 04JCN, 04JDD or 04JDE BRAKES, FRONT, AIR DISC or Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM, when in combination with Code 04092 BRAKE SYSTEM, AIR</p> <p>REQS: Code 15DMV, 15DPL, 15DPM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK, when in combination with Code 04WDT SPRING BRAKE MODULATOR VALVE and Code 14UNT SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM</p> <p>-OR- BRAKES, FRONT, AIR DISC</p> <p>REQS: Code 03ACP, 03ACR, 03ACS, 03ADC(std), 03ADD, 03ADE, 03ADG, 03AGA, 03AGU, 03AHR, 03AHU or 03AJP SUSPENSION, FRONT, SPRING</p> <p>REQS: Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB, 14UNA, 14UZB, 14UZR, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM</p> <p>-OR- SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 14AWN AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TANDEM</p> <p>N/A: Code 16CAB and 16196 CAB or Code 04VHZ and 04WZJ AIR TANK LOCATION, when in combination with Code 04WDT SPRING BRAKE MODULATOR VALVE and Code 14UNT SUSPENSION, REAR, AIR, TANDEM</p> <p>: GAUGE, AIR PRESSURE or VIRTUAL GAUGE, AIR PRESSURE or CONTROL VALVE, FRONT BRAKE or TRAILER CONNECTIONS</p> <p>: Code 04596 CONTROL VALVE, FRONT BRAKE</p> <p>: Code 04619 TRAILER CONNECTIONS or HYDRAULIC RETARDER</p> <p>: Code 04619 TRAILER CONNECTIONS, when in combination with Code 04091 BRAKE SYSTEM, AIR and Code 01CAW FRAME RAILS</p> <p>: Code 03AHR SUSPENSION, FRONT, SPRING or Code 14WLT AXLE, PUSHER, LIFT TYPE, ID or Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE, when in combination with Code 04092 BRAKE SYSTEM, AIR</p> <p>: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	04AZY		





HV513 SFA
AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

Table with columns: ITEM DESCRIPTION, CODE, HV513 SFA, and Weight. It lists equipment like AIR BRAKE ABS with Bendix and Wabco systems, including specifications like AntiLock Brake System and Full Vehicle Wheel Control System.





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>BRAKE PACKAGE, FRONT</b> (CONTINUED)</p> <p><i>Meritor</i></p> <p>- EX225H2 -            Air, Disc Type, 22.5"            REQS: Code 27DBA, 27DEL, 27DEM, 27DHK, 27DJH, 27DJJ, 27DMJ, 27DMK, 27DMZ, 27DPN, 27DPR, 27DTD, 27DTH, 27DTT, 27DUK, 27DUL, 27DUP, 27DUR, 27DUS, 27DVG, 27DVH, 27DVJ, 27DVK, 27DVN, 27DVP, 27DVR or 27DVS WHEELS, FRONT            REQS: Code 02ARY, 02ARZ, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING            -OR- AXLE, FRONT DRIVING            REQS: Code 04JDD or 04JDE BRAKES, FRONT, AIR DISC            N/A: Code 04LAA SLACK ADJUSTERS, FRONT                  : Code 04JCG, 04JCJ, 04JCP, 04193 and 04196 BRAKES, FRONT, AIR CAM                  : Code 04WEY(std), 04WHL, 04WHY and 04WXW BRAKE PACKAGE, REAR</p>	04WZK	N/C  + 40 / 0	
<p><b>BRAKES, FRONT, AIR DISC</b></p> <p>22.5 Dia, Includes 18" Sq. In. Brake Chambers            REQS: Code 04WEZ(std) or 04WZK BRAKE PACKAGE, FRONT            REQS: Code 02AGE AXLE, FRONT NON-DRIVING            N/A: Code 04EWA, 04EXP and 04EXV BRAKE CHAMBERS, FRONT AXLE                  : Code 29AEM and 29331 BRAKE DRUMS, FRONT                  : Code 04WBX DUST SHIELDS, FRONT BRAKE                  : Code 04LAA SLACK ADJUSTERS, FRONT                  : Code 04JCG, 04JCJ, 04JCP, 04193 and 04196 BRAKES, FRONT, AIR CAM                  : Code 04LGR BRAKE ATTACHMENT                  : Code 02EZU AXLE, FRONT DRIVING            AVAIL: Code 04WEZ(std) BRAKE PACKAGE, FRONT</p> <p>22.5 Dia, Includes 20" Sq. In. Brake Chambers            REQS: Code 04WEZ(std) or 04WZK BRAKE PACKAGE, FRONT            REQS: Code 02AGC, 02ARV, 02ARY, 02ARZ, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING            N/A: Code 04EWA, 04EXP and 04EXV BRAKE CHAMBERS, FRONT AXLE                  : Code 29AEM and 29331 BRAKE DRUMS, FRONT                  : Code 04WBX DUST SHIELDS, FRONT BRAKE                  : Code 04LAA SLACK ADJUSTERS, FRONT                  : Code 04JCG, 04JCJ, 04JCP, 04193 and 04196 BRAKES, FRONT, AIR CAM                  : Code 04LGR BRAKE ATTACHMENT                  : Code 02EZU AXLE, FRONT DRIVING            AVAIL: Code 04WEZ(std) BRAKE PACKAGE, FRONT</p> <p>22.5 Dia, Includes 24" Sq. In. Brake Chambers            REQS: Code 04WEZ(std) or 04WZK BRAKE PACKAGE, FRONT            REQS: Code 02ARY, 02ARZ, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING            N/A: Code 04WHX BRAKE PACKAGE, FRONT</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	04JBZ  04JCN  04JDD	STD  \$20  \$1,346	+ 1 / 0  + 1 / 0  + 1 / 0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>BRAKES, FRONT, AIR DISC</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p>N/A: Code 04EWA, 04EXP and 04EXV BRAKE CHAMBERS, FRONT AXLE            : Code 29AEM and 29331 BRAKE DRUMS, FRONT            : Code 04WBX, 04WHA and 04WHD DUST SHIELDS, FRONT BRAKE            : Code 04LAA SLACK ADJUSTERS, FRONT            : Code 04JCG, 04JCJ, 04JCP, 04193 and 04196 BRAKES, FRONT, AIR CAM            : Code 04LGR BRAKE ATTACHMENT            : Code 02EZX AXLE, FRONT DRIVING</p> <p>22.5 Dia, Includes 27" Sq. In. Brake Chambers            REQS: Code 04WEZ(std) or 04WZK BRAKE PACKAGE, FRONT            REQS: Code 02ARY, 02ARZ, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING            REQS: Code 04092 BRAKE SYSTEM, AIR            N/A: Code 04EWA, 04EXP and 04EXV BRAKE CHAMBERS, FRONT AXLE            : Code 29AEM and 29331 BRAKE DRUMS, FRONT            : Code 04WBX, 04WHA and 04WHD DUST SHIELDS, FRONT BRAKE            : Code 04LAA SLACK ADJUSTERS, FRONT            : Code 04JCG, 04JCJ, 04JCP, 04193 and 04196 BRAKES, FRONT, AIR CAM            : Code 04LGR BRAKE ATTACHMENT            : Code 02EZX AXLE, FRONT DRIVING            AVAIL: Code 04WZK BRAKE PACKAGE, FRONT</p>	<p>04JDD</p> <p>04JDE</p>	<p></p> <p>\$1,446 + 43/0</p>	
<p><b>BRAKES, FRONT, AIR CAM</b></p> <p>S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. Long Stroke Brake Chambers            REQS: Code 04EXP BRAKE CHAMBERS, FRONT AXLE            REQS: Code 02AGC, 02AGE, 02ARV, 02ARW(std), 02ATG or 02AYT AXLE, FRONT NON-DRIVING            N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC            : Code 04WEZ(std), 04WHX and 04WZK BRAKE PACKAGE, FRONT            : Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC and 14698 SUSPENSION, REAR, TANDEM            : Code 27DJL WHEELS, FRONT            : Code 02EZX AXLE, FRONT DRIVING            AVAIL: Code 04774 SPECIAL RATING, GAWR            : Code 04WBX DUST SHIELDS, FRONT BRAKE</p> <p>S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers            REQS: Code 04EXP BRAKE CHAMBERS, FRONT AXLE            REQS: Code 02AGC, 02AGE, 02ARV, 02ARW(std), 02ATG or 02AYT AXLE, FRONT NON-DRIVING            N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC            : Code 04WEZ(std), 04WHX and 04WZK BRAKE PACKAGE, FRONT            : AXLE, FRONT DRIVING            AVAIL: Code 04774 SPECIAL RATING, GAWR            : Code 04WBX DUST SHIELDS, FRONT BRAKE</p>	<p>04JCG</p> <p>04JCJ</p>	<p>\$1,633CR - 73/0</p> <p>\$1,368CR - 28/0</p>	

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-35

SUBJECT TO CHANGE WITHOUT NOTICE



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>BRAKES, FRONT, AIR CAM</b> <span style="float: right;">(CONTINUED)</span>			
16.5" x 5", Includes 24 SqIn Long Stroke Brake Chambers REQS: Code 04EXV BRAKE CHAMBERS, FRONT AXLE REQS: Code 02AGC, 02AGE, 02ARV, 02ARW(std), 02ATG or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WEZ(std), 04WHX and 04WZK BRAKE PACKAGE, FRONT : Code 02EZX AXLE, FRONT DRIVING AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WBX DUST SHIELDS, FRONT BRAKE	04196	\$1,368CR -28/0	
16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers REQS: Code 04EXV BRAKE CHAMBERS, FRONT AXLE REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 02EZX AXLE, FRONT DRIVING AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WHX BRAKE PACKAGE, FRONT : Code 04WBX DUST SHIELDS, FRONT BRAKE	04193	\$1,368CR +26/0	
S-Cam; 16.5" x 7.0"; Includes 24 Sq. In. Brake Chambers; Furnished with Axle REQS: Code 04EWA BRAKE CHAMBERS, FRONT AXLE REQS: Code 04AZA(std) or 04AZJ AIR BRAKE ABS REQS: Code 27DBA, 27DHK, 27DJH, 27DJJ, 27DJL, 27DMK, 27DMZ, 27DPN, 27DTD, 27DTH, 27DTJ, 27DTT, 27DTZ, 27DUL, 27DUM, 27DUN, 27DUP, 27DVD, 27DVG or 27DVP WHEELS, FRONT REQS: Code 04NDA, 04NDB, 04NDH, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: AXLE, FRONT NON-DRIVING : Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WEZ(std), 04WHX and 04WZK BRAKE PACKAGE, FRONT : Code 04LGR BRAKE ATTACHMENT AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WBX DUST SHIELDS, FRONT BRAKE	04JCP	\$1,368CR 0/0	
<b>BRAKE CHAMBERS, FRONT AXLE</b>			
Included with Axle REQS: Code 04JCP BRAKES, FRONT, AIR CAM N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC	04EWA	N/C 0/0	





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<p><b>BRAKE CHAMBERS, FRONT AXLE</b> (CONTINUED)</p> <p><b>Bendix</b></p> <p>20 SqIn            REQS: Code 04JCG or 04JCJ BRAKES, FRONT, AIR CAM, when in combination with Code 04NCZ BRAKES, REAR, AIR CAM and Code 04NDA or 04NDB BRAKES, REAR, AIR CAM and Code 04NDH or 04NDL BRAKES, REAR, AIR CAM and Code 04NDN BRAKES, REAR, AIR CAM and Code 04NDP BRAKES, REAR, AIR CAM            REQS: Code 04JCG or 04JCJ BRAKES, FRONT, AIR CAM            N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC</p> <p>24 SqIn            REQS: Code 04193 or 04196 BRAKES, FRONT, AIR CAM            N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC</p>	04EXP	N/C +16/0	
<p><b>SLACK ADJUSTERS, FRONT</b></p> <p><b>Haldex</b></p> <p>Automatic            REQS: Code 04LGA SLACK ADJUSTERS, REAR            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02ATG, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING            -OR- AXLE, FRONT DRIVING            N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC            AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p>	04LAA	\$138 0/0	
<p><b>DUST SHIELDS, FRONT BRAKE</b></p> <p>for Air Brakes            REQS: Code 02AEU, 02AEV, 02AEW, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02ATG, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING            -OR- AXLE, FRONT DRIVING            N/A: Code 01ANE AXLE CONFIGURATION            : Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC</p> <p><b>Bendix Spicer</b></p> <p>- ADB22X -            Pad, with Air Disc Brakes            REQS: Code 04JBZ(std) or 04JCN BRAKES, FRONT, AIR DISC            N/A: Code 29AEM and 29331 BRAKE DRUMS, FRONT            : Code 04JCG, 04JCJ, 04JCP, 04193 and 04196 BRAKES, FRONT, AIR CAM</p>	04WBX	\$35 +5/0	
	04WHA	\$48 +1/0	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>DUST SHIELDS, FRONT BRAKE</b> (CONTINUED)</p> <p><i>Bendix Spicer</i></p> <p>- <b>ADB22X</b> -</p> <p>Rotor, with Air Disc Brakes            REQS: Code 04JBZ(std) or 04JCN BRAKES, FRONT, AIR DISC            N/A: Code 29AEM and 29331 BRAKE DRUMS, FRONT                  : Code 04JCG, 04JCJ, 04JCP, 04193 and 04196 BRAKES, FRONT, AIR CAM</p>	04WHD	\$365	+5/0
<p><b>BRAKE PACKAGE, REAR</b></p> <p><i>Bendix Spicer</i></p> <p>- <b>ADB22X</b> -</p> <p>Air, Disc Type, Extended Service; Size 22.5"            REQS: Code 04WEZ(std) BRAKE PACKAGE, FRONT            N/A: Code 04773 BRAKE SHOES, REAR                  : Code 04EUE BRAKE LININGS, REAR                  : Code 04LGA SLACK ADJUSTERS, REAR                  : Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN, 04NDP and 04NEX BRAKES, REAR, AIR CAM                  : Code 28DTE, 28DUR and 32WAA WHEELS, REAR</p> <p>- <b>ES-165-7 NGLW</b> -</p> <p>Air, Cam Type, Extended Service; Size 16.5" x 7", Includes Automatic Slack Adjusters            REQS: Code 04WEZ(std) or 04WHX BRAKE PACKAGE, FRONT            REQS: Code 04NDB or 04NDL BRAKES, REAR, AIR CAM            REQS: Code 04092 BRAKE SYSTEM, AIR            N/A: Code 04WZK BRAKE PACKAGE, FRONT                  : Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC                  : Code 04773 BRAKE SHOES, REAR                  : Code 04EUE BRAKE LININGS, REAR                  : Code 04LGA SLACK ADJUSTERS, REAR</p> <p>- <b>ES-165-7X</b> -</p> <p>Air, Cam Type, Extended Service; Size 16.5" x 7", Includes Automatic Slack Adjusters            REQS: Code 04774 SPECIAL RATING, GAWR, when in combination with Code 04092 BRAKE SYSTEM, AIR            REQS: Code 04WEZ(std) or 04WHX BRAKE PACKAGE, FRONT            REQS: Code 04NCZ, 04NDA, 04NDB or 04NDL BRAKES, REAR, AIR CAM            N/A: Code 04WZK BRAKE PACKAGE, FRONT                  : Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC                  : Code 04773 BRAKE SHOES, REAR                  : Code 04EUE BRAKE LININGS, REAR</p>	04WEY	<b>STD</b>	
	04WHL	\$144	
	04WHY	\$368	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>BRAKE PACKAGE, REAR</b> (CONTINUED)</p> <p><i>Dana Spicer</i></p> <p>- <b>ES-165-7H</b> -            Air, Cam Type, Extended Service; Size 16.5" x 7",            Includes Automatic Slack Adjusters, 52,000-lb            Capacity Drive Tandem Axle Rating or 26,000 lb            Drive Single Axle Rating            REQS: Code 04NCZ, 04NDA, 04NDB or 04NDL BRAKES,            REAR, AIR CAM            N/A: Code 04WZK BRAKE PACKAGE, FRONT                  : Code 04JCC(std) and 04JNW BRAKES, REAR,                  AIR DISC                  : Code 04773 BRAKE SHOES, REAR                  : Code 04EUE BRAKE LININGS, REAR                  : Code 32WAA WHEELS, REAR</p>	04WXW	\$1,328	
<p><b>BRAKE IDENTITY, REAR</b></p> <p><i>Meritor</i></p> <p>- <b>Cast Plus</b> -            16.5" x 8.63"            REQS: Code 04NDA or 04NEX BRAKES, REAR, AIR CAM,            when in combination with Code 14SAL, 14SCD            or 14VAJ SUSPENSION, REAR, SINGLE and Code            14AHH, 14AHJ, 14AJY, 14ASB, 14ASC, 14ASD,            14ERB or 14ERC AXLE, REAR, SINGLE            REQS: Code 04NDH, 04NDN, 04NDP or 04NEX BRAKES,            REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC</p>	04NNP	\$411	
<p><b>BRAKES, REAR, AIR DISC</b></p> <p>22.5 Dia, Includes 18/24" Sq. In. Brake Chambers            REQS: Code 14AHE, 14AHG, 14ARB, 14ARK, 14ARX,            14ARY, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK,            14AWL, 14CDE, 14CVC or 14051(std) AXLE,            REAR, SINGLE, when in combination with            Code 14TBZ or 14TCL SUSPENSION, REAR, AIR,            SINGLE            REQS: Code 14SAL, 14SAN(std), 14SCE, 14VAH or            14VAJ SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- Code 14TBJ or 14TBZ SUSPENSION, REAR, AIR,            SINGLE            -OR- Code 14UNS, 14UNT, 14UNU, 14UNW, 14UNX or            14UNY SUSPENSION, REAR, AIR, TANDEM            REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB,            14ARY, 14ARZ, 14ASA, 14ASC, 14AWK, 14AWL,            14AWN, 14CVC, 14ERB or 14ERC AXLE, REAR,            SINGLE            -OR- AXLE, REAR, TANDEM            N/A: Code 04EVH, 04EVP, 04EVR, 04EXT, 04EXU and            04EXW BRAKE CHAMBERS, REAR AXLE                  : Code 04773 BRAKE SHOES, REAR                  : Code 29334 BRAKE DRUMS, REAR                  : Code 04LGA SLACK ADJUSTERS, REAR                  : Code 04WDM DUST SHIELDS, REAR BRAKE</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	04JCC	<b>STD</b>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<p><b>BRAKES, REAR, AIR DISC (SEE PREV PAGE)</b></p> <p>N/A: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN, 04NDP and 04NEX BRAKES, REAR, AIR CAM            : Code 04LGR BRAKE ATTACHMENT            : Code 04AAA, 04AAU, 04AAY and 04ABA BRAKE CHAMBERS, ADDITIONAL            : Code 04ERC, 04WDW and 04WYB BRAKE CHAMBERS, SPRING            AVAIL: Code 04774 SPECIAL RATING, GAWR            : Code 04WEY(std) BRAKE PACKAGE, REAR</p> <p>22.5 Dia, Includes 24/24" Sq. In. Brake Chambers            REQS: Code 14AHE, 14AHG, 14ARB, 14ARK, 14ARX, 14ARY, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE, when in combination with Code 14TBZ or 14TCL SUSPENSION, REAR, AIR, SINGLE            REQS: Code 14SAL, 14SAN(std), 14SCD, 14TBU, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE            -OR- Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZR, 14UZS, 14UZZ, 14UZZ, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM            -OR- Code 14TBZ or 14TCL SUSPENSION, REAR, AIR, SINGLE            REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASC, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE            -OR- Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWW, 14GWY, 14GWZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL or 14HRM AXLE, REAR, TANDEM            N/A: Code 04EVH, 04EVP, 04EVR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE            : Code 04773 BRAKE SHOES, REAR            : Code 29334 BRAKE DRUMS, REAR            : Code 04LGA SLACK ADJUSTERS, REAR            : Code 04WDM DUST SHIELDS, REAR BRAKE            : Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN, 04NDP and 04NEX BRAKES, REAR, AIR CAM            : Code 04LGR BRAKE ATTACHMENT            : Code 04ERC, 04WDW and 04WYB BRAKE CHAMBERS, SPRING            : SUSPENSION, REAR, AIR, TANDEM            AVAIL: Code 04WEY(std) BRAKE PACKAGE, REAR            : Code 04ABA BRAKE CHAMBERS, ADDITIONAL</p>	<p>04JCC</p> <p>04JNW</p>	<p></p> <p>\$720</p>	<p></p> <p>0/-11</p>

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-40

SUBJECT TO CHANGE WITHOUT NOTICE



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<i><b>ITEM DESCRIPTION</b></i>	<i><b>CODE</b></i>	<i><b>HV513 SFA</b></i>	
<b>BRAKES, REAR, AIR CAM</b>  S-Cam; 16.5" x 7.0"; Includes 30/24 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVP BRAKE CHAMBERS, REAR AXLE REQS: Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04NNP BRAKE IDENTITY, REAR : Code 04WEY(std) BRAKE PACKAGE, REAR : Code 04LGR BRAKE ATTACHMENT AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WDM DUST SHIELDS, REAR BRAKE : Code 04WYB BRAKE CHAMBERS, SPRING	04NDL	\$1,524CR 0/+26	
S-Cam; 16.5" x 7.0"; Includes 30/28 Sq.In. Long Stroke Brake Chambers and Piston-Type Spring Activated Parking Brakes REQS: Code 04EVR BRAKE CHAMBERS, REAR AXLE REQS: Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, AIR DISC REQS: Code 14TAX or 14TBJ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM N/A: Code 04WHT and 04774 SPECIAL RATING, GAWR : Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04NNP BRAKE IDENTITY, REAR : Code 04LGR BRAKE ATTACHMENT AVAIL: Code 04WHY and 04WXW BRAKE PACKAGE, REAR : Code 04WDM DUST SHIELDS, REAR BRAKE : Code 04WYB BRAKE CHAMBERS, SPRING	04NCZ	\$1,524CR 0/+26	
S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake REQS: Code 04EVH, 04EXU or 04EXW BRAKE CHAMBERS, REAR AXLE N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04NNP BRAKE IDENTITY, REAR : Code 04WEY(std) BRAKE PACKAGE, REAR AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WDM DUST SHIELDS, REAR BRAKE	04NDB	\$1,524CR 0/+26	

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-41

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
<b>BRAKES, REAR, AIR CAM</b> (SEE PREV PAGE)			
-OR- Code 14UHK, 14ULY or 14698 SUSPENSION, REAR, TANDEM REQS: Code 14AHH, 14AHJ, 14AJY, 14ASB, 14ASC, 14ASD, 14ERB or 14ERC AXLE, REAR, SINGLE N/A: Code 04WHT and 04774 SPECIAL RATING, GAWR : Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04WEY(std), 04WHL, 04WHY and 04WXW BRAKE PACKAGE, REAR : Code 04AZU and 04AZV AIR BRAKE ABS : AIR TANK, when in combination with Code 04091 BRAKE SYSTEM, AIR : Code 04WDW BRAKE CHAMBERS, SPRING : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : SUSPENSION, REAR, AIR, TANDEM : Code 32DHY WHEELS, REAR : AXLE, REAR, TANDEM AVAIL: Code 04WDM DUST SHIELDS, REAR BRAKE	04NEX		
S-Cam; 16.5" x 8.625"; Includes 30/24 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVP BRAKE CHAMBERS, REAR AXLE REQS: Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04WEY(std), 04WHL, 04WHY and 04WXW BRAKE PACKAGE, REAR : Code 04773 BRAKE SHOES, REAR : Code 04LGR BRAKE ATTACHMENT : Code 04WDW BRAKE CHAMBERS, SPRING AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WDM DUST SHIELDS, REAR BRAKE	04NDP	\$1,413CR 0/+50	
S-Cam; 16.5" x 8.625"; Includes 30/28 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVR BRAKE CHAMBERS, REAR AXLE REQS: Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, AIR DISC REQS: Code 14TAX or 14TBJ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM N/A: Code 04WHT and 04774 SPECIAL RATING, GAWR : Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04WEY(std), 04WHL, 04WHY and 04WXW BRAKE PACKAGE, REAR	04NDN	\$1,413CR 0/+40	
<i>(SEE NEXT PAGE)</i>			

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-43

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>BRAKES, REAR, AIR CAM (SEE PREV PAGE)</b>  N/A: Code 04773 BRAKE SHOES, REAR : Code 04LGR BRAKE ATTACHMENT AVAIL: Code 04WDM DUST SHIELDS, REAR BRAKE : Code 04WYB BRAKE CHAMBERS, SPRING	04NDN		
<b>BRAKE CHAMBERS, REAR AXLE</b>  <b>MGM</b>  <b>- MJS3024ET -</b> 30/24 Piston Spring Brake REQS: Code 04AAY BRAKE CHAMBERS, ADDITIONAL, when in combination with Code 01AND AXLE CONFIGURATION and Code 04092 BRAKE SYSTEM, AIR REQS: Code 04NDL or 04NDP BRAKES, REAR, AIR CAM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC AVAIL: Code 04AAY BRAKE CHAMBERS, ADDITIONAL  <b>- MJS3028ET -</b> 30/28 Piston Spring Brake REQS: Code 04NCZ or 04NDN BRAKES, REAR, AIR CAM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04AAA, 04AAU, 04AAY and 04ABA BRAKE CHAMBERS, ADDITIONAL  <b>- TR3030LP3TSHD -</b> 30/30 Spring Brake REQS: Code 04NDB or 04NDH BRAKES, REAR, AIR CAM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC AVAIL: Code 04AAA BRAKE CHAMBERS, ADDITIONAL  <b>Bendix</b>  <b>- EnduraSure Pro -</b> 30/30 Spring Brake REQS: Code 04NDB or 04NDH BRAKES, REAR, AIR CAM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC AVAIL: Code 04AAU BRAKE CHAMBERS, ADDITIONAL  <b>- EverSure -</b> 30/30 Spring Brake REQS: Code 04NDB or 04NDH BRAKES, REAR, AIR CAM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC AVAIL: Code 04AAU BRAKE CHAMBERS, ADDITIONAL  36/36 Spring Brake REQS: Code 04NDA or 04NEX BRAKES, REAR, AIR CAM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04AAA, 04AAU, 04AAY and 04ABA BRAKE CHAMBERS, ADDITIONAL	04EVP   04EVR   04EVH   04EXW   04EXU   04EXT	\$454   \$458   \$150   \$81   N/C   \$144	0/+46   0/+44   0/+41   0/+39   0/+39   0/+55

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-44

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b> <b>NOTE: WEIGHTS - FRONT/REAR</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>SLACK ADJUSTERS, REAR</b></p> <p><i>Haldex</i></p> <p>Automatic            REQS: Code 04LAA SLACK ADJUSTERS, FRONT or Code 04JBZ(std), 04JCN, 04JDD or 04JDE BRAKES, FRONT, AIR DISC            N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC            AVAIL: Code 04WHY and 04WXW BRAKE PACKAGE, REAR</p>	04LGA	\$188	0/0
<p><b>BRAKE LININGS, REAR</b></p> <p><i>Meritor</i></p> <p>- R403 -            Non-Asbestos for S-Cam Brake            N/A: Code 04WEY(std), 04WHL, 04WHY and 04WXW BRAKE PACKAGE, REAR            AVAIL: Code 04774 SPECIAL RATING, GAWR</p>	04EUE	\$123	0/0
<p><b>BRAKE CHAMBERS, SPRING</b></p> <p>on Rear/Rear Axle Located Inside Rear Tire Envelope (Meets Asphalt Spreader/Paver Clearance Requirements)            REQS: Code 04WEZ(std), 04WHX or 04WZK BRAKE PACKAGE, FRONT            REQS: Code 04LAA SLACK ADJUSTERS, FRONT            REQS: Code 04WHY or 04WXW BRAKE PACKAGE, REAR            REQS: Code 04LGA SLACK ADJUSTERS, REAR            REQS: Code 04NDB BRAKES, REAR, AIR CAM            REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU or 14UZX SUSPENSION, REAR, TANDEM, when in combination with Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWW, 14GWY, 14GWZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM            REQS: Code 04NDB or 04NDH BRAKES, REAR, AIR CAM            REQS: Code 04091(std) BRAKE SYSTEM, AIR            REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM            -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS or 14UNT SUSPENSION, REAR, AIR, TANDEM            N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC                  : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE                  : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE                  : AXLE, REAR, SINGLE</p>	04WDW	\$48	





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>BRAKE CHAMBERS, ADDITIONAL</b>			
(02) Spring Brake Type; T24/24 SqIn, for Air Disc REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04JNW BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04EVH, 04EVP, 04EVR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE	04ABA	\$123 0/+22	
<b>MGM</b>			
(02) Spring Brake Type, Piston Style; 30/24 SqIn REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04EVP BRAKE CHAMBERS, REAR AXLE REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC	04AAY	\$300 0/+25	
(02) Spring Brake Type; 30/30 SqIn REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04EVH BRAKE CHAMBERS, REAR AXLE REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC	04AAA	\$319 0/+21	
<b>Bendix</b>			
(02) Spring Brake Type; 30/30 SqIn REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04EXU or 04EXW BRAKE CHAMBERS, REAR AXLE REQS: Code 04EXU BRAKE CHAMBERS, REAR AXLE, when in combination with Code 04NDB or 04NDH BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC	04AAU	\$110 0/+18	
<b>DUST SHIELDS, REAR BRAKE</b>			
for Air Brakes N/A: Code 01ANE AXLE CONFIGURATION : Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC	04WDM	\$70 0/+6	
<b>Bendix Spicer</b>			
- ADB22X - Pad, with Air Disc Brakes N/A: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN, 04NDP and 04NEX BRAKES, REAR, AIR CAM : Code 32WAA WHEELS, REAR	04WHN	\$48 0/+1	
Rotor, with Air Disc Brakes N/A: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN, 04NDP and 04NEX BRAKES, REAR, AIR CAM : Code 32WAA WHEELS, REAR	04WGZ	\$365 0/+5	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<p><b>SPECIAL RATING, GAWR</b></p> <p>Provides Rear Tractor Brake Rating Equal to Axle Rating up to 23,000-lbs for Single Axles, 46,000-lbs for Tandem Axles, or 69,000-lb for Tridem</p> <p>REQS: Code 04NDB, 04NDH, 04NDL or 04NDP BRAKES, REAR, AIR CAM</p> <p>-OR- BRAKES, REAR, AIR DISC</p> <p>REQS: Code 04092 BRAKE SYSTEM, AIR</p> <p>N/A: Code 01ANE AXLE CONFIGURATION</p> <p>Provides Rear Brake Rating Equal to Axle Rating up to 26,000-lbs for Single Axles, 52,000-lbs for Tandem Axles</p> <p>REQS: Code 04JNW BRAKES, REAR, AIR DISC</p> <p>N/A: Code 01ANE AXLE CONFIGURATION</p> <p style="padding-left: 20px;">: Code 04JCG, 04JCJ, 04JCP, 04193 and 04196 BRAKES, FRONT, AIR CAM</p> <p style="padding-left: 20px;">: Code 04EUE BRAKE LININGS, REAR</p> <p style="padding-left: 20px;">: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN, 04NDP and 04NEX BRAKES, REAR, AIR CAM</p>	<p>04774</p> <p>04WHT</p>	<p>N/C</p> <p>N/C</p>	<p></p> <p>0/0</p>
<p><b>BRAKE ATTACHMENT</b></p> <p>Stainless Steel Slack Adjuster Pins/Cotter Pins on Front and Rear</p> <p>REQS: Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM</p> <p>REQS: Code 04NDA, 04NDB, 04NDH or 04NEX BRAKES, REAR, AIR CAM</p> <p>N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC</p> <p style="padding-left: 20px;">: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC</p> <p style="padding-left: 20px;">: Code 02EZX AXLE, FRONT DRIVING</p>	<p>04LGR</p>	<p>\$80</p>	<p>0/0</p>
<p><b>AIR COMPRESSOR</b></p> <p><i>Bendix</i></p> <p>- BA-921 Head Unload -</p> <p>15.9 CFM</p> <p>REQS: Code 14SAL, 14SAN(std), 14TBU, 14TBW, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE</p> <p>-OR- SUSPENSION, REAR, TANDEM</p> <p>-OR- SUSPENSION, REAR, AIR, SINGLE</p> <p>-OR- SUSPENSION, REAR, AIR, TANDEM</p> <p><i>Knorr-Bremse</i></p> <p>- LP-720 DLU -</p> <p>31.8 CFM, Dual Cylinder</p> <p>REQS: Code 04EBS or 04EBT AIR DRYER</p> <p>N/A: Code 16KVL, 16KVM and 16KVN SEAT, DRIVER</p> <p style="padding-left: 20px;">: Code 04VHT, 04VKA and 04VKE AIR DRYER LOCATION</p> <p style="padding-left: 20px;">: Code 04WRJ AIR COMPRESSOR DISCHARGE LINE</p> <p style="padding-left: 20px;">: Code 07BKN EXHAUST SYSTEM</p>	<p>04SPM</p> <p>04SBV</p>	<p>STD</p> <p>\$2,478</p>	<p></p> <p>+22/0</p>

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-48

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>AIR COMPRESSOR</b> (CONTINUED)  <b>YOOSUNG</b>  21.0 CFM	04SPL	\$888	+43/-2
<b>AIR COMPRESSOR DISCHARGE LINE</b>  1/2" ID to 5/8" ID Teflon Hose, with Stainless Steel Braid; to Air Dryer REQS: Code 04JDC, 04VKA, 04VKB or 04VKC AIR DRYER LOCATION REQS: Code 04VKA AIR DRYER LOCATION, when in combination with Code 04WZJ AIR TANK LOCATION REQS: Code 04SPL or 04SPM(std) AIR COMPRESSOR N/A: Code 04VHZ and 04WZJ AIR TANK LOCATION	04WRJ	\$125	
<b>AIR DRYER</b>  <b>Wabco</b>  <b>- System Saver 1200 -</b> with Heater REQS: Code 04JDC, 04VGG, 04VHT or 04VKC(std) AIR DRYER LOCATION, when in combination with Code 16CAB CAB REQS: Code 04JDC, 04VGG, 04VHT, 04VKA, 04VKB or 04VKC(std) AIR DRYER LOCATION, when in combination with Code 16030 CAB REQS: Code 04SPL or 04SPM(std) AIR COMPRESSOR N/A: Code 04VGG and 04VKE AIR DRYER LOCATION  <b>Bendix</b>  <b>- AD-IP -</b> with Heater REQS: Code 04JDC, 04VGG, 04VHT or 04VKC(std) AIR DRYER LOCATION, when in combination with Code 16CAB CAB REQS: Code 04JDC, 04VGG, 04VHT, 04VKA, 04VKB or 04VKC(std) AIR DRYER LOCATION, when in combination with Code 16030 CAB REQS: Code 04JDC, 04VHT, 04VKA or 04VKB AIR DRYER LOCATION, when in combination with Code 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL N/A: Code 04VKE AIR DRYER LOCATION  <b>- AD-9 -</b> with Heater REQS: Code 04JDC, 04VGG, 04VHT or 04VKC(std) AIR DRYER LOCATION, when in combination with Code 16CAB CAB REQS: Code 04JDC, 04VGG, 04VHT, 04VKA, 04VKB or 04VKC(std) AIR DRYER LOCATION, when in combination with Code 16030 CAB N/A: Code 04VGG and 04VKE AIR DRYER LOCATION	04EBD	\$497	+9/+9
	04EBT	\$526	+20/+5
	04EBS	\$450	+21/+6



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>AIR DRYER LOCATION</b>			
Mounted Inside Left Rail, Back of Cab N/A: Code 01ANE AXLE CONFIGURATION : Code 13XAJ and 13XAS PTO LOCATION, when in combination with Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL	04VKC	STD	
(02) Mounted Parallel Outside Left Rail, Back of Cab N/A: Code 01ANE AXLE CONFIGURATION : Code 04EBD, 04EBS and 04EBT AIR DRYER	04VKE	\$50	
Mounted Inside Right Rail, Back of Cab N/A: Code 01ANE AXLE CONFIGURATION	04VKB	\$50	
Mounted Outside Left Rail, on Fuel Water Separator Bracket REQS: Code 16030 CAB REQS: Code 04VCL, 04VHZ or 04WZJ AIR TANK LOCATION, when in combination with Code 15LMG or 15LMK LOCATION FUEL/WATER SEPARATOR and Code 15LML FUEL/WATER SEPARATOR REQS: Code 04VHZ AIR TANK LOCATION, when in combination with Code 15SSC FUEL TANK REQS: Code 04VKJ(std) or 04VKK AIR TANK LOCATION, when in combination with Code 15SJZ, 15SWD, 15SWE or 15SWG FUEL TANK and Code 15LMK LOCATION FUEL/WATER SEPARATOR REQS: Code 04VKJ(std) AIR TANK LOCATION, when in combination with Code 04EBS AIR DRYER and Code 15SJZ, 15SWD, 15SWE or 15SWG FUEL TANK and Code 15LMK LOCATION FUEL/WATER SEPARATOR REQS: Code 04VKJ(std), 04VKK or 04WZJ AIR TANK LOCATION, when in combination with Code 04EBT AIR DRYER and Code 15SJZ, 15SWD, 15SWE or 15SWG FUEL TANK and Code 15LMK LOCATION FUEL/WATER SEPARATOR REQS: Code 04WZJ AIR TANK LOCATION, when in combination with Code 08WEL BATTERY BOX and Code 15SWE FUEL TANK and Code 15SWG FUEL TANK REQS: Code 04WZJ AIR TANK LOCATION, when in combination with Code 15SGD FUEL TANK REQS: Code 04EBD AIR DRYER, when in combination with Code 04VHZ AIR TANK LOCATION and Code 15LMG or 15LMK LOCATION FUEL/WATER SEPARATOR and Code 15LML FUEL/WATER SEPARATOR REQS: Code 04EBD AIR DRYER, when in combination with Code 08VUL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK REQS: Code 04EBD AIR DRYER, when in combination with Code 15SSC FUEL TANK	04VHT	\$27	
<i>(SEE NEXT PAGE)</i>			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>AIR DRYER LOCATION</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p>REQS: Code 04EBT AIR DRYER, when in combination with Code 08WEL BATTERY BOX and Code 15SWE FUEL TANK and Code 15SWG FUEL TANK</p> <p>REQS: Code 04EBT AIR DRYER, when in combination with Code 15SWJ or 15SWK FUEL TANK</p> <p>REQS: Code 01CAG, 01CAJ, 01CBU or 01CGE FRAME RAILS, when in combination with Code 15LMG or 15LMK LOCATION FUEL/WATER SEPARATOR and Code 15LML FUEL/WATER SEPARATOR</p> <p>REQS: Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK, 08WEK or 08XDZ BATTERY BOX, when in combination with Code 15LMG or 15LMK LOCATION FUEL/WATER SEPARATOR and Code 15LML FUEL/WATER SEPARATOR</p> <p>REQS: Code 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL, 08VUM, 08WEJ or 08WEK BATTERY BOX</p> <p>REQS: Code 08VTN, 08VUJ, 08VUK or 08WEK BATTERY BOX, when in combination with Code 15SSC FUEL TANK</p> <p>REQS: Code 08VUJ or 08VUK BATTERY BOX, when in combination with Code 15SGD FUEL TANK</p> <p>REQS: Code 08VUJ, 08VUK, 08VUL(std), 08VUM or 08WEL BATTERY BOX, when in combination with Code 15SJZ, 15SWD, 15SWE or 15SWG FUEL TANK</p> <p>REQS: Code 08VUJ, 08VUK, 08VUL(std), 08VUM, 08WEK or 08WEL BATTERY BOX, when in combination with Code 15SWE FUEL TANK and Code 15LMK LOCATION FUEL/WATER SEPARATOR</p> <p>REQS: Code 08VUJ, 08VUK, 08VUL(std), 08VUM, 08WEL or 08XDZ BATTERY BOX, when in combination with Code 15SJZ FUEL TANK and Code 15LMK LOCATION FUEL/WATER SEPARATOR</p> <p>REQS: Code 08VUN or 08WJJ BATTERY BOX, when in combination with Code 15SWJ or 15SWK FUEL TANK</p> <p>REQS: Code 14UZB or 14UZU SUSPENSION, REAR, TANDEM, when in combination with Code 08WEL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK</p> <p>REQS: Code 14UNX or 14UPL SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB, 14UZB, 14UZR, 14UZS, 14UZU, 14UZX or 14VKL SUSPENSION, REAR, TANDEM, when in combination with Code 15SWJ or 15SWK FUEL TANK</p> <p>REQS: Code 14UNX or 14UPL SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB, 14UZB, 14UZR, 14UZS, 14UZU, 14UZX, 14VKL or 14698 SUSPENSION, REAR, TANDEM, when in combination with Code 15SGD FUEL TANK</p> <p>REQS: Code 14UNX SUSPENSION, REAR, AIR, TANDEM or Code 14ULX, 14ULY or 14UMB SUSPENSION, REAR, TANDEM, when in combination with Code 08VUL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK</p> <p>REQS: Code 15SGD, 15SJR, 15SJZ, 15SSC, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>04VHT</p>		







## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<p><b>AIR DRYER LOCATION</b> (SEE PREV PAGE)</p> <p>REQS: Code 04EBD AIR DRYER, when in combination with Code 01CAW FRAME RAILS REQS: Code 01WMA CROSSMEMBER, INTERMEDIATE, when in combination with Code 01CAW FRAME RAILS REQS: Code 08VUL or 08VUM BATTERY BOX, when in combination with Code 01CAW FRAME RAILS REQS: Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM or Code 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM, when in combination with Code 01CAW FRAME RAILS N/A: Code 01ANE AXLE CONFIGURATION : Code 04WRJ AIR COMPRESSOR DISCHARGE LINE or Code 14WLM, 14WNH, 14WNN, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE, when in combination with Code 01CAW FRAME RAILS</p> <p>Mounted Inside Left Rail, Behind Transfer Case Mounting REQS: Code 01ANE AXLE CONFIGURATION REQS: Code 16CAB or 16030(std) CAB REQS: Code 04091 BRAKE SYSTEM, AIR REQS: Code 04EBT AIR DRYER REQS: Code 01CBU or 01CGE FRAME RAILS REQS: Code 08VUN or 08WJJ BATTERY BOX REQS: Code 14ULX or 14ULY SUSPENSION, REAR, TANDEM REQS: Code 13AUP, 13AUS, 13AUT, 13AUU, 13AUW, 13AUX, 13AVA or 13AVC TRANSMISSION, AUTOMATIC REQS: Code 07BLD EXHAUST SYSTEM REQS: Code 15SWE or 15SWG FUEL TANK REQS: Code 15LLP or 15LMA LOCATION FUEL/WATER SEPARATOR REQS: Code 15LKU or 15LKX FUEL/WATER SEPARATOR N/A: Code 12WPU PTO, ENGINE REAR</p>	04VKA		
	04VGG	\$70	
<p><b>AIR TANK</b></p> <p>Painted Aluminum, with Straight Thread O-Ring Ports N/A: Code 04VHZ AIR TANK LOCATION</p> <p>Polished Aluminum, with Straight Thread O-Ring Ports N/A: Code 04VHZ and 04WZJ AIR TANK LOCATION</p>	04VGN	\$432 - 18/- 10	
	04VGM	\$502 - 18/- 10	
<p><b>AIR TANK LOCATION</b></p> <p>(02) Mounted Under Battery Box, Outside Left Rail, Back of Cab, Perpendicular to Rail REQS: Code 04AZA AIR BRAKE ABS, when in combination with Code 16CAB CAB and Code 04091 BRAKE SYSTEM, AIR and Code 08VUN or 08WJJ BATTERY BOX</p> <p>(SEE NEXT PAGE)</p>	04VKJ	STD	

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-53

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT	
	NOTE: WEIGHTS - FRONT/REAR	
	CODE	HV513 SFA
<b>AIR TANK LOCATION</b> <span style="float: right;">(SEE PREV PAGE)</span>  REQS: Code 14ULX, 14ULY, 14ULZ, 14UMB or 14UMC SUSPENSION, REAR, TANDEM, when in combination with Code 16CAB CAB and Code 04091 BRAKE SYSTEM, AIR and Code 08VUN or 08WJJ BATTERY BOX  REQS: Code 08VTR, 08VUL(std), 08VUM, 08WEJ or 08WJJ BATTERY BOX  REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK  N/A: Code 16196 CAB : Code 04VKC(std) AIR DRYER LOCATION or Code 04619 TRAILER CONNECTIONS or Code 01WLZ CROSSMEMBER, INTERMEDIATE, when in combination with Code 16CAB CAB and Code 04091 BRAKE SYSTEM, AIR and Code 08VUN or 08WJJ BATTERY BOX  (02) Mounted Under Battery Box, Outside Right Rail, Back of Cab, Perpendicular to Rail REQS: Code 04JDC, 04VKB or 04VKC(std) AIR DRYER LOCATION, when in combination with Code 08VTN or 08WEK BATTERY BOX  REQS: Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNT, 14UNU or 14UNX SUSPENSION, REAR, AIR, TANDEM or Code 14UHD, 14UHK, 14ULX, 14ULY, 14UMB, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM, when in combination with Code 08VTN or 08WEK BATTERY BOX  REQS: Code 07BKS EXHAUST SYSTEM, when in combination with Code 08VTN or 08WEK BATTERY BOX  REQS: Code 08VTN, 08VUJ, 08VUK or 08WEK BATTERY BOX  REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK  N/A: Code 16196 CAB : Code 07BKN EXHAUST SYSTEM : Code 15LLY, 15LMG, 15LMK, 15LMT and 15LNJ LOCATION FUEL/WATER SEPARATOR, when in combination with Code 08VTN or 08WEK BATTERY BOX  (02) Mounted Under Cab, Outside Left Rail, on Step Bracket, with Ground Clearance REQS: Code 16ZBT(std) ACCESS, CAB REQS: Code 16030(std) CAB REQS: Code 04VHT or 04VKC AIR DRYER LOCATION REQS: Code 04VHT AIR DRYER LOCATION, when in combination with Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM (SEE NEXT PAGE)	04VKJ	
	04VKK	\$50
	04VHZ	\$434

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-54**

**SUBJECT TO CHANGE WITHOUT NOTICE**



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
<p><b>AIR TANK LOCATION</b> <span style="float: right;">(SEE PREV PAGE)</span></p> <p>REQS: Code 04EBD or 04EBT AIR DRYER            REQS: Code 04EBD AIR DRYER, when in combination with Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM            REQS: Code 04WDA, 04WWZ, 04722 or 04732 DRAIN VALVE            REQS: Code 08VUJ BATTERY BOX, when in combination with Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM            REQS: Code 14SAL, 14SAN, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE or Code 14ULT, 14ULU, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZR, 14UZS, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM            REQS: Code 07BKN or 07BLG EXHAUST SYSTEM            REQS: Code 07BLG EXHAUST SYSTEM, when in combination with Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM            REQS: Code 15SSC FUEL TANK, when in combination with Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM            REQS: Code 15DYP DEF TANK            REQS: Code 08HXT or 08XHN HORN, AIR            REQS: Code 08TTR, 08VUJ, 08VUL(std), 08VUM, 08WEJ or 08WEK BATTERY BOX            REQS: Code 15SSC FUEL TANK            N/A: Code 01ANE AXLE CONFIGURATION                  : Code 04596 CONTROL VALVE, FRONT BRAKE                  : Code 04VGM and 04VGN AIR TANK                  : SPRINGS, FRONT AUXILIARY or Code 15LLP, 15LLY, 15LMA, 15LMK, 15LMT, 15LMU, 15LMW, 15LMY, 15LNH, 15LNJ and 15LNK LOCATION                  FUEL/WATER SEPARATOR                  : Code 08WHE HORN, AIR</p> <p>(02) Mounted 25" Back of Cab, Outside Right Rail, with Ground Clearance            REQS: Code 16030(std) CAB            REQS: Code 04VKA AIR DRYER LOCATION, when in combination with Code 01ANA AXLE CONFIGURATION            REQS: Code 04EBD AIR DRYER, when in combination with Code 01ANA AXLE CONFIGURATION and Code 04VKA AIR DRYER LOCATION            REQS: Code 13ATL, 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC, when in combination with Code 01ANA AXLE CONFIGURATION and Code 04VKA AIR DRYER LOCATION            REQS: Code 07BKS or 07BLG EXHAUST SYSTEM            REQS: Code 07BKS, 07BLD or 07BLG EXHAUST SYSTEM, when in combination with Code 04091 BRAKE SYSTEM, AIR</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	04VHZ		
	04VCL	\$208	0/0





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>AIR TANK LOCATION (CONTINUED)</b>			
(02) Mounted Under Battery Box, Outside Left Rail, Under Cab REQS: Code 04EBS AIR DRYER, when in combination with Code 04VKB AIR DRYER LOCATION and Code 15DYJ FUEL TANK REQS: Code 08VTJ, 08VUR, 08WJN or 08XGJ BATTERY BOX REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT or 15SVU FUEL TANK	04VKG	\$50	
(02) Mounted Under Battery Box, Outside Right Rail, Under Cab REQS: Code 07BKN EXHAUST SYSTEM, when in combination with Code 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL REQS: Code 08TST or 08TTR BATTERY BOX REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 16CAB CAB	04VKH	\$50	
<b>AIR SUPPLY, AUXILIARY</b>  on Air Reservoir with Glad Hand Connector	04RUJ	\$173 +1/+2	
<b>BRAKES, AIR CAM, PUSHER AXLE</b>			
S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE	04JBR	N/C 0/0	
S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with Two Pusher Lift Axles AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	04JBU	N/C 0/0	
S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with Three Pusher Lift Axles AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE	04JBV	\$488 0/0	
S-Cam; 16.5" x 6.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WNM AXLE, PUSHER, LIFT TYPE	04JCK	\$193 +39/0	
S-Cam; 16.5" x 7.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE	04JBS	\$220 0/0	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>BRAKES, AIR CAM, TAG AXLE</b>			
S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with Tag Lift Axle AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE	04JBW	N/C 0/0	
S-Cam; 16.5" x 7.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with Tag Lift Axle AVAIL: Code 14WLR AXLE, TAG, LIFT TYPE	04JBT	N/C 0/0	
<b>CONTROL VALVE, FRONT BRAKE</b>			
Dash Mounted Push/Pull Type Value, for Front Air Brake Application, with Pressure Reducing Valve REQS: Code 04AZA(std) or 04AZJ AIR BRAKE ABS REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 08WJV BATTERY DISCONNECT SWITCH or Code 08VTJ BATTERY BOX or Code 08HXT HORN, AIR : Code 04VCL and 04VHZ AIR TANK LOCATION	04596	\$446	
<b>DRAIN VALVE</b>			
<b>Berg</b> with Pull Chain, for Air Tank	04732	<b>STD</b>	
<b>No Vendor Identified</b> (03) Petcocks, for Air Tanks	04WDA	N/C	
Automatic, with (3) Pull Chains, for Air Tanks	04WRP	\$44	
(03) with Pull Chains for Air Tanks	04WWZ	\$105	
<b>Bendix</b> - DV-2 - (1) Automatic, with Heater, with (2) Berg Pull Chains, for Air Tank	04WXX	\$184	
Automatic, with Heater, for Air Tank	04722	\$165	
<b>HAND CONTROL VALVE, AIR</b>			
for Trailer Brakes, Omit Item REQS: Code 04619 TRAILER CONNECTIONS, when in combination with Code 04091 BRAKE SYSTEM, AIR	04WDU	N/C	
<b>HOSE TENDER</b>			
Flexible Pogo Stick Type REQS: Code 16ZBP, 16ZGR or 16ZHH ACCESS, CAB AND FRAME, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 07BLD and 07BLG EXHAUST SYSTEM	04692	\$365	

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-58

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>HOSE TENDER</b> <span style="float: right;">(CONTINUED)</span>  Slide Bar with Single Spring Bracket; Bar Extended 4.0" From Cab REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 07BLD and 07BLG EXHAUST SYSTEM	04808	\$143	
<b>SLACK ADJUSTER, PUSHER AXLE</b>  <i>Haldex</i>  Automatic; for (2) Pusher Axles N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE  Automatic; for (3) Pusher Axles N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE  Automatic; for Single Pusher Axle N/A: Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	04JNL	\$98	0/0
	04JNM	\$147	0/0
	04JNJ	\$58	0/0
<b>SLACK ADJUSTER, TAG AXLE</b>  <i>Haldex</i>  Automatic; for 1 Tag Axle N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE	04JNK	\$58	0/0
<b>SPRING BRAKE MODULATOR VALVE</b>  with Relay function REQS: Code 04VKA, 04VKB or 04VKC AIR DRYER LOCATION, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 14UNT SUSPENSION, REAR, AIR, TANDEM REQS: Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK, 08VUR, 08WEK, 08XDZ or 08XGJ BATTERY BOX, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 14UNT SUSPENSION, REAR, AIR, TANDEM REQS: Code 14TBZ or 14TCL SUSPENSION, REAR, AIR, SINGLE, when in combination with Code 04091 BRAKE SYSTEM, AIR REQS: Code 15DMV, 15DPL, 15DPM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJJ, 15SMD, 15SRE, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 14UNT SUSPENSION, REAR, AIR, TANDEM REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 16CAB and 16196 CAB or Code 04VHZ and 04WZJ AIR TANK LOCATION, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 14UNT SUSPENSION, REAR, AIR, TANDEM	04WDT	\$177	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>TRAILER CONNECTIONS</b>			
<p>Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck            REQS: Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 04677 TRAILER HOSES and Code 04VKG AIR TANK LOCATION            REQS: Code 08HAA BODY BUILDER WIRING or Code 08HAG or 08HAH ELECTRIC TRAILER BRAKE/LIGHTS or Code 08TME or 08TMG TRAILER CONNECTION SOCKET            REQS: Code 08TKB STOP, TURN, TAIL &amp; B/U LIGHTS, when in combination with Code 04677 TRAILER HOSES and Code 04VKG AIR TANK LOCATION            REQS: Code 08TKK TRAILER AUXILIARY FEED CIRCUIT, when in combination with Code 08HAG or 08HAH ELECTRIC TRAILER BRAKE/LIGHTS            REQS: Code 04091(std) BRAKE SYSTEM, AIR            N/A: Code 04AZS AIR BRAKE ABS, when in combination with Code 01ANA AXLE CONFIGURATION and Code 04091 BRAKE SYSTEM, AIR            : Code 01616 FRAME RAILS WITH TAPERED REAR            : Code 01572 TOW HOOK, REAR or Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH and 13GYJ TRANSMISSION, MANUAL, when in combination with Code 04677 TRAILER HOSES and Code 04VKG AIR TANK LOCATION            NOTE: When electronic stability control is ordered with trailer connections on a 4x2 truck, please check the operator manual for trailer weight restrictions.</p>	04619	\$542	0/0
<b>TRAILER HOSES</b>			
<p>Glad Hands for Four-Wheel Connections, Temporarily Mounted with Bulkhead Connectors on End of Frame, Includes Additional Hosing and Dummy Glad Hands</p>	04677	\$523	-7/+23
<b>STEERING GEAR</b>			
<p><b>Sheppard</b>            - M100 -            Power            REQS: Code 02AGC, 02AGE, 02ARV, 02ARW(std) or 02ATG AXLE, FRONT NON-DRIVING            N/A: Code 02EZU AXLE, FRONT DRIVING</p>	05PSA	STD	





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>STEERING GEAR</b> (CONTINUED)  <b>Sheppard</b>  - <b>M100/M80</b> - (02) Dual Power REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY, 02ARZ, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING N/A: Code 02EZU AXLE, FRONT DRIVING  - <b>M100/M90</b> - (02) Dual Power REQS: Code 02AGT, 02ATB or 02AYT AXLE, FRONT NON-DRIVING -OR- AXLE, FRONT DRIVING	05PTB	\$1,159 +78/-4	
	05PUE	\$1,684 +85/-3	
<b>STEERING COLUMN</b>  Stationary  Tilting  Tilting and Telescoping	05AAA  05708  05710	<b>STD</b>  \$125 +8/+7  \$463 +10/+9	
<b>STEERING WHEEL</b>  4-Spoke; 18" Dia., Black  4-Spoke; 18" Dia., Black Leather Wrapped	05CAW  05CBE	<b>STD</b>  \$236  0/0	
<b>DRIVELINE SYSTEM</b>  <b>Dana Spicer</b>  1810HD, for 4x2/6x2 REQS: Code 01ANA(std) AXLE CONFIGURATION  Service Free SPL250, for 4x2/6x2 REQS: Code 01ANA(std) AXLE CONFIGURATION  SPL170 Main Driveline with SPL170 Interaxle Shaft, for 6x4 REQS: Code 01AND AXLE CONFIGURATION  SPL170, for 4x2/6x2 REQS: Code 01ANA(std) AXLE CONFIGURATION  SPL250, for 4x2/6x2 REQS: Code 01ANA(std) AXLE CONFIGURATION  1810HD Main Driveline with 1710 Interaxle Shaft, for 6x4 REQS: Code 01AND AXLE CONFIGURATION	06DGR  06DGM  06DGT  06DGC  06DGD  06DHB	<b>STD</b>  \$723 +1/+6  \$253 -4/-16  \$253 -4/-16  \$527 +1/+6  N/C 0/0	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>					
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>			
<p><b>DRIVELINE SYSTEM</b> (CONTINUED)</p> <p><i>Dana Spicer</i></p>						
SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4 REQS: Code 01AND AXLE CONFIGURATION	06DGU	\$527	+1/+6			
Service Free SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4 REQS: Code 01AND AXLE CONFIGURATION	06DGX	\$723	+1/+6			
SPL170 Main Driveline, SPL170 Driveline to Transfer Case, SPL170 Driveline to Front Axle, with SPL170 Interaxle Shaft, for 6x6 REQS: Code 01ANE AXLE CONFIGURATION	06DHS	\$653	-4/-16			
SPL250 Main Driveline, SPL250 Driveline to Transfer Case, SPL170 Driveline to Front Axle, with SPL170 Interaxle Shaft, for 6x6 REQS: Code 01ANE AXLE CONFIGURATION	06DHR	\$927	+1/+6			
<p><b>EXHAUST SYSTEM</b></p> <p>Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Short Horizontal Tail Pipe, Frame Mounted Right Side Back of Cab            REQS: Code 07BES, 07BEU or 07BEV AFTERTREATMENT COVER            REQS: Code 07WDR(std) TAIL PIPE            REQS: Code 08VTJ, 08VTR, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WJJ, 08WJN, 08XDZ or 08XGJ BATTERY BOX            REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK            N/A: Code 01ANE AXLE CONFIGURATION            : Code 04VKA AIR DRYER LOCATION, when in combination with Code 01CAW FRAME RAILS and Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL            : Code 04VCL, 04VHZ and 04VKH AIR TANK LOCATION            : Code 04VKK AIR TANK LOCATION, when in combination with Code 08VUJ or 08VUK BATTERY BOX            : Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE            : Code 13TKX TRANSFER CASE            : Code 13WDM HYDRAULIC RETARDER, when in combination with Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX or 13AUY TRANSMISSION, AUTOMATIC            : Code 13607 TRANSMISSION, AUXILIARY            : Code 07WAE and 07WAG RAIN CAP            (SEE NEXT PAGE)</p>				07BKP	<b>STD</b>	





# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV513 SFA	
<b>EXHAUST SYSTEM</b> (SEE PREV PAGE)			
REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVR, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 16SDD GRAB HANDLE, ADDITIONAL EXT, when in combination with Code 16196 CAB : Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME : Code 16SDC and 16SED GRAB HANDLE, EXTERIOR, when in combination with Code 16030 CAB : Code 16XRX and 16XSE MODESTY PANEL : Code 04VCL, 04VHZ and 04VKH AIR TANK LOCATION : Code 04692 and 04808 HOSE TENDER : Code 14WLM, 14WNN, 14WNNJ, 14WNL and 14WNNM AXLE, PUSHER, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 15LKD FUEL HEATER AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS	07BLD		
Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, Includes Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab, for Improved Ground Clearance REQS: Code 16ZBT or 16ZBU ACCESS, CAB REQS: Code 16ZHM ACCESS, CAB AND FRAME REQS: Code 16030(std) CAB REQS: Code 07BEV AFTERTREATMENT COVER REQS: Code 07WAY, 07WAZ, 07WBA or 07WDT TAIL PIPE REQS: Code 07WBS or 07WDN MUFFLER/TAIL PIPE GUARD REQS: Code 07WBU, 07WCC, 07WCR or 07WDM EXHAUST HEIGHT REQS: Code 07WBU, 07WCR or 07WDM EXHAUST HEIGHT REQS: Code 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN, 08XDZ or 08XGJ BATTERY BOX REQS: Code 15SGD, 15SGG, 15SGJ, 15SMD, 15SRE(std), 15SSC, 15SWE, 15SWG or 15SXN FUEL TANK N/A: Code 01ANE AXLE CONFIGURATION : Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME : Code 16XRX MODESTY PANEL : Code 04VKH AIR TANK LOCATION : Code 04692 and 04808 HOSE TENDER : Code 14WLM, 14WNN, 14WNNJ, 14WNL and 14WNNM AXLE, PUSHER, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 07WCC EXHAUST HEIGHT AVAIL: Code 16XSE MODESTY PANEL : Code 01MEJ FRAME, SPECIAL EFFECTS	07BLG	\$1,260 +34/+81	

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-64

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>EXHAUST SYSTEM</b>		<b>HV513 SFA</b>	
<p style="text-align: right;">(CONTINUED)</p> <p>Single, Vertical Aftertreatment Device, Frame Mounted Right Side Back of Cab, for Single Vertical Tail Pipe</p> <p>REQS: Code 16030(std) CAB</p> <p>REQS: Code 01WMA CROSSMEMBER, INTERMEDIATE</p> <p>REQS: Code 07WAY, 07WAZ, 07WBA or 07WDT TAIL PIPE</p> <p>REQS: Code 07WBS or 07WDN MUFFLER/TAIL PIPE GUARD</p> <p>REQS: Code 15DYP DEF TANK, when in combination with Code 08TST or 08TTR BATTERY BOX and Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC</p> <p>REQS: Code 15DYP DEF TANK, when in combination with Code 08TST or 08TTR BATTERY BOX and Code 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL</p> <p>REQS: Code 15DYP(std) DEF TANK</p> <p>REQS: Code 07WBU or 07WCC EXHAUST HEIGHT, when in combination with Code 07WAZ or 07WBA TAIL PIPE</p> <p>REQS: Code 04SPL or 04SPM(std) AIR COMPRESSOR</p> <p>REQS: Code 08TST, 08TTR, 08VUL(std), 08VUM or 08WJN BATTERY BOX</p> <p>REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL</p> <p>-OR- TRANSMISSION, AUTOMATIC</p> <p>REQS: Code 15DYZ, 15DZA, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p>N/A: Code 01ANE AXLE CONFIGURATION</p> <p style="padding-left: 20px;">: Code 16ZBP, 16ZGR and 16ZHH ACCESS, CAB AND FRAME, when in combination with Code 15SGD FUEL TANK</p> <p style="padding-left: 20px;">: Code 04AZS and 04AZY AIR BRAKE ABS, when in combination with Code 08TST or 08TTR BATTERY BOX and Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC and Code 15DYP DEF TANK</p> <p style="padding-left: 20px;">: Code 04AZS and 04AZY AIR BRAKE ABS, when in combination with Code 08TST or 08TTR BATTERY BOX and Code 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL and Code 15DYP DEF TANK</p> <p style="text-align: right;"><b>(SEE NEXT PAGE)</b></p>	<p>07BKN</p>	<p>\$3,417 -57/+79</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b> <b>NOTE: WEIGHTS - FRONT/REAR</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>EXHAUST SYSTEM</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span>  N/A: Code 04VCL, 04VKK and 04WZJ AIR TANK LOCATION : Code 13TKX TRANSFER CASE : Code 07BES, 07BEU and 07BEV AFTERTREATMENT COVER : Code 15LKD FUEL HEATER AVAIL: Code 16XRX MODESTY PANEL : Code 01MEJ FRAME, SPECIAL EFFECTS : Code 07WBU and 07WCC EXHAUST HEIGHT	07BKN		
<b>AFTERTREATMENT COVER</b>  Aluminum N/A: Code 07BKN and 07BLG EXHAUST SYSTEM  Polished Aluminum REQS: Code 16XTK or 16ZBB ACCESS, CAB or Code 16ZBP or 16ZGR ACCESS, CAB AND FRAME, when in combination with Code 07BKP EXHAUST SYSTEM N/A: Code 07BKN and 07BLG EXHAUST SYSTEM  Steel, Black REQS: Code 16XTK, 16ZBB, 16ZBT(std) or 16ZBU ACCESS, CAB N/A: Code 07BKN EXHAUST SYSTEM	07BEU  07BES  07BEV	\$278  \$498  N/C	+7/+4
<b>ENGINE COMPRESSION BRAKE</b>  by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch  Omit	07SDK  07SDX	<b>STD</b>  \$1,188CR	-47/-2
<b>EXHAUST HEIGHT</b>  10' REQS: Code 07BKS, 07BLD or 07BLG EXHAUST SYSTEM REQS: Code 07WAY, 07WAZ, 07WBA, 07WCY or 07WDT TAIL PIPE  10' 11" REQS: Code 07BKS, 07BLD or 07BLG EXHAUST SYSTEM REQS: Code 07WAY, 07WAZ, 07WBA, 07WCY or 07WDT TAIL PIPE  11' 6" REQS: Code 07BKN, 07BKS, 07BLD or 07BLG EXHAUST SYSTEM REQS: Code 07WAY, 07WAZ, 07WBA, 07WCY or 07WDT TAIL PIPE  13' 3" REQS: Code 07BKN, 07BKS or 07BLD EXHAUST SYSTEM REQS: Code 07WAY, 07WAZ, 07WBA, 07WCY or 07WDT TAIL PIPE	07WDM  07WCR  07WBU  07WCC	N/C  \$72  \$118  \$176	+1/+1  +1/+1  +2/0  +3/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>MUFFLER/TAIL PIPE GUARD</b>  (1) Aluminum REQS: Code 07BKN, 07BKS, 07BLD or 07BLG EXHAUST SYSTEM  (1) Bright Stainless Steel REQS: Code 07BKN, 07BKS, 07BLD or 07BLG EXHAUST SYSTEM N/A: Code 07WCY TAIL PIPE	07WDN  07WBS	N/C  \$133	  0 / 0
<b>RAIN CAP</b>  with Single Exhaust, Chrome Finish REQS: Code 07BKN, 07BKS, 07BLD or 07BLG EXHAUST SYSTEM REQS: Code 07WAY TAIL PIPE  with Single Exhaust, Non-Bright Finish REQS: Code 07BKN, 07BKS, 07BLD or 07BLG EXHAUST SYSTEM REQS: Code 07WDT TAIL PIPE	07WAG  07WAE	\$88  \$28	  + 2 / 0  + 2 / 0
<b>SWITCH, FOR EXHAUST</b>  3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF  2 Position, Lighted & Latching, On/Off Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in On Position	07WZX  07WZY	\$56  \$31	    
<b>TAIL PIPE</b>  (1) Horizontal, Short, with Heat Diffuser REQS: Code 07BKP(std) EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBU, 07WCC, 07WCR and 07WDM EXHAUST HEIGHT  (1) Straight Type REQS: Code 07BKN, 07BKS, 07BLD or 07BLG EXHAUST SYSTEM AVAIL: Code 07WAE RAIN CAP  (1) Straight Type, Bright REQS: Code 07BKN, 07BKS, 07BLD or 07BLG EXHAUST SYSTEM AVAIL: Code 07WAG RAIN CAP  (1) Turnback Type REQS: Code 07BKN, 07BKS, 07BLD or 07BLG EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP	07WDR  07WDT  07WAY  07WAZ	<b>STD</b>  \$64  \$208  \$64	  0 / 0  0 / 0  0 / 0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b> <b>NOTE: WEIGHTS - FRONT/REAR</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>TAIL PIPE</b> (CONTINUED)  (1) Turnback Type, Bright REQS: Code 07BKN, 07BKS, 07BLD or 07BLG EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP  (1) Turnback Type, Mounted to Right Side Frame Rail Inboard of Cab REQS: Code 07BKS EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP AVAIL: Code 07WDN MUFFLER/TAIL PIPE GUARD	07WBA    07WCY	\$208    \$208	0 / 0    0 / 0
<b>ELECTRICAL SYSTEM</b>  12-Volt, Standard Equipment INCLS: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : STARTER SWITCH Electric, Key Operated : WIRING, CHASSIS Color Coded and Continuously Numbered : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab	08000	STD	
<b>ALARM, PARK BRAKE, TIMER</b>  Programmable Parameter to Change Alarm Trigger Time	08XLT	N/C	0 / 0
<b>ALARM, PARKING BRAKE</b>  Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, with Ignition "OFF" and any Door Opened  Electric Horn Sounds in Repetitive Manner when Vehicle Park Brake is "NOT" Set, with Ignition "ON" or "OFF" and any Door Opened	08WXD   08XHC	\$42   \$42	0 / 0





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b> <b>NOTE: WEIGHTS - FRONT/REAR</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>ALTERNATOR</b>			
<i>Leece-Neville</i>			
- AVI160P2013 - Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount	08GXJ	<b>STD</b>	
- AVI160P2003 - Brush Type; 12 Volt 240 Amp. Capacity, Pad Mount, with Remote Sense	08GXB	\$350	0/0
- AVI160P2007 - Brush Type; 12 Volt 210 Amp. Capacity, Pad Mount, with Remote Sense	08GXC	\$253	0/0
- AVI160P2012 - Brush Type; 12 Volt 190 Amp. Capacity, Pad Mount, with Remote Sense	08GXE	\$217	-1/0
- BLP4006HN - Brushless, 12 Volt 325 Amp. Capacity, Pad Mount, with Remote Sense	08G XK	\$1,207	+16/+1
- 14931PAH - Brush Type, 12 Volt 320 Amp. Capacity, Pad Mount	08GWY	\$1,146	+15/-2
<i>Delco Remy</i>			
- 28SI - Brush Type, 12 Volt 200 Amp. Capacity, Pad Mount, with Remote Voltage Sensor	08GHU	\$253	-2/0
- 36SI - Brushless, 12 Volt 165 Amp. Capacity, Pad Mount, with Remote Voltage Sensor	08GGG	\$340	+6/0
- 40SI - Brushless, 12 Volt 240 Amp. Capacity, Pad Mount, with Remote Voltage Sensor	08GHK	\$871	+11/0
<b>AUXILIARY HARNESS</b>			
3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications N/A: Code 08THV DISCONNECT, FRONT HARNESS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	08THJ	\$158	+2/0
for Auxiliary Power Source; 30 Amp, Key Switched, 2-Pin Connector, Located on Floor Between Seats N/A: Code 16VSL WINDSHIELD : Code 08THV DISCONNECT, FRONT HARNESS : Code 08XJH FOG LIGHTS : Code 60ACX BDY INTG, THEFT DETERRENT SYS	08WEX	\$126	
<b>BACK-UP ALARM</b>			
Electric, 102 dBA	08THB	\$120	0/+3





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>BATTERY BOX</b>	<b>HV513 SFA</b>		
(CONTINUED)			
Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Cab REQS: Code 04VHZ, 04VKJ(std) or 04WZJ AIR TANK LOCATION REQS: Code 16ZBP or 16ZHM ACCESS, CAB AND FRAME REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 15DMV, 15DPL, 15DPM, 15DUX, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGG, 15SGJ, 15SJZ, 15SMD, 15SRE(std), 15SWD, 15SWE or 15SWG FUEL TANK N/A: Code 16196 CAB : Code 04WZJ AIR TANK LOCATION, when in combination with Code 01WLZ CROSSMEMBER, INTERMEDIATE : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 13WES OIL COOLER, TRANSFER CASE AVAIL: Code 08RLZ BATTERY DISCONNECT SWITCH	08VUM	\$410	- 6 / - 16
Aluminum, with Plastic Cover, 30" Wide, 2-4 Battery Capacity, Mounted Left Side Under Cab REQS: Code 04VKG AIR TANK LOCATION, when in combination with Code 16196 CAB REQS: Code 15DYR DEF TANK REQS: Code 16ZBP, 16ZGR or 16ZHH ACCESS, CAB AND FRAME REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SSC, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT or 15SVU FUEL TANK N/A: Code 16196 CAB : Code 08RLZ, 08WJV and 08WJW BATTERY DISCONNECT SWITCH, when in combination with Code 16196 CAB : Code 08WWD BATTERY BOX COVER : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 08TNR and 08TRV BATTERY CABLES : Code 13WES OIL COOLER, TRANSFER CASE AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 08WBW JUMP START STUD	08WJN	\$590	+ 21 / - 26
Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab REQS: Code 16030(std) CAB REQS: Code 04VKK or 04WZJ AIR TANK LOCATION REQS: Code 07BKS, 07BLD or 07BLG EXHAUST SYSTEM REQS: Code 16ZBP, 16ZGR or 16ZHH ACCESS, CAB AND FRAME REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 13WES OIL COOLER, TRANSFER CASE AVAIL: Code 08RLZ BATTERY DISCONNECT SWITCH	08VUK	\$545	- 8 / - 14



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>BATTERY BOX</b>		<b>HV513 SFA</b>	
(CONTINUED)			
Aluminum, with Plastic Cover, 30" Wide, 2-4 Battery Capacity, Mounted Right Side Under Cab REQS: Code 16030(std) CAB REQS: Code 04VKH AIR TANK LOCATION REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 16ZBP, 16ZGR or 16ZHH ACCESS, CAB AND FRAME REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 08WJV BATTERY DISCONNECT SWITCH : Code 08WWD BATTERY BOX COVER : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 08TNR and 08TRV BATTERY CABLES : Code 13WES OIL COOLER, TRANSFER CASE AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS	08TST	\$468	+20/-27
Aluminum, with Plastic Cover, 2-4 Battery Capacity, Mounted Left Side Perpendicular to Frame Rail, 35" Back of Cab REQS: Code 16030(std) CAB REQS: Code 04VCL, 04VKJ(std) or 04WZJ AIR TANK LOCATION REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 15DMV, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 04VKJ(std) AIR TANK LOCATION, when in combination with Code 01CAW FRAME RAILS : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 13WES OIL COOLER, TRANSFER CASE : Code 07BKN EXHAUST SYSTEM AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS	08VTR	\$568	+2/-19
Aluminum, with Plastic Cover, 2-4 Battery Capacity, Mounted Left Side Perpendicular to Frame Rail, 53" Back of Cab REQS: Code 16030(std) CAB REQS: Code 04WZJ AIR TANK LOCATION REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 07BKN EXHAUST SYSTEM AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 08TNR BATTERY CABLES	08VUN	\$642	-6/-19



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV513 SFA
BATTERY BOX (CONTINUED)		
Steel, with Fiberglass Cover, 2-4 Battery Capacity, Mounted Left Side Perpendicular to Frame Rail, 35" Back of Cab REQS: Code 16030(std) CAB REQS: Code 04VCL, 04VHZ, 04VKJ(std) or 04WZJ AIR TANK LOCATION, when in combination with Code 16030 CAB and Code 15DYP or 15DYR DEF TANK REQS: Code 04VCL, 04VKJ(std) or 04WZJ AIR TANK LOCATION, when in combination with Code 16CAB CAB and Code 15DYP or 15DYR DEF TANK REQS: Code 15SGD FUEL TANK, when in combination with Code 16ZHM ACCESS, CAB AND FRAME and Code 16030 CAB REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 15DMV, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 04VKG, 04VKH and 04VKK AIR TANK LOCATION : Code 04VKJ(std) AIR TANK LOCATION, when in combination with Code 01CAW FRAME RAILS : Code 13WES OIL COOLER, TRANSFER CASE : Code 07BKN EXHAUST SYSTEM AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 14WNH AXLE, PUSHER, LIFT TYPE  Steel, with Fiberglass Cover, 2-4 Battery Capacity, Mounted Left Side Perpendicular to Frame Rail, 26" Back of Cab REQS: Code 16030(std) CAB REQS: Code 04VHT, 04VKB or 04VKC(std) AIR DRYER LOCATION REQS: Code 04WZJ AIR TANK LOCATION REQS: Code 07BKS, 07BLD or 07BLG EXHAUST SYSTEM REQS: Code 15DMV, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE or 15SWG FUEL TANK N/A: Code 08RLZ BATTERY DISCONNECT SWITCH : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH and 13GYJ TRANSMISSION, MANUAL : Code 13WES OIL COOLER, TRANSFER CASE AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 08WWD BATTERY BOX COVER : Code 08WBW JUMP START STUD  Steel, with Fiberglass Cover, 2-4 Battery Capacity, Mounted Left Side Perpendicular to Frame Rail, 53" Back of Cab REQS: Code 04VCL, 04VKJ(std) or 04WZJ AIR TANK LOCATION REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB  <div style="text-align: right;">(SEE NEXT PAGE)</div>	<p>08WEJ</p> <p>08WEL</p> <p>08WJJ</p>	<p>\$210 + 13/-4</p> <p>\$210 + 13/-4</p> <p>\$267 +2/+3</p>



**HV513 SFA  
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HV513 SFA	NOTE: WEIGHTS - FRONT/REAR
<b>BATTERY BOX</b> (SEE PREV PAGE)			
REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 16CAB CAB : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 07BKN EXHAUST SYSTEM : Code 08WJA POWER SOURCE, SPECIAL AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 08TNR BATTERY CABLES  Steel, with Plastic Cover, 25" Wide, 2-3 Battery Capacity, Mounted Left Side Under Cab REQS: Code 16196 CAB REQS: Code 04VKG AIR TANK LOCATION REQS: Code 04091 BRAKE SYSTEM, AIR REQS: Code 15DYL DEF TANK REQS: Code 08MJR, 08MJU, 08MSG(std), 08MSL or 08NBR BATTERY SYSTEM REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT or 15SVU FUEL TANK N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME : Code 08RLZ, 08WJV and 08WJW BATTERY DISCONNECT SWITCH, when in combination with Code 16CAB or 16030 CAB : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 08TNR and 08TRV BATTERY CABLES : Code 13WES OIL COOLER, TRANSFER CASE : Code 07BKN and 07BLD EXHAUST SYSTEM AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 08WWD BATTERY BOX COVER : Code 08WBW JUMP START STUD  Steel, with Plastic Cover, 30" Wide, 2-4 Battery Capacity, Mounted Left Side Under Cab REQS: Code 04VKG AIR TANK LOCATION, when in combination with Code 16196 CAB REQS: Code 15DYL DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SSC, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT or 15SVU FUEL TANK N/A: Code 16196 CAB : Code 08RLZ, 08WJV and 08WJW BATTERY DISCONNECT SWITCH, when in combination with Code 16196 CAB : Code 08WJW BATTERY DISCONNECT SWITCH : Code 08WWD BATTERY BOX COVER : Code 08TNR and 08TRV BATTERY CABLES : Code 13WES OIL COOLER, TRANSFER CASE : Code 07BKN EXHAUST SYSTEM AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 14WLM AXLE, PUSHER, LIFT TYPE : Code 08WBW JUMP START STUD	08WJJ		
	08VUR	N/C +33/-19	
	08XGJ	\$432 +9/-8	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV513 SFA	
<b>BATTERY BOX</b> (CONTINUED)			
Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab REQS: Code 16030(std) CAB REQS: Code 04VHZ, 04VKK or 04WZJ AIR TANK LOCATION REQS: Code 07BKS, 07BLD or 07BLG EXHAUST SYSTEM REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 08WJW BATTERY DISCONNECT SWITCH : Code 14WNM AXLE, PUSHER, LIFT TYPE : Code 13WES OIL COOLER, TRANSFER CASE	08VUJ	\$101 0/0	
Steel, with Plastic Cover, 30" Wide, 2-4 Battery Capacity, Mounted Right Side Under Cab REQS: Code 16030(std) CAB REQS: Code 04VHZ, 04VKH or 04WZJ AIR TANK LOCATION REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 08WJV BATTERY DISCONNECT SWITCH : Code 08WWD BATTERY BOX COVER : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 08TNR and 08TRV BATTERY CABLES : Code 13WES OIL COOLER, TRANSFER CASE AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS	08TTR	N/C +22/-17	
Steel, 2-3 Battery Capacity, Mounted Inside the Cab, Under Passenger Seat REQS: Code 16SMX, 16SMY or 16SMZ SEAT, PASSENGER REQS: Code 16030(std) CAB REQS: Code 04VCL or 04WZJ AIR TANK LOCATION REQS: Code 08899 JUMP START STUD REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME : Code 08RLZ BATTERY DISCONNECT SWITCH : Code 04092 BRAKE SYSTEM, AIR or Code 08875 BATTERY TERMINALS : Code 08VUH, 08WGU and 08WWD BATTERY BOX COVER : Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE : Code 08MJR, 08MJU, 08MJV, 08MSG(std), 08MSH, 08MSL and 08NBR BATTERY SYSTEM : Code 08TNR and 08TRV BATTERY CABLES : Code 08TNR BATTERY CABLES <i>(SEE NEXT PAGE)</i>	08XDZ	\$1,105 +11/-4	

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-75

SUBJECT TO CHANGE WITHOUT NOTICE







## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>BATTERY BOX COVER</b>			
Aluminum REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WJJ, 08WJN or 08XGJ BATTERY BOX	08WGU	\$646 +3/+4	
Polished Aluminum REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WJJ, 08WJN or 08XGJ BATTERY BOX	08VUH	\$716 +10/+8	
Stainless Steel, Bright Finish REQS: Code 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL or 08WJJ BATTERY BOX	08WWD	\$726 +4/+7	
<b>BATTERY CABLES</b>			
with 36" of Extra Length Coiled and Strapped Near Battery Box REQS: Code 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08WEJ, 08WEK or 08WEL BATTERY BOX, when in combination with Code 08GGG, 08GHK, 08GHU, 08GXB, 08GXC, 08GXE or 08GXK ALTERNATOR REQS: Code 08VUJ or 08VUK BATTERY BOX, when in combination with Code 08875 BATTERY TERMINALS REQS: Code 08VUJ, 08VUK, 08VUL(std), 08VUM, 08WEK or 08WEL BATTERY BOX, when in combination with Code 08GGG, 08GHK, 08GHU, 08GXB, 08GXC or 08GXE ALTERNATOR REQS: Code 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WEL or 08WJJ BATTERY BOX REQS: Code 08MJR, 08MJU, 08MJV, 08MSG(std), 08MSH or 08NBR BATTERY SYSTEM N/A: Code 08RLZ BATTERY DISCONNECT SWITCH, when in combination with Code 08VUL BATTERY BOX	08TNR	\$178 +2/+1	
with 2 Auxiliary Sealed Battery Posts, 1 Positive and 1 Negative REQS: Code 08MJR, 08MJU, 08MSG, 08MSL or 08NBR BATTERY SYSTEM, when in combination with Code 08VTJ, 08VUR or 08WJJ BATTERY BOX REQS: Code 08MJR, 08MJU, 08MSG, 08MSL or 08NBR BATTERY SYSTEM, when in combination with Code 08VUJ BATTERY BOX REQS: Code 08875 BATTERY TERMINALS REQS: Code 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08WEJ, 08WEK or 08WEL BATTERY BOX	08TRV	\$140 +1/0	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<p><b>BATTERY DISCONNECT SWITCH</b></p> <p><i>Joseph Pollak</i></p> <p>for Cab Power Disconnect Switch, Disconnects Power to Power Distribution Center (PDC), Does Not Disconnect Charging Circuits, Lever Operated, Cab Mounted            REQS: Code 08VTJ, 08VTR, 08VUJ, 08VUL(std), 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN, 08XDZ or 08XGJ BATTERY BOX</p> <p>for Cab Power Disconnect Switch, Disconnects Power to Power Distribution Center (PDC), Does Not Disconnect Charging Circuits, Key Operated, Cab Mounted            REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XDZ BATTERY BOX            REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVR, 15SVS, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p><i>Cole-Hersee</i></p> <p>- 75920-06 -            300 Amp, Disconnects Cab Power, Does Not Disconnect Charging Circuits, Locks with Padlock, Battery Box Mounted            REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WJJ, 08WJN or 08XGJ BATTERY BOX            REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX or 13AUY TRANSMISSION, AUTOMATIC            -OR- TRANSMISSION, MANUAL            REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVR, 15SVS, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p>	<p>08WJV</p> <p>08WJW</p> <p>08RLZ</p>	<p>\$217</p> <p>\$217</p> <p>\$248</p>	<p>+3/+1</p> <p>+2/0</p> <p>+1/+1</p>
<p><b>BATTERY SYSTEM</b></p> <p><i>Fleetrite</i></p> <p>Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud            REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX</p>	<p>08MSG</p>	<p>STD</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>BATTERY SYSTEM</b>	<b>HV513 SFA</b>		
(CONTINUED)			
<b>Fleetrite</b>			
Maintenance-Free, (3) 12-Volt 2250CCA Total, Top Threaded Stud REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX	08MJR	\$126	+4/+8
Maintenance-Free, (3) 12-Volt 2850CCA Total, Top Threaded Stud REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX	08MJU	\$179	+7/+14
Maintenance-Free, (4) 12-Volt 2640CCA Total, Top Threaded Stud REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX	08MSH	\$317	+18/+35
Maintenance-Free, (4) 12-Volt 3800CCA Total, Top Threaded Stud REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX	08MJV	\$356	+28/+53
<b>- 31-PC2120 AGM -</b>			
Maintenance-Free, (3) AGM 12-Volt 2775CCA Total, Top Threaded Stud REQS: Code 08GGG, 08GHK, 08GHU, 08GWY, 08GXB, 08GXC, 08GXE, 08GXJ(std) or 08GXK ALTERNATOR REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX N/A: Code 08875 BATTERY TERMINALS AVAIL: Code 08TRV BATTERY CABLES	08MSL	\$1,162	+17/+32
<b>JCI</b>			
Maintenance-Free, (3) 12-Volt 2100CCA Total, Top Threaded Stud REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX AVAIL: Code 08WBW JUMP START STUD	08NBR	\$206	+9/+18



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b> <b>NOTE: WEIGHTS - FRONT/REAR</b>		
	<b>CODE</b>	<b>HV513 SFA</b>	
<b>BATTERY TERMINALS</b>  Sealed REQ: Code 08MJR, 08MJU, 08MJV, 08MSG(std), 08MSH or 08NBR BATTERY SYSTEM N/A: Code 08WJA POWER SOURCE, SPECIAL	08875	\$51  + 2/0	
<b>BEACON MOUNTING BRACKET</b>  Cab Provision Includes Roof Fairing Extender Brackets for Use with Customer Lighting REQ: Code 16030(std) CAB AIR: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 16917 MOUNTING BRACKETS	08VZP	\$143	
<b>BODY BUILDER WIRING</b>  To Rear of Frame, with Stop, Tail, Turn, and Marker Lights Circuits, Ignition Controlled Auxiliary Feed and Ground, Less Trailer Socket N/A: Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 08TME and 08TMG TRAILER CONNECTION SOCKET : Code 08TKK TRAILER AUXILIARY FEED CIRCUIT  Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn REQ: Code 04091(std) BRAKE SYSTEM, AIR  Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn REQ: Code 04091(std) BRAKE SYSTEM, AIR  INSIDE CAB; Includes Sealed Connectors for Tail/Amber, Turn/Marker/Backup/Accessory, Power/Ground, and Stop/Turn REQ: Code 04091(std) BRAKE SYSTEM, AIR	08HAA	\$327  + 2/0	
	08HAB	\$100  + 2/0	
	08HAE	\$209  0/+3	
	08HAU	\$302  + 1/0	
<b>CB RADIO</b>  Accommodation Package; Header Mounted; Feeds From Accessory Side of Ignition Switch; Includes Power Source and One (1) Antenna, Antenna Base with Wiring on Left Side Mirror REQ: Code 16SNM, 16SNN, 16SNP, 16SNR, 16SNS, 16SNT, 16SNU, 16SNV or 16SPJ MIRRORS AVAIL: Code 08TPB DATA RECORDER  Accommodation Package; Header Mounted; Feeds From Accessory Side of Ignition Switch; Includes Power Source and Two (2) Antennas, Antenna Bases with Wiring on Both Side Mirrors REQ: Code 16SNM, 16SNN, 16SNP, 16SNR, 16SNS, 16SNT, 16SNU, 16SNV or 16SPJ MIRRORS AVAIL: Code 08TPB DATA RECORDER	08RNB	\$337	
	08RNC	\$437	

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-80

SUBJECT TO CHANGE WITHOUT NOTICE



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>2-WAY RADIO</b>			
Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness	08REA	\$163 + 2/0	
Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab AVAIL: Code 08TPB DATA RECORDER	08RGA	\$211 + 1/0	
<b>CIRCUIT BREAKERS</b>			
Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	08XAH	<b>STD</b>	
<b>CIGAR LIGHTER</b>			
Includes Ash Cup	08518	\$18	
<b>CLEARANCE/MARKER LIGHTS</b>			
<i>Truck Lite</i>  (05) Amber LED Lights, Flush Mounted on Cab or Sunshade	08WPH	<b>STD</b>	
<b>COURTESY LIGHT</b>			
(02) Mounted In Front Map Pocket Left and Right Side REQS: Code 16VKB(std) or 16VKC CAB INTERIOR TRIM N/A: Code 16196 CAB	08WTP	\$48 + 1/0	
(04) Mounted In Front & Rear Map Pocket Left and Right Side REQS: Code 16VKD CAB INTERIOR TRIM REQS: Code 16196 CAB N/A: Code 60AAM BDY INTG, POWER MODULE AUX	08WTR	\$75 + 2/0	
<b>DATA RECORDER</b>			
Includes Display Mounted in Overhead Console REQS: Code 16HCK or 16HCL SEATBELT WARNING PREWIRE N/A: Code 08RNB and 08RNC CB RADIO AVAIL: Code 08REA 2-WAY RADIO	08TPA	\$1,770 + 2/0	
Less Display REQS: Code 16HCK or 16HCL SEATBELT WARNING PREWIRE	08TPB	\$1,340 + 2/0	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>DISCONNECT, FRONT HARNESS</b>  for Guide Post Lights; Connectors Located at Headlight Connection, for Customer Installation N/A: Code 08THJ and 08WEX AUXILIARY HARNESS	08THV	\$14 0/0	
<b>DOME LIGHT, CAB</b>  with Red Reading Lights REQ: Code 16VKB(std), 16VKC or 16VKD CAB INTERIOR TRIM N/A: Code 16VKK, 16VKL and 16VKM CAB INTERIOR TRIM	08XKG	\$27	
<b>ELECTRIC TRAILER BRAKE/LIGHTS</b>  Accommodation Package to Rear of Frame; for Separate Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake accommodation package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket REQ: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 08WJZ WORKLIGHT ON W/BACKUP : Code 08HAA BODY BUILDER WIRING : Code 08TME and 08TMG TRAILER CONNECTION SOCKET  Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket REQ: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 08WJZ WORKLIGHT ON W/BACKUP : Code 08HAA BODY BUILDER WIRING : Code 08TME and 08TMG TRAILER CONNECTION SOCKET	08HAG	\$363 0/+2	
	08HAH	\$363 0/+2	
<b>FOG LIGHTS</b>  (02) Clear Lens, Halogen, Rectangular, with White Light Source REQ: Code 01LLA(std), 01LLK, 01LMX, 01LNR, 01LNS, 01LRT, 01LZD, 01MBP, 01MDP, 01MDR or 01MDS BUMPER, FRONT AVAIL: Code 01WDS and 01WDT FRAME EXTENSION, FRONT  (02) Clear Lens, LED, Rectangular, with White Light Source REQ: Code 01LLA(std), 01LMX, 01LNR, 01LNS, 01LRT, 01LTR, 01LTS, 01LTT, 01LZD, 01MBP, 01MDP, 01MDR or 01MDS BUMPER, FRONT AVAIL: Code 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 08THJ AUXILIARY HARNESS	08XJG	\$185	
	08XJH	\$275	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>FOG LIGHTS</b> (CONTINUED)  (02) LED, Selective Yellow REQS: Code 01LLA(std), 01LMX, 01LNR, 01LNS, 01LRT, 01LTR, 01LTS, 01LTT, 01LZD, 01MBP, 01MDP, 01MDR or 01MDS BUMPER, FRONT AVAIL: Code 01WDS and 01WDT FRAME EXTENSION, FRONT  Prewire; Includes Auxiliary Switch and Wiring to Front Bumper, for Driving Lights or Fog Lights Mounted by Customer	08XJJ	\$301	
	08585	\$39	+ 1/0
<b>HEADLIGHT WARNING BUZZER</b>  Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	08WXB	\$49	0/0
<b>HEADLIGHTS</b>  Long Life Halogen REQS: Code 01ANE AXLE CONFIGURATION REQS: Code 01LRT or 01MDR BUMPER, FRONT	08WML	\$22	0/0
<b>HEADLIGHTS AUTO</b>  Automatically Turn On with Low Ambient Light Levels, Feature can be Overridden	08WXH	\$139	0/0
<b>HEADLIGHTS ON W/WIPERS</b>  Headlights Will Automatically Turn on if Windshield Wipers are turned on	08WRB	\$42	0/0
<b>HORN, AIR</b>  ACCOMMODATION PACKAGE; Less Horn N/A: Code 04VHZ AIR TANK LOCATION : Code 08695 SNOW SHIELD  Black, Single Trumpet, with Lanyard Pull Cord N/A: Code 08695 SNOW SHIELD  (02) Single Tone, Chrome, Roof Mounted, with Lanyard Pull Cord REQS: Code 16030(std) CAB N/A: Code 16917 MOUNTING BRACKETS	08WHE	\$88	+ 2/0
	08XHN	\$94	
	08HXT	\$413	
<b>HORN, ELECTRIC</b>  Disc Style  (02) Disc Style	08VAY	<b>STD</b>	
	08541	\$29	0/0
<b>IGNITION SWITCH</b>  Keyless	08630	\$35	+ 2/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

<b>ITEM DESCRIPTION</b>	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
	<b>HV513 SFA</b>		
<p><b>INDICATOR, BATTERY WARNING</b></p> <p>Green BATTERY ON Indicator, Mounted on Left Side of Instrument Panel, To be Used with Factory Installed or Customer Mounted Battery Disconnect Switch</p> <p>REC: Code 08RLZ, 08WJV or 08WJW BATTERY DISCONNECT SWITCH</p>	08WZP	\$59	+ 1/0
<p><b>JUMP START STUD</b></p> <p>(02) Remote Mounted            REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WJJ or 08XDZ BATTERY BOX</p> <p>REQS: Code 08MJR, 08MJU, 08MJV, 08MSG(std), 08MSH or 08MSL BATTERY SYSTEM</p> <p>REQS: Code 15DMV, 15DPL, 15DPM, 15DUX, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJJ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p>Remote Mounted            REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX</p> <p>N/A: BATTERY TERMINALS, when in combination with Code 08WEL BATTERY BOX and Code 08MJR, 08MJU, 08MSG or 08NBR BATTERY SYSTEM</p>	08899	\$214	+ 1/0
<p style="text-align: center;"><b>08WBW</b></p> <p style="text-align: center;">\$168</p> <p style="text-align: center;">+ 2/0</p>			
<p><b>JUNCTION BLOCK</b></p> <p>Stud, 100 Amp Battery Feed, Protected by a Fusible Link, Stud to Be Used for Body Builder Feeds Inside Cab</p>	08WZG	\$382	
<p><b>LIGHT, WORK</b></p> <p>Pedestal Mounted, Back of Cab, with Switch on Instrument Panel            REQS: Code 04092 BRAKE SYSTEM, AIR            N/A: Code 08WMA and 08WTT SWITCH, TOGGLE, FOR WORK LIGHT</p> <p><b>Truck Lite</b></p> <p>- 81 Series -            LED, Pedestal Mounted, Back of Cab, with Switch on Instrument Panel            REQS: Code 04092 BRAKE SYSTEM, AIR            N/A: Code 08WMA and 08WTT SWITCH, TOGGLE, FOR WORK LIGHT</p>	08WLL	\$119	+ 3/+2
<p style="text-align: center;"><b>08WAA</b></p> <p style="text-align: center;">\$248</p> <p style="text-align: center;">+ 3/+2</p>			





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>POWER SOURCE</b>  Cigar Type Receptacle without Plug and Cord REQS: Code 16XJN(std) INSTRUMENT PANEL	08718	\$30	+1/0
<b>POWER SOURCE, ADDITIONAL</b>  Auxiliary Power Outlet (APO) & USB Port, Located in the Instrument Panel	08XHR	\$38	
<b>POWER SOURCE, SPECIAL</b>  for Customer Installed Lift Gate; 200 Amp Max, Includes 2ga. Power Cable to End of Frame, Latched Switch on Instrument Panel, with a Time Out Feature, Battery Discharge Protection, Controlling a Mag Switch Which Provides Power REQS: Code 08VUJ, 08VUK, 08VUL, 08VUM, 08VUN, 08WEJ, 08WJN or 08XGJ BATTERY BOX REQS: Code 08MJR, 08MJU, 08MSG, 08MSL or 08NBR BATTERY SYSTEM REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJN or 08XGJ BATTERY BOX N/A: Code 14RAV and 14RAW AXLE, LIFT, CONTROLS : Code 08875 BATTERY TERMINALS : Code 08WBW JUMP START STUD or Code 08WJV and 08WJW BATTERY DISCONNECT SWITCH or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE, when in combination with Code 08VTN or 08WEK BATTERY BOX : Code 08WBW JUMP START STUD or Code 08WJV and 08WJW BATTERY DISCONNECT SWITCH, when in combination with Code 08WEK BATTERY BOX	08WJA	\$377	+3/+6
<b>POWER SOURCE, TERMINAL TYPE</b>  2-Post	08WCK	\$39	+1/0
<b>RADIO</b>  Omit, Includes Wiring and Antenna N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 08RPB RADIO, AUXILIARY CONTROLS  AM/FM/CD/WB/Clock/Auxiliary Input  AM/FM/WB/Clock/Auxiliary Input  AM/FM/CD/WB/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control  AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control	08RMX  08RMR  08RMP  08RMM  08RML	<b>STD</b>  \$474  \$368  \$763  \$483	  +2/0  +2/0  +2/0  +2/0

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-85**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>RADIO</b> (CONTINUED)  AM/FM/CD/WB/SiriusXM/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control REQS: Code 16SNM, 16SNN, 16SNP or 16SNR MIRRORS N/A: Code 16917 MOUNTING BRACKETS or Code 04808 HOSE TENDER, when in combination with Code 16SNS, 16SNT, 16SNU or 16SNV MIRRORS and Code 16CAB or 16196 CAB and Code 04092 BRAKE SYSTEM, AIR : MOUNTING BRACKETS, when in combination with Code 16SNS, 16SNT, 16SNU or 16SNV MIRRORS and Code 16030 CAB and Code 04092 BRAKE SYSTEM, AIR	08RMN	\$886 +2/0	
<b>RADIO, AUXILIARY CONTROLS</b>  Mounted in Steering Wheel, Radio Function Control Switch, Includes Volume Up/Down, Mute, Forward/Back and Bluetooth Answer/Disconnect REQS: Code 08RML, 08RMM, 08RMN, 08RMP or 08RMR RADIO N/A: Code 08XHW SWITCH, MARKER INTERRUPT	08RPB	\$103 0/0	
<b>RUNNING LIGHT</b>  (02) Daytime	08WNH	\$58 +1/0	
<b>SNOW SHIELD</b>  (02) Chrome; for Dual Air Horns REQS: Code 08HXT HORN, AIR N/A: Code 16917 MOUNTING BRACKETS	08695	\$33 +2/0	
<b>SOLENOID, AIR</b>  for Customer Use; Provides (1) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only with Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position  for Customer Use; Provides (2) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only with Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position  for Customer Use; Provides (3) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only with Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position	08WGA  08WGB  08WGC	\$105 +1/0  \$182 +2/0  \$207 +3/0	

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-86

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>SOLENOID, AIR</b> (CONTINUED)</p> <p>for Customer Use; Provides (4) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only with Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position</p> <p>for Customer Use; Provides (5) Normally Open Pilot Air Source, Approx. 4 CFM; Includes Latched Switch in Cab; Air Exhausted Only with Key in "Ignition" or "Accessory" position; Air Will be Supplied with Key in "Off" Position</p> <p>for Customer Use; Provides (6) Normally Open Pilot Air Source, Approx. 4 CFM; Includes Latched Switch in Cab; Air Exhausted Only with Key in "Ignition" or "Accessory" position; Air Will be Supplied with Key in "Off" Position</p> <p>for Customer Use; Provides (6) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only with Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position</p>	<p>08WGD</p> <p>08WGP</p> <p>08WGR</p> <p>08WKM</p>	<p>\$259</p> <p>\$311</p> <p>\$363</p> <p>\$363</p>	<p>+4/0</p> <p>+5/0</p> <p>+6/0</p> <p>+6/0</p>
<p><b>SPEAKERS</b></p> <p>Omit</p> <p>(2) 6.5" Dual Cone Mounted in Doors            REQS: Code 16030(std) CAB</p> <p>(2) 6.5" Dual Cone Mounted in Both Doors, (2)            5.25" Dual Cone Mounted in Both B-Pillars</p>	<p>08RMS</p> <p>08RMV</p> <p>08RMZ</p>	<p><b>STD</b></p> <p>\$48</p> <p>\$138</p>	<p></p> <p></p> <p>+6/+2</p>
<p><b>STARTING MOTOR</b></p> <p><i>Mitsubishi Electric Automotive America</i></p> <p>- <b>105P</b> -            12-Volt, with Soft-Start</p> <p><i>Delco Remy</i></p> <p>- <b>39MT</b> -            12 Volt, Gear Reduced, with Thermal Over-Crank Protection</p>	<p>08WXG</p> <p>08WTL</p>	<p><b>STD</b></p> <p>\$42</p>	<p></p> <p>0/0</p>



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>STOP, TURN, TAIL &amp; B/U LIGHTS</b>			
<i>Truck Lite</i>			
Super 44, with LED Lights for Stop, Turn, Tail and Backup Lights, with Power Module, "International" Termination and and Less Junction Box, Includes License Plate Light N/A: Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 01553 TIRE CARRIER : Code 01572 TOW HOOK, REAR : Code 01580 TOW LOOP, REAR	08TKJ	\$483	-1/+3
Super 44, with LED Lights for Stop, Turn & Tail Lights, Truck Lite Super 40 for Backup Lights, with Power Module, "International" Termination and Less Junction Box, Includes Incandescent License Plate Light N/A: Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 01553 TIRE CARRIER : Code 01580 TOW LOOP, REAR	08TKB	\$191	0/+5
<b>- Super 40 -</b> Less Power Module, Includes License Plate Light, with Separate Rear Reflectors, Less Rubber Mount N/A: Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 01553 TIRE CARRIER : Code 01572 TOW HOOK, REAR : Code 01580 TOW LOOP, REAR AVAIL: Code 08THB BACK-UP ALARM	08THM	\$98	0/+5
<i>Weldon</i>			
Multi-Function LED Lamp, Mounted Inside Rails, Includes LED License Plate Light N/A: Code 01553 TIRE CARRIER	08TPS	\$250	-4/+15
Multi-Function LED Lamp, Mounted Outside Rails, Includes LED License Plate Light N/A: Code 01553 TIRE CARRIER : Code 01572 TOW HOOK, REAR : Code 01580 TOW LOOP, REAR : Code 10WPR and 10WPT MUD FLAP HOLDER, when in combination with Code 01616 FRAME RAILS WITH TAPERED REAR	08TPR	\$178	-4/+15
<b>STOP-LIGHT WIRING MODIFIED</b>			
Stop-Lights Turned on When Engine Compression Brake, Exhaust Brake or Retarder is Activated	08VTV	\$22	0/0
<b>SWITCH, AIR HORN, PASSENGER</b>			
Fire Truck Application; Momentary Switch Located in Instrument Panel Close to Passenger, Driver Also To Activate Switch with Lanyard N/A: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	08XKM	\$57	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>SWITCH, AUXILIARY</b>			
Switch 40 amp Circuit for Customer Use; Includes Wiring Connection at Power Distribution Center (PDC) and Control in Cab N/A: Code 60ACW BDY INTG, I/O EXP HARNESS : Code 60ACX BDY INTG, THEFT DETERRENT SYS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP  Accessory Control; for Wiring in Roof, with Maximum of 20 amp Load with Switches In Instrument Panel REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL or 14RAM AXLE, LIFT, CONTROLS	08XBK	\$84	
	08TMH	\$70	+ 1/0
<b>SWITCH, BODY CIRCUITS, MID</b>			
with (2) Remote Power Modules Mounted on Battery Box Back of Cab, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total, Includes 2 Switch Packs with Momentary Switches REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX  N/A: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 60ABA, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION  with (2) Remote Power Modules Mounted in Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total, Includes 2 Switch Packs with Momentary Switches N/A: Code 13WYH TRANSMISSION TCM LOCATION, when in combination with Code 60AAM BDY INTG, POWER MODULE AUX : Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 60AAM BDY INTG, POWER MODULE AUX : Code 60ABA, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION : Code 16SBA BUNK, LOWER AVAIL: Code 08WSK SWITCH, BODY CIRCUITS, REAR	08SAJ	\$1,380	+ 4/0
	08VZS	\$1,480	+ 2/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<p><b>SWITCH, BODY CIRCUITS, MID</b> (CONTINUED)</p> <p>with Remote Power Module Mounted in Cab Behind Driver Seat, Up to 6 Outputs &amp; 6 Inputs, Max 20 amp per Channel, Max 80 amp Total, Includes 1 Switch Pack with Momentary Switches            N/A: Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR            : Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE            : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT            : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED            : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS            : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS            : Code 60AAM BDY INTG, POWER MODULE AUX            : Code 60ABA, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION            : Code 16SBA BUNK, LOWER</p> <p>with Remote Power Module Mounted on Battery Box Back of Cab, Up to 6 Outputs &amp; 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total, Includes 1 Switch Pack with Momentary Switches            REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX            N/A: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE            : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT            : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED            : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS            : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS            : Code 60ABA, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION</p>	<p>08VZR</p> <p>08WSM</p>	<p>\$790</p> <p>\$690</p>	<p>+ 1/0</p> <p>+ 4/0</p>
<p><b>SWITCH, BODY CIRCUITS, REAR</b></p> <p>with Remote Power Module Mounted at Rear on Frame, Up to 6 Outputs &amp; 6 Inputs, Max 20 amp per Channel, Max 80 amp Total, Includes 1 Switch Pack with Momentary Switches            REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, AIR, SINGLE            -OR- Code 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM            N/A: Code 08VZR SWITCH, BODY CIRCUITS, MID            : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT            : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>08WSK</p>	<p>\$690</p>	<p>+ 2/+ 2</p>





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>TEST EXTERIOR LIGHTS</b>  Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	08WPZ	\$42	0 / 0
<b>TRAILER AUXILIARY FEED CIRCUIT</b>  for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch REQ: Code 08HAG or 08HAH ELECTRIC TRAILER BRAKE/LIGHTS REQ: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 08HAA BODY BUILDER WIRING	08TKK	\$123	+ 1 / 0
<b>TRAILER CONNECTION SOCKET</b>  7-Way; Mounted at Rear of Frame, Wired for Turn Signals Combined with Stop, Compatible with Trailers That Use Combined Stop, Tail, Turn Lamps REQ: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08HAA BODY BUILDER WIRING : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 01580 TOW LOOP, REAR  7-Way; Mounted at Rear of Frame, Wired for Turn Signals Independent of Stop, Compatible with Trailers That Have Amber or Side Turn Lamps REQ: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08HAA BODY BUILDER WIRING : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 01580 TOW LOOP, REAR	08TMG	\$439	0 / + 7
	08TME	\$439	0 / + 7
<b>TURN SIGNALS, FRONT</b>  Includes LED Side Turn Lights Mounted on Fender  Dual Face, LED, Amber/Red, Mounted on Top of Fender, Used with Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors  Dual Face, LED, Amber/Amber, Mounted on Top of Fender, Used with Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors	08XGT	<b>STD</b>	
	08VZK	\$187	
	08XJE	\$187	
<b>TURN SIGNAL SWITCH</b>  with Hazard Flasher Overrides Brake, To be Done with Programming System Controller	08THN	\$42	+ 1 / 0
<b>USB PORT</b>  (1) Located in the Instrument Panel	08XKY	\$46	





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>USB PORT</b> (CONTINUED) (2) Located in the Instrument Panel	08XKZ	\$92	
<b>WINDSHIELD WIPER SPD CONTROL</b> Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	08WGL	\$42	0/0
<b>WIRING, SPECIAL</b> Includes Wires Installed Through the Dash Panel and End in Engine Compartment, In Cab Wire Ends Will Have ESC Input Terminals, Engine Compartment Wire Ends will have Sealed Connectors	08HAT	\$51	0/0
<b>WORKLIGHT ON W/BACKUP</b> Work Lights will Activate when Vehicle is in Reverse REQS: Code 08WAA or 08WLL LIGHT, WORK or Code 08WMA or 08WTT SWITCH, TOGGLE, FOR WORK LIGHT N/A: Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : ELECTRIC TRAILER BRAKE/LIGHTS	08WJZ	\$31	+ 3/0
<b>FRONT END</b> Tilting, Fiberglass, with Three Piece Construction, Includes Long Hood	09WBK	<b>STD</b>	
<b>BUG DEFLECTOR</b> Smoked Colored Plastic, Mounted on Hood N/A: Code 09ANG HOOD, HATCH	09WAD	\$327	0/0
<b>BUG SCREEN</b> Mounted Behind Grille	09WAC	\$131	+ 5/0
<b>FENDER EXTENSIONS</b> Rubber Omit	09585 09593	<b>STD</b> \$104CR	 - 11/0
<b>GRILLE</b> Stationary, Chrome Stationary, Painted Grille & Headlight Bezels 8752 Charcoal Metallic	09HBM 09HAT	<b>STD</b> \$22CR	 0/0

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-93

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b> <b>NOTE: WEIGHTS - FRONT/REAR</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>GRILLE EMBER SCREEN</b>  Mounted to Grille and Cowl Tray to Keep Hot Embers out of Engine and HVAC Air Intake System N/A: Code 16WLS FRESH AIR FILTER	09WBT	\$201	0 / 0
<b>HOOD, HATCH</b>  (01) for Servicing N/A: Code 09WAD BUG DEFLECTOR : Code 12WZB EMISSION COMPLIANCE	09ANG	\$444	+ 5 / 0
<b>INSULATION, SPLASH PANELS</b>  for Sound Abatement	09HBN	\$76	+ 3 / 0
<b>LOGOS EXTERIOR</b>  Model Badges Model Badges, Shipped Loose, Located in Cab  Omit Model Badges	09AAB 09AAC 09AAD	<b>STD</b> N/C N/C	  - 2 / 0
<b>LOGOS EXTERIOR, ENGINE</b>  Badges  Badge Shipped Loose	09AAE 09AAH	<b>STD</b> N/C	
<b>QUARTER FENDERS</b>  for Lift Axle, Mirror-Finished Stainless Steel Frame Mounted N/A: SUSPENSION, REAR, AIR, TANDEM AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE  for Rear Wheels, Mirror-Finished Stainless Steel, Frame Mounted REQS: Code 14UAC or 14UAD AXLE SPACING, FIRST PUSHER, when in combination with Code 14WLM AXLE, PUSHER, LIFT TYPE and Code 14WNH AXLE, PUSHER, LIFT TYPE and Code 14WNJ AXLE, PUSHER, LIFT TYPE N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE	09512  09505	\$297  \$318	+ 6 / + 12  0 / + 18
<b>CHASSIS COATING</b>  Corrosion Resistant E-Coat Primer Coating for Single Frame Rails N/A: Code 01GBP FRAME REINFORCEMENT	10021	\$500	0 / 0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b> <b>NOTE: WEIGHTS - FRONT/REAR</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>CHASSIS COATING</b> (CONTINUED)  Corrosion Resistant E-Coat Primer Coating for Reinforced Frame Rails REQS: Code 01CBU(std) or 01CGE FRAME RAILS REQS: Code 01GBP FRAME REINFORCEMENT	10022	\$1,000 0/0	
<b>CUSTOMER SERVICES</b>  <b>Navistar</b>  OnCommand Repair Advocate Service; 12-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARM	\$258 0/0	
OnCommand Repair Advocate Services; 24-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARN	\$516 0/0	
OnCommand Repair Advocate Services; 36-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARP	\$774 0/0	
OnCommand Repair Advocate Services; 48-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARR	\$1,032 0/0	
OnCommand Repair Advocate Services; 60-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARS	\$1,290 0/0	
<b>FIFTH WHEEL, AIR SLIDE</b> NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section  <b>Fontaine</b>  - SL7LWB675024 - 24" Slide, Cast Top Plate, 6.75" Above Top of Frame, Left Hand Release REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM  <div style="text-align: right;"><i>(SEE NEXT PAGE)</i></div>	10HJA	\$2,773 0/+503	





# HV513 SFA

## AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>FIFTH WHEEL, AIR SLIDE (CONTINUED)</b>            NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p><i>Fontaine</i></p> <p>- <b>SL7LWB825024</b> -            24" Slide, Cast Top Plate, 8.25" Above Top of Frame, Left Hand Release            REQS: Code 810000 FIFTH WHEEL LOCATION            REQS: Code 04092 BRAKE SYSTEM, AIR            REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ            SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 01CGE FRAME RAILS                  : Code 01GBP FRAME REINFORCEMENT                  : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY                  : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p>- <b>SL7LWB925024</b> -            24" Slide, Cast Top Plate, 9.25" Above Top of Frame, Left Hand Release            REQS: Code 810000 FIFTH WHEEL LOCATION            REQS: Code 04092 BRAKE SYSTEM, AIR            REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ            SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 01CGE FRAME RAILS                  : Code 01GBP FRAME REINFORCEMENT                  : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY                  : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p><i>Holland</i></p> <p>- <b>FW35A824XL00</b> -            24" Slide, 7.7" Above Top of Frame, Left Hand Release            REQS: Code 810000 FIFTH WHEEL LOCATION            REQS: Code 04092 BRAKE SYSTEM, AIR            REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ            SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 01CGE FRAME RAILS                  : Code 01GBP FRAME REINFORCEMENT                  : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY</p> <p align="right"><i>(SEE NEXT PAGE)</i></p>	<p>10HJC</p> <p>10HJD</p> <p>10GYJ</p>	<p>\$2,978 0/+511</p> <p>\$2,905 0/+518</p> <p>\$3,051 0/+504</p>	

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-97

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable





# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT  
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>FIFTH WHEEL, STATIONARY</b> NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p><b>Fontaine</b></p> <p>- <b>SL7FMA-D69-2</b> - Cast Top Plate, 7.69" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES : Code 810006 and 810010 FIFTH WHEEL LOCATION, when in combination with Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL or 14698 SUSPENSION, REAR, TANDEM</p> <p>- <b>SL7FMA-D69-3</b> - Cast Top Plate, 8.69" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES : Code 810006 and 810010 FIFTH WHEEL LOCATION, when in combination with Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL or 14698 SUSPENSION, REAR, TANDEM</p> <p><b>Holland</b></p> <p>- <b>FW35-S801XL</b> - 9.21" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE</p> <p align="center">(SEE NEXT PAGE)</p>	<p>10EYD</p> <p>10EYC</p> <p>10HKG</p>	<p>\$2,168 0/+400</p> <p>\$2,187 0/+408</p> <p>\$2,485 0/+390</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>FIFTH WHEEL, STATIONARY (SEE PREV PAGE)</b>            NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p><b>Holland</b></p> <p><b>- FW35-S801XL -</b>            N/A: Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES            : Code 810006 and 810010 FIFTH WHEEL LOCATION, when in combination with Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL or 14698 SUSPENSION, REAR, TANDEM</p> <p><b>Jost</b></p> <p><b>- JSK36NSL-DB7-N001 -</b>            6.85" Above Top of Frame, Left Hand Release            REQS: Code 04092 BRAKE SYSTEM, AIR            REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 01CGE FRAME RAILS            : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE            : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p><b>- JSK36NSL-DB7X -</b>            6.93" Above Top of Frame, Left Hand Release            REQS: Code 04092 BRAKE SYSTEM, AIR            REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 01CGE FRAME RAILS            : Code 01GBP FRAME REINFORCEMENT            : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE            : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p><b>- JSK36NSL-DB8X -</b>            7.93" Above Top of Frame, Left Hand Release            REQS: Code 04092 BRAKE SYSTEM, AIR            REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 01CGE FRAME RAILS            : Code 01GBP FRAME REINFORCEMENT            : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE</p> <p style="text-align: right;"><b>(SEE NEXT PAGE)</b></p>	<p>10HKG</p> <p>10HKP</p> <p>10JAX</p> <p>10JAY</p>	<p></p> <p>\$1,928 0/+339</p> <p>\$1,928 0/+373</p> <p>\$1,928 0/+378</p>	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-100**

**SUBJECT TO CHANGE WITHOUT NOTICE**





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>FIFTH WHEEL, STATIONARY (SEE PREV PAGE)</b>            NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p><b>Jost</b></p> <p>- <b>JSK36NSL-DB8X</b> -            N/A: Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p>- <b>JSK36NSL-DB9X</b> -            8.93" Above Top of Frame, Left Hand Release            REQS: Code 04092 BRAKE SYSTEM, AIR            REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 01CGE FRAME RAILS                  : Code 01GBP FRAME REINFORCEMENT                  : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE                  : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p>- <b>JSK37USL-PM-003</b> -            8.16" Above Top of Frame, Left Hand Release            REQS: Code 04092 BRAKE SYSTEM, AIR            REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 01CGE FRAME RAILS                  : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE                  : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES                  : Code 810006 and 810010 FIFTH WHEEL LOCATION, when in combination with Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL or 14698 SUSPENSION, REAR, TANDEM</p> <p>- <b>JSK37USL-PM-004</b> -            9.16" Above Top of Frame, Left Hand Release            REQS: Code 04092 BRAKE SYSTEM, AIR            REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 01CGE FRAME RAILS                  : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE                  : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p style="text-align: right;"><b>(SEE NEXT PAGE)</b></p>	<p>10JAY</p> <p>10JAZ</p> <p>10HKH</p> <p>10HKE</p>	<p></p> <p>\$1,928 0/+385</p> <p>\$1,977 0/+369</p> <p>\$1,924 0/+373</p>	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-101**

**SUBJECT TO CHANGE WITHOUT NOTICE**



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>FIFTH WHEEL, STATIONARY (SEE PREV PAGE)</b>            NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p><b>Jost</b></p> <p>- <b>JSK37USL-PM-004</b> -            N/A: Code 810006 and 810010 FIFTH WHEEL LOCATION, when in combination with Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL or 14698 SUSPENSION, REAR, TANDEM</p>			
<p><b>FIFTH WHEEL LOCATION</b></p>			
On Rear Axle Centerline	810000	N/C	
02.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10WDN FIFTH WHEEL MOUNTING ANGLES	810002	N/C	
04.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE AVAIL: Code 10STA FIFTH WHEEL MOUNTING ANGLES	810004	N/C	
06.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE AVAIL: Code 10STA FIFTH WHEEL MOUNTING ANGLES	810006	N/C	
08.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE AVAIL: Code 10STA FIFTH WHEEL MOUNTING ANGLES	810008	N/C	
10.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE AVAIL: Code 10STA FIFTH WHEEL MOUNTING ANGLES	810010	N/C	
12.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE AVAIL: Code 10STA FIFTH WHEEL MOUNTING ANGLES	810012	N/C	
14.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE AVAIL: Code 10STA FIFTH WHEEL MOUNTING ANGLES	810014	N/C	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-102**

**SUBJECT TO CHANGE WITHOUT NOTICE**



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>FIFTH WHEEL LOCATION</b> (CONTINUED)</p> <p>16.0" Ahead of Rear Axle Centerline            N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE            : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY, when in combination with Code 14TBJ SUSPENSION, REAR, AIR, SINGLE            AVAIL: Code 10STA FIFTH WHEEL MOUNTING ANGLES</p>	810016	N/C	
<p><b>FIFTH WHEEL MOUNTING ANGLES</b></p> <p>for Manual Sliding Type Fifth Wheels Only            REQS: Code 810000 or 810002 FIFTH WHEEL LOCATION            REQS: Code 04092 BRAKE SYSTEM, AIR            REQS: Code 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 01CGE FRAME RAILS            : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE            : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY</p> <p>Special; FMA MTG STYLE, Accommodate 38" Spread with 3/4" Bolts for Stationary 5th Wheel            REQS: Code 04092 BRAKE SYSTEM, AIR            REQS: Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 01CGE FRAME RAILS            : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE            : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY</p> <p>On Axle Centerline for Up to 24" Air Slide 5th Wheels; Includes Air Hosing, (1) Solenoids and (1) Electrical Switches, For Slide Release only            REQS: Code 810000 FIFTH WHEEL LOCATION            REQS: Code 04092 BRAKE SYSTEM, AIR            N/A: Code 01CGE FRAME RAILS            : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE            : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY</p>	10WDA	\$438 0/+44	
	10STA	\$425 0/+44	
	10WDN	\$438 0/+44	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-103**

**SUBJECT TO CHANGE WITHOUT NOTICE**



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>FIRE EXTINGUISHER</b>  5 lb Class A B C REQ: Code 10XAP FIRE EXTINGUISHER BRACKET	10XAN	\$154	
<b>FIRE EXTINGUISHER BRACKET</b>  Mounted Left Side Driver Seat REQ: Code 16JJD, 16JNT(std), 16JNV, 16JPX, 16JPY, 16LJL or 16LSD SEAT, DRIVER	10XAP	N/C	
<b>HUBODOMETER</b>  <b>Stemco</b>  English Reading (Miles) Mounted Rear Wheels Left Side REQ: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERB or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM  Metric Only Rear Wheels NOTE: 010003	10441	\$97	0/+2
	10443	\$98	0/+2
<b>KEYS - ALL ALIKE</b>  Fleet - Includes Ignition and Cab Door Keys	10943	\$48	0/0
<b>LABEL, DEF</b>  "DEF ONLY"	10BAE	\$8	0/0
<b>LANGUAGE IDENTITY</b>  for French N/A: LABEL, DEF NOTE: 010003	10WAW	N/C	0/0
<b>MUD FLAP HOLDER</b>  Spring Loaded, Painted Black, with Red and White Reflective Tape, Less Flaps REQ: Code 01616 FRAME RAILS WITH TAPERED REAR, when in combination with Code 14UNU SUSPENSION, REAR, AIR, TANDEM  N/A: Code 60AAM BDY INTG, POWER MODULE AUX or Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR, when in combination with Code 01AND AXLE CONFIGURATION  Spring Loaded, Painted Black, 45-Degree End, with Red and White Reflective Tape, Less Flaps REQ: Code 01616 FRAME RAILS WITH TAPERED REAR, when in combination with Code 14UNU SUSPENSION, REAR, AIR, TANDEM	10WPR	\$105	0/+34
	10WPT	\$121	0/+34
<b>(SEE NEXT PAGE)</b>			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>MUD FLAP HOLDER</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span>  N/A: Code 60AAM BDY INTG, POWER MODULE AUX or Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR, when in combination with Code 01AND AXLE CONFIGURATION	10WPT		
<b>MUD FLAPS, REAR</b>  Black Poly, with International Logo, Less Holders REQS: Code 10WPR or 10WPT MUD FLAP HOLDER	10WSX	\$58	0/+8
<b>OVER THE AIR PROGRAMMING</b>  <i>Navistar</i>  for Navistar or International Engines	10AAX	\$250	0/0
<b>PAINT, CAB SUNSHADE</b>  Single Color other than Cab Roof Color REQS: Code 16XWD SUNSHADE, EXTERIOR	10614	\$420	0/0
<b>PAINT CLASS</b>  Premium Color	10769	\$600	0/0
Single Custom Color	10771	\$700	0/0
<b>PAINT IDENTITY, PT-2</b>  Single Color, Instruction No. 932. Wheels N/A: Code 27DPN, 27DPR and 27DTZ WHEELS, FRONT : Code 28DPR and 32WAA WHEELS, REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS  Single Color, Instruction No. 936. Frame/Running Gear, Less Fuel Tanks INCLS: NOTE: Battery Box, Air Tanks, Fuel Tanks, Steps and Straps NOT Painted  Two Tone, Instruction No. 946. Frame/Running Gear and Wheels, Less Fuel Tank INCLS: NOTE: Battery Box, Air Tanks, Fuel Tanks, Steps and Straps NOT Painted N/A: Code 27DPN, 27DPR and 27DTZ WHEELS, FRONT : Code 28DPR and 32WAA WHEELS, REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS	10632	\$303	0/0
	10636	\$600	0/0
	10646	\$1,406	0/0
<b>PAINT, NON-REFLECTING</b>  Non-Reflecting Paint	10661	\$568	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>PAINT SCHEMATIC, PT-1</b>		<b>HV513 SFA</b>	
Single Color, Design 100 INCLS: PAINT SCHEMATIC ID LETTERS "WM"	10060	<b>STD</b>	
Two Tone, Design 208.	10208	\$700	0/0
Two Tone, Design 209.	10209	\$850	0/0
<b>PAINT TYPE</b>			
Base Coat/Clear Coat, 1-2 Tone	10761	<b>STD</b>	
<b>QUARTER FENDERS</b>			
for Rear Wheels, Black Plastic; Frame Mounted REQS: Code 14UAC or 14UAD AXLE SPACING, FIRST PUSHER, when in combination with Code 14WLM AXLE, PUSHER, LIFT TYPE and Code 14WNH AXLE, PUSHER, LIFT TYPE and Code 14WNJ AXLE, PUSHER, LIFT TYPE N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE	10WTR	\$188	0/+18
<b>SAFETY TRIANGLES</b>			
	10WCY	\$47	+10/+2
<b>SPECIAL RATING, GVWR</b>			
Limited to 66,000-lb GVWR REQS: Code 01AND AXLE CONFIGURATION REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING REQS: Code 14TBU or 14TBW SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 14ASC, 14ERB or 14ERC AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 02EZX AXLE, FRONT DRIVING	10NZN	N/C	0/0
Limited to 80,000-lb GVWR REQS: Code 01AND AXLE CONFIGURATION REQS: Code 14WLM, 14WNH, 14WNJ or 14WNM AXLE, PUSHER, LIFT TYPE REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14TBU or 14TBW SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM (SEE NEXT PAGE)	10NZL	N/C	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>SPECIAL RATING, GVWR</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span>  REQS: Code 14ASC, 14ERB or 14ERC AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 16196 CAB : Code 01CAG FRAME RAILS : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 02EZU AXLE, FRONT DRIVING	10NZL		
<b>TOOL KIT</b>  Rim Wrench and Handle Only	10506	\$69	+13/0
<b>CLUTCH</b> NOTE: For ENGINE/CLUTCH COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book  Omit Item (Clutch & Control) N/A: Code 11WAE GREASE FITTINGS : TRANSMISSION, MANUAL  <b>Eaton Fuller</b>  <b>- Advantage -</b> Self-Adjusting, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Coaxial VCT Plus PD Damper (Soft Rate) Mechanical Pull-Type Control, 6-Button Disc, 1860 lb-ft Torque Capacity REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC  Self-Adjusting, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Coaxial VCT Plus PD Damper (Soft Rate) Mechanical Pull-Type Control, 4-Button Disc, 1750 lb-ft Torque Capacity REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC  Self-Adjusting, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Coaxial VCT Plus PD Damper (Soft Rate) Mechanical Pull-Type Control, 6-Button Disc, 2050 lb-ft Torque Capacity REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	11001	<b>STD</b>	
	11MRT	\$421	+127/+32
	11MRU	N/C	+125/+31
	11MRV	\$332	+127/+32



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>CLUTCH</b> (CONTINUED)            NOTE: For ENGINE/CLUTCH COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p>			
<p><b>Eaton Fuller</b></p>			
<p><b>- Advantage -</b></p>			
<p>Self-Adjusting, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Coaxial VCT Plus Damper (Soft Rate) Mechanical Pull-Type Control, 6-Button Disc, 1860 lb-ft Torque Capacity            REQS: Code 12BDX(std) ENGINE, DIESEL            N/A: TRANSMISSION, MANUAL                  : TRANSMISSION, AUTOMATIC</p>	11MRW	\$77 + 127/+32	
<p><b>- Easy-Pedal Advantage -</b></p>			
<p>Manual Adjust, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring with Pre-Damper (Soft Rate) Mechanical Pull-Type Control, 6-Button Disc, 1850 lb-ft Torque Capacity            REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL            N/A: TRANSMISSION, AUTOMATIC</p>	11MHP	\$403 + 125/+31	
<p>Manual Adjust, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring with Pre-Damper (Soft Rate) Mechanical Pull-Type Control, 4-Button Disc, 1750 lb-ft Torque Capacity            N/A: TRANSMISSION, MANUAL                  : TRANSMISSION, AUTOMATIC</p>	11MHR	N/C + 125/+31	
<p><b>- ECA-1850 -</b></p>			
<p>Two-Plate, Ceramic, 7-Spring with Pre-Damper, 15.5" Diameter, with Adjustment-Free Feature, 1850 lb-ft Torque Capacity            REQS: Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL            N/A: Code 11WAE GREASE FITTINGS                  : TRANSMISSION, AUTOMATIC</p>	11MGP	N/C + 132/+35	
<p><b>CLUTCH EFFECTS</b></p>			
<p>Hydraulic Clutch Actuation System            REQS: Code 13WAS CLUTCH HOUSING            REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL            N/A: Code 11WAE GREASE FITTINGS                  : TRANSMISSION, AUTOMATIC</p>	11WAJ	\$372	





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>CLUTCH EFFECTS</b> (CONTINUED)  Hydraulic Clutch Actuation System, with Air Assist REQS: Code 13WAS CLUTCH HOUSING REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL N/A: Code 11WAE GREASE FITTINGS : TRANSMISSION, AUTOMATIC	11WAK	\$457	
<b>GREASE FITTINGS</b>  Remote; for Clutch Cross Shaft REQS: Code 11MHP, 11MHR, 11MRT, 11MRU, 11MRV or 11MRW CLUTCH N/A: Code 11WAJ and 11WAK CLUTCH EFFECTS	11WAE	\$31	
<b>ACCESSORY WIRING, SPECIAL</b>  for Road Speed Wire Coiled Under Instrument Panel for Customer Use N/A: Code 12VGA ENGINE CONTROL, REMOTE MOUNTED	12VYL	\$45	
<b>ENGINE, DIESEL</b> NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book  <i>International</i>  <b>- A26 -</b> EPA 2017, 365HP @ 1700 RPM, 1250 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 365 Peak HP (Max) REQS: Code 01UAM, 01UAN, 01WDR, 01WDS or 01WDT FRAME EXTENSION, FRONT or Code 01LLA, 01LLK, 01LNR, 01LTR, 01LTS, 01LTT or 01LZD BUMPER, FRONT REQS: Code 07SDK or 07SDX ENGINE COMPRESSION BRAKE REQS: Code 09HBN INSULATION, SPLASH PANELS N/A: CROSSMEMBER, INTERMEDIATE LOC REC: Code 12WEG COLD STARTING EQUIPMENT  EPA 2017, 370HP @ 1700 RPM, 1350 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max) REQS: Code 01UAM, 01UAN, 01WDR, 01WDS or 01WDT FRAME EXTENSION, FRONT or Code 01LLA, 01LLK, 01LNR, 01LTR, 01LTS, 01LTT or 01LZD BUMPER, FRONT REQS: Code 07SDK or 07SDX ENGINE COMPRESSION BRAKE REQS: Code 09HBN INSULATION, SPLASH PANELS  <div style="text-align: right;"><i>(SEE NEXT PAGE)</i></div>	12BDX	<b>STD</b>	
	12BDY	N/C	0/0



# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>ENGINE, DIESEL</b> <span style="float: right;">(SEE PREV PAGE)</span></p> <p>NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>International</b></p> <p><b>- A26 -</b></p> <p>REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL</p> <p>-OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AAZ, 13AAU, 13AAZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC</p> <p>N/A: CROSSMEMBER, INTERMEDIATE LOC : Code 11MRW CLUTCH REC: Code 12WEG COLD STARTING EQUIPMENT</p> <p>EPA 2017, 390HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 390 Peak HP (Max)</p> <p>REQS: Code 01UAM, 01UAN, 01WDR, 01WDS or 01WDT FRAME EXTENSION, FRONT or Code 01LLA, 01LLK, 01LNR, 01LTR, 01LTS, 01LTT or 01LZD BUMPER, FRONT</p> <p>REQS: Code 07SDK or 07SDX ENGINE COMPRESSION BRAKE</p> <p>REQS: Code 09HBN INSULATION, SPLASH PANELS</p> <p>REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL</p> <p>-OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AAZ, 13AAU, 13AAZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC</p> <p>N/A: CROSSMEMBER, INTERMEDIATE LOC : Code 11MRW CLUTCH REC: Code 12WEG COLD STARTING EQUIPMENT</p> <p>EPA 2017, 410HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 410 Peak HP (Max)</p> <p>REQS: Code 01UAM, 01UAN, 01WDR, 01WDS or 01WDT FRAME EXTENSION, FRONT or Code 01LLA, 01LLK, 01LNR, 01LTR, 01LTS, 01LTT or 01LZD BUMPER, FRONT</p> <p>REQS: Code 07SDK or 07SDX ENGINE COMPRESSION BRAKE</p> <p>REQS: Code 09HBN INSULATION, SPLASH PANELS</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>			
	12BDY		
	12BDZ	\$224	0/0
	12BEA	\$633	0/0

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-110**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable



**HV513 SFA  
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT  
 NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>ENGINE, DIESEL (SEE PREV PAGE)</b>            NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION            COMPATIBILITY, See Charts in the            Compatibility Chart Section of Electronic            Price pages or CT-400 Sales Data Book</p>			
<p><i>International</i></p>			
<p><b>- A26 -</b>            REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW,            13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ,            13GNA, 13GNB, 13GWN, 13GWP, 13GWR, 13GWW,            13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD,            13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ            TRANSMISSION, MANUAL            -OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR,            13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX,            13AUZ, 13AVA, 13AVB or 13AVC            TRANSMISSION, AUTOMATIC            N/A: CROSSMEMBER, INTERMEDIATE LOC            : Code 11MRW CLUTCH            REC: Code 12WEG COLD STARTING EQUIPMENT</p>	<p>12BEA</p>		
<p>EPA 2017, 430HP @ 1700 RPM, 1550 lb-ft Torque @            1000 RPM, 2100 RPM Governed Speed, 430 Peak HP            (Max)            REQS: Code 01UAM, 01UAN, 01WDR, 01WDS or 01WDT            FRAME EXTENSION, FRONT or Code 01LLA,            01LLK, 01LNR, 01LTR, 01LTS, 01LTT or 01LZD            BUMPER, FRONT            REQS: Code 07SDK or 07SDX ENGINE COMPRESSION            BRAKE            REQS: Code 09HBN INSULATION, SPLASH PANELS            REQS: Code 13GHP, 13GHS, 13GHX, 13GJS, 13GKJ,            13GKL, 13GKM, 13GNA, 13GNB, 13GWP, 13GWR,            13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD,            13GXH, 13GYD, 13GYG, 13GYH or 13GYJ            TRANSMISSION, MANUAL            -OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR,            13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX,            13AUZ, 13AVA, 13AVB or 13AVC            TRANSMISSION, AUTOMATIC            N/A: CROSSMEMBER, INTERMEDIATE LOC            : Code 11MRW CLUTCH            REC: Code 12WEG COLD STARTING EQUIPMENT</p>	<p>12BEB</p>	<p>\$856</p>	<p>0/0</p>
<p>EPA 2017, 450HP @ 1700 RPM, 1700 lb-ft Torque @            1000 RPM, 2100 RPM Governed Speed, 450 Peak HP            (Max)            REQS: Code 01UAM, 01UAN, 01WDR, 01WDS or 01WDT            FRAME EXTENSION, FRONT or Code 01LLA,            01LLK, 01LNR, 01LTR, 01LTS, 01LTT or 01LZD            BUMPER, FRONT            REQS: Code 07SDK or 07SDX ENGINE COMPRESSION            BRAKE            REQS: Code 09HBN INSULATION, SPLASH PANELS            REQS: Code 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL,            13GKM, 13GNA, 13GNB, 13GWR, 13GWX, 13GXA,            13GXD, 13GXH, 13GYD or 13GYH TRANSMISSION,            MANUAL</p>	<p>12BEC</p>	<p>\$1,379</p>	<p>0/0</p>
<p>(SEE NEXT PAGE)</p>			

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-111

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>ENGINE, DIESEL (SEE PREV PAGE)</b>            NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>International</b></p> <p><b>- A26 -</b></p> <p>-OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC            N/A: CROSSMEMBER, INTERMEDIATE LOC            : Code 11MRW CLUTCH            REC: Code 12WEG COLD STARTING EQUIPMENT</p> <p>EPA 2017, 475HP @ 1700 RPM, 1700 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 475 Peak HP (Max)            REQS: Code 01UAM, 01UAN, 01WDR, 01WDS or 01WDT FRAME EXTENSION, FRONT or Code 01LLA, 01LLK, 01LNR, 01LTR, 01LTS, 01LTT or 01LZD BUMPER, FRONT            REQS: Code 07SDK or 07SDX ENGINE COMPRESSION BRAKE            REQS: Code 09HBN INSULATION, SPLASH PANELS            REQS: Code 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GNA, 13GNB, 13GWR, 13GWX, 13GXA, 13GXD, 13GXH, 13GYD or 13GYH TRANSMISSION, MANUAL</p> <p>-OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC            N/A: CROSSMEMBER, INTERMEDIATE LOC            : Code 11MRW CLUTCH            REC: Code 12WEG COLD STARTING EQUIPMENT</p> <p>EPA 2017, 500HP @ 1700 RPM, 1750 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 500 Peak HP (Max)            REQS: Code 01UAM, 01UAN, 01WDR, 01WDS or 01WDT FRAME EXTENSION, FRONT or Code 01LLA, 01LLK, 01LNR, 01LTR, 01LTS, 01LTT or 01LZD BUMPER, FRONT            REQS: Code 07SDK or 07SDX ENGINE COMPRESSION BRAKE            REQS: Code 09HBN INSULATION, SPLASH PANELS            REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TANDEM            REQS: Code 13GJS, 13GKM, 13GNB, 13GWR, 13GXA or 13GXD TRANSMISSION, MANUAL</p> <p>-OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AUZ or 13AVC TRANSMISSION, AUTOMATIC            N/A: CROSSMEMBER, INTERMEDIATE LOC            : Code 11MRW CLUTCH            REC: Code 12WEG COLD STARTING EQUIPMENT</p>			
	12BEC		
	12BED	\$1,678	0/0
	12BGP	\$2,730	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>RADIATOR</b>  Aluminum; Welded, Front to Back CrossFlow System, 1292 SqIn, 1008 SqIn CAC INCLS: DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates - Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber REQS: Code 12WTA FAN DRIVE SPECIAL EFFECTS	12XBD	STD	
<b>FAN DRIVE</b>  <i>Horton</i>  <b>- Drivemaster -</b> Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed INCLS: FAN Nylon	12THT	STD	
<b>AIR CLEANER</b>  Single Element Dual Element  Dual Element, with Integral Pre-Cleaner  Dual Element, with Integral Snow Valve and In-Cab Control REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM, 14RAR or 14RAV AXLE, LIFT, CONTROLS N/A: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP AVAIL: Code 13WDM HYDRAULIC RETARDER  Single Element, with Integral Pre-Cleaner  Single Element, with Integral Snow Valve and In-Cab Control REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM, 14RAR or 14RAV AXLE, LIFT, CONTROLS N/A: Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	12VBC 12VBB 12VBG 12VAL 12VBH 12VAG	STD  \$108 + 4 / 0  \$208 + 12 / 0  \$396 + 6 / 0  \$130 + 5 / 0  \$352 + 2 / 0	
<b>ANTI-FREEZE</b>  Red, Extended Life Coolant; To -40 Degrees F / -40 Degrees C, Freeze Protection	12703	STD	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
<b>BLOCK HEATER, ENGINE</b>			
<i>Phillips</i>			
120V/1150W N/A: Code 15LML FUEL/WATER SEPARATOR	12XBR	\$89	
120V/1150W, with "W" Cord for Fuel Heater and 120V/300W Oil Pan Heater INCLS: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door REQS: Code 15LML FUEL/WATER SEPARATOR	12XBW	\$148	
120V/1150W, with "Y" Cord for Fuel Heater INCLS: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door REQS: Code 15LML FUEL/WATER SEPARATOR	12XBS	\$125	
120V/1150W, with "Y" Cord for 120V/300W Oil Pan Heater INCLS: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door N/A: Code 15LML FUEL/WATER SEPARATOR	12XBT	\$177	
120V/1150W, Thermostatically Controlled with LED Indicator, "Y" Cord for Fuel Heater INCLS: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door N/A: Code 15LKU(std), 15LKX, 15LKZ, 15LML and 15LPR FUEL/WATER SEPARATOR	12XBU	\$300	
120V/1150W, Thermostatically Controlled, with LED Indicator on Plug Assembly INCLS: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door N/A: Code 15LML FUEL/WATER SEPARATOR	12XBV	\$252	
120V/1500W INCLS: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door N/A: Code 15LML FUEL/WATER SEPARATOR	12864	\$89	+4/0
<b>COLD STARTING EQUIPMENT</b>			
Automatic; with Engine ECM Control	12WEG	\$168	0/0
<b>COOLANT FILTER</b>			
for A26 Engines	12WUM	\$117	+6/+1
<b>EMISSION COMPLIANCE</b>			
Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood N/A: Code 09ANG HOOD, HATCH	12WZB	\$97	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>EMISSION COMPLIANCE</b> (CONTINUED)  Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door  Engine Shutdown System Exempt Vehicles, Complies with California Clean Air Regulations NOTE: Pricing may change if axle configuration is changed.  Federal, Does Not Comply with California Clean Air Idle Regulations NOTE: Pricing may change if axle configuration is changed.	12WZJ  12WZD  12WZE	\$97  N/C  N/C	0/0  0/0  0/0
<b>ENGINE CONTROL, REMOTE MOUNTED</b>  for PTO with N13/A26 Engines N/A: Code 12VYL ACCESSORY WIRING, SPECIAL	12VGA	\$82	0/0
<b>ENGINE WATER COOLER</b>  <i>Sen-Dure</i>  Auxiliary, For Use with Fire Trucks REQ: Code 13WDM HYDRAULIC RETARDER, when in combination with Code 13WCT OIL COOLER, AUTO TRANSMISSION REQ: Code 08GWY ALTERNATOR REQ: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQ: Code 13WCT OIL COOLER, AUTO TRANSMISSION, when in combination with Code 13WDM HYDRAULIC RETARDER N/A: RADIATOR HOSES	12WYK	\$687	+6/0
<b>FAN DRIVE SPECIAL EFFECTS</b>  Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	12WTA	N/C	0/0
<b>FAN OVERRIDE</b>  Manual; with Electric Switch on Instrument Panel, (Fan On with Switch On)	12WBR	\$29	0/0
<b>FEDERAL EMISSIONS</b>  <i>International</i>  - A26 - EPA, OBD and GHG Certified for Calendar Year 2020	12VHK	N/C	0/0
<b>HOSE CLAMPS, RADIATOR HOSES</b>  , Mechanical Type; with Constant-Tension Functionality	12WGA	\$54	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>OIL PAN</b>			
Stainless Steel, for N13/A26 Engines	12WPZ	\$2,782	+51/+5
Rust Protected (Resistive Coating), For N13/A26 Engines	12WPX	\$410	0/0
<b>PTO EFFECTS, ENGINE FRONT</b>			
for N13/A26 Engines, Less PTO, Unit, Includes Adapter Plate on Engine Front Mounted N/A: Code 12WPU PTO, ENGINE REAR	12850	\$257	
<b>PTO, ENGINE REAR</b>			
for N13/A26 Engines (Ratio 1.276:1) REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 16CAB CAB : Code 04VGG AIR DRYER LOCATION : Code 04VKB AIR DRYER LOCATION, when in combination with Code 04VKK AIR TANK LOCATION and Code 07BKN EXHAUST SYSTEM : Code 12850 PTO EFFECTS, ENGINE FRONT	12WPU	\$3,839	0/0
<b>RADIATOR HOSES</b>			
Silicone; Molded	12926	\$272	
<b>TRANSMISSION, AUTOMATIC</b>			
NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
<b>Allison</b>			
- 3000 HS - 5th Generation Controls, Close Ratio, 5-Speed with Overdrive, Less PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max REQS: Code 11001(std) CLUTCH REQS: Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM or 13WLP TRANSMISSION OIL REQS: Code 12BDX(std) ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN  (SEE NEXT PAGE)	13ATL	<b>STD</b>	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-116**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable









## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>TRANSMISSION, AUTOMATIC</b> (CONTINUED)            NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Allison</b></p> <p><b>- 3000 RDS -</b></p> <p>5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 62,000-lb GVW Max, Refuse/Mixer            REQS: Code 11001(std) CLUTCH            REQS: Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS            REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT            REQS: Code 13WET TRANSMISSION SHIFT CONTROL            REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION            REQS: Code 13WLM or 13WLP TRANSMISSION OIL            REQS: Code 13XAK, 13XAL, 13XAM, 13XAN, 13XAP or 13XAT PTO LOCATION            REQS: Code 12BDX(std) ENGINE, DIESEL            N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN            : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN            : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN            : Code 08RLZ BATTERY DISCONNECT SWITCH            : Code 11WAJ and 11WAK CLUTCH EFFECTS            : Code 13TKX TRANSFER CASE            : Code 13WAP TRANSMISSION LUBE PUMP            : Code 13WAS CLUTCH HOUSING            : TRANSMISSION, MANUAL            : Code 13901 THRU-SHAFT            : Code 13WGP INPUT SHAFT            : Code 13WUB, 13WUD, 13WUE and 13WUZ ALLISON SPARE INPUT/OUTPUT            : Code 13WGK TRANSMISSION COOLER HOSES            : Code 13WGJ OIL COOLER MANUAL TRANSMISSION            : Code 13XAR, 13XAS and 13XAV PTO LOCATION            AVAIL: Code 40TVS, 40TVT, 40TVU, 40TVV and 40TVW SRV CONTRACT, EXT ALLISON XMSN            : Code 13WBA HYDRAULIC RETARDER            : Code 13WLP TRANSMISSION OIL</p> <p>5th Generation Controls, Close Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway            REQS: Code 11001(std) CLUTCH            REQS: Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS            REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT            REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p style="text-align: right;"><b>(SEE NEXT PAGE)</b></p>			
	13AVS	\$616 +14/+26	
	13AVJ	\$616 +14/+26	







## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>TRANSMISSION, AUTOMATIC (SEE PREV PAGE)</b>            NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Allison</b></p> <p><b>- 4000 EVS -</b>            AVAIL: Code 13XAL, 13XAN, 13XAP and 13XAT PTO LOCATION</p> <p>5th Generation Controls, Close Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor            REQS: Code 11001(std) CLUTCH            REQS: Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS            REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT            REQS: Code 13WET TRANSMISSION SHIFT CONTROL            REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION            REQS: Code 13WLM or 13WLP TRANSMISSION OIL            N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN                  : SRV CONTRACT, EXT ALLISON XMSN                  : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN                  : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN                  : Code 11WAJ and 11WAK CLUTCH EFFECTS                  : Code 13TKX TRANSFER CASE                  : Code 13WAP TRANSMISSION LUBE PUMP                  : Code 13WAS CLUTCH HOUSING                  : TRANSMISSION, MANUAL                  : Code 13901 THRU-SHAFT                  : Code 13WGP INPUT SHAFT                  : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS                  : Code 13AAZ AUTOMATIC NEUTRAL                  : Code 13WGJ OIL COOLER MANUAL TRANSMISSION                  : Code 13905 PROVISION FOR PTO            AVAIL: Code 13WUD, 13WUE and 13WUZ ALLISON SPARE INPUT/OUTPUT                  : Code 13WDM HYDRAULIC RETARDER                  : Code 13WLM TRANSMISSION OIL                  : Code 13XAL, 13XAN, 13XAP and 13XAT PTO LOCATION</p> <p><b>- 4000 HS -</b>            5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, Less PTO Provision, Less Retarder, Includes Oil Level Sensor            REQS: Code 11001(std) CLUTCH            REQS: Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS            REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT            REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p style="text-align: right;"><b>(SEE NEXT PAGE)</b></p>	<p>13AUR</p> <p>13AUN</p> <p>13AVB</p>	<p>\$15,378            +211/+188</p> <p>\$13,434            +171/+156</p>	



# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
<b>TRANSMISSION, AUTOMATIC</b> (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book  <b>Allison</b>  <b>- 4000 HS -</b> REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM or 13WLP TRANSMISSION OIL REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 01ANE AXLE CONFIGURATION : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 08RLZ BATTERY DISCONNECT SWITCH : Code 11WAW and 11WAK CLUTCH EFFECTS : Code 13TKX TRANSFER CASE : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ AUTOMATIC NEUTRAL : Code 13WGK TRANSMISSION COOLER HOSES : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13905 PROVISION FOR PTO AVAIL: Code 40TTL, 40TTM and 40TTN SRV CONTRACT, EXT ALLISON XMSN : Code 13WUB ALLISON SPARE INPUT/OUTPUT : Code 13WDM HYDRAULIC RETARDER : Code 13WLM TRANSMISSION OIL : Code 13XAP and 13XAT PTO LOCATION  5th Generation Controls, Close Ratio, 5-Speed with Overdrive, Less PTO Provision, Less Retarder, Includes Oil Level Sensor REQS: Code 11001(std) CLUTCH REQS: Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM or 13WLP TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 01ANE AXLE CONFIGURATION : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 08RLZ BATTERY DISCONNECT SWITCH : Code 11WAW and 11WAK CLUTCH EFFECTS (SEE NEXT PAGE)	13AVB		
	13AUZ	\$13,434	+171/+156



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT  
 NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>TRANSMISSION, AUTOMATIC (SEE PREV PAGE)</b>            NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Allison</b></p> <p><b>- 4000 HS -</b>            N/A: Code 13TKX TRANSFER CASE                  : Code 13WAP TRANSMISSION LUBE PUMP                  : Code 13WAS CLUTCH HOUSING                  : TRANSMISSION, MANUAL                  : Code 13901 THRU-SHAFT                  : Code 13WGP INPUT SHAFT                  : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS                  : Code 13AAZ AUTOMATIC NEUTRAL                  : Code 13WGK TRANSMISSION COOLER HOSES                  : Code 13WGJ OIL COOLER MANUAL TRANSMISSION                  : Code 13905 PROVISION FOR PTO            AVAIL: Code 40TTL, 40TTM and 40TTN SRV CONTRACT, EXT ALLISON XMSN                  : Code 13WUB ALLISON SPARE INPUT/OUTPUT                  : Code 13WDM HYDRAULIC RETARDER                  : Code 13WLM TRANSMISSION OIL                  : Code 13XAP and 13XAT PTO LOCATION</p> <p><b>- 4000 RDS -</b>            5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway            REQS: Code 11001(std) CLUTCH            REQS: Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS            REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT            REQS: Code 13WET TRANSMISSION SHIFT CONTROL            REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION            REQS: Code 13WLM or 13WLP TRANSMISSION OIL            N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN                  : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN                  : Code 16HLV VIRTUAL GA, OIL TEMP, MANL XMSN                  : Code 11WAJ and 11WAK CLUTCH EFFECTS                  : Code 13TKX TRANSFER CASE                  : Code 13WAP TRANSMISSION LUBE PUMP                  : Code 13WAS CLUTCH HOUSING                  : TRANSMISSION, MANUAL                  : Code 13901 THRU-SHAFT                  : Code 13WGP INPUT SHAFT                  : Code 13WGJ OIL COOLER MANUAL TRANSMISSION                  : Code 13905 PROVISION FOR PTO            AVAIL: Code 40TWC, 40TWD, 40TWE, 40TWG and 40TWH SRV CONTRACT, EXT ALLISON XMSN                  : Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT                  : Code 13WDM HYDRAULIC RETARDER  <span style="float: right;">(SEE NEXT PAGE)</span></p>	13AUZ		
	13ATR	\$14,146 +211/+188	





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>TRANSMISSION, AUTOMATIC (SEE PREV PAGE)</b>            NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Allison</b></p> <p>- 4000 RDS -            AVAIL: Code 13WLM TRANSMISSION OIL                  : Code 13XAL, 13XAN, 13XAP and 13XAT PTO LOCATION</p> <p>5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, Refuse            REQS: Code 11001(std) CLUTCH            REQS: Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS            REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT            REQS: Code 13WET TRANSMISSION SHIFT CONTROL            REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION            REQS: Code 13WLM or 13WLP TRANSMISSION OIL            REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA or 12BEB ENGINE, DIESEL            N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN                  : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN                  : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN                  : Code 11WAJ and 11WAK CLUTCH EFFECTS                  : Code 13TKX TRANSFER CASE                  : Code 13WAP TRANSMISSION LUBE PUMP                  : Code 13WAS CLUTCH HOUSING                  : TRANSMISSION, MANUAL                  : Code 13901 THRU-SHAFT                  : Code 13WGP INPUT SHAFT                  : Code 13WGJ OIL COOLER MANUAL TRANSMISSION                  : Code 13905 PROVISION FOR PTO            AVAIL: Code 40TWC, 40TWD, 40TWE, 40TGW and 40TWH SRV CONTRACT, EXT ALLISON XMSN                  : Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT                  : Code 13WDM HYDRAULIC RETARDER                  : Code 13WLM TRANSMISSION OIL                  : Code 13XAL, 13XAN, 13XAP and 13XAT PTO LOCATION</p> <p>5th Generation Controls, Close Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway            REQS: Code 11001(std) CLUTCH            REQS: Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS            REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT            REQS: Code 13WET TRANSMISSION SHIFT CONTROL            (SEE NEXT PAGE)</p>	<p>13ATR</p> <p>13AUY</p> <p>13ATP</p>	<p>\$14,146            +211/+188</p> <p>\$14,146            +211/+188</p>	

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-125

SUBJECT TO CHANGE WITHOUT NOTICE







## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<i><b>ITEM DESCRIPTION</b></i>	<i><b>CODE</b></i>	<i><b>HV513 SFA</b></i>	
<p><b>TRANSMISSION, AUTOMATIC</b> (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Allison</b></p> <p><b>- 4500 EVS -</b></p> <p>5th Generation Controls, Wide Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor REQS: Code 11001(std) CLUTCH REQS: Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM or 13WLP TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : SRV CONTRACT, EXT ALLISON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA, OIL TEMP, MANL XMSN : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ AUTOMATIC NEUTRAL : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13905 PROVISION FOR PTO AVAIL: Code 13WUD, 13WUE and 13WUZ ALLISON SPARE INPUT/OUTPUT : Code 13WDM HYDRAULIC RETARDER : Code 13WLM TRANSMISSION OIL : Code 13XAL, 13XAN, 13XAP, 13XAT and 13XAV PTO LOCATION</p> <p><b>- 4500 HS -</b></p> <p>5th generation Controls, Wide Ratio 6-Speed with Double Overdrive, Less PTO Provision, Less Retarder, Includes Oil Level Sensor REQS: Code 11001(std) CLUTCH REQS: Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM or 13WLP TRANSMISSION OIL</p> <p style="text-align: center;">(SEE NEXT PAGE)</p>			
	13AUP	\$17,766 +211/+188	
	13AVC	\$15,691 +171/+156	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-128**

**SUBJECT TO CHANGE WITHOUT NOTICE**









### HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>TRANSMISSION, AUTOMATIC (SEE PREV PAGE)</b> NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Allison</b></p> <p><b>- 4500 RDS -</b> N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13905 PROVISION FOR PTO : Code 13XAJ, 13XAK, 13XAS and 13XAV PTO LOCATION</p> <p>AVAIL: Code 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT : Code 13WDM HYDRAULIC RETARDER : Code 13WLM TRANSMISSION OIL</p> <p>5th Generation Controls, Wide Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, Refuse REQS: Code 11001(std) CLUTCH REQS: Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM or 13WLP TRANSMISSION OIL REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA or 12BEB ENGINE, DIESEL</p> <p>N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13905 PROVISION FOR PTO</p> <p>AVAIL: Code 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN</p>	13AUT		
	13AUU	\$16,836 +211/+188	

(SEE NEXT PAGE)

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-132

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>TRANSMISSION, AUTOMATIC</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Allison</b></p> <p>- <b>4500 RDS</b> -</p> <p>AVAIL: Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT</p> <p style="margin-left: 20px;">: Code 13WDM HYDRAULIC RETARDER</p> <p style="margin-left: 20px;">: Code 13WLM TRANSMISSION OIL</p> <p style="margin-left: 20px;">: Code 13XAL, 13XAN, 13XAP and 13XAT PTO LOCATION</p>	13AUU		
<p><b>TRANSMISSION, MANUAL</b></p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Eaton Fuller</b></p> <p>- <b>Advantage FAM-15810B-EA3</b> -</p> <p>10-Speed Fully Automated Manual, Aluminum Clutch Housing, Direct Drive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION</p> <p>REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS</p> <p>REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION</p> <p>REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS</p> <p>REQS: Code 11MGP CLUTCH</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 13WLW TRANSMISSION OIL</p> <p>REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION</p> <p>REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA or 12BEB ENGINE, DIESEL</p> <p>N/A: SRV CONTRACT, EXT ALLISON XMSN</p> <p style="margin-left: 20px;">: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS</p> <p style="margin-left: 20px;">: Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN</p> <p style="margin-left: 20px;">: Code 14WBT 2-SPEED SHIFT PACKAGE</p> <p style="margin-left: 20px;">: Code 14RAV and 14RAW AXLE, LIFT, CONTROLS</p> <p style="margin-left: 20px;">: Code 11WAJ and 11WAK CLUTCH EFFECTS</p> <p style="margin-left: 20px;">: Code 13WAP TRANSMISSION LUBE PUMP</p> <p style="margin-left: 20px;">: Code 13WAS CLUTCH HOUSING</p> <p style="margin-left: 20px;">: Code 13WGP INPUT SHAFT</p> <p style="margin-left: 20px;">: Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS</p> <p style="margin-left: 20px;">: Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL</p> <p style="margin-left: 20px;">: Code 13WVV(std) NEUTRAL AT STOP</p> <p style="margin-left: 20px;">: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT</p> <p style="margin-left: 20px;">: TRANSMISSION, AUTOMATIC</p> <p style="margin-left: 20px;">: Code 13WBA and 13WDM HYDRAULIC RETARDER</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	13GYJ	\$860 +86/+38	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-133**

**SUBJECT TO CHANGE WITHOUT NOTICE**













## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<p><b>TRANSMISSION, MANUAL</b> <span style="float: right;">(SEE PREV PAGE)</span></p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Eaton Fuller</b></p> <p>- <b>UltraShift+ FO-12E308LL-VCS</b> -</p> <p>N/A: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT</p> <ul style="list-style-type: none"> <li>: TRANSMISSION, AUTOMATIC</li> <li>: Code 13WBA and 13WDM HYDRAULIC RETARDER</li> <li>: Code 13WYH TRANSMISSION TCM LOCATION</li> <li>: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP</li> <li>: Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION</li> <li>: Code 13WGK TRANSMISSION COOLER HOSES</li> <li>: Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION</li> <li>: Code 13905 PROVISION FOR PTO</li> </ul> <p>AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p> <ul style="list-style-type: none"> <li>: Code 13XAN, 13XAR and 13XAS PTO LOCATION</li> </ul> <p>- <b>UltraShift+ FO-12E309ALL-VMS</b> -</p> <p>11-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Double-Lo, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION</p> <p>REQS: Code 04JDC, 04VKA, 04VKB or 04VKC AIR DRYER LOCATION, when in combination with Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM</p> <p>REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS</p> <p>REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION</p> <p>REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS</p> <p>REQS: Code 11MGP CLUTCH</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION</p> <p>REQS: Code 13WLX TRANSMISSION OIL</p> <p>REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION</p> <p>REQS: Code 12BDX(std) ENGINE, DIESEL</p> <p>N/A: SRV CONTRACT, EXT ALLISON XMSN</p> <ul style="list-style-type: none"> <li>: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS</li> <li>: Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN</li> <li>: Code 14WBT 2-SPEED SHIFT PACKAGE</li> <li>: Code 14RAV and 14RAW AXLE, LIFT, CONTROLS</li> <li>: Code 11WAJ and 11WAK CLUTCH EFFECTS</li> <li>: Code 13WAP TRANSMISSION LUBE PUMP</li> <li>: Code 13WAS CLUTCH HOUSING</li> <li>: Code 13WGP INPUT SHAFT</li> <li>: Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS</li> </ul> <p style="text-align: right;">(SEE NEXT PAGE)</p>			
	13GWM		
	13GWU	\$5,686 + 150/+109	

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-139

SUBJECT TO CHANGE WITHOUT NOTICE















## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>TRANSMISSION, MANUAL</b> <span style="float: right;">(SEE PREV PAGE)</span></p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Eaton Fuller</b></p> <p><b>- UltraShift+ FO-16E313A-MHP -</b></p> <p>REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION</p> <p>REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS</p> <p>REQS: Code 11MGP CLUTCH</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION</p> <p>REQS: Code 13WLX TRANSMISSION OIL</p> <p>REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION</p> <p>REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWW, 14GWY, 14GWZ, 14HRC, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>-OR- AXLE, REAR, SINGLE</p> <p>REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA or 12BEB ENGINE, DIESEL</p> <p>N/A: SRV CONTRACT, EXT ALLISON XMSN</p> <ul style="list-style-type: none"> <li>: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS</li> <li>: Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN</li> <li>: Code 14WBT 2-SPEED SHIFT PACKAGE</li> <li>: Code 14RAV and 14RAW AXLE, LIFT, CONTROLS</li> <li>: Code 11WAJ and 11WAK CLUTCH EFFECTS</li> <li>: Code 13WAP TRANSMISSION LUBE PUMP</li> <li>: Code 13WAS CLUTCH HOUSING</li> <li>: Code 13WGP INPUT SHAFT</li> <li>: Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS</li> <li>: Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL</li> <li>: Code 13WVV(std) NEUTRAL AT STOP</li> <li>: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT</li> <li>: TRANSMISSION, AUTOMATIC</li> <li>: Code 13WBA and 13WDM HYDRAULIC RETARDER</li> <li>: Code 13WYH TRANSMISSION TCM LOCATION</li> <li>: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP</li> <li>: Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION</li> <li>: Code 13WGK TRANSMISSION COOLER HOSES</li> <li>: Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION</li> <li>: Code 13905 PROVISION FOR PTO</li> </ul> <p>AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p> <ul style="list-style-type: none"> <li>: Code 13XAN, 13XAR and 13XAS PTO LOCATION</li> </ul>	13GWZ		



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>TRANSMISSION, MANUAL</b> (CONTINUED)            NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Eaton Fuller</b></p> <p><b>- UltraShift+ FO-16E318B-MXP -</b>            18-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION            REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS            REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION            REQS: Code 14RAA, 14RAB, 14RAD, 14RAE or 14RAR AXLE, LIFT, CONTROLS            REQS: Code 11MGP CLUTCH            REQS: Code 13WET TRANSMISSION SHIFT CONTROL            REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION            REQS: Code 13WLX TRANSMISSION OIL            REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION            REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA or 12BEB ENGINE, DIESEL</p> <p>N/A: SRV CONTRACT, EXT ALLISON XMSN            : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS            : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN            : Code 14WBT 2-SPEED SHIFT PACKAGE            : Code 14RAV and 14RAW AXLE, LIFT, CONTROLS            : Code 11WAJ and 11WAK CLUTCH EFFECTS            : Code 13WAP TRANSMISSION LUBE PUMP            : Code 13WAS CLUTCH HOUSING            : Code 13WGP INPUT SHAFT            : Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS            : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL            : Code 13WVV(std) NEUTRAL AT STOP            : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT            : TRANSMISSION, AUTOMATIC            : Code 13WBA and 13WDM HYDRAULIC RETARDER            : Code 13WYH TRANSMISSION TCM LOCATION            : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP            : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION            : Code 13WGK TRANSMISSION COOLER HOSES            : Code 07BKN and 07BLD EXHAUST SYSTEM            : Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION            : Code 13905 PROVISION FOR PTO</p> <p>AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN            : Code 13XAN, 13XAR and 13XAS PTO LOCATION</p>	<p>13GXC</p>	<p>\$5,279            +158/+105</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>TRANSMISSION, MANUAL</b> (CONTINUED)            NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Eaton Fuller</b></p> <p><b>- UltraShift+ FO-17E308LL-VCS -</b>            10-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Double-Lo, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION</p> <p>REQS: Code 04JDC, 04VKA, 04VKB or 04VKC AIR DRYER LOCATION, when in combination with Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM</p> <p>REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS</p> <p>REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION</p> <p>REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS</p> <p>REQS: Code 11MGP CLUTCH</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION</p> <p>REQS: Code 13WLX TRANSMISSION OIL</p> <p>REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION</p> <p>N/A: SRV CONTRACT, EXT ALLISON XMSN</p> <p>: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS</p> <p>: Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN</p> <p>: Code 14WBT 2-SPEED SHIFT PACKAGE</p> <p>: Code 14RAV and 14RAW AXLE, LIFT, CONTROLS</p> <p>: Code 11WAJ and 11WAK CLUTCH EFFECTS</p> <p>: Code 13WAP TRANSMISSION LUBE PUMP</p> <p>: Code 13WAS CLUTCH HOUSING</p> <p>: Code 13WGP INPUT SHAFT</p> <p>: Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS</p> <p>: Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL</p> <p>: Code 13WVV(std) NEUTRAL AT STOP</p> <p>: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT</p> <p>: TRANSMISSION, AUTOMATIC</p> <p>: Code 13WBA and 13WDM HYDRAULIC RETARDER</p> <p>: Code 13WYH TRANSMISSION TCM LOCATION</p> <p>: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP</p> <p>: Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION</p> <p>: Code 13WGK TRANSMISSION COOLER HOSES</p> <p>: Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION</p> <p>: Code 13905 PROVISION FOR PTO</p> <p>AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p> <p>: Code 13XAN, 13XAR and 13XAS PTO LOCATION</p>	<p>13GWR</p>	<p>\$4,177 +162/+97</p>	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-147**

**SUBJECT TO CHANGE WITHOUT NOTICE**



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>TRANSMISSION, MANUAL</b> (CONTINUED)            NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Eaton Fuller</i></p> <p><b>- UltraShift+ FO-17E309ALL-VMS -</b>            11-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Double-Lo, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION</p> <p>REQS: Code 04JDC, 04VKA, 04VKB or 04VKC AIR DRYER LOCATION, when in combination with Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM</p> <p>REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS</p> <p>REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION</p> <p>REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS</p> <p>REQS: Code 11MGP CLUTCH</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION</p> <p>REQS: Code 13WLX TRANSMISSION OIL</p> <p>REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION</p> <p>REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWY, 14GWZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>-OR- AXLE, REAR, SINGLE</p> <p>REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL</p> <p>N/A: SRV CONTRACT, EXT ALLISON XMSN</p> <ul style="list-style-type: none"> <li>: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS</li> <li>: Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN</li> <li>: Code 14WBT 2-SPEED SHIFT PACKAGE</li> <li>: Code 14RAV and 14RAW AXLE, LIFT, CONTROLS</li> <li>: Code 11WAJ and 11WAK CLUTCH EFFECTS</li> <li>: Code 13WAP TRANSMISSION LUBE PUMP</li> <li>: Code 13WAS CLUTCH HOUSING</li> <li>: Code 13WGP INPUT SHAFT</li> <li>: Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS</li> <li>: Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL</li> <li>: Code 13WVV(std) NEUTRAL AT STOP</li> <li>: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT</li> <li>: TRANSMISSION, AUTOMATIC</li> <li>: Code 13WBA and 13WDM HYDRAULIC RETARDER</li> <li>: Code 13WYH TRANSMISSION TCM LOCATION</li> <li>: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP</li> </ul> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>13GWX</p>	<p>\$6,819 +162/+97</p>	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-148**

**SUBJECT TO CHANGE WITHOUT NOTICE**







### HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
	CODE	HV513 SFA
<p><b>TRANSMISSION, MANUAL (SEE PREV PAGE)</b> NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Eaton Fuller</i></p> <p><b>- UltraShift+ FO-18E313A-MHP -</b> N/A: Code 13WGK TRANSMISSION COOLER HOSES : Code 07BLD EXHAUST SYSTEM : Code 13905 PROVISION FOR PTO : Code 13XAL, 13XAM, 13XAP and 13XAT PTO LOCATION AVAIL: Code 40SPV, 40SPW, 40SPX, 40SPY and 40SPZ SRV CONTRACT, EXT EATON XMSN</p> <p><b>- UltraShift+ FO-18E318B-MXP -</b> 18-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION REQS: Code 04JDC, 04VKA, 04VKB or 04VKC AIR DRYER LOCATION, when in combination with Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION REQS: Code 14RAA, 14RAB, 14RAD, 14RAE or 14RAR AXLE, LIFT, CONTROLS REQS: Code 11MGP CLUTCH REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION REQS: Code 13WLX TRANSMISSION OIL REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION N/A: SRV CONTRACT, EXT ALLISON XMSN : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14RAV and 14RAW AXLE, LIFT, CONTROLS : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP</p>	<p>13GXA</p> <p>13GXD</p>	<p>\$5,675 +158/+105</p>
<i>(SEE NEXT PAGE)</i>		



# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
	CODE	HV513 SFA
<p><b>TRANSMISSION, MANUAL</b> (SEE PREV PAGE)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Eaton Fuller</b></p> <p>- <b>UltraShift+ FO-18E318B-MXP</b> -</p> <p>N/A: Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION</p> <p>: Code 13WGK TRANSMISSION COOLER HOSES</p> <p>: Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION</p> <p>: Code 13905 PROVISION FOR PTO</p> <p>AVAIL: Code 40SPV, 40SPW, 40SPX, 40SPY and 40SPZ</p> <p>SRV CONTRACT, EXT EATON XMSN</p> <p>: Code 13XAN, 13XAR and 13XAS PTO LOCATION</p> <p>- <b>UltraShift+ FO-18E318B-VXP</b> -</p> <p>18-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION</p> <p>REQS: Code 04JDC, 04VKA, 04VKB or 04VKC AIR DRYER LOCATION, when in combination with Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM</p> <p>REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS</p> <p>REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION</p> <p>REQS: Code 14RAA, 14RAB, 14RAD, 14RAE or 14RAR AXLE, LIFT, CONTROLS</p> <p>REQS: Code 11MGP CLUTCH</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION</p> <p>REQS: Code 13WLX TRANSMISSION OIL</p> <p>REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION</p> <p>REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL</p> <p>N/A: SRV CONTRACT, EXT ALLISON XMSN</p> <p>: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS</p> <p>: Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN</p> <p>: Code 14WBT 2-SPEED SHIFT PACKAGE</p> <p>: Code 14RAV and 14RAW AXLE, LIFT, CONTROLS</p> <p>: Code 11WAW and 11WAK CLUTCH EFFECTS</p> <p>: Code 13WAP TRANSMISSION LUBE PUMP</p> <p>: Code 13WAS CLUTCH HOUSING</p> <p>: Code 13WGP INPUT SHAFT</p> <p>: Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS</p> <p>: Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL</p> <p>: Code 13WVV(std) NEUTRAL AT STOP</p> <p>: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT</p> <p>: TRANSMISSION, AUTOMATIC</p> <p>(SEE NEXT PAGE)</p>	13GXD	
	13GXH	\$9,566 +158/+105

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-151

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	CODE	HV513 SFA	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR
<p><b>TRANSMISSION, MANUAL (SEE PREV PAGE)</b> NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Eaton Fuller</b></p> <p>- <b>UltraShift+ FO-18E318B-VXP -</b> N/A: Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION : Code 13905 PROVISION FOR PTO AVAIL: Code 40SPV, 40SPW, 40SPX, 40SPY and 40SPZ SRV CONTRACT, EXT EATON XMSN : Code 13XAN, 13XAR and 13XAS PTO LOCATION</p> <p><b>Fuller</b></p> <p>- <b>FR-14210B -</b> 10-Speed Manual, Direct Drive, Air Shift REQS: Code 11MHP, 11MRT, 11MRU or 11MRV CLUTCH REQS: Code 12BDX(std), 12BDY, 12BDZ or 12BEA ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : SRV CONTRACT, EXT ALLISON XMSN : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 13WGP INPUT SHAFT : Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WET TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 13905 PROVISION FOR PTO : Code 13XAL, 13XAM, 13XAP and 13XAT PTO LOCATION AVAIL: Code 13WLX TRANSMISSION OIL</p>	<p>13GXH</p> <p>13GHJ</p>	<p>\$10,950CR +13/+10</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>TRANSMISSION, MANUAL (CONTINUED)</b> NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book  <b>Fuller</b>  <b>- FRO-14210C -</b> 10-Speed Manual, Overdrive, Air Shift REQS: Code 11MHP, 11MRT, 11MRU or 11MRV CLUTCH REQS: Code 12BDX(std), 12BDY, 12BDZ or 12BEA ENGINE, DIESEL N/A: SRV CONTRACT, EXT EATON XMSN : SRV CONTRACT, EXT ALLISON XMSN : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 13WGP INPUT SHAFT : Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WET TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 13905 PROVISION FOR PTO : Code 13XAL, 13XAM, 13XAP and 13XAT PTO LOCATION AVAIL: Code 13WLX TRANSMISSION OIL  <b>- FRO-15210C -</b> 10-Speed Manual, Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MHP, 11MRT, 11MRU or 11MRV CLUTCH REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERB, 14ERC or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA or 12BEB ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : SRV CONTRACT, EXT ALLISON XMSN : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN <div style="text-align: right;"><b>(SEE NEXT PAGE)</b></div>			
	13GHL	\$10,544CR +17/+6	
	13GHP	\$9,846CR +5/+18	







# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT	
	CODE	HV513 SFA
<p><b>TRANSMISSION, MANUAL</b> (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Fuller</i></p> <p><b>- RTLO(F)-16913A -</b> 13-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MHP, 11MRT, 11MRU or 11MRV CLUTCH REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : SRV CONTRACT, EXT ALLISON XMSN : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 13WAP TRANSMISSION LUBE PUMP : Code 13901 THRU-SHAFT : Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WET TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 13905 PROVISION FOR PTO AVAIL: Code 13WLX TRANSMISSION OIL : Code 13XAN, 13XAR and 13XAS PTO LOCATION</p> <p><b>- RTLO(F)-16918B -</b> 18-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MHP, 11MRT, 11MRU or 11MRV CLUTCH REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERC or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p> <p>(SEE NEXT PAGE)</p>	<p>13GKJ</p> <p>13GKL</p>	<p>\$5,766CR +86/+63</p> <p>\$5,523CR +87/+64</p>





**HV513 SFA**  
**AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
<p><b>TRANSMISSION, MANUAL (SEE PREV PAGE)</b></p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Fuller</b></p> <p><b>- RTLO(F)-16918B -</b> N/A: SRV CONTRACT, EXT ALLISON XMSN : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 13WAP TRANSMISSION LUBE PUMP : Code 13901 THRU-SHAFT : Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WET TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 13905 PROVISION FOR PTO AVAIL: Code 13WLX TRANSMISSION OIL : Code 13XAN, 13XAR and 13XAS PTO LOCATION</p> <p><b>- RTLO(F)-18918B -</b> 18-Speed Manual, Double Overdrive, Double-Lo, Air Shift, Internal Lube Oil Pump REQS: Code 11MHP, 11MRT, 11MRU or 11MRV CLUTCH N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : SRV CONTRACT, EXT ALLISON XMSN : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 13WAP TRANSMISSION LUBE PUMP : Code 13901 THRU-SHAFT : Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC</p> <p><i>(SEE NEXT PAGE)</i></p>	<p>13GKL</p> <p>13GKM</p>	<p>\$4,705CR</p> <p>+87/+64</p>	

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-157

SUBJECT TO CHANGE WITHOUT NOTICE



# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV513 SFA	
<b>TRANSMISSION, MANUAL (SEE PREV PAGE)</b> NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book  <b>Fuller</b>			
<b>- RTLO(F)-18918B -</b> N/A: Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WET TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 13905 PROVISION FOR PTO AVAIL: Code 13WLX TRANSMISSION OIL : Code 13XAN, 13XAR and 13XAS PTO LOCATION	13GKM		
<b>- RTLO-18913A -</b> 13-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump REQ: Code 11MHP, 11MRT, 11MRU or 11MRV CLUTCH N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : SRV CONTRACT, EXT ALLISON XMSN : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 08TTR, 08VTN, 08VUJ, 08VUK, 08WEK and 08XDZ BATTERY BOX : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 13WAP TRANSMISSION LUBE PUMP : Code 13901 THRU-SHAFT : Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WET TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 13905 PROVISION FOR PTO AVAIL: Code 13WLX TRANSMISSION OIL : Code 13XAN, 13XAR and 13XAS PTO LOCATION	13GJS	\$4,925CR +89/+60	







# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
	CODE	HV513 SFA
<p><b>TRANSMISSION, MANUAL (SEE PREV PAGE)</b>            NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Fuller</b></p> <p><b>- RTO(F)-16908LL -</b>            N/A: TRANSMISSION, AUTOMATIC            : Code 13WBA and 13WDM HYDRAULIC RETARDER            : Code 13WET TRANSMISSION SHIFT CONTROL            : Code 13WYH TRANSMISSION TCM LOCATION            : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP            : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION            : Code 13WGK TRANSMISSION COOLER HOSES            : Code 13905 PROVISION FOR PTO            AVAIL: Code 13WLX TRANSMISSION OIL            : Code 13XAN, 13XAR and 13XAS PTO LOCATION</p> <p><b>- RTO(F)-16909ALL -</b>            11-Speed Manual, Overdrive, Double-Lo, Air Shift, Internal Lube Oil Pump            REQS: Code 11MHP, 11MRT, 11MRU or 11MRV CLUTCH            REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERB, 14ERC or 14051(std)            AXLE, REAR, SINGLE            -OR- AXLE, REAR, TANDEM            REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL            N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN            : SRV CONTRACT, EXT ALLISON XMSN            : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER            : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS            : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN            : Code 14WBT 2-SPEED SHIFT PACKAGE            : Code 13WAP TRANSMISSION LUBE PUMP            : Code 13901 THRU-SHAFT            : Code 13WGP INPUT SHAFT            : Code 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS            : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL            : Code 13WVV(std) NEUTRAL AT STOP            : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT            : TRANSMISSION, AUTOMATIC            : Code 13WBA and 13WDM HYDRAULIC RETARDER            : Code 13WET TRANSMISSION SHIFT CONTROL            : Code 13WYH TRANSMISSION TCM LOCATION            : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>13GHX</p> <p>13GNA</p>	<p>\$4,235CR            +79/+54</p>



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>TRANSMISSION, MANUAL (SEE PREV PAGE)</b> NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book  <b>Fuller</b>  - RTO(F)-16909ALL - N/A: Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 13905 PROVISION FOR PTO AVAIL: Code 13WLX TRANSMISSION OIL : Code 13XAN, 13XAR and 13XAS PTO LOCATION	13GNA		
<b>TRANSMISSION TCM LOCATION</b>  Located Inside Cab N/A: Code 16SMV SEAT, REAR : TRANSMISSION, MANUAL : Code 08VZR and 08VZS SWITCH, BODY CIRCUITS, MID or Code 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE, when in combination with Code 16LJX, 16LJY or 16LJZ SEAT, REAR and Code 16196 CAB : Code 60AAH, 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE, when in combination with Code 16PCS SEAT, REAR and Code 16196 CAB : Code 16SBA BUNK, LOWER	13WYH	\$141	
<b>ALLISON SPARE INPUT/OUTPUT</b> NOTE: For SPARE INPUT/OUTPUT PACKAGE CONTENT, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book  for Rugged Duty Series (RDS); Airport Refueler, Sewer Evac REQS: Code 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL  for Emergency Vehicle Series (EVS); Fire/Pumper, Tank, Aerial/Ladder REQS: Code 13AUN, 13AUP, 13AUR or 13AUS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL  for Rugged Duty Series (RDS); Front Loaders, Rear Loaders, Recycling/Packer Trucks REQS: Code 13AAZ AUTOMATIC NEUTRAL REQS: Code 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	13WUH   13WUE   13WUJ	N/C   N/C   N/C	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>ALLISON SPARE INPUT/OUTPUT (CONTINUED)</b>            NOTE: For SPARE INPUT/OUTPUT PACKAGE CONTENT, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p>			
<p>for Highway Series (HS); General Purpose Trucks            REQS: Code 13ATL(std), 13AUZ, 13AVA, 13AVB, 13AVC or 13AVE TRANSMISSION, AUTOMATIC            N/A: TRANSMISSION, MANUAL                  : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL</p>	13WUB	N/C	
<p>for Rugged Duty Series (RDS); General Purpose Trucks, Construction            REQS: Code 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC            N/A: TRANSMISSION, MANUAL                  : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL</p>	13WUC	N/C	
<p>for Rugged Duty Series (RDS); General Purpose Trucks Modified for Single Input Auto Neutral            REQS: Code 13WEH or 13WUA AUTOMATIC NEUTRAL            REQS: Code 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC            N/A: TRANSMISSION, MANUAL                  : Code 13AAZ AUTOMATIC NEUTRAL</p>	13WUS	N/C	
<p>for Emergency Vehicle Series (EVS), 127/198            Includes J1939 Based Auto Neutral; Fire/Pumper, Tank, Aerial/Ladder            REQS: Code 13AUN, 13AUP, 13AUR or 13AUS TRANSMISSION, AUTOMATIC            N/A: TRANSMISSION, MANUAL                  : Code 13AAZ AUTOMATIC NEUTRAL</p>	13WUZ	\$129	
<p>for Emergency Vehicle Series (EVS); Rescue, Ambulance            REQS: Code 13AUN, 13AUP, 13AUR or 13AUS TRANSMISSION, AUTOMATIC            N/A: TRANSMISSION, MANUAL                  : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL</p>	13WUD	N/C	
<p>for Rugged Duty Series (RDS); Side Loaders            REQS: Code 13AAZ AUTOMATIC NEUTRAL            REQS: Code 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC            N/A: TRANSMISSION, MANUAL</p>	13WUK	N/C	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>AUTOMATIC NEUTRAL</b>			
Allison WT, 3000 & 4000 Series Transmission Shifts to Neutral When Parking Brake is Engaged REQS: Code 13ATP, 13ATR, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AAZ, 13AAJ, 13AAK, 13AAV, 13AAV or 13AAV TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL AVAIL: Code 13WUJ and 13WUK ALLISON SPARE INPUT/OUTPUT	13AAZ	\$34	
Allison WT Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged, without On/Off Switch N/A: TRANSMISSION, MANUAL : HOURMETER, PTO, when in combination with Code 13ATL, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC AVAIL: Code 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT	13WEH	\$129	0 / 0
Allison WT Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged N/A: TRANSMISSION, MANUAL : HOURMETER, PTO, when in combination with Code 13ATL, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC AVAIL: Code 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT	13WUA	\$129	
<b>CLUTCH HOUSING</b>			
Aluminum; Available with 1350 to 2050 lb-ft Capacity Fuller Transmissions REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	13WAS	\$57	- 32 / - 21
<b>HYDRAULIC RETARDER</b>			
For Allison WT-MD & 3000 Series Transmission REQS: Code 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13ATL(std), 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 04WZJ AIR TANK LOCATION or Code 08XBK SWITCH, AUXILIARY : TRANSMISSION, MANUAL : Code 12VAG and 12VAL AIR CLEANER	13WBA	\$8,654 +59/+21	
For Allison 4000 Series Transmission REQS: Code 01WDS or 01WDT FRAME EXTENSION, FRONT REQS: Code 01WAC BUMPER EXTENSION, FRONT REQS: Code 08XAH CIRCUIT BREAKERS, when in combination with Code 12VAL AIR CLEANER REQS: Code 13WCT OIL COOLER, AUTO TRANSMISSION	13WDM	\$9,754 +59/+21	
<b>(SEE NEXT PAGE)</b>			





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b> <b>NOTE: WEIGHTS - FRONT/REAR</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>HYDRAULIC RETARDER</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p>REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AAU, 13AAU, 13AAZ, 13AVA, 13AVB or 13AVC            TRANSMISSION, AUTOMATIC</p> <p>N/A: TRANSMISSION, MANUAL            : Code 12VAG AIR CLEANER            : Code 13WGK TRANSMISSION COOLER HOSES, when in combination with Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AAU or 13AAU TRANSMISSION, AUTOMATIC            : CIGAR LIGHTER or POWER SOURCE, TERMINAL TYPE, when in combination with Code 12VAL AIR CLEANER</p>	13WDM		
<p><b>INPUT SHAFT</b></p> <p>Heavy Duty Roller Bearing; Spline Size 2.00" with 1.18" Pilot, Use with Eaton 13/18 Speed Manual Transmissions, with Transmission Mounted, 6 or 8 bolt PTO's with Up to the Total PTO Output of 500 lb. ft.</p> <p>REQS: Code 13GJS, 13GKJ, 13GKL or 13GKM            TRANSMISSION, MANUAL</p> <p>N/A: TRANSMISSION, AUTOMATIC</p>	13WGP	\$35	
<p><b>NEUTRAL AT STOP</b></p> <p>Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released</p> <p>N/A: TRANSMISSION, MANUAL            : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS</p>	13WVV	<b>STD</b>	
<p><b>OIL COOLER, AUTO TRANSMISSION</b></p> <p><b>Modine</b></p> <p>Water to Oil Type            N/A: TRANSMISSION, MANUAL            : Code 13WBA and 13WDM HYDRAULIC RETARDER</p> <p><b>Champ</b></p> <p>Remote Mounted            REQS: Code 13WBA or 13WDM HYDRAULIC RETARDER            N/A: TRANSMISSION, MANUAL</p>	13WAW	\$898 + 25/0	
<p><b>OIL COOLER MANUAL TRANSMISSION</b></p> <p>NOTE: See ENGINE/TRANSMISSION COMPATIBILITY Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book for Recommended and Mandatory Applications</p> <p>Water to Oil Type Included in Radiator End Tank (REQUIRES TRANSMISSION LUBE PUMP)</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	13WGJ	N/C	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>OIL COOLER MANUAL TRANSMISSION (SEE PREV PAGE)</b> NOTE: See ENGINE/TRANSMISSION COMPATIBILITY Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book for Recommended and Mandatory Applications  REQS: Code 13WAP TRANSMISSION LUBE PUMP, when in combination with Code 13GHJ, 13GHL, 13GHW or 13GMZ TRANSMISSION, MANUAL REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD or 13GXH TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	13WGJ		
<b>OIL COOLER, TRANSFER CASE</b>  Remote Mounted Back of Cab, with Electric Fan and Thermostat REQS: Code 08VUN or 08WJJ BATTERY BOX	13WES	\$848	
<b>PROVISION FOR PTO</b>  Top Mount; with Allison 3000 Transmission REQS: Code 13XAL, 13XAP or 13XAT PTO LOCATION REQS: Code 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WBA HYDRAULIC RETARDER or Code 13WCT OIL COOLER, AUTO TRANSMISSION AVAIL: Code 13XAL, 13XAP and 13XAT PTO LOCATION	13905	\$1,990	0/0
<b>PTO CONTROL, DASH MOUNTED</b>  For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring N/A: Code 60ABA, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION : Code 08WHE and 08XHN HORN, AIR, when in combination with Code 03WAJ or 03WAK SPRINGS, FRONT AUXILIARY and Code 14899 SUSPENSION AIR CONTROL VALVE and Code 13607 TRANSMISSION, AUXILIARY	13XAA	\$116	0/0
<b>PTO LOCATION</b>  Customer Does Not Intend to Install PTO REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AAUX, 13AAUY, 13AAVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 13905 PROVISION FOR PTO  Customer Intends to Install PTO at Bottom of Transmission REQS: Code 13AUT TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 13905 PROVISION FOR PTO	13XAN	N/C	0/0
	13XAR	N/C	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>PTO LOCATION (CONTINUED)</b>			
Customer Intends to Install PTO at Left Side of Transmission REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	13XAL	N/C	0/0
Customer Intends to Install PTO at Rear of Transmission N/A: TRANSMISSION, AUTOMATIC : Code 13905 PROVISION FOR PTO	13XAS	N/C	0/0
Customer Intends to Install PTO at Top of Transmission REQS: Code 13905 PROVISION FOR PTO or Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	13XAP	N/C	0/0
Customer Intends to Install PTO at Right Side of Transmission REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GNB or 13GXA TRANSMISSION, MANUAL -OR- Code 13AUS, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13905 PROVISION FOR PTO	13XAK	N/C	0/0
Dual, Customer Intends to Install PTO at Right Side and/or Bottom of Transmission REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GNB or 13GXA TRANSMISSION, MANUAL -OR- Code 13AUP or 13AUW TRANSMISSION, AUTOMATIC N/A: Code 13905 PROVISION FOR PTO	13XAV	N/C	0/0
Dual, Customer Intends to Install PTO at Right Side and/or Rear of Transmission REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GNB or 13GXA TRANSMISSION, MANUAL -OR- Code 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13905 PROVISION FOR PTO	13XAJ	N/C	0/0
Dual, Customer Intends to Install PTO at Left and/or Right Side of Transmission REQS: Code 13AUT, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13905 PROVISION FOR PTO	13XAM	N/C	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<p><b>PTO LOCATION</b> (CONTINUED)</p> <p>Dual, Customer Intends to Install PTO at Left Side and/or Top of Transmission            REQS: Code 13905 PROVISION FOR PTO or Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC            REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC            N/A: TRANSMISSION, MANUAL</p>	13XAT	N/C 0/0	
<p><b>SHIFT CONTROL PARAMETERS</b></p> <p>Allison S-1 Performance Programming in Primary and Allison Fixed Programming in Secondary            N/A: TRANSMISSION, MANUAL</p> <p>Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with DynActive and Dynamic Shift Sensing (FuelSense 2.0 Basic)            N/A: TRANSMISSION, MANUAL</p> <p>Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with DynActive, Dynamic Shift Sensing and Neutral at Stop-Premium, with Coast Mode (FuelSense 2.0 Plus)            REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC            N/A: TRANSMISSION, MANUAL            : Code 13WVV(std) NEUTRAL AT STOP</p> <p>Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with DynActive, with Dynamic Shift Sensing, Neutral at Stop-Premium, with Coast Mode and Acceleration Rate Management (FuelSense 2.0 Max)            REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC            N/A: TRANSMISSION, MANUAL            : Code 13WVV(std) NEUTRAL AT STOP</p> <p>Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming            N/A: TRANSMISSION, MANUAL</p>	13WDZ  13XBD  13XBE  13XBG  13WYU	\$48  \$690  \$750  \$815  N/C	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>SHIFT CONTROL PARAMETERS</b> (CONTINUED)  <b>Allison</b>  3 Speed S1 Secondary Shift Schedule for 5 or 6 Speed Allison Gen4/Gen 5 3000 & 4000 Series Transmissions N/A: TRANSMISSION, MANUAL	13WDT	\$48	0 / 0
<b>THRU-SHAFT</b>  PTO Provision, Left Side, with Fuller Transmission REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	13901	\$48	0 / 0
<b>TRANSFER CASE</b>  <b>Fabco</b>  <b>- TC-270 -</b> 2-Speed, 12,000 lb-ft Torque Rating, with PTO Provision, Air Shift Control, with Lube Pump, Remote Mount Dual Acting High-Low Cylinder REQS: Code 01ANE AXLE CONFIGURATION REQS: Code 13WES OIL COOLER, TRANSFER CASE, when in combination with Code 01ANE AXLE CONFIGURATION REQS: Code 07BLD or 07BLG EXHAUST SYSTEM REQS: Code 14ULX or 14ULY SUSPENSION, REAR, TANDEM <b>-OR- SUSPENSION, REAR, AIR, SINGLE</b> <b>-OR- SUSPENSION, REAR, AIR, TANDEM</b> REQS: Code 13AUP, 13AUT, 13AUU, 13AVJ or 13AVK TRANSMISSION, AUTOMATIC <b>-OR- TRANSMISSION, MANUAL</b> REQS: Code 15SGG, 15SGJ, 15SWE or 15SWG FUEL TANK N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE	13TKX	\$51,893 + 155/+609	
<b>TRANSMISSION, AUXILIARY</b>  <b>Fuller</b>  <b>- AT-1202 -</b> 2-Speed with Air Shift Controls REQS: Code 04VKC(std) AIR DRYER LOCATION, when in combination with Code 08VTR or 08WEJ BATTERY BOX and Code 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM REQS: Code 04VKJ(std) AIR TANK LOCATION, when in combination with Code 08VTR or 08WEJ BATTERY BOX and Code 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM  <div style="text-align: right;"><b>(SEE NEXT PAGE)</b></div>	13607	\$11,524 + 232/+130	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>TRANSMISSION, AUXILIARY</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p><i>Fuller</i></p> <p>- <b>AT-1202</b> -</p> <p>REQS: Code 08VTR, 08VUJ or 08WEJ BATTERY BOX, when in combination with Code 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 07BKN or 07BKS EXHAUST SYSTEM</p> <p>REQS: Code 07BKS EXHAUST SYSTEM, when in combination with Code 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 15SWE or 15SWG FUEL TANK, when in combination with Code 08VTR or 08WEJ BATTERY BOX and Code 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE</p> <p>-OR- Code 14UHC, 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM</p> <p>-OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE</p> <p>-OR- Code 14ULT, 14ULU, 14UNT, 14UNU, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWW, 14GWY, 14GWZ, 14HRB, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>-OR- AXLE, REAR, SINGLE</p> <p>REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p>N/A: Code 16CAB CAB            : Code 04WZJ AIR TANK LOCATION</p>	13607		
<p><b>TRANSMISSION COOLER HOSES</b></p> <p>Stainless Steel</p> <p>REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX or 13AUY TRANSMISSION, AUTOMATIC</p> <p>N/A: TRANSMISSION, MANUAL</p>	13WGK	\$532	
<p><b>TRANSMISSION LUBE PUMP</b></p> <p>for International, Fuller, Meritor or Spicer Transmissions; USE ONLY WHEN PUMP IS NOT INCLUDED STANDARD IN TRANSMISSION</p> <p>REQS: Code 13GHJ, 13GHL, 13GHW or 13GMZ TRANSMISSION, MANUAL</p> <p>N/A: TRANSMISSION, AUTOMATIC</p>	13WAP	\$324 +7/+3	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>TRANSMISSION OIL</b>	<b>HV513 SFA</b>		
Synthetic; 29 thru 42 Pints REQS: Code 13ATL(std), 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	13WLP	\$203	0 / 0
Synthetic; 63 thru 76 Pints REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AAZ, 13AAU, 13AAZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	13WLM	\$405	0 / 0
<b>EmGard</b>			
<b>- 40W -</b>			
Synthetic; 1 thru 21.99 Pints REQS: Code 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	13WLW	\$85	0 / 0
Synthetic; 22 thru 33.99 Pints REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD or 13GXH TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	13WLX	\$153	0 / 0
<b>TRANSMISSION SHIFT CONTROL</b>  for Column Mounted Stalk Shifter REQS: Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC	13WET	\$50	
<b>AXLE, REAR, SINGLE</b>  <b>Meritor</b>  <b>- RS-23-160 -</b> Single Reduction, 23,000-lb Capacity, 200 Wheel Ends RATIO: 2.50,2.67,2.80,2.93,3.07,3.21,3.42,3.58, 3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63, 6.14,6.43,6.83 or 7.17 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 10NZL and 10NZN SPECIAL RATING, GVWR : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS (SEE NEXT PAGE)	14051	<b>STD</b>	











# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>AXLE, REAR, SINGLE</b> (CONTINUED)  <b>Meritor</b>  <b>- RS-23-186 -</b> Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, 200 Wheel Ends RATIO: 3.42,3.58,4.30,4.56,4.89,5.13,5.38,5.63,5.86,6.14,6.83 or 7.17 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBW, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 10NZL and 10NZN SPECIAL RATING, GVWR : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : Code 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE : AXLE, REAR, TANDEM : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WAP SHOCK ABSORBERS, REAR : Code 14WMH AXLE, REAR, LUBE NOTE: Axle Lead Time is 60 Days  Single Reduction, 23,000-lb Capacity, 200 Wheel Ends RATIO: 3.42,3.58,4.30,4.56,4.89,5.13,5.38,5.63,5.86,6.14,6.83 or 7.17 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 10NZL and 10NZN SPECIAL RATING, GVWR : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : Code 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE : AXLE, REAR, TANDEM : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WAP SHOCK ABSORBERS, REAR : Code 14WMH AXLE, REAR, LUBE NOTE: Axle Lead Time is 60 Days  <b>- RS-23-240 -</b> Two-Speed, 23,000-lb Capacity, R Wheel Ends RATIO: 4.10/5.59,4.30/5.86,4.56/6.21,4.88/6.55,5.57/7.60 or 6.14/8.38 REQS: Code 01ANA(std) AXLE CONFIGURATION  (SEE NEXT PAGE)	14ARY	\$1,327 0/+49	
	14ARX	\$526 0/+29	
	14CVC	\$2,632 0/-32	



# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR</b>		
<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>HV513 SFA</i>	
<p><b>AXLE, REAR, SINGLE</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p><i>Meritor</i></p> <p>- <b>RS-23-240</b> -            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- Code 14TAX or 14TBJ SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 10NZL and 10NZN SPECIAL RATING, GVWR                  : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS                  : Code 28DTE, 28DTU and 32WAA WHEELS, REAR                  : AXLE, REAR, TANDEM                  : Code 14WZY AXLE SHAFT MODIFICATION                  : Code 14WBN DIFF. SWITCH CONTROLS            AVAIL: Code 04ERC BRAKE CHAMBERS, SPRING                  : Code 14WAP SHOCK ABSORBERS, REAR                  : Code 14WMG AXLE, REAR, LUBE                  : Code 14881 DIFFERENTIAL, LOCKING            NOTE: Axle Lead Time is 90 Days</p> <p>- <b>RS-26-185</b> -            Single Reduction, 26,000-lb Capacity, Driver Controlled Locking Differential, R Wheel Ends            RATIO: 3.42,3.58,4.30,4.56,4.89,5.13,5.38,5.63,5.86,6.14,6.83 or 7.17            REQS: Code 01ANA(std) AXLE CONFIGURATION            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            N/A: Code 10NZL and 10NZN SPECIAL RATING, GVWR                  : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS                  : Code 04WDW BRAKE CHAMBERS, SPRING                  : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE                  : Code 28DTE, 28DTU, 28DVJ, 28DVK, 28DVR and 32WAA WHEELS, REAR                  : Code 14WBT 2-SPEED SHIFT PACKAGE                  : AXLE, REAR, TANDEM                  : Code 14WZY AXLE SHAFT MODIFICATION                  : Code 14WBN DIFF. SWITCH CONTROLS                  : Code 14877 and 14881 DIFFERENTIAL, LOCKING            AVAIL: Code 14WAP SHOCK ABSORBERS, REAR                  : Code 14WMH AXLE, REAR, LUBE            NOTE: Axle Lead Time is 60 Days</p> <p>Single Reduction, 26,000-lb Capacity, R Wheel Ends            RATIO: 3.42,3.58,4.30,4.56,4.89,5.13,5.38,5.63,5.86,6.14,6.83 or 7.17            REQS: Code 01ANA(std) AXLE CONFIGURATION            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            N/A: Code 10NZL and 10NZN SPECIAL RATING, GVWR                  : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS                  : Code 04WDW BRAKE CHAMBERS, SPRING</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>14CVC</p> <p>14ASA</p> <p>14ARZ</p>	<p></p> <p>\$3,909 0/+75</p> <p>\$3,863 0/+55</p>	





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>AXLE, REAR, SINGLE</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p><b>Meritor</b></p> <p>- <b>RS-30-185</b> -            N/A: Code 28DEM, 28DTC, 28DTE, 28DTU, 28DUX, 28DVJ, 28DVK, 28DVR, 28DVS and 32WAA            WHEELS, REAR            : Code 29GBA HUB MODIFICATIONS, REAR            : Code 14WBT 2-SPEED SHIFT PACKAGE            : AXLE, REAR, TANDEM            : Code 14WZY AXLE SHAFT MODIFICATION            : Code 14WBN DIFF. SWITCH CONTROLS            : Code 14877 and 14881 DIFFERENTIAL, LOCKING            AVAIL: Code 14WAP SHOCK ABSORBERS, REAR            : Code 14WMH AXLE, REAR, LUBE            NOTE: Axle Lead Time is 60 Days</p> <p>Single Reduction, 30,000-lb Capacity, T Wheel Ends            RATIO: 3.42, 3.58, 4.30, 4.56, 4.89, 5.13, 5.38, 5.63, 5.86, 6.14, 6.83 or 7.17            REQS: Code 01ANA(std) AXLE CONFIGURATION            REQS: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 10NZL and 10NZN SPECIAL RATING, GVWR            : Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC            : Code 29334 BRAKE DRUMS, REAR            : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS            : Code 04WDW BRAKE CHAMBERS, SPRING            : Code 14TAX, 14TBJ, 14TBZ and 14TCL            SUSPENSION, REAR, AIR, SINGLE            : Code 28DEM, 28DTC, 28DTE, 28DTU, 28DUX, 28DVJ, 28DVK, 28DVR, 28DVS and 32WAA            WHEELS, REAR            : Code 29GBA HUB MODIFICATIONS, REAR            : Code 14WBT 2-SPEED SHIFT PACKAGE            : AXLE, REAR, TANDEM            : Code 14WZY AXLE SHAFT MODIFICATION            : Code 14WBN DIFF. SWITCH CONTROLS            : Code 14877 and 14881 DIFFERENTIAL, LOCKING            AVAIL: Code 14WAP SHOCK ABSORBERS, REAR            : Code 14WMH AXLE, REAR, LUBE</p> <p>- <b>RS-30-380</b> -            Double Reduction, 30,000-lb Capacity, T Wheel Ends            RATIO: 5.52, 6.07, 6.37, 6.75, 7.24, 7.83, 9.14, 10.12 or 10.62            REQS: Code 01ANA(std) AXLE CONFIGURATION            REQS: Code 14SAL or 14VAJ SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, AIR, TANDEM</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>14ASD</p> <p>14ASB</p> <p>14ERB</p>	<p>\$4,285</p> <p>0/+72</p> <p>\$6,085</p> <p>0/+310</p>	



**HV513 SFA  
AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>AXLE, REAR, SINGLE (SEE PREV PAGE)</b></p> <p><i>Meritor</i></p> <p><b>- RS-30-380 -</b>  REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW,  13GHX, 13GJS, 13GKJ, 13GKM, 13GMZ, 13GNA,  13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU,  13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC,  13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH  or 13GYJ TRANSMISSION, MANUAL  -OR- TRANSMISSION, AUTOMATIC  N/A: Code 29334 BRAKE DRUMS, REAR  : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS  : Code 04WDW BRAKE CHAMBERS, SPRING  : Code 14TAX, 14TBJ, 14TBZ and 14TCL  SUSPENSION, REAR, AIR, SINGLE  : Code 28DEM, 28DTC, 28DTE, 28DTU, 28DUX,  28DVJ, 28DVK, 28DVR, 28DVS and 32WAA  WHEELS, REAR  : Code 29GBA HUB MODIFICATIONS, REAR  : Code 14WBT 2-SPEED SHIFT PACKAGE  : AXLE, REAR, TANDEM  : Code 14WZY AXLE SHAFT MODIFICATION  : Code 14WBN DIFF. SWITCH CONTROLS  AVAIL: Code 14WAP SHOCK ABSORBERS, REAR  : Code 14WMJ AXLE, REAR, LUBE  : Code 14881 DIFFERENTIAL, LOCKING  NOTE: Axle Lead Time is 120 Days</p> <p><b>- RS-38-380 -</b>  Double Reduction, 26,000-lb Capacity, W Wheel  Ends  RATIO: 9.14 or 10.12  REQS: Code 01ANA(std) AXLE CONFIGURATION  REQS: Code 04JNW BRAKES, REAR, AIR DISC  -OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or  04NDP BRAKES, REAR, AIR CAM  REQS: Code 04091(std) BRAKE SYSTEM, AIR  REQS: Code 14SAL SUSPENSION, REAR, SINGLE  -OR- SUSPENSION, REAR, TANDEM  -OR- SUSPENSION, REAR, AIR, TANDEM  REQS: Code 13GHJ, 13GHL, 13GHW, 13GJS, 13GKJ,  13GKM, 13GMZ, 13GNB, 13GWM, 13GWN, 13GWP,  13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ,  13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD,  13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL  -OR- TRANSMISSION, AUTOMATIC  N/A: Code 10NZN and 10NZN SPECIAL RATING, GWR  : Code 29334 BRAKE DRUMS, REAR  : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS  : Code 14TAX, 14TBJ, 14TBZ and 14TCL  SUSPENSION, REAR, AIR, SINGLE  : Code 29597 WHEEL SEALS, REAR  : Code 28DEL, 28DEM, 28DMK, 28DTC, 28DUX,  28DVJ, 28DVK, 28DVR, 28DVS and 32DHY  WHEELS, REAR  : Code 29GBA HUB MODIFICATIONS, REAR  : Code 14WBT 2-SPEED SHIFT PACKAGE  : AXLE, REAR, TANDEM  : Code 14WZY AXLE SHAFT MODIFICATION  : Code 14WBN DIFF. SWITCH CONTROLS  (SEE NEXT PAGE)</p>	<p>14ERB</p> <p>14ERP</p>	<p>\$7,903 0/+522</p>	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-179**

**SUBJECT TO CHANGE WITHOUT NOTICE**



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>AXLE, REAR, SINGLE</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p><b>Meritor</b></p> <p><b>- RS-38-380 -</b></p> <p>AVAIL: Code 04ERC BRAKE CHAMBERS, SPRING            : Code 14WAP SHOCK ABSORBERS, REAR            : Code 14WMJ AXLE, REAR, LUBE            : Code 14881 DIFFERENTIAL, LOCKING            : Code 10443 HUBODOMETER            : Code 29PBY COATING IDENTITY, REAR WHEELS</p> <p>Double Reduction, 38,000-lb Capacity, W Wheel Ends            RATIO: 5.52, 6.37, 6.75, 7.83, 9.14 or 10.62            REQS: Code 01ANA(std) AXLE CONFIGURATION            REQS: Code 14SAL or 14VAJ SUSPENSION, REAR, SINGLE</p> <p>-OR- SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, AIR, TANDEM</p> <p>N/A: Code 29334 BRAKE DRUMS, REAR            : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS            : Code 04WDW BRAKE CHAMBERS, SPRING            : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE            : Code 29597 WHEEL SEALS, REAR            : Code 28DEL, 28DEM, 28DMJ, 28DMK, 28DTC, 28DTD, 28DUX, 28DVJ, 28DVK, 28DVR, 28DVS, 32DHY and 32WAA WHEELS, REAR            : Code 29GBA HUB MODIFICATIONS, REAR            : Code 14WBT 2-SPEED SHIFT PACKAGE AXLE, REAR, TANDEM            : Code 14WZY AXLE SHAFT MODIFICATION            : Code 14WBN DIFF. SWITCH CONTROLS</p> <p>AVAIL: Code 14WAP SHOCK ABSORBERS, REAR            : Code 14WMJ AXLE, REAR, LUBE            : Code 14881 DIFFERENTIAL, LOCKING            : Code 10443 HUBODOMETER</p> <p>NOTE: Axle Lead Time is 120 Days</p> <p><b>Dana Spicer</b></p> <p><b>- S23-172 -</b></p> <p>Single Reduction, 23,000-lb Capacity, R Wheel Ends            RATIO: 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.78, 5.25, 5.38, 5.57 or 6.14            REQS: Code 01ANA(std) AXLE CONFIGURATION            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM</p> <p>-OR- BRAKES, REAR, AIR DISC            REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE</p> <p>-OR- SUSPENSION, REAR, TANDEM            -OR- Code 14TAX or 14TBJ SUSPENSION, REAR, AIR, SINGLE</p> <p>-OR- SUSPENSION, REAR, AIR, TANDEM</p> <p>N/A: Code 10NZL and 10NZN SPECIAL RATING, GVWR            : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS            : Code 04WDW BRAKE CHAMBERS, SPRING            : Code 32WAA WHEELS, REAR            : Code 14WBT 2-SPEED SHIFT PACKAGE</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>			
	14ERP		
	14ERC	\$8,750 0/+522	
	14AWL	\$165 0/-91	





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
<b>AXLE, REAR, SINGLE</b> <span style="float: right;">(SEE PREV PAGE)</span>  <b>Dana Spicer</b>  <b>- S23-172 -</b> N/A: AXLE, REAR, TANDEM : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WAP SHOCK ABSORBERS, REAR : Code 14WVG AXLE, REAR, LUBE  <b>- S23-172D -</b> Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, R Wheel Ends RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30, 4.56,4.78,5.25,5.38,5.57 or 6.14 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX or 14TBJ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 10NZL and 10NZN SPECIAL RATING, GVWR : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : Code 28DTE and 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE : AXLE, REAR, TANDEM : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WAP SHOCK ABSORBERS, REAR : Code 14WVG AXLE, REAR, LUBE  <b>- S23-190 -</b> Single Reduction, Hypoid Gearing, 23,000-lb Capacity, R Wheel Ends RATIO: 2.69,2.87,2.93,3.07,3.21,3.31,3.42,3.58, 3.73,3.91,4.10,4.30,4.56,4.78,5.25,5.38, 5.57,6.14,6.83,7.17 or 7.83 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 10NZL and 10NZN SPECIAL RATING, GVWR : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : Code 28DTE, 28DTU and 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE : AXLE, REAR, TANDEM : Code 14WZY AXLE SHAFT MODIFICATION <span style="float: right;">(SEE NEXT PAGE)</span>	14AWL		
	14AWK	\$1,364	0/-63
	14AHE	\$737	0/+53

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-181**

**SUBJECT TO CHANGE WITHOUT NOTICE**



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>AXLE, REAR, SINGLE</b> (SEE PREV PAGE)</p> <p><i>Dana Spicer</i></p> <p><b>- S23-190 -</b> N/A: Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WAP SHOCK ABSORBERS, REAR : Code 14WWMG AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING</p> <p><b>- S23-190D -</b> Single Reduction, Hypoid Gearing, 23,000-lb Capacity, Driver Control Locking Differential, R Wheel Ends RATIO: 2.69,2.87,2.93,3.07,3.21,3.31,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.78,5.25,5.38,5.57,6.14,6.83,7.17 or 7.83 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 10NZL and 10NZN SPECIAL RATING, GVWR : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : Code 28DTE, 28DTU and 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE : AXLE, REAR, TANDEM : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WAP SHOCK ABSORBERS, REAR : Code 14WWMG AXLE, REAR, LUBE</p> <p><b>- S23-190DE -</b> Single Reduction, High Entry Pinion, 23,000-lb Capacity, Driver Controlled Locking Differential, R Wheel Ends RATIO: 4.56 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 16030(std) CAB REQS: Code 28DEL, 28DEM, 28DMJ, 28DMK, 28DTC, 28DUR, 28DUS, 28DUX, 28DVG, 28DVH, 28DVJ, 28DVK, 28DVN, 28DVP, 28DVR, 28DVS or 32DHY WHEELS, REAR REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14TAX SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 10NZL and 10NZN SPECIAL RATING, GVWR : Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE : Code 04ERC, 04WDW and 04WYB BRAKE CHAMBERS, SPRING</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14AHE</p> <p>14AHG</p> <p>14AWN</p>	<p>\$1,831 0/+76</p> <p>\$5,202 0/+169</p>	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-182**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>AXLE, REAR, SINGLE</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p><i>Dana Spicer</i></p> <p><b>- S23-190DE -</b>            N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE            : Code 14SZB SPRINGS, REAR AUXILIARY            : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR            : Code 14WBT 2-SPEED SHIFT PACKAGE            : AXLE, REAR, TANDEM            : Code 14WZY AXLE SHAFT MODIFICATION            : Code 14WBN DIFF. SWITCH CONTROLS            : Code 14877 and 14881 DIFFERENTIAL, LOCKING            AVAIL: Code 14WMH AXLE, REAR, LUBE</p> <p><b>- S26-190 -</b>            Single Reduction, 26,000-lb Capacity, R Wheel Ends            RATIO: 2.69,2.87,2.93,3.07,3.21,3.31,3.42,3.58, 3.73,3.91,4.10,4.30,4.56,4.78,5.25,5.38, 5.57,6.14,6.83,7.17 or 7.83            REQS: Code 01ANA(std) AXLE CONFIGURATION            REQS: Code 04NCZ, 04NDB, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14TAX or 14TCL SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 10NZL and 10NZN SPECIAL RATING, GVWR            : Code 29334 BRAKE DRUMS, REAR            : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS            : Code 04WDW BRAKE CHAMBERS, SPRING            : Code 28DTE, 28DTU and 32WAA WHEELS, REAR            : Code 14WBT 2-SPEED SHIFT PACKAGE            : AXLE, REAR, TANDEM            : Code 14WZY AXLE SHAFT MODIFICATION            : Code 14WBN DIFF. SWITCH CONTROLS            AVAIL: Code 14WAP SHOCK ABSORBERS, REAR            : Code 14WMG AXLE, REAR, LUBE            : Code 14877 DIFFERENTIAL, LOCKING</p> <p><b>- S26-190D -</b>            Single Reduction, 26,000-lb Capacity, Driver Controlled Locking Differential, R Wheel Ends            RATIO: 2.69,2.87,2.93,3.07,3.21,3.31,3.42,3.58, 3.73,3.91,4.10,4.30,4.56,4.78,5.25,5.38, 5.57,6.14,6.83,7.17 or 7.83            REQS: Code 01ANA(std) AXLE CONFIGURATION            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14TAX, 14TBZ or 14TCL SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 10NZL and 10NZN SPECIAL RATING, GVWR  <span style="float: right;"><i>(SEE NEXT PAGE)</i></span></p>	<p>14AWN</p> <p>14AHK</p> <p>14AHL</p>	<p></p> <p>\$3,413 0/+123</p> <p>\$3,526 0/+133</p>	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-183**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable



# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
<b>AXLE, REAR, SINGLE</b> (SEE PREV PAGE)  <i>Dana Spicer</i>  <b>- S26-190D -</b> N/A: Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : Code 28DTE, 28DTU and 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE : AXLE, REAR, TANDEM : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WAP SHOCK ABSORBERS, REAR : Code 14WVG AXLE, REAR, LUBE  <b>- S30-190 -</b> Single Reduction, 30,000-lb Capacity, W Wheel Ends RATIO: 2.69, 2.87, 2.93, 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.78, 5.25, 5.38, 5.57, 6.14, 6.83, 7.17 or 7.83 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 14SAL, 14SAN(std), 14TBU, 14TBW, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 10NZL and 10NZN SPECIAL RATING, GVWR : Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 29334 BRAKE DRUMS, REAR : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 29597 WHEEL SEALS, REAR : Code 28DEL, 28DEM, 28DMK, 28DTC, 28DUX, 28DVJ, 28DVK, 28DVR, 28DVS, 32DHY and 32WAA WHEELS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE : AXLE, REAR, TANDEM : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WAP SHOCK ABSORBERS, REAR : Code 14WVG AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING : Code 10443 HUBODOMETER  Single Reduction, 31,000-lb Capacity, W Wheel Ends RATIO: 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.78, 5.25, 5.38, 5.57, 6.14, 6.83, 7.17 or 7.83 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 10NZL and 10ZN SPECIAL RATING, GVWR : Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 29334 BRAKE DRUMS, REAR (SEE NEXT PAGE)	14AHL		
	14AHH	\$3,442	0/+143
	14AJY	\$4,005	0/+143

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-184

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>AXLE, REAR, SINGLE</b> (CONTINUED)</p> <p><i>Dana Spicer</i></p> <p>- <b>23082T</b> -            Two-Speed, 23,000-lb Capacity, 200 Wheel Ends            RATIO: 3.70/5.04, 3.90/5.31, 4.11/5.60, 4.33/5.90,            4.56/6.20, 4.88/6.64, 5.43/7.39, 6.17/8.40 or            6.67/9.08            REQS: Code 01ANA(std) AXLE CONFIGURATION            REQS: Code 04JNW BRAKES, REAR, AIR DISC            -OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or            04NDP BRAKES, REAR, AIR CAM            REQS: Code 14SAL, 14SAN(std), 14SCD, 14SCE,            14TBW, 14VAH or 14VAJ SUSPENSION, REAR,            SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- Code 14TAX or 14TBJ SUSPENSION, REAR, AIR,            SINGLE            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 10NZL and 10NZN SPECIAL RATING, GVWR                  : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS                  : Code 04WDW BRAKE CHAMBERS, SPRING                  : Code 32WAA WHEELS, REAR                  : AXLE, REAR, TANDEM                  : Code 14WBN DIFF. SWITCH CONTROLS            AVAIL: Code 14WAP SHOCK ABSORBERS, REAR                  : Code 14WMG AXLE, REAR, LUBE                  : Code 14877 DIFFERENTIAL, LOCKING            NOTE: Axle Lead Time is 49 Days</p>	14CDE	\$3,391	0/+3
<p><b>AXLE, REAR, TANDEM</b></p> <p><i>Dana Spicer</i></p> <p>- <b>D46-172</b> -            Single Reduction, 46,000-lb Capacity, R Wheel            Ends            RATIO: 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30,            4.56, 4.78, 5.25, 5.38, 5.57 or 6.14            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or            04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY,            14ULZ or 14UMC SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, AIR, SINGLE            -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS,            14UNT, 14UNW, 14UNX, 14UNY or 14UPL            SUSPENSION, REAR, AIR, TANDEM            N/A: Code 28DTE, 28DTU and 32WAA WHEELS, REAR                  : AXLE, REAR, SINGLE                  : Code 14WZY AXLE SHAFT MODIFICATION                  : Code 14WBN DIFF. SWITCH CONTROLS                  : Code 14877 and 14881 DIFFERENTIAL, LOCKING            AVAIL: Code 14WMK AXLE, REAR, LUBE                  : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY</p>	14GKM	\$12,480	0/+2218





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HV513 SFA		
<p><b>AXLE, REAR, TANDEM</b> (CONTINUED)</p> <p><i>Dana Spicer</i></p> <p><b>- D46-172DP -</b>            Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends            RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30, 4.56,4.78,5.25,5.38,5.57 or 6.14            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, AIR, SINGLE            -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM            N/A: Code 28DTE, 28DTU and 32WAA WHEELS, REAR : AXLE, REAR, SINGLE            : Code 14WZY AXLE SHAFT MODIFICATION            : Code 14WBN DIFF. SWITCH CONTROLS            : Code 14877 and 14881 DIFFERENTIAL, LOCKING            AVAIL: Code 14WMK AXLE, REAR, LUBE            : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY</p> <p>Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, R Wheel Ends            RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30, 4.56,4.78,5.25,5.38,5.57,6.14 or 6.83            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, AIR, SINGLE            -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM            N/A: Code 28DTE, 28DTU and 32WAA WHEELS, REAR : AXLE, REAR, SINGLE            : Code 14WZY AXLE SHAFT MODIFICATION            : Code 14877 and 14881 DIFFERENTIAL, LOCKING            AVAIL: Code 14WMK AXLE, REAR, LUBE            : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY</p> <p><b>- D46-172HP -</b>            Single Reduction, 46,000-lb Capacity, 16mm Wall Housing Thickness, with Lube Oil Pump, R Wheel Ends            RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30, 4.56,4.78,5.25,5.38,5.57 or 6.14            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>14GKN</p> <p>14GKP</p> <p>14GKE</p>	<p>\$13,274 0/+2279</p> <p>\$14,802 0/+2335</p> <p>\$12,257 0/+2223</p>	





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT	
	NOTE: WEIGHTS - FRONT/REAR	
<b>AXLE, REAR, TANDEM (SEE PREV PAGE)</b>		
<i>Dana Spicer</i>		
- D46-172HP -	14GKE	
REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS or 14UZU SUSPENSION, REAR, TANDEM		
-OR- SUSPENSION, REAR, SINGLE		
-OR- SUSPENSION, REAR, AIR, SINGLE		
-OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM		
N/A: Code 28DTE, 28DTU and 32WAA WHEELS, REAR : AXLE, REAR, SINGLE : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING		
AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY		
- D46-172P -	14GKL	\$12,408 0/+2223
Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, R Wheel Ends RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.78,5.25,5.38,5.57 or 6.14 REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 28DTE, 28DTU and 32WAA WHEELS, REAR : AXLE, REAR, SINGLE : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING		
AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY		
<i>Meritor</i>		
- MT-40-14X-3DCR -	14GWZ	\$8,817 0/+1877
Single Reduction, 40,000-lb Capacity, w/.374"(9.5mm) Wall Housing Thickness, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90,4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43,6.83 or 7.17 REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UNA SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE		
(SEE NEXT PAGE)		

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-189

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT  
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>AXLE, REAR, TANDEM</b> (SEE PREV PAGE)</p> <p><i>Meritor</i></p> <p>- <b>MT-40-14X-3DCR</b> -            -OR- Code 14UNS, 14UNT or 14UNU SUSPENSION,            REAR, AIR, TANDEM            N/A: Code 40EUE SRV CONTRACT, EXT FRAME            : Code 28DTE, 28DTU and 32WAA WHEELS, REAR            : AXLE, REAR, SINGLE            : Code 14WZY AXLE SHAFT MODIFICATION            : Code 14877 and 14881 DIFFERENTIAL, LOCKING            AVAIL: Code 14WMJ AXLE, REAR, LUBE            : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- <b>MT-40-14X-3DCR-P</b> -            Single Reduction, 40,000-lb Capacity, with Lube            Oil Pump, w/.374"(9.5mm) Wall Housing Thickness,            Driver Controlled Locking Differential in            Forward-Rear and Rear-Rear Axle, R Wheel Ends            RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90,            4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43,            6.83 or 7.17            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or            04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14UNA SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, AIR, SINGLE            -OR- Code 14UNS, 14UNT or 14UNU SUSPENSION,            REAR, AIR, TANDEM            REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW,            13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ,            13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR,            13GWU, 13GWV, 13GWW, 13GWZ, 13GXA, 13GXC,            13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH            or 13GYJ TRANSMISSION, MANUAL            -OR- TRANSMISSION, AUTOMATIC            N/A: Code 40EUE SRV CONTRACT, EXT FRAME            : Code 28DTE, 28DTU and 32WAA WHEELS, REAR            : AXLE, REAR, SINGLE            : Code 14WZY AXLE SHAFT MODIFICATION            : Code 14877 and 14881 DIFFERENTIAL, LOCKING            AVAIL: Code 14WMJ AXLE, REAR, LUBE            : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- <b>MT-40-14X-3DER</b> -            Single Reduction, 40,000-lb Capacity,            w/.374"(9.5mm) Wall Housing Thickness, Driver            Controlled Locking Differential in Rear-Rear            Axle, R Wheel Ends            RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90,            4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43,            6.83 or 7.17            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or            04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14UNA SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, AIR, SINGLE            (SEE NEXT PAGE)</p>	<p>14GWZ</p> <p>14GWW</p> <p>14GWY</p>	<p>\$9,305 0/+1887</p> <p>\$8,110 0/+1948</p>	





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HV513 SFA		
<b>AXLE, REAR, TANDEM (SEE PREV PAGE)</b>			
<i>Meritor</i>			
- <b>MT-40-14X-4DCR -</b>			
N/A: AXLE, REAR, SINGLE			
: Code 14WZY AXLE SHAFT MODIFICATION			
: Code 14877 and 14881 DIFFERENTIAL, LOCKING			
AVAIL: Code 14WMJ AXLE, REAR, LUBE			
: Code 14WAL SUSPENSION/REAR-AXLE IDENTITY			
- <b>MT-40-14X-4DCR-P -</b>			
Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, w/.433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, R Wheel Ends			
RATIO: 2.64, 3.08, 3.25, 3.36, 3.42, 3.55, 3.70, 3.90, 4.11, 4.33, 4.63, 4.88, 5.29, 5.86, 6.14, 6.43, 6.83 or 7.17			
REQS: Code 01AND or 01ANE AXLE CONFIGURATION			
REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM			
-OR- BRAKES, REAR, AIR DISC			
REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14VKL SUSPENSION, REAR, TANDEM			
-OR- SUSPENSION, REAR, SINGLE			
-OR- SUSPENSION, REAR, AIR, SINGLE			
-OR- Code 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM			
N/A: Code 32WAA WHEELS, REAR			
: AXLE, REAR, SINGLE			
: Code 14WZY AXLE SHAFT MODIFICATION			
: Code 14877 and 14881 DIFFERENTIAL, LOCKING			
AVAIL: Code 14WMJ AXLE, REAR, LUBE			
: Code 14WAL SUSPENSION/REAR-AXLE IDENTITY			
- <b>MT-40-14X-4DER -</b>			
Single Reduction, 40,000-lb Capacity, w/.433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends			
RATIO: 2.64, 3.08, 3.25, 3.36, 3.42, 3.55, 3.70, 3.90, 4.11, 4.33, 4.63, 4.88, 5.29, 5.86, 6.14, 6.43, 6.83 or 7.17			
REQS: Code 01AND AXLE CONFIGURATION			
REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM			
-OR- BRAKES, REAR, AIR DISC			
REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM			
-OR- SUSPENSION, REAR, SINGLE			
-OR- SUSPENSION, REAR, AIR, SINGLE			
-OR- Code 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM			
N/A: Code 32WAA WHEELS, REAR			
<b>(SEE NEXT PAGE)</b>			
14GVN		\$9,437	0/+1922
14GVL		\$8,242	0/+1898
14GVR			

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-192**

**SUBJECT TO CHANGE WITHOUT NOTICE**



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<p><b>AXLE, REAR, TANDEM</b> <span style="float: right;">(SEE PREV PAGE)</span></p> <p><i>Meritor</i></p> <p><b>- MT-40-14X-4DER -</b>            N/A: AXLE, REAR, SINGLE            : Code 14WZY AXLE SHAFT MODIFICATION            : Code 14WBN DIFF. SWITCH CONTROLS            : Code 14877 and 14881 DIFFERENTIAL, LOCKING            AVAIL: Code 14WMJ AXLE, REAR, LUBE            : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p><b>- MT-40-14X-4DER-P -</b>            Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends            RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW or 14VKL SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, AIR, SINGLE            -OR- Code 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM            N/A: Code 28DTE, 28DTU and 32WAA WHEELS, REAR            : AXLE, REAR, SINGLE            : Code 14WZY AXLE SHAFT MODIFICATION            : Code 14WBN DIFF. SWITCH CONTROLS            : Code 14877 and 14881 DIFFERENTIAL, LOCKING            AVAIL: Code 14WMJ AXLE, REAR, LUBE            : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p><b>- MT-40-14X-4DFR -</b>            Single Reduction, 40,000-lb Capacity, w/.433"(11mm) Wall Housing Thickness, R Wheel Ends            RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, AIR, SINGLE            -OR- Code 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM            N/A: Code 32WAA WHEELS, REAR</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p style="text-align: center;">14GVR</p> <p style="text-align: center;">14GVJ</p> <p style="text-align: center;">14GVY</p>	<p style="text-align: center;">\$8,734</p> <p style="text-align: center;">0/+1907</p> <p style="text-align: center;">\$7,437</p> <p style="text-align: center;">0/+1886</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HV513 SFA		
<p><b>AXLE, REAR, TANDEM</b> <span style="float: right;">(SEE PREV PAGE)</span></p> <p><i>Meritor</i></p> <p><b>- MT-40-14X-4DFR -</b>            N/A: AXLE, REAR, SINGLE            : Code 14WZY AXLE SHAFT MODIFICATION            : Code 14WBN DIFF. SWITCH CONTROLS            : Code 14877 and 14881 DIFFERENTIAL, LOCKING            AVAIL: Code 14WMJ AXLE, REAR, LUBE            : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p><b>- MT-40-14X-4DFR-P -</b>            Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, w/.433"(11mm) Wall Housing Thickness, R Wheel Ends            RATIO: 2.64, 3.08, 3.25, 3.36, 3.42, 3.55, 3.70, 3.90, 4.11, 4.33, 4.63, 4.88, 5.29, 5.86, 6.14, 6.43, 6.83 or 7.17            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 32WAA WHEELS, REAR            : AXLE, REAR, SINGLE            : Code 14WZY AXLE SHAFT MODIFICATION            : Code 14WBN DIFF. SWITCH CONTROLS            : Code 14877 and 14881 DIFFERENTIAL, LOCKING            AVAIL: Code 14WMJ AXLE, REAR, LUBE            : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p><b>- MT-40-14X-5DCR-P -</b>            Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, w/.5"(12.7mm) Wall Housing Thickness, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, R Wheel Ends            RATIO: 2.64, 3.08, 3.25, 3.36, 3.42, 3.55, 3.70, 3.90, 4.11, 4.33, 4.63, 4.88, 5.29, 5.86, 6.14, 6.43, 6.83 or 7.17            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 28DTE, 28DTU and 32WAA WHEELS, REAR            : AXLE, REAR, SINGLE            : Code 14WZY AXLE SHAFT MODIFICATION            : Code 14877 and 14881 DIFFERENTIAL, LOCKING            AVAIL: Code 14WMJ AXLE, REAR, LUBE</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14GVY</p> <p>14GVU</p> <p>14GVM</p>	<p></p> <p>\$8,103 0/+1896</p> <p>\$9,514 0/+1972</p>	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-194**

**SUBJECT TO CHANGE WITHOUT NOTICE**



# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>AXLE, REAR, TANDEM</b> <span style="float: right;">(SEE PREV PAGE)</span></p> <p><i>Meritor</i></p> <p>- <b>MT-40-14X-5DCR-P</b> -            AVAIL: Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- <b>MT-40-14X-5DER-P</b> -            Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .5"(12.7mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends            RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 28DTE, 28DTU and 32WAA WHEELS, REAR : AXLE, REAR, SINGLE            : Code 14WZY AXLE SHAFT MODIFICATION            : Code 14WBN DIFF. SWITCH CONTROLS            : Code 14877 and 14881 DIFFERENTIAL, LOCKING            AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- <b>RT-46-160</b> -            Single Reduction, 46,000-lb Capacity, Driver Controlled Locking Differential in Rear-Rear Axle, 200 Wheel Ends            RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC            -OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            REQS: Code 14UHC, 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, AIR, SINGLE            -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM            N/A: Code 32WAA WHEELS, REAR : AXLE, REAR, SINGLE            : Code 14WBN DIFF. SWITCH CONTROLS            : Code 14877 and 14881 DIFFERENTIAL, LOCKING            AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p>	<p>14GVM</p> <p>14GVK</p> <p>14GRP</p>	<p>\$8,800 0/+1957</p> <p>\$12,726 0/+2391</p>	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-195**

**SUBJECT TO CHANGE WITHOUT NOTICE**



# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT  
NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>AXLE, REAR, TANDEM</b> (CONTINUED)			
<p><b>Meritor</b></p> <p>- RT-46-160 -</p> <p>Single Reduction, 46,000-lb Capacity, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.89, 5.38, 5.63, 6.14, 6.43, 6.83 or 7.17 REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 32WAA WHEELS, REAR : AXLE, REAR, SINGLE : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>Single Reduction, 46,000-lb Capacity, 200 Wheel Ends RATIO: 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.89, 5.38, 5.63, 6.14, 6.43, 6.83 or 7.17 REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC -OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14UHC, 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW, 14VKL or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 32WAA WHEELS, REAR : AXLE, REAR, SINGLE : Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14881 DIFFERENTIAL, LOCKING</p> <p>- RT-46-160P -</p> <p>Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, 200 Wheel Ends RATIO: 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.89, 5.38, 5.63, 6.14, 6.43, 6.83 or 7.17 REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC -OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM</p> <p>(SEE NEXT PAGE)</p>	<p>14HRM</p> <p>14GRD</p> <p>14GRR</p>	<p>\$13,718 0/+2321</p> <p>\$12,097 0/+2349</p> <p>\$12,408 0/+2378</p>	





# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>AXLE, REAR, TANDEM (SEE PREV PAGE)</b>			
<i>Meritor</i>			
<b>- RT-46-160P -</b>			
REQS: Code 14UHC, 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM	14GRR		
-OR- SUSPENSION, REAR, SINGLE			
-OR- SUSPENSION, REAR, AIR, SINGLE			
-OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM			
N/A: Code 32WAA WHEELS, REAR			
: AXLE, REAR, SINGLE			
: Code 14WBN DIFF. SWITCH CONTROLS			
AVAIL: Code 14WMK AXLE, REAR, LUBE			
: Code 14WAL SUSPENSION/REAR-AXLE IDENTITY			
: Code 14881 DIFFERENTIAL, LOCKING			
Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17	14GRS	\$12,999	0/+2421
REQS: Code 01AND AXLE CONFIGURATION			
REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC			
-OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM			
REQS: Code 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW, 14VKL or 14698 SUSPENSION, REAR, TANDEM			
-OR- SUSPENSION, REAR, SINGLE			
-OR- SUSPENSION, REAR, AIR, SINGLE			
-OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM			
N/A: Code 28DTE and 32WAA WHEELS, REAR			
: AXLE, REAR, SINGLE			
: Code 14WBN DIFF. SWITCH CONTROLS			
: Code 14877 and 14881 DIFFERENTIAL, LOCKING			
AVAIL: Code 14WMK AXLE, REAR, LUBE			
: Code 14WAL SUSPENSION/REAR-AXLE IDENTITY			
Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17	14HRL	\$14,036	0/+2348
REQS: Code 01AND AXLE CONFIGURATION			
REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM			
-OR- BRAKES, REAR, AIR DISC			
REQS: Code 14UHC, 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM			
-OR- SUSPENSION, REAR, SINGLE			
-OR- SUSPENSION, REAR, AIR, SINGLE			
<b>(SEE NEXT PAGE)</b>			

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-197

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable





# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<p><b>AXLE, REAR, TANDEM</b> (SEE PREV PAGE)</p> <p><i>Meritor</i></p> <p><b>- RT-46-164EH -</b>            REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL            -OR- TRANSMISSION, AUTOMATIC            N/A: Code 29597 WHEEL SEALS, REAR            : Code 32DHY and 32WAA WHEELS, REAR            : AXLE, REAR, SINGLE            : Code 14WBN DIFF. SWITCH CONTROLS            : Code 14877 and 14881 DIFFERENTIAL, LOCKING            AVAIL: Code 14WMK AXLE, REAR, LUBE            : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>Single Reduction, 46,000-lb Capacity, 200 Wheel Ends            RATIO: 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.89, 5.38, 5.63, 6.14, 6.43, 6.83 or 7.17            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, AIR, SINGLE            -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM            REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL            -OR- TRANSMISSION, AUTOMATIC            N/A: Code 29597 WHEEL SEALS, REAR            : Code 32WAA WHEELS, REAR            : AXLE, REAR, SINGLE            : Code 14WBN DIFF. SWITCH CONTROLS            AVAIL: Code 14WMK AXLE, REAR, LUBE            : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY            : Code 14881 DIFFERENTIAL, LOCKING</p> <p><b>- RT-46-164P -</b>            Single Reduction, Standard Width, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends            RATIO: 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.89, 5.38, 5.63, 6.14, 6.43, 6.83 or 7.17            REQS: Code 01AND or 01ANE AXLE CONFIGURATION            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC</p> <p>(SEE NEXT PAGE)</p>	<p>14HRD</p> <p>14HRB</p> <p>14HRE</p>	<p>\$12,470 0/+2371</p> <p>\$14,628 0/+2410</p>	

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-199

SUBJECT TO CHANGE WITHOUT NOTICE





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	CODE	HV513 SFA	
<p><b>ITEM DESCRIPTION</b></p> <p><b>AXLE, REAR, TANDEM (SEE PREV PAGE)</b></p> <p><i>Meritor</i></p> <p>- RT-52-185 -            N/A: Code 14WZY AXLE SHAFT MODIFICATION                 : Code 14WBN DIFF. SWITCH CONTROLS                 : Code 14877 and 14881 DIFFERENTIAL, LOCKING            AVAIL: Code 14WMZ AXLE, REAR, LUBE                 : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- RT-52-185P -            Single Reduction, 52,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends            RATIO: 4.30,4.56,4.89,5.38,6.14,6.83 or 7.17            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14UZX or 14698 SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, AIR, SINGLE            -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM            N/A: Code 28DEM, 28DTE, 28DTU, 32DHY and 32WAA WHEELS, REAR                 : AXLE, REAR, SINGLE                 : Code 14WZY AXLE SHAFT MODIFICATION                 : Code 14WBN DIFF. SWITCH CONTROLS                 : Code 14877 and 14881 DIFFERENTIAL, LOCKING            AVAIL: Code 14WMZ AXLE, REAR, LUBE                 : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY            NOTE: Axle Lead Time is 60 Days</p>	14GTS		
	14GTW	\$22,458 0/+2626	
<p><b>SUSPENSION, REAR, AIR, SINGLE</b></p> <p><i>Hendrickson</i></p> <p>- HAS 230 -            23,000-lb Capacity, 9.5" Ride Height, with Shock Absorbers            REQS: Code 01ANA(std) AXLE CONFIGURATION            REQS: Code 04AZA(std), 04AZJ or 04AZS AIR BRAKE ABS            REQS: Code 08VUJ or 08VUK BATTERY BOX, when in combination with Code 04VKK AIR TANK LOCATION            REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARK, 14ARX, 14ARY, 14ASK, 14AWK, 14AWL, 14AWN, 14CDE or 14CVC AXLE, REAR, SINGLE            -OR- AXLE, REAR, TANDEM            N/A: Code 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP                 : Code 10NZL and 10ZN SPECIAL RATING, GVWR                 : Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC</p> <p style="text-align: center;"><b>(SEE NEXT PAGE)</b></p>	14TAX	\$2,328 0/+17	

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-201

SUBJECT TO CHANGE WITHOUT NOTICE





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>SUSPENSION, REAR, AIR, SINGLE (CONTINUED)</b>			
<i>Hendrickson</i>			
<b>- PRIMAAX EX 262 -</b>			
26,000-lb Capacity, 9.0" Ride Height, with Shock Absorbers	14TCL	\$5,077	0/+144
REQS: Code 01ANA(std) AXLE CONFIGURATION			
REQS: Code 04AZA(std), 04AZJ or 04AZS AIR BRAKE ABS			
REQS: Code 01CAJ FRAME RAILS			
REQS: Code 08VTN, 08VUJ, 08VUK or 08WEK BATTERY BOX, when in combination with Code 04VKK AIR TANK LOCATION			
REQS: Code 04JNW BRAKES, REAR, AIR DISC			
-OR- Code 04NDB, 04NDH, 04NDL or 04NDP BRAKES, REAR, AIR CAM			
REQS: Code 04091(std) BRAKE SYSTEM, AIR			
REQS: Code 14AHJ, 14AHK, 14AHL or 14ARY AXLE, REAR, SINGLE			
-OR- AXLE, REAR, TANDEM			
REQS: Code 15SJZ or 15SWD FUEL TANK			
N/A: Code 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP			
: Code 10NZL and 10NZN SPECIAL RATING, GVWR			
: Code 16AAH GAUGE, AIR PRESSURE			
: Code 16AAG VIRTUAL GAUGE, AIR PRESSURE			
: Code 04ERC, 04WDW and 04WYB BRAKE CHAMBERS, SPRING			
: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE			
: SUSPENSION, REAR, TANDEM			
: Code 14SZB SPRINGS, REAR AUXILIARY			
: Code 14WBS TRANSVERSE TORQUE RODS			
: Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR			
: Code 16HKE GAUGE, LOAD INDICATING REAR			
: SUSPENSION, REAR, AIR, TANDEM			
: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE			
: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE			
: Code 13607 TRANSMISSION, AUXILIARY			
AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS			
<i>International</i>			
<b>- IROS -</b>			
20,000-lb Capacity, 9.25" Ride Height, with Shock Absorbers	14TBJ	\$1,287	0/-27
REQS: Code 01ANA(std) AXLE CONFIGURATION			
REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC			
-OR- Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM			
REQS: Code 14AHE, 14AHG, 14ARB, 14ARK, 14ARX, 14ARY, 14ATE, 14AWK, 14AWL, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE			
-OR- AXLE, REAR, TANDEM			
<b>(SEE NEXT PAGE)</b>			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>SUSPENSION, REAR, AIR, SINGLE</b> (SEE PREV PAGE)</p> <p><i>International</i></p> <p><b>- IROS -</b>            REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p>N/A: Code 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP            : Code 10NZL and 10NZN SPECIAL RATING, GVWR            : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS            : Code 04ERC, 04WDW and 04WYB BRAKE CHAMBERS, SPRING            : Code 01CGE FRAME RAILS            : Code 01GBP FRAME REINFORCEMENT            : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE            : SUSPENSION, REAR, TANDEM            : Code 14SZB SPRINGS, REAR AUXILIARY            : Code 14WBS TRANSVERSE TORQUE RODS            : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR            : SUSPENSION, REAR, AIR, TANDEM            : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE            : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE</p>	14TBJ		
<p><b>SUSPENSION, REAR, AIR, TANDEM</b></p> <p><i>Hendrickson</i></p> <p><b>- HAS-402-55 -</b>            40,000-lb Capacity, 55" Axle Spacing, 9.5" Ride Height, with Shock Absorbers, Mounted Inboard            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING            -OR- AXLE, FRONT DRIVING            REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM            -OR- AXLE, REAR, SINGLE            REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	14ULU	\$4,938 0/+633	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-204**

**SUBJECT TO CHANGE WITHOUT NOTICE**







**HV513 SFA  
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/ CODE	SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
<p>SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE)</p> <p><i>Hendrickson</i></p> <p>- HAS-402-60 -            N/A: Code 04AZE AIR BRAKE ABS            : Code 01WBA, 01WBC and 01WPZ CROSSMEMBER, SUSPENSION            : Code 01UAA CROSSMEMBER, AF, SPECIAL            : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE            : SUSPENSION, REAR, TANDEM            : Code 14WBS TRANSVERSE TORQUE RODS            : Code 14803 BUSHINGS, EQUALIZER BEAM            : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR            : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE            : Code 14WCL TORQUE RODS            : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY            : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE            : Code 13607 TRANSMISSION, AUXILIARY            AVAIL: Code 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP            : Code 04WDW BRAKE CHAMBERS, SPRING            : Code 08WTJ SWITCH, BODY CIRCUITS, REAR</p> <p>- HAS-460-55 -            46,000-lb Capacity, 55" Axle Spacing, 9.5" Ride Height, with Shock Absorbers, Mounted Inboard            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING            -OR- AXLE, FRONT DRIVING            REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVK, 14GVM, 14GVU, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM            -OR- AXLE, REAR, SINGLE            N/A: Code 09512 QUARTER FENDERS            : Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC            : Code 04AZE AIR BRAKE ABS            : Code 04VHZ AIR TANK LOCATION, when in combination with Code 16CAB or 16196 CAB            : Code 01WBA, 01WBC and 01WPZ CROSSMEMBER, SUSPENSION            : Code 01UAA CROSSMEMBER, AF, SPECIAL            : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE            : SUSPENSION, REAR, TANDEM            : Code 14WBS TRANSVERSE TORQUE RODS            : Code 14803 BUSHINGS, EQUALIZER BEAM            (SEE NEXT PAGE)</p>	<p>14ULV</p> <p>14ULT</p>	<p>\$5,059</p> <p>0/+650</p>	

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-206

SUBJECT TO CHANGE WITHOUT NOTICE



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HV513 SFA	NOTE: WEIGHTS - FRONT/REAR
<b>SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE)</b>			
<i>Hendrickson</i>			
- <b>HAS-460-55</b> -			
N/A: Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR			
: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE			
: Code 14WCL TORQUE RODS			
: Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY			
: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE			
AVAIL: Code 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP			
: Code 04WDW BRAKE CHAMBERS, SPRING			
: Code 08WTJ SWITCH, BODY CIRCUITS, REAR			
- <b>HAS-460-60</b> -			
46,000-lb Capacity, 60" Axle Spacing, 9.5" Ride Height, with Shock Absorbers, Mounted Inboard			
REQS: Code 01AND AXLE CONFIGURATION			
REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING			
-OR- AXLE, FRONT DRIVING			
REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM			
REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVK, 14GVM, 14GVU, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM			
-OR- AXLE, REAR, SINGLE			
REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK			
N/A: Code 09512 QUARTER FENDERS			
: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC			
: Code 04AZE AIR BRAKE ABS			
: Code 01WBA, 01WBC and 01WPZ CROSSMEMBER, SUSPENSION			
: Code 01UAA CROSSMEMBER, AF, SPECIAL			
: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE			
: SUSPENSION, REAR, TANDEM			
: Code 14WBS TRANSVERSE TORQUE RODS			
: Code 14803 BUSHINGS, EQUALIZER BEAM			
: Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR			
: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE			
: Code 14WCL TORQUE RODS			
<b>(SEE NEXT PAGE)</b>			
	14ULT		
	14ULS	\$5,136	0/+651

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-207

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable















## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<p><b>SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE)</b></p> <p><b>International</b></p> <p>N/A: Code 13607 TRANSMISSION, AUXILIARY            AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING            : Code 01MEJ FRAME, SPECIAL EFFECTS</p> <p>Ride Optimized Suspension (IROS) Heavy Duty, 40,000-lb Capacity, 55" Axle Spacing, 9.25" Ride Height, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners, with Shock Absorbers            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 04VKA, 04VKB or 04VKC AIR DRYER LOCATION, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 04WDT SPRING BRAKE MODULATOR VALVE            REQS: Code 08TST, 08TTR, 08VTN, 08VUUJ, 08VUK, 08VUR, 08WEK, 08XDZ or 08XGJ BATTERY BOX, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 04WDT SPRING BRAKE MODULATOR VALVE            REQS: Code 15DMV, 15DPL, 15DPM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 04WDT SPRING BRAKE MODULATOR VALVE            REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC            -OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK            N/A: Code 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP            : Code 09512 QUARTER FENDERS            : Code 16CAB and 16196 CAB or Code 04VHZ and 04WZJ AIR TANK LOCATION, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 04WDT SPRING BRAKE MODULATOR VALVE            : Code 04VHT AIR DRYER LOCATION or Code 04WZJ AIR TANK LOCATION or Code 16CAB and 16196 CAB or Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM and 15SSC FUEL TANK or Code 08VTR, 08VUL, 08VUM, 08VUN, 08WEJ, 08WEL, 08WJJ and 08WJN BATTERY BOX, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 04091 BRAKE SYSTEM, AIR            : Code 04AZE AIR BRAKE ABS            : Code 01WBA, 01WBC and 01WPZ CROSSMEMBER, SUSPENSION            : Code 01UAA CROSSMEMBER, AF, SPECIAL            : Code 01CGE FRAME RAILS</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14UNS</p> <p>14UNT</p>	<p>\$2,533</p> <p>0/+340</p>	

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-213

SUBJECT TO CHANGE WITHOUT NOTICE



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE)</b></p> <p><b>International</b></p> <p>N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE,            14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION,            REAR, SINGLE            : SUSPENSION, REAR, TANDEM            : Code 14WBS TRANSVERSE TORQUE RODS            : Code 14803 BUSHINGS, EQUALIZER BEAM            : Code 14WAP, 14WBU and 14WBV SHOCK            ABSORBERS, REAR            : Code 14TAX, 14TBJ, 14TBZ and 14TCL            SUSPENSION, REAR, AIR, SINGLE            : Code 14WCL TORQUE RODS            : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE            IDENTITY            : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM            AXLE, PUSHER, LIFT TYPE            : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE            AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING            : Code 01MEJ FRAME, SPECIAL EFFECTS</p> <p>Ride Optimized Suspension (IROS) Heavy Duty,            40,000-lb Capacity, 52" Axle Spacing, 9.25" Ride            Height, Includes Heavy Duty Spring Hangers,            Crossmembers and Fasteners, with Shock Absorbers            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 01616 FRAME RAILS WITH TAPERED REAR,            when in combination with Code 10WPR or            10WPT MUD FLAP HOLDER            REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC            -OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or            04NDP BRAKES, REAR, AIR CAM            REQS: Code 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN,            14GVR, 14GVU, 14GVX, 14GVY, 14GWW, 14GWY,            14GWZ or 14HRW AXLE, REAR, TANDEM            -OR- AXLE, REAR, SINGLE            REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX,            15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS,            15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD,            15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD,            15SRE(std), 15STM, 15SVN, 15SVP, 15SVR,            15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG,            15SWJ, 15SWK or 15SXN FUEL TANK            N/A: Code 40SRN, 40SRR, 40SRT and 40SRU SRV            CONTRACT, EXT HEND SUSP            : Code 09512 QUARTER FENDERS            : Code 04AZE AIR BRAKE ABS            : Code 04ERC, 04WDW and 04WYB BRAKE            CHAMBERS, SPRING            : Code 01WBA, 01WBC and 01WPZ CROSSMEMBER,            SUSPENSION            : Code 01UAA CROSSMEMBER, AF, SPECIAL            : Code 01CGE FRAME RAILS            : Code 14SAL, 14SAN(std), 14SCD, 14SCE,            14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION,            REAR, SINGLE            : SUSPENSION, REAR, TANDEM            : Code 14WBS TRANSVERSE TORQUE RODS            : Code 14803 BUSHINGS, EQUALIZER BEAM</p> <p style="text-align: right;"><b>(SEE NEXT PAGE)</b></p>	<p>14UNT</p> <p>14UNU</p>	<p>\$2,384</p> <p>0/+340</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>			
<b>NOTE: WEIGHTS - FRONT/REAR</b>			
<i><b>ITEM DESCRIPTION</b></i>	<i><b>CODE</b></i>	<i><b>HV513 SFA</b></i>	
<p><b>SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE)</b></p> <p><i>International</i></p> <p>N/A: Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR            : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE            : Code 14WCL TORQUE RODS            : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY            : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE            : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE            AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS</p>	14UNU		
<p><b>SUSPENSION, REAR, SINGLE</b></p> <p>23,500-lb Capacity, Vari-Rate Springs            REQS: Code 01ANA(std) AXLE CONFIGURATION            REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE            -OR- AXLE, REAR, TANDEM            N/A: Code 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP            : Code 10NZL and 10NZN SPECIAL RATING, GVWR            : Code 16AAH GAUGE, AIR PRESSURE            : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE            : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS            : SUSPENSION, REAR, TANDEM            : Code 14WBS TRANSVERSE TORQUE RODS            : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE            : Code 16HKE GAUGE, LOAD INDICATING REAR            : Code 14WAS SUSPENSION LEVELING VALVE            : SUSPENSION, REAR, AIR, TANDEM            : Code 14899 SUSPENSION AIR CONTROL VALVE            : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE            : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE            : Code 13TKX TRANSFER CASE            AVAIL: Code 04ERC BRAKE CHAMBERS, SPRING            : Code 14WAP SHOCK ABSORBERS, REAR</p> <p>23,000-lb Capacity, Vari-Rate Springs, with (3) Torque Rods            REQS: Code 01ANA(std) AXLE CONFIGURATION            REQS: Code 04AZA(std), 04AZJ or 04AZS AIR BRAKE ABS            REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC            -OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            REQS: Code 04091(std) BRAKE SYSTEM, AIR            REQS: Code 04SBV or 04SPL AIR COMPRESSOR            REQS: Code 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ASK, 14ATE, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE            -OR- AXLE, REAR, TANDEM  <div style="text-align: right;"><i>(SEE NEXT PAGE)</i></div> </p>	<p style="text-align: center;">14SAN</p> <p style="text-align: center;">14SCE</p>	<p style="text-align: center;"><b>STD</b></p> <p style="text-align: center;">\$1,713 0/+76</p>	







### HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION		MODEL/SUGGESTED LIST PRICE/WEIGHT	
		NOTE: WEIGHTS - FRONT/REAR	
		CODE	HV513 SFA
<b>SUSPENSION, REAR, SINGLE (SEE PREV PAGE)</b>  N/A: SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE : Code 13TKX TRANSFER CASE AVAIL: Code 04ERC BRAKE CHAMBERS, SPRING : Code 14WAP SHOCK ABSORBERS, REAR  31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Multileaf Springs REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 10NZN and 10NZN SPECIAL RATING, GWWR : Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : SUSPENSION, REAR, TANDEM : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WBS TRANSVERSE TORQUE RODS : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE : Code 13TKX TRANSFER CASE AVAIL: Code 04ERC BRAKE CHAMBERS, SPRING : Code 14WAP SHOCK ABSORBERS, REAR  31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 10NZN and 10NZN SPECIAL RATING, GWWR : Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : SUSPENSION, REAR, TANDEM : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WBS TRANSVERSE TORQUE RODS : Code 14WAP SHOCK ABSORBERS, REAR (SEE NEXT PAGE)		14VAH	
		14SAL	\$218 0/+142
		14VAJ	\$218 0/+97









## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<b>SUSPENSION, REAR, TANDEM</b>			
<i>Chalmers</i>			
<b>- 854-40L -</b>			
Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with (8) Torque Rods, Restrictor Cans	14UZS	\$7,122 0/+550	
REQS: Code 01AND AXLE CONFIGURATION			
REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT			
AXLE, FRONT NON-DRIVING			
-OR- AXLE, FRONT DRIVING			
REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM			
-OR- BRAKES, REAR, AIR DISC			
REQS: Code 14GKE, 14GKJ, 14GKK, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU or 14GVY			
AXLE, REAR, TANDEM			
-OR- AXLE, REAR, SINGLE			
N/A: Code 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP			
: Code 16AAH GAUGE, AIR PRESSURE			
: Code 16AAG VIRTUAL GAUGE, AIR PRESSURE			
: Code 04AZS and 04AZY AIR BRAKE ABS			
: Code 01UAA CROSSMEMBER, AF, SPECIAL			
: Code 01CGE FRAME RAILS			
: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE			
: Code 14WBS TRANSVERSE TORQUE RODS			
: Code 14803 BUSHINGS, EQUALIZER BEAM			
: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE			
: Code 16HKE GAUGE, LOAD INDICATING REAR			
: Code 14WAS SUSPENSION LEVELING VALVE			
: SUSPENSION, REAR, AIR, TANDEM			
: Code 14WCL TORQUE RODS			
: Code 14899 SUSPENSION AIR CONTROL VALVE			
: Code 32WAA WHEELS, REAR			
: Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY			
: Code 13TKX TRANSFER CASE			
: Code 01553 TIRE CARRIER			
AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING			
: Code 01WBC CROSSMEMBER, SUSPENSION			
: Code 14WBU SHOCK ABSORBERS, REAR			
<b>- 854-40L-HS -</b>			
Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with (8) Torque Rods, High Stability Restrictor Cans	14UZR	\$7,122 0/+550	
REQS: Code 01AND AXLE CONFIGURATION			
REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT			
AXLE, FRONT NON-DRIVING			
-OR- AXLE, FRONT DRIVING			
REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM			
-OR- BRAKES, REAR, AIR DISC			
<i>(SEE NEXT PAGE)</i>			







## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HV513 SFA	
<p><b>SUSPENSION, REAR, TANDEM</b> (SEE PREV PAGE)</p> <p><i>Chalmers</i></p> <p>- <b>854-46H-HS</b> -            N/A: Code 14899 SUSPENSION AIR CONTROL VALVE            : Code 32WAA WHEELS, REAR            : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE            IDENTITY            : Code 13TKX TRANSFER CASE            : Code 01553 TIRE CARRIER            AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING            : Code 14WBU SHOCK ABSORBERS, REAR</p> <p>- <b>854-52H-HS</b> -            Walking Beam, 52,000-lb Capacity, 54" Axle            Spacing, Rubber Springs, with (8) Torque Rods,            High Stability Restrictor Cans            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 01WBC CROSSMEMBER, SUSPENSION            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE,            02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY,            02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT            AXLE, FRONT NON-DRIVING            -OR- AXLE, FRONT DRIVING            REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL,            04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14GTS, 14GTW, 14GVL or 14HRC AXLE,            REAR, TANDEM            -OR- AXLE, REAR, SINGLE            N/A: Code 40SRN, 40SRR, 40SRT and 40SRU SRV            CONTRACT, EXT HEND SUSP            : Code 16AAH GAUGE, AIR PRESSURE            : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE            : Code 01UAA CROSSMEMBER, AF, SPECIAL            : Code 01CAJ and 01CGE FRAME RAILS            : Code 14SAL, 14SAN(std), 14SCD, 14SCE,            14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION,            REAR, SINGLE            : Code 14WBS TRANSVERSE TORQUE RODS            : Code 14803 BUSHINGS, EQUALIZER BEAM            : Code 14TAX, 14TBJ, 14TBZ and 14TCL            SUSPENSION, REAR, AIR, SINGLE            : Code 16HKE GAUGE, LOAD INDICATING REAR            : Code 14WAS SUSPENSION LEVELING VALVE            : SUSPENSION, REAR, AIR, TANDEM            : Code 14WCL TORQUE RODS            : Code 14899 SUSPENSION AIR CONTROL VALVE            : Code 32WAA WHEELS, REAR            : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE            IDENTITY            : Code 13TKX TRANSFER CASE            : Code 01553 TIRE CARRIER            AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING            : Code 14WBU SHOCK ABSORBERS, REAR            : Code 08WTJ SWITCH, BODY CIRCUITS, REAR</p>	<p>14UZB</p> <p>14UZX</p>	<p>\$10,002</p> <p>0/+519</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>SUSPENSION, REAR, TANDEM</b> (CONTINUED)</p> <p><i>Chalmers</i></p> <p><b>- 860-46H -</b>            Walking Beam, 46,000-lb Capacity, 60" Axle Spacing, Rubber Springs, with (8) Torque Rods, Restrictor Cans</p> <p>REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT            AXLE, FRONT NON-DRIVING</p> <p>-OR- AXLE, FRONT DRIVING            REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM</p> <p>-OR- BRAKES, REAR, AIR DISC            REQS: Code 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>-OR- AXLE, REAR, SINGLE            REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p>N/A: Code 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP</p> <ul style="list-style-type: none"> <li>: Code 16AAH GAUGE, AIR PRESSURE</li> <li>: Code 16AAG VIRTUAL GAUGE, AIR PRESSURE</li> <li>: Code 04AZS and 04AZY AIR BRAKE ABS</li> <li>: Code 01UAA CROSSMEMBER, AF, SPECIAL</li> <li>: Code 01CGE FRAME RAILS</li> <li>: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE</li> <li>: Code 14WBS TRANSVERSE TORQUE RODS</li> <li>: Code 14803 BUSHINGS, EQUALIZER BEAM</li> <li>: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE</li> <li>: Code 16HKE GAUGE, LOAD INDICATING REAR</li> <li>: Code 14WAS SUSPENSION LEVELING VALVE</li> <li>: SUSPENSION, REAR, AIR, TANDEM</li> <li>: Code 14WCL TORQUE RODS</li> <li>: Code 14899 SUSPENSION AIR CONTROL VALVE</li> <li>: Code 32WAA WHEELS, REAR</li> <li>: Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY</li> <li>: Code 14WNL AXLE, PUSHER, LIFT TYPE</li> <li>: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE</li> <li>: Code 13TKX TRANSFER CASE</li> <li>: Code 01553 TIRE CARRIER</li> </ul> <p>AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING            : Code 01WBC CROSSMEMBER, SUSPENSION            : Code 14WBU SHOCK ABSORBERS, REAR</p>	<p>14UZV</p>	<p>\$7,896 0/+702</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>SUSPENSION, REAR, TANDEM</b> (CONTINUED)</p> <p><i>Chalmers</i></p> <p>- <b>860-46H-HS</b> -            Walking Beam, 46,000-lb Capacity, 60" Axle Spacing, Rubber Springs, with (8) Torque Rods, High Stability Restrictor Cans            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT            AXLE, FRONT NON-DRIVING            -OR- AXLE, FRONT DRIVING            REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM            -OR- AXLE, REAR, SINGLE            REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK            N/A: Code 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP            : Code 16AAH GAUGE, AIR PRESSURE            : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE            : Code 04AZS and 04AZY AIR BRAKE ABS            : Code 01UAA CROSSMEMBER, AF, SPECIAL            : Code 01CGE FRAME RAILS            : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE            : Code 14WBS TRANSVERSE TORQUE RODS            : Code 14803 BUSHINGS, EQUALIZER BEAM            : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE            : Code 16HKE GAUGE, LOAD INDICATING REAR            : Code 14WAS SUSPENSION LEVELING VALVE            : SUSPENSION, REAR, AIR, TANDEM            : Code 14WCL TORQUE RODS            : Code 14899 SUSPENSION AIR CONTROL VALVE            : Code 32WAA WHEELS, REAR            : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY            : Code 14WNL AXLE, PUSHER, LIFT TYPE            : Code 13TKX TRANSFER CASE            : Code 01553 TIRE CARRIER            AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING            : Code 01WBC CROSSMEMBER, SUSPENSION            : Code 14WBU SHOCK ABSORBERS, REAR</p>	<p>14UZT</p>	<p>\$7,896 0/+695</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>SUSPENSION, REAR, TANDEM</b> (CONTINUED)</p> <p><i>Chalmers</i></p> <p>- <b>872-46H-HS</b> -            Walking Beam, 46,000-lb Capacity, 72" Axle Spacing, Rubber Springs, with (8) Torque Rods, High Stability Restrictor Cans            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT            AXLE, FRONT NON-DRIVING            -OR- AXLE, FRONT DRIVING            REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14HRB, 14HRC, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM            -OR- AXLE, REAR, SINGLE            REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK            N/A: Code 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP            : Code 16AAH GAUGE, AIR PRESSURE            : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE            : Code 04AZS and 04AZY AIR BRAKE ABS            : Code 01UAA CROSSMEMBER, AF, SPECIAL            : Code 01CGE FRAME RAILS            : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE            : Code 14WBS TRANSVERSE TORQUE RODS            : Code 14803 BUSHINGS, EQUALIZER BEAM            : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE            : Code 16HKE GAUGE, LOAD INDICATING REAR            : Code 14WAS SUSPENSION LEVELING VALVE            : SUSPENSION, REAR, AIR, TANDEM            : Code 14WCL TORQUE RODS            : Code 14899 SUSPENSION AIR CONTROL VALVE            : Code 32WAA WHEELS, REAR            : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY            : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE            : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE            : Code 13TKX TRANSFER CASE            : Code 01553 TIRE CARRIER            AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING            : Code 01WBC CROSSMEMBER, SUSPENSION            : Code 14WBU SHOCK ABSORBERS, REAR</p>	<p>14UZW</p>	<p>\$8,652 0/+744</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>SUSPENSION, REAR, TANDEM</b> (CONTINUED)</p> <p><i>Link</i></p> <p><b>- AL-460 Airlink -</b>            Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, (2) Air Bag Springs, 10.5" Ride Height, with (2) Transverse Torque Rods, and Shock Absorbers</p> <p>REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 01GBP FRAME REINFORCEMENT            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING</p> <p>-OR- AXLE, FRONT DRIVING            REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC</p> <p>-OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM            REQS: Code 14GRD, 14GRS, 14GVJ, 14GVL, 14GVN or 14HRE AXLE, REAR, TANDEM</p> <p>-OR- AXLE, REAR, SINGLE            REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p>N/A: Code 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP</p> <p>: Code 16196 CAB or Code 04092 BRAKE SYSTEM, AIR or Code 01SAM CROSSMEMBER, REAR, AF or Code 01GTA REINFORCEMENT, PINTLE HOOK or AXLE, TAG, LIFT TYPE or Code 08THM, 08TKJ and 08TPR STOP, TURN, TAIL &amp; B/U LIGHTS or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE</p> <p>: Code 16AAH GAUGE, AIR PRESSURE            : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE            : Code 04AZE, 04AZS and 04AZY AIR BRAKE ABS            : Code 04ERC, 04WDW and 04WYB BRAKE CHAMBERS, SPRING</p> <p>: Code 01WPZ CROSSMEMBER, SUSPENSION            : Code 01UAA CROSSMEMBER, AF, SPECIAL            : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE</p> <p>: Code 14WBS TRANSVERSE TORQUE RODS            : Code 14803 BUSHINGS, EQUALIZER BEAM            : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR</p> <p>: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE            : Code 16HKE GAUGE, LOAD INDICATING REAR            : Code 14WAS SUSPENSION LEVELING VALVE            : SUSPENSION, REAR, AIR, TANDEM            : Code 14WCL TORQUE RODS            : Code 32WAA WHEELS, REAR            : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>14VKL</p>	<p>\$12,534 0/+463</p>	







## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
SUSPENSION, REAR, TANDEM (CONTINUED)			
<i>Hendrickson</i>			
<b>- HMX-400-54 -</b>			
Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings	14ULX	\$4,391	0/+492
REQS: Code 01AND or 01ANE AXLE CONFIGURATION REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM			
-OR- BRAKES, REAR, AIR DISC			
REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM			
-OR- AXLE, REAR, SINGLE			
N/A: Code 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP			
: Code 16AAH GAUGE, AIR PRESSURE			
: Code 16AAG VIRTUAL GAUGE, AIR PRESSURE			
: Code 04JCG BRAKES, FRONT, AIR CAM			
: Code 01WBA CROSSMEMBER, SUSPENSION			
: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE			
: Code 14WBS TRANSVERSE TORQUE RODS			
: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE			
: Code 16HKE GAUGE, LOAD INDICATING REAR			
: Code 14WAS SUSPENSION LEVELING VALVE			
: SUSPENSION, REAR, AIR, TANDEM			
: Code 14WCL TORQUE RODS			
: Code 14899 SUSPENSION AIR CONTROL VALVE			
: Code 32WAA WHEELS, REAR			
: Code 01553 TIRE CARRIER			
AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING			
: Code 14WBV SHOCK ABSORBERS, REAR			
<b>- HMX-460-54 -</b>			
Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings	14ULY	\$5,023	0/+500
REQS: Code 01AND or 01ANE AXLE CONFIGURATION			
REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM			
-OR- AXLE, REAR, SINGLE			
N/A: Code 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP			
: Code 16AAH GAUGE, AIR PRESSURE			
: Code 16AAG VIRTUAL GAUGE, AIR PRESSURE			
: Code 04JCG BRAKES, FRONT, AIR CAM			
: Code 01WBA CROSSMEMBER, SUSPENSION			
: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE			
: Code 14WBS TRANSVERSE TORQUE RODS			
(SEE NEXT PAGE)			





HV513 SFA
AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Table with columns: ITEM DESCRIPTION, CODE, HV513 SFA. Row 1: SUSPENSION, REAR, TANDEM (SEE PREV PAGE). Includes detailed equipment specifications for Hendrickson HMX-460-60 and HMX-460-72.5.

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-232

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>SUSPENSION, REAR, TANDEM <span style="float: right;">(SEE PREV PAGE)</span></b></p>			
<p><i>Hendrickson</i></p>			
<p><b>- HMX-460-72.5 -</b></p>			
<p>AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION            : Code 14WBV SHOCK ABSORBERS, REAR</p>	14UMC		
<p><b>- RT-403 -</b></p>			
<p>Walking Beam, 40,000-lb Capacity, 52" Axle            Spacing, Multileaf Springs, with Rubber Center            Bushings</p>	14UHC	\$3,502 0/+888	
<p>REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE,            02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY,            02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT            AXLE, FRONT NON-DRIVING            -OR- AXLE, FRONT DRIVING            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or            04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14GRD, 14GRP, 14GRR, 14GVJ, 14GVK,            14GVL, 14GVN, 14GVR, 14GVU, 14GVY, 14HRL            or 14HRW AXLE, REAR, TANDEM            -OR- AXLE, REAR, SINGLE            N/A: Code 40SRN, 40SRR, 40SRT and 40SRU SRV            CONTRACT, EXT HEND SUSP            : Code 16AAH GAUGE, AIR PRESSURE            : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE            : Code 04JCG BRAKES, FRONT, AIR CAM            : Code 01UAA CROSSMEMBER, AF, SPECIAL            : Code 01CAW FRAME RAILS            : Code 14SAL, 14SAN(std), 14SCD, 14SCE,            14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION,            REAR, SINGLE            : Code 14WAP, 14WBU and 14WBV SHOCK            ABSORBERS, REAR            : Code 14TAX, 14TBJ, 14TBZ and 14TCL            SUSPENSION, REAR, AIR, SINGLE            : Code 16HKE GAUGE, LOAD INDICATING REAR            : Code 14WAS SUSPENSION LEVELING VALVE            : SUSPENSION, REAR, AIR, TANDEM            : Code 14WCL TORQUE RODS            : Code 14899 SUSPENSION AIR CONTROL VALVE            : Code 32WAA WHEELS, REAR            : Code 13TKX TRANSFER CASE            : Code 01553 TIRE CARRIER            : Code 10WDA FIFTH WHEEL MOUNTING ANGLES</p>			
<p>AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING            : Code 01WBC CROSSMEMBER, SUSPENSION            : Code 14WNJ AXLE, PUSHER, LIFT TYPE</p>			
<p>Walking Beam, 40,000-lb Capacity, 54" Axle            Spacing, Multileaf Springs, with Rubber Center            Bushings</p>	14UHD	\$3,770 0/+927	
<p>REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE,            02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY,            02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT            AXLE, FRONT NON-DRIVING            -OR- AXLE, FRONT DRIVING</p>			
<p><i>(SEE NEXT PAGE)</i></p>			

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-233**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable



**HV513 SFA  
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HV513 SFA	NOTE: WEIGHTS - FRONT/REAR
<p><b>SUSPENSION, REAR, TANDEM (SEE PREV PAGE)</b></p> <p><i>Hendrickson</i></p> <p><b>- RT-403 -</b>            REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM  <b>-OR- BRAKES, REAR, AIR DISC</b>            REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM  <b>-OR- AXLE, REAR, SINGLE</b>            N/A: Code 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP            : Code 16AAH GAUGE, AIR PRESSURE            : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE            : Code 04JCG BRAKES, FRONT, AIR CAM            : Code 01UAA CROSSMEMBER, AF, SPECIAL            : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE            : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR            : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE            : Code 16HKE GAUGE, LOAD INDICATING REAR            : Code 14WAS SUSPENSION LEVELING VALVE            : SUSPENSION, REAR, AIR, TANDEM            : Code 14WCL TORQUE RODS            : Code 14899 SUSPENSION AIR CONTROL VALVE            : Code 32WAA WHEELS, REAR            : Code 13TKX TRANSFER CASE            : Code 01553 TIRE CARRIER            AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING            : Code 01WBC CROSSMEMBER, SUSPENSION</p> <p>Walking Beam, 40,000-lb Capacity, 60" Axle Spacing, Multileaf Springs, with Transverse Torque Rods, Rubber Center Bushings            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING  <b>-OR- AXLE, FRONT DRIVING</b>            REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM  <b>-OR- BRAKES, REAR, AIR DISC</b>            REQS: Code 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY or 14HRW AXLE, REAR, TANDEM  <b>-OR- AXLE, REAR, SINGLE</b>            REQS: Code 15DMV, 15DPL, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p><b>(SEE NEXT PAGE)</b></p>	<p>14UHD</p> <p>14UHE</p>	<p>\$4,343            0/+1122</p>	









## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
SUSPENSION, REAR, TANDEM <span style="float: right;">(SEE PREV PAGE)</span>			
<i>Hendrickson</i>			
- RT-463 - N/A: Code 14899 SUSPENSION AIR CONTROL VALVE : Code 32WAA WHEELS, REAR : Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 13TKX TRANSFER CASE : Code 01553 TIRE CARRIER AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING			
- RT-523 - Walking Beam, 52,000-lb Capacity, 54" Axle Spacing, Multileaf Springs, with Bronze Center Bushings REQS: Code 01AND AXLE CONFIGURATION REQS: Code 01WBC CROSSMEMBER, SUSPENSION REQS: Code 01WMA CROSSMEMBER, INTERMEDIATE, when in combination with Code 16CAB or 16196 CAB REQS: Code 01GBP FRAME REINFORCEMENT REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING -OR- AXLE, FRONT DRIVING REQS: Code 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM -OR- AXLE, REAR, SINGLE N/A: Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 13TKX TRANSFER CASE : Code 01553 TIRE CARRIER AVAIL: Code 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP : Code 04WDW BRAKE CHAMBERS, SPRING			
- RT-523 - Walking Beam, 52,000-lb Capacity, 54" Axle Spacing, Multileaf Springs, with Bronze Center Bushings REQS: Code 01AND AXLE CONFIGURATION REQS: Code 01WBC CROSSMEMBER, SUSPENSION REQS: Code 01WMA CROSSMEMBER, INTERMEDIATE, when in combination with Code 16CAB or 16196 CAB REQS: Code 01GBP FRAME REINFORCEMENT REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING -OR- AXLE, FRONT DRIVING REQS: Code 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM -OR- AXLE, REAR, SINGLE N/A: Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 13TKX TRANSFER CASE : Code 01553 TIRE CARRIER AVAIL: Code 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP : Code 04WDW BRAKE CHAMBERS, SPRING			
(SEE NEXT PAGE)			
<i>International</i> 4-Spring, 40,000-lb Capacity, 52" Axle Spacing, Multileaf Springs REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC -OR- Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>SUSPENSION, REAR, TANDEM</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p><i>International</i></p> <p>REQS: Code 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN,            14GVR, 14GVU, 14GVX, 14GVY, 14GWW, 14GWY,            14GWZ or 14HRW AXLE, REAR, TANDEM</p> <p>-OR- AXLE, REAR, SINGLE</p> <p>REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX,            15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS,            15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD,            15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD,            15SRE(std), 15STM, 15SVN, 15SVP, 15SVR,            15SVS, 15SVT, 15SVU, 15SWE, 15SWG, 15SWJ,            15SWK or 15SXN FUEL TANK</p> <p>N/A: Code 40SRN, 40SRR, 40SRT and 40SRU SRV            CONTRACT, EXT HEND SUSP</p> <p>: Code 16AAH GAUGE, AIR PRESSURE</p> <p>: Code 16AAG VIRTUAL GAUGE, AIR PRESSURE</p> <p>: Code 04AZE AIR BRAKE ABS</p> <p>: Code 04ERC, 04WDW and 04WYB BRAKE            CHAMBERS, SPRING</p> <p>: Code 01UAA CROSSMEMBER, AF, SPECIAL</p> <p>: Code 01CAW FRAME RAILS</p> <p>: Code 14SAL, 14SAN(std), 14SCD, 14SCE,            14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION,            REAR, SINGLE</p> <p>: Code 14WBS TRANSVERSE TORQUE RODS</p> <p>: Code 14803 BUSHINGS, EQUALIZER BEAM</p> <p>: Code 14WAP, 14WBU and 14WBV SHOCK            ABSORBERS, REAR</p> <p>: Code 14TAX, 14TBJ, 14TBZ and 14TCL            SUSPENSION, REAR, AIR, SINGLE</p> <p>: Code 16HKE GAUGE, LOAD INDICATING REAR</p> <p>: Code 14WAS SUSPENSION LEVELING VALVE</p> <p>: SUSPENSION, REAR, AIR, TANDEM</p> <p>: Code 14WCL TORQUE RODS</p> <p>: Code 14899 SUSPENSION AIR CONTROL VALVE</p> <p>: Code 32WAA WHEELS, REAR</p> <p>: Code 14WLM, 14WNH, 14WNL and 14WNM            AXLE, PUSHER, LIFT TYPE</p> <p>: Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE</p> <p>: Code 13TKX TRANSFER CASE</p> <p>: Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and            10HKP FIFTH WHEEL, STATIONARY or Code            10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD,            10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE,            when in combination with Code 01GBP FRAME            REINFORCEMENT</p> <p>: Code 10WDA FIFTH WHEEL MOUNTING ANGLES</p> <p>AVAIL: Code 01WBA CROSSMEMBER, SUSPENSION</p> <p>: Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p>	<p>14UNA</p>		



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>AXLE, PUSHER, LIFT TYPE</b>            NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY , See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Watson &amp; Chalin</b></p> <p><b>- AL-2200 -</b>            20,000-lb Capacity, One Non-Steer Axle            REQS: Code 01AND AXLE CONFIGURATION            REQS: Code 16030(std) CAB            REQS: Code 02AGC or 02ARV AXLE, FRONT NON-DRIVING, when in combination with Code 01ANA AXLE CONFIGURATION            REQS: Code 04JBS BRAKES, AIR CAM, PUSHER AXLE            REQS: Code 04VKG, 04VKJ(std) or 04VKK AIR TANK LOCATION            REQS: Code 01GBP FRAME REINFORCEMENT            REQS: Code 08VUJ, 08VUK, 08VUL, 08VUM or 08XGJ BATTERY BOX            REQS: Code 08XGJ BATTERY BOX, when in combination with Code 14UAD AXLE SPACING, FIRST PUSHER and Code 15DYJ or 15DYK FUEL TANK            REQS: Code 14UHK, 14ULX, 14ULY or 14UZB SUSPENSION, REAR, TANDEM, when in combination with Code 14UAB AXLE SPACING, FIRST PUSHER            REQS: Code 14WCL TORQUE RODS, when in combination with Code 01AND AXLE CONFIGURATION and Code 14ULY SUSPENSION, REAR, TANDEM            REQS: Code 34ABU, 34ACB, 34ACD, 34ACK, 34ACR or 34ACS WHEELS, LIFT AXLE PUSHER            REQS: Code 14UAB, 14UAC, 14UAD or 14UAH AXLE SPACING, FIRST PUSHER            REQS: Code 14RAA, 14RAB, 14RAD or 14RAR AXLE, LIFT, CONTROLS            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING</p> <p>-OR- AXLE, FRONT DRIVING            REQS: Code 04091(std) BRAKE SYSTEM, AIR            REQS: Code 08VTN, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08WEK or 08XGJ BATTERY BOX            REQS: Code 14SAL, 14SAN(std), 14TBW, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE</p> <p>-OR- Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZX or 14698 SUSPENSION, REAR, TANDEM</p> <p>-OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM            REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK            N/A: Code 09505, 09512 and 10WTR QUARTER FENDERS</p> <p style="text-align: right;"><b>(SEE NEXT PAGE)</b></p>	<p>14WLM</p>	<p>\$11,378            +529/+798</p>	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-239**

**SUBJECT TO CHANGE WITHOUT NOTICE**







## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>AXLE, PUSHER, LIFT TYPE</b> (SEE PREV PAGE)            NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Watson &amp; Chalin</b></p> <p><b>- SL0893SSR Tru-Trk Alumilite -</b>            REQS: Code 01UAN FRAME EXTENSION, FRONT, when in combination with Code 01CBU FRAME RAILS            REQS: Code 01WMA CROSSMEMBER, INTERMEDIATE, when in combination with Code 01CBU FRAME RAILS            REQS: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 01CBU FRAME RAILS            REQS: Code 08VUJ or 08VUK BATTERY BOX            REQS: Code 14WCL TORQUE RODS, when in combination with Code 01AND AXLE CONFIGURATION and Code 14ULY SUSPENSION, REAR, TANDEM            REQS: Code 14UAA or 14UAE AXLE SPACING, FIRST PUSHER            REQS: Code 14UAJ AXLE SPACING, SECOND PUSHER or Code 14UAM AXLE SPACING, THIRD PUSHER            REQS: Code 14RAL, 14RAM or 14RAW AXLE, LIFT, CONTROLS            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING            -OR- AXLE, FRONT DRIVING            REQS: Code 04091(std) BRAKE SYSTEM, AIR            REQS: Code 08VUJ, 08VUK or 08XDZ BATTERY BOX            REQS: Code 14UHD, 14UHK, 14ULX, 14ULY, 14UZB, 14UZR, 14UZS, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM            REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK            N/A: Code 09505, 09512 and 10WTR QUARTER FENDERS                : Code 04JNK SLACK ADJUSTER, TAG AXLE                : Code 01CAG and 01CAJ FRAME RAILS                : Code 01UBH CROSSMEMBER, INTERMEDIATE LOC                : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE                : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE                : SUSPENSION, REAR, AIR, TANDEM                : WHEELS, LIFT AXLE PUSHER                : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE                : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID                : Code 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH and 13GYJ TRANSMISSION, MANUAL, when in combination with Code 12WPU PTO, ENGINE REAR                : Code 07BLD and 07BLG EXHAUST SYSTEM</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14WNL</p>		

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-242**

**SUBJECT TO CHANGE WITHOUT NOTICE**



# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT  
NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>AXLE, PUSHER, LIFT TYPE</b> (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Watson &amp; Chalin</i></p> <p>- <b>SL0893SSR Tru-Trk Alumilite</b> - N/A: Code 15LML FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION AVAIL: Code 14UAJ AXLE SPACING, SECOND PUSHER</p> <p>- <b>SL1190SSR Tru-Trk Alumilite</b> - (02) 13,500-lb Capacity, Two Self-Steer Axles REQS: Code 01AND AXLE CONFIGURATION REQS: Code 16030(std) CAB REQS: Code 02AGC or 02ARV AXLE, FRONT NON-DRIVING, when in combination with Code 01ANA AXLE CONFIGURATION REQS: Code 04JBU BRAKES, AIR CAM, PUSHER AXLE REQS: Code 04VKK AIR TANK LOCATION REQS: Code 08VUJ or 08VUK BATTERY BOX REQS: Code 14WCL TORQUE RODS, when in combination with Code 01AND AXLE CONFIGURATION and Code 14ULY SUSPENSION, REAR, TANDEM REQS: Code 34ABH, 34ABJ, 34ABT, 34ABV, 34ACC, 34ACE, 34ACH or 34ACT WHEELS, LIFT AXLE PUSHER REQS: Code 14UAA, 14UAB, 14UAC, 14UAD or 14UAE AXLE SPACING, FIRST PUSHER REQS: Code 14UAJ, 14UAK or 14UAL AXLE SPACING, SECOND PUSHER REQS: Code 14RAD, 14RAE, 14RAV or 14RAW AXLE, LIFT, CONTROLS REQS: Code 07BKN or 07BKS EXHAUST SYSTEM REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING -OR- AXLE, FRONT DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 08VUJ, 08VUK or 08XDZ BATTERY BOX REQS: Code 14TBW SUSPENSION, REAR, SINGLE -OR- Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM REQS: Code 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE or 15SWG FUEL TANK N/A: Code 09505, 09512 and 10WTR QUARTER FENDERS : Code 04JNK SLACK ADJUSTER, TAG AXLE : Code 01CAG FRAME RAILS : Code 01UBH CROSSMEMBER, INTERMEDIATE LOC : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE (SEE NEXT PAGE)</p>	<p>14WNL</p> <p>14WNJ</p>	<p>\$22,727 +908/+730</p>	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-243**

**SUBJECT TO CHANGE WITHOUT NOTICE**







## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>AXLE, PUSHER, LIFT TYPE</b> (SEE PREV PAGE)            NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Watson &amp; Chalin</b></p> <p><b>- SL1190SSR Tru-Trk Alumilite -</b>            REQ: Code 04EVP or 04EVR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02AEU AXLE, FRONT NON-DRIVING and Code 02AEV AXLE, FRONT NON-DRIVING and Code 02AEW AXLE, FRONT NON-DRIVING and Code 02AGT AXLE, FRONT NON-DRIVING and Code 02ARU AXLE, FRONT NON-DRIVING and Code 02ARY AXLE, FRONT NON-DRIVING and Code 02ARZ AXLE, FRONT NON-DRIVING and Code 02ATB AXLE, FRONT NON-DRIVING and Code 02AUR AXLE, FRONT NON-DRIVING and Code 02AYJ AXLE, FRONT NON-DRIVING and Code 02AYK AXLE, FRONT NON-DRIVING and Code 02AYT AXLE, FRONT NON-DRIVING and Code 14ULS SUSPENSION, REAR, AIR, TANDEM and Code 14UHK SUSPENSION, REAR, AIR, TANDEM and Code 14ULT SUSPENSION, REAR, AIR, TANDEM and Code 14UHL SUSPENSION, REAR, AIR, TANDEM and Code 14UNW SUSPENSION, REAR, AIR, TANDEM and Code 14ULY SUSPENSION, REAR, AIR, TANDEM and Code 14UNY SUSPENSION, REAR, AIR, TANDEM and Code 14ULZ SUSPENSION, REAR, AIR, TANDEM and Code 14UPL SUSPENSION, REAR, AIR, TANDEM and Code 14UMC SUSPENSION, REAR, AIR, TANDEM and Code 34AAM WHEELS, LIFT AXLE PUSHER and Code 14UZB WHEELS, LIFT AXLE PUSHER and Code 34AAP WHEELS, LIFT AXLE PUSHER and Code 14UZT WHEELS, LIFT AXLE PUSHER and Code 34ABH WHEELS, LIFT AXLE PUSHER and Code 14UZU WHEELS, LIFT AXLE PUSHER and Code 34ABJ WHEELS, LIFT AXLE PUSHER and Code 14UZV WHEELS, LIFT AXLE PUSHER and Code 34ABS WHEELS, LIFT AXLE PUSHER and Code 14UZW WHEELS, LIFT AXLE PUSHER and Code 34ABT WHEELS, LIFT AXLE PUSHER and Code 14UZX WHEELS, LIFT AXLE PUSHER and Code 34ABU WHEELS, LIFT AXLE PUSHER and Code 14VKL WHEELS, LIFT AXLE PUSHER and Code 34ABV WHEELS, LIFT AXLE PUSHER and Code 14698 WHEELS, LIFT AXLE PUSHER and Code 34ACB or 34AAM WHEELS, LIFT AXLE PUSHER and Code 34ACC or 34AAP WHEELS, LIFT AXLE PUSHER and Code 34ACD or 34ABH WHEELS, LIFT AXLE PUSHER and Code 34ACE or 34ABJ WHEELS, LIFT AXLE PUSHER and Code 34ACH or 34ABS WHEELS, LIFT AXL</p> <p style="text-align: right;"><b>(SEE NEXT PAGE)</b></p>	<p>14WNH</p>		



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>AXLE, PUSHER, LIFT TYPE</b> (SEE PREV PAGE)            NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Watson &amp; Chalin</b></p> <p><b>- SL1190SSR Tru-Trk Alumilite -</b></p> <p>REQS: Code 04EVP or 04EVR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02AGT, 02ATB or 02AYT AXLE, FRONT NON-DRIVING and Code 14SAL, 14SAN, 14SCE, 14TBW, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE and Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABS, 34ABT, 34ABU, 34ABV, 34ACB, 34ACC, 34ACD, 34ACE, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER</p> <p>REQS: Code 04EVP or 04EVR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02AGT, 02ATB or 02AYT AXLE, FRONT NON-DRIVING and Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE and Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABS, 34ABT, 34ABU, 34ABV, 34ACB, 34ACC, 34ACD, 34ACE, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER</p> <p>REQS: Code 04EVP or 04EVR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02AGT, 02ATB or 02AYT AXLE, FRONT NON-DRIVING and Code 14UHC, 14UHD, 14UHE, 14ULX, 14UMB, 14UNA, 14UZR or 14UZS SUSPENSION, REAR, TANDEM and Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABS, 34ABT, 34ABU, 34ABV, 34ACB, 34ACC, 34ACD, 34ACE, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER</p> <p>REQS: Code 04EVP or 04EVR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02AGT, 02ATB or 02AYT AXLE, FRONT NON-DRIVING and Code 14ULU, 14ULV, 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM and Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABS, 34ABT, 34ABU, 34ABV, 34ACB, 34ACC, 34ACD, 34ACE, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER</p> <p>REQS: Code 04EVP or 04EVR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02AGT, 02ATB or 02AYT AXLE, FRONT NON-DRIVING and Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABS, 34ABT, 34ABU, 34ABV, 34ACB, 34ACC, 34ACD, 34ACE, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER and Code 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWW, 14GWY or 14GWZ AXLE, REAR, TANDEM</p> <p style="text-align: right;"><b>(SEE NEXT PAGE)</b></p>	<p>14WNH</p>		



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HV513 SFA		
<p><b>AXLE, PUSHER, LIFT TYPE</b> (SEE PREV PAGE)            NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Watson &amp; Chalin</b></p> <p><b>- SL1190SSR Tru-Trk Alumilite -</b>            REQS: Code 04EVP or 04EVR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABS, 34ABT, 34ABU, 34ABV, 34ACB, 34ACC, 34ACD, 34ACE, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER and Code 14GTS or 14GTW AXLE, REAR, TANDEM            REQS: Code 04JBR BRAKES, AIR CAM, PUSHER AXLE            REQS: Code 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL, 08VUM, 08WEJ or 08WEK BATTERY BOX            REQS: Code 14UHD, 14UHK, 14ULX, 14ULY or 14UMB SUSPENSION, REAR, TANDEM, when in combination with Code 15LLP LOCATION FUEL/WATER SEPARATOR            REQS: Code 14WCL TORQUE RODS, when in combination with Code 01AND AXLE CONFIGURATION and Code 14ULY SUSPENSION, REAR, TANDEM            REQS: Code 34AAM, 34AAP, 34ABS, 34ABU, 34ACB, 34ACD, 34ACJ, 34ACM or 34ACN WHEELS, LIFT AXLE PUSHER            REQS: Code 14UAA, 14UAB or 14UAC AXLE SPACING, FIRST PUSHER, when in combination with Code 15LLP LOCATION FUEL/WATER SEPARATOR            REQS: Code 14UAA, 14UAB, 14UAC or 14UAD AXLE SPACING, FIRST PUSHER            REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAR or 14RAV AXLE, LIFT, CONTROLS            REQS: Code 07BKN or 07BKS EXHAUST SYSTEM            REQS: Code 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE, 15STM, 15SWD, 15SWE or 15SWG FUEL TANK            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING            -OR- AXLE, FRONT DRIVING            REQS: Code 04091(std) BRAKE SYSTEM, AIR            REQS: Code 08VTN, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08WEJ, 08WEK or 08XDZ BATTERY BOX            REQS: Code 14SAL, 14SAN(std), 14TBW, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE            -OR- Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UZH, 14UZS, 14UZT, 14UZU, 14UZV, 14UZX or 14698 SUSPENSION, REAR, TANDEM            -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM            REQS: Code 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE or 15SWG FUEL TANK            N/A: Code 04JNK SLACK ADJUSTER, TAG AXLE            : Code 01CAG FRAME RAILS</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	14WNH		

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-247**

**SUBJECT TO CHANGE WITHOUT NOTICE**



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b> <b>NOTE: WEIGHTS - FRONT/REAR</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>AXLE, PUSHER, LIFT TYPE</b> (SEE PREV PAGE)            NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Watson &amp; Chalin</b></p> <p><b>- SL1190SSR Tru-Trk Alumilite -</b>            N/A: Code 01UBH CROSSMEMBER, INTERMEDIATE LOC            : Code 08VUL(std) and 08VUM BATTERY BOX, when in combination with Code 16CAB or 16196 CAB            : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE            : Code 14UAA and 14UAB AXLE SPACING, FIRST PUSHER, when in combination with Code 14UHC or 14UMB SUSPENSION, REAR, TANDEM            : Code 14UAJ, 14UAK and 14UAL AXLE SPACING, SECOND PUSHER            : Code 14UAM AXLE SPACING, THIRD PUSHER            : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID            : Code 15LML FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION            AVAIL: Code 09512 QUARTER FENDERS            : Code 04JNJ SLACK ADJUSTER, PUSHER AXLE            : Code 14WNK AXLE, TAG, LIFT TYPE</p>	14WNH		
<p><b>AXLE, PUSHER, LIFT TYPE, ID</b></p> <p>Customer Installed Pusher Type Axle; Nothing Installed at Manufacturing Plant            REQS: Code 14WCL TORQUE RODS, when in combination with Code 01AND AXLE CONFIGURATION and Code 14ULY SUSPENSION, REAR, TANDEM            N/A: Code 01CAG FRAME RAILS            : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE            : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE            : AXLE, LIFT, CONTROLS</p>	14WLT	N/C	0/0
<p><b>AXLE SPACING, FIRST PUSHER</b></p> <p>100" Ahead of Drive Axle            N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE            AVAIL: Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE</p> <p>43" Ahead of Drive Axle            N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE            AVAIL: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE</p> <p>45" Ahead of Drive Axle            N/A: Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE            : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE</p>	14UAH	N/C	0/0
	14UAE	N/C	0/0
	14UAA	N/C	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b> <b>NOTE: WEIGHTS - FRONT/REAR</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>AXLE SPACING, FIRST PUSHER (CONTINUED)</b>			
49" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WNL AXLE, PUSHER, LIFT TYPE	14UAB	N/C 0/0	
54" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WNL AXLE, PUSHER, LIFT TYPE	14UAC	N/C 0/0	
55" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WNL AXLE, PUSHER, LIFT TYPE	14UAD	N/C 0/0	
<b>AXLE SPACING, SECOND PUSHER</b>			
42" Ahead of First Pusher Axle AVAIL: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE	14UAJ	N/C 0/0	
46" Ahead of First Pusher Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	14UAK	N/C 0/0	
48" Ahead of First Pusher Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	14UAL	N/C 0/0	
<b>AXLE SPACING, THIRD PUSHER</b>			
42" Ahead of Second Pusher Axle AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE	14UAM	N/C 0/0	
<b>AXLE, TAG, LIFT TYPE</b>			
NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
<b>Watson &amp; Chalin</b>			
<b>- AL-2200 -</b>			
20,000-lb Capacity, One Non-Steer Axle			
REQS: Code 01AND AXLE CONFIGURATION			
REQS: Code 16030(std) CAB			
REQS: Code 02AGC or 02ARV AXLE, FRONT NON-DRIVING, when in combination with Code 01ANA AXLE CONFIGURATION			
REQS: Code 04JBT BRAKES, AIR CAM, TAG AXLE			
REQS: Code 14WCL TORQUE RODS, when in combination with Code 01AND AXLE CONFIGURATION and Code 14ULY SUSPENSION, REAR, TANDEM			
REQS: Code 14UBA or 14UBB AXLE SPACING, TAG			
REQS: Code 14RAA, 14RAB, 14RAD, 14RAR or 14RAW AXLE, LIFT, CONTROLS			
REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING			
-OR- AXLE, FRONT DRIVING			
REQS: Code 04091(std) BRAKE SYSTEM, AIR			
<b>(SEE NEXT PAGE)</b>			
	14WLR	\$11,378 -556/+1883	



# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<b>AXLE, TAG, LIFT TYPE (SEE PREV PAGE)</b> NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book  <b>Watson &amp; Chalin</b>			
<b>- AL-2200 -</b> REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 04JNJ, 04JNL and 04JNM SLACK ADJUSTER, PUSHER AXLE : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 01CAG and 01CGE FRAME RAILS : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : WHEELS, LIFT AXLE PUSHER : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 15LML FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION : Code 01553 TIRE CARRIER	14WLR		
<b>- SL1190SSR Tru-Trk Alumilite -</b> 13,500-lb Capacity, One Self-Steer Axle REQS: Code 01AND AXLE CONFIGURATION REQS: Code 16030(std) CAB REQS: Code 02AGC or 02ARV AXLE, FRONT NON-DRIVING, when in combination with Code 01ANA AXLE CONFIGURATION REQS: Code 04JBW BRAKES, AIR CAM, TAG AXLE REQS: Code 14WCL TORQUE RODS, when in combination with Code 01AND AXLE CONFIGURATION and Code 14ULY SUSPENSION, REAR, TANDEM REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAR, 14RAV or 14RAW AXLE, LIFT, CONTROLS REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING -OR- AXLE, FRONT DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM	14WNK	\$11,540 -343/+1162	
<b>(SEE NEXT PAGE)</b>			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>AXLE, TAG, LIFT TYPE</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span>            NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><b>Watson &amp; Chalin</b></p> <p>- <b>SL1190SSR Tru-Trk Alumilite</b> -            N/A: Code 04JNJ, 04JNL and 04JNM SLACK ADJUSTER, PUSHER AXLE            : Code 01UAA CROSSMEMBER, AF, SPECIAL            : Code 01CAG and 01CGE FRAME RAILS            : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE            : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE            : WHEELS, LIFT AXLE PUSHER            : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID            : Code 15LML FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION            : Code 01553 TIRE CARRIER            AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE</p>	14WNK		
<p><b>AXLE SPACING, TAG</b></p> <p>55" Behind Rear Drive Axle            N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE            AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE</p> <p>61" Behind Rear Drive Axle            N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE</p> <p>67" Behind Rear Drive Axle            N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE</p>	14UAZ  14UBA  14UBB	N/C  N/C  N/C	0/0  0/0  0/0
<p><b>AXLE, LIFT, CONTROLS</b></p> <p>for One Lift Axle; All Controls Inside Cab;            Includes Pressure Gauge, Pressure Regulator and Lift/Lower Switch Inside Cab            REQ: Code 16030(std) CAB            N/A: Code 16VBS CONSOLE, CENTER            : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER            : Code 16CAB CAB            : Code 16HLN ELECTRONIC VEHICLE MONITORING            : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE            : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID            : Code 60AAP BDY INTG, REMOTE POWER MODULE</p> <p>for Three Lift Axles; All Controls Inside Cab;            Includes Pressure Gauge, Pressure Regulator and Lift/Lower Switch Inside Cab            REQ: Code 16030(std) CAB</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	14RAA          14RAL	\$1,088          \$1,673	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
	CODE	HV513 SFA
<b>AXLE, LIFT, CONTROLS</b> (SEE PREV PAGE)		
<p>REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW,            13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ,            13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR,            13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GYC,            13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION,            MANUAL</p> <p>-OR- TRANSMISSION, AUTOMATIC</p> <p>N/A: Code 16VBS CONSOLE, CENTER            : Code 16PJV and 16PJW SEAT, TWO-MAN            PASSENGER            : Code 16HLN ELECTRONIC VEHICLE MONITORING            : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE            : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID</p> <p>AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE            : Code 60AAA, 60AAB, 60AAD and 60AAG BDY            INTG, REMOTE POWER MODULE</p>	14RAL	
<p>for Two Lift Axles; All Controls Inside Cab;            Includes Pressure Gauge, Pressure Regulator and            Lift/Lower Switch Inside Cab</p> <p>REQS: Code 16030(std) CAB            N/A: Code 16VBS CONSOLE, CENTER            : Code 16PJV and 16PJW SEAT, TWO-MAN            PASSENGER            : Code 16HLN ELECTRONIC VEHICLE MONITORING            : Code 14WNL and 14WNM AXLE, PUSHER, LIFT            TYPE            : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID</p> <p>AVAIL: Code 60AAA, 60AAB, 60AAD and 60AAG BDY            INTG, REMOTE POWER MODULE</p>	14RAD	\$1,365
<p>for One Lift Axle; Controls Inside and Outside            Cab; Includes Lift/Lower Switch Inside Cab on            Dash; Pressure Gauge and Pressure Regulator            Outside Cab</p> <p>N/A: Code 16196 CAB            : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT            TYPE            : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID            : Code 13WBA and 13WDM HYDRAULIC RETARDER</p> <p>AVAIL: Code 08XBK SWITCH, AUXILIARY            : Code 60AAA, 60AAB, 60AAD and 60AAG BDY            INTG, REMOTE POWER MODULE</p>	14RAR	\$1,088
<p>for Three Lift Axles; Controls Inside and Outside            Cab; Includes Lift/Lower Switch Inside Cab on            Dash; Pressure Gauge and Pressure Regulator            Outside Cab</p> <p>REQS: Code 16030(std) CAB            REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW,            13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ,            13GNA or 13GNB TRANSMISSION, MANUAL</p> <p>-OR- TRANSMISSION, AUTOMATIC</p> <p>N/A: Code 14WLT AXLE, PUSHER, LIFT TYPE, ID            : Code 13WBA and 13WDM HYDRAULIC RETARDER            : Code 12VAG and 12VAL AIR CLEANER</p> <p>AVAIL: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT            TYPE            : Code 08XBK SWITCH, AUXILIARY</p>	14RAW	\$1,673
(SEE NEXT PAGE)		





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>AXLE, LIFT, CONTROLS</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p>AVAIL: Code 60AAA, 60AAB, 60AAD and 60AAG BDY            INTG, REMOTE POWER MODULE</p> <p>for Two Lift Axles; Controls Inside and Outside Cab; Includes Lift/Lower Switch Inside Cab on Dash; Pressure Gauge and Pressure Regulator Outside Cab</p> <p>REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL</p> <p>-OR- TRANSMISSION, AUTOMATIC</p> <p>N/A: Code 16196 CAB            : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID            : Code 13WBA and 13WDM HYDRAULIC RETARDER</p> <p>AVAIL: Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE            : Code 14WNK AXLE, TAG, LIFT TYPE            : Code 08XBK SWITCH, AUXILIARY            : Code 60AAA, 60AAB, 60AAD and 60AAG BDY            INTG, REMOTE POWER MODULE</p> <p>for One Lift Axle; Controls Inside And Outside Cab; Includes Pressure Gauge and Lift/Lower Switch Inside Cab; Pressure Gauge and Pressure Regulator Outside Cab</p> <p>REQS: Code 16030(std) CAB            N/A: Code 16VBS CONSOLE, CENTER            : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER            : Code 16HLN ELECTRONIC VEHICLE MONITORING            : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE            : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID            : Code 60AAJ, 60AAK, 60AAL and 60AAP BDY            INTG, REMOTE POWER MODULE</p> <p>for Three Lift Axles; Controls Inside And Outside Cab; Includes Pressure Gauge and Lift/Lower Switch Inside Cab; Pressure Gauge and Pressure Regulator Outside Cab</p> <p>REQS: Code 16030(std) CAB            REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL</p> <p>-OR- TRANSMISSION, AUTOMATIC</p> <p>N/A: Code 16VBS CONSOLE, CENTER            : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER            : Code 16HLN ELECTRONIC VEHICLE MONITORING            : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE            : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID</p> <p>AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE            : Code 60AAA, 60AAB, 60AAD and 60AAG BDY            INTG, REMOTE POWER MODULE</p>	<p>14RAW</p> <p>14RAV</p> <p>14RAB</p> <p>14RAM</p>	<p></p> <p>\$1,365</p> <p>\$1,088</p> <p>\$1,673</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>AXLE, LIFT, CONTROLS</b> (CONTINUED)  for Two Lift Axles; Controls Inside And Outside Cab; Includes Pressure Gauge and Lift/Lower Switch Inside Cab; Pressure Gauge and Pressure Regulator Outside Cab REQS: Code 16030(std) CAB N/A: Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WNK AXLE, TAG, LIFT TYPE : Code 60AAA, 60AAB, 60AAD and 60AAG BDY INTG, REMOTE POWER MODULE	14RAE	\$1,365	
<b>AXLE, REAR, LIFT, LUBE</b>  <b>EmGard</b>  <b>- FE-75W-90 -</b> Synthetic Oil; 1 thru 10.99 Pints	14WNB	\$127	0/0
<b>AXLE, REAR, LUBE</b>  <b>EmGard</b>  <b>- FE-75W-90 -</b> Synthetic Oil; 30 thru 39.99 Pints REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE N/A: AXLE, REAR, TANDEM  Synthetic Oil; 40 thru 49.99 Pints REQS: Code 14AHH, 14AHJ, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD or 14AWN AXLE, REAR, SINGLE N/A: AXLE, REAR, TANDEM  Synthetic Oil; 50 thru 64.99 Pints REQS: Code 14ERB, 14ERC or 14ERP AXLE, REAR, SINGLE -OR- Code 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWW, 14GWY or 14GWZ AXLE, REAR, TANDEM  Synthetic Oil; 65 thru 89.99 Pints REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: AXLE, REAR, SINGLE  Synthetic Oil; 90 thru 115.99 Pints REQS: Code 14GTS or 14GTW AXLE, REAR, TANDEM N/A: AXLE, REAR, SINGLE	14WMG	\$198	0/0
	14WMH	\$214	0/0
	14WMJ	\$364	0/0
	14WMK	\$488	0/0
	14WMZ	\$668	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b> <b>NOTE: WEIGHTS - FRONT/REAR</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>AXLE SHAFT MODIFICATION</b></p> <p>Axle Shaft Flanges Modified for 0.625" Diameter Drive Studs with Solid Type Cone-Locks            REQS: Code 14ARB, 14ARK, 14ARX, 14ARY, 14ASK, 14ATE, 14ATY, 14ATZ, 14CDE or 14051(std) AXLE, REAR, SINGLE            -OR- Code 14GRD, 14GRP, 14GRR, 14GRS, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL or 14HRM AXLE, REAR, TANDEM            N/A: Code 28DTE, 28DTU, 28DUL, 32DHY and 32WAA WHEELS, REAR</p>	14WZY	\$249	
<p><b>BUSHINGS, EQUALIZER BEAM</b></p> <p>Bronze Center Bushings; for Hendrickson Suspension            REQS: Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB or 14698 SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, AIR, SINGLE            N/A: Code 14WBS TRANSVERSE TORQUE RODS                  : TRANSVERSE TORQUE RODS                  : SUSPENSION, REAR, AIR, TANDEM</p>	14803	\$176	
<p><b>DIFFERENTIAL, LOCKING</b></p> <p><i>Detroit</i></p> <p>- Locker -            No-Spin; for Dana Spicer (previously Eaton) Rear Axles            REQS: Code 04AZA(std) or 04AZE AIR BRAKE ABS            REQS: Code 14AHE, 14AHH, 14AHK or 14CDE AXLE, REAR, SINGLE            N/A: AXLE, REAR, TANDEM</p> <p>No-Spin; for Meritor Rear Axles; Not with Meritor 185 &amp; 186 Family of Axles            REQS: Code 04AZA(std) or 04AZE AIR BRAKE ABS            REQS: Code 14ASK, 14ATE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE            -OR- Code 14GRD, 14GRR, 14HRB or 14HRW AXLE, REAR, TANDEM            NOTE: Axle Lead Time is 90 Days</p>	14877	\$2,171	
	14881	\$1,565	
<p><b>DIFF. SWITCH CONTROLS</b></p> <p>Two Independent Switches for Control Traction Differentials on Tandem Rear Axles, Mounted on Dash            REQS: Code 14GKK, 14GKP, 14GVL, 14GVM, 14GVN, 14GWW, 14GWZ, 14HRC, 14HRE, 14HRL or 14HRM AXLE, REAR, TANDEM            N/A: AXLE, REAR, SINGLE</p>	14WBN	\$265 + 1/0	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>HV513 SFA</b>			
<b>SHOCK ABSORBERS, REAR</b>			
(02) REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 04ERC BRAKE CHAMBERS, SPRING : SUSPENSION, REAR, TANDEM : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : SUSPENSION, REAR, AIR, TANDEM	14WAP	\$171	0/+35
(04) for Chalmers Suspension Only, Mounted from Frame to Beam REQS: Code 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW or 14UZX SUSPENSION, REAR, TANDEM N/A: Code 04WYB BRAKE CHAMBERS, SPRING : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : SUSPENSION, REAR, AIR, TANDEM : AXLE, REAR, SINGLE	14WBU	\$811	0/+24
(04) for Hendrickson HMX Suspension Only, Mounted from Frame to Beam REQS: Code 14ULX, 14ULY, 14ULZ, 14UMB or 14UMC SUSPENSION, REAR, TANDEM N/A: Code 04WYB BRAKE CHAMBERS, SPRING : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : SUSPENSION, REAR, AIR, TANDEM : AXLE, REAR, SINGLE	14WBV	\$878	0/+31
<b>SPRINGS, REAR AUXILIARY</b>			
Multileaf; 4,500-lb Capacity REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 14SAN(std) SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE	14SZB	\$208	0/+90



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b> <b>NOTE: WEIGHTS - FRONT/REAR</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>SUSPENSION AIR CONTROL VALVE</b>  Pressure Release Control In Cab REQS: Code 14VKL SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE	14899	\$163	
<b>SUSPENSION LEVELING VALVE</b>  Dual Height; One Additional, for Air Ride Suspension REQS: Code 04AZA(std), 04AZJ, 04AZS, 04AZU or 04AZV AIR BRAKE ABS, when in combination with Code 14UNX SUSPENSION, REAR, AIR, TANDEM REQS: Code 04VHZ, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION, when in combination with Code 14UNX SUSPENSION, REAR, AIR, TANDEM REQS: Code 08VUJ, 08VUL(std), 08VUM, 08VUN or 08WJJ BATTERY BOX, when in combination with Code 04VKJ AIR TANK LOCATION and Code 14UNX SUSPENSION, REAR, AIR, TANDEM REQS: Code 14899 SUSPENSION AIR CONTROL VALVE, when in combination with Code 14UNX SUSPENSION, REAR, AIR, TANDEM REQS: Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU or 14UNX SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM	14WAS	\$151	0/+5
<b>SUSPENSION/REAR-AXLE IDENTITY</b>  for Dana Spicer Eaton Style Tandem Rear Axles with Bar-Pin Beam Attachment Type Suspensions REQS: Code 01AND AXLE CONFIGURATION REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN or 14GKP AXLE, REAR, TANDEM -OR- AXLE, REAR, SINGLE N/A: SUSPENSION, REAR, AIR, TANDEM  for Meritor Tandem Rear Axles with Bar-Pin Beam Attachment Type Suspensions REQS: Code 01AND or 01ANE AXLE CONFIGURATION REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UNA or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE	14WAK	N/C	0/0
<div style="text-align: right;"><b>(SEE NEXT PAGE)</b></div>	14WAL	N/C	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>SUSPENSION/REAR-AXLE IDENTITY (SEE PREV PAGE)</b>  REQS: Code 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWW, 14GWY, 14GWZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM -OR- AXLE, REAR, SINGLE N/A: SUSPENSION, REAR, AIR, TANDEM	14WAL		
<b>TORQUE RODS</b>  Hendrickson XTRB, for HMX Suspensions REQS: Code 14ULY SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE N/A: SUSPENSION, REAR, AIR, TANDEM	14WCL	\$445	
<b>TRANSVERSE TORQUE RODS</b>  with Hendrickson Suspensions REQS: Code 14UHC, 14UHD, 14UHK or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UNX SUSPENSION, REAR, AIR, TANDEM N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE	14WBS	\$929	0/+54
<b>2-SPEED SHIFT PACKAGE</b>  Controlled Shifting for 2-Speed Rear Axle, Requires Automatic Transmission in Neutral & Brake Pedal Pressed & Zero Vehicle Speed, Not with 30 psi Brakes Application REQS: Code 14CDE or 14CVC AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: TRANSMISSION, MANUAL	14WBT	\$308	0/0
<b>PUSHER LIFT AXLE TIRE SLR</b> NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book  0 to 1.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER  2 to 3.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER	14XAB	N/C	
	14XAC	N/C	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>PUSHER LIFT AXLE TIRE SLR</b> (CONTINUED)            NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>4 to 5.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires            N/A: WHEELS, LIFT AXLE PUSHER</p>	14XAD	N/C	
<p><b>TAG LIFT AXLE TIRE SLR</b>            NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>0 to 1.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires</p> <p>2 to 3.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires</p> <p>4 to 5.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires</p>	14XAE  14XAG  14XAH	N/C  N/C  N/C	
<p><b>FUEL TANK</b></p> <p>Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 50 US Gal (189L), Mounted Left Side, Under Cab</p> <p>REQS: Code 08VTN, 08VUL(std), 08VUM or 08WEK BATTERY BOX, when in combination with Code 16CAB CAB</p> <p>REQS: Code 15DYP DEF TANK, when in combination with Code 16CAB CAB</p> <p>REQS: Code 15DYP(std) DEF TANK</p> <p>REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB</p> <p>REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ or 08XDZ BATTERY BOX</p> <p>REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE</p> <p>-OR- SUSPENSION, REAR, SINGLE</p> <p>-OR- SUSPENSION, REAR, TANDEM</p> <p>-OR- SUSPENSION, REAR, AIR, TANDEM</p> <p>N/A: Code 01ANE AXLE CONFIGURATION            : Code 16196 CAB            : Code 04VHZ and 04VKG AIR TANK LOCATION            : Code 01UAA CROSSMEMBER, AF, SPECIAL            : Code 01CAW FRAME RAILS            : Code 13TKX TRANSFER CASE            : Code 15LKD FUEL HEATER</p> <p>AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS            : Code 15WHV ANTI-SIPHON DEVICE            : Code 15902 FUEL TANK CAP            : Code 15924 FUEL TANK STRAPS</p>	15SRE	<b>STD</b>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>FUEL TANK</b> (CONTINUED)</p> <p>(02) Top Draw, Non-Polished Aluminum, 26" Dia, 70 US Gal (265L); Total Capacity 140 US Gal (530L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab</p> <p>REQS: Code 08TST, 08TTR, 08VTJ, 08VUR, 08WJN, 08XDZ or 08XGJ BATTERY BOX, when in combination with Code 16030 CAB and Code 04091 BRAKE SYSTEM, AIR</p> <p>REQS: Code 08WJN or 08XGJ BATTERY BOX, when in combination with Code 16CAB CAB</p> <p>REQS: Code 07BKP(std) or 07BKS EXHAUST SYSTEM</p> <p>REQS: Code 15LMK LOCATION FUEL/WATER SEPARATOR, when in combination with Code 16030 CAB and Code 04091 BRAKE SYSTEM, AIR and Code 08TST, 08TTR, 08VTJ, 08VUR, 08WJN, 08XDZ or 08XGJ BATTERY BOX</p> <p>REQS: Code 15LNK LOCATION FUEL/WATER SEPARATOR, when in combination with Code 16030 CAB and Code 04092 BRAKE SYSTEM, AIR and Code 07BKP, 07BKS, 07BLD or 07BLG EXHAUST SYSTEM</p> <p>REQS: Code 15DYR DEF TANK, when in combination with Code 16CAB CAB</p> <p>REQS: Code 08VTJ, 08VUR, 08WJN or 08XGJ BATTERY BOX</p> <p>REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE</p> <p>-OR- SUSPENSION, REAR, SINGLE</p> <p>-OR- SUSPENSION, REAR, TANDEM</p> <p>-OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM</p> <p>N/A: Code 01ANE AXLE CONFIGURATION</p> <p style="padding-left: 20px;">: Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION</p> <p style="padding-left: 20px;">: Code 01UAA CROSSMEMBER, AF, SPECIAL</p> <p style="padding-left: 20px;">: Code 01CAW FRAME RAILS</p> <p style="padding-left: 20px;">: Code 01WMA CROSSMEMBER, INTERMEDIATE</p> <p style="padding-left: 20px;">: Code 13TKX TRANSFER CASE</p> <p style="padding-left: 20px;">: Code 07BKN EXHAUST SYSTEM, when in combination with Code 16030 CAB and Code 04092 BRAKE SYSTEM, AIR</p> <p style="padding-left: 20px;">: Code 15LLP LOCATION FUEL/WATER SEPARATOR</p> <p style="padding-left: 20px;">: Code 15WTM AUXILIARY FUEL DRAW TUBE</p> <p style="padding-left: 20px;">: Code 15LKD FUEL HEATER</p> <p style="padding-left: 20px;">: Code 12WPU PTO, ENGINE REAR</p> <p>AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS</p> <p style="padding-left: 20px;">: Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE</p> <p style="padding-left: 20px;">: Code 08WBW JUMP START STUD</p> <p style="padding-left: 20px;">: Code 15WHD ANTI-SIPHON DEVICE</p> <p style="padding-left: 20px;">: Code 15903 FUEL TANK CAP</p> <p style="padding-left: 20px;">: Code 15960 FUEL TANK STRAPS</p>	<p>15DYJ</p>	<p>\$840</p> <p>-6/+124</p>	





# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>FUEL TANK</b> (CONTINUED)</p> <p>(02) Top Draw, Polished Aluminum, 26" Dia, 70 US Gal (265L); Total Capacity 140 US Gal (530L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab  REQS: Code 08TST, 08TTR, 08VTJ, 08VUR, 08WJN, 08XDZ or 08XGJ BATTERY BOX, when in combination with Code 16030 CAB and Code 04091 BRAKE SYSTEM, AIR  REQS: Code 08WJN or 08XGJ BATTERY BOX, when in combination with Code 16CAB CAB  REQS: Code 07BKP(std) or 07BKS EXHAUST SYSTEM  REQS: Code 15LMK LOCATION FUEL/WATER SEPARATOR, when in combination with Code 16030 CAB and Code 04091 BRAKE SYSTEM, AIR and Code 08TST, 08TTR, 08VTJ, 08VUR, 08WJN, 08XDZ or 08XGJ BATTERY BOX  REQS: Code 15LNK LOCATION FUEL/WATER SEPARATOR, when in combination with Code 16030 CAB and Code 04092 BRAKE SYSTEM, AIR and Code 07BKP, 07BKS, 07BLD or 07BLG EXHAUST SYSTEM  REQS: Code 15DYR DEF TANK, when in combination with Code 16CAB CAB  REQS: Code 08VTJ, 08VUR, 08WJN or 08XGJ BATTERY BOX  REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE  -OR- SUSPENSION, REAR, SINGLE  -OR- SUSPENSION, REAR, TANDEM  -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM  N/A: Code 01ANE AXLE CONFIGURATION  : Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION  : Code 01UAA CROSSMEMBER, AF, SPECIAL  : Code 01CAW FRAME RAILS  : Code 01WMA CROSSMEMBER, INTERMEDIATE  : Code 13TKX TRANSFER CASE  : Code 07BKN EXHAUST SYSTEM, when in combination with Code 16030 CAB and Code 04092 BRAKE SYSTEM, AIR  : Code 15WTM AUXILIARY FUEL DRAW TUBE  : Code 15LKD FUEL HEATER  : Code 12WPU PTO, ENGINE REAR  AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS  : Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE  : Code 08WBW JUMP START STUD  : Code 15WHD ANTI-SIPHON DEVICE  : Code 15903 FUEL TANK CAP  : Code 15960 FUEL TANK STRAPS</p>	15DYK	\$1,400 -6/+124	
<p>(02) Top Draw, Non-Polished Aluminum, 26" Dia, 80 US Gal (303L); Total Capacity 160 US Gal (606L), Mounted Left and Right Side, Under Cab  REQS: Code 16030(std) CAB  REQS: Code 04VKJ(std) or 04VKK AIR TANK LOCATION  REQS: Code 15DYP(std) DEF TANK</p> <p style="text-align: center;">(SEE NEXT PAGE)</p>	15DPL	\$1,144 +91/+79	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-261**

**SUBJECT TO CHANGE WITHOUT NOTICE**



**HV513 SFA  
AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT  
NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>FUEL TANK</b> <i>(SEE PREV PAGE)</i></p> <p>REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08VUL(std) or 08VUM BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANE AXLE CONFIGURATION : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 13TKX TRANSFER CASE : Code 13607 TRANSMISSION, AUXILIARY : EXHAUST SYSTEM : Code 15WTM AUXILIARY FUEL DRAW TUBE : Code 15LKD FUEL HEATER : Code 12WPU PTO, ENGINE REAR AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE : Code 15WHD ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS</p>	<p>15DPL</p>		
<p>(02) Top Draw, Non-Polished Aluminum, 26" Dia, 80 US Gal (303L); Total Capacity 160 US Gal (606L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab REQS: Code 08WJN or 08XGJ BATTERY BOX, when in combination with Code 16CAB CAB REQS: Code 07BKP(std) or 07BKS EXHAUST SYSTEM REQS: Code 15DYR DEF TANK, when in combination with Code 16CAB CAB REQS: Code 08VTJ, 08VUR, 08WJN or 08XGJ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANE AXLE CONFIGURATION : Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 01CAW FRAME RAILS : Code 01WMA CROSSMEMBER, INTERMEDIATE : Code 13TKX TRANSFER CASE : Code 15WTM AUXILIARY FUEL DRAW TUBE : Code 15LKD FUEL HEATER : Code 12WPU PTO, ENGINE REAR AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE : Code 08WBW JUMP START STUD : Code 15WHD ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS</p>	<p>15DWY</p>	<p>\$968 -5/+131</p>	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-262**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
<b>FUEL TANK (CONTINUED)</b>			
(02) Top Draw, Polished Aluminum, 26" Dia, 80 US Gal (303L); Total Capacity 160 US Gal (606L), Mounted Left and Right Side, Under Cab REQS: Code 16030(std) CAB REQS: Code 04VKJ(std) or 04VKK AIR TANK LOCATION REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08VUL(std) or 08VUM BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANE AXLE CONFIGURATION : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 13TKX TRANSFER CASE : Code 13607 TRANSMISSION, AUXILIARY : EXHAUST SYSTEM : Code 15WTM AUXILIARY FUEL DRAW TUBE : Code 15LKD FUEL HEATER : Code 12WPU PTO, ENGINE REAR AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE : Code 15WHD ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS  (02) Top Draw, Polished Aluminum, 26" Dia, 80 US Gal (303L); Total Capacity 160 US Gal (606L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab REQS: Code 08WJN or 08XGJ BATTERY BOX, when in combination with Code 16CAB CAB REQS: Code 07BKP(std) or 07BKS EXHAUST SYSTEM REQS: Code 15DYR DEF TANK, when in combination with Code 16CAB CAB REQS: Code 08VTJ, 08VUR, 08WJN or 08XGJ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANE AXLE CONFIGURATION : Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 01CAW FRAME RAILS : Code 01WMA CROSSMEMBER, INTERMEDIATE : Code 13TKX TRANSFER CASE : Code 15WTM AUXILIARY FUEL DRAW TUBE : Code 15LKD FUEL HEATER : Code 12WPU PTO, ENGINE REAR AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE  <div style="text-align: right;"><i>(SEE NEXT PAGE)</i></div>	15DPM	\$1,704	+91/+79
		15DYL	\$1,528



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<b>FUEL TANK</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span>  AVAIL: Code 08WBW JUMP START STUD : Code 15WHD ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS  (02) Top Draw, Non-Polished Aluminum, 26" Dia, 100 US Gal (379L); Total Capacity 200 US Gal (758L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab REQS: Code 08WJN or 08XGJ BATTERY BOX, when in combination with Code 16CAB CAB REQS: Code 07BKP(std) or 07BKS EXHAUST SYSTEM REQS: Code 15DYR DEF TANK, when in combination with Code 16CAB CAB REQS: Code 08VTJ, 08VUR, 08WJN or 08XGJ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANE AXLE CONFIGURATION : Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 01CAW FRAME RAILS : Code 01WMA CROSSMEMBER, INTERMEDIATE : Code 13TKX TRANSFER CASE : Code 15WTM AUXILIARY FUEL DRAW TUBE : Code 15LKD FUEL HEATER : Code 12WPU PTO, ENGINE REAR AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE : Code 08WBW JUMP START STUD : Code 15WHD ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS  (02) Top Draw, Polished Aluminum, 26" Dia, 100 US Gal (379L); Total Capacity 200 US Gal (758L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab REQS: Code 08WJN or 08XGJ BATTERY BOX, when in combination with Code 16CAB CAB REQS: Code 07BKP(std) or 07BKS EXHAUST SYSTEM REQS: Code 15DYR DEF TANK, when in combination with Code 16CAB CAB REQS: Code 08VTJ, 08VUR, 08WJN or 08XGJ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM <span style="float: right;"><i>(SEE NEXT PAGE)</i></span>			
	15DYL		
	15DRC	\$1,816 0/+201	
	15DYM	\$2,376 0/+201	



# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT  
NOTE: WEIGHTS - FRONT/REAR**

<i>ITEM DESCRIPTION</i>	CODE	HV513 SFA	
<b>FUEL TANK (SEE PREV PAGE)</b>			
N/A: Code 01ANE AXLE CONFIGURATION : Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 01CAW FRAME RAILS : Code 01WMA CROSSMEMBER, INTERMEDIATE : Code 13TKX TRANSFER CASE : Code 15WTM AUXILIARY FUEL DRAW TUBE : Code 15LKD FUEL HEATER : Code 12WPU PTO, ENGINE REAR AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE : Code 08WBW JUMP START STUD : Code 15WHD ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS	15DYM		
(02) Top Draw, Polished Aluminum, 26" Dia, 80 US Gal (303L) Left Side; 100 US Gal (379L) Right Side; Total Capacity 180 US Gal (682L), Mounted Left and Right Side, Under Cab REQS: Code 16030(std) CAB REQS: Code 04VKJ(std) or 04VKK AIR TANK LOCATION REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08VUL(std) or 08VUM BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANE AXLE CONFIGURATION : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 13TKX TRANSFER CASE : Code 13607 TRANSMISSION, AUXILIARY : Code 07BKN, 07BKP(std), 07BKS, 07BLD and 07BLG EXHAUST SYSTEM : Code 15WTM AUXILIARY FUEL DRAW TUBE : Code 15LKD FUEL HEATER : Code 12WPU PTO, ENGINE REAR AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE : Code 15WHD ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS	15DYY	\$1,619 +91/+79	
Polished Aluminum, 26" Dia, 100 US Gal (379L), Mounted Left Side, Under Cab REQS: Code 08VTN or 08WEK BATTERY BOX, when in combination with Code 16CAB CAB REQS: Code 15DYP DEF TANK, when in combination with Code 16CAB CAB REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB	15STM	\$626 +24/+43	
<i>(SEE NEXT PAGE)</i>			

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-265**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable





### HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV513 SFA	
<b>FUEL TANK (SEE PREV PAGE)</b>			
REQS: Code 08VTJ, 08VUR, 08WJN or 08XGJ BATTERY BOX	15SVT		
REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE			
-OR- SUSPENSION, REAR, SINGLE			
-OR- SUSPENSION, REAR, TANDEM			
-OR- SUSPENSION, REAR, AIR, TANDEM			
N/A: Code 01ANE AXLE CONFIGURATION			
: Code 01UAA CROSSMEMBER, AF, SPECIAL			
: Code 01CAW FRAME RAILS			
: Code 32WAA WHEELS, REAR			
: Code 13TKX TRANSFER CASE			
: Code 15WHC, 15WHD, 15WHV and 15WHW ANTI-SIPHON DEVICE			
: Code 15WTM AUXILIARY FUEL DRAW TUBE			
: Code 15LKD FUEL HEATER			
AVAIL: Code 08WJV BATTERY DISCONNECT SWITCH			
: Code 01MEJ FRAME, SPECIAL EFFECTS			
: Code 14WNM AXLE, PUSHER, LIFT TYPE			
: Code 08WBW JUMP START STUD			
: Code 15902 FUEL TANK CAP			
: Code 15924 FUEL TANK STRAPS			
Top Draw, Polished Aluminum, 26" Dia, 100 US Gal (379L), Mounted Left Side, Back of Cab	15SVU	\$1,323	
REQS: Code 16196 CAB			-28/+95
REQS: Code 04VKG, 04VKH or 04VKK AIR TANK LOCATION			
REQS: Code 07BKP(std) or 07BKS EXHAUST SYSTEM			
REQS: Code 16ZGR or 16ZHM ACCESS, CAB AND FRAME			
REQS: Code 08VTJ, 08VUR, 08WJN or 08XGJ BATTERY BOX			
REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE			
-OR- SUSPENSION, REAR, SINGLE			
-OR- SUSPENSION, REAR, TANDEM			
-OR- SUSPENSION, REAR, AIR, TANDEM			
N/A: Code 01ANE AXLE CONFIGURATION			
: Code 01UAA CROSSMEMBER, AF, SPECIAL			
: Code 01CAW FRAME RAILS			
: Code 13TKX TRANSFER CASE			
: Code 15WHC, 15WHD, 15WHV and 15WHW ANTI-SIPHON DEVICE			
: Code 15WTM AUXILIARY FUEL DRAW TUBE			
: Code 15LKD FUEL HEATER			
AVAIL: Code 08WJV BATTERY DISCONNECT SWITCH			
: Code 01MEJ FRAME, SPECIAL EFFECTS			
: Code 14WNM AXLE, PUSHER, LIFT TYPE			
: Code 08WBW JUMP START STUD			
: Code 15902 FUEL TANK CAP			
: Code 15924 FUEL TANK STRAPS			
Top Draw, Non-Polished Aluminum, 26" Dia, 120 US Gal (454L), Mounted Left Side, Under Cab	15SWK	\$444	
REQS: Code 08VTN or 08WEK BATTERY BOX, when in combination with Code 16CAB CAB			+29/+54
REQS: Code 15DYP DEF TANK, when in combination with Code 16CAB CAB			
REQS: Code 15DYP(std) DEF TANK			
<b>(SEE NEXT PAGE)</b>			

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-267

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable









# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>FUEL TANK (SEE PREV PAGE)</b></p> <p>AVAIL: Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS</p> <p>Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 70 US Gal (265L), Mounted Left Side, Under Cab REQS: Code 08VTN, 08VUL(std), 08VUM or 08WEK BATTERY BOX, when in combination with Code 16CAB CAB REQS: Code 15DYP DEF TANK, when in combination with Code 16CAB CAB REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ or 08XDZ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANE AXLE CONFIGURATION : Code 16196 CAB : Code 04VHZ and 04VKG AIR TANK LOCATION : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 01CAW FRAME RAILS AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS</p> <p>(02) Top Draw, Non-Polished Aluminum, D-Style, 16" Tank Depth, 40 US Gal (151L) Left Side; 50 US Gal (189L) Right Side; Total Capacity 90 US Gal (340L), Mounted Left and Right Side, Under Cab REQS: Code 16030(std) CAB REQS: Code 04VKJ(std), 04VKK or 04WZJ AIR TANK LOCATION REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08VUL(std), 08VUM or 08WEJ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANE AXLE CONFIGURATION : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 01CAW FRAME RAILS : Code 13TKX TRANSFER CASE : Code 13607 TRANSMISSION, AUXILIARY : Code 07BKN, 07BKP(std), 07BKS, 07BLD and 07BLG EXHAUST SYSTEM : Code 15WTM AUXILIARY FUEL DRAW TUBE : Code 15LKD FUEL HEATER : Code 12WPU PTO, ENGINE REAR AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS</p> <p><b>(SEE NEXT PAGE)</b></p>	<p>15SGD</p> <p>15SGG</p> <p>15DYT</p>	<p>\$146</p> <p>\$957</p>	<p>+3/+9</p> <p>+64/+45</p>

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-270

SUBJECT TO CHANGE WITHOUT NOTICE



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>FUEL TANK</b> (SEE PREV PAGE)</p> <p>AVAIL: Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE            : Code 15WHW ANTI-SIPHON DEVICE            : Code 15903 FUEL TANK CAP            : Code 15960 FUEL TANK STRAPS</p> <p>(02) Top Draw, Polished Aluminum, D-Style, 16" Tank Depth, 40 US Gal (151L) Left Side; 50 US Gal (189L) Right Side; Total Capacity 90 US Gal (340L), Mounted Left and Right Side, Under Cab            REQS: Code 16030(std) CAB            REQS: Code 04VKJ(std) or 04VKK AIR TANK LOCATION            REQS: Code 15DYP(std) DEF TANK            REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB            REQS: Code 08VUL(std), 08VUM or 08WEJ BATTERY BOX            REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 01ANE AXLE CONFIGURATION            : Code 01UAA CROSSMEMBER, AF, SPECIAL            : Code 01CAW FRAME RAILS            : Code 13TKX TRANSFER CASE            : Code 13607 TRANSMISSION, AUXILIARY            : Code 07BKN, 07BKP(std), 07BKS, 07BLD and 07BLG EXHAUST SYSTEM            : Code 15WTM AUXILIARY FUEL DRAW TUBE            : Code 15LKD FUEL HEATER            : Code 12WPU PTO, ENGINE REAR</p> <p>AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS            : Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE            : Code 15WHW ANTI-SIPHON DEVICE            : Code 15903 FUEL TANK CAP            : Code 15960 FUEL TANK STRAPS</p> <p>(02) Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 50 US Gal (189L) Left Side; 70 US Gal (265L) Right Side; Total Capacity 120 US Gal (454L), Mounted Left and Right Side, Under Cab            REQS: Code 04VKJ(std) or 04VKK AIR TANK LOCATION            REQS: Code 07BKN EXHAUST SYSTEM            REQS: Code 15DYP(std) DEF TANK            REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB            REQS: Code 08VUL(std), 08VUM or 08WEJ BATTERY BOX            REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, SINGLE            -OR- SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 01ANE AXLE CONFIGURATION            : Code 16196 CAB            : Code 01UAA CROSSMEMBER, AF, SPECIAL            : Code 01CAW FRAME RAILS            : Code 13TKX TRANSFER CASE</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>15DYT</p> <p>15DYU</p> <p>15DYZ</p>	<p></p> <p>\$ 1,517            +64/+45</p> <p>\$739            +79/+55</p>	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-271**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable





**HV513 SFA  
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<p><b>FUEL TANK (SEE PREV PAGE)</b></p> <p>-OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 01ANE AXLE CONFIGURATION            : Code 16196 CAB            : Code 04VHZ and 04VKG AIR TANK LOCATION            : Code 01UAA CROSSMEMBER, AF, SPECIAL            : Code 01CAW FRAME RAILS            : Code 15WTM AUXILIARY FUEL DRAW TUBE            AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS            : Code 15WHV ANTI-SIPHON DEVICE            : Code 15902 FUEL TANK CAP            : Code 15924 FUEL TANK STRAPS</p>			
<p>(02) Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 70 US Gal (265L); Total Capacity 140 US Gal (530L), Mounted Left and Right Side, Under Cab            REQS: Code 16030(std) CAB            REQS: Code 04VCL, 04VKJ(std) or 04VKK AIR TANK LOCATION            REQS: Code 15DYR DEF TANK            REQS: Code 16ZHM ACCESS, CAB AND FRAME            REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB            REQS: Code 08VTN, 08VTR, 08VUL(std), 08VUM, 08WEJ, 08WEK or 08WEL BATTERY BOX            REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14VKL or 14698 SUSPENSION, REAR, TANDEM            -OR- SUSPENSION, REAR, SINGLE            -OR- Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE            -OR- SUSPENSION, REAR, AIR, TANDEM            N/A: Code 01ANE AXLE CONFIGURATION            : Code 01UAA CROSSMEMBER, AF, SPECIAL            : Code 01CAW FRAME RAILS            : Code 13TKX TRANSFER CASE            : Code 13607 TRANSMISSION, AUXILIARY EXHAUST SYSTEM            : Code 15WTM AUXILIARY FUEL DRAW TUBE            : Code 15LKD FUEL HEATER            : Code 12WPU PTO, ENGINE REAR            AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS            : Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE            : Code 15WHD and 15WHW ANTI-SIPHON DEVICE            : Code 15903 FUEL TANK CAP            : Code 15960 FUEL TANK STRAPS</p>			
<p>(02) Top Draw, Polished Aluminum, D-Style, 19" Tank Depth, 70 US Gal (265L); Total Capacity 140 US Gal (530L), Mounted Left and Right Side, Under Cab            REQS: Code 16030(std) CAB            REQS: Code 04VKJ(std) or 04VKK AIR TANK LOCATION            REQS: Code 15DYP(std) DEF TANK            REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB</p>			
<p>(SEE NEXT PAGE)</p>			
	15SGJ		
	15DMV	\$1,191	+77/+65
	15DYS	\$1,798	+80/+68





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
		CODE	HV513 SFA
<b>ITEM DESCRIPTION</b>  FUEL TANK (SEE PREV PAGE)  REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ or 08XDZ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 04VHZ and 04VKG AIR TANK LOCATION AVAIL: Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS  Top Draw, Polished Aluminum, D-Style, 19" Tank Depth, 70 US Gal (265L), Mounted Left Side, Under Cab REQS: Code 08VTN, 08VUL(std), 08VUM or 08WEK BATTERY BOX, when in combination with Code 16CAB CAB REQS: Code 15DYP DEF TANK, when in combination with Code 16CAB CAB REQS: Code 15DYP(std) DEF TANK REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ or 08XDZ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANE AXLE CONFIGURATION : Code 16196 CAB : Code 04VHZ and 04VKG AIR TANK LOCATION : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 01CAW FRAME RAILS : Code 13TKX TRANSFER CASE AVAIL: Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS  Top Draw, Polished Aluminum, 26" Dia, 70 US Gal (265L), Mounted Left Side, Back of Cab REQS: Code 16196 CAB REQS: Code 04VKG, 04VKH or 04VKK AIR TANK LOCATION REQS: Code 07BKP(std) or 07BKS EXHAUST SYSTEM REQS: Code 16ZGR or 16ZHM ACCESS, CAB AND FRAME REQS: Code 08VTJ, 08VUR, 08WJN or 08XGJ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANE AXLE CONFIGURATION : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 01CAW FRAME RAILS : Code 13TKX TRANSFER CASE : Code 15WHC, 15WHD, 15WHV and 15WHW ANTI-SIPHON DEVICE  (SEE NEXT PAGE)	15SWE		
	15SMD	\$426	+3/+9
	15SVP	\$797	-32/+48

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-275

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable







## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<i><b>ITEM DESCRIPTION</b></i>	<i><b>CODE</b></i>	<i><b>HV513 SFA</b></i>	
<p><b>FUEL TANK</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p>AVAIL: Code 15WHD ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS</p> <p>Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 80 US Gal (303L), Mounted Left Side, Under Cab REQS: Code 16030(std) CAB REQS: Code 15DYP(std) DEF TANK REQS: Code 15LKX FUEL/WATER SEPARATOR REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08VTR, 08WEJ or 08XDZ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANE AXLE CONFIGURATION : Code 04VHZ and 04VKG AIR TANK LOCATION : Code 01CAW and 01CGE FRAME RAILS : Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE : Code 13TKX TRANSFER CASE : Code 15WHC, 15WHD, 15WHV and 15WHW ANTI-SIPHON DEVICE : Code 15LLY, 15LMA, 15LMG, 15LMK, 15LMT, 15LMU, 15LMW, 15LMY and 15LNJ LOCATION FUEL/WATER SEPARATOR, when in combination with Code 15LKX FUEL/WATER SEPARATOR : Code 15LKD FUEL HEATER AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS</p> <p>Top Draw, Non-Polished Aluminum, 26" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab REQS: Code 08VTN, 08VUL(std), 08VUM or 08WEK BATTERY BOX, when in combination with Code 16CAB CAB REQS: Code 15LMK LOCATION FUEL/WATER SEPARATOR, when in combination with Code 16030 CAB and Code 04VHT AIR DRYER LOCATION and Code 04091 BRAKE SYSTEM, AIR and Code 08VUL or 08VUM BATTERY BOX and Code 07BKP, 07BKS, 07BLD or 07BLG EXHAUST SYSTEM REQS: Code 15LMY LOCATION FUEL/WATER SEPARATOR, when in combination with Code 16030 CAB and Code 04VHT AIR DRYER LOCATION and Code 04091 BRAKE SYSTEM, AIR and Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK, 08VUN, 08WEK, 08WJJ or 08XDZ BATTERY BOX and Code 07BKP, 07BKS or 07BLG EXHAUST SYSTEM REQS: Code 15DYP DEF TANK, when in combination with Code 16CAB CAB REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>15DUX</p> <p>15SXN</p> <p>15SJZ</p>	<p>\$249 +17/+32</p> <p>\$249 +9/+15</p>	







## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ANTI-SIPHON DEVICE</b>	<b>HV513 SFA</b>		
<p>(02) Snap-In Type, Zinc Plated Steel, for Dual Fuel Tanks; for Cylindrical Fuel Tanks            REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM or 15DYY FUEL TANK            AVAIL: Code 15903 FUEL TANK CAP</p> <p>Snap-In Type; for Single Fuel Tank; for Round Fuel Tanks            REQS: Code 15SJR, 15SJZ, 15STM, 15SVN, 15SVR, 15SVS, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK            N/A: Code 15902 and 15903 FUEL TANK CAP</p> <p>for Dual Tanks; 2-Inch Diameter; Located inside Fuel Tank Fill Neck            REQS: Code 15DMV, 15DYS, 15DYT, 15DYU, 15DYZ or 15DZA FUEL TANK            N/A: Code 15902 and 15903 FUEL TANK CAP</p> <p>for Single Tank; 2-Inch Diameter; Located inside Fuel Tank Fill Neck            REQS: Code 15SGD, 15SGG, 15SGJ, 15SMD, 15SRE(std) or 15SSC FUEL TANK            N/A: Code 15902 and 15903 FUEL TANK CAP</p>	<p>15WHD</p> <p>15WHC</p> <p>15WHW</p> <p>15WHV</p>	<p>\$156</p> <p>\$78</p> <p>\$122</p> <p>\$61</p>	<p>0/0</p> <p>0/0</p> <p>+2/0</p> <p>+1/0</p>
<p><b>AUXILIARY FUEL DRAW TUBE</b></p> <p>Located at Auxiliary Port on Fuel Tank            REQS: Code 15SGD, 15SGG, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p>	<p>15WTM</p>	<p>\$82</p>	
<p><b>DEF TANK</b></p> <p>9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab            REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ or 08XDZ BATTERY BOX            REQS: Code 15DPL, 15DPM, 15DUX, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK            N/A: Code 16196 CAB</p> <p>9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Back of Cab            REQS: Code 08TST, 08TTR, 08VTJ, 08VTR, 08VUK, 08VUL(std), 08VUM, 08VUR, 08WEJ, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX            REQS: Code 15DMV, 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SGD, 15SGG, 15SGJ, 15SSC, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT or 15SVU FUEL TANK            N/A: Code 07BKN EXHAUST SYSTEM</p>	<p>15DYP</p> <p>15DYR</p>	<p><b>STD</b></p> <p>\$110</p>	<p></p> <p>-22/+22</p>



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>DEF TANK COVER</b>  Stainless Steel	15BAA	\$233 +1/+1	
<b>FUEL COOLER</b>  Less Thermostat; Mounted in Front of Cooling Module	15WCS	\$276 +14/+1	
<b>FUEL HEATER</b>  <i>Arctic Fox</i>  In-Tank Type, with Thermostat, for Single Tank REQS: Code 07BKS or 07BLG EXHAUST SYSTEM REQS: Code 15LKU(std) or 15LKX FUEL/WATER SEPARATOR REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SMD, 15SVN or 15SWE FUEL TANK N/A: Code 16564 HEATER SHUT-OFF VALVES	15LKD	\$1,095	
<b>FUEL TANK CAP</b>  (02) Locking Type REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ or 15DZA FUEL TANK AVAIL: Code 15WHD ANTI-SIPHON DEVICE  Locking Type REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 15WHC, 15WHD, 15WHV and 15WHW ANTI-SIPHON DEVICE	15903  15902	\$106  \$53	
<b>FUEL TANK STRAPS</b>  Bright Finish Stainless Steel REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK  Bright Finish Stainless Steel, for Dual Fuel Tanks REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ or 15DZA FUEL TANK	15924  15960	\$260  \$520	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>FUEL/WATER SEPARATOR</b>			
<i>Racor</i>			
Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 12XBS, 12XBU and 12XBW BLOCK HEATER, ENGINE	15LKU	STD	
<b>- 6600 -</b>			
12 VDC Electric Heater, Includes Pre-Heater, Fuel Heated with Fuel Blender Valve, with Sight Bowl, Includes Water-In-Fuel Sensor REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 12XBS, 12XBU and 12XBW BLOCK HEATER, ENGINE : Code 15LKD FUEL HEATER	15LPR	\$228	
<i>Davco</i>			
<b>- Fuel Pro 382 -</b>			
Includes Water-in-Fuel Sensor REQS: Code 15LLP, 15LLY, 15LMA, 15LMK, 15LMT, 15LMU, 15LMW, 15LMY, 15LNH, 15LNJ or 15LNK LOCATION FUEL/WATER SEPARATOR REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 12XBS, 12XBU and 12XBW BLOCK HEATER, ENGINE : Code 15LKD FUEL HEATER	15LKZ	\$298	+ 2/0
120 VAC Plug-in Electric Pre-Heater, Coolant Heated, Includes Water-in-Fuel Sensor REQS: Code 12XBS or 12XBW BLOCK HEATER, ENGINE REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 15LKD FUEL HEATER AVAIL: Code 12XBS and 12XBW BLOCK HEATER, ENGINE	15LML	\$623	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>																																		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>																																
<b>FUEL/WATER SEPARATOR</b> (CONTINUED)  <b>Davco</b>  <b>- Fuel Pro 382 -</b>  12 VDC Electric Heater, Includes Pre-Heater, Includes Water-in-Fuel Sensor N/A: Code 12XBS, 12XBU and 12XBW BLOCK HEATER, ENGINE	15LKX	\$421	+ 4 / - 3																																
<b>LOCATION FUEL/WATER SEPARATOR</b>  Mounted Above Right Rail, Back of Cab <table style="width: 100%; border: none;"> <tr> <td style="width: 40%;"></td> <td style="width: 15%; text-align: center;">15LNK</td> <td style="width: 20%; text-align: center;">\$50</td> <td style="width: 25%;"></td> </tr> </table> Mounted Inside Left Rail, Back of Cab REQS: Code 04VKB AIR DRYER LOCATION, when in combination with Code 16CAB CAB REQS: Code 04WZJ AIR TANK LOCATION, when in combination with Code 16CAB CAB REQS: Code 04EBD or 04EBT AIR DRYER, when in combination with Code 16CAB CAB REQS: Code 08WEK BATTERY BOX, when in combination with Code 16CAB CAB REQS: Code 14UHK SUSPENSION, REAR, TANDEM or Code 14UNX SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 16CAB CAB REQS: Code 07BKS EXHAUST SYSTEM, when in combination with Code 16CAB CAB REQS: Code 15SJR FUEL TANK, when in combination with Code 16CAB CAB REQS: Code 15LKZ FUEL/WATER SEPARATOR, when in combination with Code 16CAB CAB N/A: Code 04VKC(std) AIR DRYER LOCATION : Code 15WCS FUEL COOLER or Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH and 13GYJ TRANSMISSION, MANUAL, when in combination with Code 04VKC AIR DRYER LOCATION and Code 07BKS EXHAUST SYSTEM <table style="width: 100%; border: none;"> <tr> <td style="width: 40%;"></td> <td style="width: 15%; text-align: center;">15LLP</td> <td style="width: 20%; text-align: center;">\$50</td> <td style="width: 25%; text-align: center;">0 / 0</td> </tr> </table> Mounted Outside Left Rail, 11" Back of Cab N/A: Code 15LKZ FUEL/WATER SEPARATOR <table style="width: 100%; border: none;"> <tr> <td style="width: 40%;"></td> <td style="width: 15%; text-align: center;">15LMG</td> <td style="width: 20%; text-align: center;">\$50</td> <td style="width: 25%;"></td> </tr> </table> Mounted Outside Left Rail, 15" Back of Cab <table style="width: 100%; border: none;"> <tr> <td style="width: 40%;"></td> <td style="width: 15%; text-align: center;">15LMA</td> <td style="width: 20%; text-align: center;">\$50</td> <td style="width: 25%;"></td> </tr> </table> Mounted Outside Left Rail, 20" Back of Cab <table style="width: 100%; border: none;"> <tr> <td style="width: 40%;"></td> <td style="width: 15%; text-align: center;">15LMY</td> <td style="width: 20%; text-align: center;">\$50</td> <td style="width: 25%;"></td> </tr> </table> Mounted Outside Left Rail, 27" Back of Cab <table style="width: 100%; border: none;"> <tr> <td style="width: 40%;"></td> <td style="width: 15%; text-align: center;">15LNH</td> <td style="width: 20%; text-align: center;">\$50</td> <td style="width: 25%;"></td> </tr> </table> Mounted Outside Left Rail, 34" Back of Cab <table style="width: 100%; border: none;"> <tr> <td style="width: 40%;"></td> <td style="width: 15%; text-align: center;">15LMW</td> <td style="width: 20%; text-align: center;">\$50</td> <td style="width: 25%;"></td> </tr> </table> Mounted Outside Left Rail, 46" Back of Cab <table style="width: 100%; border: none;"> <tr> <td style="width: 40%;"></td> <td style="width: 15%; text-align: center;">15LMT</td> <td style="width: 20%; text-align: center;">\$70</td> <td style="width: 25%;"></td> </tr> </table>		15LNK	\$50			15LLP	\$50	0 / 0		15LMG	\$50			15LMA	\$50			15LMY	\$50			15LNH	\$50			15LMW	\$50			15LMT	\$70				
	15LNK	\$50																																	
	15LLP	\$50	0 / 0																																
	15LMG	\$50																																	
	15LMA	\$50																																	
	15LMY	\$50																																	
	15LNH	\$50																																	
	15LMW	\$50																																	
	15LMT	\$70																																	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>LOCATION FUEL/WATER SEPARATOR (CONTINUED)</b>			
Mounted Outside Left Rail, 54" Back of Cab	15LMK	\$70	
Mounted Outside Left Rail, 58" Back of Cab	15LNJ	\$70	
Mounted Outside Left Rail, 66" Back of Cab	15LLY	\$70	
Mounted Outside Left Rail, 8" Back of Cab	15LMU	\$50	
<b>CAB</b>			
Conventional, Day Cab REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION REQS: Code 04VCL, 04VHZ, 04VKJ(std), 04VKK or 04WZJ AIR TANK LOCATION, when in combination with Code 08VUN or 08WEJ BATTERY BOX REQS: Code 04VCL, 04VHZ, 04VKJ(std), 04VKK or 04WZJ AIR TANK LOCATION, when in combination with Code 08WJJ BATTERY BOX REQS: Code 16WJU WINDOW, POWER -OR- Code 16XCK(std) WINDOW, MANUAL REQS: Code 16HYA, 16HYB, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPN, 16PPY, 16PXG, 16RAD, 16RAM, 16RAN, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SMX, 16SMY, 16SMZ, 16SPE, 16SPG, 16SPH or 16400(std) SEAT, PASSENGER REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN, 08XDZ or 08XGJ BATTERY BOX REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 16SAP and 16SDD GRAB HANDLE, ADDITIONAL EXT : Code 16UZY and 16UZZ CURTAIN, WINDSHIELD : Code 16VCA and 16VCB SEAT BELT : Code 16LRV and 16LRW SEAT, DRIVER : Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16SMT, 16SMU, 16SMV and 16615 SEAT, REAR : Code 08WJW BATTERY DISCONNECT SWITCH, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 08SAJ or 08WSM SWITCH, BODY CIRCUITS, MID : Code 16SBA BUNK, LOWER AVAIL: Code 16GHU GRAB HANDLE, CAB INTERIOR : Code 16HCK SEATBELT WARNING PREWIRE (SEE NEXT PAGE)	16030	<b>STD</b>	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-284**

**SUBJECT TO CHANGE WITHOUT NOTICE**





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<b>CAB</b> <span style="float: right;">(SEE PREV PAGE)</span>			
AVAIL: Code 08WTP COURTESY LIGHT	16030		
Conventional 6-Man Crew Cab	16196	\$12,234 +234/+120	
REQS: Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16SMT, 16SMU, 16SMV or 16615 SEAT, REAR			
REQS: Code 16VKD or 16VKM CAB INTERIOR TRIM			
REQS: Code 16WSK(std) CAB REAR SUSPENSION			
REQS: Code 04VKG AIR TANK LOCATION			
REQS: Code 04VKG, 04VKH or 04WZJ AIR TANK LOCATION			
REQS: Code 07BKP(std) or 07BLD EXHAUST SYSTEM			
REQS: Code 15DYR DEF TANK			
REQS: Code 16WJV WINDOW, POWER			
-OR- Code 16XCL WINDOW, MANUAL			
REQS: Code 16LER, 16LPC, 16LPZ, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPN, 16PPZ, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400(std) SEAT, PASSENGER			
REQS: Code 16ZBU ACCESS, CAB			
REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATG, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING			
-OR- AXLE, FRONT DRIVING			
REQS: Code 04091(std) BRAKE SYSTEM, AIR			
REQS: Code 08VTJ, 08VUR or 08WJJ BATTERY BOX			
REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE			
-OR- AXLE, REAR, TANDEM			
REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWE or 15SWG FUEL TANK			
N/A: Code 16VBS CONSOLE, CENTER			
: Code 16WJU WINDOW, POWER or Code 16XCK WINDOW, MANUAL or Code 16XWY WINDSHIELD WASHER RESERVOIR or Code 01GBP FRAME REINFORCEMENT			
: Code 16HXB, 16JCP, 16JCR, 16JYL, 16JYM, 16KVL, 16KVM, 16KVN, 16LKU and 16LLR SEAT, DRIVER			
: Code 16KAY and 16SMV SEAT, REAR			
: Code 16DAN CAB INTERIOR TRIM ACCENT			
: Code 16DAN CAB INTERIOR TRIM ACCENT or Code 04VHT AIR DRYER LOCATION or Code 04VHZ AIR TANK LOCATION or Code 14TCL SUSPENSION, REAR, AIR, SINGLE			
: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME			
: Code 08RLZ, 08WJV and 08WJW BATTERY DISCONNECT SWITCH, when in combination with Code 08TST, 08TTR, 08VTR, 08VUJ, 08VUK, 08VUN, 08WEJ, 08WEL or 08WJJ BATTERY BOX			
: Code 16917 MOUNTING BRACKETS			
: Code 01CAW FRAME RAILS			
(SEE NEXT PAGE)			

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-285

SUBJECT TO CHANGE WITHOUT NOTICE





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>CAB</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span>  N/A: Code 16VBS CONSOLE, CENTER : Code 16JYM, 16KVL, 16KVM, 16KVN, 16LKU, 16LLR and 16LRX SEAT, DRIVER : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16DAN CAB INTERIOR TRIM ACCENT or Code 04VHT AIR DRYER LOCATION or Code 04VHZ AIR TANK LOCATION or Code 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 16SDC, 16SED, 16SEE and 16SMW GRAB HANDLE, EXTERIOR : Code 08RLZ, 08WJV and 08WJW BATTERY DISCONNECT SWITCH, when in combination with Code 08TST, 08TTR, 08VTR, 08VUJ, 08VUK, 08VUN, 08WEJ, 08WEL or 08WJJ BATTERY BOX : Code 04VKE AIR DRYER LOCATION or Code 16SDC, 16SEE and 16SMW GRAB HANDLE, EXTERIOR : Code 04VCL, 04VHZ and 04VKH AIR TANK LOCATION : Code 01CAW FRAME RAILS : Code 01WMA CROSSMEMBER, INTERMEDIATE, when in combination with Code 01ANA AXLE CONFIGURATION : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 08VZP BEACON MOUNTING BRACKET : Code 07BKN and 07BLG EXHAUST SYSTEM : Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 04092 BRAKE SYSTEM, AIR : Code 08RMV SPEAKERS : Code 08HXT HORN, AIR : Code 12WPU PTO, ENGINE REAR AVAIL: Code 16KAY, 16SMV and 16615 SEAT, REAR : Code 16GHU GRAB HANDLE, CAB INTERIOR : Code 16XRX MODESTY PANEL : Code 01WMA CROSSMEMBER, INTERMEDIATE : Code 08WTP COURTESY LIGHT	16CAB		
<b>ACCESS, CAB</b>  Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME : Code 01WLS, 01WLT and 01WLY DECK PLATE : Code 16196 CAB  Aluminum, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab or Sleeper Cab REQS: Code 16030(std) CAB N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME : Code 01WLS, 01WLT and 01WLY DECK PLATE : Code 07BEV AFTERTREATMENT COVER	16ZBT          16XTM	<b>STD</b>          \$471 +34/+19	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<p><b>ACCESS, CAB</b> (CONTINUED)</p> <p>Steel, Driver &amp; Passenger Sides, Two Steps per Door, for use with Crew Cab            REQS: Code 16196 CAB            REQS: Code 08VTJ, 08VUR or 08WEL BATTERY BOX            REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SMD, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU or 15SWE FUEL TANK            N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME            : Code 01WLS, 01WLT and 01WLY DECK PLATE</p> <p>Bright Aluminum, Driver &amp; Passenger Sides, Two Steps per Door, for use with Day Cab or Extended Cab            REQS: Code 07BES AFTERTREATMENT COVER, when in combination with Code 07BKP EXHAUST SYSTEM            N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME            : Code 01WLS, 01WLT and 01WLY DECK PLATE            : Code 16196 CAB</p> <p><b>Bustin</b></p> <p>Aluminum, Driver &amp; Passenger Sides, Two Steps per Door, for use with Day Cab or Extended Cab, Self-Cleaning            REQS: Code 07BES AFTERTREATMENT COVER, when in combination with Code 07BKP EXHAUST SYSTEM            N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME            : Code 01WLS, 01WLT and 01WLY DECK PLATE            : Code 16196 CAB</p>	<p>16ZBU</p> <p>16XTK</p> <p>16ZBB</p>	<p>N/C +25/+58</p> <p>\$651 - 12 / - 4</p> <p>\$777 - 8 / - 6</p>	
<p><b>ACCESS, CAB AND FRAME</b></p> <p>Bright Aluminum, Driver &amp; Passenger Sides, Two Steps per Door; Left Side Frame Access Step, Includes One Flush Mounted Deck Plate and Black Grab Handle, for use with Day Cab or Sleeper Cab            REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE            REQS: Code 07BES AFTERTREATMENT COVER, when in combination with Code 07BKP EXHAUST SYSTEM            REQS: Code 07BES AFTERTREATMENT COVER, when in combination with Code 16030 CAB and Code 07BKS EXHAUST SYSTEM            REQS: Code 04092 BRAKE SYSTEM, AIR            REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX            REQS: Code 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK            N/A: Code 16SAP and 16SDD GRAB HANDLE, ADDITIONAL EXT</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>16ZGR</p>	<p>\$684 - 10 / + 17</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<i><b>ITEM DESCRIPTION</b></i>	<i><b>CODE</b></i>	<i><b>HV513 SFA</b></i>	
<i><b>ACCESS, CAB AND FRAME (SEE PREV PAGE)</b></i>			
<p>N/A: Code 16XTK, 16XTM, 16ZBB, 16ZBT(std) and 16ZBU ACCESS, CAB            : Code 16SDC GRAB HANDLE, EXTERIOR            : Code 16196 CAB            : Code 04JDC AIR DRYER LOCATION, when in combination with Code 16030 or 16196 CAB            : Code 08VUL(std), 08VUM and 08WEL BATTERY BOX or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE            : Code 08899 JUMP START STUD            : Code 07BLD and 07BLG EXHAUST SYSTEM            AVAIL: Code 01WLT DECK PLATE</p>	16ZGR		
<p>Aluminum, Driver &amp; Passenger Sides, Two Steps per Door; Left Side Frame Access Step, Includes One Flush Mounted Deck Plate and Black Grab Handle, for use with Day Cab            REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE            REQS: Code 04092 BRAKE SYSTEM, AIR            REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX            REQS: Code 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK            N/A: Code 16SAP and 16SDD GRAB HANDLE, ADDITIONAL EXT            : Code 16XTK, 16XTM, 16ZBB, 16ZBT(std) and 16ZBU ACCESS, CAB            : Code 16SDC GRAB HANDLE, EXTERIOR            : Code 01WLY DECK PLATE            : Code 16196 CAB            : Code 04JDC AIR DRYER LOCATION, when in combination with Code 16030 or 16196 CAB            : Code 08VUL(std), 08VUM and 08WEL BATTERY BOX or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE            : Code 08899 JUMP START STUD            : Code 07BLD and 07BLG EXHAUST SYSTEM</p>	16ZHH	\$566	-9/+16
<p>Steel, Driver &amp; Passenger Sides, Two Steps per Door; Left Side Frame Access Step, Includes One Flush Mounted Deck Plate and Black Grab Handle, for use with Day Cab, Extended Cab or Sleeper Cab            REQS: Code 04092 BRAKE SYSTEM, AIR            REQS: Code 08TTR, 08VTR, 08VUJ, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEL, 08WJJ or 08XGJ BATTERY BOX            N/A: Code 16SAP and 16SDD GRAB HANDLE, ADDITIONAL EXT            : Code 16XTK, 16XTM, 16ZBB, 16ZBT(std) and 16ZBU ACCESS, CAB            : Code 01WLY DECK PLATE            : Code 16196 CAB</p>	16ZHM	\$369	-6/+21
<i><b>(SEE NEXT PAGE)</b></i>			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
<p><b>ACCESS, CAB AND FRAME</b> (SEE PREV PAGE)</p> <p>N/A: Code 04JDC AIR DRYER LOCATION, when in combination with Code 16030 or 16196 CAB : Code 08899 JUMP START STUD : Code 07BLD and 07BLG EXHAUST SYSTEM AVAIL: Code 16SEE and 16SMW GRAB HANDLE, EXTERIOR</p> <p><b>Bustin</b></p> <p>Aluminum, Driver &amp; Passenger Sides, Two Steps per Door; Left Side Frame Access Step, Includes One Deck Plate and Grab Handle, for use with Day Cab, Self-Cleaning</p> <p>REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE</p> <p>REQS: Code 07BES AFTERTREATMENT COVER, when in combination with Code 07BKP EXHAUST SYSTEM</p> <p>REQS: Code 07BES AFTERTREATMENT COVER, when in combination with Code 16030 CAB and Code 07BKS EXHAUST SYSTEM</p> <p>REQS: Code 04092 BRAKE SYSTEM, AIR</p> <p>REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX</p> <p>REQS: Code 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p>N/A: Code 16SAP and 16SDD GRAB HANDLE, ADDITIONAL EXT : Code 16XTK, 16XTM, 16ZBB, 16ZBT(std) and 16ZBU ACCESS, CAB : Code 16196 CAB : Code 04JDC AIR DRYER LOCATION, when in combination with Code 16030 or 16196 CAB : Code 08WEL BATTERY BOX or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 08899 JUMP START STUD : Code 07BLD and 07BLG EXHAUST SYSTEM AVAIL: Code 01WLY DECK PLATE</p>	16ZHM		
	16ZBP	\$1,929	+7/+60
<p><b>AIR CONDITIONER</b></p> <p>with Integral Heater and Defroster N/A: Code 16BAL(std) HEATER</p>	16BAM	\$1,187	+50/+6
<p><b>ARM REST, LEFT, PASSENGER SEAT</b></p> <p>REQS: Code 16LER, 16LGC, 16PPD, 16PPN, 16RPV, 16RPX or 16RXP SEAT, PASSENGER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER</p>	16WBZ	\$39	+3/0

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-290

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>ARM REST, RIGHT, DRIVER SEAT</b>  REQS: Code 16JJD, 16JNT(std), 16JNV, 16JYX, 16LJL, 16LJS, 16LKU, 16LRV, 16LRW or 16LSD SEAT, DRIVER	16WBY	\$39 +3/0	
<b>AUTOMATIC CLIMATE CONTROL</b>  Automatically Maintains Cabin Comfort Based on Selected Temperature	16ATC	\$98 0/0	
<b>BUNK, LOWER</b>  26" Wide; Includes Mattress, Occupant Restraints and Under Bunk Storage Compartment REQS: Code 16VKC or 16VKL CAB INTERIOR TRIM REQS: Code 16CAB CAB N/A: Code 16HXB, 16KVL, 16KVM, 16KVN, 16LKU and 16LLR SEAT, DRIVER : Code 13WYH TRANSMISSION TCM LOCATION AVAIL: Code 16615 SEAT, REAR : Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID : Code 60AAA, 60AAB and 60AAD BDY INTG, REMOTE POWER MODULE	16SBA	\$2,300 +15/+29	
<b>CAB INTERIOR TRIM</b>  Classic, for Day Cab INCLS: SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For Canada Only : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For USA Only : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted - For Canada Only : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted - For USA Only REQS: Code 16WJU or 16WJV WINDOW, POWER or Code 16XCK or 16XCL WINDOW, MANUAL REQS: Code 16030(std) CAB REQS: Code 16WJU WINDOW, POWER -OR- Code 16XCK(std) WINDOW, MANUAL REQS: Code 16HYA, 16HYB, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPN, 16PPY, 16PXG, 16PXH, 16RAD, 16RAM, 16RAN, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SMX, 16SMY, 16SMZ, 16SPE, 16SPG, 16SPH or 16400(std) SEAT, PASSENGER N/A: Code 16VCA and 16VCB SEAT BELT : Code 16DAN CAB INTERIOR TRIM ACCENT (SEE NEXT PAGE)	16VKB	<b>STD</b>	

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-291

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>CAB INTERIOR TRIM (SEE PREV PAGE)</b>			
N/A: Code 16SBA BUNK, LOWER AVAIL: Code 16HCK SEATBELT WARNING PREWIRE : Code 08WTP COURTESY LIGHT  Classic, for Crew Cab INCLS: SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For Canada Only : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For USA Only : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted - For Canada Only : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted - For USA Only REQS: Code 16WJU or 16WJV WINDOW, POWER or Code 16XCK or 16XCL WINDOW, MANUAL REQS: Code 16196 CAB REQS: Code 16WJV WINDOW, POWER -OR- Code 16XCL WINDOW, MANUAL REQS: Code 16HYA, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPN, 16PPZ, 16PXG, 16PXH, 16RAD, 16RAM, 16RAN, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SMX, 16SMY, 16SMZ or 16400(std) SEAT, PASSENGER N/A: Code 16HXB, 16KVL, 16KVM and 16KVN SEAT, DRIVER : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16SBA BUNK, LOWER AVAIL: Code 08WTR COURTESY LIGHT	16VKB  16VKD	N/C  0/0	
Classic, for Extended Cab INCLS: SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For Canada Only : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For USA Only : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted - For Canada Only	16VKC	N/C  0/0	
<b>(SEE NEXT PAGE)</b>			







### HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT  
NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>CAB INTERIOR TRIM <span style="float:right">(SEE PREV PAGE)</span></b></p> <p>N/A: Code 16SBA BUNK, LOWER</p> <p>Diamond, for Day Cab INCLS: SUN VISOR (3) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For Canada Only : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For USA Only : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Reading Lights; Integral to Overhead Console, Center Mounted - For Canada Only : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Reading Lights; Integral to Overhead Console, Center Mounted - For USA Only</p> <p>REQS: Code 16030(std) CAB REQS: Code 16WJU WINDOW, POWER -OR- Code 16XCK(std) WINDOW, MANUAL REQS: Code 16HYA, 16HYB, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPN, 16PPY, 16PXG, 16PXH, 16RAD, 16RAM, 16RAN, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SMX, 16SMY, 16SMZ, 16SPE, 16SPG, 16SPH or 16400(std) SEAT, PASSENGER</p> <p>N/A: Code 16VCA and 16VCB SEAT BELT : Code 16VBT and 16VBX CAB SOUND INSULATION : Code 16HCS GAUGE, TEMPERATURE, AMBIENT : Code 08WTP and 08WTR COURTESY LIGHT : Code 08XKG DOME LIGHT, CAB : Code 16SBA BUNK, LOWER</p> <p>AVAIL: Code 16HCK SEATBELT WARNING PREWIRE</p> <p>Diamond, for Extended Cab INCLS: SUN VISOR (3) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For Canada Only : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For USA Only</p> <p style="text-align:right"><b>(SEE NEXT PAGE)</b></p>	<p>16VKM</p> <p>16VKK</p> <p>16VKL</p>	<p>\$548</p> <p>\$530</p>	<p>0/0</p> <p>0/0</p>



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>CAB INTERIOR TRIM</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p>INCLS: DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Reading Lights; Integral to Overhead Console, Center Mounted - For Canada Only</p> <p>: DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Reading Lights; Integral to Overhead Console, Center Mounted - For USA Only</p> <p>REQS: Code 16CAB CAB</p> <p>REQS: Code 16WJU WINDOW, POWER</p> <p>-OR- Code 16XCK(std) WINDOW, MANUAL</p> <p>REQS: Code 16HYA, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RAD, 16RAM, 16RAN, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SMX, 16SMY, 16SMZ or 16400(std) SEAT, PASSENGER</p> <p>N/A: Code 16VBT and 16VBX CAB SOUND INSULATION</p> <p>: Code 16HXB, 16KVL, 16KVM and 16KVN SEAT, DRIVER</p> <p>: Code 16DAN CAB INTERIOR TRIM ACCENT</p> <p>: Code 16HCS GAUGE, TEMPERATURE, AMBIENT</p> <p>: Code 08WTP and 08WTR COURTESY LIGHT</p> <p>: Code 08XKG DOME LIGHT, CAB</p>	16VKL		
<p><b>CAB INTERIOR TRIM ACCENT</b></p> <p>Black Cherry Color Padded Door Insert, Padded Door Topper, Seat Insert</p> <p>REQS: Code 16WJU WINDOW, POWER</p> <p>REQS: Code 16HXB or 16LSD SEAT, DRIVER</p> <p>REQS: Code 16VKK CAB INTERIOR TRIM</p> <p>REQS: Code 16030(std) CAB</p> <p>REQS: Code 16HYB, 16LER or 16400(std) SEAT, PASSENGER</p> <p>-OR- SEAT, TWO-MAN PASSENGER</p>	16DAN	\$488	
<p><b>CAB REAR SUSPENSION</b></p> <p>Air Bag Type</p> <p>Air, Provides Rear PTO and PTO Driveshaft Clearance</p> <p>REQS: Code 16030(std) CAB</p>	16WSK  16XZC	<b>STD</b>  \$130	
<p><b>CAB SOUND INSULATION</b></p> <p>Includes Dash Insulator and Engine Cover Insulator, Premium Floormat, and Sound Dampening Patches</p> <p>REQS: Code 16VKB(std), 16VKC or 16VKD CAB INTERIOR TRIM</p>	16VBT	\$162  +27/0	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>CAB SOUND INSULATION</b> (CONTINUED)  Includes Dash Insulator Premium Floormat, and Sound Dampening Patches REQS: Code 16VKB(std), 16VKC or 16VKD CAB INTERIOR TRIM	16VBX	\$113 +10/0	
<b>CONSOLE, CENTER</b>  Polypropylene, with One Coin Holder, One Cup Holder and One Thermos Holder, with Laptop PC or Clipboard Storage, Includes small Storage Area REQS: Code 16030(std) CAB REQS: Code 14RAR, 14RAV or 14RAW AXLE, LIFT, CONTROLS REQS: Code 16HYA, 16HYB, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RAD, 16RAM, 16RAN, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SPE, 16SPG, 16SPH or 16400(std) SEAT, PASSENGER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16KVL, 16KVM and 16KVN SEAT, DRIVER	16VBS	\$64 +3/+3	
<b>COVER PLATE</b>  Blank Steel Cover Plate in Place of Storage Bin for Customer Mounting Requirements N/A: Code 16XJP INSTRUMENT PANEL	16XCV	\$25	
<b>COWL TRAY LID</b>	16XXC	\$200 +7/+3	
<b>CURTAIN, WINDSHIELD</b>  Privacy for the Windshield and Door Windows REQS: Code 16CAB or 16196 CAB  Privacy for Windshield, Doors and Rear Windows REQS: Code 16CAB or 16196 CAB	16UZY  16UZZ	\$250 +8/0  \$338 +10/0	
<b>ELECTRONIC VEHICLE MONITORING</b>  Driver Information Display, Flush Mounted Style In Wing Panel; with 6.5" Color Touch Screen, Includes GPS Navigation for North America with Truck Logistics and USB Port REQS: Code 16XJP INSTRUMENT PANEL REQS: Code 14RAR, 14RAV or 14RAW AXLE, LIFT, CONTROLS REQS: Code 08RML, 08RMM, 08RMN, 08RMP or 08RMR RADIO N/A: Code 16HKA and 16HKT(std) IP CLUSTER DISPLAY : Code 60ABD BDY INTG, REMOTE START/STOP or Code 16XCX TELEMATICS BRACKET or IP CLUSTER DISPLAY	16HLN	\$1,712	

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-296

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>FRESH AIR FILTER</b>  Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood N/A: Code 09WBT GRILLE EMBER SCREEN	16WLS	\$76	+1/0
<b>GAUGE CLUSTER</b>  Base Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 3 Inch Monochromatic Text Display N/A: Code 16HLR VIRTUAL GAUGE, AIR APPLICATION : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 16HLW VIRTUAL GAUGE, OIL TEMP, ENG : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE	16GDC	<b>STD</b>	
Base Level; English with Metric Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 3 Inch Monochromatic Text Display N/A: Code 16HLR VIRTUAL GAUGE, AIR APPLICATION : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 16HLW VIRTUAL GAUGE, OIL TEMP, ENG : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE	16GDD	N/C	
Base Level; Metric with Metric Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 3 Inch Monochromatic Text Display N/A: Code 16HLR VIRTUAL GAUGE, AIR APPLICATION : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 16HLW VIRTUAL GAUGE, OIL TEMP, ENG : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE	16GDE	N/C	
Premium Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 5 Inch LCD Color Display	16GDG	\$488	
Premium Level; English with Metric Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 5 Inch LCD Color Display	16GDH	\$488	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>GAUGE CLUSTER</b> (CONTINUED)  Premium Level; Metric with Metric Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 5 Inch LCD Color Display	16GDJ	\$488	
<b>GAUGE, AIR APPLICATION</b>	16HGN	\$77	+ 1/0
<b>GAUGE, AIR CLEANER RESTRICTION</b>  <i>Filter-Minder</i>  with Black Bezel, Mounted in Instrument Panel  Under Hood Cleaner Mounted with Internal Switch, with Text Message in Cluster	16HHE	\$30	+ 2/0
	16HKC	\$76	0/0
<b>GAUGE, AIR PRESSURE</b>  for Pressure in Rear Air Suspension, Mounted in Instrument Center Panel REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU or 14UNX SUSPENSION, REAR, AIR, TANDEM N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM	16AAH	\$77	0/0
<b>GAUGE, LOAD INDICATING REAR</b>  Text Message in Cluster Display, for use with Rear Air Suspension REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU or 14UNX SUSPENSION, REAR, AIR, TANDEM N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM	16HKE	\$128	
<b>GAUGE, OIL TEMP, AUTO TRANS</b>  for Allison Transmission N/A: GAUGE, OIL TEMP, MANUAL TRAN, when in combination with Code 16HGG GAUGE, OIL TEMP, ENGINE : TRANSMISSION, MANUAL	16HGH	\$48	+ 1/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>GAUGE, OIL TEMP, ENGINE</b>  N/A: GAUGE, OIL TEMP, AUTO TRANS, when in combination with Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : GAUGE, OIL TEMP, MANUAL TRAN, when in combination with Code 16HGH GAUGE, OIL TEMP, AUTO TRANS	16HGG	\$54	+ 1/0
<b>GAUGE, OIL TEMP, MANUAL TRAN</b>  for Manual Transmission N/A: GAUGE, OIL TEMP, AUTO TRANS, when in combination with Code 16HGG GAUGE, OIL TEMP, ENGINE : TRANSMISSION, AUTOMATIC : Code 16WLM HOURMETER, PTO	16HGJ	\$48	+ 1/0
<b>GAUGE, OIL TEMP, REAR AXLE</b>  REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	16HGL	\$95	+ 1/0
<b>GAUGE, TEMPERATURE, AMBIENT</b>  Sensor Wiring with Display Unit Mounted in Cluster REQS: Code 16VKB(std), 16VKC or 16VKD CAB INTERIOR TRIM	16HCS	\$71	0/0
<b>GAUGE, VOLTMETER</b>  Auxiliary Gauge, Located in Center Panel. Standard Cluster Also Includes Digital Voltage Readout	16HLX	\$49	
<b>VIRTUAL GAUGE, AIR APPLICATION</b>  Requires Premium Cluster REQS: Code 16GDG, 16GDH or 16GDJ GAUGE CLUSTER	16HLR	\$58	
<b>VIRTUAL GAUGE, AIR PRESSURE</b>  for Pressure in Rear Air Suspension, Requires Premium Cluster REQS: Code 16GDG, 16GDH or 16GDJ GAUGE CLUSTER REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU or 14UNX SUSPENSION, REAR, AIR, TANDEM	16AAG	\$58	0/0
<b>(SEE NEXT PAGE)</b>			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>VIRTUAL GAUGE, AIR PRESSURE</b> (SEE PREV PAGE)  N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM	16AAG		
<b>VIRTUAL GA, OIL TEMP,AUTO XMSN</b>  for Allison Transmission, Requires Premium Cluster REQS: Code 16GDG, 16GDH or 16GDJ GAUGE CLUSTER N/A: Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : TRANSMISSION, MANUAL	16HLU	\$48	
<b>VIRTUAL GAUGE, OIL TEMP, ENG</b>  Requires Premium Cluster REQS: Code 16GDG, 16GDH or 16GDJ GAUGE CLUSTER	16HLW	\$48	
<b>VIRTUAL GA,OIL TEMP,MANL XMSN</b>  for Manual Transmission, Requires Premium Cluster REQS: Code 16GDG, 16GDH or 16GDJ GAUGE CLUSTER N/A: Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : TRANSMISSION, AUTOMATIC : Code 16WLM HOURMETER, PTO	16HLV	\$38	
<b>VIRTUAL GA,OIL TEMP,REAR AXLE</b>  Requires Premium Cluster REQS: Code 16GDG, 16GDH or 16GDJ GAUGE CLUSTER REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	16HLS	\$79	
<b>GRAB HANDLE, EXTERIOR</b>  (02) Black, Aluminum, for Cab Entry Mounted Left and Right Side at B-Pillar REQS: Code 16ZBP, 16ZGR or 16ZHH ACCESS, CAB AND FRAME N/A: Code 16SAP and 16SDD GRAB HANDLE, ADDITIONAL EXT : Code 16CAB CAB  Black, Aluminum, for Cab Entry Mounted Left Side at B-Pillar N/A: Code 16CAB CAB	16SED	\$87	
	16SMW	\$45	





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>GRAB HANDLE, EXTERIOR</b> (CONTINUED)  (02) Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left and Right Side at B-Pillar REQS: Code 16ZBP ACCESS, CAB AND FRAME N/A: Code 16CAB CAB  Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left Side at B-Pillar N/A: Code 16CAB CAB	16SDC	\$236	+6/0
	16SEE	\$118	+3/0
<b>GRAB HANDLE, ADDITIONAL EXT</b>  (02) Chrome; Towel Bar Type with Anti-Slip Rubber Inserts; Mounted Left and Right Side on Exterior, Rear of Rear Doors, with Crew Cab REQS: Code 16196 CAB N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME : Code 16SED GRAB HANDLE, EXTERIOR  (1) Chrome; Towel Bar Type with Anti-Slip Rubber Insert; Mounted Left Side on Exterior, Rear of Rear Door, with Crew Cab REQS: Code 16196 CAB N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME : Code 16SED GRAB HANDLE, EXTERIOR	16SDD	\$236	+5/0
	16SAP	\$118	0/0
<b>GRAB HANDLE, CAB INTERIOR</b>  (2) Safety Yellow N/A: Code 16196 CAB  (4) Safety Yellow, Crew Cab REQS: Code 16196 CAB	16GHU	\$33	0/0
	16GHV	\$64	0/0
<b>HEATER</b>  N/A: Code 16BAM AIR CONDITIONER	16BAL	<b>STD</b>	
<b>HEATER HOSES</b>  Silicone REQS: Code 16WHJ HOSE CLAMPS, HEATER HOSE	16975	\$78	
<b>HOSE CLAMPS, HEATER HOSE</b>  <b>Breeze</b>  Belleville Washer Type	16WHJ	\$25	0/0
<b>HEATER SHUT-OFF VALVES</b>  (1) Ball Valve Type, Supply Line N/A: Code 15LKD FUEL HEATER	16564	\$69	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>HOURLMETER, PTO</b>  for Customer Provided PTO; with Indicator Light and Hourmeter in Gauge Cluster Includes Return Wire for PTO Feedback Switch N/A: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN AVAIL: Code 60AKG BDY INTG, PTO ACCOMMODATION	16WLM	\$138 + 2/0	
<b>INSTRUMENT PANEL</b>  Flat Panel N/A: CAB INTERIOR TRIM ACCENT : Code 16HLN ELECTRONIC VEHICLE MONITORING : USB PORT, when in combination with Code 16XCZ TELEMATICS BRACKET AVAIL: Code 16XCZ TELEMATICS BRACKET  Wing Panel N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 04596 CONTROL VALVE, FRONT BRAKE or Code 08718 POWER SOURCE : Code 08718 POWER SOURCE : Code 16XCZ TELEMATICS BRACKET	16XJN  16XJP	STD  \$333	
<b>IP CLUSTER DISPLAY</b>  On Board Diagnostics Display of Fault Codes in Gauge Cluster N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING  Omit Display of Fault Codes in Instrument Cluster and Disable Blink Codes, Requires Service Tool to Retrieve and View Fault Code N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING	16HKT  16HKA	STD  N/C 0/0	
<b>KEYLESS ENTRY SYSTEM REMOTE</b>  with Panic Alarm and Horn Beep Lock Confirmation, with Auxiliary Button for Work Light Function Includes One Key Fob REQS: Code 16WJU or 16WJV WINDOW, POWER, when in combination with Code 16CAB, 16030 or 16196 CAB REQS: Code 16WJU WINDOW, POWER, when in combination with Code 16CAB or 16030 CAB REQS: Code 16WJU WINDOW, POWER, when in combination with Code 16030 CAB REQS: Code 08WLL LIGHT, WORK or Code 08WMA or 08WTT SWITCH, TOGGLE, FOR WORK LIGHT  with Panic Alarm and Horn Beep Lock Confirmation, with Auxiliary Button for Trailer Accessory Function, Includes One Key Fob REQS: Code 16WJU or 16WJV WINDOW, POWER, when in combination with Code 16CAB, 16030 or 16196 CAB REQS: Code 16WJU WINDOW, POWER, when in combination with Code 16CAB or 16030 CAB REQS: Code 16WJU WINDOW, POWER, when in combination with Code 16030 CAB	16VCN  16VCP	\$390 + 1/0  \$390 + 2/0	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>KEYLESS ENTRY SYSTEM REMOTE</b> (CONTINUED)  with Panic and Auxiliary Buttons, Includes One Key Fob (Transmitter) REQS: Code 16WJU or 16WJV WINDOW, POWER, when in combination with Code 16CAB, 16030 or 16196 CAB REQS: Code 16WJU WINDOW, POWER, when in combination with Code 16CAB or 16030 CAB REQS: Code 16WJU WINDOW, POWER, when in combination with Code 16030 CAB	16WKZ	\$328 + 2/0	
<b>MIRROR, CONVEX, LOOK DOWN</b>  Right Side, Black, 6" x 10.5" REQS: Code 16SNL(std), 16SNM, 16SNP, 16SNS or 16SNT MIRRORS  Right Side, Bright, 6" x 10.5" REQS: Code 16SNN, 16SNR, 16SNU, 16SNV or 16SPJ MIRRORS	16SNW  16SNX	\$49  \$57	
<b>MIRRORS</b>  (02) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width N/A: Code 16VSL WINDSHIELD : Code 08RMN RADIO : Code 08RNB and 08RNC CB RADIO AVAIL: Code 16SDH, 16SDZ, 16SEA and 16WSL MIRROR, CONVEX, HOOD MOUNTED : Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNL	<b>STD</b>	
(02) Aero Pedestal, Power Adjust, Heated, Black Heads and Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width N/A: Code 16SJX MIRROR, CONVEX, HOOD MOUNTED : Code 08RMN RADIO : Code 08RMN RADIO, when in combination with Code 16030 CAB AVAIL: Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNS	\$419	
(02) Aero Pedestal, Power Adjust, Heated, Turn Signals, Black Heads and Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width N/A: Code 16SJX MIRROR, CONVEX, HOOD MOUNTED : Code 08RMN RADIO : Code 08RMN RADIO, when in combination with Code 16030 CAB AVAIL: Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNT	\$555	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

<b>ITEM DESCRIPTION</b>	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>MIRRORS (CONTINUED)</b>			
(02) C-Loop, Power Adjust, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width N/A: Code 16SJX MIRROR, CONVEX, HOOD MOUNTED AVAIL: Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNP	\$321	
(02) Aero Pedestal, Power Adjust, Heated, Bright Heads, Black Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width N/A: Code 16SDH, 16SJW and 16WSL MIRROR, CONVEX, HOOD MOUNTED : Code 08RMN RADIO : Code 08RMN RADIO, when in combination with Code 16030 CAB AVAIL: Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNU	\$513	
(02) Aero Pedestal, Power Adjust, Heated, Turn Signals, Bright Heads, Black Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width N/A: Code 16SDH and 16WSL MIRROR, CONVEX, HOOD MOUNTED : Code 08RMN RADIO : Code 08RMN RADIO, when in combination with Code 16030 CAB AVAIL: Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNV	\$649	
(02) C-Loop, Power Adjust, Heated, LED Clearance Lights, Bright Heads and Arms, 7" x 14.5", Includes 8" x 6" Convex Mirrors, for 96" Load Width N/A: Code 08RMN RADIO AVAIL: Code 16SDZ, 16SEA, 16SJV and 16SJX MIRROR, CONVEX, HOOD MOUNTED : Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SPJ	\$535	
(02) C-Loop, Power Adjust, Heated, LED Clearance Lights, Bright Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width N/A: Code 16SDH, 16SJW and 16WSL MIRROR, CONVEX, HOOD MOUNTED AVAIL: Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNR	\$667	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>MIRRORS</b> (CONTINUED)</p> <p>(02) C-Loop, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width            N/A: Code 16SJX MIRROR, CONVEX, HOOD MOUNTED            AVAIL: Code 16SNW MIRROR, CONVEX, LOOK DOWN            NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"</p> <p>(02) C-Loop, Heated, Bright Heads, Black Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width            N/A: Code 16SDH, 16SJW and 16WSL MIRROR, CONVEX, HOOD MOUNTED            AVAIL: Code 16SNX MIRROR, CONVEX, LOOK DOWN            NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"</p>	<p>16SNM</p> <p>16SNN</p>	<p>\$151</p> <p>\$245</p>	
<p><b>MIRROR, CONVEX, HOOD MOUNTED</b></p> <p>SPECIAL, Wiring Only for Left Side Heated Mirror, Does Not Include Mirror or Mounting Brackets            REQS: Code 16SNM, 16SNN, 16SNP, 16SNR, 16SNS, 16SNT, 16SNU or 16SNV MIRRORS</p> <p>SPECIAL, Wiring Only for Right Side Heated Mirror, Does Not Include Mirror or Mounting Brackets            REQS: Code 16SNM, 16SNN, 16SNP, 16SNR, 16SNS, 16SNT, 16SNU or 16SNV MIRRORS</p> <p><b>Lang Mekra</b></p> <p>(1) Right Side, Black, 7.5" Sq.            REQS: Code 16SNL(std), 16SNM, 16SNP, 16SNS or 16SNT MIRRORS</p> <p>(1) Right Side, Bright, Heated            REQS: Code 16SNM, 16SNN, 16SNP, 16SNR, 16SNS, 16SNT, 16SNU, 16SNV or 16SPJ MIRRORS</p> <p>(1) Right Side, Bright, 7.5" Sq.</p> <p>(2) Right and Left Side, Bright, 7.5" Sq.</p> <p>(2) Right and Left Sides, Black 7.5" Sq.            REQS: Code 16SNL(std), 16SNM, 16SNP, 16SNS or 16SNT MIRRORS</p> <p>(2) Right and Left Sides, Black, Heated, 7.5" Sq.            REQS: Code 16SNM, 16SNP, 16SNS, 16SNT or 16SNV MIRRORS</p> <p>(2) Right and Left Sides, Bright, Heated, 7.5" Sq.            REQS: Code 16SNN, 16SNR, 16SNU, 16SNV or 16SPJ MIRRORS</p>	<p>16SBZ</p> <p>16SBY</p> <p>16SDH</p> <p>16SJV</p> <p>16SEA</p> <p>16SDZ</p> <p>16WSL</p> <p>16SJW</p> <p>16SJX</p>	<p>\$50</p> <p>\$50</p> <p>\$70</p> <p>\$177</p> <p>\$96</p> <p>\$190</p> <p>\$137</p> <p>\$265</p> <p>\$390</p>	<p>+5/0</p> <p>+5/0</p> <p>+6/0</p> <p>+5/0</p> <p>+6/0</p> <p>+11/0</p> <p>+11/0</p> <p>+9/0</p> <p>+19/0</p>



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>MODESTY PANEL</b>	<b>HV513 SFA</b>		
Painted N/A: Code 07BLD and 07BLG EXHAUST SYSTEM	16XRX	\$217	0/0
Painted, Left Side Only REQS: Code 16030(std) CAB REQS: Code 07BLG EXHAUST SYSTEM	16XSE	\$217	
<b>MOUNTING BRACKETS</b>			
for Catwalk, Less Roof Catwalk REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 16196 CAB : Code 08VZP BEACON MOUNTING BRACKET : Code 08HXT HORN, AIR : Code 08695 SNOW SHIELD	16917	\$171	
<b>SEAT BELT</b>			
All Green; 1 to 3 N/A: Code 16KVL, 16KVM and 16KVN SEAT, DRIVER AVAIL: Code 16615 SEAT, REAR	16VHD	\$36	
All Orange; 1 to 3 REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB or 16196 CAB AVAIL: Code 16615 SEAT, REAR	16VCC	\$26	0/0
All Orange; 4 to 6 REQS: Code 16VKC, 16VKD, 16VKL or 16VKM CAB INTERIOR TRIM REQS: Code 16CAB or 16196 CAB REQS: Code 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400(std) SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER N/A: Code 16HXB, 16JCP, 16JCR, 16JYL, 16JYM, 16KVL, 16KVM and 16KVN SEAT, DRIVER : Code 16615 SEAT, REAR	16VCB	\$50	0/0
All Red; 1 to 3 REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB or 16196 CAB REQS: Code 16HYB, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RAD, 16RAM, 16RAN, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SMX, 16SMY, 16SMZ or 16400(std) SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16JCP, 16JCR, 16KVL, 16KVM and 16KVN SEAT, DRIVER AVAIL: Code 16615 SEAT, REAR	16VBZ	\$26	0/0
All Red; 4 to 6 REQS: Code 16VKC, 16VKD, 16VKL or 16VKM CAB INTERIOR TRIM REQS: Code 16CAB or 16196 CAB	16VCA	\$50	0/0
<b>(SEE NEXT PAGE)</b>			









## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>SEAT, DRIVER</b>		<b>HV513 SFA</b>	
<p style="text-align: right;">(CONTINUED)</p> <p><i>National</i></p> <p>- 2000 -</p> <p>Air Suspension, High Back with Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjust, Extended Track            REQS: Code 16CAB or 16196 CAB            REQS: Code 16RPV, 16RPX, 16RXP, 16SMM, 16SMR, 16SMX or 16400(std) SEAT, PASSENGER            N/A: Code 16LJY, 16PCS, 16SMT and 16SMV SEAT, REAR                  : Code 16DAN CAB INTERIOR TRIM ACCENT                  : Code 16HCH SEATBELT WARNING LIGHT IND.                  : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE                  : Code 13WYH TRANSMISSION TCM LOCATION                  : Code 10XAP FIRE EXTINGUISHER BRACKET            AVAIL: Code 16PJV SEAT, TWO-MAN PASSENGER</p> <p>NFPA Compliant, Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust            REQS: Code 16LUM, 16PPG, 16PPN, 16PPZ, 16PXG, 16PXH, 16RPV, 16SMN, 16SMY or 16400(std) SEAT, PASSENGER            N/A: Code 16VZB SEAT BELT COMFORT CLIP                  : Code 16WBY ARM REST, RIGHT, DRIVER SEAT                  : Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR                  : Code 16DAN CAB INTERIOR TRIM ACCENT                  : Code 10XAP FIRE EXTINGUISHER BRACKET            AVAIL: Code 16PJW SEAT, TWO-MAN PASSENGER</p> <p>Air Suspension, Hi Back, Prestige Vinyl, Right Arm Rest, International Logo on Headrest, Isolator, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 3 Position Rear Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Vinyl Suspension Cover, Bolsters, Heater            REQS: Code 16PJW SEAT, TWO-MAN PASSENGER            N/A: Code 16VZB SEAT BELT COMFORT CLIP                  : SEAT, PASSENGER                  : Code 16WBY ARM REST, RIGHT, DRIVER SEAT                  : Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16SMT, 16SMU, 16SMV and 16615 SEAT, REAR                  : Code 16DAN CAB INTERIOR TRIM ACCENT                  : Code 16CAB CAB                  : Code 16HCH SEATBELT WARNING LIGHT IND.                  : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE                  : Code 10XAP FIRE EXTINGUISHER BRACKET</p>			
	16LRW	\$74	- 10/- 1
	16JJE	\$49	0/0
	16LRX	\$648	+ 2/+ 1



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HV513 SFA		
<b>SEAT, DRIVER</b> (CONTINUED)			
<i>National</i>			
<b>- 2000 -</b>			
Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Angle Adjust, Dual Shocks REQS: Code 16WBY ARM REST, RIGHT, DRIVER SEAT REQS: Code 16LUM, 16PPG, 16PPN, 16PPZ, 16PXG, 16PXH, 16RPV, 16SMN, 16SMY or 16400(std) SEAT, PASSENGER N/A: Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 10XAP FIRE EXTINGUISHER BRACKET AVAIL: Code 16PJW SEAT, TWO-MAN PASSENGER	16LJS	\$218	0/0
Air Suspension, Hi Back, Prestige All Leather, Right Arm Rest, International Logo on Headrest, Isolator, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 3 Position Rear Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Vinyl Suspension Cover, Bolsters, Heater REQS: Code 16LPZ SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16KAY, 16LJX, 16LJZ and 16SMV SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCH SEATBELT WARNING LIGHT IND. : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 10XAP FIRE EXTINGUISHER BRACKET	16LSA	\$783	+2/+1
Air Suspension, High Back with Integral Headrest, Vinyl, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjust, Extended Track REQS: Code 16CAB or 16196 CAB REQS: Code 16LUM, 16PPG, 16PPN, 16PPZ, 16PXG, 16PXH, 16RPV, 16SMN, 16SMY or 16400(std) SEAT, PASSENGER N/A: Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCH SEATBELT WARNING LIGHT IND. : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 13WYH TRANSMISSION TCM LOCATION : Code 10XAP FIRE EXTINGUISHER BRACKET AVAIL: Code 16PJW SEAT, TWO-MAN PASSENGER	16LRV	\$32	-1/-2



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>SEAT, DRIVER</b> (CONTINUED)	<b>HV513 SFA</b>		
<p><i>National</i></p> <p>- 2000 -</p> <p>Air Suspension, Hi Back, Vinyl Boxing w/Leather Facing, 1 Inboard Arm Rest, Isolator, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Adj Side Bolster, Vinyl Suspension Cover, Heat</p> <p>REQS: Code 16PNX or 16400(std) SEAT, PASSENGER</p> <p>N/A: Code 16VZB SEAT BELT COMFORT CLIP</p> <p>: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER</p> <p>: Code 16WBY ARM REST, RIGHT, DRIVER SEAT</p> <p>: Code 16DAN CAB INTERIOR TRIM ACCENT</p> <p>: Code 16HCK and 16HCL SEATBELT WARNING PREWIRE</p>	16JPX	\$696	+5/+4
<p>Air Suspension, Mid Back, Mordura Cloth, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3 Position Rear Cushion Adjust, -3 to +14 Degree Back Angle Adjust</p> <p>REQS: Code 16030(std) CAB</p> <p>REQS: Code 16LGC or 16400(std) SEAT, PASSENGER</p> <p>N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER</p> <p>: Code 16DAN CAB INTERIOR TRIM ACCENT</p> <p>: Code 16HCH SEATBELT WARNING LIGHT IND.</p> <p>: Code 16HCK and 16HCL SEATBELT WARNING PREWIRE</p> <p>: Code 16SBA BUNK, LOWER</p> <p>: Code 10XAP FIRE EXTINGUISHER BRACKET</p> <p>AVAIL: Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR</p>	16LKU	\$163	0/0
<p>Non-Suspension, High Back with Integral Head Rest, Cloth, with Fixed Back</p> <p>REQS: Code 16SMM, 16SMR or 16400(std) SEAT, PASSENGER</p> <p>N/A: Code 16VZB SEAT BELT COMFORT CLIP</p> <p>: Code 16WBY ARM REST, RIGHT, DRIVER SEAT</p> <p>: Code 16LJY, 16PCS, 16SMT and 16SMV SEAT, REAR</p> <p>: Code 16DAN CAB INTERIOR TRIM ACCENT</p> <p>: Code 10XAP FIRE EXTINGUISHER BRACKET</p> <p>AVAIL: Code 16PJV SEAT, TWO-MAN PASSENGER</p>	16KAU	\$25	-28/-23
<p>Non-Suspension, High Back with Integral Head Rest, Vinyl, with Fixed Back</p> <p>REQS: Code 16LUM, 16PPG, 16PPN, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16SMN, 16SMY or 16400(std) SEAT, PASSENGER</p> <p>N/A: Code 16VZB SEAT BELT COMFORT CLIP</p> <p>: Code 16WBY ARM REST, RIGHT, DRIVER SEAT</p> <p>: Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR</p> <p>: Code 16DAN CAB INTERIOR TRIM ACCENT</p> <p>: Code 10XAP FIRE EXTINGUISHER BRACKET</p> <p>AVAIL: Code 16PJW SEAT, TWO-MAN PASSENGER</p>	16KAV	N/C	-28/-23



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>SEAT, DRIVER (CONTINUED)</b>			
<i>National</i>			
<b>- Model HP -</b>			
Air Suspension, High Back, with Mordura Cloth, No Arm Rest, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, 3-14 Degree Back Angle Adjust, Bellows REQS: Code 16030(std) CAB REQS: Code 16LVK, 16SMZ or 16400(std) SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16SMT, 16SMU, 16SMV and 16615 SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCH SEATBELT WARNING LIGHT IND. : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 16SBA BUNK, LOWER : Code 10XAP FIRE EXTINGUISHER BRACKET	16LLR	\$354  +3/+2	
Air Suspension, High Back, Leather, 2 Arm Rests, Isolator, 7.5 Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, 3-14 Degree Back Angle Adjustment, Adj Side Bolster, Bellows, Back Cycler REQS: Code 16HYB SEAT, PASSENGER REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM REQS: Code 16HYB or 16400(std) SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16VCA and 16VCB SEAT BELT : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16SMT, 16SMU, 16SMV and 16615 SEAT, REAR : Code 16196 CAB : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 16SBA BUNK, LOWER : Code 10XAP FIRE EXTINGUISHER BRACKET	16HXB	\$795  +2/+2	
Air Suspension, High Back, Vinyl, 2 Arm Rests, Isolator, 7.5 Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, 3-14 Degree Back Angle Adjustment, Adj Side Bolster, Bellows, Back Cycler REQS: Code 16HYA or 16RAM SEAT, PASSENGER REQS: Code 16HYA, 16RAM or 16400(std) SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16SMT, 16SMU, 16SMV and 16615 SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16196 CAB	16JCP	\$501  +2/+2	
<i>(SEE NEXT PAGE)</i>			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV513 SFA	
<b>SEAT, DRIVER (SEE PREV PAGE)</b>  <b>National</b>  <b>- Model HP -</b> N/A: Code 16HCH SEATBELT WARNING LIGHT IND. : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 10XAP FIRE EXTINGUISHER BRACKET AVAIL: Code 16VCC and 16VHD SEAT BELT  Air Suspension, High Back, Vinyl, 2 Arm Rests, Isolator, 7.5" Adjuster, 3 Chamber Lumbar, 6 Way Front Cushion Adjust, 3 Way Rear Cushion Adjust, 3-14 Degree Back Angle Adjust, Bellows REQS: Code 16HYA or 16RAM SEAT, PASSENGER REQS: Code 16HYA, 16RAM or 16400(std) SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16SMT, 16SMU, 16SMV and 16615 SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16196 CAB : Code 16HCH SEATBELT WARNING LIGHT IND. : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 10XAP FIRE EXTINGUISHER BRACKET AVAIL: Code 16VCC and 16VHD SEAT BELT  RollTek Equipped, Air Suspension, High Back, Vinyl Boxing/ Leather Facing, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Adj. Side Bolster, Back Cyclor, Non Swivel REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM REQS: Code 16030(std) CAB REQS: Code 16HYB, 16SPH or 16400(std) SEAT, PASSENGER REQS: Code 04SPL or 04SPM(std) AIR COMPRESSOR N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCH SEATBELT WARNING LIGHT IND. : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 16SBA BUNK, LOWER : Code 10XAP FIRE EXTINGUISHER BRACKET AVAIL: Code 16VCC SEAT BELT : Code 16615 SEAT, REAR			
	16JCP		
	16JCR	\$445	+2/+2
	16KVN	\$7,146	+23/+19



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HV513 SFA		
<p><b>SEAT, DRIVER</b> (CONTINUED)</p> <p><i>National</i></p> <p>- Model HP -</p> <p>RollTek Equipped, Air Suspension, High Back, Mordura Cloth, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Adj. Side Bolster, Back Cycler, Non Swivel</p> <p>REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM            REQS: Code 16030(std) CAB            REQS: Code 16LUN, 16SPE or 16400(std) SEAT, PASSENGER            REQS: Code 04SPL or 04SPM(std) AIR COMPRESSOR            N/A: Code 16VZB SEAT BELT COMFORT CLIP                  : Code 16VBS CONSOLE, CENTER                  : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER                  : Code 16WBY ARM REST, RIGHT, DRIVER SEAT                  : Code 16DAN CAB INTERIOR TRIM ACCENT                  : Code 16HCH SEATBELT WARNING LIGHT IND.                  : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE                  : Code 16SBA BUNK, LOWER                  : Code 10XAP FIRE EXTINGUISHER BRACKET            AVAIL: Code 16VCC SEAT BELT                  : Code 16615 SEAT, REAR</p> <p>Air Suspension, High Back, Vinyl boxing with cloth facing, 2 Arm Rests, Isolator, 7.5" Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, 3-14 Degree Back Angle Adjustment, Adj Side Bolster, Bellows, Back Cycler</p> <p>REQS: Code 16RAD, 16RAN or 16400(std) SEAT, PASSENGER            REQS: Code 16030(std) CAB            N/A: Code 16VZB SEAT BELT COMFORT CLIP                  : Code 16VCA and 16VCB SEAT BELT                  : Code 16WBY ARM REST, RIGHT, DRIVER SEAT                  : Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16SMT, 16SMU, 16SMV and 16615 SEAT, REAR                  : Code 16DAN CAB INTERIOR TRIM ACCENT                  : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE                  : Code 10XAP FIRE EXTINGUISHER BRACKET</p> <p>Air Suspension, High Back, Vinyl Boxing with Cloth Facing, 2 Arm Rests, Isolator, 7.5" Adjuster, 3 Chamber Lumbar, 6 Way Front Cushion Adjust, 3 Way Rear Cushion Adjust, 3-14 Degree Back Angle Adjust, Bellows</p> <p>REQS: Code 16RAD, 16RAN or 16400(std) SEAT, PASSENGER            REQS: Code 16RAD, 16RAM, 16RAN or 16400(std) SEAT, PASSENGER            N/A: Code 16VZB SEAT BELT COMFORT CLIP                  : Code 16VCA and 16VCB SEAT BELT                  : Code 16WBY ARM REST, RIGHT, DRIVER SEAT</p> <p style="text-align: center;"><b>(SEE NEXT PAGE)</b></p>			
16KVL	\$6,149		
16JYM	\$528	+2/+2	
16JYL	\$342	+1/+1	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
		<b>HV513 SFA</b>	
<p><b>SEAT, DRIVER <span style="float: right;">(SEE PREV PAGE)</span></b></p> <p><i>National</i></p> <p><b>- Model HP -</b>            N/A: Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16SMT, 16SMU, 16SMV and 16615 SEAT, REAR            : Code 16DAN CAB INTERIOR TRIM ACCENT            : Code 16196 CAB            : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE            : Code 10XAP FIRE EXTINGUISHER BRACKET</p> <p>RollTek Equipped, Air Suspension, High Back, Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Adj. Side Bolster, Back Cycler, Non Swivel            REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM            REQS: Code 16030(std) CAB            REQS: Code 16LUM, 16RAM, 16SMN, 16SPG or 16400(std) SEAT, PASSENGER            REQS: Code 04SPL or 04SPM(std) AIR COMPRESSOR            N/A: Code 16VZB SEAT BELT COMFORT CLIP            : Code 16VBS CONSOLE, CENTER            : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER            : Code 16WBY ARM REST, RIGHT, DRIVER SEAT            : Code 16DAN CAB INTERIOR TRIM ACCENT            : Code 16HCH SEATBELT WARNING LIGHT IND.            : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE            : Code 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE, when in combination with Code 16030 CAB            : Code 16SBA BUNK, LOWER            : Code 10XAP FIRE EXTINGUISHER BRACKET            AVAIL: Code 16VCC SEAT BELT            : Code 16LJY, 16PCS, 16SMT and 16SMV SEAT, REAR</p> <p><b>- 2000 195 -</b>            Air Suspension, High Back with Integral Headrest, Cloth, Isolator, 3 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust, Cushion and Back Bolsters            REQS: Code 16PPD, 16RPX, 16SMR, 16SMX or 16400(std) SEAT, PASSENGER            N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER            : Code 16LJY, 16PCS, 16SMT and 16SMV SEAT, REAR            : Code 16DAN CAB INTERIOR TRIM ACCENT            : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE</p>			
	16JYL		
	16KVM	\$6,096	+23/+19
	16JJD	\$337	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>SEAT, DRIVER</b> (CONTINUED)</p> <p><i>Seats, Inc.</i></p> <p><b>- 911 Universal Series -</b>            NFPA Compliant, Air Suspension, High Back Vinyl with Covered Back and International Logo on Head Rest</p> <p>REQS: Code 16LPC, 16LUM, 16PPY, 16PPZ, 16PXG, 16PXH, 16SMN, 16SMY or 16400(std) SEAT, PASSENGER</p> <p>N/A: Code 16VZB SEAT BELT COMFORT CLIP            : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER            : Code 16WBY ARM REST, RIGHT, DRIVER SEAT            : Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR            : Code 16DAN CAB INTERIOR TRIM ACCENT            : Code 10XAP FIRE EXTINGUISHER BRACKET</p>	16KUW	\$229 +8/+7	
<p><b>SEAT, PASSENGER</b></p> <p>Omit Item            N/A: Code 16VZB SEAT BELT COMFORT CLIP            : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER            : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT            : Code 16LRX and 16LSA SEAT, DRIVER</p> <p><i>Seats, Inc.</i></p> <p>Non Suspension, High Back, Fixed Back, Integral Headrest, Cloth, for use with Batteries in Cab</p> <p>REQS: Code 16JJD, 16JNV, 16JPY, 16JYX, 16LJL or 16LRW SEAT, DRIVER</p> <p>REQS: Code 16030(std) CAB</p> <p>REQS: Code 08XDZ BATTERY BOX</p> <p>N/A: Code 16VCA and 16VCB SEAT BELT            : Code 16VBS CONSOLE, CENTER            : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER            : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT            : Code 16DAN CAB INTERIOR TRIM ACCENT            : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE</p> <p>Non Suspension, High Back, Fixed Back, Integral Headrest, Mordura Cloth, for use with Batteries in Cab</p> <p>REQS: Code 16LLR or 16LSD SEAT, DRIVER</p> <p>REQS: Code 16030(std) CAB</p> <p>REQS: Code 08XDZ BATTERY BOX</p> <p>N/A: Code 16VCA and 16VCB SEAT BELT            : Code 16VBS CONSOLE, CENTER            : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER            : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT            : Code 16DAN CAB INTERIOR TRIM ACCENT            : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE</p>	16400  16SMX  16SMZ	STD  \$521  \$596	





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>SEAT, PASSENGER</b> (CONTINUED)</p> <p><i>Seats, Inc.</i></p> <p>Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl, for use with Batteries in Cab            REQS: Code 16JJE, 16JNT(std), 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER            REQS: Code 16030(std) CAB            REQS: Code 08XDZ BATTERY BOX            N/A: Code 16VCA and 16VCB SEAT BELT                  : Code 16VBS CONSOLE, CENTER                  : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER                  : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT                  : Code 16DAN CAB INTERIOR TRIM ACCENT                  : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE</p> <p><b>- Universal Series -</b>            NFPA Compliant, Air Suspension, High Back, Vinyl with Covered Back and International Logo on Headrest for Fire Truck            REQS: Code 16KUW SEAT, DRIVER            N/A: Code 16VZB SEAT BELT COMFORT CLIP                  : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER                  : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT                  : Code 16DAN CAB INTERIOR TRIM ACCENT</p> <p><b>- 911 Universal Series -</b>            NFPA Compliant, Non-Suspension, High Back for SCBA, Vinyl Covered Back, Adjusters, 0 Degree Back angle, International Logo on Headrest            REQS: Code 16KUW SEAT, DRIVER            N/A: Code 16VZB SEAT BELT COMFORT CLIP                  : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER                  : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT                  : Code 16DAN CAB INTERIOR TRIM ACCENT                  : Code 16VKD and 16VKM CAB INTERIOR TRIM                  : Code 16196 CAB</p> <p>NFPA Compliant, Non-Suspension, High Back for SCBA, Vinyl Covered Back, Adjusters, 5 Degree Back Angle, International Logo on Headrest            REQS: Code 16JJE, 16JNT(std), 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER            REQS: Code 16VKC, 16VKD, 16VKL or 16VKM CAB INTERIOR TRIM            REQS: Code 16CAB or 16196 CAB            N/A: Code 16VZB SEAT BELT COMFORT CLIP                  : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER                  : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT                  : Code 16DAN CAB INTERIOR TRIM ACCENT</p>	<p>16SMY</p> <p>16LPC</p> <p>16PPY</p> <p>16PPZ</p>	<p>\$504</p> <p>\$790 +52/+43</p> <p>\$722 +61/+50</p> <p>\$722 +61/+51</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>SEAT, PASSENGER (CONTINUED)</b>			
<i>National</i>			
Non Suspension, High Back, Fixed Back, Integral Headrest, Cloth REQS: Code 16JNV, 16JPY, 16JYX, 16KAU, 16LJL or 16LRW SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT	16SMM	\$398 +11/+12	
Non Suspension, High Back with Integral Headrest, Mordura Cloth, with Fixed Back REQS: Code 16KVL or 16LSD SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16LUN	\$427 +17/+14	
Non Suspension, High Back with Integral Headrest, Cloth, with Fixed Back, with Under Seat Storage REQS: Code 16JJD, 16JNV, 16JYX, 16KAU, 16LJL or 16LRW SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16SMR	\$504 +20/+21	
Air-Suspension, High Back with Integral Headrest, Mordura Cloth, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjustment REQS: Code 16LSD SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16LER	\$731 +52/+43	
Air-Suspension, High Back with Integral Headrest, Cloth, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment REQS: Code 16JJD, 16JNV, 16JYX, 16KAV, 16LJL or 16LRW SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16DAN CAB INTERIOR TRIM ACCENT	16RPX	\$568 +52/+43	
Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl REQS: Code 16JJE, 16JNT(std), 16KAV, 16KUW, 16KVM, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT	16SMN	\$368 +11/+12	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>SEAT, PASSENGER (CONTINUED)</b>			
<i>National</i>			
Non Suspension, High Back with Integral Headrest, Vinyl, with Fixed Back, with Under Seat Storage REQS: Code 16JJE, 16JNT(std), 16KAV, 16KUW, 16KVM, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT	16LUM	\$518 +26/+22	
<b>- Model HP -</b> Air Suspension, High Back, with Mordura Cloth, No Arm Rest, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, 3-14 Degree Back Angle Adjust, Bellows REQS: Code 16LLR SEAT, DRIVER REQS: Code 16030(std) CAB N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16LVK	\$1,016 +54/+44	
Air Suspension, High Back, Leather, 2 Arm Rests, Isolator, 7.5" Adjuster, 3 Chamber Lumbar, 6 Way Front Cushion Adjustment, 3-14 Degree Back Angle Adjustment, Bellows REQS: Code 16HXB or 16KVN SEAT, DRIVER REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM REQS: Code 16030(std) CAB N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16VCA and 16VCB SEAT BELT : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16HYB	\$1,216 +53/+44	
Air Suspension, High Back, Vinyl, 2 Arm Rests, Isolator, 7.5" Adjuster, 3 Chamber Lumbar, 6 Way Front Cushion Adjustment, 3-14 Degree Back Angle Adjustment, Bellows REQS: Code 16JCP or 16JCR SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16196 CAB : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE AVAIL: Code 16VCC and 16VHD SEAT BELT	16HYA	\$850 +53/+44	





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<b>SEAT, PASSENGER</b> <span style="float: right;">(CONTINUED)</span>  <i>National</i>  - Model HP -  RollTek Equipped, Air Suspension, High Back, Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Adj. Side Bolster, Back Cyler, Non Swivel REQS: Code 16KVM SEAT, DRIVER REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM REQS: Code 16030(std) CAB N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE AVAIL: Code 16VCC and 16VHD SEAT BELT  - 2000 - Air-Suspension, High Back with Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Dual Shocks REQS: Code 16WBZ ARM REST, LEFT, PASSENGER SEAT REQS: Code 16JNV, 16JYX, 16LJL or 16LRW SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16DAN CAB INTERIOR TRIM ACCENT  Air-Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, Dual Shocks REQS: Code 16WBZ ARM REST, LEFT, PASSENGER SEAT REQS: Code 16JJE, 16JNT(std), 16KAV, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16DAN CAB INTERIOR TRIM ACCENT  NFPA Compliant, Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjust REQS: Code 16JJE, 16JNT(std), 16KAV, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT			
	16SPG	\$8,202	
	16RXP	\$794 +50/+31	
	16PPN	\$623 +51/+42	
	16PPG	\$700 +43/+26	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>SEAT, PASSENGER</b> (CONTINUED)</p> <p><i>National</i></p> <p>- 2000 -</p> <p>Air Suspension, High Back, Prestige All Leather, International Logo on Headrest, 3 Chamber Lumbar Support, 6 Position Front Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Vinyl Suspension Cover, Heater</p> <p>REQS: Code 16LSA SEAT, DRIVER            N/A: Code 16VZB SEAT BELT COMFORT CLIP                  : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER                  : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT                  : Code 16DAN CAB INTERIOR TRIM ACCENT                  : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE</p> <p>Air Suspension, High Back with Integral Headrest, Vinyl, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Adjust</p> <p>REQS: Code 16JJE, 16JNT(std), 16KAV, 16LJS, 16LRV or 16LRW SEAT, DRIVER            N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER                  : Code 16DAN CAB INTERIOR TRIM ACCENT</p> <p>Air Suspension, High Back, Vinyl Boxing w/Leather Facing, 1 Inboard Arm Rest, Isolator, 3 Chamber Lumbar, 6 Way Front Adjust, -3 to 14 Degree Back Angle Adjustment, Vinyl Suspension Cover, Heat</p> <p>REQS: Code 16JPX SEAT, DRIVER            N/A: Code 16VZB SEAT BELT COMFORT CLIP                  : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER                  : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT                  : Code 16DAN CAB INTERIOR TRIM ACCENT                  : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE</p> <p>Air Suspension, Mid Back, Mordura Cloth, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3 Position Rear Cushion Adjust, -3 to +14 Degree Back Angle Adjust</p> <p>REQS: Code 16LKU SEAT, DRIVER            REQS: Code 16030(std) CAB            N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER                  : Code 16DAN CAB INTERIOR TRIM ACCENT                  : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE</p>			
	16LPZ	\$1,414	+51/+42
	16RPV	\$508	+52/+43
	16PNX	\$1,097	+57/+47
	16LGC	\$863	+52/+43



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV513 SFA	
<b>SEAT, PASSENGER</b> (CONTINUED)			
<i>National</i>			
<b>- 2000 Model 192 -</b>			
Non Suspension, High Back, Vinyl Boxing with Cloth Facing, 11 Degree Back Angle Adjust	16RAN	\$558	+18/+15
REQS: Code 16JYL or 16JYM SEAT, DRIVER			
N/A: Code 16VZB SEAT BELT COMFORT CLIP			
: Code 16VCA and 16VCB SEAT BELT			
: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER			
: Code 16WBZ ARM REST, LEFT, PASSENGER SEAT			
: Code 16DAN CAB INTERIOR TRIM ACCENT			
: Code 16196 CAB			
: Code 16HCK and 16HCL SEATBELT WARNING PREWIRE			
<b>- 2000 Model 292 -</b>			
Non Suspension, High Back, Vinyl, 2 Arm Rests, 11 Degree Back Angle Adjustment, Map Pocket	16RAM	\$462	+21/+18
REQS: Code 16JCP, 16JCR, 16JYL or 16KVM SEAT, DRIVER			
N/A: Code 16VZB SEAT BELT COMFORT CLIP			
: Code 16VCA and 16VCB SEAT BELT			
: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER			
: Code 16WBZ ARM REST, LEFT, PASSENGER SEAT			
: Code 16DAN CAB INTERIOR TRIM ACCENT			
: Code 16196 CAB			
: Code 16HCK and 16HCL SEATBELT WARNING PREWIRE			
<b>- 2000 195 -</b>			
Air-Suspension, High Back with Integral Headrest, Cloth, Isolator, 3 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjustment, Cushion and Back Bolsters	16PPD	\$885	+51/+42
REQS: Code 16JJD SEAT, DRIVER			
N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER			
: Code 16DAN CAB INTERIOR TRIM ACCENT			
<i>H.O. Bostrom</i>			
<b>- Tanker 400CT -</b>			
for SCBA; Non-Suspension, High Back, Vinyl, Adjusters, 0-Degree Back Angle, International Logo on Headrest	16PXG	\$740	+81/+50
REQS: Code 16JJE, 16JNT(std), 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER			
N/A: Code 16VZB SEAT BELT COMFORT CLIP			
: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER			
: Code 16WBZ ARM REST, LEFT, PASSENGER SEAT			
: Code 16DAN CAB INTERIOR TRIM ACCENT			
: Code 16196 CAB			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION		MODEL/SUGGESTED LIST PRICE/WEIGHT	
		CODE	HV513 SFA
		NOTE: WEIGHTS - FRONT/REAR	
<b>SEAT, PASSENGER (CONTINUED)</b>  <i>H. O. Bostrom</i>  <b>- Tanker 450 -</b> for SCBA; Non-Suspension, High Back, Vinyl with Covered Back, International Logo on Headrest, Adjusters, 7-Degree Back Angle REQS: Code 16JJE, 16JNT(std), 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER REQS: Code 16CAB or 16196 CAB N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJV SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT		16PXH	\$740 +53/+40
<b>SEAT, REAR</b>  BENCH; Omit Item REQS: Code 16CAB or 16196 CAB N/A: Code 16VCA and 16VCB SEAT BELT : Code 16HXB, 16JCP, 16JCR, 16JPY, 16JYL, 16JYM, 16KVM, 16LKU, 16LLR and 16LRX SEAT, DRIVER AVAIL: Code 16HCK SEATBELT WARNING PREWIRE  <i>Seats, Inc.</i>  <b>- 911 Universal Series -</b> NFPA Compliant, Three Individual Seats on one Riser, Non-Suspension, High Back for SCBA, Vinyl with Covered Back, International Logo on Headrest REQS: Code 16JJE, 16JNT(std), 16JPX, 16KAV, 16KUW, 16KVM, 16LJS, 16LRV or 16LSA SEAT, DRIVER REQS: Code 16196 CAB N/A: BDY INTG, ADDITIONAL CAB HOLE : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE  <i>National</i>  BENCH; Full Width; Cloth, with Fixed Mid Back REQS: Code 16JJD, 16JNV, 16JPX, 16JYX, 16KAU, 16LJL, 16LKU, 16LRW or 16LSD SEAT, DRIVER REQS: Code 16CAB CAB N/A: Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT  BENCH; Full Width; Vinyl, with Fixed Mid Back REQS: Code 16JJE, 16JNT(std), 16JPX, 16KAV, 16KUW, 16KVM, 16LJS or 16LRV SEAT, DRIVER REQS: Code 16CAB CAB N/A: Code 13WYH TRANSMISSION TCM LOCATION : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE		16615             16PCS                       16KAY             16SMV	N/C             \$2,234 +148/+123             \$1,057 +58/+48             \$980 +30/+61





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>SEAT, REAR</b>		<b>HV513 SFA</b>	
(CONTINUED)			
<b>National</b>			
BENCH; Full Width; Cloth, with Fixed Back and Two Integral Outboard Headrests REQS: Code 16JJD, 16JNV, 16JPX, 16JYX, 16KAU, 16LJL, 16LKU, 16LRW, 16LSA or 16LSD SEAT, DRIVER REQS: Code 16196 CAB N/A: Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16SMU	\$931	+30/+64
BENCH; Full Width; Vinyl, with Fixed Back and Two Integral Outboard Headrests REQS: Code 16JJE, 16JNT(std), 16JPX, 16KAV, 16KUW, 16KVM, 16LJS, 16LRV or 16LSA SEAT, DRIVER REQS: Code 16196 CAB N/A: Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16SMT	\$836	+27/+67
<b>- 2000 -</b>			
Three Individual Seats, NFPA Compliant, Air Suspension, High Back, Cloth, Isolator, with 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Lumbar, with 18" Wide Cushion and 20" Seat Back REQS: Code 16JJD, 16JNV, 16JPX, 16JYX, 16KAU, 16LJL, 16LKU, 16LRW or 16LSD SEAT, DRIVER REQS: Code 16196 CAB N/A: Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16LJX	\$2,673	+152/+126
Three Individual Seats, NFPA Compliant, Air Suspension, High Back, Vinyl, Isolator, with 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Lumbar, with 18" Wide Cushion and 20" Seat Back REQS: Code 16JJE, 16JNT(std), 16JPX, 16KAV, 16KUW, 16KVM, 16LJS, 16LRV or 16LSA SEAT, DRIVER REQS: Code 16196 CAB N/A: Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16LJY	\$2,604	+163/+135
Two Individual Outboard Seats, NFPA Compliant, Air Suspension, High Back, Cloth, Isolator, Lumbar, with 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjust, with 18" Wide Cushion and 20" Seat Back REQS: Code 16JJD, 16JNV, 16JPX, 16JYX, 16KAU, 16LJL, 16LKU, 16LRW or 16LSD SEAT, DRIVER REQS: Code 16196 CAB N/A: Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16LJZ	\$1,829	+102/+84



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>SEAT, TWO-MAN PASSENGER</b>			
<i>National</i>			
Mid Back, Fixed Back, Cloth, with Under Seat Storage REQS: Code 16XJN(std) INSTRUMENT PANEL REQS: Code 16JNV, 16JPY, 16JYL, 16JYM, 16JYX, 16KAU, 16LJL or 16LRW SEAT, DRIVER REQS: Code 14RAR, 14RAV or 14RAW AXLE, LIFT, CONTROLS REQS: Code 13GHJ, 13GHL, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16VBS CONSOLE, CENTER : SEAT, PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE	16PJV	\$610 +33/+28	
Mid Back, Fixed Back, Vinyl, with Under Seat Storage REQS: Code 16XJN(std) INSTRUMENT PANEL REQS: Code 16JJE, 16JNT(std), 16JYL, 16JYM, 16KAV, 16LJS, 16LRV or 16LRX SEAT, DRIVER REQS: Code 14RAR, 14RAV or 14RAW AXLE, LIFT, CONTROLS REQS: Code 13GHJ, 13GHL, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16VBS CONSOLE, CENTER : SEAT, PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE	16PJW	\$563 +33/+28	
<b>SEATBELT WARNING LIGHT IND.</b>			
Mounted in Dash, Will Flash when Park Brake is Disengaged and Driver Seatbelt Unfastened, Audible Alarm to remind Driver to Fasten Seatbelt N/A: Code 16JCP, 16JCR, 16JPY, 16KVL, 16KVM, 16KVN, 16LJL, 16LJU, 16LLR, 16LRV, 16LRW, 16LRX and 16LSA SEAT, DRIVER : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16HCH	\$56	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b> <b>NOTE: WEIGHTS - FRONT/REAR</b>		
<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>HV513 SFA</i>	
<b>SEATBELT WARNING PREWIRE</b>  Includes Seat Belt Switches and Seat Sensors for all Belted Positions in the Cab and a Harness Routed to the Center of the Dash for the Aftermarket Installation of the Data Recorder and Seatbelt Indicator Systems, for 1 to 3 Seat Belts REQS: Code 16JJE, 16JNT(std), 16JNV, 16JYX, 16KAU, 16KAV, 16KUW, 16LJL or 16LJS SEAT, DRIVER REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB or 16196 CAB REQS: Code 16LPC, 16LUM, 16PPD, 16PPG, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN or 16400(std) SEAT, PASSENGER N/A: Code 16HCH SEATBELT WARNING LIGHT IND. AVAIL: Code 16615 SEAT, REAR  Includes Seat Belt Switches and Seat Sensors for all Belted Positions in the Cab and a Harness Routed to the Center of the Dash for the Aftermarket Installation of the Data Recorder and Seatbelt Indicator Systems, for 4 to 6 Seat Belts REQS: Code 16VCA or 16VCB SEAT BELT REQS: Code 16JJE, 16JNT(std), 16JNV, 16JYX, 16KAU, 16KAV, 16KUW, 16LJL or 16LJS SEAT, DRIVER REQS: Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16SMT, 16SMU or 16SMV SEAT, REAR, when in combination with Code 16CAB or 16196 CAB REQS: Code 16VKC, 16VKD, 16VKL or 16VKM CAB INTERIOR TRIM REQS: Code 16CAB or 16196 CAB REQS: Code 16LPC, 16LUM, 16PPD, 16PPG, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN or 16400(std) SEAT, PASSENGER N/A: Code 16KAY and 16615 SEAT, REAR : Code 16HCH SEATBELT WARNING LIGHT IND.	16HCK                             16HCL	\$505                          \$1,483	0/0                          0/0
<b>SUNSHADE, EXTERIOR</b>  Bright Finish, with Integral Clearance/Marker Lights  Aerodynamic, Painted Roof Color, with Integral Clearance/Marker Lights	16XWE  16XWD	\$688  \$253	+12/+5  +13/+4
<b>TELEMATICS BRACKET</b>  with Universal Mount, 1" Ball Mount Size, for Customer Supplied Telematics Device, Mounted to Side Wing Panel REQS: Code 16XJP INSTRUMENT PANEL	16XCU	\$168	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<p><b>TELEMATICS BRACKET</b> (CONTINUED)</p> <p>with Universal Mount, 1" Ball Mount Size, for Customer Supplied Telematics Device, Mounted in Auxiliary Gauge Location in Flat Panel, Includes (1) APO and (1) USB Port            REQS: Code 16XJN(std) INSTRUMENT PANEL</p> <p>with Universal Mount, 1" Ball Mount Size, Mounted to Plate, Flush Mounted, Upper Left Corner on Front Face of the Wing Panel, Includes (1) APO and (1) USB Port            REQS: Code 16XJP INSTRUMENT PANEL            REQS: Code 08XHR POWER SOURCE, ADDITIONAL            N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING</p>	16XCZ	\$148	
	16XCX	\$148	
<p><b>WINDOW, MANUAL</b></p> <p>(02) and Manual Door Locks, Left and Right Doors            N/A: Code 16WJU and 16WJV WINDOW, POWER            : Code 16VKD and 16VKM CAB INTERIOR TRIM            : Code 16196 CAB</p> <p>(04) and Manual Door Locks, Front and Rear Doors, Left and Right            REQS: Code 16VKD or 16VKM CAB INTERIOR TRIM            REQS: Code 16196 CAB            N/A: Code 16WJU and 16WJV WINDOW, POWER</p>	16XCK	<b>STD</b>	
	16XCL	N/C	
<p><b>WINDOW, POWER</b></p> <p>(04) And Power Door Locks, Front and Rear Doors, Left and Right, Includes Express Down Feature            REQS: Code 16SNP, 16SNR, 16SNS, 16SNT, 16SNU, 16SNV or 16SPJ MIRRORS, when in combination with Code 16196 CAB            REQS: Code 16VKD or 16VKM CAB INTERIOR TRIM            REQS: Code 16196 CAB            N/A: Code 16XCK(std) and 16XCL WINDOW, MANUAL</p> <p>(02) and Power Door Locks, Left and Right Doors, Includes Express Down Feature            N/A: Code 16XCK(std) and 16XCL WINDOW, MANUAL            : Code 16VKD and 16VKM CAB INTERIOR TRIM            : Code 16196 CAB</p>	16WJV	\$866 +10/0	
	16WJU	\$367 +5/0	
<p><b>WINDSHIELD</b></p> <p>Heated, Single Piece            REQS: Code 16SNM, 16SNN, 16SNP, 16SNR, 16SNS, 16SNT, 16SNU, 16SNV or 16SPJ MIRRORS            AVAIL: Code 08THJ AUXILIARY HARNESS</p>	16VSL	\$632 +1/0	
<p><b>WINDSHIELD WASHER RESERVOIR</b></p> <p>Mounted Under Cab with Remote Fill Mounted Behind Cab Drivers Side</p>	16XWY	\$61	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>WINDSHIELD WIPER BLADES</b>			
Snow Type	16XWJ	\$30	+2/0
<b>WHEELS, FRONT</b>			
<i>Accuride</i>			
- <b>51408</b> - DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATG or 02AYT AXLE, FRONT NON-DRIVING REQS: Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, AIR DISC N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 32WAA WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : AXLE, FRONT DRIVING : Code 29PAR PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS	27DUW	<b>STD</b>	
- <b>28827</b> - DISC; 24.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATG or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, AIR DISC N/A: Code 29ADX HUB BRAND, FRONT : Code 29AAA WHEEL BRAND, FRONT : AXLE, FRONT DRIVING : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS AVAIL: Code 29AEM BRAKE DRUMS, FRONT : Code 10636 PAINT IDENTITY, PT-2	27DPR	\$170	+38/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
<b>WHEELS, FRONT</b> <span style="float: right;">(CONTINUED)</span>  <b>Accuride</b>  <b>- 28828 -</b> DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATG, 02AUR or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 28DEL WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : AXLE, FRONT DRIVING : Code 29PAR PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS AVAIL: Code 29AEM BRAKE DRUMS, FRONT  <b>- 29001 -</b> DISC; 22.5x7.50 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std) or 02ATG AXLE, FRONT NON-DRIVING REQS: Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM <b>-OR- BRAKES, FRONT, AIR DISC</b> N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 02EZU AXLE, FRONT DRIVING : Code 29PAR PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS  <b>- 29039 -</b> DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset, with .5" Thick Disc REQS: Code 26DPN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC N/A: Code 29AAA WHEEL BRAND, FRONT : Code 29PAR PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS AVAIL: Code 10636 PAINT IDENTITY, PT-2	<p>27DTT</p> <p>27DTU</p> <p>27DPN</p>	<p>\$145</p> <p>\$61</p> <p>\$285</p>	<p>+24/0</p> <p>+10/0</p> <p>+72/0</p>





**HV513 SFA  
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT	
	CODE	HV513 SFA
<p><b>WHEELS, FRONT</b> (CONTINUED)</p> <p><i>Accuride</i></p> <p>- <b>29303</b> -            DISC; 22.5x13.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 4.95"            REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC            REQS: Code 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ or 02ATB AXLE, FRONT NON-DRIVING            N/A: Code 32WAA WHEELS, REAR                  : Code 29AAA WHEEL BRAND, FRONT                  : Code 02EZU AXLE, FRONT DRIVING                  : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS                  : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS            AVAIL: Code 04WHX BRAKE PACKAGE, FRONT                  : Code 10636 PAINT IDENTITY, PT-2</p> <p>- <b>29374</b> -            DISC; 22.5x12.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs            REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH or 26DVP WHEEL, SPARE, DISC            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING            -OR- AXLE, FRONT DRIVING            N/A: Code 32WAA WHEELS, REAR                  : Code 29AAA WHEEL BRAND, FRONT                  : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS            AVAIL: Code 29PBX COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 22.5x12.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs            REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING            REQS: Code 04JCJ, 04JCP, 04193 or 04196 BRAKES, FRONT, AIR CAM            -OR- BRAKES, FRONT, AIR DISC            N/A: Code 04WZK BRAKE PACKAGE, FRONT                  : Code 29ADX HUB BRAND, FRONT                  : Code 29WAG WHEEL IDENTITY                  : Code 28DTE, 28DTU and 32WAA WHEELS, REAR                  : Code 29AAA WHEEL BRAND, FRONT                  : Code 02EZU AXLE, FRONT DRIVING                  : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS</p> <p>(SEE NEXT PAGE)</p>	<p>27DTZ</p> <p>27DBA</p> <p>27DJL</p>	<p>\$865 +120/0</p> <p>\$1,056 0/0</p> <p>\$1,539 -24/0</p>





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>WHEELS, FRONT</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p><i>Accuride</i></p> <p><b>- 29374 -</b>            AVAIL: Code 29PBX COATING IDENTITY, FRONT WHEELS</p> <p><b>- 29376 -</b>            DISC; 22.5x13.00 Rims, Extra Polish Aluminum,            10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut,            with Steel Hubs            REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ,            26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS,            26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE,            DISC            REQS: Code 02AEV, 02AEW, 02AGT, 02ARU, 02ARY,            02ARZ, 02ATB or 02AUR AXLE, FRONT            NON-DRIVING            N/A: Code 29ADX HUB BRAND, FRONT            : Code 29WAG WHEEL IDENTITY            : Code 29AAA WHEEL BRAND, FRONT            : Code 02EZU AXLE, FRONT DRIVING            : Code 29PAR, 29PAW and 29PBA PAINT            IDENTITY, FRONT WHEELS            AVAIL: Code 04WEZ(std) BRAKE PACKAGE, FRONT            : Code 29PBX COATING IDENTITY, FRONT WHEELS</p> <p><b>- 29806 -</b>            DISC; 22.5x12.25 Rims, Powder Coat Steel, 5-Hand            Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged            Nut, with Steel Hubs, Offset 4.63"            REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ,            26DTT, 26DUC, 26DUK, 26DUL, 26DUM, 26DUR,            26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL,            SPARE, DISC            REQS: Code 02AEU, 02AEV, 02AEW, 02AGE, 02AGT,            02ARU, 02ARV, 02ARY, 02ARZ, 02ATB, 02ATG,            02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT            NON-DRIVING            -OR- AXLE, FRONT DRIVING            N/A: Code 29AAA WHEEL BRAND, FRONT            : Code 29PAR, 29PAW and 29PBA PAINT            IDENTITY, FRONT WHEELS            : Code 29PBT, 29PBX and 29PBZ COATING            IDENTITY, FRONT WHEELS            AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p> <p><b>- 29807 -</b>            DISC; 22.5x12.25 Rims, Powder Coat Steel, 5-Hand            Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged            Nut, with Steel Hubs, Offset 5.37"            REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ,            26DTT, 26DUC, 26DUK, 26DUL, 26DUN, 26DUR,            26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL,            SPARE, DISC            REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU,            02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK            or 02AYT AXLE, FRONT NON-DRIVING            -OR- AXLE, FRONT DRIVING            N/A: Code 04WZK BRAKE PACKAGE, FRONT</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>			
	27DJL		
	27DVD	\$1,157	+2/0
	27DUM	\$1,050	+104/0
	27DUN	\$784	+104/0

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-333**

**SUBJECT TO CHANGE WITHOUT NOTICE**





# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
<b>WHEELS, FRONT</b> (CONTINUED)			
<i>Accuride</i> - 42644 -  DISC: 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AGC, 02AGE, 02ARV, 02ARW(std), 02ARY or 02ATG AXLE, FRONT NON-DRIVING REQS: Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, AIR DISC N/A: Code 29ADX HUB BRAND, FRONT : Code 32WAA WHEELS, REAR : Code 02EZU AXLE, FRONT DRIVING : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS	27DVS	\$856	- 78 / 0
DISC: 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02ATG or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, AIR DISC N/A: AXLE, FRONT DRIVING : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS	27DVN	\$561	- 54 / 0
DISC: 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AGC, 02AGE, 02ARV, 02ARW(std), 02ARY or 02ATG AXLE, FRONT NON-DRIVING REQS: Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, AIR DISC N/A: Code 29ADX HUB BRAND, FRONT : Code 32WAA WHEELS, REAR : Code 02EZU AXLE, FRONT DRIVING : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS	27DVR	\$801	- 78 / 0

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-335

SUBJECT TO CHANGE WITHOUT NOTICE





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>WHEELS, FRONT</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p><i>No Vendor Identified</i></p> <p>N/A: Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 24.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02ATG or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, AIR DISC N/A: Code 29AAA WHEEL BRAND, FRONT : AXLE, FRONT DRIVING : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02ATG or 02AUR AXLE, FRONT NON-DRIVING N/A: Code 29AAA WHEEL BRAND, FRONT : AXLE, FRONT DRIVING : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p><b>Alcoa</b></p> <p>- 82462 -</p> <p>DISC; 22.5x12.25 Rims, LvL ONE Clean Buff, Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING -OR- AXLE, FRONT DRIVING</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>27DMZ</p> <p>27DMJ</p> <p>27DMK</p> <p>27DJH</p>	<p></p> <p>\$481</p> <p>\$539</p> <p>\$1,302</p>	<p></p> <p>-26/0</p> <p>-26/0</p> <p>-2/0</p>



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>WHEELS, FRONT</b> <span style="float: right;">(SEE PREV PAGE)</span></p> <p><b>Alcoa</b></p> <p><b>- 82462 -</b>            N/A: Code 04JCG BRAKES, FRONT, AIR CAM, when in combination with Code 02AGE, 02ARV or 02ARW AXLE, FRONT NON-DRIVING            : Code 29AAA WHEEL BRAND, FRONT            : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS            : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 22.5x12.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs            REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVA, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC            REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING</p> <p>-OR- AXLE, FRONT DRIVING            N/A: Code 04JCG BRAKES, FRONT, AIR CAM, when in combination with Code 02AGE, 02ARV or 02ARW AXLE, FRONT NON-DRIVING            : Code 29AAA WHEEL BRAND, FRONT            : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS            : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p><b>- 88367 -</b>            DISC; 22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs            REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02ATG or 02AUR AXLE, FRONT NON-DRIVING</p> <p>-OR- AXLE, FRONT DRIVING            REQS: Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM</p> <p>-OR- BRAKES, FRONT, AIR DISC            N/A: Code 29AAA WHEEL BRAND, FRONT            : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS            : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS</p>			
	27DJH		
	27DJJ	\$1,460	-2/0
	27DVH	\$677	-43/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>WHEELS, FRONT</b> (CONTINUED)</p> <p><b>Alcoa</b></p> <p><b>- 88367 -</b></p> <p>DISC; 22.5x8.25 Rims, Non-Polished Aluminum, 10- Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AGC, 02AGE, 02ARV, 02ARW(std), 02ARY or 02ATG AXLE, FRONT NON-DRIVING REQS: Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, AIR DISC N/A: Code 29ADX HUB BRAND, FRONT : Code 32WAA WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 02EZU AXLE, FRONT DRIVING : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 22.5x8.25 Rims, Polished Aluminum, 10- Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02ATG, 02AUR or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 04WHX BRAKE PACKAGE, FRONT : Code 29AAA WHEEL BRAND, FRONT : AXLE, FRONT DRIVING : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 22.5x8.25 Rims, Polished Aluminum, 10- Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AGC, 02AGE, 02ARV, 02ARW(std), 02ARY or 02ATG AXLE, FRONT NON-DRIVING REQS: Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, AIR DISC N/A: Code 29ADX HUB BRAND, FRONT : Code 32WAA WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 02EZU AXLE, FRONT DRIVING</p> <p>(SEE NEXT PAGE)</p>			

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-339**

**SUBJECT TO CHANGE WITHOUT NOTICE**



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

<b>ITEM DESCRIPTION</b>	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>WHEELS, FRONT</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p><b>Alcoa</b></p> <p>- <b>88367</b> -            N/A: Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS            AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>- <b>98U63</b> -            DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs            REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB or 02AUR AXLE, FRONT NON-DRIVING            REQS: Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM            -OR- BRAKES, FRONT, AIR DISC            N/A: Code 29ADX HUB BRAND, FRONT                  : Code 29WAG WHEEL IDENTITY                  : Code 32WAA WHEELS, REAR                  : AXLE, FRONT DRIVING                  : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS            AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs            REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC            REQS: Code 02AGC, 02AGE, 02ARV or 02ARW(std) AXLE, FRONT NON-DRIVING            REQS: Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM            -OR- BRAKES, FRONT, AIR DISC            N/A: Code 29ADX HUB BRAND, FRONT                  : Code 29WAG WHEEL IDENTITY                  : Code 32WAA WHEELS, REAR                  : Code 02EZX AXLE, FRONT DRIVING                  : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS            AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS</p>	<p>27DVK</p> <p>27DEL</p> <p>27DEM</p>	<p>\$864</p> <p>\$1,180</p>	<p>- 31/0</p> <p>- 55/0</p>





# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<i><b>ITEM DESCRIPTION</b></i>	<i><b>CODE</b></i>	<i><b>HV513 SFA</b></i>	
<b>WHEELS, FRONT</b> (CONTINUED)  <i><b>Maxion</b></i>  <b>- 10038 -</b> DISC; 22.5x7.50 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW or 26DVP WHEEL, SPARE, DISC REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAR, 29PAW or 29PBA PAINT IDENTITY, FRONT WHEELS REQS: Code 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std) or 02ATG AXLE, FRONT NON-DRIVING REQS: Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, AIR DISC REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 29AAA WHEEL BRAND, FRONT : Code 02EZU AXLE, FRONT DRIVING : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS AVAIL: Code 04WHX BRAKE PACKAGE, FRONT  <b>- 10049 -</b> DISC; 22.5x8.25 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .490" Thick Increased Capacity Disc and Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAR, 29PAW or 29PBA PAINT IDENTITY, FRONT WHEELS N/A: Code 29AAA WHEEL BRAND, FRONT : AXLE, FRONT DRIVING : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS  <b>- 90541 -</b> DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAR, 29PAW or 29PBA PAINT IDENTITY, FRONT WHEELS  <p style="text-align: center;">(SEE NEXT PAGE)</p>	27DTE	\$103	+18/0
	27DTH	\$151	+30/0
	27DTJ	\$24	+6/0

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-341**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>WHEELS, FRONT</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p><i>Maxion</i></p> <p><b>- 90541 -</b>            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATG or 02AYT AXLE, FRONT NON-DRIVING            N/A: Code 04WZK BRAKE PACKAGE, FRONT                  : Code 29AAA WHEEL BRAND, FRONT                  : AXLE, FRONT DRIVING                  : Code 29PBT, 29PBX and 29PBZ COATING                  IDENTITY, FRONT WHEELS</p> <p><b>- 90542 -</b>            DISC; 24.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs            REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02ATG, 02AUR or 02AYT AXLE, FRONT NON-DRIVING            N/A: Code 29AAA WHEEL BRAND, FRONT                  : AXLE, FRONT DRIVING                  : Code 29PBT, 29PBX and 29PBZ COATING                  IDENTITY, FRONT WHEELS</p>			
<p><b>WHEELS, REAR</b></p> <p><i>Accuride</i></p> <p><b>- 51408 -</b>            DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs            REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std)            AXLE, REAR, SINGLE            -OR- AXLE, REAR, TANDEM            N/A: Code 29WAG WHEEL IDENTITY                  : Code 29BAG WHEEL, REAR, IDENTITY                  : Code 29PAS PAINT IDENTITY, REAR WHEELS                  : Code 29PBS and 29PBY COATING IDENTITY,                  REAR WHEELS</p> <p>DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs            REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE            -OR- AXLE, REAR, TANDEM</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b> <b>NOTE: WEIGHTS - FRONT/REAR</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>WHEELS, REAR</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p><i>Accuride</i></p> <p>- <b>51408</b> -            N/A: Code 29WAG WHEEL IDENTITY            : Code 27DUK WHEELS, FRONT            : Code 29BAG WHEEL, REAR, IDENTITY            : Code 29GBA HUB MODIFICATIONS, REAR            : Code 29PAS PAINT IDENTITY, REAR WHEELS            : Code 29PBS and 29PBY COATING IDENTITY,            REAR WHEELS</p> <p>- <b>28827</b> -            DUAL DISC; 24.5x8.25 Rims, Powder Coat Steel,            10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut,            with .472" Thick Increased Capacity Disc and with            Steel Hubs            REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK,            14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY,            14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK,            14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE,            14CVC, 14ERB, 14ERC, 14ERP or 14051(std)            AXLE, REAR, SINGLE            -OR- AXLE, REAR, TANDEM            N/A: Code 29WAG WHEEL IDENTITY            : Code 29BAG WHEEL, REAR, IDENTITY            : Code 29PBS and 29PBY COATING IDENTITY,            REAR WHEELS            AVAIL: Code 10636 PAINT IDENTITY, PT-2            : Code 29PBB PAINT IDENTITY, REAR WHEELS</p> <p>- <b>28828</b> -            DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel,            2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted,            Flanged Nut, with .472" Thick Increased Capacity            Disc and with Steel Hubs            REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK,            14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY,            14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK,            14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE,            14CVC, 14ERB, 14ERC, 14ERP or 14051(std)            AXLE, REAR, SINGLE            -OR- AXLE, REAR, TANDEM            N/A: Code 29WAG WHEEL IDENTITY            : Code 29BAG WHEEL, REAR, IDENTITY            : Code 29PAS PAINT IDENTITY, REAR WHEELS            : Code 29PBS and 29PBY COATING IDENTITY,            REAR WHEELS</p> <p>- <b>29001</b> -            DUAL DISC; 22.5x7.50 Rims, Powder Coat Steel,            5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted,            Flanged Nut, with Steel Hubs            REQS: Code 14AHH, 14AHJ, 14AJY, 14ARB, 14ARK,            14ARX, 14ARY, 14ARZ, 14ASK, 14ATE, 14ATY,            14ATZ, 14AWK, 14AWL, 14CDE, 14ERC, 14ERP            or 14051(std) AXLE, REAR, SINGLE            -OR- Code 14GRD, 14GRP, 14GRR, 14GRS, 14GVL,            14GVN, 14GVR, 14GVU, 14GVY, 14HRB, 14HRC,            14HRD, 14HRE, 14HRL or 14HRM AXLE, REAR,            TANDEM</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>28DUX</p> <p>28DPR</p> <p>28DTT</p> <p>28DTU</p>	<p></p> <p>\$339</p> <p>\$231</p> <p>\$104</p>	<p></p> <p>0/+76</p> <p>0/+48</p> <p>0/+20</p>



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>WHEELS, REAR</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p><i>Accuride</i></p> <p><b>- 29001 -</b>            N/A: Code 29WAG WHEEL IDENTITY            : Code 27DJL WHEELS, FRONT            : Code 29BAG WHEEL, REAR, IDENTITY            : Code 14WZY AXLE SHAFT MODIFICATION            : Code 29PAS PAINT IDENTITY, REAR WHEELS            : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS</p> <p><b>- 29169 -</b>            DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs            REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std)            AXLE, REAR, SINGLE            -OR- AXLE, REAR, TANDEM            N/A: Code 29WAG WHEEL IDENTITY            : Code 29BAG WHEEL, REAR, IDENTITY            : Code 29PAS PAINT IDENTITY, REAR WHEELS            : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS</p> <p><b>- 29300 -</b>            DUAL DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs            REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std)            AXLE, REAR, SINGLE            -OR- AXLE, REAR, TANDEM            N/A: Code 29WAG WHEEL IDENTITY            : Code 29BAG WHEEL, REAR, IDENTITY            : Code 14WZY AXLE SHAFT MODIFICATION            : Code 29PAS PAINT IDENTITY, REAR WHEELS            : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS</p> <p><b>- 41730 -</b>            DUAL DISC; 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs            N/A: Code 29WAG WHEEL IDENTITY            : Code 29WAR WHEEL GUARDS, REAR            : Code 29GBA HUB MODIFICATIONS, REAR            AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS            : Code 29PBS COATING IDENTITY, REAR WHEELS</p>	<p>28DTU</p> <p>28DUK</p> <p>28DUL</p> <p>28DUS</p>	<p></p> <p>\$231</p> <p>\$559</p> <p>\$1,309</p>	<p></p> <p>0/+44</p> <p>0/+164</p> <p>0/-36</p>



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HV513 SFA		
<b>WHEELS, REAR (CONTINUED)</b>			
<i>Accuride</i>			
<b>- 41730 -</b>			
DUAL DISC; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs N/A: Code 04WEY(std) BRAKE PACKAGE, REAR : Code 29WAG WHEEL IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS	28DUR	\$1,278	0/-36
<b>- 42644 -</b>			
DUAL DISC; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs N/A: Code 29WAG WHEEL IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS : Code 29PBS COATING IDENTITY, REAR WHEELS	28DVP	\$1,263	0/-108
DUAL DISC; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQ: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 29WAG WHEEL IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS : Code 29PBS COATING IDENTITY, REAR WHEELS	28DVS	\$1,520	0/-128
DUAL DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs N/A: Code 29WAG WHEEL IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS : Code 29PBS COATING IDENTITY, REAR WHEELS	28DVN	\$1,148	0/-108
DUAL DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQ: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 29WAG WHEEL IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR	28DVR	\$1,414	0/-128
<b>(SEE NEXT PAGE)</b>			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>WHEELS, REAR</b> <span style="float: right;">(SEE PREV PAGE)</span></p> <p><b>Accuride</b></p> <p><b>- 42644 -</b>            AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS                  : Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p><b>- 50409 -</b>            DUAL DISC; 24.5x8.25 Rims, Powder Coat Steel,            2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted,            Flanged Nut, with Steel Hubs            REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK,                  14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY,                  14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK,                  14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE,                  14CVC, 14ERB, 14ERC, 14ERP or 14051(std)            AXLE, REAR, SINGLE            -OR- AXLE, REAR, TANDEM            N/A: Code 29WAG WHEEL IDENTITY                  : Code 29BAG WHEEL, REAR, IDENTITY                  : Code 29PBS and 29PBY COATING IDENTITY,                  REAR WHEELS            AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS</p> <p><b>No Vendor Identified</b></p> <p>SINGLE DISC; 22.5x13.00 Rims, Non-Polished            Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted,            Flange Nut, with Steel Hubs            REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL,                  04NDN or 04NDP BRAKES, REAR, AIR CAM            -OR- BRAKES, REAR, AIR DISC            REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB,                  14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB,                  14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ,                  14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERB                  or 14051(std) AXLE, REAR, SINGLE            -OR- Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM,                  14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS,                  14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR,                  14GVU, 14GVX, 14GVY, 14GWW, 14GWY, 14GWZ,                  14HRB, 14HRC, 14HRE, 14HRM or 14HRW AXLE,                  REAR, TANDEM            N/A: Code 29WAG WHEEL IDENTITY                  : Code 29BAG WHEEL, REAR, IDENTITY                  : Code 29WAR WHEEL GUARDS, REAR                  : Code 29GBA HUB MODIFICATIONS, REAR                  : Code 14WZY AXLE SHAFT MODIFICATION                  : Code 29PAL, 29PAS, 29PAX and 29PBB PAINT                  IDENTITY, REAR WHEELS                  : Code 29PBS and 29PBY COATING IDENTITY,                  REAR WHEELS</p> <p>SINGLE DISC; 24.0x10.00 Rims, Painted Steel,            12-Stud, 16.625" BC, with Steel Hubs -- FOR            DELIVERY USE ONLY --            REQS: Code 27DJH, 27DJJ, 27DMJ, 27DMK, 27DPN,                  27DPR, 27DTD, 27DTE, 27DTH, 27DTJ, 27DTT,                  27DTU, 27DUK, 27DUL, 27DUM, 27DUN, 27DUP,                  27DUS, 27DVD, 27DVG, 27DVH, 27DVN or 27DVP            WHEELS, FRONT</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>28DVR</p> <p>28DUP</p> <p>32DHY</p> <p>32WAA</p>	<p></p> <p>\$37</p> <p>\$616</p> <p>\$893</p>	<p></p> <p>0/+44</p> <p>0/-140</p> <p>0/+92</p>





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>WHEELS, REAR</b> (CONTINUED)</p> <p><i>Alcoa</i></p> <p><b>- 88367 -</b>            DUAL DISC; 22.5x8.25 Rims, Non-Polished Aluminum,            10-Stud 285.75mm BC, Hub-Piloted, Flanged Nut,            with Steel Hubs            N/A: Code 29WAG WHEEL IDENTITY                  : Code 29WAR WHEEL GUARDS, REAR                  : Code 29GBA HUB MODIFICATIONS, REAR                  : Code 29PBS and 29PBY COATING IDENTITY,                  REAR WHEELS            AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 22.5x8.25 Rims, Non-Polished Aluminum,            10-Stud 285.75mm BC, Hub-Piloted, Flanged Nut,            with Aluminum Hubs            REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB,                  14ARK, 14ARX, 14ARY, 14ASK, 14ATE, 14ATY,                  14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC                  or 14051(std) AXLE, REAR, SINGLE            -OR- AXLE, REAR, TANDEM            N/A: Code 29WAG WHEEL IDENTITY                  : Code 29WAR WHEEL GUARDS, REAR                  : Code 29GBA HUB MODIFICATIONS, REAR                  : Code 29PBS and 29PBY COATING IDENTITY,                  REAR WHEELS            AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 22.5x8.25 Rims, Polished Aluminum,            10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut,            with Steel Hubs            N/A: Code 29WAG WHEEL IDENTITY                  : Code 29WAR WHEEL GUARDS, REAR                  : Code 29GBA HUB MODIFICATIONS, REAR            AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS                  : Code 29PBY COATING IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 22.5x8.25 Rims, Polished Aluminum,            10-Stud 285.75mm BC, Hub-Piloted, Flanged Nut,            with Aluminum Hubs            REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB,                  14ARK, 14ARX, 14ARY, 14ARZ, 14ASK, 14ATE,                  14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE,                  14CVC or 14051(std) AXLE, REAR, SINGLE            -OR- AXLE, REAR, TANDEM            N/A: Code 29WAG WHEEL IDENTITY                  : Code 29WAR WHEEL GUARDS, REAR                  : Code 29GBA HUB MODIFICATIONS, REAR            AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS                  : Code 29PBY COATING IDENTITY, REAR WHEELS</p> <p><b>- 98U63 -</b>            DUAL DISC; 24.5x8.25 Rims, Polished Aluminum,            10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut,            with Steel Hubs            REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARK,                  14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC,                  14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK,                  14AWL, 14AWN, 14CDE, 14CVC, 14ERB or                  14051(std) AXLE, REAR, SINGLE            (SEE NEXT PAGE)</p>	<p>28DVH</p> <p>28DVJ</p> <p>28DVG</p> <p>28DVK</p> <p>28DEL</p>	<p>\$1,379</p> <p>\$1,645</p> <p>\$1,494</p> <p>\$1,751</p> <p>\$1,995</p>	<p>0/-86</p> <p>0/-106</p> <p>0/-86</p> <p>0/-106</p> <p>0/-62</p>









## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>WHEELS, REAR</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span></p> <p><i>Maxion</i></p> <p>- <b>90541</b> -            N/A: Code 29PBS and 29PBY COATING IDENTITY,            REAR WHEELS</p> <p>- <b>90542</b> -            DUAL DISC; 24.5x8.25 Rims, Painted Steel, 2-Hand            Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged            Nut, with Steel Hubs            REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2            or Code 29PAS, 29PAX or 29PBB PAINT            IDENTITY, REAR WHEELS            REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK,            14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY,            14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK,            14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE,            14CVC, 14ERB, 14ERP or 14051(std) AXLE,            REAR, SINGLE            -OR- AXLE, REAR, TANDEM            N/A: Code 29WAG WHEEL IDENTITY            : Code 29BAG WHEEL, REAR, IDENTITY            : Code 29PAL PAINT IDENTITY, REAR WHEELS            : Code 29PBS and 29PBY COATING IDENTITY,            REAR WHEELS</p>			
<p><b>WHEEL, SPARE, DISC</b></p> <p>22.5x12.25 Rims, Non-Polished Aluminum, 10-Stud,            285.75mm BC, Hub-Piloted, for Front Application            Only            REQS: Code 27DHK WHEELS, FRONT            N/A: Code 29AAA WHEEL BRAND, FRONT            : Code 29PBZ COATING IDENTITY, FRONT WHEELS            AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p>22.5x13.00 Rims, Non-Polished Aluminum, 10-Stud,            285.75mm BC, Hub-Piloted, for Front Application            Only            REQS: Code 27DMZ WHEELS, FRONT            N/A: Code 29AAA WHEEL BRAND, FRONT            : Code 29PBZ COATING IDENTITY, FRONT WHEELS            AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p>24.5x8.25 Rims, Non-Polished Aluminum, 10-Stud,            285.75mm BC, Hub-Piloted            REQS: Code 27DMJ WHEELS, FRONT or Code 28DMJ            WHEELS, REAR            N/A: Code 29AAA WHEEL BRAND, FRONT            : Code 29PBZ COATING IDENTITY, FRONT WHEELS            AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p>24.5x8.25 Rims, Polished Aluminum, 10-Stud,            285.75mm BC, Hub-Piloted            REQS: Code 27DMK WHEELS, FRONT or Code 28DMK            WHEELS, REAR            N/A: Code 29AAA WHEEL BRAND, FRONT            : Code 29PBZ COATING IDENTITY, FRONT WHEELS            AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p>	<p>26DRL</p> <p>26DRN</p> <p>26DSB</p> <p>26DSG</p>	<p>\$605</p> <p>\$665</p> <p>\$460</p> <p>\$489</p>	<p>+34/+34</p> <p>+34/+34</p> <p>+27/+27</p> <p>+27/+27</p>

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-351**

**SUBJECT TO CHANGE WITHOUT NOTICE**



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>WHEEL, SPARE, DISC</b> (CONTINUED)</p> <p><i>Accuride</i></p> <p>- <b>28828</b> -            22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole,            10-Stud, 285.75mm BC, Hub-Piloted, with .472"            Thick Increased Capacity Disc            REQS: Code 27DTT WHEELS, FRONT or Code 28DTT            WHEELS, REAR</p> <p>- <b>29039</b> -            22.5x9.00 Rims, Powder Coat Steel, 10-Stud,            285.75mm BC, Hub-Piloted, for Front Application            Only            REQS: Code 27DPN WHEELS, FRONT            N/A: Code 29AAA WHEEL BRAND, FRONT            AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>- <b>29169</b> -            22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole,            10-Stud, 285.75mm BC, Hub-Piloted, with .472"            Thick Increased Capacity Disc            REQS: Code 27DUK WHEELS, FRONT or Code 28DUK            WHEELS, REAR</p> <p>- <b>29300</b> -            22.5x9.00 Rims, Powder Coat Steel, 10-Stud,            285.75mm BC, Hub-Piloted            REQS: Code 27DUL or 27DUR WHEELS, FRONT or Code            28DUL or 28DUR WHEELS, REAR</p> <p>- <b>29806</b> -            22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole,            10-Stud, 285.75mm BC, Hub-Piloted, for Front            Application Only            REQS: Code 27DUM WHEELS, FRONT            N/A: Code 29AAA WHEEL BRAND, FRONT            AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>- <b>29807</b> -            22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole,            10-Stud, 285.75mm BC, Hub-Piloted, for Front            Application Only            REQS: Code 27DUN WHEELS, FRONT            N/A: Code 29AAA WHEEL BRAND, FRONT            AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>- <b>41730</b> -            22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud,            285.75mm BC, Hub-Piloted            REQS: Code 27DUS WHEELS, FRONT or Code 28DUS            WHEELS, REAR</p> <p>22.5x9.00 Rims, Standard Polish Aluminum,            10-Stud, 285.75mm BC, Hub-Piloted, Flange Nut            REQS: Code 27DUR WHEELS, FRONT or Code 28DUR            WHEELS, REAR</p>			
	26DTT	\$259 +40/+40	
	26DPN	\$308 +52/+52	
	26DUK	\$259 +39/+39	
	26DUL	\$259 +54/+54	
	26DUM	\$706 +60/+60	
	26DUN	\$516 +60/+60	
	26DUS	\$580 +29/+29	
	26DUR	\$555 +29/+29	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>WHEEL, SPARE, DISC</b> (CONTINUED)</p> <p><i>Accuride</i></p> <p>- <b>42644</b> -            22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud,            285.75mm BC, Hub-Piloted            N/A: Code 29AAA WHEEL BRAND, FRONT            AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS                  : Code 29PBT COATING IDENTITY, FRONT WHEELS</p> <p>22.5x8.25 Rims, Standard Polish Aluminum,            10-Stud, 285.75mm BC, Hub-Piloted            N/A: Code 27DBA and 27DTE WHEELS, FRONT                  : Code 28DTE WHEELS, REAR                  : Code 29AAA WHEEL BRAND, FRONT            AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS                  : Code 29PBX COATING IDENTITY, FRONT WHEELS</p> <p>- <b>50409</b> -            24.5x8.25 Rims, Powder Coat Steel, 10-Stud,            285.75mm BC, Hub-Piloted            REQS: Code 27DUP WHEELS, FRONT or Code 28DUP                  WHEELS, REAR</p> <p>- <b>51408</b> -            22.5x8.25 Rims, Powder Coat Steel, 10-Stud,            285.75mm BC, Hub-Piloted            REQS: Code 27DUW(std) WHEELS, FRONT or Code                  28DUW or 28DUX WHEELS, REAR</p> <p><i>Alcoa</i></p> <p>- <b>82462</b> -            22.5x12.25 Rims, Polished Aluminum, 10-Stud,            285.75mm BC, Hub-Piloted, for Front Application            Only            REQS: Code 27DJJ WHEELS, FRONT            N/A: Code 29AAA WHEEL BRAND, FRONT</p> <p>- <b>88367</b> -            22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud,            285.75mm BC, Hub-Piloted            REQS: Code 27DVG, 27DVH, 27DVJ or 27DVK WHEELS,                  FRONT or Code 28DVG, 28DVH, 28DVJ or 28DVK                  WHEELS, REAR            N/A: Code 27DTE WHEELS, FRONT                  : Code 29AAA WHEEL BRAND, FRONT</p> <p><i>Maxion</i></p> <p>- <b>10049</b> -            22.5x8.25 Rims, Painted Steel, 5-Hand Hole,            10-Stud, 285.75mm BC, Hub-Piloted, with .490"            Thick Increased Capacity Disc            REQS: Code 27DTH WHEELS, FRONT or Code 28DTH                  WHEELS, REAR</p>			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b> <b>NOTE: WEIGHTS - FRONT/REAR</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<p><b>WHEEL, SPARE, DISC</b> (CONTINUED)</p> <p><i>Maxion</i></p> <p>- <b>90541</b> -            22.5x8.25 Rims, Painted Steel, 2-Hand Hole,            10-Stud, 285.75mm BC, Hub-Piloted            REQS: Code 27DTJ WHEELS, FRONT or Code 28DTC or            28DTJ WHEELS, REAR</p> <p>- <b>90542</b> -            24.5x8.25 Rims, Painted Steel, 2-Hand Hole,            10-Stud, 285.75mm BC, Hub-Piloted            REQS: Code 27DTD WHEELS, FRONT or Code 28DTD            WHEELS, REAR</p>			
<p><b>BRAKE DRUMS, FRONT</b></p> <p><i>Motor Wheel</i></p> <p>Centrifuse Type            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE,            02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY,            02ARZ, 02ATB, 02ATG, 02AYJ, 02AYK or 02AYT            AXLE, FRONT NON-DRIVING            -OR- AXLE, FRONT DRIVING            N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE            BRAKES, FRONT, AIR DISC            : Code 27DPR and 27DTT WHEELS, FRONT            AVAIL: Code 04WBX DUST SHIELDS, FRONT BRAKE</p> <p><i>Webb</i></p> <p>Cast HD, Size 16.5" x 6"            REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE,            02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY,            02ARZ, 02ATB, 02ATG, 02AYJ, 02AYK or 02AYT            AXLE, FRONT NON-DRIVING            -OR- AXLE, FRONT DRIVING            N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE            BRAKES, FRONT, AIR DISC            AVAIL: Code 04WBX DUST SHIELDS, FRONT BRAKE</p>			
<p><b>BRAKE DRUMS, REAR</b></p> <p><i>Motor Wheel</i></p> <p>Centrifuse Type; 16.5" x 7"            REQS: Code 14AHE, 14AHG, 14AHL, 14ARB, 14ARK,            14ARX, 14ARY, 14ARZ, 14ASA, 14ASK, 14ATE,            14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE,            14CVC or 14051(std) AXLE, REAR, SINGLE            -OR- AXLE, REAR, TANDEM            N/A: Code 04JCC(std) and 04JNW BRAKES, REAR,            AIR DISC            REC: Code 04WDM DUST SHIELDS, REAR BRAKE</p>			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>COATING IDENTITY, FRONT WHEELS</b>			
<i>Accuride</i>			
<b>- Accu-Shield -</b>			
Disc Front Wheels; Aluminum, with Vendor Applied Clear Coat Not for Wide Base	29PBT	\$278	
REQS: Code 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVA, 26DVH or 26DVP WHEEL, SPARE, DISC			
REQS: Code 27DUR, 27DUS, 27DVN, 27DVP, 27DVR or 27DVS WHEELS, FRONT			
N/A: Code 29AAA WHEEL BRAND, FRONT			
Disc Front Wheels; Aluminum, with Vendor Applied Clear Coat, for Wide Base	29PBX	\$278	
REQS: Code 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVA, 26DVH or 26DVN WHEEL, SPARE, DISC			
REQS: Code 27DBA, 27DJL or 27DVD WHEELS, FRONT			
N/A: Code 29AAA WHEEL BRAND, FRONT			
AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS			
<i>Alcoa</i>			
<b>- Dura-Bright XBR/EVO -</b>			
Disc Front Wheels; Aluminum, with Vendor Applied Treatment; Not for Wide Base	29PBZ	\$419	
REQS: Code 26DPN, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR, 26DUS, 26DUW, 26DVA or 26DVH WHEEL, SPARE, DISC			
REQS: Code 27DEL, 27DEM, 27DVG or 27DVK WHEELS, FRONT			
N/A: Code 29AAA WHEEL BRAND, FRONT			
<b>COATING IDENTITY, REAR WHEELS</b>			
<i>Accuride</i>			
<b>- Accu-Shield -</b>			
Aluminum Disc Rear Wheels, with Vendor Applied Clear Coat; Not for Super Single Wide Base	29PBS	\$304	
REQS: Code 28DMJ, 28DMK, 28DUS, 28DVN, 28DVP, 28DVR or 28DVS WHEELS, REAR			
REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERB, 14ERC or 14051(std)			
AXLE, REAR, SINGLE			
-OR- AXLE, REAR, TANDEM			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>COATING IDENTITY, REAR WHEELS</b> (CONTINUED)  <b>Alcoa</b>  <b>- Dura-Bright XBR/EVO -</b> Aluminum Disc Rear Wheels, with Vendor Applied Treatment; Not for Super Single Wide Base REQS: Code 26DPN, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR, 26DUS, 26DUW, 26DVA or 26DVH WHEEL, SPARE, DISC REQS: Code 28DEL, 28DEM, 28DVG or 28DVK WHEELS, REAR N/A: Code 29PBX COATING IDENTITY, FRONT WHEELS	29PBY	\$419	
<b>HUB BRAND, FRONT</b>  <b>ConMet</b>  Steel Front Hubs, with Pre-Adjusted Bearings in lieu of Standard Source Steel Hubs REQS: Code 02AGC, 02AGE, 02ARV, 02ARW(std) or 02ATG AXLE, FRONT NON-DRIVING -OR- AXLE, FRONT DRIVING N/A: Code 29598 WHEEL SEALS, FRONT : Code 27DEL, 27DEM, 27DHK, 27DJL, 27DPR, 27DVD, 27DVJ, 27DVK, 27DVR and 27DVS WHEELS, FRONT	29ADX	\$248	
<b>HUB MODIFICATIONS, REAR</b>  Provide Longer Studs in Rear Hubs for Retrofitting Aluminum Disc Wheels by Customer REQS: Code 28DPR, 28DTD, 28DTE, 28DTH, 28DTJ, 28DTT, 28DTU, 28DUK, 28DUL, 28DUP or 28DUW(std) WHEELS, REAR REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE -OR- Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWW, 14GWY, 14GWZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL or 14HRM AXLE, REAR, TANDEM	29GBA	\$53	
<b>PAINT IDENTITY, FRONT WHEELS</b>  Disc Front Wheels; with Vendor Applied Gray Powder Coat Paint REQS: Code 27DPN, 27DTD, 27DTE, 27DTH, 27DTJ, 27DTT, 27DTU, 27DUK, 27DUL, 27DUN or 27DUW(std) WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAW	\$24	





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>PAINT IDENTITY, FRONT WHEELS (CONTINUED)</b>			
Disc Front Wheels; with Vendor Applied White Powder Coat Paint REQS: Code 27DTD, 27DTE, 27DTH or 27DTJ WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAR	\$24	
Disc Wheels; with Vendor Applied Black Powder Coat Paint REQS: Code 27DPN, 27DTD, 27DTE, 27DTH, 27DTJ, 27DTT, 27DTU, 27DUK, 27DUL, 27DUN or 27DUW(std) WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PBA	\$24	
<b>PAINT IDENTITY, REAR WHEELS</b>			
Disc Rear Wheels; with Vendor Applied Gray Powder Coat Paint REQS: Code 28DTC, 28DTD, 28DTE, 28DTH, 28DTJ, 28DTT, 28DTU, 28DUK, 28DUL, 28DUW(std) or 28DUX WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAX	\$48	
Disc Rear Wheels; with Vendor Applied White Powder Coat Paint REQS: Code 28DTC, 28DTD, 28DTE, 28DTH or 28DTJ WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAS	\$48	
Disc Wheels; with Vendor Applied Black Powder Coat Paint REQS: Code 28DPR, 28DTC, 28DTD, 28DTE, 28DTH, 28DTJ, 28DTT, 28DTU, 28DUK, 28DUL, 28DUW(std) or 28DUX WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PBB	\$48	
Omit Paint on Rear Disc Wheels N/A: Code 28DPR, 28DTC, 28DTD, 28DTE, 28DTH, 28DTJ and 32DHY WHEELS, REAR	29PAL	N/C	
<b>TIRE, SPARE</b>			
Equal to Model Standard	29007	\$840	
<b>TIRE VALVE CAP</b>			
Flo-Thru Design	29ACD	\$24	
<b>WHEEL BRAND, FRONT</b>			
<b>Alcoa</b>  Aluminum Disc Front Wheels REQS: Code 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS or 26DUW WHEEL, SPARE, DISC REQS: Code 27DEL, 27DEM, 27DVN, 27DVP, 27DVR or 27DVS WHEELS, FRONT	29AAA	\$260	
<i>(SEE NEXT PAGE)</i>			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>WHEEL BRAND, FRONT</b> <span style="float: right;">(SEE PREV PAGE)</span>  <b>Alcoa</b>  N/A: Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS	29AAA		
<b>WHEEL BEARING, FRONT, LUBE</b>  <b>EmGard</b>  - FE-75W-90 - Synthetic Oil N/A: Code 02WLD AXLE, FRONT DRIVING, LUBE : Code 02EZU AXLE, FRONT DRIVING	29WLK	\$59	
<b>WHEEL GUARDS, FRONT</b>  <b>Accuride</b>  for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	29WAP	\$24	
<b>WHEEL GUARDS, REAR</b>  <b>Accuride</b>  for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels REQS: Code 28DPR, 28DTC, 28DTD, 28DTE, 28DTH, 28DTJ, 28DTT, 28DTU, 28DUK, 28DUL, 28DUP, 28DUW(std), 28DUX or 32WAA WHEELS, REAR	29WAR	\$24	
<b>WHEEL IDENTITY</b>  Mark Rear Wheel "For Delivery Use Only" REQS: Code 32WAA WHEELS, REAR N/A: Code 27DEL, 27DEM, 27DJL and 27DVD WHEELS, FRONT	29WAG	N/C	
<b>WHEEL, REAR, IDENTITY</b>  Replace Inner Aluminum Wheels on Rear Duals with the Equivalent Steel Wheels - For Use with Hub Piloted Wheels Only REQS: Code 28DMJ, 28DMK, 28DUR, 28DUS, 28DVG, 28DVH, 28DVJ, 28DVK, 28DVN, 28DVP, 28DVR or 28DVS WHEELS, REAR	29BAG	\$350CR 0/+59	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>WHEEL SEALS, FRONT</b>  <b>Stemco</b>  <b>- Voyager -</b> Oil Lubricated Wheel Bearings ILO Standard Oil Seals N/A: Code 29ADX HUB BRAND, FRONT	29598	\$59	
<b>WHEEL SEALS, REAR</b>  <b>Stemco</b>  <b>- Voyager -</b> Oil Lubricated Wheel Bearings REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERB or 14051(std) AXLE, REAR, SINGLE -OR- Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWW, 14GWY, 14GWZ, 14HRC, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM	29597	\$76	
<b>WHEELS, LIFT AXLE PUSHER</b>  <b>Accuride</b>  <b>- 29300 -</b> Single Wheels, for Two Lift Axles; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE  Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE  <b>- 41362 -</b> Single Wheels, For One Lift Axle; 24.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE	34ABV	\$4,525	0/0
	34ABU	\$2,422 +200/+302	
	34AAP	\$2,889 +149/+225	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>WHEELS, LIFT AXLE PUSHER</b> (CONTINUED)  <b>Accuride</b>  <b>- 41362 -</b>  Single Wheels, For Two Lift Axles; 24.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE  Single Wheels, for Two Lift Axles; 24.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE  Single Wheels, For One Lift Axle; 24.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE  <b>- 41730 -</b> Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE  Single Wheels, For Two Lift Axles; 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE  Single Wheels, for Two Lift Axles; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE			
	34ABJ	\$5,778	0/0
	34ABH	\$5,684	0/0
	34AAM	\$2,842	0/0
	34ACD	\$2,850 +166/+250	
	34ACE	\$5,651	0/0
	34ACC	\$5,515 +488/+392	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>WHEELS, LIFT AXLE PUSHER (CONTINUED)</b>			
<i>Accuride</i>			
<b>- 41730 -</b>			
Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >>	34ACB	\$2,782 +167/+253	
N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR			
: Code 14WNL and 14WNL AXLE, PUSHER, LIFT TYPE			
: Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE			
<b>- 42644 -</b>			
Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >>	34ACS	\$5,646 +234/+354	
N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR			
: Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE			
AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE			
Single Wheels, For One Lift Axle; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >>	34ACM	\$2,846 +124/+186	
N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR			
: Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE			
AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE			
Single Wheels, For Two Lift Axles; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >>	34ACT	\$5,691 +321/+259	
N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR			
: Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE			
AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE			
Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >>	34ACR	\$5,599	
N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR			
: Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE			
AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE			
Single Wheels, For One Lift Axle; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >>	34ACN	\$2,799 +125/+189	
N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR			
: Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE			
AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>WHEELS, LIFT AXLE PUSHER</b> (CONTINUED)</p> <p><i>Accuride</i></p> <p><b>- 50409 -</b>            Single Wheels, for Two Lift Axles; 24.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut &lt;&lt; Pricing Includes Standard Tires &gt;&gt;            N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR                  : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE            AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE</p> <p>Single Wheels, For One Lift Axle; 24.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut &lt;&lt; Pricing Includes Standard Tires &gt;&gt;            N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR                  : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE            AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE</p> <p><b>- 51408 -</b>            Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut &lt;&lt; Pricing Includes Standard Tires &gt;&gt;            N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR                  : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE            AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE</p> <p>Single Wheels, for Two Lift Axles; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut &lt;&lt; Pricing Includes Standard Tires &gt;&gt;            N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR                  : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE            AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE</p> <p>Single Wheels, For One Lift Axle; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut &lt;&lt; Pricing Includes Standard Tires &gt;&gt;            N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR                  : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE            AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE</p>	<p>34ABT</p> <p>34ABS</p> <p>34ACK</p> <p>34ACH</p> <p>34ACJ</p>	<p>\$4,350</p> <p>\$2,175</p> <p>\$3,533</p> <p>\$3,554</p> <p>\$1,777</p>	<p>0/0</p> <p>+169/+255</p> <p>+301/+455</p> <p>+346/+278</p> <p>+144/+216</p>
<p><b>WARRANTY</b></p> <p>Standard for HV513, HV613 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2030A</p>	<p>40127</p>	<p>STD</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
<b>SERVICES, TOWING</b>			
<i>Navistar</i>			
Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KLZ	\$400	0/0
Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KME	\$280	0/0
Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAU	\$600	
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMA	\$800	0/0
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMG	\$560	0/0
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAV	\$1,000	
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMB	\$1,100	0/0
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMH	\$780	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>SERVICES, TOWING</b> (CONTINUED)</p> <p><i>Navistar</i></p> <p>Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage &amp; ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident</p> <p>Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage &amp; ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident</p> <p>Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage &amp; ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident</p> <p>Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage &amp; ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident</p> <p>Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage &amp; ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident</p> <p>Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage &amp; ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident</p> <p>Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage &amp; ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident</p>			
	40RAW	\$1,400	
	40KMC	\$1,300	0/0
	40KMJ	\$920	0/0
	40RAX	\$1,900	
	40KMD	\$1,600	0/0
	40KMK	\$1,120	0/0
	40RAY	\$2,600	





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT	
	CODE	HV513 SFA
<b>SRV CONTRACT, EXT ALLISON XMSN</b>		
<i>Allison</i>		
To 60-Month/Unlimited Miles/km, for Allison 3000 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13ATL(std) or 13AVE TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TTH	\$874
To 60-Month/Unlimited Miles/km, for Allison 3000 HS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13ATL(std) or 13AVE TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TTK	\$844
To 84-Month/Unlimited Miles/km, for Allison 3000 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13ATL(std) or 13AVE TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TTJ	\$1,532
To 60-Month/Unlimited Miles/km, for Allison 3000 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TVS	\$1,264
To 60-Month/Unlimited Miles/km, for Allison 3000 RDS with Refuse Packer Vocations (ST15, ST16) REQS: Code 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TVT	\$2,176
To 60-Month/Unlimited Miles/km, for Allison 3000 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TVU	\$1,264
To 60-Month/Unlimited Miles/km, for Allison 3000 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TVV	\$1,264
To 60-Month/Unlimited Miles/km, for Allison 3000 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TVW	\$1,264



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HV513 SFA	
<b>SRV CONTRACT, EXT ALLISON XMSN (CONTINUED)</b> <b>Allison</b> To 60-Month/Unlimited Miles/km, for Allison 4000 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13AUZ or 13AVB TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL To 60-Month/Unlimited Miles/km, for Allison 4000 HS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13AUZ or 13AVB TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL To 84-Month/Unlimited Miles/km, for Allison 4000 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13AUZ or 13AVB TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with Refuse Packer Vocations (ST15, ST16) REQS: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL			
	40TTL	\$894	
	40TTN	\$1,018	
	40TTM	\$2,008	
	40TWC	\$2,054	
	40TWD	\$2,608	
	40TWE	\$2,054	
	40TWG	\$2,054	
	40TWH	\$2,054	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>SRV CONTRACT, EXT ALLISON XMSN (CONTINUED)</b>			
<i>Allison</i>			
To 60-Month/Unlimited Miles/km, for Allison 4500 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13AVA or 13AVC TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TTP	\$956	
To 60-Month/Unlimited Miles/km, for Allison 4500 HS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13AVA or 13AVC TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TTS	\$1,024	
To 84-Month/Unlimited Miles/km, for Allison 4500 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13AVA or 13AVC TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TTR	\$2,008	
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13AUT, 13AUU, 13AUW or 13AUX TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWJ	\$1,952	
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Refuse Packer Vocations (ST15, ST16) REQS: Code 13AUT, 13AUU, 13AUW or 13AUX TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWK	\$2,404	
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13AUT, 13AUU, 13AUW or 13AUX TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWL	\$1,952	
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13AUT, 13AUU, 13AUW or 13AUX TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWM	\$1,952	
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13AUT, 13AUU, 13AUW or 13AUX TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWN	\$1,952	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b></b>
<b>SRV CONTRACT, EXT CAB</b>			
<i>Navistar</i>			
To 120-Month/300,000 Miles (480,000 km); Covers Cab Structure, Perforation and Corrosion, with Rear Axle Capacity of 52,000-lb or Less N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUC	\$1,500	0/0
To 72-Month/300,000 Miles (480,000 km); Covers Cab Structure, Perforation and Corrosion, with Rear Axle Capacity of 52,000-lb or Less N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUA	\$940	0/0
To 96-Month/300,000 Miles (480,000 km); Covers Cab Structure, Perforation and Corrosion, with Rear Axle Capacity of 52,000-lb or Less N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUB	\$1,240	0/0
<b>SRV CONTRACT, EXT COOLING SYS</b>			
<i>Navistar</i>			
To 24-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40MHR	\$220	0/0
To 24-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40MHS	\$260	0/0
To 24-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40MHV	\$560	0/0
To 36-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40MHT	\$460	0/0
To 36-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40MHU	\$520	0/0
To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40MKC	\$700	0/0
To 48-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40MKD	\$760	0/0
To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40MKE	\$840	0/0
To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40MKG	\$800	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
<b>SRV CONTRACT, EXT COOLING SYS</b> (CONTINUED)  <b>Navistar</b>  To 60-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION  To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40MKH	\$860	0/0
	40MJH	\$940	0/0
<b>SRV CONTRACT, EXT EATON XMSN</b>  <b>Eaton</b>  To 36-Month/Unlimited Miles/km, for Severe Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC  To 48-Month/Unlimited Miles/km, for Severe Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC  To 48-Month/Unlimited Miles/km, for Standard Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC  To 60-Month/Unlimited Miles/km, for Severe Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC  To 60-Month/Unlimited Miles/km, for Standard Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC  To 36-Month/Unlimited Miles/km, for Severe Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXC, 13GYC, 13GYD, 13GYG or 13GYH TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC  To 48-Month/Unlimited Miles/km, for Severe Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXC, 13GYC, 13GYD, 13GYG or 13GYH TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	40SPV	\$3,050	0/0
	40SPW	\$3,900	0/0
	40SPY	\$2,300	0/0
	40SPX	\$5,100	0/0
	40SPZ	\$2,950	0/0
	40SRK	\$2,300	0/0
	40SRL	\$3,200	0/0

HV513 SFA

SECTION 410

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 410-369

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b></b>
<b>SRV CONTRACT, EXT EATON XMSN (CONTINUED)</b>			
<i>Eaton</i>			
To 48-Month/Unlimited Miles/km, for Standard Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXC, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	40SRA	\$1,900	0/0
To 60-Month/Unlimited Miles/km, for Severe Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXC, 13GYC, 13GYD, 13GYG or 13GYH TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	40SRM	\$4,250	0/0
To 60-Month/Unlimited Miles/km, for Standard Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXC, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	40SRB	\$2,500	0/0
<b>SRV CONTRACT, EXT ELECTRICAL</b>			
<i>Navistar</i>			
<b>- Prepackaged Components -</b>			
Excludes Starter and Alternator, To 24-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NLR	\$360	0/0
Excludes Starter and Alternator, To 24-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NLS	\$440	0/0
Excludes Starter and Alternator, To 36-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NLT	\$760	0/0
Excludes Starter and Alternator, To 36-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NLU	\$860	0/0
Excludes Starter and Alternator, To 36-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NLV	\$940	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>SRV CONTRACT, EXT ELECTRICAL (CONTINUED)</b>			
<i>Navistar</i>			
<b>- Prepackaged Components -</b>			
Excludes Starter and Alternator, To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NLW	\$1,160	0/0
Excludes Starter and Alternator, To 48-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NLX	\$1,260	0/0
Excludes Starter and Alternator, To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NLY	\$1,380	0/0
Excludes Starter and Alternator, To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NLZ	\$1,320	0/0
Excludes Starter and Alternator, To 60-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NMA	\$1,420	0/0
Excludes Starter and Alternator, To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NMB	\$1,580	0/0
<b>SRV CONTRACT, EXT ENGINE</b>			
<i>Navistar</i>			
To 36-Month/300,000 Miles (480,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSV	\$2,200	0/0
To 36-Month/350,000 Miles (560,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSW	\$2,600	0/0
To 36-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSX	\$3,100	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b></b>
<b>SRV CONTRACT, EXT ENGINE (CONTINUED)</b>			
<i>Navistar</i>			
To 36-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSY	\$5,500	0/0
To 48-Month/100,000 Miles (160,000 km), Unlimited Hours, Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSC	\$1,998	0/0
To 48-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSZ	\$4,400	0/0
To 48-Month/450,000 Miles (720,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STA	\$5,000	0/0
To 48-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STB	\$6,200	0/0
To 48-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40PMN	\$7,400	
To 60-Month/100,000 Miles (160,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STC	\$3,400	0/0
To 60-Month/200,000 Miles (320,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STD	\$4,600	0/0
To 60-Month/300,000 Miles (480,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STE	\$4,900	0/0





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b></b>
<b>SRV CONTRACT, EXT ENGINE</b> (CONTINUED)			
<i>Navistar</i>			
To 60-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STG	\$5,800	0/0
To 60-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STH	\$7,200	0/0
To 60-Month/550,000 Miles (880,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40PMT	\$7,800	
To 60-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40PMU	\$8,600	
To 72-Month/250,000 Miles (400,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STJ	\$5,000	0/0
To 72-Month/500,000 Miles (800,000 km) Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STK	\$8,800	0/0
To 72-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STL	\$10,800	0/0
To 84-Month/100,000 Miles (160,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STM	\$5,500	0/0
To 84-Month/150,000 Miles (240,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STN	\$6,400	0/0

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-373**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>SRV CONTRACT, EXT ENGINE</b> (CONTINUED)			
<i>Navistar</i>			
To 84-Month/250,000 Miles (400,000 km) Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STP	\$7,000	0/0
To 84-Month/400,000 Miles (640,000 km) Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STR	\$8,800	0/0
To 36-Month/300,000 Miles (480,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSG	\$1,600	0/0
To 36-Month/350,000 Miles (560,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSH	\$1,800	0/0
To 36-Month/400,000 Miles (640,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSJ	\$2,100	0/0
To 48-Month/400,000 Miles (640,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSK	\$2,600	0/0
To 48-Month/450,000 Miles (720,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSM	\$3,000	0/0
To 48-Month/500,000 Miles (800,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSN	\$3,600	0/0
To 60-Month/300,000 Miles (480,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSP	\$2,600	0/0
To 60-Month/400,000 Miles (640,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSR	\$3,200	0/0
To 60-Month/500,000 Miles (800,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSS	\$4,100	0/0
To 72-Month/250,000 Miles (400,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SST	\$3,300	0/0
To 84-Month/250,000 Miles (400,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSU	\$3,900	0/0

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-374**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HV513 SFA	
<b>SRV CONTRACT, EXT ENGINE/AFTR</b>  <b>Navistar</b>  To 36-Month/300,000 Miles (480,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPT	\$3,150	
To 36-Month/350,000 Miles (560,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPU	\$3,700	
To 36-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPV	\$4,700	
To 36-Month/450,000 Miles (720,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40PRJ	\$6,400	
To 36-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPW	\$8,000	
To 48-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPX	\$6,600	
To 48-Month/450,000 Miles (720,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPY	\$7,500	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>SRV CONTRACT, EXT ENGINE/AFTR</b> (CONTINUED)			
<i>Navistar</i>			
To 48-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPZ	\$9,200	
To 48-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRA	\$11,400	
To 60-Month/100,000 Miles (160,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRB	\$4,400	
To 60-Month/200,000 Miles (320,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRC	\$5,900	
To 60-Month/250,000 Miles (400,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40PRK	\$6,300	
To 60-Month/300,000 Miles (480,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRD	\$6,550	
To 60-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRE	\$8,300	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-376**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>SRV CONTRACT, EXT ENGINE/AFTR (CONTINUED)</b>			
<i>Navistar</i>			
To 60-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRG	\$10,200	
To 60-Month/550,000 Miles (880,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRH	\$11,600	
To 60-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRJ	\$13,200	
To 72-Month/250,000 Miles (400,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRK	\$7,200	
To 72-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRL	\$12,800	
To 72-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRM	\$16,000	
To 84-Month/100,000 Miles (160,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRN	\$8,600	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>SRV CONTRACT, EXT ENGINE/AFTR</b> (CONTINUED)  <b>Navistar</b>  To 84-Month/150,000 Miles (240,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP  To 84-Month/250,000 Miles (400,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP  To 84-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRP	\$9,800	
	40TRR	\$10,800	
	40TRS	\$12,800	
<b>SRV CONTRACT, EXT ENG M/COMP</b>  <b>Navistar</b>  To 72-Month/600,000 Miles (960,000 km), Major Components Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR  To 84-Month/700,000 Miles (1,120,000 km), Major Components Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSD	\$1,300	0/0
	40SSE	\$1,800	0/0
<b>SRV CONTRACT, EXT FRAME</b>  To 120-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, with Rear Axle Capacity of 52,000-lb or Less N/A: SRV CONTRACT, EXT VEH COVERAGE  To 72-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, with Rear Axle Capacity of 52,000-lb or Less N/A: SRV CONTRACT, EXT VEH COVERAGE  To 96-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, with Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM -OR- AXLE, REAR, SINGLE  (SEE NEXT PAGE)	40EUG	\$380	0/0
	40EUD	\$240	0/0
	40EUE	\$300	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>SRV CONTRACT, EXT FRAME</b> <span style="float: right;"><i>(SEE PREV PAGE)</i></span>  N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUE		
<b>SRV CONTRACT, EXT HEND SUSP</b>  <b><i>Hendrickson</i></b>  To 24-Month/Unlimited Miles/Km, Extended Hendrickson HAS 30,000-46,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14ULS, 14ULT, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE  To 36-Month/Unlimited Miles/Km, Extended Hendrickson HAS 30,000-46,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14ULS, 14ULT, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE  To 24-Month/Unlimited Miles/Km, Extended Hendrickson PRIMAAAX 46,000-52,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE  To 36-Month/Unlimited Miles/Km, Extended Hendrickson PRIMAAAX 46,000-52,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE	<div style="margin-bottom: 10px;">40SRT</div> <div style="margin-bottom: 10px;">40SRU</div> <div style="margin-bottom: 10px;">40SRN</div> <div style="margin-bottom: 10px;">40SRR</div>	<div style="margin-bottom: 10px;">\$1,210</div> <div style="margin-bottom: 10px;">\$1,510</div> <div style="margin-bottom: 10px;">\$1,000</div> <div style="margin-bottom: 10px;">\$1,260</div>	<div style="margin-bottom: 10px;">0/0</div> <div style="margin-bottom: 10px;">0/0</div> <div style="margin-bottom: 10px;">0/0</div> <div style="margin-bottom: 10px;">0/0</div>



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV513 SFA	
<b>SRV CONTRACT, EXT HTR/AC SYS</b>			
<i>Navistar</i>			
<b>- Prepackaged Components -</b>			
To 24-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NHJ	\$460	0/0
To 24-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NHK	\$540	0/0
To 36-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NHL	\$940	0/0
To 36-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NHM	\$1,040	0/0
To 36-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NHN	\$1,160	0/0
To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NHP	\$1,440	0/0
To 48-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NHR	\$1,540	0/0
To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NHS	\$1,660	0/0
To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NHT	\$1,620	0/0
To 60-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NHU	\$1,720	0/0
To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40NHV	\$1,940	0/0
<b>SRV CONTRACT, EXT MAJOR COMP</b>			
<i>Navistar</i>			
<b>- Prepackaged Components -</b>			
To 24-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40LWV	\$280	0/0





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
<b>SRV CONTRACT, EXT MAJOR COMP</b> (CONTINUED)  <b>Navistar</b>  <b>- Prepackaged Components -</b>  To 24-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40LWW	\$320	0/0
To 36-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40LWX	\$580	0/0
To 36-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40LWY	\$640	0/0
To 36-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40LWZ	\$700	0/0
To 48-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40LXA	\$880	0/0
To 48-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40LXB	\$940	0/0
To 48-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40LXC	\$1,040	0/0
To 60-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40LXD	\$980	0/0
To 60-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40LXE	\$1,080	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>SRV CONTRACT, EXT MAJOR COMP</b> (CONTINUED)  <b>Navistar</b>  <b>- Prepackaged Components -</b>  To 60-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION  To 60-Month/250,000 Miles (400,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40LXG	\$1,180	0/0
	40LXH	\$1,300	0/0
<b>SRV CONTRACT, EXT STARTER/ALT</b>  <b>Navistar</b>  <b>- Prepackaged Components -</b> Covers Starter and Alternator Only, To 24-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION  Covers Starter and Alternator Only, To 36-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION  Covers Starter and Alternator Only, To 36-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION  Covers Starter and Alternator Only, To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION  Covers Starter and Alternator Only, To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION  Covers Starter and Alternator Only, To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION  Covers Starter and Alternator Only, To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANE AXLE CONFIGURATION	40MEV	\$240	0/0
	40MEW	\$400	0/0
	40MEX	\$620	0/0
	40MEY	\$620	0/0
	40MEZ	\$720	0/0
	40MGA	\$700	0/0
	40MGB	\$840	0/0



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>SRV CONTRACT, EXT VEH COVERAGE</b>			
<i>Navistar</i>			
To 60-Month/100,000 Miles (160,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANE AXLE CONFIGURATION NOTE: Pricing may change if axle configuration is changed.	40PSS	\$12,800	
To 60-Month/200,000 Miles (320,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANE AXLE CONFIGURATION NOTE: Pricing may change if axle configuration is changed.	40PST	\$15,900	
To 84-Month/100,000 Miles (160,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANE AXLE CONFIGURATION NOTE: Pricing may change if axle configuration is changed.	40PSX	\$19,100	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>SRV CONTRACT, EXT VEH COVERAGE (CONTINUED)</b>			
<i>Navistar</i>			
To 84-Month/250,000 Miles (400,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANE AXLE CONFIGURATION NOTE: Pricing may change if axle configuration is changed.	40PSY	\$25,800	
To 24-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANE AXLE CONFIGURATION	40PPA	\$2,400	
To 24-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANE AXLE CONFIGURATION	40PPB	\$2,800	
To 24-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME	40PPC	\$3,200	
<b>(SEE NEXT PAGE)</b>			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<p><b>SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)</b></p> <p><i>Navistar</i></p> <p>N/A: SRV CONTRACT, EXT MAJOR COMP            : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ,            40MGA and 40MGB SRV CONTRACT, EXT            STARTER/ALT            : SRV CONTRACT, EXT ELECTRICAL            : SRV CONTRACT, EXT COOLING SYS            : Code 01ANE AXLE CONFIGURATION</p> <p>To 36-Month/100,000 Miles (160,000 km), Excludes            Extended Warranty for Engine and Transmission,            for Rear Axle Rating of 52,000 lbs or less</p> <p>N/A: SRV CONTRACT, EXT HTR/AC SYS            : Code 40EUA, 40EUB and 40EUC SRV CONTRACT,            EXT CAB            : Code 40EUD, 40EUE and 40EUG SRV CONTRACT,            EXT FRAME            : SRV CONTRACT, EXT MAJOR COMP            : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ,            40MGA and 40MGB SRV CONTRACT, EXT            STARTER/ALT            : SRV CONTRACT, EXT ELECTRICAL            : SRV CONTRACT, EXT COOLING SYS            : Code 01ANE AXLE CONFIGURATION</p> <p>To 36-Month/150,000 Miles (240,000 km), Excludes            Extended Warranty for Engine and Transmission,            for Rear Axle Rating of 52,000 lbs or less</p> <p>N/A: SRV CONTRACT, EXT HTR/AC SYS            : Code 40EUA, 40EUB and 40EUC SRV CONTRACT,            EXT CAB            : Code 40EUD, 40EUE and 40EUG SRV CONTRACT,            EXT FRAME            : SRV CONTRACT, EXT MAJOR COMP            : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ,            40MGA and 40MGB SRV CONTRACT, EXT            STARTER/ALT            : SRV CONTRACT, EXT ELECTRICAL            : SRV CONTRACT, EXT COOLING SYS            : Code 01ANE AXLE CONFIGURATION</p> <p>To 36-Month/200,000 Miles (320,000 km), Excludes            Extended Warranty for Engine and Transmission,            for Rear Axle Rating of 52,000 lbs or less</p> <p>N/A: SRV CONTRACT, EXT HTR/AC SYS            : Code 40EUA, 40EUB and 40EUC SRV CONTRACT,            EXT CAB            : Code 40EUD, 40EUE and 40EUG SRV CONTRACT,            EXT FRAME            : SRV CONTRACT, EXT MAJOR COMP            : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ,            40MGA and 40MGB SRV CONTRACT, EXT            STARTER/ALT            : SRV CONTRACT, EXT ELECTRICAL            : SRV CONTRACT, EXT COOLING SYS            : Code 01ANE AXLE CONFIGURATION</p>			
	40PPC		
	40PPD	\$4,000	
	40PPE	\$5,000	
	40PPG	\$6,000	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>SRV CONTRACT, EXT VEH COVERAGE (CONTINUED)</b>			
<i>Navistar</i>			
To 36-Month/300,000 Miles (480,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANE AXLE CONFIGURATION	40PPH	\$6,500	
To 48-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANE AXLE CONFIGURATION	40PPL	\$6,000	
To 48-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANE AXLE CONFIGURATION	40PPM	\$7,000	
To 48-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP	40PPN	\$8,000	
<i>(SEE NEXT PAGE)</i>			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>WEIGHTS - FRONT/REAR</b>
<b>SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)</b>			
<i>Navistar</i>			
N/A: Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANE AXLE CONFIGURATION	40PPN		
To 48-Month/250,000 Miles (400,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANE AXLE CONFIGURATION	40PPP	\$9,000	
To 60-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANE AXLE CONFIGURATION	40PPS	\$8,400	
To 60-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANE AXLE CONFIGURATION	40PPT	\$9,000	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT  
 NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>SRV CONTRACT, EXT VEH COVERAGE (CONTINUED)</b>			
<i>Navistar</i>			
To 60-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANE AXLE CONFIGURATION	40PPU	\$10,000	
To 60-Month/300,000 Miles (480,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANE AXLE CONFIGURATION	40PPV	\$11,000	
To 84-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANE AXLE CONFIGURATION	40PPY	\$10,500	
To 84-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP	40PPZ	\$12,050	
<i>(SEE NEXT PAGE)</i>			





# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<p><b>SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)</b></p> <p><i>Navistar</i></p> <p>N/A: Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ,            40MGA and 40MGB SRV CONTRACT, EXT            STARTER/ALT            : SRV CONTRACT, EXT ELECTRICAL            : SRV CONTRACT, EXT COOLING SYS            : Code 01ANE AXLE CONFIGURATION</p> <p>To 84-Month/200,000 Miles (320,000 km), Excludes            Extended Warranty for Engine and Transmission,            for Rear Axle Rating of 52,000 lbs or less            N/A: SRV CONTRACT, EXT HTR/AC SYS            : Code 40EUA, 40EUB and 40EUC SRV CONTRACT,            EXT CAB            : Code 40EUD, 40EUE and 40EUG SRV CONTRACT,            EXT FRAME            : SRV CONTRACT, EXT MAJOR COMP            : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ,            40MGA and 40MGB SRV CONTRACT, EXT            STARTER/ALT            : SRV CONTRACT, EXT ELECTRICAL            : SRV CONTRACT, EXT COOLING SYS            : Code 01ANE AXLE CONFIGURATION</p> <p>To 84-Month/250,000 Miles (400,000 km), Excludes            Extended Warranty for Engine and Transmission,            for Rear Axle Rating of 52,000 lbs or less            N/A: SRV CONTRACT, EXT HTR/AC SYS            : Code 40EUA, 40EUB and 40EUC SRV CONTRACT,            EXT CAB            : Code 40EUD, 40EUE and 40EUG SRV CONTRACT,            EXT FRAME            : SRV CONTRACT, EXT MAJOR COMP            : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ,            40MGA and 40MGB SRV CONTRACT, EXT            STARTER/ALT            : SRV CONTRACT, EXT ELECTRICAL            : SRV CONTRACT, EXT COOLING SYS            : Code 01ANE AXLE CONFIGURATION</p> <p>To 84-Month/400,000 Miles (640,000 km), Excludes            Extended Warranty for Engine and Transmission,            for Rear Axle Rating of 52,000 lbs or less            N/A: SRV CONTRACT, EXT HTR/AC SYS            : Code 40EUA, 40EUB and 40EUC SRV CONTRACT,            EXT CAB            : Code 40EUD, 40EUE and 40EUG SRV CONTRACT,            EXT FRAME            : SRV CONTRACT, EXT MAJOR COMP            : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ,            40MGA and 40MGB SRV CONTRACT, EXT            STARTER/ALT            : SRV CONTRACT, EXT ELECTRICAL            : SRV CONTRACT, EXT COOLING SYS            : Code 01ANE AXLE CONFIGURATION</p>	<p>40PPZ</p> <p>40PRA</p> <p>40PRB</p> <p>40PRC</p>	<p></p> <p>\$13,600</p> <p>\$15,000</p> <p>\$19,500</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT	
	CODE	HV513 SFA
<b>BDY INTG, REMOTE POWER MODULE</b>  (02) Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 2 Switch Packs with Latched Switches REQS: Code 14RAA or 14RAB AXLE, LIFT, CONTROLS N/A: Code 13WYH TRANSMISSION TCM LOCATION, when in combination with Code 60AAM BDY INTG, POWER MODULE AUX : Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 60AAM BDY INTG, POWER MODULE AUX : Code 16SBA BUNK, LOWER AVAIL: Code 08WSK SWITCH, BODY CIRCUITS, REAR	60AAH	\$1,480
(02) Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Module with Switch Pack Containing 6 Latched Switches, 1 Module with Hardware Only REQS: Code 14RAA AXLE, LIFT, CONTROLS N/A: Code 13WYH TRANSMISSION TCM LOCATION, when in combination with Code 60AAM BDY INTG, POWER MODULE AUX : Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 60AAM BDY INTG, POWER MODULE AUX : Code 16SBA BUNK, LOWER AVAIL: Code 08WTJ SWITCH, BODY CIRCUITS, REAR	60AAK	\$1,430
(02) Mounted Under Cab or On Battery Box, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 2 Switch Packs with Latched Switches N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID	60AAB	\$1,380
(02) Mounted Under Cab or On Battery Box, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Module with Switch Pack Containing 6 Latched Switches, 1 Module with Hardware Only N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID	60AAD	\$1,330
(03) Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 3 Switch Packs with Latched Switches REQS: Code 14RAA AXLE, LIFT, CONTROLS N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR : Code 60AAM BDY INTG, POWER MODULE AUX : Code 16SBA BUNK, LOWER	60AAJ	\$2,170



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

<b>ITEM DESCRIPTION</b>	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
	<b>CODE</b>	<b>HV513 SFA</b>	
<b>BDY INTG, REMOTE POWER MODULE (CONTINUED)</b>			
(03) Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 3 Modules with Hardware Only REQS: Code 14RAA AXLE, LIFT, CONTROLS N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR : Code 60AAM BDY INTG, POWER MODULE AUX : Code 16SBA BUNK, LOWER	60AAL	\$2,020	
(03) Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 2 Modules with Switch Packs Containing 6 Latched Switches, 1 Module with Hardware Only N/A: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM, 14RAR, 14RAV and 14RAW AXLE, LIFT, CONTROLS : Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR : Code 60AAM BDY INTG, POWER MODULE AUX : Code 16SBA BUNK, LOWER	60AAP	\$2,120	
Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Switch Pack with Latched Switches N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR : Code 60AAM BDY INTG, POWER MODULE AUX : Code 16SBA BUNK, LOWER	60AAG	\$790	
Mounted Under Cab or On Battery Box, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Switch Pack with Latched Switches N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID	60AAA	\$690	
<b>BDY INTG, ADDITIONAL CAB HOLE</b>			
for Customer Use N/A: Code 13WYH TRANSMISSION TCM LOCATION	60AAT	\$50	
<b>BDY INTG, DASH IND LT TRICOLOR</b>			
(1) for Optional Usage Customer to Program	60AKY	\$98	
(10) for Optional Usage Customer to Program	60ALJ	\$440	

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-391**

**SUBJECT TO CHANGE WITHOUT NOTICE**



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<b>BDY INTG, DASH IND LT TRICOLOR</b> (CONTINUED)  (11) for Optional Usage Customer to Program  (12) for Optional Usage Customer to Program  (2) for Optional Usage Customer to Program  (3) for Optional Usage Customer to Program  (4) for Optional Usage Customer to Program  (5) for Optional Usage Customer to Program  (6) for Optional Usage Customer to Program  (7) for Optional Usage Customer to Program  (8) for Optional Usage Customer to Program  (9) for Optional Usage Customer to Program	60ALK  60ALL  60AKZ  60ALA  60ALB  60ALC  60ALD  60ALE  60ALG  60ALH	\$484  \$528  \$116  \$133  \$176  \$220  \$266  \$308  \$352  \$396	
<b>BDY INTG, HEADLIGHTS, WIG WAG</b>  High Beam Wig Wag with Park Brake Interlock, Park Brake Disables High Beam Wig Wag, Enables Low Beam Wig Wag  High Beam Wig Wag with Park Brake Interlock, Park Brake Disables Wig Wag	60AKL  60AKK	\$268  \$268	
<b>BDY INTG, INDICATOR LIGHTS</b> NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE  (02) 1 for Gate Open and 1 for Rear Alert, Includes Audible Alarm, Programmable Mode for Various Switch Action (requires 2 Remote Power Module inputs) REQ: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE  N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60AJC	\$89	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<p><b>BDY INTG, INDICATOR LIGHTS</b> (CONTINUED)            NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE</p> <p>(02) 1 for Body Up, 1 for Gate Open, Includes Audible Alarm, Programmable Mode for Various Switch Actions. (Requires 2 Remote Power Module Inputs)            REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE            N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID                  : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR</p> <p>(02) 1 for Boom Out of Stow, 1 for Outriggers Deployed, Includes Audible Alarm and Interlock to Parking Brake, Programmable Mode for Various Switch Actions (requires 2 Remote Power Module inputs)            REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE            N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID                  : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR</p>	60AJK	\$89	
	60AJD	\$89	
<p><b>BDY INTG, I/O EXP HARNESS</b></p> <p>- for Diamond Logic Builder -            In-Cab wire harness (DLB) program only, Includes a harness with five blunt cut wires routed on lower left of instrument panel. Two ground active inputs and two (.5Amp) relay drivers outputs are provided            N/A: Code 60ACX BDY INTG, THEFT DETERRENT SYS                  : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP            AVAIL: Code 08TMH SWITCH, AUXILIARY</p>	60ACW	\$77	
<p><b>BDY INTG, POWER MODULE AUX</b></p> <p>(1) Mounted on the Driver's Side Frame Rail at Rear of Frame; Up to 6 Outputs &amp; 6 Inputs, Max. 20 Amp. per Channel, Max. 80 Amp. Total            AVAIL: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID                  : Code 60AAA, 60AAB and 60AAD BDY INTG, REMOTE POWER MODULE</p>	60AAM	\$715	



# HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<i><b>ITEM DESCRIPTION</b></i>	<i><b>CODE</b></i>	<i><b>HV513 SFA</b></i>	
<p><b>BDY INTG, PTO ACCOMMODATION</b> NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE</p> <p>for Electric over Air, Clutched PTO Engagement and Disengagement, Does not Include Air Solenoid, with Latched Switch Mounted on Dash, Includes Audible Alarm and Indicator Light in Gauge Cluster (requires 1 Remote Power Module Input &amp; 1 Output) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 16WLM HOURMETER, PTO : Code 13XAA PTO CONTROL, DASH MOUNTED</p> <p>for Monitoring Cable Shift Engaged PTO, with Indicator Light and Audible Alarm in Gauge Cluster (requires 1 Remote Power Module input) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 16WLM HOURMETER, PTO : Code 13XAA PTO CONTROL, DASH MOUNTED</p> <p>for Electric over Hydraulic PTO, Does Not Include Solenoids, with Latched Switch Mounted on Dash Includes Audible Alarm and Indicator Light in Gauge Cluster (Requires 1 Remote Power Module input &amp; 1 output) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 16WLM HOURMETER, PTO : Code 13XAA PTO CONTROL, DASH MOUNTED</p> <p>Accommodation for Electric over Air, Non Clutched PTO Engagement and Disengagement, Does not Include Air Solenoid, with Momentary Switch Mounted on Dash, Includes Audible Alarm and Indicator Light in Gauge Cluster (requires 1 Remote Input Power Module Input &amp; 1 Output) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 16WLM HOURMETER, PTO : Code 13XAA PTO CONTROL, DASH MOUNTED</p>	<p>60ABL</p> <p>60ABA</p> <p>60ABE</p> <p>60ABK</p>	<p>\$25</p> <p>\$25</p> <p>\$25</p> <p>\$25</p>	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV513 SFA	
<p><b>BDY INTG, PTO ACCOMMODATION</b> (CONTINUED)            NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE</p> <p>for (3) Latched Rocker Switches, (1) PTO Switch, (2) Generic Switches to Control (3) 30 amp relays, with Programmable Interlocks, for Body Builder Hook up in the Engine Compartment Left Side, Recommended for Automatic Transmissions            N/A: JUNCTION BLOCK or Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED or Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS            : Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID            : Code 13XAA PTO CONTROL, DASH MOUNTED</p>	60AKG	\$148	
<p><b>BDY INTG, REMOTE START/STOP</b></p> <p>To Start and Stop Vehicle Engine            N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : GAUGE, OIL TEMP, REAR AXLE or VIRTUAL GA,OIL TEMP,REAR AXLE            : Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE : TRANSMISSION, MANUAL            : Code 08XKM SWITCH, AIR HORN, PASSENGER : Code 60ACW BDY INTG, I/O EXP HARNESS            : Code 12VAG and 12VAL AIR CLEANER            AVAIL: Code 08WEX AUXILIARY HARNESS : Code 08TMH SWITCH, AUXILIARY</p> <p>To Start and Stop Vehicle Engine, Will Start Emergency Pump Motor, Programmable Time Intervals            N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : GAUGE, OIL TEMP, REAR AXLE or VIRTUAL GA,OIL TEMP,REAR AXLE            : Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE : TRANSMISSION, MANUAL            : Code 08XKM SWITCH, AIR HORN, PASSENGER : Code 60ACW BDY INTG, I/O EXP HARNESS            : Code 12VAG and 12VAL AIR CLEANER            AVAIL: Code 08WEX AUXILIARY HARNESS : Code 08TMH SWITCH, AUXILIARY</p>	60ABC	\$563	
<p><b>BDY INTG, RPM I/O HARNESS</b></p> <p>Includes a Harness with Six Input Blunt Cut Wires and Six Output Blunt Cut Wires, for use with one RPM            REQS: Code 60AAA or 60AAG BDY INTG, REMOTE POWER MODULE</p> <p>Includes Two Harnesses with Six Input Blunt Cut Wires and Six Output Blunt Cut Wires, for use with Two RPM            REQS: Code 08VZS SWITCH, BODY CIRCUITS, MID or Code 60AAB, 60AAD, 60AAH or 60AAK BDY INTG, REMOTE POWER MODULE</p>	60ABM	\$40	
	60ABN	\$62	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<p><b>BDY INTG, SWITCH DUAL OUTPUT</b>            NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE</p> <p>2 Position Latched Rocker, Backlit, with "ON" Indicator Mounted on Dash, for 1; Auxiliary Load 40 amp Maximum; Power Available Only in "Ignition" or "Accessory" Position; Controls 2 Remote Power Modules (requires 2 Remote Power Module outputs)            REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK or 60AAP BDY INTG, REMOTE POWER MODULE            N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID            : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR</p>	60ACE	\$25	
<p><b>BDY INTG, SWITCH, INTERLOCKED</b>            NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE</p> <p>(02) 2 Position Latched Rockers, Backlit, with "ON" Indicator Mtd on Dash, for 2; Auxiliary Load each 20 amp Maximum; Outputs will Disengage when Vehicle Exceeds 30 MPH, Programmable; Power Available Only in "Ignition" or "Accessory" Position (requires 2 Remote Power Module outputs)            REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE            N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID            : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR</p> <p>2 Position Latched Rocker, Backlit, with "ON" Indicator Mounted on Dash for 1; Auxiliary Load 20 amp Maximum; Output will disengage when Vehicle Exceeds 30 MPH, Programmable; Power Available Only in "Ignition" or "Accessory" Position (requires 1 Remote Power Module output)            REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE            N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID            : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR</p>	60ACH	\$25	
	60ACG	\$25	





## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV513 SFA	
<p><b>BDY INTG, SWITCH MOMNTRY 3POS</b></p> <p>NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE</p> <p>(03) Rocker, Backlit, with "ON" Indicator Mounted on Dash, Latching Software, for 3; Auxiliary Load 20 amp. Maximum; Power Available Only in "Ignition" or "Accessory" Position, Output Also Controlled by a Customer Remote Mounted Switch (requires 3 Remote Power Module inputs &amp; 3 outputs)</p> <p>REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE</p> <p>N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID</p> <p>: Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR</p>	60ACU	\$25	
<p>Rocker, Backlit, with "ON" Indicator Mounted on Dash, Latching Software, for 1; Auxiliary Load 20 amp. Maximum; Power Available Only in "Ignition" or "Accessory" Position, Output Also Controlled by a Customer Remote Mounted Switch (requires 1 Remote Power Module input &amp; 1 output)</p> <p>REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE</p> <p>N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID</p> <p>: Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR</p>	60ACS	\$25	
<p>Rocker, Backlit, with "ON" Indicator Mounted on Dash, Latching Software, for 2; Auxiliary Load 20 amp. Maximum; Power Available Only in "Ignition" or "Accessory" Position, Output Also Controlled by a Customer Remote Mounted Switch (requires 2 Remote Power Module inputs &amp; 2 outputs)</p> <p>REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE</p> <p>N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID</p> <p>: Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR</p>	60ACT	\$25	
<p><b>BDY INTG, THEFT DETERRENT SYS</b></p> <p>Includes one (1) Switch Pack of Six Momentary Switches</p> <p>N/A: Code 60ACW BDY INTG, I/O EXP HARNESS</p> <p>AVAIL: Code 08THJ AUXILIARY HARNESS</p> <p>: Code 08TMH SWITCH, AUXILIARY</p>	60ACX	\$430	



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>TIRES</b>			
<b>Goodyear</b>			
11R22.5 LR-G ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7372138132	<b>STD</b>	
11R22.5 LR-G G622 RSD 497 rev/mile 75 MPH Drive-Position	7372138102	\$72	+5
11R22.5 LR-G G572 1AD 496 rev/mile 75 MPH Drive-Position	7372138121	\$133	+1
11R22.5 LR-H G751 MSA 497 rev/mile 68 MPH All-Position	7382138123	\$296	+17
11R22.5 LR-H G731 MSA 497 rev/mile 68 MPH All-Position	7382138124	\$315	+17
11R22.5 LR-H G751 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138125	\$391	+23
11R22.5 LR-H G731 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138126	\$413	+22
11R22.5 LR-H FUEL MAX RSA 497 rev/mile 75 MPH All-Position	7382138131	\$18CR	-5
11R22.5 LR-H ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7382138132	\$163	0
11R22.5 LR-H ARMOR MAX MSD 493 rev/mile 68 MPH Drive-Position	7382138133	\$124	+20
11R22.5 LR-H ARMOR MAX MSD DURASEAL 493 rev/mile 68 MPH Drive-Position	7382138134	\$270	+26
12R22.5 LR-H G622 RSD 482 rev/mile 75 MPH Drive-Position	7382158102	\$271	+18
12R22.5 LR-H G282 MSD 481 rev/mile 75 MPH Drive-Position	7382158105	\$241	+30
12R22.5 LR-H G751 MSA 483 rev/mile 68 MPH All-Position	7382158123	\$398	+29
12R22.5 LR-H ENDURANCE RSA 482 rev/mile 75 MPH All-Position	7382158132	\$241	+21
12R22.5 LR-H ARMOR MAX MSD 478 rev/mile 68 MPH Drive-Position	7382158133	\$413	+33
295/75R22.5 LR-G G572 1AD 513 rev/mile 75 MPH Drive-Position	7702498121	\$25	+1
<b>* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE</b>			

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-398**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>TIRES</b> (CONTINUED)			
<i>Goodyear</i>			
295/75R22.5 LR-G FUEL MAX RSA 510 rev/mile 75 MPH All-Position	7702498131	\$18	-7
295/75R22.5 LR-G ENDURANCE RSA 512 rev/mile 75 MPH All-Position	7702498132	\$124	-4
295/75R22.5 LR-H ENDURANCE LHS 514 rev/mile 75 MPH All-Position	7762498136	\$195	-11
255/70R22.5 LR-H ENDURANCE RSA 566 rev/mile 81 MPH All-Position	7752528132	\$77	-28
315/80R22.5 LR-J UNISTEEL G291 491 rev/mile 75 MPH All-Position	7702540190	\$522	+11
315/80R22.5 LR-L UNISTEEL G291 491 rev/mile 68 MPH All-Position	7772540190	\$509	+12
315/80R22.5 LR-L G751 MSA 484 rev/mile 68 MPH All-Position	7772548123	\$507	+33
315/80R22.5 LR-L G751 MSA DURASEAL 484 rev/mile 68 MPH All-Position	7772548125	\$807	+41
315/80R22.5 LR-L G289 WHA 484 rev/mile 68 MPH All-Position	7782548109	\$491	+28
275/70R22.5 LR-J ENDURANCE RSA 547 rev/mile 75 MPH All-Position	7792578132	\$208	-18
385/65R22.5 LR-J G296 MSA 488 rev/mile 68 MPH All-Position	7702658113	\$235CR	+48
425/65R22.5 LR-L G296 MSA 468 rev/mile 68 MPH All-Position	7752668113	\$81CR	+67
445/65R22.5 LR-L G296 MSA 457 rev/mile 68 MPH All-Position	7702678113	\$731	+85
445/65R22.5 LR-L G278 MSD 453 rev/mile 68 MPH Drive-Position	7702678130	\$114	+101
11R24.5 LR-H G182 RSD 473 rev/mile 75 MPH Drive-Position	7384220121	\$372	+21
11R24.5 LR-H G282 MSD 475 rev/mile 75 MPH Drive-Position	7384228105	\$654	+24
11R24.5 LR-H G751 MSA 474 rev/mile 68 MPH All-Position	7384228123	\$368	+22
11R24.5 LR-H FUEL MAX RSA 474 rev/mile 75 MPH All-Position	7384228131	\$25CR	+4
<b>* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE</b>			

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-399**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>	
<b>TIRES</b>		<b>HV513 SFA</b>	
(CONTINUED)			
<b>Goodyear</b>			
11R24.5 LR-H ARMOR MAX MSD 471 rev/mile 68 MPH Drive-Position	7384228133	\$181	+28
12R24.5 LR-H UNISTEEL G177 457 rev/mile 68 MPH Drive-Position	7384240162	\$516	+43
12R24.5 LR-H G751 MSA 461 rev/mile 68 MPH All-Position	7384248123	\$485	+39
11.25X24 LR-D IMPLEMENT RIB 480 rev/mile 30 MPH All-Position	6104180115	\$32	-33
<b>Continental Tire</b>			
11R22.5 LR-G HSR2 498 rev/mile 75 MPH All-Position	7372135415	\$4CR	0
11R22.5 LR-G HDR2 491 rev/mile 75 MPH Drive-Position	7372135423	\$52	+15
11R22.5 LR-G HYBRID HD3 493 rev/mile 75 MPH Drive-Position	7372135428	\$17	+9
11R22.5 LR-G HDR2 ECO PLUS 491 rev/mile 75 MPH Drive-Position	7372135434	\$68	+15
11R22.5 LR-H HDO 490 rev/mile 68 MPH Drive-Position	7382135413	\$192	+3
11R22.5 LR-H HDL2 DL 491 rev/mile 75 MPH Drive-Position	7382135417	\$131	+18
11R22.5 LR-H HDR2 491 rev/mile 75 MPH Drive-Position	7382135423	\$51	+15
11R22.5 LR-H HDW2 495 rev/mile 75 MPH Drive-Position	7382135430	\$70	+14
11R22.5 LR-H HDL2 493 rev/mile 75 MPH Drive-Position	7382135432	\$25CR	+6
11R22.5 LR-H HSC 3 496 rev/mile 68 MPH All-Position	7382135438	\$213	+16
11R22.5 LR-H HDC 3 492 rev/mile 68 MPH Drive-Position	7382135440	\$294	+24
12R22.5 LR-H HSR2 483 rev/mile 75 MPH All-Position	7382155415	\$19	+12
12R22.5 LR-H HSC1 482 rev/mile 75 MPH All-Position	7382155419	\$197	+17
<b>* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE</b>			

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-400**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>TIRES</b> (CONTINUED)			
<i>Continental Tire</i>			
12R22.5 LR-H HDR2 479 rev/mile 75 MPH Drive-Position	7382155423	\$256	+27
12R22.5 LR-H HDC1 479 rev/mile 68 MPH Drive-Position	7392155420	\$392	+31
295/75R22.5 LR-G HDR2 509 rev/mile 75 MPH Drive-Position	7702495423	\$31	+7
295/75R22.5 LR-G HDR2 ECO PLUS 509 rev/mile 75 MPH Drive-Position	7702495434	\$22	+8
295/75R22.5 LR-G HSR 3 514 rev/mile 75 MPH All-Position	7702495439	\$99	0
295/75R22.5 LR-H ECOPLUS HS3 519 rev/mile 75 MPH All-Position	7792495429	\$137	-1
295/75R22.5 LR-H HSR 3 514 rev/mile 75 MPH All-Position	7792495439	\$134	+5
275/80R22.5 LR-G HSR2 518 rev/mile 75 MPH All-Position	7772535415	\$26CR	-5
275/80R22.5 LR-H HSR2 518 rev/mile 75 MPH All-Position	7792535415	\$4	-4
315/80R22.5 LR-L HAU 3 WT 480 rev/mile 68 MPH All-Position	7792545437	\$466	+41
315/80R22.5 LR-L HSC 3 481 rev/mile 68 MPH All-Position	7792545438	\$481	+45
385/65R22.5 LR-L HAC 3 479 rev/mile 68 MPH All-Position	7792655441	\$140CR	+49
425/65R22.5 LR-L HAC 3 465 rev/mile 68 MPH All-Position	7752665441	\$74CR	+66
11R24.5 LR-G HDL2 470 rev/mile 75 MPH Drive-Position	7374225432	\$12	+12
11R24.5 LR-H HSR2 476 rev/mile 75 MPH All-Position	7384225415	\$68	+9
11R24.5 LR-H HDL2 DL 468 rev/mile 75 MPH Drive-Position	7384225417	\$125	+29
11R24.5 LR-H HDR2 468 rev/mile 75 MPH Drive-Position	7384225423	\$116	+25
11R24.5 LR-H HDL2 DL ECO PLUS 468 rev/mile 75 MPH Drive-Position	7384225425	\$218	+28
<b>* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE</b>			

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-401**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	<b>MODEL/SUGGESTED LIST PRICE/WEIGHT</b>		
<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	<b>NOTE: WEIGHTS - FRONT/REAR</b>
<b>TIRES</b> (CONTINUED)			
<i>Continental Tire</i>			
11R24.5 LR-H ECOPLUS HS3 472 rev/mile 75 MPH All-Position	7384225429	\$26CR	+17
11R24.5 LR-H HSC 3 472 rev/mile 68 MPH All-Position	7384225438	\$206	+21
285/75R24.5 LR-G HDL2 DL 490 rev/mile 75 MPH Drive-Position	7704305417	\$232	+15
<i>Hankook Tire</i>			
10R22.5 LR-G AH37 517 rev/mile 75 MPH All-Position	7372115809	\$63CR	-19
11R22.5 LR-G AH37 501 rev/mile 75 MPH All-Position	7372135809	\$107CR	+1
11R22.5 LR-G DH37 498 rev/mile 75 MPH Drive-Position	7372135810	\$84CR	+8
11R22.5 LR-H AH37 499 rev/mile 75 MPH All-Position	7382135809	\$80CR	+1
295/75R22.5 LR-G AH37 513 rev/mile 75 MPH All-Position	7702495809	\$140CR	-7
295/75R22.5 LR-G DH37 509 rev/mile 75 MPH Drive-Position	7702495810	\$76CR	+2
<i>Michelin</i>			
11R22.5 LR-G XZE2 501 rev/mile 75 MPH All-Position	7472133269	\$137	-2
11R22.5 LR-G X LINE ENERGY Z 502 rev/mile 75 MPH All-Position	7472133286	\$46	-3
11R22.5 LR-H XDN2 497 rev/mile 75 MPH Drive-Position	7482133264	\$353	+12
11R22.5 LR-H XZE2 501 rev/mile 75 MPH All-Position	7482133269	\$235	+5
11R22.5 LR-H X WORKS XDY 493 rev/mile 75 MPH Drive-Position	7482133281	\$420	+33
11R22.5 LR-H X LINE ENERGY Z 503 rev/mile 75 MPH All-Position	7482133286	\$162	-3
11R22.5 LR-H X WORKS Z 495 rev/mile 65 MPH All-Position	7482133287	\$458	+13
<b>* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE</b>			



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>TIRES</b> (CONTINUED)			
<i>Michelin</i>			
12R22.5 LR-H XZE 486 rev/mile 75 MPH All-Position	7482153253	\$630	+19
12R22.5 LR-H XDN2 483 rev/mile 75 MPH Drive-Position	7482153264	\$626	+27
12R22.5 LR-H X WORKS Z 483 rev/mile 65 MPH All-Position	7482153287	\$486	+30
295/80R22.5 LR-H XZA2 ENERGY 503 rev/mile 75 MPH All-Position	7682483273	\$310	+5
255/70R22.5 LR-H XZE 563 rev/mile 75 MPH All-Position	7652523253	\$178	-26
275/80R22.5 LR-G XZE2 517 rev/mile 75 MPH All-Position	7602533269	\$214	-7
275/80R22.5 LR-G X MULTI ENERGY D 514 rev/mile 75 MPH Drive-Position	7602533280	\$336	+6
275/80R22.5 LR-H XZE 516 rev/mile 75 MPH All-Position	7682533253	\$286	-8
275/80R22.5 LR-H X MULTI ENERGY Z 515 rev/mile 75 MPH All-Position	7682533285	\$332	-4
275/80R22.5 LR-H X LINE ENERGY Z 517 rev/mile 75 MPH All-Position	7682533286	\$84	-6
315/80R22.5 LR-L X WORKS Z 485 rev/mile 65 MPH All-Position	7652543287	\$2,547	+42
315/80R22.5 LR-L X MULTIWAY 3D XZE 488 rev/mile 75 MPH All-Position	7652548202	\$621	+33
315/80R22.5 LR-L XZU-S2 488 rev/mile 65 MPH All-Position	7682543212	\$1,020	+42
385/65R22.5 LR-J XZY-3 491 rev/mile 65 MPH All-Position	7602653208	\$176CR	+57
425/65R22.5 LR-L XZY-3 465 rev/mile 65 MPH All-Position	7652663208	\$39CR	+89
11R24.5 LR-G XZE2 476 rev/mile 75 MPH All-Position	7474223269	\$293	+6
<i>Bridgestone</i>			
11R22.5 LR-G M770 492 rev/mile 75 MPH Drive-Position	7372139043	\$268	+9
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

**HV513 SFA**

**SECTION 410**

**PRICES EFFECTIVE 01/01/2020**

**PLH-284 REVISION NO. 40**

**PAGE 410-403**

**SUBJECT TO CHANGE WITHOUT NOTICE**

Printed in the United States of America

All Taxes Extra, When Applicable



## HV513 SFA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT**  
**NOTE: WEIGHTS - FRONT/REAR**

<b>ITEM DESCRIPTION</b>	<b>CODE</b>	<b>HV513 SFA</b>	
<b>TIRES</b> (CONTINUED)			
<i><b>Bridgestone</b></i>			
295/75R22.5 LR-G M726ELA 507 rev/mile 75 MPH Drive-Position	7702499003	\$281	+10
295/75R22.5 LR-G M770 506 rev/mile 75 MPH Drive-Position	7702499043	\$85	+8
295/75R22.5 LR-G R268 ECOPIA 515 rev/mile 75 MPH All-Position	7702499059	\$95	-3
295/75R22.5 LR-G M760 ECOPIA 511 rev/mile 75 MPH Drive-Position	7702499060	\$149	+5
295/75R22.5 LR-G R284 ECOPIA 516 rev/mile 75 MPH All-Position	7702499067	\$177	-7
295/75R22.5 LR-H R284 ECOPIA 516 rev/mile 75 MPH All-Position	7762499067	\$262	-7
425/65R22.5 LR-L M864 463 rev/mile 68 MPH All-Position	7752669068	\$189	+69
11R24.5 LR-H M726ELA 470 rev/mile 75 MPH Drive-Position	7384229003	\$479	+24
11R24.5 LR-H M843 468 rev/mile 65 MPH All-Position	7384229052	\$409	+29
11R24.5 LR-H R268 ECOPIA 477 rev/mile 75 MPH All-Position	7384229059	\$298	+11
11R24.5 LR-H R284 ECOPIA 482 rev/mile 75 MPH All-Position	7384229067	\$501	+3
285/75R24.5 LR-G M726ELA 492 rev/mile 75 MPH Drive-Position	7704309003	\$231	+14
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			