



HV613 SBA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- A -			
ACCESS, CAB.....	16ZBT		303
- Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab			
ACCESS, CAB AND FRAME.....			304
ACCESSORY WIRING, SPECIAL.....			110
AFTERTREATMENT COVER.....			65
AIR BRAKE ABS.....	04AZA		26
- Bendix - AntiLock Brake System Full Vehicle Wheel Control System (4-Channel)			
AIR CLEANER.....	12VBC		114
- Single Element			
AIR COMPRESSOR.....	04SPM		47
- Bendix - BA-921 Head Unload - 15.9 CFM			
AIR COMPRESSOR DISCHARGE LINE.....			47
AIR CONDITIONER.....			306
AIR DRYER.....			47
AIR DRYER LOCATION.....	04VKC		48
- Mounted Inside Left Rail, Back of Cab			
AIR SUPPLY, AUXILIARY.....			56
AIR TANK.....			52
AIR TANK LOCATION.....	04VKJ		52
- (02) Mounted Under Battery Box, Outside Left Rail, Back of Cab, Perpendicular to Rail			
ALARM, PARK BRAKE, TIMER.....			67
ALARM, PARKING BRAKE.....			67
ALLISON SPARE INPUT/OUTPUT.....			166
ALTERNATOR.....	08GXJ		67
- Leece-Neville - AVI160P2013 - Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount			
ANTI-FREEZE.....	12703	No Opt	115
- Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection			
ANTI-SIPHON DEVICE.....			295
ARM REST, LEFT, PASSENGER SEAT.....			306
ARM REST, RIGHT, DRIVER SEAT.....			307



HV613 SBA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- A -			
AUTOMATIC CLIMATE CONTROL.....			307
AUTOMATIC NEUTRAL.....			168
AUXILIARY HARNESS.....			68
AXLE CONFIGURATION.....	01ANA		1
- Navistar 4x2			
AXLE SHAFT MODIFICATION.....			271
AXLE SPACING, FIRST PUSHER.....			264
AXLE SPACING, SECOND PUSHER.....			265
AXLE SPACING, TAG.....			267
AXLE SPACING, THIRD PUSHER.....			265
AXLE, FRONT NON-DRIVING.....	02ARW		15
- Meritor - MFS-12-143A - Wide Track, I-Beam Type, 12,000-lb Capacity			
AXLE, LIFT, CONTROLS.....			267
AXLE, PUSHER, LIFT TYPE.....			255
AXLE, PUSHER, LIFT TYPE, ID.....			264
AXLE, REAR, LIFT, LUBE.....			270
AXLE, REAR, LUBE.....			270
AXLE, REAR, SINGLE.....	14051		176
- Meritor - RS-23-160 - Single Reduction, 23,000-lb Capacity, 200 Wheel Ends			
AXLE, REAR, TANDEM.....			195
AXLE, REAR, TRIDEM.....			212
AXLE, TAG, LIFT TYPE.....			265
- B -			
BACK-UP ALARM.....			68
BATTERY BOX.....	08VUL		68
- Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Cab			
BATTERY BOX COVER.....			75
BATTERY CABLES.....			75



HV613 SBA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- B -			
BATTERY DISCONNECT SWITCH			76
BATTERY SYSTEM	08MSG		77
- Fleetrite Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud			
BATTERY TERMINALS			78
BDY INTG, ADDITIONAL CAB HOLE			408
BDY INTG, DASH IND LT TRICOLOR			408
BDY INTG, HEADLIGHTS, WIG WAG			409
BDY INTG, I/O EXP HARNESS			410
BDY INTG, INDICATOR LIGHTS			409
BDY INTG, POWER MODULE AUX			410
BDY INTG, PTO ACCOMMODATION			410
BDY INTG, REMOTE POWER MODULE			406
BDY INTG, REMOTE START/STOP			411
BDY INTG, RPM I/O HARNESS			412
BDY INTG, SWITCH DUAL OUTPUT			412
BDY INTG, SWITCH MOMNTRY 3 POS			413
BDY INTG, SWITCH, INTERLOCKED			413
BDY INTG, THEFT DETERRENT SYS			414
BEACON MOUNTING BRACKET			78
BLOCK HEATER, ENGINE			115
BODY BUILDER WIRING			78
BRAKE ATTACHMENT			46
BRAKE CHAMBERS, ADDITIONAL			45
BRAKE CHAMBERS, FRONT AXLE			34
BRAKE CHAMBERS, REAR AXLE			42
BRAKE CHAMBERS, SPRING			43
BRAKE DRUMS, FRONT			370
BRAKE DRUMS, REAR			370



HV613 SBA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- B -			
BRAKE IDENTITY, R E A R.....			36
BRAKE LININGS, R E A R.....			43
BRAKE PACKAGE, F R O N T.....	04WEZ		31
- Bendix Spicer - ADB22X - Air, Disc Type, Extended Service; Size 22.5"			
BRAKE PACKAGE, R E A R.....	04WEY		35
- Bendix Spicer - ADB22X - Air, Disc Type, Extended Service; Size 22.5"			
BRAKE SHOES, R E A R.....			45
BRAKE SYSTEM, A I R.....	04091		23
- Dual System for Straight Truck Applications			
BRAKES, A I R C A M, P U S H E R A X L E.....			56
BRAKES, A I R C A M, T A G A X L E.....			57
BRAKES, F R O N T, A I R C A M.....			33
BRAKES, F R O N T, A I R D I S C.....	04JBZ		32
- 22.5 Dia, Includes 18" Sq. In. Brake Chambers			
BRAKES, R E A R, A I R C A M.....			39
BRAKES, R E A R, A I R D I S C.....	04JCC		36
- 22.5 Dia, Includes 18/24" Sq. In. Brake Chambers			
B U G D E F L E C T O R.....			93
B U G S C R E E N.....			93
B U M P E R E X T E N S I O N, F R O N T.....			7
B U M P E R, F R O N T.....	01LLA		8
- Swept Back, Steel, Heavy Duty			
B U N K, L O W E R.....			307
B U S H I N G S, E Q U A L I Z E R B E A M.....			271
- C -			
C A B.....	16030		300
- Conventional, Day Cab			
C A B I N T E R I O R T R I M.....	16VKB		307
- Classic, for Day Cab			
C A B I N T E R I O R T R I M A C C E N T.....			311



HV613 SBA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- C -			
CAB REAR SUSPENSION	16WSK		311
- Air Bag Type			
CAB SOUND INSULATION			312
CB RADIO			79
CHASSIS COATING			94
CIGAR LIGHTER			79
CIRCUIT BREAKERS	08XAH	No Opt	79
- Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses			
CLEARANCE/MARKER LIGHTS	08WPH	No Opt	80
- Truck Lite (05) Amber LED Lights, Flush Mounted on Cab or Sunshade			
CLUTCH	11001		108
- Omit Item (Clutch & Control)			
CLUTCH EFFECTS			110
CLUTCH HOUSING			168
COATING IDENTITY, FRONT WHEELS			371
COATING IDENTITY, REAR WHEELS			371
COLD STARTING EQUIPMENT			115
COLLISION MITIGATION SYSTEM			80
CONSOLE, CENTER			312
CONTROL VALVE, FRONT BRAKE			57
COOLANT FILTER			115
COURTESY LIGHT			80
COVER PLATE			312
COWL TRAY LID			312
CROSSMEMBER, FRONT			8
CROSSMEMBER, INTERMEDIATE			8
CROSSMEMBER, INTERMEDIATE LOC			9
CROSSMEMBER, REAR, AF			9
CROSSMEMBER, SUSPENSION			10



HV613 SBA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- C -			
CURTAIN, WINDSHIELD			312
CUSTOMER SERVICES			94
- D -			
DATA RECORDER			80
DECK PLATE			10
DEF TANK	15DYP		296
- 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab			
DEF TANK COVER			296
DIFF. SWITCH CONTROLS			272
DIFFERENTIAL, LOCKING			271
DISCONNECT, FRONT HARNESS			81
DOME LIGHT, CAB			81
DRAIN VALVE	04732		57
- Berg with Pull Chain, for Air Tank			
DRIVELINE SYSTEM	06DGR		60
- Dana Spicer 1810HD, for 4x2/6x2			
DUST SHIELDS, FRONT BRAKE			35
DUST SHIELDS, REAR BRAKE			46
- E -			
ELECTRIC TRAILER BRAKE/LIGHTS			81
ELECTRICAL SYSTEM	08000	No Opt	66
- 12-Volt, Standard Equipment			
ELECTRONIC VEHICLE MONITORING			313
EMISSION COMPLIANCE			116
ENGINE COMPRESSION BRAKE	07SDK		65
- by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch			
ENGINE CONTROL, REMOTE MOUNTED			116
ENGINE WATER COOLER			116



HV613 SBA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- E -			
ENGINE, DIESEL.....	12BDX		111
- International - A26 - EPA 2017, 365HP @ 1700 RPM, 1250 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 365 Peak HP (Max)			
EXHAUST HEIGHT.....			65
EXHAUST SYSTEM.....	07BKP		61
- Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Short Horizontal Tail Pipe, Frame Mounted Right Side Back of Cab			
- F -			
FAN DRIVE.....	12THT	No Opt	114
- Horton - Drivemaster - Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed			
FAN DRIVE SPECIAL EFFECTS.....			116
FAN OVERRIDE.....			116
FEDERAL EMISSIONS.....			117
FENDER EXTENSIONS.....	09585		93
- Rubber			
FIFTH WHEEL LOCATION.....			103
FIFTH WHEEL MOUNTING ANGLES.....			104
FIFTH WHEEL, AIR SLIDE.....			95
FIFTH WHEEL, STATIONARY.....			99
FIRE EXTINGUISHER.....			104
FIRE EXTINGUISHER BRACKET.....			105
FOG LIGHTS.....			81
FRAME EXTENSION, FRONT.....			11
FRAME RAILS.....	01CBU		3
- Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL			
FRAME RAILS WITH TAPERED REAR.....			11
FRAME REINFORCEMENT.....			7
FRAME, SPECIAL EFFECTS.....			12



HV613 SBA INDEX

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	STANDARD	OPT.	PAGE NO.
- F -			
FRESH AIR FILTER.....			313
FRONT END.....	09WBK		92
- Tilting, Fiberglass, with Three Piece Construction, Includes Long Hood			
FUEL COOLER.....			296
FUEL HEATER.....			296
FUEL TANK.....	15SRE		276
- Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 50 US Gal (189L), Mounted Left Side, Under Cab			
FUEL TANK CAP.....			296
FUEL TANK STRAPS.....			297
FUEL/WATER SEPARATOR.....	15LKU		297
- Racor Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor			
- G -			
GAUGE CLUSTER.....	16GDC		313
- Base Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 3 Inch Monochromatic Text Display			
GAUGE, AIR APPLICATION.....			314
GAUGE, AIR CLEANER RESTRICTION.....			314
GAUGE, AIR PRESSURE.....			314
GAUGE, LOAD INDICATING REAR.....			314
GAUGE, OIL TEMP, AUTO TRANS.....			315
GAUGE, OIL TEMP, ENGINE.....			315
GAUGE, OIL TEMP, MANUAL TRAN.....			315
GAUGE, OIL TEMP, REAR AXLE.....			315
GAUGE, TEMPERATURE, AMBIENT.....			315
GAUGE, VOLTMETER.....			316
GRAB HANDLE, ADDITIONAL EXT.....			317
GRAB HANDLE, CAB INTERIOR.....			317



HV613 SBA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- G -			
GRAB HANDLE, EXTERIOR.....			317
GREASE FITTINGS.....			110
GRILLE.....	09HBM		93
- Stationary, Chrome			
GRILLE EMBER SCREEN.....			93
- H -			
HAND CONTROL VALVE, AIR.....			58
HEADLIGHT WARNING BUZZER.....			82
HEADLIGHTS AUTO.....			82
HEADLIGHTS ON W/WIPERS.....			82
HEATER.....	16BAL	No Opt	317
HEATER HOSES.....			318
HEATER SHUT-OFF VALVES.....			318
HOOD, HATCH.....			93
HORN, AIR.....			82
HORN, ELECTRIC.....	08VAY		82
- Disc Style			
HOSE CLAMPS, HEATER HOSE.....			318
HOSE CLAMPS, RADIATOR HOSES.....			117
HOSE TENDER.....			58
HOURLY METER, PTO.....			318
HUB BRAND, FRONT.....			372
HUB MODIFICATIONS, REAR.....			372
HUB ODOMETER.....			105
HYDRAULIC RETARDER.....			168
- I -			
IGNITION SWITCH.....			82
INDICATOR, BATTERY WARNING.....			83



HV613 SBA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- I -			
INPUT SHAFT.....			169
INSTRUMENT PANEL.....	16XJN		318
- Flat Panel			
INSULATION, SPLASH PANELS.....			93
IP CLUSTER DISPLAY.....	16HKT		318
- On Board Diagnostics Display of Fault Codes in Gauge Cluster			
- J -			
JUMP START STUD.....			83
JUNCTION BLOCK.....			83
- K -			
KEYLESS ENTRY SYSTEM REMOTE.....			319
KEYS - ALL ALIKE.....			105
- L -			
LABEL, DEF.....			105
LANGUAGE IDENTITY.....			105
LICENSE PLATE HOLDER.....			14
LIGHT, WORK.....			83
LOCATION FUEL/WATER SEPARATOR.....			298
LOGOS EXTERIOR.....	09AAB		93
- Model Badges			
LOGOS EXTERIOR, ENGINE.....	09AAE		94
- Badges			
- M -			
MIRROR, CONVEX, HOOD MOUNTED.....			321
MIRROR, CONVEX, LOOK DOWN.....			319
MIRRORS.....	16SNL		319
- (02) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width			



HV613 SBA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- M -			
MODESTY P A N E L.....			322
MONITOR, TIRE PRESSURE.....			322
MOUNTING B R A C K E T S.....			322
MUD FLAP H O L D E R.....			105
MUD FLAPS, FRONT W H E E L S.....			106
MUD FLAPS, R E A R.....			106
MUFFLER/TAIL PIPE G U A R D.....			65
- N -			
NEUTRAL AT STOP.....	13WV	No Opt	169
<ul style="list-style-type: none"> - Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released 			
- O -			
OIL COOLER MANUAL TRANSMISSION.....			170
OIL COOLER, AUTO TRANSMISSION.....			169
OIL P A N.....			117
OVER THE AIR PROGRAMMING.....			106
- P -			
P A I N T C L A S S.....			106
P A I N T I D E N T I T Y, F R O N T W H E E L S.....			373
P A I N T I D E N T I T Y, P T - 2.....			106
P A I N T I D E N T I T Y, R E A R W H E E L S.....			373
P A I N T S C H E M A T I C, P T - 1.....	10060		107
<ul style="list-style-type: none"> - Single Color, Design 100 			
P A I N T T Y P E.....	10761	No Opt	107
<ul style="list-style-type: none"> - Base Coat/Clear Coat, 1-2 Tone 			
P A I N T, C A B S U N S H A D E.....			106
P A I N T, N O N - R E F L E C T I N G.....			106
P O W E R S O U R C E.....			84



HV613 SBA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- P -			
POWER SOURCE, ADDITIONAL			84
POWER SOURCE, SPECIAL			84
POWER SOURCE, TERMINAL TYPE			84
PROVISION FOR PTO			170
PTO CONTROL, DASH MOUNTED			170
PTO EFFECTS, ENGINE FRONT			117
PTO LOCATION			171
PTO, ENGINE REAR			117
PUSHER LIFT AXLE TIRE SLR			275
- Q -			
QUARTER FENDERS			94,107
- R -			
RADIATOR	12XBD		114
- Aluminum; Welded, Front to Back CrossFlow System, 1292 SqIn, 1008 SqIn CAC			
RADIATOR HOSES			117
RADIO	08RMX		84
- Omit, Includes Wiring and Antenna			
RADIO, AUXILIARY CONTROLS			85
RAIN CAP			66
REINFORCEMENT, PINTLE HOOK			12
RUNNING LIGHT			85
- S -			
SAFETY TRIANGLES			107
SEAT BELT			322
SEAT BELT COMFORT CLIP			323



HV613 SBA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- S -			
SEAT, DRIVER..... - National - 2000 - Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust	16JNT		324
SEAT, PASSENGER..... - Omit Item	16400		332
SEAT, REAR.....			341
SEAT, TWO-MAN PASSENGER.....			342
SEATBELT WARNING LIGHT IND.....			343
SEATBELT WARNING PREWIRE.....			343
SERVICES, TOWING.....			379
SHIFT CONTROL PARAMETERS.....			172
SHOCK ABSORBERS, FRONT.....			22
SHOCK ABSORBERS, REAR.....			272
SLACK ADJUSTER, PUSHER AXLE.....			58
SLACK ADJUSTER, TAG AXLE.....			58
SLACK ADJUSTERS, FRONT.....			34
SLACK ADJUSTERS, REAR.....			43
SNOW SHIELD.....			85
SOLENOID, AIR.....			85
SPACER BLOCK, SPRING, FRONT.....			22
SPEAKERS..... - Omit	08RMS		86
SPECIAL RATING, GAWR.....			46
SPECIAL RATING, GVWR.....			107
SPRING BRAKE MODULATOR VALVE.....			58
SPRINGS, FRONT AUXILIARY.....			22
SPRINGS, REAR AUXILIARY.....			273
SRV CONTRACT, EXT ALLISON XMSN.....			381
SRV CONTRACT, EXT CAB.....			384



HV613 SBA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- S -			
SRV CONTRACT, EXT COOLING S Y S			384
SRV CONTRACT, EXT EATON X M S N			385
SRV CONTRACT, EXT E L E C T R I C A L			386
SRV CONTRACT, EXT E N G M / C O M P			394
SRV CONTRACT, EXT E N G I N E			387
SRV CONTRACT, EXT E N G I N E / A F T R			391
SRV CONTRACT, EXT F R A M E			394
SRV CONTRACT, EXT H E N D S U S P			395
SRV CONTRACT, EXT H T R / A C S Y S			396
SRV CONTRACT, EXT M A J O R C O M P			397
SRV CONTRACT, EXT S T A R T E R / A L T			398
SRV CONTRACT, EXT V E H C O V E R A G E			399
STARTING M O T O R	08WXG		86
- Mitsubishi Electric Automotive America - 105P - 12-Volt, with Soft-Start			
STEERING C O L U M N	05AAA		60
- Stationary			
STEERING G E A R	05PSA		60
- Sheppard - M100 - Power			
STEERING W H E E L	05CAW		60
- 4-Spoke; 18" Dia., Black			
STOP-LIGHT W I R I N G M O D I F I E D			87
STOP, TURN, TAIL & B/U L I G H T S			87
SUNSHADE, E X T E R I O R			344
SUPPORT, M O U N T I N G			12
SUSPENSION A I R C O N T R O L V A L V E			273
SUSPENSION L E V E L I N G V A L V E			273
SUSPENSION/REAR-AXLE I D E N T I T Y			274
SUSPENSION, FRONT, S P R I N G	03ADC		20
- Parabolic Taper Leaf, Shackle Type, 12,000-lb Capacity, with Shock Absorbers			
SUSPENSION, REAR, A I R, S I N G L E			213



HV613 SBA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- S -			
SUSPENSION, REAR, AIR, TANDEM.....			216
SUSPENSION, REAR, AIR, TRIDEM.....			228
SUSPENSION, REAR, SINGLE.....	14SAN		230
- 23,500-lb Capacity, Vari-Rate Springs			
SUSPENSION, REAR, TANDEM.....			236
SWITCH, AIR HORN, PASSENGER.....			87
SWITCH, AUXILIARY.....			88
SWITCH, BODY CIRCUITS, MID.....			88
SWITCH, BODY CIRCUITS, REAR.....			89
SWITCH, FOR EXHAUST.....			66
SWITCH, MARKER INTERRUPT.....			90
SWITCH, TOGGLE, FOR WORK LIGHT.....			90
- T -			
TAG LIFT AXLE TIRE SLR.....			275
TAIL LIGHT WIRING MODIFIED.....			91
TAIL PIPE.....	07WDR		66
- (1) Horizontal, Short, with Heat Diffuser			
TELEMATICS BRACKET.....			344
TEST EXTERIOR LIGHTS.....			91
THRU-SHAFT.....			173
TIRE CARRIER.....			12
TIRE VALVE CAP.....			373
TIRE, SPARE.....			373
TIRES.....	7372138132		414
- Goodyear 11R22.5 LR-G ENDURANCE RSA 496 rev/mile 75 MPH All-Position			
TOOL KIT.....			108
TORQUE RODS.....			274
TOW HOOK, FRONT.....			13
TOW HOOK, REAR.....			13



HV613 SBA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- T -			
TOW LOOP, FRONT.....			13
TOW LOOP, REAR.....			13
TOW PIN, FRONT.....			14
TRAILER AUXILIARY FEED CIRCUIT.....			91
TRAILER CONNECTION SOCKET.....			91
TRAILER CONNECTIONS.....			59
TRAILER HOSES.....			59
TRANSMISSION COOLER HOSES.....			175
TRANSMISSION LUBE PUMP.....			175
TRANSMISSION OIL.....			175
TRANSMISSION SHIFT CONTROL.....			176
TRANSMISSION TCM LOCATION.....			166
TRANSMISSION, AUTOMATIC.....	13ATL		118
- Allison - 3000 HS - 5th Generation Controls, Close Ratio, 5-Speed with Overdrive, Less PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max			
TRANSMISSION, AUXILIARY.....			173
TRANSMISSION, MANUAL.....			136
TRANSVERSE TORQUE RODS.....			274
TURN SIGNAL SWITCH.....			92
TURN SIGNALS, FRONT.....	08XGT		91
- Includes LED Side Turn Lights Mounted on Fender			
- U -			
USB PORT.....			92
- V -			
VIRTUAL GA, OIL TEMP,AUTO X M S N.....			316
VIRTUAL GA,OIL TEMP,MANL X M S N.....			316
VIRTUAL GA,OIL TEMP,REAR AXLE.....			316
VIRTUAL GAUGE, AIR APPLICATION.....			316



HV613 SBA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- V -			
VIRTUAL GAUGE, AIR PRESSURE.....			316
VIRTUAL GAUGE, OIL TEMP, ENG.....			316
- W -			
WARRANTY.....	40127	No Opt	379
- Standard for HV513, HV613 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2030A			
WHEEL BEARING, FRONT, LUBE.....			374
WHEEL BRAND, FRONT.....			374
WHEEL GUARDS, FRONT.....			374
WHEEL GUARDS, REAR.....			374
WHEEL IDENTITY.....			374
WHEEL SEALS, FRONT.....			375
WHEEL SEALS, REAR.....			375
WHEEL, REAR, IDENTITY.....			374
WHEEL, SPARE, DISC.....			367
WHEELBASE RANGE.....	01WHJ		14
- 128" (325cm) Through and Including 146" (370cm)			
WHEELS, FRONT.....	27DUW		345
- Accuride - 51408 - DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs			
WHEELS, LIFT AXLE PUSHER.....			375
WHEELS, REAR.....	28DUW		357
- Accuride - 51408 - DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs			
WINDOW, MANUAL.....	16XCK		344
- (02) and Manual Door Locks, Left and Right Doors			
WINDOW, POWER.....			345
WINDSHIELD.....			345
WINDSHIELD WASHER RESERVOIR.....			345
WINDSHIELD WIPER BLADES.....			345
WINDSHIELD WIPER SPD CONTROL.....			92



HV613 SBA INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- W -			
WIRING, SPECIAL.....		92
WORKLIGHT ON W/BACKUP.....		92
- 2 -			
2-SPEED SHIFT PACKAGE.....		275
2-WAY RADIO.....		79



HV613 SBA

STANDARD EQUIPMENT

MODEL CODE: HV61300 LIST PRICE: \$183,404.00

- 01 FRAMES**
- 01ANA - AXLE CONFIGURATION {Navistar} 4x2
NOTE: Pricing may change if axle configuration is changed.
- 01CBU - FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL
- 01LLA - BUMPER, FRONT Swept Back, Steel, Heavy Duty
- 01WHJ - WHEELBASE RANGE 128" (325cm) Through and Including 146" (370cm)
- 02 AXLE, FRONT**
- 02ARW - AXLE, FRONT NON-DRIVING {Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity
- 03A SUSPENSION, FRONT**
- 03ADC - SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 12,000-lb Capacity, with Shock Absorbers
- 04 BRAKES**
- 04091 - BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
* BRAKE LINES Color and Size Coded Nylon
* DRAIN VALVE Twist-Type
* GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster
* PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel
* QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4
* SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes)
* SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes)
* SPRING BRAKE MODULATOR VALVE {Bendix} R-7 for 4x2, SR-7 with relay valve for 6x4/8x6
- 04AZA - AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)
- 04WEZ - BRAKE PACKAGE, FRONT {Bendix Spicer ADB22X} Air, Disc Type, Extended Service; Size 22.5"
- 04JBZ - BRAKES, FRONT, AIR DISC 22.5 Dia, Includes 18" Sq. In. Brake Chambers
- 04 BRAKES (CONT.)**
- 04WEY - BRAKE PACKAGE, REAR {Bendix Spicer ADB22X} Air, Disc Type, Extended Service; Size 22.5"
- 04JCC - BRAKES, REAR, AIR DISC 22.5 Dia, Includes 18/24" Sq. In. Brake Chambers
- 04SPM - AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM
- 04VKC - AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab
- 04VKJ - AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Back of Cab, Perpendicular to Rail
- 04732 - DRAIN VALVE {Berg} with Pull Chain, for Air Tank
- 05 STEERING**
- 05PSA - STEERING GEAR {Sheppard M100} Power
- 05AAA - STEERING COLUMN Stationary
- 05CAW - STEERING WHEEL 4-Spoke; 18" Dia., Black
- 06 DRIVELINES**
- 06DGR - DRIVELINE SYSTEM {Dana Spicer} 1810HD, for 4x2/6x2
- 07 EXHAUST SYSTEM**
- 07BKP - EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Short Horizontal Tail Pipe, Frame Mounted Right Side Back of Cab
- 07SDK - ENGINE COMPRESSION BRAKE by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch
- 07WDR - TAIL PIPE (1) Horizontal, Short, with Heat Diffuser
- 08 ELECTRICAL**
- 08000 - ELECTRICAL SYSTEM 12-Volt, Standard Equipment
* DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab
* HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel
* HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever
* PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
* STARTER SWITCH Electric, Key Operated
* STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector
- 08 ELECTRICAL (CONT.)**
- * TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature
- * WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever
- * WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
- * WIRING, CHASSIS Color Coded and Continuously Numbered
- 08GXJ - ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount
- 08VUL - BATTERY BOX Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Cab
- 08MSG - BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud
- 08XAH - CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
- 08WPH - CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade
- 08VAY - HORN, ELECTRIC Disc Style
- 08RMX - RADIO Omit, Includes Wiring and Antenna
- 08RMS - SPEAKERS Omit
- 08WXG - STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start
- 08XGT - TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender
- 09 FRONT END**
- 09WBK - FRONT END Tilting, Fiberglass, with Three Piece Construction, Includes Long Hood
- 09585 - FENDER EXTENSIONS Rubber
- 09HBM - GRILLE Stationary, Chrome
- 09AAB - LOGOS EXTERIOR Model Badges
- 09AAE - LOGOS EXTERIOR, ENGINE Badges
- 10 PAINT & MISCELLANEOUS**
- 10060 - PAINT SCHEMATIC, PT-1 Single Color, Design 100
* PAINT SCHEMATIC ID LETTERS "WN"

Refer To General Info for Metric Conversion Tables



HV613 SBA

STANDARD EQUIPMENT

MODEL CODE: HV61300

- 10 PAINT & MISCELLANEOUS (CONT.)**
 - 10761 - PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
- 11 CLUTCH**
 - 11001 - CLUTCH Omit Item (Clutch & Control)
- 12 ENGINE**
 - 12BDX - ENGINE, DIESEL {International A26} EPA 2017, 365HP @ 1700 RPM, 1250 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 365 Peak HP (Max)
 - 12XBD - RADIATOR Aluminum; Welded, Front to Back CrossFlow System, 1292 SqIn, 1008 SqIn CAC
 - * DEAERATION SYSTEM with Surge Tank
 - * HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type; Thermoplastic Coolant Hose Clamps
 - * RADIATOR HOSES Premium, Rubber
 - 12THT - FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed
 - * FAN Nylon
 - 12VBC - AIR CLEANER Single Element
 - 12703 - ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
- 13 TRANSMISSION**
 - 13ATL - TRANSMISSION, AUTOMATIC {Allison 3000 HS} 5th Generation Controls, Close Ratio, 5-Speed with Overdrive, Less PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max
 - 13WVV - NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released
- 14A AXLE, REAR**
 - 14051 - AXLE, REAR, SINGLE {Meritor RS-23-160} Single Reduction, 23,000-lb Capacity, 200 Wheel Ends
 - * RATIO: 2.50, 2.67, 2.80, 2.93, 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.89, 5.38, 5.63, 6.14, 6.43, 6.83 OR 7.17
- 14B SUSPENSION, REAR**
 - 14SAN - SUSPENSION, REAR, SINGLE 23,500-lb Capacity, Vari-Rate Springs
- 15 FUEL TANKS**
 - 15SRE - FUEL TANK Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 50 US Gal (189L), Mounted Left Side, Under Cab
 - 15DYP - DEF TANK 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab
 - 15LKU - FUEL/WATER SEPARATOR {Racor} Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor
- 16 CAB (CONT.)**
 - NOTE:** Mirror Dimensions are Rounded to the Nearest 0.5" - For U.S. Only
 - 16JNT - SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust
 - 16400 - SEAT, PASSENGER Omit Item
 - 16XCK - WINDOW, MANUAL (2) and Manual Door Locks, Left and Right Doors
- 27/28 WHEELS & TIRES**
 - 27DUW - WHEELS, FRONT {Accuride 51408} DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
 - 28DUW - WHEELS, REAR {Accuride 51408} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
 - 737213 8132 (02) 11R22.5 14-PR LR-G SINGLE FRONT RADIAL TIRES {Goodyear ENDURANCE RSA}
 - 737213 8132 (04) 11R22.5 14-PR LR-G DUAL REAR RADIAL TIRES {Goodyear ENDURANCE RSA}
- 40 WARRANTY**
 - 40127 - WARRANTY Standard for HV513, HV613 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2030A

Refer To General Info for Metric Conversion Tables



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	NOTE: WEIGHTS - FRONT/REAR		
	<i>CODE</i>	<i>HV613 SBA</i>	
<p>AXLE CONFIGURATION</p> <p><i>Navistar</i></p> <p>4x2 REQS: Code 06DGC, 06DGD, 06DGM or 06DGR(std) DRIVELINE SYSTEM REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUU, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04AAA, 04AAU, 04AAU, 04ABA and 04657 BRAKE CHAMBERS, ADDITIONAL : Code 04WZJ AIR TANK LOCATION, when in combination with Code 16CAB CAB : Code 04596 CONTROL VALVE, FRONT BRAKE or Code 01UBG FRAME, SPECIAL EFFECTS or Code 01VBD SUPPORT, MOUNTING or Code 01UBH CROSSMEMBER, INTERMEDIATE LOC : Code 01WBA, 01WBC and 01WPZ CROSSMEMBER, SUSPENSION : Code 01SAZ CROSSMEMBER, REAR, AF : Code 01CAW FRAME RAILS : SUSPENSION, REAR, TANDEM : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : SUSPENSION, REAR, AIR, TANDEM : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, TANDEM : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNL, 14WNJ, 14WNL and 14WNL AXLE, PUSHES, LIFT TYPE : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 01WMA CROSSMEMBER, INTERMEDIATE NOTE: Pricing may change if axle configuration is changed.</p> <p>6x4 REQS: Code 06DGT, 06DGT, 06DGT or 06DHT DRIVELINE SYSTEM N/A: Code 10WGD SPECIAL RATING, GVWR : Code 04NDA BRAKES, REAR, AIR CAM : Code 04NEX BRAKES, REAR, AIR CAM or Code 04WYB BRAKE CHAMBERS, SPRING : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, SINGLE NOTE: Pricing may change if axle configuration is changed.</p>	<p style="text-align: center;">01ANA</p> <p style="text-align: center;">01AND</p>	<p style="text-align: center;">STD</p> <p style="text-align: center;">\$1,524 0/0</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA
<p>AXLE CONFIGURATION (CONTINUED)</p> <p><i>Navistar</i></p> <p>8x6 Tridem REQS: Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS REQS: Code 07BKS EXHAUST SYSTEM REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY, 02ARZ or 02AYJ AXLE, FRONT NON-DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR, 01LNS, 01LZD, 01MBP or 01MDP BUMPER, FRONT REQS: Code 06DHU DRIVELINE SYSTEM REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: SRV CONTRACT, EXT VEH COVERAGE : SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 10NZL, 10NZN and 10WGD SPECIAL RATING, GVWR : Code 04WHT and 04774 SPECIAL RATING, GAWR : Code 04VHT and 04VKE AIR DRYER LOCATION : Code 04NEX BRAKES, REAR, AIR CAM or Code 04WYB BRAKE CHAMBERS, SPRING : Code 04AZS and 04AZY AIR BRAKE ABS, when in combination with Code 04091 BRAKE SYSTEM, AIR : Code 04ABA BRAKE CHAMBERS, ADDITIONAL : Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION : Code 04VHZ AIR TANK LOCATION, when in combination with Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM : Code 04WZJ AIR TANK LOCATION, when in combination with Code 16CAB CAB : Code 04596 CONTROL VALVE, FRONT BRAKE or Code 01UBG FRAME, SPECIAL EFFECTS or Code 01VBD SUPPORT, MOUNTING or Code 01UBH CROSSMEMBER, INTERMEDIATE LOC : Code 01WBA, 01WBC and 01WPZ CROSSMEMBER, SUSPENSION : Code 01SAZ CROSSMEMBER, REAR, AF : Code 01CAG and 01CAJ FRAME RAILS : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE (SEE NEXT PAGE)</p>	<p>01ANF</p>	<p>\$3,048</p> <p style="text-align: right;">0/0</p>

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-2

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AXLE CONFIGURATION (SEE PREV PAGE)</p> <p><i>Navistar</i></p> <p>N/A: SUSPENSION, REAR, AIR, TANDEM : AXLE, REAR, SINGLE : AXLE, REAR, TANDEM : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 01WMA CROSSMEMBER, INTERMEDIATE NOTE: Pricing may change if axle configuration is changed.</p>	01ANF		
<p>FRAME RAILS</p> <p>NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL</p> <p>REQS: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING</p> <p>REQS: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 10022 CHASSIS COATING</p> <p>REQS: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 14TBZ SUSPENSION, REAR, AIR, SINGLE</p> <p>REQS: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 14WLR or 14WNK AXLE, TAG, LIFT TYPE</p> <p>REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE</p> <p>-OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM</p> <p>N/A: Code 01UBG FRAME, SPECIAL EFFECTS : Code 01GBP FRAME REINFORCEMENT, when in combination with Code 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW or 14UZX SUSPENSION, REAR, TANDEM and Code 10EYC or 10EYD FIFTH WHEEL, STATIONARY : Code 10JAD FIFTH WHEEL, AIR SLIDE AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS</p>	01CBU	STD	



**HV613 SBA
AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV613 SBA	
FRAME RAILS (CONTINUED)			
NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
Heat Treated Alloy Steel (125,000 PSI Yield); 11.25" x 4.00" x 0.500" (285.75mm x 101.6mm x 12.7mm); 480.8" (12212mm) Maximum OAL REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UNA, 14VKL or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- Code 14TAX SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 10WGD SPECIAL RATING, GVWR : Code 01616 FRAME RAILS WITH TAPERED REAR : Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAN and 01WDR FRAME EXTENSION, FRONT : Code 01GBP FRAME REINFORCEMENT : Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WVK AXLE, TAG, LIFT TYPE : Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 16CAB CAB : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK, 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS	01CGE	\$2,200	0/0
Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 480.0" (12192mm) Maximum OAL REQS: Code 01AND or 01ANF AXLE CONFIGURATION REQS: Code 09WBK(std) FRONT END, when in combination with Code 01ANF AXLE CONFIGURATION REQS: Code 16030(std) CAB REQS: Code 04JDC, 04VKA, 04VKB or 04VKC AIR DRYER LOCATION REQS: Code 04AZU AIR BRAKE ABS, when in combination with Code 01ANF AXLE CONFIGURATION REQS: Code 04VKK AIR TANK LOCATION, when in combination with Code 01ANF AXLE CONFIGURATION (SEE NEXT PAGE)	01CAW	\$1,502	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>FRAME RAILS <i>(SEE PREV PAGE)</i></p> <p>NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>REQS: Code 01WMA CROSSMEMBER, INTERMEDIATE, when in combination with Code 01ANF AXLE CONFIGURATION</p> <p>REQS: Code 08VUJ BATTERY BOX, when in combination with Code 01ANF AXLE CONFIGURATION</p> <p>REQS: Code 05PTB STEERING GEAR, when in combination with Code 01ANF AXLE CONFIGURATION</p> <p>REQS: Code 14UPC SUSPENSION, REAR, AIR, TRIDEM, when in combination with Code 01ANF AXLE CONFIGURATION</p> <p>REQS: Code 14HRG AXLE, REAR, TRIDEM, when in combination with Code 01ANF AXLE CONFIGURATION</p> <p>REQS: Code 07BKS EXHAUST SYSTEM, when in combination with Code 01ANF AXLE CONFIGURATION</p> <p>REQS: Code 15STM or 15SWJ FUEL TANK, when in combination with Code 01ANF AXLE CONFIGURATION</p> <p>REQS: Code 15LKU FUEL/WATER SEPARATOR, when in combination with Code 01ANF AXLE CONFIGURATION</p> <p>REQS: Code 08541 HORN, ELECTRIC, when in combination with Code 01ANF AXLE CONFIGURATION</p> <p>REQS: Code 03ACP, 03ACR, 03ACS, 03ADD, 03ADE, 03ADG, 03AGA, 03AGU, 03AHL or 03AHU SUSPENSION, FRONT, SPRING</p> <p>REQS: Code 14SAL, 14SAN(std), 14TBW, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE</p> <p>-OR- Code 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14VKL or 14698 SUSPENSION, REAR, TANDEM</p> <p>-OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE</p> <p>-OR- SUSPENSION, REAR, AIR, TRIDEM</p> <p>-OR- SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 15DPL, 15DPM, 15DUX, 15DYY, 15SJR, 15SJZ, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK</p> <p>N/A: Code 10WGD SPECIAL RATING, GWWR</p> <p style="padding-left: 20px;">: Code 01WLT DECK PLATE or Code 04SBV AIR COMPRESSOR or Code 04VCL AIR TANK LOCATION or Code 07BLG EXHAUST SYSTEM or CROSSMEMBER, SUSPENSION or BATTERY BOX</p> <p style="padding-left: 20px;">: Code 01UAM and 01UAN FRAME EXTENSION, FRONT</p> <p style="padding-left: 20px;">: Code 01GBP FRAME REINFORCEMENT</p> <p style="padding-left: 20px;">: Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 16CAB CAB</p> <p style="padding-left: 20px;">: Code 15LNK LOCATION FUEL/WATER SEPARATOR, when in combination with Code 16CAB CAB</p> <p style="padding-left: 20px;">: Code 10JAD FIFTH WHEEL, AIR SLIDE</p> <p>AVAIL: Code 10021 CHASSIS COATING</p>	01CAW		



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>FRAME RAILS <i>(SEE PREV PAGE)</i></p> <p>NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>N/A: Code 14WLM and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 16CAB CAB AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 10021 CHASSIS COATING</p>	01CAJ		
<p>FRAME REINFORCEMENT</p> <p>NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Full Outer C-Channel, Heat Treated Alloy Steel (120,000 PSI Yield), 10.813" x 3.892" x 0.312" (274.6mm x 98.8mm x 7.9mm), 480.0" (12192mm) OAL REQS: Code 01CBU(std) FRAME RAILS REQS: Code 14TAX, 14TBZ or 14TCL SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01616 FRAME RAILS WITH TAPERED REAR, when in combination with Code 01ANA AXLE CONFIGURATION : Code 01WDR FRAME EXTENSION, FRONT : Code 14UZW SUSPENSION, REAR, TANDEM or Code 14UNT SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 01616 FRAME RAILS WITH TAPERED REAR : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY or Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK and 10JPK FIFTH WHEEL, AIR SLIDE, when in combination with Code 14UNA SUSPENSION, REAR, TANDEM : Code 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY AVAIL: Code 10022 CHASSIS COATING : Code 10JPK FIFTH WHEEL, AIR SLIDE</p>	01GBP	\$1,700	0/0
<p>BUMPER EXTENSION, FRONT</p> <p>4.0"</p> <p>N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 08TPL COLLISION MITIGATION SYSTEM : Code 01586 TOW LOOP, FRONT</p> <p>4.6"</p> <p>N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 01586 TOW LOOP, FRONT</p>	01WAC 01WXB	\$50 \$50	+20/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
BUMPER, FRONT			
Swept Back, Steel, Heavy Duty AVAIL: Code 01570 TOW HOOK, FRONT	01LLA	STD	
Contoured, Stainless Steel, Polished	01MDP	\$362	
Contoured, Steel, Painted 0001 Canyon Black, Heavy Duty	01LNS	\$79	- 15/0
Contoured, Steel, Painted, Heavy Duty	01LMX	\$79	- 15/0
Omit Item REQS: Code 09WBK(std) FRONT END N/A: Code 01LEH LICENSE PLATE HOLDER AVAIL: Code 08XJG and 08585 FOG LIGHTS	01LLK	\$200CR	-96/+20
Swept Back, Aluminum, Stainless Steel Clad, Heavy Duty REQS: Code 09WBK(std) FRONT END AVAIL: Code 01570 TOW HOOK, FRONT	01LZD	\$469	0/0
Swept Back, Steel, Painted 0001 Canyon Black, Heavy Duty AVAIL: Code 01570 TOW HOOK, FRONT	01LNR	N/C	0/0
Swept Back 15-Degrees, Steel, for use with Front Frame Extensions, Heavy Duty REQS: Code 01UAM, 01UAN, 01WDR, 01WDS or 01WDT FRAME EXTENSION, FRONT AVAIL: Code 01570 TOW HOOK, FRONT	01MBP	\$125	
Contoured, Stainless Steel, Polished, Includes Mounting Holes for 1 CPI Bumper Mounted Siren N/A: Code 01ANF AXLE CONFIGURATION	01MDS	\$414	
CROSSMEMBER, FRONT			
for Hydraulic Pump, Mounting Flange to Accommodate Pump REQS: Code 01UAM, 01UAN, 01WDR, 01WDS or 01WDT FRAME EXTENSION, FRONT	01WDU	\$155	+40/+5
CROSSMEMBER, INTERMEDIATE			
(03) Dogbone with Reinforced Corners in lieu of Standard Dogbone with 4x2 & 4x4 Chassis; Double Dogbones with 6x4 & 6x6 Chassis REQS: Code 01AND AXLE CONFIGURATION	01VAG	\$123	
(1) 5-Piece in lieu of Each Single Dogbone with 4x2 & 4x4 Chassis; Each Double Dogbone with 6x4, 6x6 & 8x6 Tridem Chassis REQS: Code 01AND AXLE CONFIGURATION, when in combination with Code 14WLM, 14WNH, 14WNJ, 14WNL or 14WNM AXLE, PUSHER, LIFT TYPE REQS: Code 16030 CAB, when in combination with Code 14WLM, 14WNH, 14WNJ, 14WNL or 14WNM AXLE, PUSHER, LIFT TYPE	01WMA	\$429	+26/+24
<i>(SEE NEXT PAGE)</i>			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>CROSSMEMBER, INTERMEDIATE <i>(SEE PREV PAGE)</i></p> <p>REQS: Code 16030 CAB, when in combination with Code 16ZBP, 16ZGR or 16ZHH ACCESS, CAB AND FRAME</p> <p>REQS: Code 01WPZ CROSSMEMBER, SUSPENSION, when in combination with Code 14UHL, 14ULX, 14ULY or 14UMB SUSPENSION, REAR, TANDEM</p> <p>REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS, when in combination with Code 16ZBP, 16ZGR or 16ZHH ACCESS, CAB AND FRAME</p> <p>REQS: Code 01CAW or 01CBU FRAME RAILS, when in combination with Code 14WLM, 14WNH, 14WNJ, 14WNL or 14WNM AXLE, PUSHER, LIFT TYPE</p> <p>REQS: Code 01CAW FRAME RAILS, when in combination with Code 01ANF AXLE CONFIGURATION</p> <p>N/A: Code 13607 TRANSMISSION, AUXILIARY : Code 13607 TRANSMISSION, AUXILIARY or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE, when in combination with Code 16ZBP, 16ZGR or 16ZHH ACCESS, CAB AND FRAME</p>	01WMA		
<p>CROSSMEMBER, INTERMEDIATE LOC</p> <p>1st Located 16" Back of Cab, 2nd Located 56" Back of Cab</p> <p>REQS: Code 08VUJ, 08VUK or 08WJJ BATTERY BOX</p> <p>REQS: Code 14ULX, 14UZB or 14UZU SUSPENSION, REAR, TANDEM</p> <p>REQS: Code 14UNX or 14UPL SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 07BKP or 07BKS EXHAUST SYSTEM</p> <p>REQS: Code 15SGJ, 15SJZ or 15SWE FUEL TANK</p> <p>REQS: Code 15LKU FUEL/WATER SEPARATOR</p> <p>N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY or Code 15LLP, 15LLY, 15LMG, 15LMK, 15LMU, 15LMW, 15LNH, 15LNJ and 15LNK LOCATION FUEL/WATER SEPARATOR</p>	01UBH	\$ 116	
<p>CROSSMEMBER, REAR, AF</p> <p>(02) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR</p> <p>(1) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR</p> <p>(1) 89" Rearward of Center of Tandem Suspension or Single Rear Axle</p> <p>REQS: Code 01AND AXLE CONFIGURATION</p> <p>REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE, when in combination with Code 01ANA AXLE CONFIGURATION</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	01SAM 01SAL 01SAZ	\$227 \$116 \$116	-21/+61 -8/+28 -13/+33



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>CROSSMEMBER, REAR, AF <i>(SEE PREV PAGE)</i></p> <p>REQS: Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM, when in combination with Code 01AND AXLE CONFIGURATION N/A: Code 01616 FRAME RAILS WITH TAPERED REAR</p>	01SAZ		
<p>CROSSMEMBER, SUSPENSION</p> <p>(1) 7-Piece Steel in lieu of (1) Double Dogbone, Forward REQS: Code 01AND AXLE CONFIGURATION REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14VKL or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM N/A: SUSPENSION, REAR, AIR, TANDEM</p> <p>(02) 7-Piece Steel in lieu of (2) Double Dogbone, Forward and Center REQS: Code 01AND AXLE CONFIGURATION REQS: Code 14UHK, 14UNA or 14VKL SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM N/A: SUSPENSION, REAR, AIR, TANDEM</p> <p>(02) 5-Piece Steel in lieu of (2) Double Dogbone, Forward and Rear REQS: Code 01AND AXLE CONFIGURATION REQS: Code 01WMA CROSSMEMBER, INTERMEDIATE REQS: Code 14UHL, 14ULX, 14ULY, 14UMB or 14UZB SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM N/A: Code 01616 FRAME RAILS WITH TAPERED REAR or AXLE, TAG, LIFT TYPE : SUSPENSION, REAR, AIR, TANDEM</p>	01WBC 01WBA 01WPZ	\$139 \$260 \$265 -3/+124	
<p>DECK PLATE</p> <p>Aluminum, (2) Sections, Flush Mounted REQS: Code 16ZHH or 16ZHM ACCESS, CAB AND FRAME N/A: Code 16XTK, 16XTM, 16ZBB, 16ZBT(std) and 16ZBU ACCESS, CAB</p> <p>Aluminum, (3) Sections, Flush Mounted REQS: Code 16ZHH or 16ZHM ACCESS, CAB AND FRAME REQS: Code 16ZGR, 16ZHH or 16ZHM ACCESS, CAB AND FRAME N/A: Code 16XTK, 16XTM, 16ZBB, 16ZBT(std) and 16ZBU ACCESS, CAB</p>	01WLS 01WLT	\$90 +14/+8 \$149 +22/+11	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
DECK PLATE (CONTINUED) Bustin Aluminum, (2) Sections REQS: Code 16ZBP ACCESS, CAB AND FRAME N/A: Code 16XTK, 16XTM, 16ZBB, 16ZBT(std) and 16ZBU ACCESS, CAB	01WLY	\$1,119 +4/+15	
FRAME EXTENSION, FRONT Integral; 20" In Front of Grille REQS: Code 09WBK(std) FRONT END N/A: Code 01WAC and 01WXB BUMPER EXTENSION, FRONT AVAIL: Code 01570 TOW HOOK, FRONT Integral; 27" In Front of Grille REQS: Code 09WBK(std) FRONT END N/A: Code 01CAG and 01CAW FRAME RAILS : Code 01WAC and 01WXB BUMPER EXTENSION, FRONT AVAIL: Code 08585 FOG LIGHTS : Code 01570 TOW HOOK, FRONT Integral; 20" In Front of Grille, with Outer C-Channel Reinforcement REQS: Code 09WBK(std) FRONT END REQS: Code 01GBP FRAME REINFORCEMENT N/A: Code 01CAG and 01CAJ FRAME RAILS : Code 01WAC and 01WXB BUMPER EXTENSION, FRONT AVAIL: Code 01570 TOW HOOK, FRONT Integral; 27" In Front of Grille, with Outer C-Channel Reinforcement REQS: Code 09WBK(std) FRONT END REQS: Code 01CBU(std) FRAME RAILS REQS: Code 01GBP FRAME REINFORCEMENT N/A: Code 01WAC and 01WXB BUMPER EXTENSION, FRONT AVAIL: Code 08585 FOG LIGHTS : Code 01570 TOW HOOK, FRONT Bolt On Type; 20" In Front of Grille, without Crossmember REQS: Code 09WBK(std) FRONT END N/A: Code 01CGE FRAME RAILS : Code 01WAC and 01WXB BUMPER EXTENSION, FRONT : Code 01586 TOW LOOP, FRONT AVAIL: Code 08585 FOG LIGHTS : Code 01570 TOW HOOK, FRONT	01WDS 01UAM 01WDT 01UAN 01WDR	\$590 +148/-43 \$695 +110/-20 \$690 +168/-22 \$795 +215/-40 \$222 +100/-11	
FRAME RAILS WITH TAPERED REAR N/A: Code 04619 TRAILER CONNECTIONS : Code 01SAL, 01SAM and 01SAZ CROSSMEMBER, REAR, AF : Code 01CGE FRAME RAILS <div style="text-align: right;"><i>(SEE NEXT PAGE)</i></div>	01616	\$87 0/0	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
FRAME RAILS WITH TAPERED REAR (SEE PREV PAGE) N/A: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 01ANA AXLE CONFIGURATION : Code 08TME and 08TMG TRAILER CONNECTION SOCKET : Code 01GTA REINFORCEMENT, PINTLE HOOK : Code 01572 TOW HOOK, REAR : Code 01580 TOW LOOP, REAR	01616		
FRAME, SPECIAL EFFECTS Bolt Transition Plates to Frame for Mixer Body REQS: Code 01CAW FRAME RAILS REQS: Code 07BKS EXHAUST SYSTEM REQS: Code 08VUJ, 08VUK, 08VUL(std) or 08VUM BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM REQS: Code 15SJZ, 15SMD, 15SWD, 15SWE or 15SWG FUEL TANK Dimple on Left and Right Top Flange of Frame Rail to Reference Rear Axle Centerline	01UBG	\$205	
	01MEJ	\$26	0/0
REINFORCEMENT, PINTLE HOOK Ahead of Rear Crossmember for Pintle Hook N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 01572 TOW HOOK, REAR	01GTA	\$176	0/+27
SUPPORT, MOUNTING for Center Bearing Bracket, DO NOT Mount Center Bearing Bracket on the First Intermediate Crossmember	01VBD	N/C	
TIRE CARRIER Underslung Basket Type REQS: Code 14UNA SUSPENSION, REAR, TANDEM or Code 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 01AND AXLE CONFIGURATION REQS: Code 14UNA or 14VKL SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM	01553	\$199	-20/+97
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
TIRE CARRIER <i>(SEE PREV PAGE)</i> REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 01616 FRAME RAILS WITH TAPERED REAR or Code 01572 TOW HOOK, REAR or Code 01580 TOW LOOP, REAR, when in combination with Code 01CAW FRAME RAILS : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 08THM, 08TKB, 08TKJ, 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	01553		
TOW HOOK, FRONT (02) Frame Mounted N/A: Code 01VAX TOW PIN, FRONT : Code 01586 TOW LOOP, FRONT (02) Outside Rail, Frame Mounted, Includes Spacers to Clear Bumper Access Holes REQS: Code 01LLK, 01LMX, 01LNS, 01MDP or 01MDS BUMPER, FRONT N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 08TPL COLLISION MITIGATION SYSTEM : Code 01VAX TOW PIN, FRONT : Code 01586 TOW LOOP, FRONT AVAIL: Code 08585 FOG LIGHTS	01570 01WRB	\$118 \$196	+9/-1
TOW HOOK, REAR (02) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 01GTA REINFORCEMENT, PINTLE HOOK : Code 01580 TOW LOOP, REAR AVAIL: Code 08TKB and 08TPS STOP, TURN, TAIL & B/U LIGHTS	01572	\$75	0/+10
TOW LOOP, FRONT REQS: Code 09WBK(std) FRONT END N/A: Code 01WDR FRAME EXTENSION, FRONT : Code 01WAC and 01WXB BUMPER EXTENSION, FRONT : Code 01WRB and 01570 TOW HOOK, FRONT	01586	\$618	+85/0
TOW LOOP, REAR Heavy Duty REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM <i>(SEE NEXT PAGE)</i>	01580	\$408	0/+85



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
TOW LOOP, REAR <i>(SEE PREV PAGE)</i> -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08TME and 08TMG TRAILER CONNECTION SOCKET : Code 01572 TOW HOOK, REAR AVAIL: Code 08TPS STOP, TURN, TAIL & B/U LIGHTS	01580		
TOW PIN, FRONT (2) REQS: Code 09WBR FRONT END N/A: Code 01WRB and 01570 TOW HOOK, FRONT	01VAX	\$375	+7/-2
WHEELBASE RANGE 128" (325cm) Through and Including 146" (370cm) 148" (375cm) Through and Including 193" (490cm) 152" (385cm) Through and Including 181" (460cm) 183" (465cm) Through and Including 248" (630cm) 187" (475cm) Through and Including 199" (505cm) 195" (495cm) Through and Including 264" (670cm) 201" (510cm) Through and Including 252" (640cm) 250" (635cm) Through and Including 311" (790cm) 254" (645cm) Through and Including 309" (785cm) 266" (675cm) Through and Including 311" (790cm)	01WHJ 01WHK 01WHN 01WHP 01WVJ 01WHL 01WVK 01WHR 01WVL 01WHM	STD \$686 N/C \$817 N/C \$1,124 \$817 \$1,390 \$1,390 \$1,682	 0/0 0/0 0/0 0/0 0/0 0/0 0/0 0/0
LICENSE PLATE HOLDER Single Plate, Swing Type, Mounted Below Front Bumper REQS: Code 01LLA(std), 01LMX, 01LNR, 01LNS, 01LZD, 01MBP, 01MDP or 01MDS BUMPER, FRONT	01LEH	\$29	+3/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
AXLE, FRONT NON-DRIVING			
<i>Meritor</i>			
- MFS-12-143A -			
Wide Track, I-Beam Type, 12,000-lb Capacity	02ARW	STD	
REQS: Code 05PSA(std) STEERING GEAR			
REQS: Code 03ADC(std) or 03ADD SUSPENSION, FRONT, SPRING			
N/A: Code 10NZL SPECIAL RATING, GVWR			
: Code 01ANF AXLE CONFIGURATION			
: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC			
: Code 27DBA, 27DHK, 27DJH, 27DJJ, 27DJL, 27DMZ, 27DTZ, 27DUA, 27DUL, 27DUM, 27DUN and 27DVD WHEELS, FRONT			
: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE			
: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE			
AVAIL: Code 04WHX BRAKE PACKAGE, FRONT			
- MFS-13-143A -			
Wide Track, I-Beam Type, 13,000-lb Capacity	02ATG	\$192	+60/0
REQS: Code 05PSA(std) STEERING GEAR			
REQS: Code 04JCG, 04JCJ or 04196 BRAKES, FRONT, AIR CAM			
REQS: Code 14ULX, 14ULY, 14UMB or 14UNA SUSPENSION, REAR, TANDEM			
-OR- SUSPENSION, REAR, SINGLE			
-OR- SUSPENSION, REAR, AIR, SINGLE			
-OR- SUSPENSION, REAR, AIR, TRIDEM			
-OR- Code 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM			
N/A: Code 01ANF AXLE CONFIGURATION			
: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC			
: SUSPENSION, FRONT, SPRING			
: Code 27DBA, 27DEL, 27DEM, 27DHK, 27DJH, 27DJJ, 27DJL, 27DMZ, 27DTZ, 27DUA, 27DUL, 27DUN and 27DVD WHEELS, FRONT			
: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE			
: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE			
AVAIL: Code 10WGD SPECIAL RATING, GVWR			
: Code 04WHX BRAKE PACKAGE, FRONT			
- MFS-14-143A -			
Wide Track, I-Beam Type, 14,000-lb Capacity	02ARV	\$700	+60/0
REQS: Code 05PSA(std) STEERING GEAR			
REQS: Code 04JCN BRAKES, FRONT, AIR DISC			
-OR- Code 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM			
REQS: Code 03ADD, 03ADE or 03AGU SUSPENSION, FRONT, SPRING			
N/A: Code 10NZL SPECIAL RATING, GVWR			
: Code 01ANF AXLE CONFIGURATION			
: Code 04WZK BRAKE PACKAGE, FRONT			
: Code 27DBA, 27DHK, 27DJH, 27DJJ, 27DJL, 27DMZ, 27DTZ, 27DUA, 27DUN and 27DVD WHEELS, FRONT			
: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE			
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AXLE, FRONT NON-DRIVING (SEE PREV PAGE)</p> <p><i>Meritor</i></p> <p>- MFS-14-143A - N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE</p> <p>- MFS-16-133A - Wide Track, I-Beam Type, 16,000-lb Capacity REQS: Code 05PTB STEERING GEAR REQS: Code 27DBA, 27DEL, 27DHK, 27DJH, 27DJJ, 27DJL, 27DMJ, 27DMK, 27DMZ, 27DPN, 27DTD, 27DTH, 27DTT, 27DUK, 27DUL, 27DUM, 27DUN, 27DUP, 27DUR, 27DUS, 27DVD, 27DVG, 27DVH, 27DVN or 27DVP WHEELS, FRONT REQS: Code 04JCN or 04JDD BRAKES, FRONT, AIR DISC REQS: Code 03ACP, 03ADE or 03AHU SUSPENSION, FRONT, SPRING N/A: Code 01ANF AXLE CONFIGURATION : Code 04WHX BRAKE PACKAGE, FRONT : Code 29AEM and 29331 BRAKE DRUMS, FRONT : Code 04WBX DUST SHIELDS, FRONT BRAKE : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCG, 04JCJ, 04193 and 04196 BRAKES, FRONT, AIR CAM : Code 29ADX HUB BRAND, FRONT</p> <p>- MFS-16-143A - Wide Track, I-Beam Type, 16,000-lb Capacity REQS: Code 05PTB STEERING GEAR REQS: Code 04193 BRAKES, FRONT, AIR CAM REQS: Code 03ACP, 03ADE or 03AHU SUSPENSION, FRONT, SPRING N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 29ADX HUB BRAND, FRONT : Code 27DEM, 27DVJ, 27DVK, 27DVR and 27DVS WHEELS, FRONT AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p> <p>- MFS-18-133A - Wide Track, I-Beam Type, 18,000-lb Capacity REQS: Code 05PTB STEERING GEAR REQS: Code 04JCN, 04JDD or 04JDE BRAKES, FRONT, AIR DISC -OR- Code 04193 BRAKES, FRONT, AIR CAM REQS: Code 03ACR, 03ACS, 03ADG or 03AHU SUSPENSION, FRONT, SPRING N/A: Code 10WGD SPECIAL RATING, GVWR : Code 16LJX and 16LJY SEAT, REAR, when in combination with Code 16196 CAB : Code 16LJX, 16LJY and 16LJZ SEAT, REAR, when in combination with Code 16196 CAB : Code 01CAG FRAME RAILS : Code 29ADX HUB BRAND, FRONT : Code 27DEM, 27DTE, 27DTU, 27DVJ, 27DVK, 27DVR and 27DVS WHEELS, FRONT</p>	<p>02ARV</p> <p>02AUR</p> <p>02ARU</p> <p>02ARZ</p>	<p></p> <p>\$2,717 +186/0</p> <p>\$1,827 +148/0</p> <p>\$2,015 +186/0</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AXLE, FRONT NON-DRIVING (CONTINUED)</p> <p><i>Meritor</i></p> <p>- MFS-20-133A - Wide Track, I-Beam Type, 20,000-lb Capacity REQS: Code 05PTB STEERING GEAR REQS: Code 04JCN, 04JDD or 04JDE BRAKES, FRONT, AIR DISC -OR- Code 04193 BRAKES, FRONT, AIR CAM REQS: Code 03ACS, 03ADG, 03AGA, 03AHL or 03AHU SUSPENSION, FRONT, SPRING N/A: Code 10WGD SPECIAL RATING, GVWR : Code 16LJX and 16LJY SEAT, REAR, when in combination with Code 16196 CAB : Code 16LJX, 16LJY and 16LJZ SEAT, REAR, when in combination with Code 16196 CAB : Code 01CAG FRAME RAILS : Code 29ADX HUB BRAND, FRONT : Code 27DEM, 27DTE and 27DTU WHEELS, FRONT</p> <p>- MFS-22-133A - Wide Track, I-Beam Type, 22,000-lb Capacity REQS: Code 05PUB STEERING GEAR REQS: Code 27DBA, 27DEL, 27DHK, 27DJH, 27DJJ, 27DJL, 27DMJ, 27DMK, 27DMZ, 27DPN, 27DTD, 27DTH, 27DTZ, 27DUA, 27DUK, 27DUL, 27DUM, 27DUN, 27DUP, 27DUR, 27DUS, 27DVD, 27DVG, 27DVH, 27DVN or 27DVP WHEELS, FRONT REQS: Code 04193 BRAKES, FRONT, AIR CAM REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 03AHL SUSPENSION, FRONT, SPRING N/A: Code 10WGD SPECIAL RATING, GVWR : Code 01ANF AXLE CONFIGURATION : Code 16LJX, 16LJY and 16LJZ SEAT, REAR, when in combination with Code 16196 CAB : Code 16196 CAB : Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WEZ(std) BRAKE PACKAGE, FRONT : Code 01CAG and 01CAJ FRAME RAILS : Code 29ADX HUB BRAND, FRONT</p> <p><i>Dana Spicer</i></p> <p>- D-2000W - Wide Track, I-Beam Type, 18,000-lb Capacity REQS: Code 05PTB STEERING GEAR REQS: Code 27DBA, 27DHK, 27DJH, 27DJJ, 27DJL, 27DPN, 27DTH, 27DUK, 27DUL, 27DUM, 27DUN, 27DUR or 27DUS WHEELS, FRONT REQS: Code 04JCN, 04JDD or 04JDE BRAKES, FRONT, AIR DISC -OR- Code 04193 BRAKES, FRONT, AIR CAM REQS: Code 03ACR or 03ADG SUSPENSION, FRONT, SPRING N/A: Code 10WGD SPECIAL RATING, GVWR : Code 01ANF AXLE CONFIGURATION : Code 29ADX HUB BRAND, FRONT NOTE: Axle Lead Time is 52 Days</p>	<p>02ARY</p> <p>02ATB</p> <p>02AYK</p>	<p>\$2,153 +186/0</p> <p>\$2,312 +186/0</p> <p>\$3,089 +201/0</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
---	--	--

ITEM DESCRIPTION	CODE	HV613 SBA	
AXLE, FRONT NON-DRIVING (CONTINUED)			
<i>Dana Spicer</i>			
- D-2000W -			
Wide Track, I-Beam Type, 20,000-lb Capacity	02AYJ	\$3,189	
REQS: Code 05PTB STEERING GEAR		+201/0	
REQS: Code 27DBA, 27DHK, 27DJH, 27DJJ, 27DJL, 27DPN, 27DTH, 27DUK, 27DUL, 27DUM, 27DUN, 27DUP, 27DUR or 27DUS WHEELS, FRONT			
REQS: Code 04JCN, 04JDD or 04JDE BRAKES, FRONT, AIR DISC			
-OR- Code 04193 BRAKES, FRONT, AIR CAM			
REQS: Code 03ACP, 03ACS, 03ADE, 03AGA or 03AHU SUSPENSION, FRONT, SPRING			
N/A: Code 01CAG FRAME RAILS			
: SHOCK ABSORBERS, FRONT, when in combination with Code 03ACS SUSPENSION, FRONT, SPRING			
: Code 29ADX HUB BRAND, FRONT			
NOTE: Axle Lead Time is 52 Days			
- D-2200W -			
Wide Track, I-Beam Type, 22,000-lb Capacity	02AYT	\$3,189	
REQS: Code 05PUB STEERING GEAR		+201/0	
REQS: Code 04JDD BRAKES, FRONT, AIR DISC			
-OR- BRAKES, FRONT, AIR CAM			
REQS: Code 04091(std) BRAKE SYSTEM, AIR			
REQS: Code 03AHL SUSPENSION, FRONT, SPRING			
N/A: Code 10WGD SPECIAL RATING, GVWR			
: Code 01ANF AXLE CONFIGURATION			
: Code 04WZK BRAKE PACKAGE, FRONT			
: Code 01CAG FRAME RAILS			
: Code 29ADX HUB BRAND, FRONT			
: Code 27DEL, 27DEM, 27DMJ, 27DMK, 27DMZ, 27DTE, 27DTU, 27DTZ, 27DUA, 27DVD, 27DVH, 27DVJ, 27DVK, 27DVN, 27DVR and 27DVS WHEELS, FRONT			
: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE			
: Code 14WLR and 14Wnk AXLE, TAG, LIFT TYPE			
- E-1202W -			
Wide Track, I-Beam Type, 12,000-lb Capacity	02AGE	\$537	
REQS: Code 05PSA(std) STEERING GEAR		-9/0	
REQS: Code 04JBZ(std) BRAKES, FRONT, AIR DISC			
-OR- BRAKES, FRONT, AIR CAM			
REQS: Code 03ADC(std) SUSPENSION, FRONT, SPRING			
N/A: Code 10NZL SPECIAL RATING, GVWR			
: Code 01ANF AXLE CONFIGURATION			
: Code 04WZK BRAKE PACKAGE, FRONT			
: Code 27DBA, 27DHK, 27DJH, 27DJJ, 27DJL, 27DMZ, 27DTZ, 27DUA, 27DUL, 27DUN and 27DVD WHEELS, FRONT			
: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE			
: Code 14WLR and 14Wnk AXLE, TAG, LIFT TYPE			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>AXLE, FRONT NON-DRIVING (CONTINUED)</p> <p><i>Dana Spicer</i></p> <p>- E-1462W - Wide Track, I-Beam Type, 14,000-lb Capacity REQS: Code 05PSA(std) STEERING GEAR REQS: Code 04JCN BRAKES, FRONT, AIR DISC -OR- Code 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM REQS: Code 03ADD, 03ADE or 03AGU SUSPENSION, FRONT, SPRING N/A: Code 01ANF AXLE CONFIGURATION : Code 04WZK BRAKE PACKAGE, FRONT : Code 04WBX DUST SHIELDS, FRONT BRAKE : Code 27DHK, 27DJH, 27DJJ, 27DMZ, 27DTZ, 27DUA, 27DUL, 27DUM, 27DUN and 27DVD WHEELS, FRONT</p> <p>- I-160W - Wide Track, I-Beam Type, 16,000-lb Capacity REQS: Code 05PTB STEERING GEAR REQS: Code 04193 BRAKES, FRONT, AIR CAM REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 03ACP or 03ADE SUSPENSION, FRONT, SPRING N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 29ADX HUB BRAND, FRONT : Code 27DEM, 27DMZ, 27DTE, 27DTU, 27DTZ, 27DUA, 27DVD, 27DVJ, 27DVK, 27DVR and 27DVS WHEELS, FRONT AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p> <p>- I-180W - Wide Track, I-Beam Type, 18,000-lb Capacity REQS: Code 05PTB STEERING GEAR REQS: Code 04193 BRAKES, FRONT, AIR CAM REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 03ACR or 03ADG SUSPENSION, FRONT, SPRING N/A: Code 10WGD SPECIAL RATING, GVWR : Code 16LJX and 16LJY SEAT, REAR, when in combination with Code 16196 CAB : Code 16LJX, 16LJY and 16LJZ SEAT, REAR, when in combination with Code 16196 CAB : Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 01CAG FRAME RAILS : Code 29ADX HUB BRAND, FRONT : Code 27DEM, 27DTE, 27DTU, 27DVJ, 27DVK, 27DVR and 27DVS WHEELS, FRONT AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p> <p>- I-200W - Wide Track, I-Beam Type, 20,000-lb Capacity REQS: Code 05PTB STEERING GEAR REQS: Code 04193 BRAKES, FRONT, AIR CAM REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 03ACS, 03ADG, 03AGA, 03AHL or 03AHU SUSPENSION, FRONT, SPRING N/A: Code 10WGD SPECIAL RATING, GVWR</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>			
	02AGC	\$1,128 +28/0	
	02AEU	\$1,901 +111/0	
	02AEV	\$2,370 +145/0	
	02AEW	\$2,443 +145/0	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>AXLE, FRONT NON-DRIVING (SEE PREV PAGE)</p> <p><i>Dana Spicer</i></p> <p>- 1-200W - N/A: Code 16LJX and 16LJY SEAT, REAR, when in combination with Code 16196 CAB : Code 16LJX, 16LJY and 16LJZ SEAT, REAR, when in combination with Code 16196 CAB : Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 01CAG FRAME RAILS : Code 29ADX HUB BRAND, FRONT : Code 27DEM, 27DTE, 27DTU, 27DVJ, 27DVK, 27DVR and 27DVS WHEELS, FRONT AVAIL: Code 04WHX BRAKE PACKAGE, FRONT NOTE: Axle Lead Time is 52 Days</p> <p>- 1-220W - Wide Track, I-Beam Type, 22,000-lb Capacity REQS: Code 05PUB STEERING GEAR REQS: Code 27DBA, 27DEL, 27DHK, 27DJH, 27DJJ, 27DJL, 27DMJ, 27DMK, 27DMZ, 27DPN, 27DTD, 27DTH, 27DTZ, 27DUA, 27DUK, 27DUL, 27DUM, 27DUN, 27DUP, 27DUR, 27DUS, 27DVD, 27DVG, 27DVH, 27DVN or 27DVP WHEELS, FRONT REQS: Code 04193 BRAKES, FRONT, AIR CAM REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 03AHL SUSPENSION, FRONT, SPRING N/A: Code 10WGD SPECIAL RATING, GWR : Code 01ANF AXLE CONFIGURATION : Code 16LJX, 16LJY and 16LJZ SEAT, REAR, when in combination with Code 16196 CAB : Code 16196 CAB : Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 01CAG and 01CAJ FRAME RAILS : Code 29ADX HUB BRAND, FRONT AVAIL: Code 04WHX BRAKE PACKAGE, FRONT NOTE: Axle Lead Time is 52 Days</p>	<p>02AEW</p> <p>02AGT</p>	<p></p> <p>\$2,810 +145/0</p>	
<p>SUSPENSION, FRONT, SPRING</p> <p>Parabolic Taper Leaf, Shackle Type, 12,000-lb Capacity, with Shock Absorbers REQS: Code 02AGE or 02ARW(std) AXLE, FRONT NON-DRIVING N/A: Code 01CAW FRAME RAILS : Code 03WAM SPACER BLOCK, SPRING, FRONT : Code 03708 SHOCK ABSORBERS, FRONT</p> <p>Multileaf, Shackle Type, 14,000-lb Capacity, for Reduced Deflection Vocational Use, with Shock Absorbers REQS: Code 02AGC or 02ARV AXLE, FRONT NON-DRIVING N/A: Code 04AZS AIR BRAKE ABS : Code 03WAM SPACER BLOCK, SPRING, FRONT : Code 03708 SHOCK ABSORBERS, FRONT</p>	<p>03ADC</p> <p>03AGU</p>	<p>STD</p> <p>\$244 +105/0</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
SUSPENSION, FRONT, SPRING (CONTINUED)	HV613 SBA		
Parabolic Taper Leaf, Shackle Type, 14,000-lb Capacity, with Shock Absorbers REQS: Code 02AGC, 02ARV or 02ARW(std) AXLE, FRONT NON-DRIVING N/A: Code 03WAM SPACER BLOCK, SPRING, FRONT : Code 03708 SHOCK ABSORBERS, FRONT	03ADD	\$244	+44/0
Multileaf, Shackle Type, 16,000-lb Capacity, Less Shock Absorbers REQS: Code 02AEU, 02ARU, 02AUR or 02AYJ AXLE, FRONT NON-DRIVING N/A: Code 03WAM SPACER BLOCK, SPRING, FRONT	03ACP	\$283	+173/0
Parabolic Taper Leaf, Shackle Type, 16,000-lb Capacity, with Shock Absorbers REQS: Code 02AEU, 02AGC, 02ARU, 02ARV, 02AUR or 02AYJ AXLE, FRONT NON-DRIVING N/A: Code 03708 SHOCK ABSORBERS, FRONT	03ADE	\$283	+44/0
Multileaf, Shackle Type, 18,000-lb Capacity, Less Shock Absorbers REQS: Code 02AEV, 02ARZ or 02AYK AXLE, FRONT NON-DRIVING N/A: Code 03WAM SPACER BLOCK, SPRING, FRONT	03ACR	\$317	+190/0
Parabolic Taper Leaf, Shackle Type, 18,000-lb Capacity, with Shock Absorbers REQS: Code 02AEV, 02AEW, 02ARY, 02ARZ or 02AYK AXLE, FRONT NON-DRIVING N/A: Code 03708 SHOCK ABSORBERS, FRONT	03ADG	\$450	+4/0
Multi-Stage Parabolic Taper Leaf, Shackle Type, 20,000-lb Capacity, with Shock Absorbers REQS: Code 02AEW, 02ARU, 02ARY, 02ARZ, 02AUR or 02AYJ AXLE, FRONT NON-DRIVING N/A: Code 03WAM SPACER BLOCK, SPRING, FRONT : Code 03708 SHOCK ABSORBERS, FRONT	03AHU	\$856	+166/0
Multileaf, Shackle Type, 20,000-lb Capacity, Less Shock Absorbers REQS: Code 02AEW, 02ARY, 02ARZ or 02AYJ AXLE, FRONT NON-DRIVING N/A: Code 01CAG FRAME RAILS : Code 03WAM SPACER BLOCK, SPRING, FRONT	03ACS	\$528	+223/0
Parabolic Taper Leaf, Shackle Type, 20,000-lb Capacity, with Shock Absorbers REQS: Code 02AEW, 02ARY or 02AYJ AXLE, FRONT NON-DRIVING N/A: Code 03708 SHOCK ABSORBERS, FRONT	03AGA	\$724	+57/0
Parabolic Taper Leaf, Shackle Type, 22,000-lb Capacity, Steel Springs 20K Capacity and (2) Rubber Auxiliary Springs 2K Capacity, with Shock Absorbers REQS: Code 02AEW, 02AGT, 02ARY, 02ATB or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 04AZY AIR BRAKE ABS : Code 03WAJ, 03WAK and 03770 SPRINGS, FRONT AUXILIARY	03AHL	\$944	+60/0
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
SUSPENSION, FRONT, SPRING <i>(SEE PREV PAGE)</i> N/A: Code 03708 SHOCK ABSORBERS, FRONT	03AHL		
SHOCK ABSORBERS, FRONT REQS: Code 03ACP, 03ACR or 03ACS SUSPENSION, FRONT, SPRING	03708	\$265	+47/0
SPACER BLOCK, SPRING, FRONT (1) Left Side Only REQS: Code 02AYJ or 02AYK AXLE, FRONT NON-DRIVING, when in combination with Code 04JBZ, 04JCN, 04JDD or 04JDE BRAKES, FRONT, AIR DISC and Code 05PTB STEERING GEAR REQS: Code 03ADE, 03ADG, 03AGA or 03AHL SUSPENSION, FRONT, SPRING	03WAM	\$147	+8/0
SPRINGS, FRONT AUXILIARY Air Bag, Left Side Only, Driver Control Air Bag, Right Side Only, Driver Control REQS: Code 02ARY AXLE, FRONT NON-DRIVING, when in combination with Code 04VHZ AIR TANK LOCATION REQS: Code 04VHT AIR DRYER LOCATION, when in combination with Code 04VHZ AIR TANK LOCATION REQS: Code 04AZA AIR BRAKE ABS, when in combination with Code 04VHZ AIR TANK LOCATION REQS: Code 04EBD AIR DRYER, when in combination with Code 04VHZ AIR TANK LOCATION REQS: Code 04619 TRAILER CONNECTIONS, when in combination with Code 04VHZ AIR TANK LOCATION REQS: Code 01CBU FRAME RAILS, when in combination with Code 04VHZ AIR TANK LOCATION REQS: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 04VHZ AIR TANK LOCATION REQS: Code 08WEK BATTERY BOX, when in combination with Code 04VHZ AIR TANK LOCATION REQS: Code 03AGA SUSPENSION, FRONT, SPRING, when in combination with Code 04VHZ AIR TANK LOCATION REQS: Code 07BLG EXHAUST SYSTEM, when in combination with Code 04VHZ AIR TANK LOCATION REQS: Code 15SSC FUEL TANK, when in combination with Code 04VHZ AIR TANK LOCATION REQS: Code 15LMG LOCATION FUEL/WATER SEPARATOR, when in combination with Code 04VHZ AIR TANK LOCATION <div style="text-align: right;"><i>(SEE NEXT PAGE)</i></div>	03WAK 03WAJ	\$770 \$770	+15/0 +15/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>SPRINGS, FRONT AUXILIARY (SEE PREV PAGE)</p> <p>REQS: Code 15LKX FUEL/WATER SEPARATOR, when in combination with Code 04VHZ AIR TANK LOCATION</p> <p>N/A: Code 04VHZ AIR TANK LOCATION</p> <p>: Code 04VHZ AIR TANK LOCATION, when in combination with Code 04092 BRAKE SYSTEM, AIR</p> <p>: Code 04VHZ AIR TANK LOCATION, when in combination with Code 09WBR FRONT END</p> <p>Rubber</p>	<p>03WAJ</p> <p>03770</p>	<p></p> <p>\$111</p>	<p></p> <p>+10/0</p>
<p>BRAKE SYSTEM, AIR</p> <p>Dual System for Straight Truck Applications</p> <p>INCLS: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster</p> <p>: SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes)</p> <p>: SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes)</p> <p>: PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel</p> <p>: BRAKE LINES Color and Size Coded Nylon</p> <p>: SPRING BRAKE MODULATOR VALVE {Bendix} R-7 for 4x2, SR-7 with relay valve for 6x4/8x6</p> <p>: QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4</p> <p>: DRAIN VALVE Twist-Type</p> <p>REQS: Code 04JBZ(std), 04JCN or 04JDD BRAKES, FRONT, AIR DISC</p> <p>-OR- BRAKES, FRONT, AIR CAM</p> <p>N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME</p> <p>: Code 29331 BRAKE DRUMS, FRONT or Code 29334 BRAKE DRUMS, REAR</p> <p>: Code 04WHL BRAKE PACKAGE, REAR</p> <p>: Code 04AAA, 04AAU, 04AAY, 04ABA and 04657 BRAKE CHAMBERS, ADDITIONAL</p> <p>: Code 04WDT SPRING BRAKE MODULATOR VALVE</p> <p>: Code 04692 and 04808 HOSE TENDER</p> <p>: Code 08WAA and 08WLL LIGHT, WORK</p> <p>: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK, 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE</p> <p>: Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY</p> <p>: Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p>AVAIL: Code 04WHT SPECIAL RATING, GAWR</p> <p>REC: Code 08HAA, 08HAB, 08HAE or 08HAU BODY BUILDER WIRING</p> <p>Dual System for Tractor Applications</p> <p>INCLS: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster</p>	<p>04091</p> <p>04092</p>	<p>STD</p> <p>\$346</p>	<p></p> <p>+1/0</p>
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>BRAKE SYSTEM, AIR <i>(SEE PREV PAGE)</i></p> <p>INCLS: SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes) : SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes) : PARKING BRAKE CONTROL Yellow and Red Knobs, Located on Instrument Panel : BRAKE LINES Color and Size Coded Nylon : TRAILER HOSES AND CABLES 12' Coiled Trailer Lighting Cable and with 7-Way Connector and with 12' Coiled Nylon Trailer Brake Hose : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for Forward Rear Axle : HAND CONTROL VALVE, AIR Mounted in Instrument Panel : TRACTOR PROTECTION VALVE : GLAD HANDS (2) One for Service and One for Emergency; Trailer Hoses from Cab : HOSE TENDER Back of Cab Mounted : DRAIN VALVE Twist-Type : SWITCH, AUXILIARY Interrupter for Cab and Trailer Clearance/Marker Lights (Blinks Lights with Headlight Switch in "OFF" or "ON" Position) Instrument Panel Mounted</p> <p>REQS: Code 04774 SPECIAL RATING, GAWR, when in combination with Code 01ANF AXLE CONFIGURATION</p> <p>REQS: Code 04AZS or 04AZY AIR BRAKE ABS</p> <p>REQS: Code 04AAA, 04AAA, 04AAU or 04AAU BRAKE CHAMBERS, ADDITIONAL, when in combination with Code 01AND AXLE CONFIGURATION and Code 04EVH or 04EXU BRAKE CHAMBERS, REAR AXLE</p> <p>REQS: Code 10WSX or 10WSX MUD FLAPS, REAR</p> <p>REQS: Code 10WPR, 10WPR, 10WPR, 10WPT, 10WPT or 10WPT MUD FLAP HOLDER</p> <p>REQS: Code 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATG, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING</p> <p>REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM</p> <p>-OR- BRAKES, REAR, AIR DISC</p> <p>REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE</p> <p>-OR- SUSPENSION, REAR, TANDEM</p> <p>-OR- Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE</p> <p>-OR- SUSPENSION, REAR, AIR, TRIDEM</p> <p>-OR- SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERB, 14ERC or 14051(std) AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TRIDEM</p> <p>-OR- AXLE, REAR, TANDEM</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>04092</p>		



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>BRAKE SYSTEM, AIR <i>(SEE PREV PAGE)</i></p> <p>REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 01ANF AXLE CONFIGURATION : Code 16XWY WINDSHIELD WASHER RESERVOIR or Code 04NDA BRAKES, REAR, AIR CAM or Code 04WRP DRAIN VALVE or Code 01MEJ FRAME, SPECIAL EFFECTS or Code 08XDZ BATTERY BOX or Code 03AHU SUSPENSION, FRONT, SPRING or Code 08TPS STOP, TURN, TAIL & B/U LIGHTS or Code 04VHZ and 04WZJ AIR TANK LOCATION or Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 16196 CAB : Code 16AAH GAUGE, AIR PRESSURE : Code 16917 MOUNTING BRACKETS : Code 04WZJ AIR TANK LOCATION : Code 04596 CONTROL VALVE, FRONT BRAKE : Code 04619 TRAILER CONNECTIONS : Code 01CAW FRAME RAILS, when in combination with Code 01ANF AXLE CONFIGURATION : Code 01CGE FRAME RAILS : Code 32WAA WHEELS, REAR : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 14877 and 14881 DIFFERENTIAL, LOCKING or Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK and 02AYT AXLE, FRONT NON-DRIVING, when in combination with Code 01ANA AXLE CONFIGURATION : Code 08VZP BEACON MOUNTING BRACKET : Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 08TME and 08TMG TRAILER CONNECTION SOCKET : Code 08TKK TRAILER AUXILIARY FEED CIRCUIT AVAIL: Code 10NZN SPECIAL RATING, GWR : Code 04ERC BRAKE CHAMBERS, SPRING : Code 08HAA BODY BUILDER WIRING REC: Code 10STA, 10WDA or 10WDN FIFTH WHEEL MOUNTING ANGLES or Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY or 10JAZ FIFTH WHEEL, STATIONARY or Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK, 10JAD or 10JPK FIFTH WHEEL, AIR SLIDE</p>	04092		



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
 NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AIR BRAKE ABS <i>(SEE PREV PAGE)</i></p> <p><i>Bendix</i></p> <p>- AntiLock Brake System -</p> <p>REQS: Code 14SAL, 14SAN, 14SCD, 14SCE, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE or Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB, 14UNA, 14UZZ, 14UZR, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM, when in combination with Code 04092 BRAKE SYSTEM, AIR</p> <p>REQS: Code 14TAX, 14TBZ or 14TCL SUSPENSION, REAR, AIR, SINGLE or Code 04JBZ(std), 04JCN, 04JDD or 04JDE BRAKES, FRONT, AIR DISC or Code 04JCG, 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM, when in combination with Code 04092 BRAKE SYSTEM, AIR</p> <p>REQS: Code 15DMV, 15DPL, 15DPM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJJ, 15SMD, 15SRE, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK, when in combination with Code 04WDT SPRING BRAKE MODULATOR VALVE and Code 14UNT SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 03ACP, 03ACR, 03ACS, 03ADC(std), 03ADD, 03ADE, 03ADG, 03AGA, 03AGU or 03AHU SUSPENSION, FRONT, SPRING</p> <p>REQS: Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB, 14UNA, 14UZZ, 14UZR, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM</p> <p>-OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 14AWN AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM</p> <p>N/A: Code 16CAB and 16196 CAB or Code 04VHZ and 04WZJ AIR TANK LOCATION, when in combination with Code 04WDT SPRING BRAKE MODULATOR VALVE and Code 14UNT SUSPENSION, REAR, AIR, TANDEM</p> <p>: GAUGE, AIR PRESSURE or VIRTUAL GAUGE, AIR PRESSURE or TRAILER CONNECTIONS : Code 04596 CONTROL VALVE, FRONT BRAKE : Code 04619 TRAILER CONNECTIONS or HYDRAULIC RETARDER : Code 04619 TRAILER CONNECTIONS, when in combination with Code 01ANA or 01ANF AXLE CONFIGURATION and Code 04091 BRAKE SYSTEM, AIR : Code 04619 TRAILER CONNECTIONS, when in combination with Code 04091 BRAKE SYSTEM, AIR and Code 01CAW FRAME RAILS : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	04AZY		



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
AIR BRAKE ABS (SEE PREV PAGE) <i>Bendix</i> - AntiLock Brake System - N/A: Code 14WLT AXLE, PUSHER, LIFT TYPE, ID or Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE, when in combination with Code 04092 BRAKE SYSTEM, AIR : Code 14877 and 14881 DIFFERENTIAL, LOCKING Full Vehicle Wheel Control System (6-Channel; 6 Sensor/6 Modulator) REQS: Code 04VKA, 04VKB or 04VKC AIR DRYER LOCATION, when in combination with Code 04WDT SPRING BRAKE MODULATOR VALVE and Code 14UNT SUSPENSION, REAR, AIR, TANDEM REQS: Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK, 08VUR, 08WEK, 08XDZ or 08XGJ BATTERY BOX, when in combination with Code 04WDT SPRING BRAKE MODULATOR VALVE and Code 14UNT SUSPENSION, REAR, AIR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK, when in combination with Code 04WDT SPRING BRAKE MODULATOR VALVE and Code 14UNT SUSPENSION, REAR, AIR, TANDEM REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14AWN AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC N/A: Code 16CAB and 16196 CAB or Code 04VHZ and 04WZJ AIR TANK LOCATION, when in combination with Code 04WDT SPRING BRAKE MODULATOR VALVE and Code 14UNT SUSPENSION, REAR, AIR, TANDEM : Code 04596 CONTROL VALVE, FRONT BRAKE : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14877 and 14881 DIFFERENTIAL, LOCKING : Code 08TPL COLLISION MITIGATION SYSTEM Full Vehicle Wheel Control System (6-Channel; 6 Sensor/6 Modulator) with Automatic Traction Control REQS: Code 04VKA, 04VKB or 04VKC AIR DRYER LOCATION, when in combination with Code 04WDT SPRING BRAKE MODULATOR VALVE and Code 14UNT SUSPENSION, REAR, AIR, TANDEM (SEE NEXT PAGE)	04AZY		
	04AZU	\$559	+14/+12
	04AZV	\$660	-9/-8



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AIR BRAKE ABS (SEE PREV PAGE)</p> <p><i>Wabco</i></p> <p>- AntiLock Brake System - REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL</p> <p>-OR- TRANSMISSION, AUTOMATIC</p> <p>N/A: Code 01ANF AXLE CONFIGURATION : Code 04596 CONTROL VALVE, FRONT BRAKE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : Code 08TPL COLLISION MITIGATION SYSTEM</p>	04AZE		
<p>BRAKE PACKAGE, FRONT</p> <p><i>Bendix Spicer</i></p> <p>- ADB22X - Air, Disc Type, Extended Service; Size 22.5" REQS: Code 04WEY(std), 04WHL, 04WHY or 04WXW BRAKE PACKAGE, REAR</p> <p>REQS: Code 02AGC, 02AGE, 02ARV, 02ARY, 02ARZ, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING</p> <p>REQS: Code 04JBZ(std), 04JCN or 04JDD BRAKES, FRONT, AIR DISC</p> <p>N/A: Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCG, 04JCJ, 04193 and 04196 BRAKES, FRONT, AIR CAM : Code 27DTE, 27DTZ, 27DUA and 27DUM WHEELS, FRONT : Code 14GTS, 14GTS, 14GTW and 14GTW AXLE, REAR, TANDEM, when in combination with Code 01AND AXLE CONFIGURATION and Code 04WHL or 04WHY BRAKE PACKAGE, REAR and Code 04091 BRAKE SYSTEM, AIR</p> <p>- ES-165-6X - Air, Cam Type, Extended Service; Size 16.5" x 6", Includes Automatic Slack Adjusters REQS: Code 04WHL, 04WHY or 04WXW BRAKE PACKAGE, REAR</p> <p>REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02ATG, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING</p> <p>REQS: Code 04193 BRAKES, FRONT, AIR CAM</p> <p>N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WEY(std) BRAKE PACKAGE, REAR : Code 27DVD and 27DVG WHEELS, FRONT</p>	04WEZ 04WHX	STD \$258 0/0	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-31

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>BRAKE PACKAGE, FRONT (CONTINUED)</p> <p><i>Meritor</i></p> <p>- EX225H2 - Air, Disc Type, 22.5" REQS: Code 27DBA, 27DEL, 27DEM, 27DHK, 27DJH, 27DJJ, 27DMJ, 27DMK, 27DMZ, 27DPN, 27DTD, 27DTH, 27DTT, 27DUK, 27DUL, 27DUP, 27DUR, 27DUS, 27DVG, 27DVH, 27DVJ, 27DVK, 27DVN, 27DVP, 27DVR or 27DVS WHEELS, FRONT REQS: Code 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING REQS: Code 04JDD or 04JDE BRAKES, FRONT, AIR DISC N/A: Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCG, 04JCJ, 04193 and 04196 BRAKES, FRONT, AIR CAM : Code 04WEY(std), 04WHL, 04WHY and 04WXW BRAKE PACKAGE, REAR</p>	04WZK	N/C + 40 / 0	
<p>BRAKES, FRONT, AIR DISC</p> <p>22.5 Dia, Includes 18" Sq. In. Brake Chambers REQS: Code 04WEZ(std) or 04WZK BRAKE PACKAGE, FRONT REQS: Code 02AGE AXLE, FRONT NON-DRIVING N/A: Code 04EXP and 04EXV BRAKE CHAMBERS, FRONT AXLE : Code 29AEM and 29331 BRAKE DRUMS, FRONT : Code 04WBX DUST SHIELDS, FRONT BRAKE : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCG, 04JCJ, 04193 and 04196 BRAKES, FRONT, AIR CAM : Code 04LGR BRAKE ATTACHMENT AVAIL: Code 04WEZ(std) BRAKE PACKAGE, FRONT</p> <p>22.5 Dia, Includes 20" Sq. In. Brake Chambers REQS: Code 04WEZ(std) or 04WZK BRAKE PACKAGE, FRONT REQS: Code 02AGC, 02ARV, 02ARY, 02ARZ, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING N/A: Code 04EXP and 04EXV BRAKE CHAMBERS, FRONT AXLE : Code 29AEM and 29331 BRAKE DRUMS, FRONT : Code 04WBX DUST SHIELDS, FRONT BRAKE : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCG, 04JCJ, 04193 and 04196 BRAKES, FRONT, AIR CAM : Code 04LGR BRAKE ATTACHMENT AVAIL: Code 04WEZ(std) BRAKE PACKAGE, FRONT</p> <p>22.5 Dia, Includes 24" Sq. In. Brake Chambers REQS: Code 04WEZ(std) or 04WZK BRAKE PACKAGE, FRONT REQS: Code 02ARY, 02ARZ, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 04WHX BRAKE PACKAGE, FRONT : Code 04EXP and 04EXV BRAKE CHAMBERS, FRONT AXLE : Code 29AEM and 29331 BRAKE DRUMS, FRONT</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	04JBZ 04JCN 04JDD	STD \$20 + 1 / 0 \$1,346 + 1 / 0	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>BRAKES, FRONT, AIR DISC <i>(SEE PREV PAGE)</i></p> <p>N/A: Code 04WBX, 04WHA and 04WHD DUST SHIELDS, FRONT BRAKE : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCG, 04JCJ, 04193 and 04196 BRAKES, FRONT, AIR CAM : Code 04LGR BRAKE ATTACHMENT</p> <p>22.5 Dia, Includes 27" Sq. In. Brake Chambers REQS: Code 04WEZ(std) or 04WZK BRAKE PACKAGE, FRONT REQS: Code 02ARY, 02ARZ, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04EXP and 04EXV BRAKE CHAMBERS, FRONT AXLE : Code 29AEM and 29331 BRAKE DRUMS, FRONT : Code 04WBX, 04WHA and 04WHD DUST SHIELDS, FRONT BRAKE : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCG, 04JCJ, 04193 and 04196 BRAKES, FRONT, AIR CAM : Code 04LGR BRAKE ATTACHMENT AVAIL: Code 04WZK BRAKE PACKAGE, FRONT</p>	<p>04JDD</p> <p>04JDE</p>	<p></p> <p>\$1,446 + 43/0</p>	<p></p> <p></p>
<p>BRAKES, FRONT, AIR CAM</p> <p>S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. Long Stroke Brake Chambers REQS: Code 04EXP BRAKE CHAMBERS, FRONT AXLE REQS: Code 02AGE, 02ARW(std), 02ATG or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WEZ(std), 04WHX and 04WZK BRAKE PACKAGE, FRONT : Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC and 14698 SUSPENSION, REAR, TANDEM : Code 27DJL WHEELS, FRONT AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WBX DUST SHIELDS, FRONT BRAKE</p> <p>S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers REQS: Code 04EXP BRAKE CHAMBERS, FRONT AXLE REQS: Code 02AGC, 02AGE, 02ARV, 02ARW(std), 02ATG or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WEZ(std), 04WHX and 04WZK BRAKE PACKAGE, FRONT AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WBX DUST SHIELDS, FRONT BRAKE</p> <p>16.5" x 5", Includes 24 SqIn Long Stroke Brake Chambers REQS: Code 04EXV BRAKE CHAMBERS, FRONT AXLE REQS: Code 02AGC, 02AGE, 02ARV, 02ARW(std), 02ATG or 02AYT AXLE, FRONT NON-DRIVING</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>04JCG</p> <p>04JCJ</p> <p>04196</p>	<p>\$1,633CR - 73/0</p> <p>\$1,368CR - 28/0</p> <p>\$1,368CR - 28/0</p>	<p></p> <p></p> <p></p>



HV613 SBA

AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>BRAKES, FRONT, AIR CAM (SEE PREV PAGE)</p> <p>N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WEZ(std), 04WHX and 04WZK BRAKE PACKAGE, FRONT AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WBX DUST SHIELDS, FRONT BRAKE</p> <p>16.5" x 6", Includes 24 Sqli Long Stroke Brake Chambers REQS: Code 04EXV BRAKE CHAMBERS, FRONT AXLE REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WHX BRAKE PACKAGE, FRONT : Code 04WBX DUST SHIELDS, FRONT BRAKE</p>	<p>04196</p> <p>04193</p>	<p>\$1,368CR +26/0</p>	
<p>BRAKE CHAMBERS, FRONT AXLE</p> <p>Bendix</p> <p>20 Sqli REQS: Code 04JCG or 04JCJ BRAKES, FRONT, AIR CAM, when in combination with Code 04NCZ BRAKES, REAR, AIR CAM and Code 04NDA or 04NDB BRAKES, REAR, AIR CAM and Code 04NDB or 04NDH BRAKES, REAR, AIR CAM and Code 04NDL BRAKES, REAR, AIR CAM and Code 04NDN BRAKES, REAR, AIR CAM and Code 04NDP BRAKES, REAR, AIR CAM REQS: Code 04JCG or 04JCJ BRAKES, FRONT, AIR CAM N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC</p> <p>24 Sqli REQS: Code 04193 or 04196 BRAKES, FRONT, AIR CAM N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC</p>	<p>04EXP</p> <p>04EXV</p>	<p>N/C +16/0</p> <p>N/C +18/0</p>	
<p>SLACK ADJUSTERS, FRONT</p> <p>Haldex</p> <p>Automatic REQS: Code 04LGA SLACK ADJUSTERS, REAR REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02ATG, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p>	<p>04LAA</p>	<p>\$138 0/0</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>BRAKE PACKAGE, REAR (CONTINUED)</p> <p><i>Bendix Spicer</i></p> <p>- ES-165-7X - Air, Cam Type, Extended Service; Size 16.5" x 7", Includes Automatic Slack Adjusters REQS: Code 04774 SPECIAL RATING, GAWR, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 04WEZ(std) or 04WHX BRAKE PACKAGE, FRONT REQS: Code 04NCZ, 04NDA, 04NDB or 04NDL BRAKES, REAR, AIR CAM N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04773 BRAKE SHOES, REAR : Code 04EUE BRAKE LININGS, REAR</p> <p><i>Dana Spicer</i></p> <p>- ES-165-7H - Air, Cam Type, Extended Service; Size 16.5" x 7", Includes Automatic Slack Adjusters, 52,000-lb Capacity Drive Tandem Axle Rating or 26,000 lb Drive Single Axle Rating REQS: Code 04WEZ(std) or 04WHX BRAKE PACKAGE, FRONT REQS: Code 04NCZ, 04NDA, 04NDB or 04NDL BRAKES, REAR, AIR CAM N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04773 BRAKE SHOES, REAR : Code 04EUE BRAKE LININGS, REAR : Code 32WAA WHEELS, REAR</p>			
<p>BRAKE IDENTITY, REAR</p> <p><i>Meritor</i></p> <p>- Cast Plus - 16.5" x 8.63" REQS: Code 04NDA or 04NEX BRAKES, REAR, AIR CAM, when in combination with Code 14SAL, 14SCD or 14VAJ SUSPENSION, REAR, SINGLE and Code 14AHH, 14AHJ, 14AJY, 14ASB, 14ASC, 14ASD, 14ERB or 14ERC AXLE, REAR, SINGLE REQS: Code 04NDH, 04NDN, 04NDP or 04NEX BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC</p>			
<p>BRAKES, REAR, AIR DISC</p> <p>22.5 Dia, Includes 18/24" Sq. In. Brake Chambers REQS: Code 14AHE, 14AHG, 14ARB, 14ARK, 14ARX, 14ARY, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE, when in combination with Code 14TBZ or 14TCL SUSPENSION, REAR, AIR, SINGLE</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
BRAKES, REAR, AIR DISC (SEE PREV PAGE) REQS: Code 14SAL, 14SAN(std), 14SCE, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14UNS, 14UNT, 14UNU, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARY, 14ARZ, 14ASA, 14ASC, 14AWK, 14AWL, 14AWN, 14CVC, 14ERB or 14ERC AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 04EVH, 04EVP, 04EVR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE : Code 04773 BRAKE SHOES, REAR : Code 29334 BRAKE DRUMS, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04WDM DUST SHIELDS, REAR BRAKE : Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN, 04NDP and 04NEX BRAKES, REAR, AIR CAM : Code 04LGR BRAKE ATTACHMENT : Code 04ERC, 04WDW and 04WYB BRAKE CHAMBERS, SPRING AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WEY(std) BRAKE PACKAGE, REAR : Code 04657 BRAKE CHAMBERS, ADDITIONAL 22.5 Dia, Includes 20/24" Sq. In. Brake Chambers REQS: Code 14AHE, 14AHG, 14ARB, 14ARK, 14ARX, 14ARY, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE, when in combination with Code 14TBZ or 14TCL SUSPENSION, REAR, AIR, SINGLE REQS: Code 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- Code 14UHC, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14VKL or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14UNS, 14UNT, 14UNU, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARZ, 14ASA, 14AWK, 14AWL or 14AWN AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRR, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWY, 14HRC, 14HRE or 14HRW AXLE, REAR, TANDEM N/A: Code 04EVH, 04EVP, 04EVR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE : Code 04773 BRAKE SHOES, REAR : Code 29334 BRAKE DRUMS, REAR (SEE NEXT PAGE)	04JCC		
	04JNT	\$34	0/+2



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>BRAKES, REAR, AIR CAM</p> <p>S-Cam; 16.5" x 7.0"; Includes 30/24 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVP BRAKE CHAMBERS, REAR AXLE REQS: Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04NNP BRAKE IDENTITY, REAR : Code 04WEY(std) BRAKE PACKAGE, REAR : Code 04LGR BRAKE ATTACHMENT : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WDM DUST SHIELDS, REAR BRAKE : Code 04WYB BRAKE CHAMBERS, SPRING</p>	04NDL	\$1,524CR 0/+26	
<p>S-Cam; 16.5" x 7.0"; Includes 30/28 Sq.In. Long Stroke Brake Chambers and Piston-Type Spring Activated Parking Brakes REQS: Code 04EVR BRAKE CHAMBERS, REAR AXLE REQS: Code 14TAX or 14TBJ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM N/A: Code 04WHT and 04774 SPECIAL RATING, GAWR : Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04NNP BRAKE IDENTITY, REAR : Code 04LGR BRAKE ATTACHMENT : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM AVAIL: Code 04WHY and 04WXW BRAKE PACKAGE, REAR : Code 04WDM DUST SHIELDS, REAR BRAKE : Code 04WYB BRAKE CHAMBERS, SPRING</p>	04NCZ	\$1,524CR 0/+26	
<p>S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake REQS: Code 04EVH, 04EXU or 04EXW BRAKE CHAMBERS, REAR AXLE N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04NNP BRAKE IDENTITY, REAR : Code 04WEY(std) BRAKE PACKAGE, REAR AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WDM DUST SHIELDS, REAR BRAKE</p>	04NDB	\$1,524CR 0/+26	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
BRAKES, REAR, AIR CAM (SEE PREV PAGE)			
-OR- Code 14UHK, 14ULY or 14698 SUSPENSION, REAR, TANDEM REQS: Code 14AHH, 14AHJ, 14AJY, 14ASB, 14ASC, 14ASD, 14ERB or 14ERC AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM N/A: Code 04WHT and 04774 SPECIAL RATING, GAWR : Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04WEY(std), 04WHL, 04WHY and 04WXW BRAKE PACKAGE, REAR : Code 04AZU and 04AZV AIR BRAKE ABS : AIR TANK, when in combination with Code 04091 BRAKE SYSTEM, AIR : Code 04WDW BRAKE CHAMBERS, SPRING : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : SUSPENSION, REAR, AIR, TANDEM : Code 32DHY WHEELS, REAR : AXLE, REAR, TANDEM AVAIL: Code 04WDM DUST SHIELDS, REAR BRAKE	04NEX		
S-Cam; 16.5" x 8.625"; Includes 30/24 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVP BRAKE CHAMBERS, REAR AXLE REQS: Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04WEY(std), 04WHL, 04WHY and 04WXW BRAKE PACKAGE, REAR : Code 04773 BRAKE SHOES, REAR : Code 04LGR BRAKE ATTACHMENT : Code 04WDW BRAKE CHAMBERS, SPRING : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WDM DUST SHIELDS, REAR BRAKE	04NDP	\$1,413CR 0/+50	
S-Cam; 16.5" x 8.625"; Includes 30/28 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVR BRAKE CHAMBERS, REAR AXLE REQS: Code 14TAX or 14TBJ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM N/A: Code 04WHT and 04774 SPECIAL RATING, GAWR : Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC (SEE NEXT PAGE)	04NDN	\$1,413CR 0/+40	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-41

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>BRAKES, REAR, AIR CAM <i>(SEE PREV PAGE)</i></p> <p>N/A: Code 04WEY(std), 04WHL, 04WHY and 04WXW BRAKE PACKAGE, REAR : Code 04773 BRAKE SHOES, REAR : Code 04LGR BRAKE ATTACHMENT : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM AVAIL: Code 04WDM DUST SHIELDS, REAR BRAKE : Code 04WYB BRAKE CHAMBERS, SPRING</p>	04NDN		
<p>BRAKE CHAMBERS, REAR AXLE</p> <p><i>MGM</i></p> <p>- MJS3024ET - 30/24 Piston Spring Brake REQS: Code 04AAY BRAKE CHAMBERS, ADDITIONAL, when in combination with Code 01AND AXLE CONFIGURATION and Code 04092 BRAKE SYSTEM, AIR REQS: Code 04NDL or 04NDP BRAKES, REAR, AIR CAM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC AVAIL: Code 04AAY BRAKE CHAMBERS, ADDITIONAL</p> <p>- MJS3028ET - 30/28 Piston Spring Brake REQS: Code 04NCZ or 04NDN BRAKES, REAR, AIR CAM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04AAA, 04AAU, 04AAY, 04ABA and 04657 BRAKE CHAMBERS, ADDITIONAL</p> <p>- TR3030LP3TSHD - 30/30 Spring Brake REQS: Code 04NDB or 04NDH BRAKES, REAR, AIR CAM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC AVAIL: Code 04AAA BRAKE CHAMBERS, ADDITIONAL</p> <p><i>Bendix</i></p> <p>- EnduraSure Pro - 30/30 Spring Brake REQS: Code 04NDB or 04NDH BRAKES, REAR, AIR CAM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC AVAIL: Code 04AAU BRAKE CHAMBERS, ADDITIONAL</p> <p>- EverSure - 30/30 Spring Brake REQS: Code 04NDB or 04NDH BRAKES, REAR, AIR CAM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC AVAIL: Code 04AAU BRAKE CHAMBERS, ADDITIONAL</p> <p>36/36 Spring Brake REQS: Code 04NDA or 04NEX BRAKES, REAR, AIR CAM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>04EVP</p> <p>04EVR</p> <p>04EVH</p> <p>04EXW</p> <p>04EXU</p> <p>04EXT</p>	<p>\$454</p> <p>\$458</p> <p>\$150</p> <p>\$81</p> <p>N/C</p> <p>\$144</p>	<p>0/+46</p> <p>0/+44</p> <p>0/+41</p> <p>0/+39</p> <p>0/+39</p> <p>0/+55</p>



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
BRAKE CHAMBERS, REAR AXLE <i>(SEE PREV PAGE)</i> Bendix - EverSure - N/A: Code 04AAA, 04AAU, 04AAY, 04ABA and 04657 BRAKE CHAMBERS, ADDITIONAL	04EXT		
SLACK ADJUSTERS, REAR Haldex Automatic REQS: Code 04LAA SLACK ADJUSTERS, FRONT or Code 04JBZ(std), 04JCN, 04JDD or 04JDE BRAKES, FRONT, AIR DISC N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC AVAIL: Code 04WHY and 04WXW BRAKE PACKAGE, REAR	04LGA	\$188	0/0
BRAKE LININGS, REAR Meritor - R403 - Non-Asbestos for S-Cam Brake N/A: Code 04WEY(std), 04WHL, 04WHY and 04WXW BRAKE PACKAGE, REAR AVAIL: Code 04774 SPECIAL RATING, GAWR	04EUE	\$123	0/0
BRAKE CHAMBERS, SPRING on Rear/Rear Axle Located Inside Rear Tire Envelope (Meets Asphalt Spreader/Paver Clearance Requirements) REQS: Code 04WEZ(std), 04WHX or 04WZK BRAKE PACKAGE, FRONT REQS: Code 04LAA SLACK ADJUSTERS, FRONT REQS: Code 04WHY or 04WXW BRAKE PACKAGE, REAR REQS: Code 04LGA SLACK ADJUSTERS, REAR REQS: Code 04NDB BRAKES, REAR, AIR CAM REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU or 14UZX SUSPENSION, REAR, TANDEM, when in combination with Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY, 14GWZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 04NDB or 04NDH BRAKES, REAR, AIR CAM REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS or 14UNT SUSPENSION, REAR, AIR, TANDEM <div style="text-align: right;"><i>(SEE NEXT PAGE)</i></div>	04WDW	\$48	



**HV613 SBA
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	HV613 SBA	
BRAKE CHAMBERS, SPRING (SEE PREV PAGE) N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : AXLE, REAR, SINGLE for Rear Axle, Located to Meet Asphalt Spreader/Paver Clearance Requirements REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN, 04NDP or 04NEX BRAKES, REAR, AIR CAM REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14SCD or 14SCE SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14AWK, 14AWL, 14CDE, 14ERB, 14ERC or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : SUSPENSION, REAR, TANDEM : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : SUSPENSION, REAR, AIR, TANDEM AVAIL: Code 14WAP SHOCK ABSORBERS, REAR Relocated To Rear Of Rear Axle For Maximum Ground Clearance REQS: Code 04NDA, 04NDB, 04NDP or 04NEX BRAKES, REAR, AIR CAM REQS: Code 14SAL, 14SAN(std), 14TBU, 14TBW, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : SUSPENSION, REAR, TANDEM : Code 14WAP SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : SUSPENSION, REAR, AIR, TANDEM	04WDW		
	04WYB	\$48	
	04ERC	\$48	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
BRAKE SHOES, REAR			
Cast REQS: Code 04NNP BRAKE IDENTITY, REAR, when in combination with Code 04NDH, 04NDN, 04NDP or 04NEX BRAKES, REAR, AIR CAM REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL or 04NEX BRAKES, REAR, AIR CAM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04WEY(std), 04WHL, 04WHY and 04WXW BRAKE PACKAGE, REAR	04773	\$1,021	
BRAKE CHAMBERS, ADDITIONAL			
(02) Spring Brake Type; T18/24 SqIn, for Air Disc REQS: Code 01AND or 01ANF AXLE CONFIGURATION REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04EVH, 04EVP, 04EVR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE	04657	\$282	+18/0
(02) Spring Brake Type; T24/24 SqIn, for Air Disc REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04JNW BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04EVH, 04EVP, 04EVR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE	04ABA	\$123	0/+22
MGM			
(02) Spring Brake Type, Piston Style; 30/24 SqIn REQS: Code 01AND or 01ANF AXLE CONFIGURATION REQS: Code 04EVP BRAKE CHAMBERS, REAR AXLE REQS: Code 04JNT BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR	04AAY	\$300	0/+25
(02) Spring Brake Type; 30/30 SqIn REQS: Code 01AND or 01ANF AXLE CONFIGURATION REQS: Code 04EVH BRAKE CHAMBERS, REAR AXLE REQS: Code 04JNT BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR	04AAA	\$319	0/+21
Bendix			
(02) Spring Brake Type; 30/30 SqIn REQS: Code 01AND or 01ANF AXLE CONFIGURATION REQS: Code 04EXU or 04EXW BRAKE CHAMBERS, REAR AXLE REQS: Code 04EXU BRAKE CHAMBERS, REAR AXLE, when in combination with Code 04NDB or 04NDH BRAKES, REAR, AIR CAM REQS: Code 04JNT BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR	04AAU	\$110	0/+18



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
DUST SHIELDS, REAR BRAKE for Air Brakes N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC Bendix Spicer - ADB22X - Pad, with Air Disc Brakes N/A: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN, 04NDP and 04NEX BRAKES, REAR, AIR CAM : Code 32WAA WHEELS, REAR Rotor, with Air Disc Brakes N/A: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN, 04NDP and 04NEX BRAKES, REAR, AIR CAM : Code 32WAA WHEELS, REAR	04WDM	\$70 0/+6	
	04WHN	\$48 0/+1	
	04WGZ	\$365 0/+5	
SPECIAL RATING, GAWR Provides Rear Tractor Brake Rating Equal to Axle Rating up to 23,000-lbs for Single Axles, 46,000-lbs for Tandem Axles, or 69,000-lb for Tridem REQS: Code 04NDB, 04NDH, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01ANF AXLE CONFIGURATION Provides Rear Brake Rating Equal to Axle Rating up to 26,000-lbs for Single Axles, 52,000-lbs for Tandem Axles REQS: Code 04JNT or 04JNW BRAKES, REAR, AIR DISC N/A: Code 01ANF AXLE CONFIGURATION : Code 04JCG, 04JCJ, 04193 and 04196 BRAKES, FRONT, AIR CAM : Code 04EUE BRAKE LININGS, REAR : Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN, 04NDP and 04NEX BRAKES, REAR, AIR CAM	04774	N/C	
	04WHT	N/C 0/0	
BRAKE ATTACHMENT Stainless Steel Slack Adjuster Pins/Cotter Pins on Front and Rear REQS: Code 04NDA, 04NDB, 04NDH or 04NEX BRAKES, REAR, AIR CAM N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC	04LGR	\$80 0/0	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
AIR DRYER (CONTINUED)			
Bendix			
- AD-IP - with Heater REQS: Code 04JDC, 04VHT or 04VKC(std) AIR DRYER LOCATION, when in combination with Code 16CAB CAB REQS: Code 04JDC, 04VHT, 04VKA or 04VKB AIR DRYER LOCATION, when in combination with Code 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL REQS: Code 04JDC, 04VHT, 04VKA, 04VKB or 04VKC(std) AIR DRYER LOCATION, when in combination with Code 16030 CAB N/A: Code 04VKE AIR DRYER LOCATION			
	04EBT	\$526 +20/+5	
- AD-9 - with Heater REQS: Code 04JDC, 04VHT or 04VKC(std) AIR DRYER LOCATION, when in combination with Code 16CAB CAB REQS: Code 04JDC, 04VHT, 04VKA, 04VKB or 04VKC(std) AIR DRYER LOCATION, when in combination with Code 16030 CAB N/A: Code 04VKE AIR DRYER LOCATION			
	04EBS	\$450 +21/+6	
AIR DRYER LOCATION			
Mounted Inside Left Rail, Back of Cab N/A: Code 13XAJ and 13XAS PTO LOCATION, when in combination with Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL	04VKC	STD	
(02) Mounted Parallel Outside Left Rail, Back of Cab N/A: Code 01ANF AXLE CONFIGURATION : Code 04EBD, 04EBS and 04EBT AIR DRYER	04VKE	\$50	
Mounted Inside Right Rail, Back of Cab	04VKB	\$50	
Mounted Outside Left Rail, on Fuel Water Separator Bracket REQS: Code 16030 CAB REQS: Code 04VCL, 04VHZ or 04WZJ AIR TANK LOCATION, when in combination with Code 15LMG or 15LMK LOCATION FUEL/WATER SEPARATOR and Code 15LML FUEL/WATER SEPARATOR REQS: Code 04VHZ AIR TANK LOCATION, when in combination with Code 15SSC FUEL TANK	04VHT	\$27	
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AIR DRYER LOCATION <i>(SEE PREV PAGE)</i></p> <p>REQS: Code 04VKJ(std) or 04VKK AIR TANK LOCATION, when in combination with Code 15SJZ, 15SWD, 15SWE or 15SWG FUEL TANK and Code 15LMK LOCATION FUEL/WATER SEPARATOR</p> <p>REQS: Code 04VKJ(std) AIR TANK LOCATION, when in combination with Code 04EBS AIR DRYER and Code 15SJZ, 15SWD, 15SWE or 15SWG FUEL TANK and Code 15LMK LOCATION FUEL/WATER SEPARATOR</p> <p>REQS: Code 04VKJ(std), 04VKK or 04WZJ AIR TANK LOCATION, when in combination with Code 04EBT AIR DRYER and Code 15SJZ, 15SWD, 15SWE or 15SWG FUEL TANK and Code 15LMK LOCATION FUEL/WATER SEPARATOR</p> <p>REQS: Code 04WZJ AIR TANK LOCATION, when in combination with Code 08WEL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK</p> <p>REQS: Code 04WZJ AIR TANK LOCATION, when in combination with Code 15SGD FUEL TANK</p> <p>REQS: Code 04EBD AIR DRYER, when in combination with Code 04VHZ AIR TANK LOCATION and Code 15LMG or 15LMK LOCATION FUEL/WATER SEPARATOR and Code 15LML FUEL/WATER SEPARATOR</p> <p>REQS: Code 04EBD AIR DRYER, when in combination with Code 08VUL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK</p> <p>REQS: Code 04EBD AIR DRYER, when in combination with Code 15SSC FUEL TANK</p> <p>REQS: Code 04EBT AIR DRYER, when in combination with Code 08WEL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK</p> <p>REQS: Code 04EBT AIR DRYER, when in combination with Code 15SWJ or 15SWK FUEL TANK</p> <p>REQS: Code 01CAG, 01CAJ, 01CBU or 01CGE FRAME RAILS, when in combination with Code 15LMG or 15LMK LOCATION FUEL/WATER SEPARATOR and Code 15LML FUEL/WATER SEPARATOR</p> <p>REQS: Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK, 08WEK or 08XDZ BATTERY BOX, when in combination with Code 15LMG or 15LMK LOCATION FUEL/WATER SEPARATOR and Code 15LML FUEL/WATER SEPARATOR</p> <p>REQS: Code 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL, 08VUM, 08WEJ or 08WEK BATTERY BOX</p> <p>REQS: Code 08VTN, 08VUJ, 08VUK or 08WEK BATTERY BOX, when in combination with Code 15SSC FUEL TANK</p> <p>REQS: Code 08VUJ or 08VUK BATTERY BOX, when in combination with Code 15SGD FUEL TANK</p> <p>REQS: Code 08VUJ, 08VUK, 08VUL(std), 08VUM or 08WEL BATTERY BOX, when in combination with Code 15SJZ, 15SWD, 15SWE or 15SWG FUEL TANK</p> <p>REQS: Code 08VUJ, 08VUK, 08VUL(std), 08VUM, 08WEK or 08WEL BATTERY BOX, when in combination with Code 15SWE FUEL TANK and Code 15LMK LOCATION FUEL/WATER SEPARATOR</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	04VHT		



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AIR DRYER LOCATION <i>(SEE PREV PAGE)</i></p> <p>REQS: Code 08VUJ, 08VUK, 08VUL(std), 08VUM, 08WEL or 08XDZ BATTERY BOX, when in combination with Code 15SJZ FUEL TANK and Code 15LMK LOCATION FUEL/WATER SEPARATOR</p> <p>REQS: Code 08VUN or 08WJJ BATTERY BOX, when in combination with Code 15SWJ or 15SWK FUEL TANK</p> <p>REQS: Code 14ULX, 14ULY or 14UMB SUSPENSION, REAR, TANDEM, when in combination with Code 08VUL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK</p> <p>REQS: Code 14UZB or 14UZU SUSPENSION, REAR, TANDEM, when in combination with Code 08WEL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK</p> <p>REQS: Code 14UNX or 14UPL SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB, 14UZB, 14UZR, 14UZS, 14UZU, 14UZX or 14VKL SUSPENSION, REAR, TANDEM, when in combination with Code 15SWJ or 15SWK FUEL TANK</p> <p>REQS: Code 14UNX or 14UPL SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB, 14UZB, 14UZR, 14UZS, 14UZU, 14UZX, 14VKL or 14698 SUSPENSION, REAR, TANDEM, when in combination with Code 15SGD FUEL TANK</p> <p>REQS: Code 14UNX SUSPENSION, REAR, AIR, TANDEM or Code 14ULX, 14ULY or 14UMB SUSPENSION, REAR, TANDEM, when in combination with Code 04091 BRAKE SYSTEM, AIR and Code 04EBD, 04EBS or 04EBT AIR DRYER and Code 08VUL or 08VUM BATTERY BOX and Code 15SJZ, 15SWD, 15SWE or 15SWG FUEL TANK and Code 15LKU or 15LKX FUEL/WATER SEPARATOR</p> <p>REQS: Code 14UNX SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 08VUL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK</p> <p>REQS: Code 15SGD, 15SJR, 15SJZ, 15SSC, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK</p> <p>REQS: Code 15SJR, 15SJZ, 15SSC or 15STM FUEL TANK, when in combination with Code 15LMG or 15LMK LOCATION FUEL/WATER SEPARATOR and Code 15LML FUEL/WATER SEPARATOR</p> <p>REQS: Code 15LMG or 15LMK LOCATION FUEL/WATER SEPARATOR</p> <p>REQS: Code 15LMG LOCATION FUEL/WATER SEPARATOR, when in combination with Code 15SSC FUEL TANK</p> <p>REQS: Code 15LMK or 15LMY LOCATION FUEL/WATER SEPARATOR, when in combination with Code 15SJZ FUEL TANK</p> <p>REQS: Code 15LMK LOCATION FUEL/WATER SEPARATOR, when in combination with Code 15SWD, 15SWE or 15SWG FUEL TANK</p> <p>REQS: Code 15LKU FUEL/WATER SEPARATOR, when in combination with Code 08VUL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	04VHT		



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HV613 SBA	
AIR DRYER LOCATION (SEE PREV PAGE)			
REQS: Code 15LKU FUEL/WATER SEPARATOR, when in combination with Code 15SGD, 15SWJ or 15SWK FUEL TANK REQS: Code 15LKU FUEL/WATER SEPARATOR, when in combination with Code 15SWJ or 15SWK FUEL TANK REQS: Code 15LKU(std), 15LKX or 15LML FUEL/WATER SEPARATOR, when in combination with Code 15SWD, 15SWE or 15SWG FUEL TANK and Code 15LMK LOCATION FUEL/WATER SEPARATOR REQS: Code 15LKU, 15LKX, 15LKZ or 15LML FUEL/WATER SEPARATOR, when in combination with Code 15SJZ FUEL TANK and Code 15LMK LOCATION FUEL/WATER SEPARATOR REQS: Code 15WCS FUEL COOLER N/A: Code 01ANF AXLE CONFIGURATION : Code 16CAB and 16196 CAB, when in combination with Code 08VUL or 08WEL BATTERY BOX and Code 15SWE FUEL TANK and Code 15SWG FUEL TANK : Code 04WRJ AIR COMPRESSOR DISCHARGE LINE or Code 14WNL AXLE, PUSHER, LIFT TYPE : AIR TANK LOCATION, when in combination with Code 08VUL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK : Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION, when in combination with Code 04EBD AIR DRYER and Code 08VUL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK : Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION, when in combination with Code 15SWJ or 15SWK FUEL TANK : Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 08WEL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK	04VHT		
Mounted Outside Left Rail, Back of Cab REQS: Code 15SGD, 15SJR, 15SJZ, 15SMD, 15STM or 15SWD FUEL TANK, when in combination with Code 08WEJ BATTERY BOX REQS: Code 15SGG, 15SJZ, 15SMD or 15SWD FUEL TANK, when in combination with Code 08WEJ BATTERY BOX and Code 15LKU, 15LKX, 15LKZ, 15LML or 15LPR FUEL/WATER SEPARATOR	04JDC	\$156	
Mounted Outside Right Rail, Back of Cab REQS: Code 04VKJ(std) AIR TANK LOCATION, when in combination with Code 01CAW FRAME RAILS REQS: Code 04EBD AIR DRYER, when in combination with Code 01CAW FRAME RAILS REQS: Code 01WMA CROSSMEMBER, INTERMEDIATE, when in combination with Code 01CAW FRAME RAILS REQS: Code 08VUL or 08VUM BATTERY BOX, when in combination with Code 01CAW FRAME RAILS	04VKA	\$50	
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
AIR DRYER LOCATION <i>(SEE PREV PAGE)</i> REQS: Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM or Code 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM, when in combination with Code 01CAW FRAME RAILS N/A: AIR COMPRESSOR DISCHARGE LINE or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE, when in combination with Code 01CAW FRAME RAILS	04VKA		
AIR TANK Painted Aluminum, with Straight Thread O-Ring Ports N/A: Code 04VHZ AIR TANK LOCATION Polished Aluminum, with Straight Thread O-Ring Ports N/A: Code 04VHZ and 04WZJ AIR TANK LOCATION	04VGN	\$432	- 18 / - 10
AIR TANK LOCATION (02) Mounted Under Battery Box, Outside Left Rail, Back of Cab, Perpendicular to Rail REQS: Code 04AZA AIR BRAKE ABS, when in combination with Code 16CAB CAB and Code 04091 BRAKE SYSTEM, AIR and Code 08VUN or 08WJJ BATTERY BOX REQS: Code 14ULX, 14ULY, 14ULZ, 14UMB or 14UMC SUSPENSION, REAR, TANDEM, when in combination with Code 16CAB CAB and Code 04091 BRAKE SYSTEM, AIR and Code 08VUN or 08WJJ BATTERY BOX REQS: Code 08VTR, 08VUL(std), 08VUM, 08WEJ or 08WJJ BATTERY BOX REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 16196 CAB : Code 04VKC(std) AIR DRYER LOCATION or Code 04619 TRAILER CONNECTIONS, when in combination with Code 16CAB CAB and Code 04091 BRAKE SYSTEM, AIR and Code 08VUN or 08WJJ BATTERY BOX (02) Mounted Under Battery Box, Outside Right Rail, Back of Cab, Perpendicular to Rail REQS: Code 04JDC, 04VKB or 04VKC(std) AIR DRYER LOCATION, when in combination with Code 08VTN or 08WEK BATTERY BOX <div style="text-align: right;"><i>(SEE NEXT PAGE)</i></div>	04VKJ	STD	
	04VKK	\$50	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
AIR TANK LOCATION <i>(SEE PREV PAGE)</i> REQS: Code 15DYT, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 01ANF AXLE CONFIGURATION : Code 14WLR AXLE, TAG, LIFT TYPE, when in combination with Code 01AND AXLE CONFIGURATION and Code 04091 BRAKE SYSTEM, AIR and Code 04619 TRAILER CONNECTIONS : Code 07BKN EXHAUST SYSTEM AVAIL: Code 04VGN AIR TANK (02) Mounted Under Battery Box, Outside Left Rail, Under Cab REQS: Code 04EBS AIR DRYER, when in combination with Code 04VKB AIR DRYER LOCATION and Code 15DYJ FUEL TANK REQS: Code 08VTJ, 08VUR, 08WJN or 08XGJ BATTERY BOX REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT or 15SVU FUEL TANK (02) Mounted Under Battery Box, Outside Right Rail, Under Cab REQS: Code 07BKN EXHAUST SYSTEM, when in combination with Code 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL REQS: Code 08TST or 08TTR BATTERY BOX REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 16CAB CAB	04WZJ		
	04VKG	\$50	
	04VKH	\$50	
AIR SUPPLY, AUXILIARY on Air Reservoir with Glad Hand Connector	04RUJ	\$173	+1/+2
BRAKES, AIR CAM, PUSHER AXLE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with Two Pusher Lift Axles AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with Three Pusher Lift Axles AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE	04JBR	N/C	0/0
	04JBU	N/C	0/0
	04JBV	\$488	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
BRAKES, AIR CAM, PUSHER AXLE (CONTINUED) S-Cam; 16.5" x 6.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WNM AXLE, PUSHER, LIFT TYPE S-Cam; 16.5" x 7.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE	04JCK	\$193 +39/0	
BRAKES, AIR CAM, TAG AXLE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with Tag Lift Axle AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE S-Cam; 16.5" x 7.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with Tag Lift Axle AVAIL: Code 14WLR AXLE, TAG, LIFT TYPE	04JBS 04JBW 04JBT	\$220 N/C N/C 0/0 0/0	
CONTROL VALVE, FRONT BRAKE Dash Mounted Push/Pull Type Value, for Front Air Brake Application, with Pressure Reducing Valve REQS: Code 04AZA(std) or 04AZJ AIR BRAKE ABS REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 08WJV BATTERY DISCONNECT SWITCH or Code 08VTJ BATTERY BOX or Code 08HXT HORN, AIR : Code 04VCL and 04VHZ AIR TANK LOCATION	04596	\$446	
DRAIN VALVE Berg with Pull Chain, for Air Tank No Vendor Identified (03) Petcocks, for Air Tanks Automatic, with (3) Pull Chains, for Air Tanks (03) with Pull Chains for Air Tanks Bendix - DV-2 - (1) Automatic, with Heater, with (2) Berg Pull Chains, for Air Tank Automatic, with Heater, for Air Tank	04732 04WDA 04WRP 04WWZ 04WXX 04722	STD N/C \$44 \$105 \$184 \$165	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
HAND CONTROL VALVE, AIR for Trailer Brakes, Omit Item REQS: Code 04619 TRAILER CONNECTIONS, when in combination with Code 04091 BRAKE SYSTEM, AIR	04WDU	N/C	
HOSE TENDER Flexible Pogo Stick Type REQS: Code 16ZBP, 16ZGR or 16ZHH ACCESS, CAB AND FRAME, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 07BLG EXHAUST SYSTEM Slide Bar with Single Spring Bracket; Bar Extended 4.0" From Cab REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 07BLG EXHAUST SYSTEM	04692	\$365	
	04808	\$143	
SLACK ADJUSTER, PUSHER AXLE <i>Haldex</i> Automatic; for (2) Pusher Axles N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE Automatic; for (3) Pusher Axles N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE Automatic; for Single Pusher Axle N/A: Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	04JNL	\$98	0/0
	04JNM	\$147	0/0
	04JNJ	\$58	0/0
SLACK ADJUSTER, TAG AXLE <i>Haldex</i> Automatic; for 1 Tag Axle N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE	04JNK	\$58	0/0
SPRING BRAKE MODULATOR VALVE with Relay function REQS: Code 04VKA, 04VKB or 04VKC AIR DRYER LOCATION, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 14UNT SUSPENSION, REAR, AIR, TANDEM REQS: Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK, 08VUR, 08WEK, 08XDZ or 08XGJ BATTERY BOX, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 14UNT SUSPENSION, REAR, AIR, TANDEM REQS: Code 14TBZ or 14TCL SUSPENSION, REAR, AIR, SINGLE, when in combination with Code 04091 BRAKE SYSTEM, AIR	04WDT	\$177	
<i>(SEE NEXT PAGE)</i>			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>SPRING BRAKE MODULATOR VALVE (SEE PREV PAGE)</p> <p>REQS: Code 15DMV, 15DPL, 15DPM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 14UNT SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 04092 BRAKE SYSTEM, AIR</p> <p>N/A: Code 16CAB and 16196 CAB or Code 04VHZ and 04WZJ AIR TANK LOCATION, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 14UNT SUSPENSION, REAR, AIR, TANDEM</p>	04WDT		
<p>TRAILER CONNECTIONS</p> <p>Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck</p> <p>REQS: Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 04677 TRAILER HOSES and Code 04VKG AIR TANK LOCATION</p> <p>REQS: Code 08HAA BODY BUILDER WIRING or Code 08HAG or 08HAH ELECTRIC TRAILER BRAKE/LIGHTS or Code 08TME or 08TMG TRAILER CONNECTION SOCKET</p> <p>REQS: Code 08TKB STOP, TURN, TAIL & B/U LIGHTS, when in combination with Code 04677 TRAILER HOSES and Code 04VKG AIR TANK LOCATION</p> <p>REQS: Code 08TKK TRAILER AUXILIARY FEED CIRCUIT, when in combination with Code 08HAG or 08HAH ELECTRIC TRAILER BRAKE/LIGHTS</p> <p>REQS: Code 04091(std) BRAKE SYSTEM, AIR</p> <p>N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 01572 TOW HOOK, REAR or Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH and 13GYJ TRANSMISSION, MANUAL, when in combination with Code 04677 TRAILER HOSES and Code 04VKG AIR TANK LOCATION</p> <p>NOTE: When electronic stability control is ordered with trailer connections on a 4x2 truck, please check the operator manual for trailer weight restrictions.</p>	04619	\$542	0/0
<p>TRAILER HOSES</p> <p>Glad Hands for Four-Wheel Connections, Temporarily Mounted with Bulkhead Connectors on End of Frame, Includes Additional Hosing and Dummy Glad Hands</p>	04677	\$523	-7/+23



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
STEERING GEAR			
<i>Sheppard</i>			
- M100 - Power REQS: Code 02AGC, 02AGE, 02ARV, 02ARW(std) or 02ATG AXLE, FRONT NON-DRIVING	05PSA	STD	
- M100/HD94 - (02) Dual Power REQS: Code 02AGT, 02ATB or 02AYT AXLE, FRONT NON-DRIVING	05PUB	\$1,678 +100/-9	
- M100/M80 - (02) Dual Power REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY, 02ARZ, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING N/A: Code 03WAM SPACER BLOCK, SPRING, FRONT, when in combination with Code 02AYJ or 02AYK AXLE, FRONT NON-DRIVING	05PTB	\$1,159 +94/-9	
STEERING COLUMN			
Stationary	05AAA	STD	
Tilting	05708	\$125 +10/+6	
Tilting and Telescoping	05710	\$463 +12/+7	
STEERING WHEEL			
4-Spoke; 18" Dia., Black	05CAW	STD	
4-Spoke; 18" Dia., Black Leather Wrapped	05CBE	\$236 0/0	
DRIVELINE SYSTEM			
<i>Dana Spicer</i>			
1810HD, for 4x2/6x2 REQS: Code 01ANA(std) AXLE CONFIGURATION	06DGR	STD	
Service Free SPL250, for 4x2/6x2 REQS: Code 01ANA(std) AXLE CONFIGURATION	06DGM	\$723 +2/+5	
SPL170 Main Driveline with SPL170 Interaxle Shaft, for 6x4 REQS: Code 01AND AXLE CONFIGURATION	06DGT	\$253 -5/-15	
SPL170, for 4x2/6x2 REQS: Code 01ANA(std) AXLE CONFIGURATION	06DGC	\$253 -5/-15	
SPL250, for 4x2/6x2 REQS: Code 01ANA(std) AXLE CONFIGURATION	06DGD	\$527 +2/+5	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
DRIVELINE SYSTEM (CONTINUED)			
<i>Dana Spicer</i>			
1810HD Main Driveline with 1710 Interaxle Shaft, for 6x4 REQS: Code 01AND AXLE CONFIGURATION	06DHB	N/C	0 / 0
SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4 REQS: Code 01AND AXLE CONFIGURATION	06DGU	\$527	+2/+5
Service Free SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4 REQS: Code 01AND AXLE CONFIGURATION	06DGX	\$723	+2/+5
SPL170 Main Driveline, with SPL170 First Interaxle Shaft, SPL170 Second Interaxle Shaft, for 8x6 N/A: Code 01ANA(std), 01AND and 01ANF AXLE CONFIGURATION	06DHT	\$253	-5/-15
SPL250 Main Driveline, with SPL170 First Interaxle Shaft, SPL170 Second Interaxle Shaft, for 8x6 REQS: Code 01ANF AXLE CONFIGURATION	06DHU	\$527	+2/+5
EXHAUST SYSTEM			
Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Short Horizontal Tail Pipe, Frame Mounted Right Side Back of Cab REQS: Code 07BES, 07BEU or 07BEV AFTERTREATMENT COVER REQS: Code 07WDR(std) TAIL PIPE REQS: Code 08VTJ, 08VTR, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WJJ, 08WJN, 08XDZ or 08XGJ BATTERY BOX REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 01ANF AXLE CONFIGURATION : Code 04VKA AIR DRYER LOCATION, when in combination with Code 01CAW FRAME RAILS and Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL : Code 04VCL, 04VHZ and 04VKH AIR TANK LOCATION	07BKP	STD	
<i>(SEE NEXT PAGE)</i>			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HV613 SBA		
EXHAUST SYSTEM (SEE PREV PAGE)			
<p>N/A: Code 04VKK AIR TANK LOCATION, when in combination with Code 08VUJ or 08VUK BATTERY BOX</p> <p>: Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE</p> <p>: Code 13WDM HYDRAULIC RETARDER, when in combination with Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX or 13AUY TRANSMISSION, AUTOMATIC</p> <p>: Code 13607 TRANSMISSION, AUXILIARY</p> <p>: Code 07WAE and 07WAG RAIN CAP</p> <p>: Code 07WBS and 07WDN MUFFLER/TAIL PIPE GUARD</p> <p>: Code 15LKD FUEL HEATER</p> <p>: Code 07WBU, 07WCC, 07WCR and 07WDM EXHAUST HEIGHT</p> <p>AVAIL: Code 16XRJ MODESTY PANEL</p> <p>: Code 01MEJ FRAME, SPECIAL EFFECTS</p> <p>Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab</p> <p>REQS: Code 07BES, 07BEU or 07BEV AFTERTREATMENT COVER</p> <p>REQS: Code 07WAY, 07WAZ, 07WBA, 07WCY or 07WDT TAIL PIPE</p> <p>REQS: Code 07WBS or 07WDN MUFFLER/TAIL PIPE GUARD</p> <p>REQS: Code 07WBU, 07WCC, 07WCR or 07WDM EXHAUST HEIGHT</p> <p>REQS: Code 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN, 08XDZ or 08XGJ BATTERY BOX</p> <p>REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p>N/A: Code 16SDD GRAB HANDLE, ADDITIONAL EXT, when in combination with Code 16196 CAB</p> <p>: Code 16196 CAB</p> <p>: Code 04VHZ and 04VKH AIR TANK LOCATION</p> <p>AVAIL: Code 16XRJ MODESTY PANEL</p> <p>Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, Includes Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab, for Improved Ground Clearance</p> <p>REQS: Code 16ZBT or 16ZBU ACCESS, CAB</p> <p>REQS: Code 16ZHM ACCESS, CAB AND FRAME</p> <p>REQS: Code 16030(std) CAB</p> <p>REQS: Code 07BEV AFTERTREATMENT COVER</p> <p>REQS: Code 07WAY, 07WAZ, 07WBA or 07WDT TAIL PIPE</p> <p>REQS: Code 07WBS or 07WDN MUFFLER/TAIL PIPE GUARD</p> <p>REQS: Code 15DYP(std) DEF TANK</p>	07BKP		
	07BKS	\$1,210	+50/+27
	07BLG	\$1,260	+67/+48
(SEE NEXT PAGE)			

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-62

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
EXHAUST SYSTEM (SEE PREV PAGE)			
REQS: Code 07WBU, 07WCC, 07WCR or 07WDM EXHAUST HEIGHT REQS: Code 07WBU, 07WCR or 07WDM EXHAUST HEIGHT REQS: Code 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN, 08XDZ or 08XGJ BATTERY BOX REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL REQS: Code 15SGD, 15SGG, 15SGJ, 15SMD, 15SRE(std), 15SSC, 15SWE, 15SWG or 15SXN FUEL TANK N/A: Code 01ANF AXLE CONFIGURATION : Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME : Code 16XRX MODESTY PANEL : Code 04VKH AIR TANK LOCATION : Code 04692 and 04808 HOSE TENDER : Code 14WLM, 14WNNH, 14WNNJ, 14WNL and 14WNNM AXLE, PUSHER, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 07WCC EXHAUST HEIGHT AVAIL: Code 16XSE MODESTY PANEL : Code 01MEJ FRAME, SPECIAL EFFECTS	07BLG		
Single, Vertical Aftertreatment Device, Frame Mounted Right Side Back of Cab, for Single Vertical Tail Pipe REQS: Code 01AND AXLE CONFIGURATION or Code 01WMA CROSSMEMBER, INTERMEDIATE or Code 14UPC SUSPENSION, REAR, AIR, TRIDEM REQS: Code 16030(std) CAB REQS: Code 08TST or 08TTR BATTERY BOX, when in combination with Code 14UPC or 14UPP SUSPENSION, REAR, AIR, TRIDEM REQS: Code 07WAY, 07WAZ, 07WBA or 07WDT TAIL PIPE REQS: Code 07WBS or 07WDN MUFFLER/TAIL PIPE GUARD REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK, when in combination with Code 14UPC or 14UPP SUSPENSION, REAR, AIR, TRIDEM REQS: Code 15DYP DEF TANK, when in combination with Code 08TST or 08TTR BATTERY BOX and Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC or 13AYC TRANSMISSION, AUTOMATIC	07BKN	\$3,417	-35/+57
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA
<p>EXHAUST SYSTEM <i>(SEE PREV PAGE)</i></p> <p>REQS: Code 15DYP DEF TANK, when in combination with Code 08TST or 08TTR BATTERY BOX and Code 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL</p> <p>REQS: Code 07WBU or 07WCC EXHAUST HEIGHT, when in combination with Code 07WAZ or 07WBA TAIL PIPE</p> <p>REQS: Code 04SPL or 04SPM(std) AIR COMPRESSOR</p> <p>REQS: Code 08TST, 08TTR, 08VUL(std), 08VUM or 08WJN BATTERY BOX</p> <p>REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL</p> <p>-OR- Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC</p> <p>REQS: Code 15DYZ, 15DZA, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p>N/A: Code 01ANF AXLE CONFIGURATION</p> <p>: Code 16ZBP, 16ZGR and 16ZHH ACCESS, CAB AND FRAME, when in combination with Code 15SGD FUEL TANK</p> <p>: Code 04AZS and 04AZY AIR BRAKE ABS, when in combination with Code 08TST or 08TTR BATTERY BOX and Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC or 13AYC TRANSMISSION, AUTOMATIC and Code 15DYP DEF TANK</p> <p>: Code 04AZS and 04AZY AIR BRAKE ABS, when in combination with Code 08TST or 08TTR BATTERY BOX and Code 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL and Code 15DYP DEF TANK</p> <p>: Code 04VCL, 04VKK and 04WZJ AIR TANK LOCATION</p> <p>: Code 07BES, 07BEU and 07BEV AFTERTREATMENT COVER</p> <p>: Code 15SWJ and 15SWK FUEL TANK, when in combination with Code 01ANF AXLE CONFIGURATION and Code 16ZBP, 16ZGR or 16ZHH ACCESS, CAB AND FRAME</p> <p>: Code 15LKD FUEL HEATER</p> <p>AVAIL: Code 16XRX MODESTY PANEL</p> <p>: Code 01MEJ FRAME, SPECIAL EFFECTS</p> <p>: Code 07WBU and 07WCC EXHAUST HEIGHT</p>	07BKN	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
AFTERTREATMENT COVER			
Aluminum REQS: Code 07BKP(std) or 07BKS EXHAUST SYSTEM	07BEU	\$278	
Polished Aluminum REQS: Code 16XTK or 16ZBB ACCESS, CAB or Code 16ZBP or 16ZGR ACCESS, CAB AND FRAME, when in combination with Code 07BKP EXHAUST SYSTEM REQS: Code 07BKP(std) or 07BKS EXHAUST SYSTEM	07BES	\$498	
Steel, Black REQS: Code 16XTK, 16ZBB, 16ZBT(std) or 16ZBU ACCESS, CAB N/A: Code 07BKN EXHAUST SYSTEM	07BEV	N/C	
ENGINE COMPRESSION BRAKE			
by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch	07SDK	STD	
Omit	07SDX	\$1,188CR -47/-2	
EXHAUST HEIGHT			
10' REQS: Code 07BKS or 07BLG EXHAUST SYSTEM REQS: Code 07WAY, 07WAZ, 07WBA, 07WCY or 07WDT TAIL PIPE	07WDM	N/C	+1/+1
10' 11" REQS: Code 07BKS or 07BLG EXHAUST SYSTEM REQS: Code 07WAY, 07WAZ, 07WBA, 07WCY or 07WDT TAIL PIPE	07WCR	\$72	+1/+1
11' 6" REQS: Code 07BKN, 07BKS or 07BLG EXHAUST SYSTEM REQS: Code 07WAY, 07WAZ, 07WBA, 07WCY or 07WDT TAIL PIPE	07WBU	\$118	+2/0
13' 3" REQS: Code 07BKN or 07BKS EXHAUST SYSTEM REQS: Code 07WAY, 07WAZ, 07WBA, 07WCY or 07WDT TAIL PIPE	07WCC	\$176	+3/0
MUFFLER/TAIL PIPE GUARD			
(1) Aluminum REQS: Code 07BKN, 07BKS or 07BLG EXHAUST SYSTEM	07WDN	N/C	
(1) Bright Stainless Steel REQS: Code 07BKN, 07BKS or 07BLG EXHAUST SYSTEM N/A: Code 07WCY TAIL PIPE	07WBS	\$133	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
RAIN CAP			
with Single Exhaust, Chrome Finish REQS: Code 07BKN, 07BKS or 07BLG EXHAUST SYSTEM REQS: Code 07WAY TAIL PIPE	07WAG	\$88	+2/0
with Single Exhaust, Non-Bright Finish REQS: Code 07BKN, 07BKS or 07BLG EXHAUST SYSTEM REQS: Code 07WDT TAIL PIPE	07WAE	\$28	+2/0
SWITCH, FOR EXHAUST			
3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF	07WZX	\$56	
2 Position, Lighted & Latching, On/Off Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in On Position	07WZY	\$31	
TAIL PIPE			
(1) Horizontal, Short, with Heat Diffuser REQS: Code 07BKP(std) EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBU, 07WCC, 07WCR and 07WDM EXHAUST HEIGHT	07WDR	STD	
(1) Straight Type REQS: Code 07BKN, 07BKS or 07BLG EXHAUST SYSTEM AVAIL: Code 07WAE RAIN CAP	07WDT	\$64	0/0
(1) Straight Type, Bright REQS: Code 07BKN, 07BKS or 07BLG EXHAUST SYSTEM AVAIL: Code 07WAG RAIN CAP	07WAY	\$208	0/0
(1) Turnback Type REQS: Code 07BKN, 07BKS or 07BLG EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP	07WAZ	\$64	0/0
(1) Turnback Type, Bright REQS: Code 07BKN, 07BKS or 07BLG EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP	07WBA	\$208	0/0
(1) Turnback Type, Mounted to Right Side Frame Rail Inboard of Cab REQS: Code 07BKS EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP AVAIL: Code 07WDN MUFFLER/TAIL PIPE GUARD	07WCY	\$208	
ELECTRICAL SYSTEM			
12-Volt, Standard Equipment INCLS: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever (SEE NEXT PAGE)	08000	STD	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
ELECTRICAL SYSTEM <i>(SEE PREV PAGE)</i> INCLS: STARTER SWITCH Electric, Key Operated : WIRING, CHASSIS Color Coded and Continuously Numbered : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab	08000		
ALARM, PARK BRAKE, TIMER Programmable Parameter to Change Alarm Trigger Time	08XLT	N/C	0/0
ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, with Ignition "OFF" and any Door Opened Electric Horn Sounds in Repetitive Manner when Vehicle Park Brake is "NOT" Set, with Ignition "ON" or "OFF" and any Door Opened	08WXD 08XHC	\$42 \$42	
ALTERNATOR <i>Leece-Neville</i> - AVI160P2013 - Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount - AVI160P2003 - Brush Type; 12 Volt 240 Amp. Capacity, Pad Mount, with Remote Sense - AVI160P2007 - Brush Type; 12 Volt 210 Amp. Capacity, Pad Mount, with Remote Sense - AVI160P2012 - Brush Type; 12 Volt 190 Amp. Capacity, Pad Mount, with Remote Sense - BLP4006HN - Brushless, 12 Volt 325 Amp. Capacity, Pad Mount, with Remote Sense	08GXJ 08GXB 08GXC 08GXE 08G XK	STD \$350 \$253 \$217 \$1,207 +18/-1	 0/0 0/0 -1/0

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-67

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>ALTERNATOR (CONTINUED)</p> <p><i>Leece-Neville</i></p> <p>- 14931PAH - Brush Type, 12 Volt 320 Amp. Capacity, Pad Mount</p> <p><i>Delco Remy</i></p> <p>- 28SI - Brush Type, 12 Volt 200 Amp. Capacity, Pad Mount, with Remote Voltage Sensor</p> <p>- 36SI - Brushless, 12 Volt 165 Amp. Capacity, Pad Mount, with Remote Voltage Sensor</p> <p>- 40SI - Brushless, 12 Volt 240 Amp. Capacity, Pad Mount, with Remote Voltage Sensor</p>			
<p>AUXILIARY HARNESS</p> <p>3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications REQ: Code 09WBK(std) FRONT END N/A: Code 08THV DISCONNECT, FRONT HARNESS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP</p> <p>for Auxiliary Power Source; 30 Amp, Key Switched, 2-Pin Connector, Located on Floor Between Seats N/A: Code 16VSL WINDSHIELD : Code 08THV DISCONNECT, FRONT HARNESS : Code 08XJH FOG LIGHTS : Code 60ACX BDY INTG, THEFT DETERRENT SYS</p>			
<p>BACK-UP ALARM</p> <p>Electric, 102 dBA</p> <p><i>Preco</i></p> <p>- 1059 - Electronic; Solid State, Dual Function, 112 dBA N/A: Code 08THM STOP, TURN, TAIL & B/U LIGHTS</p>			
<p>BATTERY BOX</p> <p>Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Cab REQ: Code 04VHZ, 04VKJ(std) or 04WZJ AIR TANK LOCATION REQ: Code 16ZBP or 16ZHM ACCESS, CAB AND FRAME REQ: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQ: Code 15DMV, 15DPL, 15DPM, 15DUX, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGG, 15SGJ, 15SJZ, 15SMD, 15SRE(std), 15SWD, 15SWE or 15SWG FUEL TANK</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
BATTERY BOX (SEE PREV PAGE)			
N/A: Code 16196 CAB : Code 08WJW BATTERY DISCONNECT SWITCH : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 08TNR BATTERY CABLES, when in combination with Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SMD, 15SRE, 15STM, 15SWD, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK	08VUL		
Aluminum, with Aluminum Cover, 25" Wide, 2-3 Battery Capacity, Mounted Left Side Under Cab REQS: Code 16196 CAB REQS: Code 04VKG AIR TANK LOCATION REQS: Code 04091 BRAKE SYSTEM, AIR REQS: Code 15DYR DEF TANK REQS: Code 08MJR, 08MJU, 08MSG(std), 08MSL or 08NBR BATTERY SYSTEM REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT or 15SVU FUEL TANK N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME : Code 08RLZ, 08WJV and 08WJW BATTERY DISCONNECT SWITCH, when in combination with Code 16CAB or 16030 CAB : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 07BKN EXHAUST SYSTEM AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 08WWD BATTERY BOX COVER : Code 08TRV BATTERY CABLES : Code 08WBW JUMP START STUD	08VTJ	\$1,608 +21/-28	
Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Cab REQS: Code 04VHZ, 04VKJ(std) or 04WZJ AIR TANK LOCATION REQS: Code 16ZBP or 16ZHM ACCESS, CAB AND FRAME REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 15DMV, 15DPL, 15DPM, 15DUX, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGG, 15SGJ, 15SJZ, 15SMD, 15SRE(std), 15SWD, 15SWE or 15SWG FUEL TANK N/A: Code 16196 CAB : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE AVAIL: Code 08RLZ BATTERY DISCONNECT SWITCH	08VUM	\$410 -8/-14	
Aluminum, with Plastic Cover, 30" Wide, 2-4 Battery Capacity, Mounted Left Side Under Cab REQS: Code 04VKG AIR TANK LOCATION, when in combination with Code 16196 CAB REQS: Code 15DYR DEF TANK REQS: Code 16ZBP, 16ZGR or 16ZHH ACCESS, CAB AND FRAME REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB	08WJN	\$590 +22/-27	
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HV613 SBA	
<p>BATTERY BOX (SEE PREV PAGE)</p> <p>N/A: Code 04VKJ(std) AIR TANK LOCATION, when in combination with Code 01CAW FRAME RAILS : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 07BKN EXHAUST SYSTEM AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS</p> <p>Aluminum, with Plastic Cover, 2-4 Battery Capacity, Mounted Left Side Perpendicular to Frame Rail, 53" Back of Cab REQS: Code 16030(std) CAB REQS: Code 04WZJ AIR TANK LOCATION REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 08875 BATTERY TERMINALS : Code 07BKN EXHAUST SYSTEM AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 08TNR BATTERY CABLES</p> <p>Steel, with Fiberglass Cover, 2-4 Battery Capacity, Mounted Left Side Perpendicular to Frame Rail, 35" Back of Cab REQS: Code 16030(std) CAB REQS: Code 04VCL, 04VKJ(std) or 04WZJ AIR TANK LOCATION, when in combination with Code 16CAB or 16030 CAB and Code 15DYP DEF TANK and Code 15DYR DEF TANK REQS: Code 04VKJ(std) AIR TANK LOCATION, when in combination with Code 14UPC or 14UPP SUSPENSION, REAR, AIR, TRIDEM and Code 07BKS EXHAUST SYSTEM and Code 15SWE or 15SWG FUEL TANK REQS: Code 15SGD FUEL TANK, when in combination with Code 16ZHM ACCESS, CAB AND FRAME and Code 16030 CAB REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 15DMV, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 04VKG, 04VKH and 04VKK AIR TANK LOCATION : Code 04VKJ(std) AIR TANK LOCATION, when in combination with Code 01CAW FRAME RAILS : Code 07BKN EXHAUST SYSTEM AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 14WNH AXLE, PUSHER, LIFT TYPE</p>	<p>08VTR</p> <p>08VUN</p> <p>08WEJ</p>	<p>\$642</p> <p>\$210</p>	<p>- 8/- 17</p> <p>+ 14/- 5</p>



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
BATTERY BOX (CONTINUED)	HV613 SBA		
<p>Steel, with Fiberglass Cover, 2-4 Battery Capacity, Mounted Left Side Perpendicular to Frame Rail, 26" Back of Cab REQS: Code 16030(std) CAB REQS: Code 04VHT, 04VKB or 04VKC(std) AIR DRYER LOCATION REQS: Code 04WZJ AIR TANK LOCATION REQS: Code 07BKS or 07BLG EXHAUST SYSTEM REQS: Code 15DMV, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE or 15SWG FUEL TANK N/A: Code 08RLZ BATTERY DISCONNECT SWITCH : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 08WWD BATTERY BOX COVER : Code 08WBW JUMP START STUD</p>	08WEL	\$210	+ 14/- 5
<p>Steel, with Fiberglass Cover, 2-4 Battery Capacity, Mounted Left Side Perpendicular to Frame Rail, 53" Back of Cab REQS: Code 04VCL, 04VKJ(std) or 04WZJ AIR TANK LOCATION REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 16CAB CAB : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 07BKN EXHAUST SYSTEM : Code 08WJA POWER SOURCE, SPECIAL AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 08TNR BATTERY CABLES</p>	08WJJ	\$267	+ 2/+ 3
<p>Steel, with Plastic Cover, 25" Wide, 2-3 Battery Capacity, Mounted Left Side Under Cab REQS: Code 16196 CAB REQS: Code 04VKG AIR TANK LOCATION REQS: Code 04091 BRAKE SYSTEM, AIR REQS: Code 15DYR DEF TANK REQS: Code 08MJR, 08MJU, 08MSG(std), 08MSL or 08NBR BATTERY SYSTEM REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT or 15SVU FUEL TANK N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME : Code 08RLZ, 08WJV and 08WJW BATTERY DISCONNECT SWITCH, when in combination with Code 16CAB or 16030 CAB : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 08TNR and 08TRV BATTERY CABLES : Code 07BKN EXHAUST SYSTEM AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 08WWD BATTERY BOX COVER : Code 08WBW JUMP START STUD</p>	08VUR	N/C	+ 36/- 22



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
BATTERY BOX (CONTINUED)			
Steel, with Plastic Cover, 30" Wide, 2-4 Battery Capacity, Mounted Left Side Under Cab REQS: Code 04VKG AIR TANK LOCATION, when in combination with Code 16196 CAB REQS: Code 15DYR DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SSC, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT or 15SVU FUEL TANK N/A: Code 16196 CAB : Code 08RLZ, 08WJV and 08WJW BATTERY DISCONNECT SWITCH, when in combination with Code 16196 CAB : Code 08WJW BATTERY DISCONNECT SWITCH : Code 08WWD BATTERY BOX COVER : Code 08TNR and 08TRV BATTERY CABLES : Code 07BKN EXHAUST SYSTEM AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 14WLM AXLE, PUSHER, LIFT TYPE : Code 08WBW JUMP START STUD	08XGJ	\$432	+ 10/-9
Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab REQS: Code 16030(std) CAB REQS: Code 04VHZ, 04VKK or 04WZJ AIR TANK LOCATION REQS: Code 07BKS or 07BLG EXHAUST SYSTEM REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 08WJW BATTERY DISCONNECT SWITCH : Code 14WNM AXLE, PUSHER, LIFT TYPE	08VUJ	\$101	0/0
Steel, with Plastic Cover, 30" Wide, 2-4 Battery Capacity, Mounted Right Side Under Cab REQS: Code 16030(std) CAB REQS: Code 04VHZ, 04VKH or 04WZJ AIR TANK LOCATION REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 08WJV BATTERY DISCONNECT SWITCH : Code 08WWD BATTERY BOX COVER : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 08TNR and 08TRV BATTERY CABLES AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS	08TTR	N/C	+ 24/-19

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-73

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>BATTERY BOX (CONTINUED)</p> <p>Steel, with Fiberglass Cover, 2-4 Battery Capacity, Mounted Right Side Perpendicular to Frame Rail, 35" Back of Cab REQS: Code 04VHZ, 04VKK or 04WZJ AIR TANK LOCATION REQS: Code 07BKS or 07BLG EXHAUST SYSTEM REQS: Code 15DYP(std) DEF TANK REQS: Code 16ZBP, 16ZGR or 16ZHH ACCESS, CAB AND FRAME REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 15DMV, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 16196 CAB : Code 04VKK AIR TANK LOCATION, when in combination with Code 01ANA AXLE CONFIGURATION : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS</p>	08WEK	\$355	+14/-5
<p>BATTERY BOX COVER</p> <p>Aluminum REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WJJ, 08WJN or 08XGJ BATTERY BOX</p> <p>Polished Aluminum REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WJJ, 08WJN or 08XGJ BATTERY BOX</p> <p>Stainless Steel, Bright Finish REQS: Code 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL or 08WJJ BATTERY BOX</p>	08WGU	\$646	+3/+4
<p>BATTERY CABLES</p> <p>with 36" of Extra Length Coiled and Strapped Near Battery Box REQS: Code 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08WEJ, 08WEK or 08WEL BATTERY BOX, when in combination with Code 08GGG, 08GHK, 08GHU, 08GXB, 08GXC, 08GXE or 08GXK ALTERNATOR REQS: Code 08VUJ or 08VUK BATTERY BOX, when in combination with Code 08875 BATTERY TERMINALS REQS: Code 08VUJ, 08VUK, 08VUL(std), 08VUM, 08WEK or 08WEL BATTERY BOX, when in combination with Code 08GGG, 08GHK, 08GHU, 08GXB, 08GXC or 08GXE ALTERNATOR REQS: Code 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WEL or 08WJJ BATTERY BOX</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	08TNR	\$178	+2/+1



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
BATTERY CABLES (SEE PREV PAGE)			
REQS: Code 08MJR, 08MJU, 08MJV, 08MSG(std), 08MSH or 08NBR BATTERY SYSTEM with 2 Auxiliary Sealed Battery Posts, 1 Positive and 1 Negative REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC, when in combination with Code 08VUJ BATTERY BOX REQS: Code 08MJR, 08MJU, 08MSG(std) or 08NBR BATTERY SYSTEM, when in combination with Code 08VTJ, 08VUR or 08WJJ BATTERY BOX REQS: Code 08MJR, 08MJU, 08MSG, 08MSL or 08NBR BATTERY SYSTEM, when in combination with Code 08VUJ BATTERY BOX REQS: Code 08875 BATTERY TERMINALS REQS: Code 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08WEJ, 08WEK or 08WEL BATTERY BOX	08TNR 08TRV	\$140	
BATTERY DISCONNECT SWITCH			
<i>Joseph Pollak</i>			
for Cab Power Disconnect Switch, Disconnects Power to Power Distribution Center (PDC), Does Not Disconnect Charging Circuits, Lever Operated, Cab Mounted REQS: Code 08VTJ, 08VTR, 08VUJ, 08VUL(std), 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN, 08XDZ or 08XGJ BATTERY BOX for Cab Power Disconnect Switch, Disconnects Power to Power Distribution Center (PDC), Does Not Disconnect Charging Circuits, Key Operated, Cab Mounted REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XDZ BATTERY BOX REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVR, 15SVS, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK	08WJV 08WJW	\$217 \$217	+3/+1 +2/0
<i>Cole-Hersee</i>			
- 75920-06 - 300 Amp, Disconnects Cab Power, Does Not Disconnect Charging Circuits, Locks with Padlock, Battery Box Mounted REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WJJ, 08WJN or 08XGJ BATTERY BOX	08RLZ	\$248	+1/+1
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>BATTERY DISCONNECT SWITCH <i>(SEE PREV PAGE)</i></p> <p><i>Cole-Hersee</i></p> <p>- 75920-06 -</p> <p>REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX, 13AUY or 13AYC TRANSMISSION, AUTOMATIC</p> <p>-OR- TRANSMISSION, MANUAL</p> <p>REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVR, 15SVS, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p>	08RLZ		
<p>BATTERY SYSTEM</p> <p><i>Fleetrite</i></p> <p>Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud</p> <p>REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX</p> <p>Maintenance-Free, (3) 12-Volt 2250CCA Total, Top Threaded Stud</p> <p>REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX</p> <p>Maintenance-Free, (3) 12-Volt 2850CCA Total, Top Threaded Stud</p> <p>REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX</p> <p>Maintenance-Free, (4) 12-Volt 2640CCA Total, Top Threaded Stud</p> <p>REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX</p> <p>Maintenance-Free, (4) 12-Volt 3800CCA Total, Top Threaded Stud</p> <p>REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX</p>	<p>08MSG</p> <p>08MJR</p> <p>08MJU</p> <p>08MSH</p> <p>08MJV</p>	<p>STD</p> <p>\$126 +5/+7</p> <p>\$179 +9/+12</p> <p>\$317 +22/+30</p> <p>\$356 +35/+46</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
BATTERY SYSTEM (CONTINUED) <i>Fleetrite</i> - 31-PC2120 AGM - Maintenance-Free, (3) AGM 12-Volt 2775CCA Total, Top Threaded Stud REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX N/A: Code 08875 BATTERY TERMINALS AVAIL: Code 08TRV BATTERY CABLES <i>JCI</i> Maintenance-Free, (3) 12-Volt 2100CCA Total, Top Threaded Stud REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX AVAIL: Code 08WBW JUMP START STUD			
BATTERY TERMINALS Sealed REQS: Code 08MJR, 08MJU, 08MJV, 08MSG(std), 08MSH or 08NBR BATTERY SYSTEM N/A: Code 08WJA POWER SOURCE, SPECIAL	08875	\$51	+2/0
BEACON MOUNTING BRACKET Cab Provision Includes Roof Fairing Extender Brackets for Use with Customer Lighting REQS: Code 16030(std) CAB REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 16917 MOUNTING BRACKETS : Code 04808 HOSE TENDER	08VZP	\$143	
BODY BUILDER WIRING To Rear of Frame, with Stop, Tail, Turn, and Marker Lights Circuits, Ignition Controlled Auxiliary Feed and Ground, Less Trailer Socket N/A: Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 08TME and 08TMG TRAILER CONNECTION SOCKET : Code 08TKK TRAILER AUXILIARY FEED CIRCUIT Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn REQS: Code 04091(std) BRAKE SYSTEM, AIR	08HAA	\$327	+2/0
	08HAB	\$100	+2/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	
NOTE: WEIGHTS - FRONT/REAR			
BODY BUILDER WIRING (CONTINUED) Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn REQS: Code 04091(std) BRAKE SYSTEM, AIR INSIDE CAB; Includes Sealed Connectors for Tail/Amber, Turn/Marker/Backup/Accessory, Power/Ground, and Stop/Turn REQS: Code 04091(std) BRAKE SYSTEM, AIR	08HAE	\$209	0/+3
	08HAU	\$302	+1/0
CB RADIO Accommodation Package; Header Mounted; Feeds From Accessory Side of Ignition Switch; Includes Power Source and One (1) Antenna, Antenna Base with Wiring on Left Side Mirror REQS: Code 16SNM, 16SNN, 16SNP, 16SNR, 16SNS, 16SNT, 16SNU, 16SNV or 16SPJ MIRRORS AVAIL: Code 08TPB DATA RECORDER Accommodation Package; Header Mounted; Feeds From Accessory Side of Ignition Switch; Includes Power Source and Two (2) Antennas, Antenna Bases with Wiring on Both Side Mirrors REQS: Code 16SNM, 16SNN, 16SNP, 16SNR, 16SNS, 16SNT, 16SNU, 16SNV or 16SPJ MIRRORS AVAIL: Code 08TPB DATA RECORDER	08RNB	\$337	
	08RNC	\$437	
2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab AVAIL: Code 08TPB DATA RECORDER	08REA	\$163	+2/0
	08RGA	\$211	+1/0
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	08XAH	STD	
CIGAR LIGHTER Includes Ash Cup	08518	\$18	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	
NOTE: WEIGHTS - FRONT/REAR			
CLEARANCE/MARKER LIGHTS <i>Truck Lite</i> (05) Amber LED Lights, Flush Mounted on Cab or Sunshade	08WPH	STD	
COLLISION MITIGATION SYSTEM <i>Bendix</i> - Wingman Advanced - Adaptive Cruise Control with Collision Mitigation and Stationary Object Alert; Includes Front Antenna, Driver Display REQS: Code 16GDG, 16GDH or 16GDJ GAUGE CLUSTER REQS: Code 04AZS or 04AZY AIR BRAKE ABS REQS: Code 01WXB BUMPER EXTENSION, FRONT REQS: Code 07SDK ENGINE COMPRESSION BRAKE REQS: Code 16HYA, 16HYB, 16JAJ, 16LER, 16LPC, 16LPZ, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPN, 16PPY, 16PPZ, 16PXH, 16RAD, 16RAM, 16RAN, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SPE, 16SPG, 16SPH or 16400(std) SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 09WBK(std) FRONT END or Code 12850 PTO EFFECTS, ENGINE FRONT or Code 01586 TOW LOOP, FRONT or BUMPER, FRONT or Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT or Code 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW and 14UZX SUSPENSION, REAR, TANDEM : Code 16LKU and 16LLR SEAT, DRIVER AVAIL: Code 01570 TOW HOOK, FRONT	08TPL	\$1,300	
COURTESY LIGHT (02) Mounted In Front Map Pocket Left and Right Side REQS: Code 16VKB(std) or 16VKC CAB INTERIOR TRIM N/A: Code 16196 CAB (04) Mounted In Front & Rear Map Pocket Left and Right Side REQS: Code 16VKD CAB INTERIOR TRIM REQS: Code 16196 CAB N/A: Code 60AAM BDY INTG, POWER MODULE AUX	08WTP	\$48	+ 1/0
	08WTR	\$75	+ 2/0
DATA RECORDER Includes Display Mounted in Overhead Console REQS: Code 16HCK or 16HCL SEATBELT WARNING PREWIRE N/A: Code 08RNB and 08RNC CB RADIO AVAIL: Code 08REA 2-WAY RADIO	08TPA	\$1,770	+ 2/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>HV613 SBA</i>	
DATA RECORDER (CONTINUED) Less Display REQS: Code 16HCK or 16HCL SEATBELT WARNING PREWIRE	08TPB	\$1,340 + 2/0	
DISCONNECT, FRONT HARNESS for Guide Post Lights; Connectors Located at Headlight Connection, for Customer Installation N/A: Code 08THJ and 08WEX AUXILIARY HARNESS	08THV	\$14 0/0	
DOME LIGHT, CAB with Red Reading Lights REQS: Code 16VKB(std), 16VKC or 16VKD CAB INTERIOR TRIM REQS: Code 08HXT, 08WHE or 08XHN HORN, AIR N/A: Code 16VKK, 16VKL and 16VKM CAB INTERIOR TRIM	08XKG	\$27	
ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Separate Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake accommodation package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 08WJZ WORKLIGHT ON W/BACKUP : Code 08HAA BODY BUILDER WIRING : Code 08TME and 08TMG TRAILER CONNECTION SOCKET Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 08WJZ WORKLIGHT ON W/BACKUP : Code 08HAA BODY BUILDER WIRING : Code 08TME and 08TMG TRAILER CONNECTION SOCKET	08HAG	\$363 0/+2	
FOG LIGHTS (02) Clear Lens, Halogen, Rectangular, with White Light Source AVAIL: Code 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 01570 TOW HOOK, FRONT (02) Clear Lens, LED, Rectangular, with White Light Source REQS: Code 01LLA(std), 01LMX, 01LNR, 01LNS, 01LZD, 01MBP, 01MDP or 01MDS BUMPER, FRONT AVAIL: Code 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 08THJ AUXILIARY HARNESS (SEE NEXT PAGE)	08XJG	\$185	
	08XJH	\$275	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
FOG LIGHTS <i>(SEE PREV PAGE)</i> AVAIL: Code 01570 TOW HOOK, FRONT (02) LED, Selective Yellow REQ: Code 01LLA(std), 01LMX, 01LNR, 01LNS, 01LZD, 01MBP, 01MDP or 01MDS BUMPER, FRONT AVAIL: Code 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 01570 TOW HOOK, FRONT Prewire; Includes Auxiliary Switch and Wiring to Front Bumper, for Driving Lights or Fog Lights Mounted by Customer	08XJH 08XJJ 08585	\$301 \$39	+1/0
HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	08WXB	\$49	
HEADLIGHTS AUTO Automatically Turn On with Low Ambient Light Levels, Feature can be Overridden	08WXH	\$139	0/0
HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	08WRB	\$42	0/0
HORN, AIR ACCOMMODATION PACKAGE; Less Horn N/A: Code 04VHZ AIR TANK LOCATION : Code 08695 SNOW SHIELD Black, Single Trumpet, with Lanyard Pull Cord N/A: Code 08695 SNOW SHIELD (02) Single Tone, Chrome, Roof Mounted, with Lanyard Pull Cord REQ: Code 16030(std) CAB N/A: Code 16917 MOUNTING BRACKETS	08WHE 08XHN 08HXT	\$88 \$94 \$413	+2/0
HORN, ELECTRIC Disc Style (02) Disc Style	08VAY 08541	STD \$29	0/0
IGNITION SWITCH Keyless	08630	\$35	+2/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
INDICATOR, BATTERY WARNING Green BATTERY ON Indicator, Mounted on Left Side of Instrument Panel, To be Used with Factory Installed or Customer Mounted Battery Disconnect Switch REC: Code 08RLZ, 08WJV or 08WJW BATTERY DISCONNECT SWITCH	08WZP	\$59	
JUMP START STUD (02) Remote Mounted REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WJJ or 08XDZ BATTERY BOX REQS: Code 08MJR, 08MJU, 08MJV, 08MSG(std), 08MSH or 08MSL BATTERY SYSTEM REQS: Code 15DMV, 15DPL, 15DPM, 15DUX, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJJ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK Remote Mounted REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX N/A: BATTERY TERMINALS, when in combination with Code 08WEL BATTERY BOX and Code 08MJR, 08MJU, 08MSG, 08MSL or 08NBR BATTERY SYSTEM	08899 08WBW	\$214 \$168	 + 1/0 + 2/0
JUNCTION BLOCK Stud, 100 Amp Battery Feed, Protected by a Fusible Link, Stud to Be Used for Body Builder Feeds Inside Cab	08WZG	\$382	
LIGHT, WORK Pedestal Mounted, Back of Cab, with Switch on Instrument Panel REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 08WMA and 08WTT SWITCH, TOGGLE, FOR WORK LIGHT Truck Lite - 81 Series - LED, Pedestal Mounted, Back of Cab, with Switch on Instrument Panel REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 08WMA and 08WTT SWITCH, TOGGLE, FOR WORK LIGHT	08WLL 08WAA	\$119 \$248	 + 3/+2 + 4/+2



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
POWER SOURCE Cigar Type Receptacle without Plug and Cord REQS: Code 16XJN(std) INSTRUMENT PANEL	08718	\$30	+1/0
POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) & USB Port, Located in the Instrument Panel	08XHR	\$38	
POWER SOURCE, SPECIAL for Customer Installed Lift Gate; 200 Amp Max, Includes 2ga. Power Cable to End of Frame, Latched Switch on Instrument Panel, with a Time Out Feature, Battery Discharge Protection, Controlling a Mag Switch Which Provides Power REQS: Code 08VUJ, 08VUK, 08VUL, 08VUM, 08VUN, 08WEJ, 08WJN or 08XGJ BATTERY BOX REQS: Code 08MJR, 08MJU, 08MSG, 08MSL or 08NBR BATTERY SYSTEM REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJN or 08XGJ BATTERY BOX N/A: Code 14RAV and 14RAW AXLE, LIFT, CONTROLS : Code 08875 BATTERY TERMINALS : Code 08WBW JUMP START STUD or Code 08WJV and 08WJW BATTERY DISCONNECT SWITCH or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE, when in combination with Code 08VTN or 08WEK BATTERY BOX : Code 08WBW JUMP START STUD or Code 08WJV and 08WJW BATTERY DISCONNECT SWITCH, when in combination with Code 08WEK BATTERY BOX	08WJA	\$377	+3/+6
POWER SOURCE, TERMINAL TYPE 2-Post	08WCK	\$39	+1/0
RADIO Omit, Includes Wiring and Antenna N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 08RPB RADIO, AUXILIARY CONTROLS AM/FM/CD/WB/Clock/Auxiliary Input AM/FM/WB/Clock/Auxiliary Input AM/FM/CD/WB/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control	08RMX 08RMR 08RMP 08RMM 08RML	STD \$474 \$368 \$763 \$483	 +2/0 +2/0 +2/0 +2/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
RADIO (CONTINUED) AM/FM/CD/WB/SiriusXM/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control REQS: Code 16SNM, 16SNN, 16SNP or 16SNR MIRRORS N/A: Code 16917 MOUNTING BRACKETS or Code 04808 HOSE TENDER, when in combination with Code 16SNS, 16SNT, 16SNU or 16SNV MIRRORS and Code 16CAB or 16196 CAB and Code 04092 BRAKE SYSTEM, AIR : MOUNTING BRACKETS, when in combination with Code 16SNS, 16SNT, 16SNU or 16SNV MIRRORS and Code 16030 CAB and Code 04092 BRAKE SYSTEM, AIR	08RMN	\$886 +2/0	
RADIO, AUXILIARY CONTROLS Mounted in Steering Wheel, Radio Function Control Switch, Includes Volume Up/Down, Mute, Forward/Back and Bluetooth Answer/Disconnect REQS: Code 08RML, 08RMM, 08RMN, 08RMP or 08RMR RADIO N/A: Code 08XHW SWITCH, MARKER INTERRUPT	08RPB	\$103 0/0	
RUNNING LIGHT (02) Daytime	08WNH	\$58 +1/0	
SNOW SHIELD (02) Chrome; for Dual Air Horns REQS: Code 08HXT HORN, AIR N/A: Code 16917 MOUNTING BRACKETS	08695	\$33 +2/0	
SOLENOID, AIR for Customer Use; Provides (1) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only with Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position for Customer Use; Provides (2) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only with Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position for Customer Use; Provides (3) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only with Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position	08WGA 08WGB 08WGC	\$105 \$182 \$207 +1/0 +2/0 +3/0	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
SOLENOID, AIR (CONTINUED)		HV613 SBA	
<p>for Customer Use; Provides (4) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only with Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position</p>	08WGD	\$259	+4/0
<p>for Customer Use; Provides (5) Normally Open Pilot Air Source, Approx. 4 CFM; Includes Latched Switch in Cab; Air Exhausted Only with Key in "Ignition" or "Accessory" position; Air Will be Supplied with Key in "Off" Position</p>	08WGP	\$311	+5/0
<p>for Customer Use; Provides (6) Normally Open Pilot Air Source, Approx. 4 CFM; Includes Latched Switch in Cab; Air Exhausted Only with Key in "Ignition" or "Accessory" position; Air Will be Supplied with Key in "Off" Position</p>	08WGR	\$363	+6/0
<p>for Customer Use; Provides (6) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only with Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position</p>	08WKM	\$363	+6/0
SPEAKERS			
Omit	08RMS	STD	
(2) 6.5" Dual Cone Mounted in Doors REQS: Code 16030(std) CAB	08RMV	\$48	
(2) 6.5" Dual Cone Mounted in Both Doors, (2) 5.25" Dual Cone Mounted in Both B-Pillars	08RMZ	\$138	+6/+2
STARTING MOTOR			
<i>Mitsubishi Electric Automotive America</i>			
- 105P - 12-Volt, with Soft-Start	08WXG	STD	
<i>Delco Remy</i>			
- 39MT - 12 Volt, Gear Reduced, with Thermal Over-Crank Protection	08WTL	\$42	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
STOP, TURN, TAIL & B/U LIGHTS			
<i>Truck Lite</i>			
Super 44, with LED Lights for Stop, Turn, Tail and Backup Lights, with Power Module, "International" Termination and and Less Junction Box, Includes License Plate Light N/A: Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 01553 TIRE CARRIER : Code 01572 TOW HOOK, REAR : Code 01580 TOW LOOP, REAR	08TKJ	\$483 -1/+3	
Super 44, with LED Lights for Stop, Turn & Tail Lights, Truck Lite Super 40 for Backup Lights, with Power Module, "International" Termination and Less Junction Box, Includes Incandescent License Plate Light N/A: Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 01553 TIRE CARRIER : Code 01580 TOW LOOP, REAR	08TKB	\$191 0/+5	
- Super 40 - Less Power Module, Includes License Plate Light, with Separate Rear Reflectors, Less Rubber Mount N/A: Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 01553 TIRE CARRIER : Code 01572 TOW HOOK, REAR : Code 01580 TOW LOOP, REAR AVAIL: Code 08THB BACK-UP ALARM	08THM	\$98 0/+5	
<i>Weldon</i>			
Multi-Function LED Lamp, Mounted Inside Rails, Includes LED License Plate Light N/A: Code 01553 TIRE CARRIER	08TPS	\$250 -2/+17	
Multi-Function LED Lamp, Mounted Outside Rails, Includes LED License Plate Light N/A: Code 01553 TIRE CARRIER : Code 01572 TOW HOOK, REAR : Code 01580 TOW LOOP, REAR : Code 10WPR and 10WPT MUD FLAP HOLDER, when in combination with Code 01616 FRAME RAILS WITH TAPERED REAR	08TPR	\$178 -2/+17	
STOP-LIGHT WIRING MODIFIED			
Stop-Lights Turned on When Engine Compression Brake, Exhaust Brake or Retarder is Activated	08VTV	\$22 0/0	
SWITCH, AIR HORN, PASSENGER			
Fire Truck Application; Momentary Switch Located in Instrument Panel Close to Passenger, Driver Also To Activate Switch with Lanyard N/A: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	08XKM	\$57	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
SWITCH, AUXILIARY			
Switch 40 amp Circuit for Customer Use; Includes Wiring Connection at Power Distribution Center (PDC) and Control in Cab N/A: Code 60ACW BDY INTG, I/O EXP HARNESS : Code 60ACX BDY INTG, THEFT DETERRENT SYS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP Accessory Control; for Wiring in Roof, with Maximum of 20 amp Load with Switches In Instrument Panel REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL or 14RAM AXLE, LIFT, CONTROLS	08XBK	\$84	
	08TMH	\$70	+ 1/0
SWITCH, BODY CIRCUITS, MID			
with (2) Remote Power Modules Mounted on Battery Box Back of Cab, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total, Includes 2 Switch Packs with Momentary Switches REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX N/A: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 60ABA, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION with (2) Remote Power Modules Mounted in Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total, Includes 2 Switch Packs with Momentary Switches N/A: Code 13WYH TRANSMISSION TCM LOCATION, when in combination with Code 60AAM BDY INTG, POWER MODULE AUX : Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 60AAM BDY INTG, POWER MODULE AUX : Code 60ABA, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION : Code 16SBA BUNK, LOWER AVAIL: Code 08WSK SWITCH, BODY CIRCUITS, REAR	08SAJ	\$1,380	+ 4/0
	08VZS	\$1,480	+ 2/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>SWITCH, BODY CIRCUITS, MID (CONTINUED)</p> <p>with Remote Power Module Mounted in Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total, Includes 1 Switch Pack with Momentary Switches N/A: Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR : Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 60AAM BDY INTG, POWER MODULE AUX : Code 60ABA, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION : Code 16SBA BUNK, LOWER</p> <p>with Remote Power Module Mounted on Battery Box Back of Cab, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total, Includes 1 Switch Pack with Momentary Switches REQS: Code 08TST, 08TTR, 08VTJ, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX N/A: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 60ABA, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION</p>	<p style="text-align: center;">08VZR</p> <p style="text-align: center;">08WSM</p>	<p style="text-align: center;">\$790</p> <p style="text-align: center;">\$690</p>	<p style="text-align: center;">+ 1/0</p> <p style="text-align: center;">+ 4/0</p>
<p>SWITCH, BODY CIRCUITS, REAR</p> <p>with Remote Power Module Mounted at Rear on Frame, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total, Includes 1 Switch Pack with Momentary Switches REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM N/A: Code 08VZR SWITCH, BODY CIRCUITS, MID : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p style="text-align: center;">08WSK</p>	<p style="text-align: center;">\$690</p>	<p style="text-align: center;">+ 2/+ 2</p>

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-89

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>SWITCH, BODY CIRCUITS, REAR (SEE PREV PAGE)</p> <p>N/A: Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 01553 TIRE CARRIER AVAIL: Code 60AAA, 60AAB, 60AAD and 60AAH BDY INTG, REMOTE POWER MODULE</p> <p>with Remote Power Module Mounted at Rear on Frame, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total, Includes 1 Switch Pack with 2-Position Latched Switches REQS: Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM N/A: Code 60ACE BDY INTG, SWITCH DUAL OUTPUT : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 01553 TIRE CARRIER AVAIL: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID : Code 60AAA, 60AAB, 60AAD and 60AAK BDY INTG, REMOTE POWER MODULE</p>	<p>08WSK</p> <p>08WTJ</p>	<p>\$765</p>	<p>+2/+2</p>
<p>SWITCH, MARKER INTERRUPT</p> <p>Located in Steering Wheel</p> <p>for Marker Lights and Headlights, Located in Steering Wheel REQS: Code 08RPB RADIO, AUXILIARY CONTROLS</p>	<p>08XHW</p> <p>08XHX</p>	<p>\$28</p> <p>\$28</p>	
<p>SWITCH, TOGGLE, FOR WORK LIGHT</p> <p>Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light N/A: Code 08WAA and 08WLL LIGHT, WORK</p> <p>Lighted; on Instrument Panel and Wiring Effects for Customer Furnished End of Frame Light N/A: Code 08WAA and 08WLL LIGHT, WORK</p>	<p>08WMA</p> <p>08WTT</p>	<p>\$59</p> <p>\$66</p>	<p>+1/+2</p> <p>+1/0</p>



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
TAIL LIGHT WIRING MODIFIED Includes: Wiring for Standard Lt & Rt Tail Lights; Separate 8.0' of Extra Cable Wiring for Lt & Rt Body Mounted Tail Lights REQS: Code 04091(std) BRAKE SYSTEM, AIR AVAIL: Code 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS	08NAA	\$74 0/0	
TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	08WPZ	\$42 0/0	
TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch REQS: Code 08HAG or 08HAH ELECTRIC TRAILER BRAKE/LIGHTS REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 08HAA BODY BUILDER WIRING	08TKK	\$123 +1/0	
TRAILER CONNECTION SOCKET 7-Way; Mounted at Rear of Frame, Wired for Turn Signals Combined with Stop, Compatible with Trailers That Use Combined Stop, Tail, Turn Lamps REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08HAA BODY BUILDER WIRING : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 01580 TOW LOOP, REAR 7-Way; Mounted at Rear of Frame, Wired for Turn Signals Independent of Stop, Compatible with Trailers That Have Amber or Side Turn Lamps REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08HAA BODY BUILDER WIRING : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 01580 TOW LOOP, REAR	08TMG 08TME	\$439 0/+7 \$439 0/+7	
TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender Dual Face, LED, Amber/Red, Mounted on Top of Fender, Used with Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors Dual Face, LED, Amber/Amber, Mounted on Top of Fender, Used with Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors	08XGT 08VZK 08XJE	STD \$187 \$187	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
TURN SIGNAL SWITCH with Hazard Flasher Overrides Brake, To be Done with Programming System Controller	08THN	\$42	+ 1/0
USB PORT (1) Located in the Instrument Panel (2) Located in the Instrument Panel	08XKY 08XKZ	\$46 \$92	
WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	08WGL	\$42	
WIRING, SPECIAL Includes Wires Installed Through the Dash Panel and End in Engine Compartment, In Cab Wire Ends Will Have ESC Input Terminals, Engine Compartment Wire Ends will have Sealed Connectors	08HAT	\$51	0/0
WORKLIGHT ON W/BACKUP Work Lights will Activate when Vehicle is in Reverse REQ: Code 08WAA or 08WLL LIGHT, WORK or Code 08WMA or 08WTT SWITCH, TOGGLE, FOR WORK LIGHT N/A: Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS	08WJZ	\$31	+ 3/0
FRONT END Tilting, Fiberglass, with Three Piece Construction, Includes Long Hood REQ: Code 12XBD(std) RADIATOR N/A: Code 09HAD GRILLE : Code 01VAX TOW PIN, FRONT Tilting, Fiberglass, with Three Piece Construction, Includes Long Hood, Sloped Front REQ: Code 09HAD GRILLE REQ: Code 12XBC RADIATOR REQ: Code 09585(std) FENDER EXTENSIONS REQ: Code 01LLA(std), 01LMX, 01LNR, 01LNS, 01MBP, 01MDP or 01MDS BUMPER, FRONT N/A: Code 09WAD BUG DEFLECTOR : Code 09ANG HOOD, HATCH : Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WGK TRANSMISSION COOLER HOSES, when in combination with Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX or 13AUY TRANSMISSION, AUTOMATIC <div style="text-align: right;"><i>(SEE NEXT PAGE)</i></div>	09WBK 09WBR	STD \$207	 + 25/- 1



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
FRONT END (SEE PREV PAGE) N/A: Code 12850 PTO EFFECTS, ENGINE FRONT : Code 01586 TOW LOOP, FRONT AVAIL: Code 08WEX AUXILIARY HARNESS : Code 13WAW OIL COOLER, AUTO TRANSMISSION : Code 10021 CHASSIS COATING	09WBR		
BUG DEFLECTOR Smoked Colored Plastic, Mounted on Hood REQS: Code 09WBK(std) FRONT END N/A: Code 09ANG HOOD, HATCH	09WAD	\$327 0/0	
BUG SCREEN Mounted Behind Grille	09WAC	\$131 +5/0	
FENDER EXTENSIONS Rubber Omit REQS: Code 09WBK(std) FRONT END	09585 09593	STD \$104CR -11/0	
GRILLE Stationary, Chrome REQS: Code 09WBK(std) FRONT END Chrome REQS: Code 09WBR FRONT END Stationary, Painted Grille & Headlight Bezels 8752 Charcoal Metallic REQS: Code 09WBK(std) FRONT END	09HBM 09HAD 09HAT	STD N/C \$22CR 0/0 -5/0	
GRILLE EMBER SCREEN Mounted to Grille and Cowl Tray to Keep Hot Embers out of Engine and HVAC Air Intake System N/A: Code 16WLS FRESH AIR FILTER	09WBT	\$201 0/0	
HOOD, HATCH (01) for Servicing REQS: Code 09WBK(std) FRONT END N/A: Code 09WAD BUG DEFLECTOR : Code 12WZB EMISSION COMPLIANCE	09ANG	\$444 +5/0	
INSULATION, SPLASH PANELS for Sound Abatement	09HBN	\$76 +3/0	
LOGOS EXTERIOR Model Badges	09AAB	STD	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-93

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
LOGOS EXTERIOR (CONTINUED) Model Badges, Shipped Loose, Located in Cab Omit Model Badges	09AAC 09AAD	N/C N/C	 - 2 / 0
LOGOS EXTERIOR, ENGINE Badges Badge Shipped Loose	09AAE 09AAH	STD N/C	
QUARTER FENDERS for Lift Axle, Mirror-Finished Stainless Steel Frame Mounted N/A: SUSPENSION, REAR, AIR, TANDEM AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE for Rear Wheels, Mirror-Finished Stainless Steel, Frame Mounted REQ: Code 14UAC or 14UAD AXLE SPACING, FIRST PUSHER, when in combination with Code 14WLM AXLE, PUSHER, LIFT TYPE and Code 14WNH AXLE, PUSHER, LIFT TYPE and Code 14WNJ AXLE, PUSHER, LIFT TYPE N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE	09512 09505	\$297 \$318	 0 / +18
CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Single Frame Rails N/A: Code 01GBP FRAME REINFORCEMENT Corrosion Resistant E-Coat Primer Coating for Reinforced Frame Rails REQ: Code 09WBK(std) FRONT END REQ: Code 01CBU(std) or 01CGE FRAME RAILS REQ: Code 01GBP FRAME REINFORCEMENT	10021 10022	\$500 \$1,000	 0 / 0 0 / 0
CUSTOMER SERVICES Navistar OnCommand Repair Advocate Service; 12-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARM	\$258	0 / 0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
CUSTOMER SERVICES	HV613 SBA		
(CONTINUED)			
Navistar			
OnCommand Repair Advocate Services; 24-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARN	\$516	0/0
OnCommand Repair Advocate Services; 36-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARP	\$774	0/0
OnCommand Repair Advocate Services; 48-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARR	\$1,032	0/0
OnCommand Repair Advocate Services; 60-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARS	\$1,290	0/0
FIFTH WHEEL, AIR SLIDE NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section			
Fontaine			
- BLH7AWB875024 - 24" Slide, 8.75" Above Top of Frame, No-Tilt, Left Hand Release REQS: Code 01CAG or 01CAJ FRAME RAILS REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 01GBP FRAME REINFORCEMENT : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES	10JAD	\$4,165	0/+702



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>FIFTH WHEEL, AIR SLIDE (CONTINUED) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Fontaine</p> <p>- SL7LWB675024 - 24" Slide, Cast Top Plate, 6.75" Above Top of Frame, Left Hand Release REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 01GBP FRAME REINFORCEMENT : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p>- SL7LWB725012 - 12" Slide, Cast Top Plate, 7.25 Above Top of Frame, Left Hand Release REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 01GBP FRAME REINFORCEMENT : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p>- SL7LWB725024 - 24" Slide, Cast Top Plate, 7.25" Above Top of Frame, Left Hand Release REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 01GBP FRAME REINFORCEMENT</p> <p>(SEE NEXT PAGE)</p>	<p>10HJA</p> <p>10HHY</p> <p>10HJB</p>	<p>\$2,773 +8/+503</p> <p>\$2,711 +6/+500</p> <p>\$2,753 +8/+505</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-96

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>FIFTH WHEEL, AIR SLIDE (SEE PREV PAGE) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Fontaine</p> <p>- SL7LWB725024 - N/A: Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p>- SL7LWB825024 - 24" Slide, Cast Top Plate, 8.25" Above Top of Frame, Left Hand Release REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 01GBP FRAME REINFORCEMENT : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p>- SL7LWB925024 - 24" Slide, Cast Top Plate, 9.25" Above Top of Frame, Left Hand Release REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 01GBP FRAME REINFORCEMENT : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p>			
	10HJB		
	10HJC	\$2,978	+8/+511
	10HJD	\$2,905	+8/+518



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
 NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>FIFTH WHEEL, AIR SLIDE (CONTINUED) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p><i>Holland</i></p> <p>- FW35-S12263 - 24" Slide, Blocked for 18" Slide, 6.8" Above Top of Frame, with Auto Lube, Left Hand Release REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- Code 14UHC, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UX, 14VKL or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14TAX SUSPENSION, REAR, AIR, SINGLE -OR- Code 14UPC SUSPENSION, REAR, AIR, TRIDEM N/A: Code 01CGE FRAME RAILS : SUSPENSION, REAR, AIR, TANDEM : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p>- FW35A824XL00 - 24" Slide, 7.7" Above Top of Frame, Left Hand Release REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 01GBP FRAME REINFORCEMENT : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p><i>Jost</i></p> <p>- JSK37USL-A8PX24 - 24" Slide, Cast Top Plate, 7.75" Above Top of Frame, Left Hand Release REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE -OR- Code 14UPC SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM (SEE NEXT PAGE)</p>	<p>10JPK</p> <p>10GYJ</p> <p>10HKJ</p>	<p>\$3,177 0/+520</p> <p>\$3,051 0/+504</p> <p>\$2,925 0/+543</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-98

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>FIFTH WHEEL, AIR SLIDE (SEE PREV PAGE) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Jost</p> <p>- JSK37USL-A8PX24 - N/A: Code 01CGE FRAME RAILS : FRAME REINFORCEMENT : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p>- JSK37USL-A9PX24 - 24" Slide, Heavy Duty Top Plate, 8.75" Above Top of Frame, Left Hand Release REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE -OR- Code 14UPC SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : FRAME REINFORCEMENT : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p>	<p>10HKJ</p> <p>10HKK</p>	<p>\$3,060</p> <p>0/+550</p>	
<p>FIFTH WHEEL, STATIONARY NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Fontaine</p> <p>- SL7FMA-D69-2 - Cast Top Plate, 7.69" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK, 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>10EYD</p>	<p>\$2,168</p> <p>0/+400</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-99

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>FIFTH WHEEL, STATIONARY (SEE PREV PAGE) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Fontaine</p> <p>- SL7FMA-D69-2 - N/A: Code 810006 and 810010 FIFTH WHEEL LOCATION, when in combination with Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL or 14698 SUSPENSION, REAR, TANDEM</p> <p>- SL7FMA-D69-3 - Cast Top Plate, 8.69" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK, 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES : Code 810006 and 810010 FIFTH WHEEL LOCATION, when in combination with Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL or 14698 SUSPENSION, REAR, TANDEM</p> <p>Holland</p> <p>- FW35-S801XL - 9.21" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK, 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES : Code 810006 and 810010 FIFTH WHEEL LOCATION, when in combination with Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL or 14698 SUSPENSION, REAR, TANDEM</p>			
	10EYD		
	10EYC	\$2,187	0/+408
	10HKG	\$2,485	0/+390



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>FIFTH WHEEL, STATIONARY (CONTINUED)</p> <p>NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Jost</p> <p>- JSK36NSL-DB7-N001 - 6.85" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK, 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p>- JSK36NSL-DB7X - 6.93" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE -OR- Code 14UPC SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 01GBP FRAME REINFORCEMENT : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK, 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p>- JSK36NSL-DB8X - 7.93" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE -OR- Code 14UPC SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 01GBP FRAME REINFORCEMENT : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK, 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p>			
	10HKP	\$1,928 0/+339	
	10JAX	\$1,928 0/+373	
	10JAY	\$1,928 0/+378	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>FIFTH WHEEL, STATIONARY (CONTINUED) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Jost</p> <p>- JSK36NSL-DB9X - 8.93" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE -OR- Code 14UPC SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 01GBP FRAME REINFORCEMENT : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK, 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p>- JSK37USL-PM-003 - 8.16" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK, 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES : Code 810006 and 810010 FIFTH WHEEL LOCATION, when in combination with Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL or 14698 SUSPENSION, REAR, TANDEM</p> <p>- JSK37USL-PM-004 - 9.16" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK, 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>			
	10JAZ	\$1,928 0/+385	
	10HKH	\$1,977 0/+369	
	10HKE	\$1,924 0/+373	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-102

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HV613 SBA	
<p>FIFTH WHEEL, STATIONARY (SEE PREV PAGE) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Jost</p> <p>- JSK37USL-PM-004 - N/A: Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES : Code 810006 and 810010 FIFTH WHEEL LOCATION, when in combination with Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL or 14698 SUSPENSION, REAR, TANDEM</p>	10HKE		
<p>FIFTH WHEEL LOCATION</p> <p>On Rear Axle Centerline</p> <p>02.0" Ahead of Rear Axle Centerline N/A: FIFTH WHEEL, AIR SLIDE : Code 10WDN FIFTH WHEEL MOUNTING ANGLES</p> <p>04.0" Ahead of Rear Axle Centerline N/A: FIFTH WHEEL, AIR SLIDE AVAIL: Code 10STA FIFTH WHEEL MOUNTING ANGLES</p> <p>06.0" Ahead of Rear Axle Centerline N/A: FIFTH WHEEL, AIR SLIDE AVAIL: Code 10STA FIFTH WHEEL MOUNTING ANGLES</p> <p>08.0" Ahead of Rear Axle Centerline N/A: FIFTH WHEEL, AIR SLIDE AVAIL: Code 10STA FIFTH WHEEL MOUNTING ANGLES</p> <p>10.0" Ahead of Rear Axle Centerline N/A: FIFTH WHEEL, AIR SLIDE AVAIL: Code 10STA FIFTH WHEEL MOUNTING ANGLES</p> <p>12.0" Ahead of Rear Axle Centerline N/A: FIFTH WHEEL, AIR SLIDE AVAIL: Code 10STA FIFTH WHEEL MOUNTING ANGLES</p> <p>14.0" Ahead of Rear Axle Centerline N/A: FIFTH WHEEL, AIR SLIDE AVAIL: Code 10STA FIFTH WHEEL MOUNTING ANGLES</p> <p>16.0" Ahead of Rear Axle Centerline N/A: FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY, when in combination with Code 14TBJ SUSPENSION, REAR, AIR, SINGLE AVAIL: Code 10STA FIFTH WHEEL MOUNTING ANGLES</p>	<p>810000</p> <p>810002</p> <p>810004</p> <p>810006</p> <p>810008</p> <p>810010</p> <p>810012</p> <p>810014</p> <p>810016</p>	<p>N/C</p> <p>N/C</p> <p>N/C</p> <p>N/C</p> <p>N/C</p> <p>N/C</p> <p>N/C</p> <p>N/C</p> <p>N/C</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>FIFTH WHEEL MOUNTING ANGLES</p> <p>for Manual Sliding Type Fifth Wheels Only REQS: Code 810000 or 810002 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- Code 14UPC SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK, 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY</p> <p>Special; FMA MTG STYLE, Accommodate 38" Spread with 3/4" Bolts for Stationary 5th Wheel REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14TAX, 14TBJ or 14TCL SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14UPC SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CGE FRAME RAILS : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK, 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY</p> <p>On Axle Centerline for Up to 24" Air Slide 5th Wheels; Includes Air Hosing, (1) Solenoids and (1) Electrical Switches, For Slide Release only REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01CGE FRAME RAILS : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK, 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY</p>	<p>10WDA</p> <p>10STA</p> <p>10WDN</p>	<p>\$438</p> <p>\$425</p> <p>\$438</p>	<p>0/+44</p> <p>0/+44</p> <p>0/+44</p>
<p>FIRE EXTINGUISHER</p> <p>5 lb Class A B C REQS: Code 10XAP FIRE EXTINGUISHER BRACKET</p>	<p>10XAN</p>	<p>\$154</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
FIRE EXTINGUISHER BRACKET Mounted Left Side Driver Seat REQS: Code 16JJD, 16JNT(std), 16JNV, 16JPX, 16JPY, 16LJL or 16LSD SEAT, DRIVER	10XAP	N/C	
HUBODOMETER Stemco English Reading (Miles) Mounted Rear Wheels Left Side REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERB or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM Metric Only Rear Wheels NOTE: 010003	10441	\$97 0/+2	
	10443	\$98 0/+2	
KEYS - ALL ALIKE Fleet - Includes Ignition and Cab Door Keys	10943	\$48 0/0	
LABEL, DEF "DEF ONLY"	10BAE	\$8 0/0	
LANGUAGE IDENTITY for French N/A: LABEL, DEF NOTE: 010003	10WAW	N/C 0/0	
MUD FLAP HOLDER Spring Loaded, Painted Black, with Red and White Reflective Tape, Less Flaps REQS: Code 01616 FRAME RAILS WITH TAPERED REAR, when in combination with Code 14UNU SUSPENSION, REAR, AIR, TANDEM N/A: Code 60AAM BDY INTG, POWER MODULE AUX or Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR, when in combination with Code 01AND AXLE CONFIGURATION Spring Loaded, Painted Black, 45-Degree End, with Red and White Reflective Tape, Less Flaps REQS: Code 01616 FRAME RAILS WITH TAPERED REAR, when in combination with Code 14UNU SUSPENSION, REAR, AIR, TANDEM N/A: Code 60AAM BDY INTG, POWER MODULE AUX or Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR, when in combination with Code 01AND AXLE CONFIGURATION	10WPR	\$105 0/+34	
	10WPT	\$121 0/+34	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
MUD FLAPS, FRONT WHEELS (02) Rubber, Mounted on Fender Extension, for Tire Size 425/445	10WWP	\$148	
MUD FLAPS, REAR Black Poly, with International Logo, Less Holders REQS: Code 10WPR or 10WPT MUD FLAP HOLDER	10WSX	\$58	0/+8
OVER THE AIR PROGRAMMING <i>Navistar</i> for Navistar or International Engines	10AAX	\$250	0/0
PAINT, CAB SUNSHADE Single Color other than Cab Roof Color REQS: Code 16XWD SUNSHADE, EXTERIOR	10614	\$420	0/0
PAINT CLASS Premium Color	10769	\$600	0/0
Single Custom Color	10771	\$700	0/0
PAINT IDENTITY, PT-2 Single Color, Instruction No. 932. Wheels N/A: Code 27DPN and 27DTZ WHEELS, FRONT : Code 28DPR and 32WAA WHEELS, REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS Single Color, Instruction No. 936. Frame/Running Gear, Less Fuel Tanks INCLS: NOTE: Battery Box, Air Tanks, Fuel Tanks, Steps and Straps NOT Painted Two Tone, Instruction No. 946. Frame/Running Gear and Wheels, Less Fuel Tank INCLS: NOTE: Battery Box, Air Tanks, Fuel Tanks, Steps and Straps NOT Painted N/A: Code 27DPN and 27DTZ WHEELS, FRONT : Code 28DPR and 32WAA WHEELS, REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS	10632	\$303	0/0
	10636	\$600	0/0
	10646	\$1,406	0/0
PAINT, NON-REFLECTING Non-Reflecting Paint	10661	\$568	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
PAINT SCHEMATIC, PT-1		HV613 SBA	
Single Color, Design 100 INCLS: PAINT SCHEMATIC ID LETTERS "WN"	10060	STD	
Two Tone, Design 208.	10208	\$700	0/0
Two Tone, Design 209.	10209	\$850	0/0
PAINT TYPE			
Base Coat/Clear Coat, 1-2 Tone	10761	STD	
QUARTER FENDERS			
for Rear Wheels, Black Plastic; Frame Mounted REQS: Code 14UAC or 14UAD AXLE SPACING, FIRST PUSHER, when in combination with Code 14WLM AXLE, PUSHER, LIFT TYPE and Code 14WNH AXLE, PUSHER, LIFT TYPE and Code 14WNJ AXLE, PUSHER, LIFT TYPE N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE	10WTR	\$188	0/+18
SAFETY TRIANGLES			
	10WCY	\$47	+8/+4
SPECIAL RATING, GVWR			
Limited to 25,999-lb GVWR REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 02AEU, 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ATG, 02AUR or 02AYJ AXLE, FRONT NON-DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14AHE, 14AHG, 14ARB, 14ARK, 14ARX, 14ARY, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 01CAW and 01CGE FRAME RAILS	10WGD	N/C	
Limited to 66,000-lb GVWR REQS: Code 01AND AXLE CONFIGURATION REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING REQS: Code 14TBU or 14TBW SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 14ASC, 14ERB or 14ERC AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM	10NZN	N/C	0/0
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
SPECIAL RATING, GVWR		HV613 SBA	
<p style="text-align: right;"><i>(SEE PREV PAGE)</i></p> <p>N/A: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE</p> <p>Limited to 80,000-lb GVWR REQS: Code 01AND AXLE CONFIGURATION REQS: Code 14WLM, 14WNN, 14WNNJ or 14WNNM AXLE, PUSHER, LIFT TYPE REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14TBU or 14TBW SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 14ASC, 14ERB or 14ERC AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 16196 CAB : Code 01CAG FRAME RAILS : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE</p>	<p>10NZN</p> <p>10NZN</p>	<p>N/C</p> <p>0/0</p>	<p></p> <p></p>
<p>TOOL KIT</p> <p>Rim Wrench and Handle Only</p>	<p>10506</p>	<p>\$69</p> <p>+13/0</p>	<p></p>
<p>CLUTCH</p> <p>NOTE: For ENGINE/CLUTCH COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Omit Item (Clutch & Control) N/A: Code 11WAE GREASE FITTINGS : TRANSMISSION, MANUAL</p> <p>Eaton Fuller</p> <p>- Advantage - Self-Adjusting, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Coaxial VCT Plus PD Damper (Soft Rate) Mechanical Pull-Type Control, 6-Button Disc, 1860 lb-ft Torque Capacity REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC</p>	<p>11001</p> <p>11MRT</p>	<p>STD</p> <p>\$421</p> <p>+133/+26</p>	<p></p>



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>CLUTCH (CONTINUED) NOTE: For ENGINE/CLUTCH COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p>			
<p>Eaton Fuller</p>			
<p>- Advantage -</p>			
<p>Self-Adjusting, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Coaxial VCT Plus PD Damper (Soft Rate) Mechanical Pull-Type Control, 4-Button Disc, 1750 lb-ft Torque Capacity REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC</p>	11MRU	N/C + 131/+25	
<p>Self-Adjusting, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Coaxial VCT Plus PD Damper (Soft Rate) Mechanical Pull-Type Control, 6-Button Disc, 2050 lb-ft Torque Capacity REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC</p>	11MRV	\$332 + 133/+26	
<p>Self-Adjusting, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Coaxial VCT Plus Damper (Soft Rate) Mechanical Pull-Type Control, 6-Button Disc, 1860 lb-ft Torque Capacity REQS: Code 12BDX(std) ENGINE, DIESEL N/A: TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC</p>	11MRW	\$77 + 133/+26	
<p>- Easy-Pedal Advantage -</p>			
<p>Manual Adjust, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring with Pre-Damper (Soft Rate) Mechanical Pull-Type Control, 6-Button Disc, 1850 lb-ft Torque Capacity REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC</p>	11MHP	\$403 + 131/+25	
<p>Manual Adjust, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring with Pre-Damper (Soft Rate) Mechanical Pull-Type Control, 4-Button Disc, 1750 lb-ft Torque Capacity N/A: TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC</p>	11MHR	N/C + 131/+25	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>CLUTCH (CONTINUED) NOTE: For ENGINE/CLUTCH COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- ECA-1850 - Two-Plate, Ceramic, 7-Spring with Pre-Damper, 15.5" Diameter, with Adjustment-Free Feature, 1850 lb-ft Torque Capacity REQS: Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL N/A: Code 11WAE GREASE FITTINGS : TRANSMISSION, AUTOMATIC</p>	11MGP	N/C +139/+28	
<p>CLUTCH EFFECTS</p> <p>Hydraulic Clutch Actuation System REQS: Code 13WAS CLUTCH HOUSING REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL N/A: Code 11WAE GREASE FITTINGS : TRANSMISSION, AUTOMATIC</p> <p>Hydraulic Clutch Actuation System, with Air Assist REQS: Code 13WAS CLUTCH HOUSING REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL N/A: Code 11WAE GREASE FITTINGS : TRANSMISSION, AUTOMATIC</p>	11WAJ 11WAK	\$372 \$457	
<p>GREASE FITTINGS</p> <p>Remote; for Clutch Cross Shaft REQS: Code 11MHP, 11MHR, 11MRT, 11MRU, 11MRV or 11MRW CLUTCH N/A: Code 11WAJ and 11WAK CLUTCH EFFECTS</p>	11WAE	\$31	
<p>ACCESSORY WIRING, SPECIAL</p> <p>for Road Speed Wire Coiled Under Instrument Panel for Customer Use N/A: Code 12VGA ENGINE CONTROL, REMOTE MOUNTED</p>	12VYL	\$45	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR**

<i>ITEM DESCRIPTION</i>	CODE	HV613 SBA	
ENGINE, DIESEL			
NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
<i>International</i>			
- A26 -			
EPA 2017, 365HP @ 1700 RPM, 1250 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 365 Peak HP (Max)	12BDX	STD	
REQS: Code 07SDK or 07SDX ENGINE COMPRESSION BRAKE REQS: Code 09HBN INSULATION, SPLASH PANELS REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC			
-OR- TRANSMISSION, MANUAL N/A: CROSSMEMBER, INTERMEDIATE LOC REC: Code 12WEG COLD STARTING EQUIPMENT			
EPA 2017, 370HP @ 1700 RPM, 1350 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max)	12BDY	N/C	0/0
REQS: Code 07SDK or 07SDX ENGINE COMPRESSION BRAKE REQS: Code 09HBN INSULATION, SPLASH PANELS REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL			
-OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC or 13AYC TRANSMISSION, AUTOMATIC N/A: CROSSMEMBER, INTERMEDIATE LOC : Code 11MRW CLUTCH REC: Code 12WEG COLD STARTING EQUIPMENT			
EPA 2017, 390HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 390 Peak HP (Max)	12BDZ	\$224	0/0
REQS: Code 07SDK or 07SDX ENGINE COMPRESSION BRAKE REQS: Code 09HBN INSULATION, SPLASH PANELS REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL			
-OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC or 13AYC TRANSMISSION, AUTOMATIC N/A: CROSSMEMBER, INTERMEDIATE LOC : Code 11MRW CLUTCH			
<i>(SEE NEXT PAGE)</i>			

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-111

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>ENGINE, DIESEL (SEE PREV PAGE)</p> <p>NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>International</i></p> <p>- A26 -</p> <p>REC: Code 12WEG COLD STARTING EQUIPMENT</p> <p>EPA 2017, 410HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 410 Peak HP (Max)</p> <p>REQS: Code 07SDK or 07SDX ENGINE COMPRESSION BRAKE</p> <p>REQS: Code 09HBN INSULATION, SPLASH PANELS</p> <p>REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL</p> <p>-OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC or 13AYC TRANSMISSION, AUTOMATIC</p> <p>N/A: CROSSMEMBER, INTERMEDIATE LOC : Code 11MRW CLUTCH</p> <p>REC: Code 12WEG COLD STARTING EQUIPMENT</p> <p>EPA 2017, 430HP @ 1700 RPM, 1550 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 430 Peak HP (Max)</p> <p>REQS: Code 07SDK or 07SDX ENGINE COMPRESSION BRAKE</p> <p>REQS: Code 09HBN INSULATION, SPLASH PANELS</p> <p>REQS: Code 13GHP, 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GNA, 13GNB, 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL</p> <p>-OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC or 13AYC TRANSMISSION, AUTOMATIC</p> <p>N/A: CROSSMEMBER, INTERMEDIATE LOC : Code 11MRW CLUTCH</p> <p>REC: Code 12WEG COLD STARTING EQUIPMENT</p> <p>EPA 2017, 450HP @ 1700 RPM, 1700 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 450 Peak HP (Max)</p> <p>REQS: Code 07SDK or 07SDX ENGINE COMPRESSION BRAKE</p> <p>REQS: Code 09HBN INSULATION, SPLASH PANELS</p> <p>REQS: Code 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GNA, 13GNB, 13GWR, 13GWX, 13GXA, 13GXD, 13GXH, 13GYD or 13GYH TRANSMISSION, MANUAL</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>12BDZ</p> <p>12BEA</p> <p>12BEB</p> <p>12BEC</p>	<p></p> <p>\$633</p> <p>\$856</p> <p>\$1,379</p>	<p></p> <p>0/0</p> <p>0/0</p> <p>0/0</p>



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>International</i></p> <p>- A26 -</p> <p>-OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AUZ, 13AVA, 13AVB, 13AVC or 13AYC TRANSMISSION, AUTOMATIC N/A: CROSSMEMBER, INTERMEDIATE LOC : Code 11MRW CLUTCH REC: Code 12WEG COLD STARTING EQUIPMENT</p> <p>EPA 2017, 475HP @ 1700 RPM, 1700 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 475 Peak HP (Max) REQS: Code 07SDK or 07SDX ENGINE COMPRESSION BRAKE REQS: Code 09HBN INSULATION, SPLASH PANELS REQS: Code 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GNA, 13GNB, 13GWR, 13GWX, 13GXA, 13GXD, 13GXH, 13GYD or 13GYH TRANSMISSION, MANUAL</p> <p>-OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AUZ, 13AVA, 13AVB, 13AVC or 13AYC TRANSMISSION, AUTOMATIC N/A: CROSSMEMBER, INTERMEDIATE LOC : Code 11MRW CLUTCH REC: Code 12WEG COLD STARTING EQUIPMENT</p> <p>EPA 2017, 500HP @ 1700 RPM, 1750 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 500 Peak HP (Max) REQS: Code 07SDK or 07SDX ENGINE COMPRESSION BRAKE REQS: Code 09HBN INSULATION, SPLASH PANELS REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM REQS: Code 13GJS, 13GKM, 13GNB, 13GWR, 13GXA or 13GXD TRANSMISSION, MANUAL</p> <p>-OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AUZ, 13AVC or 13AYC TRANSMISSION, AUTOMATIC N/A: CROSSMEMBER, INTERMEDIATE LOC : Code 11MRW CLUTCH REC: Code 12WEG COLD STARTING EQUIPMENT</p>			
	12BEC		
	12BED	\$1,678	0/0
	12BGP	\$2,730	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
RADIATOR			
Aluminum; Welded, Front to Back CrossFlow System, 1292 SqIn, 1008 SqIn CAC INCLS: DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates - Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber REQS: Code 09WBK(std) FRONT END REQS: Code 12WTA FAN DRIVE SPECIAL EFFECTS	12XBD	STD	
Aluminum; Welded, Down Flow System, Front to Back, 1325 SqIn, 806 SqIn CAC INCLS: DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates - Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber REQS: Code 09WBR FRONT END N/A: Code 12WYK ENGINE WATER COOLER : Code 12WTA FAN DRIVE SPECIAL EFFECTS	12XBC	N/C	
FAN DRIVE			
<i>Horton</i>			
- Drivemaster -			
Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed INCLS: FAN Nylon	12THT	STD	
AIR CLEANER			
Single Element	12VBC	STD	
Dual Element	12VBB	\$108 + 4/0	
Dual Element, with Integral Pre-Cleaner	12VBG	\$208 + 12/0	
Dual Element, with Integral Snow Valve and In-Cab Control REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM, 14RAR or 14RAV AXLE, LIFT, CONTROLS N/A: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP AVAIL: Code 13WDM HYDRAULIC RETARDER	12VAL	\$396 + 6/0	
Single Element, with Integral Pre-Cleaner	12VBH	\$130 + 5/0	
Single Element, with Integral Snow Valve and In-Cab Control REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM, 14RAR or 14RAV AXLE, LIFT, CONTROLS N/A: Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	12VAG	\$352 + 2/0	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
ANTI-FREEZE			
Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	12703	STD	
BLOCK HEATER, ENGINE			
<i>Phillips</i>			
120V/1150W INCLS: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door N/A: Code 15LML FUEL/WATER SEPARATOR	12XBR	\$89	+ 4/0
120V/1150W, with "W" Cord for Fuel Heater and 120V/300W Oil Pan Heater INCLS: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door REQS: Code 15LML FUEL/WATER SEPARATOR	12XBW	\$148	+ 4/0
120V/1150W, with "Y" Cord for Fuel Heater INCLS: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door REQS: Code 15LML FUEL/WATER SEPARATOR	12XBS	\$125	+ 4/0
120V/1150W, with "Y" Cord for 120V/300W Oil Pan Heater INCLS: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door N/A: Code 15LML FUEL/WATER SEPARATOR	12XBT	\$177	+ 4/0
120V/1150W, Thermostatically Controlled with LED Indicator, "Y" Cord for Fuel Heater INCLS: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door N/A: Code 15LKU(std), 15LKX, 15LKZ, 15LML and 15LPR FUEL/WATER SEPARATOR	12XBU	\$300	+ 4/0
120V/1150W, Thermostatically Controlled, with LED Indicator on Plug Assembly INCLS: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door N/A: Code 15LML FUEL/WATER SEPARATOR	12XBV	\$252	+ 4/0
120V/1500W INCLS: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door N/A: Code 15LML FUEL/WATER SEPARATOR	12864	\$89	+ 4/0
COLD STARTING EQUIPMENT			
Automatic; with Engine ECM Control	12WEG	\$168	0/0
COOLANT FILTER			
for A26 Engines	12WUM	\$117	+ 7/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
EMISSION COMPLIANCE			
Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood N/A: Code 09ANG HOOD, HATCH	12WZB	\$97 0/0	
Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door	12WZJ	\$97 0/0	
Engine Shutdown System Exempt Vehicles, Complies with California Clean Air Regulations NOTE: Pricing may change if axle configuration is changed.	12WZD	N/C 0/0	
Federal, Does Not Comply with California Clean Air Idle Regulations NOTE: Pricing may change if axle configuration is changed.	12WZE	N/C 0/0	
ENGINE CONTROL, REMOTE MOUNTED			
for PTO with N13/A26 Engines N/A: Code 12VYL ACCESSORY WIRING, SPECIAL	12VGA	\$82 0/0	
ENGINE WATER COOLER			
Sen-Dure Auxiliary, For Use with Fire Trucks REQS: Code 13WDM HYDRAULIC RETARDER, when in combination with Code 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 08GWY ALTERNATOR REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WCT OIL COOLER, AUTO TRANSMISSION, when in combination with Code 13WDM HYDRAULIC RETARDER REQS: Code 12XBD RADIATOR, when in combination with Code 13WDM HYDRAULIC RETARDER REQS: Code 12XBD(std) RADIATOR N/A: RADIATOR HOSES	12WYK	\$687 +6/0	
FAN DRIVE SPECIAL EFFECTS			
Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	12WTA	N/C 0/0	
FAN OVERRIDE			
Manual; with Electric Switch on Instrument Panel, (Fan On with Switch On)	12WBR	\$29 0/0	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
FEDERAL EMISSIONS <i>International</i> - A26 - EPA, OBD and GHG Certified for Calendar Year 2020	12VHK	N/C	
HOSE CLAMPS, RADIATOR HOSES , Mechanical Type; with Constant-Tension Functionality	12WGA	\$54 0/0	
OIL PAN Stainless Steel, for N13/A26 Engines Rust Protected (Resistive Coating), For N13/A26 Engines	12WPZ 12WPX	\$2,782 +51/+5 \$410 0/0	
PTO EFFECTS, ENGINE FRONT for N13/A26 Engines, Less PTO, Unit, Includes Adapter Plate on Engine Front Mounted REQS: Code 09WBK(std) FRONT END N/A: Code 12WPU PTO, ENGINE REAR	12850	\$257	
PTO, ENGINE REAR for N13/A26 Engines (Ratio 1.276:1) REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 16CAB CAB : Code 04VKB AIR DRYER LOCATION, when in combination with Code 04VKK AIR TANK LOCATION and Code 07BKN EXHAUST SYSTEM : Code 12850 PTO EFFECTS, ENGINE FRONT	12WPU	\$3,839 0/0	
RADIATOR HOSES Silicone; Molded	12926	\$272 0/0	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE		
<p>TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Allison</i></p> <p>- 3000 RDS - N/A: Code 13WUB, 13WUD, 13WUE and 13WUZ ALLISON SPARE INPUT/OUTPUT : Code 13WGK TRANSMISSION COOLER HOSES : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13XAJ, 13XAR, 13XAS and 13XAV PTO LOCATION AVAIL: Code 40TVS, 40TVT, 40TVU, 40TVV and 40TVW SRV CONTRACT, EXT ALLISON XMSN : Code 13WBA HYDRAULIC RETARDER : Code 13WLP TRANSMISSION OIL</p> <p>5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 62,000-lb GW Max, Refuse/Mixer REQS: Code 11001(std) CLUTCH REQS: Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM or 13WLP TRANSMISSION OIL REQS: Code 13XAK, 13XAL, 13XAM, 13XAN, 13XAP or 13XAT PTO LOCATION REQS: Code 12BDX(std) ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 08RLZ BATTERY DISCONNECT SWITCH : Code 11WAZ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WUB, 13WUD, 13WUE and 13WUZ ALLISON SPARE INPUT/OUTPUT : Code 13WGK TRANSMISSION COOLER HOSES : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13XAR, 13XAS and 13XAV PTO LOCATION AVAIL: Code 40TVS, 40TVT, 40TVU, 40TVV and 40TVW SRV CONTRACT, EXT ALLISON XMSN : Code 13WBA HYDRAULIC RETARDER : Code 13WLP TRANSMISSION OIL</p>	13AVR		
	13AVS	\$616 +19/+21	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 3000 RDS -</p> <p>5th Generation Controls, Close Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway REQS: Code 11001(std) CLUTCH REQS: Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM or 13WLP TRANSMISSION OIL REQS: Code 13XAK, 13XAL, 13XAM, 13XAN, 13XAP or 13XAT PTO LOCATION REQS: Code 12BDX(std) ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 08RLZ BATTERY DISCONNECT SWITCH : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WUB, 13WUD, 13WUE and 13WUZ ALLISON SPARE INPUT/OUTPUT : Code 13WGK TRANSMISSION COOLER HOSES : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13XAJ, 13XAR, 13XAS and 13XAV PTO LOCATION AVAIL: Code 40TVS, 40TVT, 40TVU, 40TVV and 40TVW SRV CONTRACT, EXT ALLISON XMSN : Code 13WBA HYDRAULIC RETARDER : Code 13WLP TRANSMISSION OIL</p> <p>5th Generation Controls, Close Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 62,000-lb GVW, Refuse/Mixer REQS: Code 11001(std) CLUTCH REQS: Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>			
	13AVJ	\$616 +19/+21	
	13AVK	\$616 +19/+21	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-121

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Allison</i></p> <p>- 4000 EVS - N/A: TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13905 PROVISION FOR PTO AVAIL: Code 13WUD, 13WUE and 13WUZ ALLISON SPARE INPUT/OUTPUT : Code 13WDM HYDRAULIC RETARDER : Code 13WLM TRANSMISSION OIL : Code 13XAL, 13XAN, 13XAP and 13XAT PTO LOCATION</p> <p>5th Generation Controls, Close Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor REQS: Code 11001(std) CLUTCH REQS: Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM or 13WLP TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : SRV CONTRACT, EXT ALLISON XMSN : Code 01ANF AXLE CONFIGURATION : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ AUTOMATIC NEUTRAL : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13905 PROVISION FOR PTO AVAIL: Code 13WUD, 13WUE and 13WUZ ALLISON SPARE INPUT/OUTPUT : Code 13WDM HYDRAULIC RETARDER : Code 13WLM TRANSMISSION OIL : Code 13XAL, 13XAN, 13XAP and 13XAT PTO LOCATION</p>	<p>13AUR</p> <p>13AUN</p>	<p>\$15,378 +250/+149</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 4000 HS - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, Less PTO Provision, Less Retarder, Includes Oil Level Sensor REQS: Code 11001(std) CLUTCH REQS: Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM or 13WLP TRANSMISSION OIL REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 08RLZ BATTERY DISCONNECT SWITCH : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ AUTOMATIC NEUTRAL : Code 13WGK TRANSMISSION COOLER HOSES : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 08TPL COLLISION MITIGATION SYSTEM : Code 13905 PROVISION FOR PTO AVAIL: Code 40TTL, 40TTM and 40TTN SRV CONTRACT, EXT ALLISON XMSN : Code 13WUB ALLISON SPARE INPUT/OUTPUT : Code 13WDM HYDRAULIC RETARDER : Code 13WLM TRANSMISSION OIL : Code 13XAP and 13XAT PTO LOCATION</p> <p>5th Generation Controls, Close Ratio, 5-Speed with Overdrive, Less PTO Provision, Less Retarder, Includes Oil Level Sensor REQS: Code 11001(std) CLUTCH REQS: Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION</p> <p style="text-align: center;">(SEE NEXT PAGE)</p>	<p>13AVB</p> <p>13AUZ</p>	<p>\$13,434 +202/+124</p> <p>\$13,434 +202/+124</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-124

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	NOTE: WEIGHTS - FRONT/REAR		
CODE	HV613 SBA		
<p>TRANSMISSION, AUTOMATIC <i>(SEE PREV PAGE)</i> NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 4000 HS - REQS: Code 13WLM or 13WLP TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 08RLZ BATTERY DISCONNECT SWITCH : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ AUTOMATIC NEUTRAL : Code 13WGK TRANSMISSION COOLER HOSES : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 08TPL COLLISION MITIGATION SYSTEM : Code 13905 PROVISION FOR PTO AVAIL: Code 40TTL, 40TTM and 40TTN SRV CONTRACT, EXT ALLISON XMSN : Code 13WUB ALLISON SPARE INPUT/OUTPUT : Code 13WDM HYDRAULIC RETARDER : Code 13WLM TRANSMISSION OIL : Code 13XAP and 13XAT PTO LOCATION</p> <p>- 4000 RDS - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway REQS: Code 11001(std) CLUTCH REQS: Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM or 13WLP TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	13AUZ		
	13ATR	\$14,146 +250/+149	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
<i>Allison</i>			
- 4000 RDS -			
5th Generation Controls, Close Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway REQS: Code 11001(std) CLUTCH REQS: Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM or 13WLP TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13905 PROVISION FOR PTO AVAIL: Code 40TWC, 40TWD, 40TWE, 40TWG and 40TWH SRV CONTRACT, EXT ALLISON XMSN : Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT : Code 13WDM HYDRAULIC RETARDER : Code 13WLM TRANSMISSION OIL : Code 13XAL, 13XAN, 13XAP and 13XAT PTO LOCATION	13ATP	\$ 14,146 +250/+149	
	5th Generation Controls, Close Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, Refuse REQS: Code 11001(std) CLUTCH REQS: Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM or 13WLP TRANSMISSION OIL REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA or 12BEB ENGINE, DIESEL (SEE NEXT PAGE)	13AUV	\$ 14,146 +250/+149

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-127

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 4500 HS - 5th generation Controls, Wide Ratio 6-Speed with Double Overdrive, Less PTO Provision, Less Retarder, Includes Oil Level Sensor REQS: Code 11001(std) CLUTCH REQS: Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM or 13WLP TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 08RLZ BATTERY DISCONNECT SWITCH : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ AUTOMATIC NEUTRAL : Code 13WGK TRANSMISSION COOLER HOSES : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 08TPL COLLISION MITIGATION SYSTEM : Code 13905 PROVISION FOR PTO AVAIL: Code 40TTP, 40TTR and 40TTS SRV CONTRACT, EXT ALLISON XMSN : Code 13WUB ALLISON SPARE INPUT/OUTPUT : Code 13WDM HYDRAULIC RETARDER : Code 13WLM TRANSMISSION OIL : Code 13XAP and 13XAT PTO LOCATION</p> <p>5th Generation Controls, Wide Ratio, 5-Speed with Overdrive, Less PTO Provision, Less Retarder, Includes Oil Level Sensor REQS: Code 11001(std) CLUTCH REQS: Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM or 13WLP TRANSMISSION OIL</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>			
	13AVC	\$15,691 +202/+124	
	13AVA	\$15,691 +202/+124	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT					
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR				
<p>TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 4500 RDS - N/A: Code 13WGP INPUT SHAFT : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13905 PROVISION FOR PTO AVAIL: Code 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT : Code 13WDM HYDRAULIC RETARDER : Code 13WLM TRANSMISSION OIL : Code 13XAL, 13XAN, 13XAP, 13XAT and 13XAV PTO LOCATION</p> <p>5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, Refuse REQS: Code 11001(std) CLUTCH REQS: Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM or 13WLP TRANSMISSION OIL REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA or 12BEB ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA, OIL TEMP, MANL XMSN : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13905 PROVISION FOR PTO AVAIL: Code 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT : Code 13WDM HYDRAULIC RETARDER : Code 13WLM TRANSMISSION OIL : Code 13XAL, 13XAN, 13XAP and 13XAT PTO LOCATION</p>				13AUW		
	13AUX	\$16,836	+250/+149			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
(CONTINUED)			
<p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 4500 RDS -</p> <p>5th Generation Controls, Wide Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway</p> <p>REQS: Code 11001(std) CLUTCH</p> <p>REQS: Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS</p> <p>REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION</p> <p>REQS: Code 13WLM or 13WLP TRANSMISSION OIL</p> <p>N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p> <p>: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN</p> <p>: Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN</p> <p>: Code 11WAJ and 11WAK CLUTCH EFFECTS</p> <p>: Code 13WAP TRANSMISSION LUBE PUMP</p> <p>: Code 13WAS CLUTCH HOUSING</p> <p>: TRANSMISSION, MANUAL</p> <p>: Code 13901 THRU-SHAFT</p> <p>: Code 13WGP INPUT SHAFT</p> <p>: Code 13WGJ OIL COOLER MANUAL TRANSMISSION</p> <p>: Code 13905 PROVISION FOR PTO</p> <p>: Code 13XAJ, 13XAK, 13XAS and 13XAV PTO LOCATION</p> <p>AVAIL: Code 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN</p> <p>: Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT</p> <p>: Code 13WDM HYDRAULIC RETARDER</p> <p>: Code 13WLM TRANSMISSION OIL</p>			
	13AUT	\$16,836 +250/+149	
	13AAU	\$16,836 +250/+149	
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR					
<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>HV613 SBA</i>				
<p>TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Allison</i></p> <p>- 4500 RDS - N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13905 PROVISION FOR PTO AVAIL: Code 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT : Code 13WDM HYDRAULIC RETARDER : Code 13WLM TRANSMISSION OIL : Code 13XAL, 13XAN, 13XAP and 13XAT PTO LOCATION</p> <p>- 4700 RDS - 5th Generation Controls, 7 Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway, with Two Speed Reverse REQS: Code 01AND AXLE CONFIGURATION REQS: Code 16030(std) CAB REQS: Code 04JDC AIR DRYER LOCATION REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC or Code 04NDB BRAKES, REAR, AIR CAM REQS: Code 04SPM AIR COMPRESSOR REQS: Code 04AZJ or 04AZY AIR BRAKE ABS REQS: Code 04VKK AIR TANK LOCATION REQS: Code 04EBS AIR DRYER REQS: Code 01CBU or 01CGE FRAME RAILS REQS: Code 01GBP FRAME REINFORCEMENT REQS: Code 08VUJ or 08VUK BATTERY BOX REQS: Code 05710 STEERING COLUMN REQS: Code 14ULY or 14UZB SUSPENSION, REAR, TANDEM REQS: Code 11001(std) CLUTCH REQS: Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WEH or 13WUA AUTOMATIC NEUTRAL REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WYH TRANSMISSION TCM LOCATION REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>				<p>13AUU</p> <p>13AYC</p>	<p>\$23,499 +350/+218</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-134

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	WEIGHTS - FRONT/REAR
<p>TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 4700 RDS - REQS: Code 07BKS EXHAUST SYSTEM REQS: Code 15SGG or 15SJZ FUEL TANK REQS: Code 15LLP or 15LMY LOCATION FUEL/WATER SEPARATOR REQS: Code 15LKU or 15LKX FUEL/WATER SEPARATOR REQS: Code 13WLM or 13WLP TRANSMISSION OIL REQS: Code 08XHN HORN, AIR REQS: Code 13XAL PTO LOCATION REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14AWN AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM REQS: Code 12BDY, 12BDZ, 12BEA, 12BEB, 12BEC, 12BED or 12BGP ENGINE, DIESEL</p> <p>N/A: SRV CONTRACT, EXT ALLISON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : CONTROL VALVE, FRONT BRAKE or CROSSMEMBER, INTERMEDIATE or CROSSMEMBER, INTERMEDIATE LOC or TRANSMISSION COOLER HOSES or Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE or Code 08VZR and 08VZS SWITCH, BODY CIRCUITS, MID or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE or Code 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE : Code 08TST and 08TTR BATTERY BOX, when in combination with Code 16CAB or 16196 CAB : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WVV(std) NEUTRAL AT STOP : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13607 TRANSMISSION, AUXILIARY : Code 13WGK TRANSMISSION COOLER HOSES : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 08TPL COLLISION MITIGATION SYSTEM : Code 12WPU PTO, ENGINE REAR : Code 13905 PROVISION FOR PTO</p> <p>AVAIL: Code 13WYU SHIFT CONTROL PARAMETERS : Code 13WEH AUTOMATIC NEUTRAL : Code 13WUS ALLISON SPARE INPUT/OUTPUT : Code 13WAW OIL COOLER, AUTO TRANSMISSION : Code 13WLM TRANSMISSION OIL : Code 13XAL and 13XAT PTO LOCATION</p>	<p>13AYC</p>		



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>TRANSMISSION, MANUAL</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Eaton Fuller</i></p> <p>- Advantage FAM-15810B-EA3 - 10-Speed Fully Automated Manual, Aluminum Clutch Housing, Direct Drive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION</p> <p>REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS</p> <p>REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION</p> <p>REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS</p> <p>REQS: Code 11MGP CLUTCH</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 13WLW TRANSMISSION OIL</p> <p>REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION</p> <p>REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA or 12BEB ENGINE, DIESEL</p> <p>N/A: SRV CONTRACT, EXT ALLISON XMSN</p> <ul style="list-style-type: none"> : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14RAV and 14RAW AXLE, LIFT, CONTROLS : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION : Code 13905 PROVISION FOR PTO <p>AVAIL: Code 40SRA and 40SRB SRV CONTRACT, EXT EATON XMSN</p> <ul style="list-style-type: none"> : Code 13XAN, 13XAR and 13XAS PTO LOCATION 	<p>13GYJ</p>	<p>\$860 +100/+24</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- Advantage FAO-14810C-EA3 - 10-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS REQS: Code 11MGP CLUTCH REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WLW TRANSMISSION OIL REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION REQS: Code 12BDX(std), 12BDY, 12BDZ or 12BEA ENGINE, DIESEL</p> <p>N/A: SRV CONTRACT, EXT ALLISON XMSN : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14RAV and 14RAW AXLE, LIFT, CONTROLS : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION : Code 13905 PROVISION FOR PTO</p> <p>AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 13XAN, 13XAR and 13XAS PTO LOCATION</p>	<p>13GYC</p>	<p>\$347CR +85/+39</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- Advantage FAO-16810C-EA3 - 10-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION</p> <p>REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS</p> <p>REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION</p> <p>REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS</p> <p>REQS: Code 11MGP CLUTCH</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 13WLW TRANSMISSION OIL</p> <p>REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION</p> <p>REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL</p> <p>N/A: SRV CONTRACT, EXT ALLISON XMSN : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14RAV and 14RAW AXLE, LIFT, CONTROLS : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION : Code 13905 PROVISION FOR PTO</p> <p>AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 13XAN, 13XAR and 13XAS PTO LOCATION</p>	<p>13GYD</p>	<p>\$371 +100/+24</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Eaton Fuller</i></p> <p>- Advantage FAOM-15810C-EA3 - 10-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION</p> <p>REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS</p> <p>REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION</p> <p>REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS</p> <p>REQS: Code 11MGP CLUTCH</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 13WLW TRANSMISSION OIL</p> <p>REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION</p> <p>REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA or 12BEB ENGINE, DIESEL</p> <p>N/A: SRV CONTRACT, EXT ALLISON XMSN</p> <ul style="list-style-type: none"> : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14RAV and 14RAW AXLE, LIFT, CONTROLS : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION : Code 13905 PROVISION FOR PTO <p>AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM</p> <p>SRV CONTRACT, EXT EATON XMSN</p> <ul style="list-style-type: none"> : Code 13XAN, 13XAR and 13XAS PTO LOCATION 	<p>13GYG</p>	<p>\$1,172 +100/+24</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Eaton Fuller</i></p> <p>- Advantage FAOM-16810C-EA3 - 10-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION</p> <p>REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS</p> <p>REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION</p> <p>REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS</p> <p>REQS: Code 11MGP CLUTCH</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 13WLW TRANSMISSION OIL</p> <p>REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION</p> <p>REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL</p> <p>N/A: SRV CONTRACT, EXT ALLISON XMSN</p> <ul style="list-style-type: none"> : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14RAV and 14RAW AXLE, LIFT, CONTROLS : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION : Code 13905 PROVISION FOR PTO <p>AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM</p> <p>SRV CONTRACT, EXT EATON XMSN</p> <ul style="list-style-type: none"> : Code 13XAN, 13XAR and 13XAS PTO LOCATION 	<p>13GYH</p>	<p>\$1,652 +100/+24</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- UltraShift+ FO-12E308LL-VCS - 10-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Double-Lo, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION</p> <p>REQS: Code 04JDC, 04VKA, 04VKB or 04VKC AIR DRYER LOCATION, when in combination with Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM</p> <p>REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS</p> <p>REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION</p> <p>REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS</p> <p>REQS: Code 11MGP CLUTCH</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION</p> <p>REQS: Code 13WLW or 13WLX TRANSMISSION OIL</p> <p>REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION</p> <p>REQS: Code 12BDX(std) ENGINE, DIESEL</p> <p>N/A: SRV CONTRACT, EXT ALLISON XMSN</p> <p>: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS</p> <p>: Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN</p> <p>: Code 04VHT AIR DRYER LOCATION, when in combination with Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM</p> <p>: Code 14WBT 2-SPEED SHIFT PACKAGE</p> <p>: Code 14RAV and 14RAW AXLE, LIFT, CONTROLS</p> <p>: Code 11WAJ and 11WAK CLUTCH EFFECTS</p> <p>: Code 13WAP TRANSMISSION LUBE PUMP</p> <p>: Code 13WAS CLUTCH HOUSING</p> <p>: Code 13WGP INPUT SHAFT</p> <p>: Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS</p> <p>: Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL</p> <p>: Code 13WVV(std) NEUTRAL AT STOP</p> <p>: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT</p> <p>: TRANSMISSION, AUTOMATIC</p> <p>: Code 13WBA and 13WDM HYDRAULIC RETARDER</p> <p>: Code 13WYH TRANSMISSION TCM LOCATION</p> <p>: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP</p> <p>: Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION</p> <p>: Code 13WGK TRANSMISSION COOLER HOSES</p> <p>: Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>13GWM</p>	<p>\$2,505 +177/+83</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
 NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV613 SBA	
TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - UltraShift+ FO-12E308LL-VCS - N/A: Code 13905 PROVISION FOR PTO AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 13WLX TRANSMISSION OIL : Code 13XAN, 13XAR and 13XAS PTO LOCATION - UltraShift+ FO-12E309ALL-VMS - 11-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Double-Lo, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION REQS: Code 04JDC, 04VKA, 04VKB or 04VKC AIR DRYER LOCATION, when in combination with Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS REQS: Code 11MGP CLUTCH REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION REQS: Code 13WLW or 13WLX TRANSMISSION OIL REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION REQS: Code 12BDX(std) ENGINE, DIESEL N/A: SRV CONTRACT, EXT ALLISON XMSN : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 04VHT AIR DRYER LOCATION, when in combination with Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14RAV and 14RAW AXLE, LIFT, CONTROLS : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WYH TRANSMISSION TCM LOCATION <div style="text-align: right;">(SEE NEXT PAGE)</div>			
	13GWM		
	13GWU	\$5,686 +176/+83	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>HV613 SBA</i>	
<p>TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Eaton Fuller</i></p> <p>- UltraShift+ FO-12E309ALL-VMS - N/A: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION : Code 13905 PROVISION FOR PTO AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 13WLX TRANSMISSION OIL : Code 13XAN, 13XAR and 13XAS PTO LOCATION</p> <p>- UltraShift+ FO-14E308LL-VCS - 10-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Double-Lo, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION REQS: Code 04JDC, 04VKA, 04VKB or 04VKE AIR DRYER LOCATION, when in combination with Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS REQS: Code 11MGP CLUTCH REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION REQS: Code 13WLW or 13WLX TRANSMISSION OIL REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION REQS: Code 12BDX(std), 12BDY, 12BDZ or 12BEA ENGINE, DIESEL N/A: SRV CONTRACT, EXT ALLISON XMSN : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 04VHT AIR DRYER LOCATION, when in combination with Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14RAV and 14RAW AXLE, LIFT, CONTROLS : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>			
	13GWU		
	13GWN	\$3,562 + 176/+83	



**HV613 SBA
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
	CODE	HV613 SBA	
<p>TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- UltraShift+ FO-14E308LL-VCS - N/A: Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION : Code 13905 PROVISION FOR PTO AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 13WLX TRANSMISSION OIL : Code 13XAN, 13XAR and 13XAS PTO LOCATION</p> <p>- UltraShift+ FO-14E309ALL-VMS - 11-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Double-Lo, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION REQS: Code 04JDC, 04VKA, 04VKB or 04VKC AIR DRYER LOCATION, when in combination with Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS REQS: Code 11MGP CLUTCH REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION REQS: Code 13WLW or 13WLX TRANSMISSION OIL REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION REQS: Code 12BDX(std), 12BDY, 12BDZ or 12BEA ENGINE, DIESEL N/A: SRV CONTRACT, EXT ALLISON XMSN : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 04VHT AIR DRYER LOCATION, when in combination with Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM</p> <p align="right">(SEE NEXT PAGE)</p>	13GWN		
	13GWV	<p align="right">\$6,397 +188/+71</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-144

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>TRANSMISSION, MANUAL <i>(SEE PREV PAGE)</i></p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- UltraShift+ FO-16E309ALL-VMS -</p> <p>REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION</p> <p>REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS</p> <p>REQS: Code 11MGP CLUTCH</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION</p> <p>REQS: Code 13WLW or 13WLX TRANSMISSION OIL</p> <p>REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION</p> <p>REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA or 12BEB ENGINE, DIESEL</p> <p>N/A: SRV CONTRACT, EXT ALLISON XMSN</p> <p>: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS</p> <p>: Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN</p> <p>: Code 04VHT AIR DRYER LOCATION, when in combination with Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM</p> <p>: Code 14WBT 2-SPEED SHIFT PACKAGE</p> <p>: Code 14RAV and 14RAW AXLE, LIFT, CONTROLS</p> <p>: Code 11WAJ and 11WAK CLUTCH EFFECTS</p> <p>: Code 13WAP TRANSMISSION LUBE PUMP</p> <p>: Code 13WAS CLUTCH HOUSING</p> <p>: Code 13WGP INPUT SHAFT</p> <p>: Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS</p> <p>: Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL</p> <p>: Code 13WVV(std) NEUTRAL AT STOP</p> <p>: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT</p> <p>: TRANSMISSION, AUTOMATIC</p> <p>: Code 13WBA and 13WDM HYDRAULIC RETARDER</p> <p>: Code 13WYH TRANSMISSION TCM LOCATION</p> <p>: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP</p> <p>: Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION</p> <p>: Code 13WGK TRANSMISSION COOLER HOSES</p> <p>: Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION</p> <p>: Code 13905 PROVISION FOR PTO</p> <p>AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p> <p>: Code 13WLX TRANSMISSION OIL</p> <p>: Code 13XAN, 13XAR and 13XAS PTO LOCATION</p>	13GWW		



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Eaton Fuller</i></p> <p>- UltraShift+ FO-16E313A-MHP - 13-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION</p> <p>REQS: Code 04JDC, 04VKA, 04VKB or 04VKC AIR DRYER LOCATION, when in combination with Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM</p> <p>REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS</p> <p>REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION</p> <p>REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS</p> <p>REQS: Code 11MGP CLUTCH</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION</p> <p>REQS: Code 13WLW or 13WLX TRANSMISSION OIL</p> <p>REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION</p> <p>REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY, 14GWZ, 14HRC, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>-OR- AXLE, REAR, TRIDEM</p> <p>-OR- AXLE, REAR, SINGLE</p> <p>REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA or 12BEB ENGINE, DIESEL</p> <p>N/A: SRV CONTRACT, EXT ALLISON XMSN : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 04VHT AIR DRYER LOCATION, when in combination with Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14RAV and 14RAW AXLE, LIFT, CONTROLS : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER (SEE NEXT PAGE)</p>	<p>13GWZ</p>	<p>\$822 +185/+78</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-148

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
	HV613 SBA		
TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - UltraShift+ FO-16E313A-MHP - N/A: Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION : Code 13905 PROVISION FOR PTO AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 13WLX TRANSMISSION OIL : Code 13XAN, 13XAR and 13XAS PTO LOCATION - UltraShift+ FO-16E318B-MXP - 18-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION REQS: Code 14RAA, 14RAB, 14RAD, 14RAE or 14RAR AXLE, LIFT, CONTROLS REQS: Code 11MGP CLUTCH REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION REQS: Code 13WLW or 13WLX TRANSMISSION OIL REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA or 12BEB ENGINE, DIESEL N/A: SRV CONTRACT, EXT ALLISON XMSN : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14RAV and 14RAW AXLE, LIFT, CONTROLS : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC (SEE NEXT PAGE)	13GWZ		
	13GXC	\$5,279 +185/+78	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-149

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT	
	CODE	HV613 SBA
<p>TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- UltraShift+ FO-17E308LL-VCS - N/A: Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION : Code 13905 PROVISION FOR PTO AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 13WLX TRANSMISSION OIL : Code 13XAN, 13XAR and 13XAS PTO LOCATION</p> <p>- UltraShift+ FO-17E309ALL-VMS - 11-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Double-Lo, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION REQS: Code 04JDC, 04VKA, 04VKB or 04VKC AIR DRYER LOCATION, when in combination with Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS REQS: Code 11MGP CLUTCH REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION REQS: Code 13WLW or 13WLX TRANSMISSION OIL REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWY, 14GWZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, SINGLE</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>13GWR</p> <p>13GWX</p>	<p></p> <p style="text-align: center;">\$6,819 +188/+71</p>

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-151

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Eaton Fuller</i></p> <p>- UltraShift+ FO-18E313A-MHP - REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION REQS: Code 13WLW or 13WLX TRANSMISSION OIL REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION N/A: SRV CONTRACT, EXT ALLISON XMSN : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14RAV and 14RAW AXLE, LIFT, CONTROLS : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION : Code 13905 PROVISION FOR PTO AVAIL: Code 40SPV, 40SPW, 40SPX, 40SPY and 40SPZ SRV CONTRACT, EXT EATON XMSN : Code 13WLX TRANSMISSION OIL : Code 13XAN, 13XAR and 13XAS PTO LOCATION</p> <p>- UltraShift+ FO-18E318B-MXP - 18-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION REQS: Code 04JDC, 04VKA, 04VKB or 04VKC AIR DRYER LOCATION, when in combination with Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION (SEE NEXT PAGE)</p>	<p>13GXA</p> <p>13GXD</p>	<p>\$5,675 +185/+78</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>TRANSMISSION, MANUAL (SEE PREV PAGE)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- UltraShift+ FO-18E318B-MXP -</p> <p>REQS: Code 14RAA, 14RAB, 14RAD, 14RAE or 14RAR AXLE, LIFT, CONTROLS</p> <p>REQS: Code 11MGP CLUTCH</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION</p> <p>REQS: Code 13WLW or 13WLX TRANSMISSION OIL</p> <p>REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION</p> <p>N/A: SRV CONTRACT, EXT ALLISON XMSN</p> <p>: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS</p> <p>: Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN</p> <p>: Code 04VHT AIR DRYER LOCATION, when in combination with Code 14ULT or 14ULU</p> <p>SUSPENSION, REAR, AIR, TANDEM</p> <p>: Code 14WBT 2-SPEED SHIFT PACKAGE</p> <p>: Code 14RAV and 14RAW AXLE, LIFT, CONTROLS</p> <p>: Code 11WAJ and 11WAK CLUTCH EFFECTS</p> <p>: Code 13WAP TRANSMISSION LUBE PUMP</p> <p>: Code 13WAS CLUTCH HOUSING</p> <p>: Code 13WGP INPUT SHAFT</p> <p>: Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS</p> <p>: Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL</p> <p>: Code 13WVV(std) NEUTRAL AT STOP</p> <p>: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT</p> <p>: TRANSMISSION, AUTOMATIC</p> <p>: Code 13WBA and 13WDM HYDRAULIC RETARDER</p> <p>: Code 13WYH TRANSMISSION TCM LOCATION</p> <p>: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP</p> <p>: Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION</p> <p>: Code 13WGK TRANSMISSION COOLER HOSES</p> <p>: Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION</p> <p>: Code 13905 PROVISION FOR PTO</p> <p>AVAIL: Code 40SPV, 40SPW, 40SPX, 40SPY and 40SPZ</p> <p>SRV CONTRACT, EXT EATON XMSN</p> <p>: Code 13WLX TRANSMISSION OIL</p> <p>: Code 13XAN, 13XAR and 13XAS PTO LOCATION</p>	<p>13GXD</p>		



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- UltraShift+ FO-18E318B-VXP - 18-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 04JDC, 04VHT, 04VKA, 04VKB, 04VKC(std) or 04VKE AIR DRYER LOCATION</p> <p>REQS: Code 04JDC, 04VKA, 04VKB or 04VKC AIR DRYER LOCATION, when in combination with Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB or 14698 SUSPENSION, REAR, TANDEM</p> <p>REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS</p> <p>REQS: Code 04VCL, 04VHZ, 04VKG, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION</p> <p>REQS: Code 14RAA, 14RAB, 14RAD, 14RAE or 14RAR AXLE, LIFT, CONTROLS</p> <p>REQS: Code 11MGP CLUTCH</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION</p> <p>REQS: Code 13WLW or 13WLX TRANSMISSION OIL</p> <p>REQS: Code 13XAN, 13XAR or 13XAS PTO LOCATION</p> <p>REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL</p> <p>N/A: SRV CONTRACT, EXT ALLISON XMSN</p> <p>: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS</p> <p>: Code 16HLU VIRTUAL GA, OIL TEMP, AUTO XMSN</p> <p>: Code 04VHT AIR DRYER LOCATION, when in combination with Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM</p> <p>: Code 14WBT 2-SPEED SHIFT PACKAGE</p> <p>: Code 14RAV and 14RAW AXLE, LIFT, CONTROLS</p> <p>: Code 11WAJ and 11WAK CLUTCH EFFECTS</p> <p>: Code 13WAP TRANSMISSION LUBE PUMP</p> <p>: Code 13WAS CLUTCH HOUSING</p> <p>: Code 13WGP INPUT SHAFT</p> <p>: Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS</p> <p>: Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL</p> <p>: Code 13WVV(std) NEUTRAL AT STOP</p> <p>: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT</p> <p>: TRANSMISSION, AUTOMATIC</p> <p>: Code 13WBA and 13WDM HYDRAULIC RETARDER</p> <p>: Code 13WYH TRANSMISSION TCM LOCATION</p> <p>: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP</p> <p>: Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION</p> <p>: Code 13WGK TRANSMISSION COOLER HOSES</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>13GXH</p>	<p>\$9,566 +185/+78</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR					
ITEM DESCRIPTION	CODE	HV613 SBA				
<p>TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Eaton Fuller</i></p> <p>- UltraShift+ FO-18E318B-VXP - N/A: Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 01ANA AXLE CONFIGURATION : Code 13905 PROVISION FOR PTO AVAIL: Code 40SPV, 40SPW, 40SPX, 40SPY and 40SPZ SRV CONTRACT, EXT EATON XMSN : Code 13WLX TRANSMISSION OIL : Code 13XAN, 13XAR and 13XAS PTO LOCATION</p> <p><i>Fuller</i></p> <p>- FR-14210B - 10-Speed Manual, Direct Drive, Air Shift REQS: Code 11MHP, 11MRT, 11MRU or 11MRV CLUTCH REQS: Code 12BDX(std), 12BDY, 12BDZ or 12BEA ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : SRV CONTRACT, EXT ALLISON XMSN : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 13WGP INPUT SHAFT : Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WET TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WVK TRANSMISSION COOLER HOSES : Code 13905 PROVISION FOR PTO : Code 13XAL, 13XAM, 13XAP and 13XAT PTO LOCATION AVAIL: Code 13WLX TRANSMISSION OIL</p> <p>- FRO-14210C - 10-Speed Manual, Overdrive, Air Shift REQS: Code 11MHP, 11MRT, 11MRU or 11MRV CLUTCH REQS: Code 12BDX(std), 12BDY, 12BDZ or 12BEA ENGINE, DIESEL N/A: SRV CONTRACT, EXT EATON XMSN : SRV CONTRACT, EXT ALLISON XMSN (SEE NEXT PAGE)</p>				<p>13GXX</p> <p>13GHJ</p> <p>13GHL</p>	<p></p> <p>\$10,950CR +16/+7</p> <p>\$10,544CR +20/+3</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-156

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	CODE	HV613 SBA			
<p>TRANSMISSION, MANUAL (CONTINUED)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Fuller</p> <p>- RTLO(F)-16913A - 13-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MHP, 11MRT, 11MRU or 11MRV CLUTCH REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : SRV CONTRACT, EXT ALLISON XMSN : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 13WAP TRANSMISSION LUBE PUMP : Code 13901 THRU-SHAFT : Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WET TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 13905 PROVISION FOR PTO AVAIL: Code 13WLX TRANSMISSION OIL : Code 13XAN, 13XAR and 13XAS PTO LOCATION</p> <p>- RTLO(F)-16918B - 18-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MHP, 11MRT, 11MRU or 11MRV CLUTCH REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERC or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>				<p>13GKJ</p> <p>\$5,766CR +102/+48</p> <p>13GKL</p> <p>\$5,523CR +103/+48</p>		



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Fuller</p> <p>- RTLO(F)-18918B - N/A: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WET TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 13905 PROVISION FOR PTO AVAIL: Code 13WLX TRANSMISSION OIL : Code 13XAN, 13XAR and 13XAS PTO LOCATION</p> <p>- RTLO-18913A - 13-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MHP, 11MRT, 11MRU or 11MRV CLUTCH N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : SRV CONTRACT, EXT ALLISON XMSN : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 08TTR, 08VTN, 08VUJ, 08VUK, 08WEK and 08XDZ BATTERY BOX : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 13WAP TRANSMISSION LUBE PUMP : Code 13901 THRU-SHAFT : Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WET TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 13905 PROVISION FOR PTO AVAIL: Code 13WLX TRANSMISSION OIL : Code 13XAN, 13XAR and 13XAS PTO LOCATION</p>	13GKM		
	13GJS	\$4,925CR + 105/+44	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
<p>TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Fuller</p> <p>- RTO(F)-14909ALL - N/A: Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WET TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 13905 PROVISION FOR PTO AVAIL: Code 13WLX TRANSMISSION OIL : Code 13XAN, 13XAR and 13XAS PTO LOCATION</p> <p>- RTO(F)-16908LL - 10-Speed Manual, Overdrive, Double-Lo, Air Shift, Internal Lube Oil Pump REQS: Code 11MHP, 11MRT, 11MRU or 11MRV CLUTCH REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERB, 14ERC or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM REQS: Code 12BDX(std), 12BDY, 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : SRV CONTRACT, EXT ALLISON XMSN : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WGP INPUT SHAFT : Code 13WDC, 13WDT, 13WDZ, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>13GMZ</p> <p>13GHX</p>	<p>\$6,166CR +90/+35</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
 NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Fuller</i></p> <p>- RTO(F)-16909ALL - N/A: Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WGK TRANSMISSION COOLER HOSES : Code 13905 PROVISION FOR PTO AVAIL: Code 13WLX TRANSMISSION OIL : Code 13XAN, 13XAR and 13XAS PTO LOCATION</p>	13GNA		
<p>TRANSMISSION TCM LOCATION</p> <p>Located Inside Cab N/A: Code 16SMV SEAT, REAR : TRANSMISSION, MANUAL : Code 08VZR and 08VZS SWITCH, BODY CIRCUITS, MID or Code 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE, when in combination with Code 16LJX, 16LJY or 16LJZ SEAT, REAR and Code 16196 CAB : Code 60AAH, 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE, when in combination with Code 16PCS SEAT, REAR and Code 16196 CAB : Code 16SBA BUNK, LOWER</p>	13WYH	\$141	
<p>ALLISON SPARE INPUT/OUTPUT NOTE: For SPARE INPUT/OUTPUT PACKAGE CONTENT, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>for Rugged Duty Series (RDS); Airport Refueler, Sewer Evac REQS: Code 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL</p> <p>for Emergency Vehicle Series (EVS); Fire/Pumper, Tank, Aerial/Ladder REQS: Code 13AUN, 13AUP, 13AUR or 13AUS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL</p>	13WUH 13WUE	N/C N/C	0/0 0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
ALLISON SPARE INPUT/OUTPUT (CONTINUED)			
NOTE: For SPARE INPUT/OUTPUT PACKAGE CONTENT, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
for Rugged Duty Series (RDS); Front Loaders, Rear Loaders, Recycling/Packer Trucks REQS: Code 13AAZ AUTOMATIC NEUTRAL REQS: Code 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	13WUJ	N/C	0/0
for Highway Series (HS); General Purpose Trucks REQS: Code 13ATL(std), 13AUZ, 13AVA, 13AVB, 13AVC or 13AVE TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL	13WUB	N/C	0/0
for Rugged Duty Series (RDS); General Purpose Trucks, Construction REQS: Code 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL	13WUC	N/C	0/0
for Rugged Duty Series (RDS); General Purpose Trucks Modified for Single Input Auto Neutral REQS: Code 13WEH or 13WUA AUTOMATIC NEUTRAL REQS: Code 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR, 13AVS or 13AYC TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13AAZ AUTOMATIC NEUTRAL	13WUS	N/C	0/0
for Emergency Vehicle Series (EVS), 127/198 Includes J1939 Based Auto Neutral; Fire/Pumper, Tank, Aerial/Ladder REQS: Code 13AUN, 13AUP, 13AUR or 13AUS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13AAZ AUTOMATIC NEUTRAL	13WUZ	\$129	0/0
for Emergency Vehicle Series (EVS); Rescue, Ambulance REQS: Code 13AUN, 13AUP, 13AUR or 13AUS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL	13WUD	N/C	0/0
for Rugged Duty Series (RDS); Side Loaders REQS: Code 13AAZ AUTOMATIC NEUTRAL REQS: Code 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	13WUK	N/C	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
AUTOMATIC NEUTRAL			
Allison WT, 3000 & 4000 Series Transmission Shifts to Neutral When Parking Brake is Engaged REQS: Code 13ATP, 13ATR, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AAU, 13AAV, 13AAJ, 13AAK, 13AAV or 13AAV TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL AVAIL: Code 13WUJ and 13WUK ALLISON SPARE INPUT/OUTPUT	13AAZ	\$34	
Allison WT Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged, without On/Off Switch N/A: TRANSMISSION, MANUAL : HOURMETER, PTO, when in combination with Code 13ATL, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC AVAIL: Code 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT	13WEH	\$129	
Allison WT Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AAU, 13AAV, 13AAZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : HOURMETER, PTO, when in combination with Code 13ATL, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC AVAIL: Code 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT	13WUA	\$129	0 / 0
CLUTCH HOUSING			
Aluminum; Available with 1350 to 2050 lb-ft Capacity Fuller Transmissions REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	13WAS	\$57	- 53 / 0
HYDRAULIC RETARDER			
For Allison WT-MD & 3000 Series Transmission REQS: Code 09WBK(std) FRONT END REQS: Code 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13ATL(std), 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 04WZJ AIR TANK LOCATION or Code 08XBK SWITCH, AUXILIARY : TRANSMISSION, MANUAL : Code 12VAG and 12VAL AIR CLEANER	13WBA	\$8,654 +59/+21	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>HYDRAULIC RETARDER (CONTINUED)</p> <p>For Allison 4000 Series Transmission REQS: Code 09WBK(std) FRONT END REQS: Code 01WDS or 01WDT FRAME EXTENSION, FRONT REQS: Code 01WAC BUMPER EXTENSION, FRONT REQS: Code 08XAH CIRCUIT BREAKERS, when in combination with Code 12VAL AIR CLEANER REQS: Code 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 12VAG AIR CLEANER : Code 13WGK TRANSMISSION COOLER HOSES, when in combination with Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX or 13AUY TRANSMISSION, AUTOMATIC : Code 08TPL COLLISION MITIGATION SYSTEM : CIGAR LIGHTER or POWER SOURCE, TERMINAL TYPE, when in combination with Code 12VAL AIR CLEANER</p>	13WDM	\$9,754 +59/+21	
<p>INPUT SHAFT</p> <p>Heavy Duty Roller Bearing; Spline Size 2.00" with 1.18" Pilot, Use with Eaton 13/18 Speed Manual Transmissions, with Transmission Mounted, 6 or 8 bolt PTO's with Up to the Total PTO Output of 500 lb. ft. REQS: Code 13GJS, 13GKJ, 13GKL or 13GKM TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC</p>	13WGP	\$35	
<p>NEUTRAL AT STOP</p> <p>Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS</p>	13WVV	STD	
<p>OIL COOLER, AUTO TRANSMISSION</p> <p><i>Modine</i></p> <p>Water to Oil Type N/A: TRANSMISSION, MANUAL : Code 13WBA and 13WDM HYDRAULIC RETARDER</p>	13WAW	\$898 +25/0	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>OIL COOLER, AUTO TRANSMISSION (CONTINUED)</p> <p><i>Champ</i></p> <p>Remote Mounted REQS: Code 09WBK(std) FRONT END REQS: Code 13WBA or 13WDM HYDRAULIC RETARDER REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL</p>	13WCT	\$3,397 + 50/0	
<p>OIL COOLER MANUAL TRANSMISSION</p> <p>NOTE: See ENGINE/TRANSMISSION COMPATIBILITY Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book for Recommended and Mandatory Applications</p> <p>Water to Oil Type Included in Radiator End Tank (REQUIRES TRANSMISSION LUBE PUMP) REQS: Code 13WAP TRANSMISSION LUBE PUMP, when in combination with Code 13GHJ, 13GHL, 13GHW or 13GMZ TRANSMISSION, MANUAL REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD or 13GXH TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC</p>	13WGJ	N/C 0/0	
<p>PROVISION FOR PTO</p> <p>Top Mount; with Allison 3000 Transmission REQS: Code 13XAL, 13XAP or 13XAT PTO LOCATION REQS: Code 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WBA HYDRAULIC RETARDER or Code 13WCT OIL COOLER, AUTO TRANSMISSION AVAIL: Code 13XAL, 13XAP and 13XAT PTO LOCATION</p>	13905	\$1,990 0/0	
<p>PTO CONTROL, DASH MOUNTED</p> <p>For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring N/A: Code 60ABA, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION : Code 08WHE and 08XHN HORN, AIR, when in combination with Code 03WAJ or 03WAK SPRINGS, FRONT AUXILIARY and Code 14899 SUSPENSION AIR CONTROL VALVE and Code 13607 TRANSMISSION, AUXILIARY</p>	13XAA	\$116 + 3/0	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
PTO LOCATION			
Customer Does Not Intend to Install PTO REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 13905 PROVISION FOR PTO	13XAN	N/C	
Customer Intends to Install PTO at Bottom of Transmission REQS: Code 13AUT TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 13905 PROVISION FOR PTO	13XAR	N/C	
Customer Intends to Install PTO at Left Side of Transmission REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR, 13AVS or 13AYC TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	13XAL	N/C	
Customer Intends to Install PTO at Rear of Transmission N/A: TRANSMISSION, AUTOMATIC : Code 13905 PROVISION FOR PTO	13XAS	N/C	
Customer Intends to Install PTO at Top of Transmission REQS: Code 13905 PROVISION FOR PTO or Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	13XAP	N/C	
Customer Intends to Install PTO at Right Side of Transmission REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS or 13GNB TRANSMISSION, MANUAL -OR- Code 13AUS, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13905 PROVISION FOR PTO	13XAK	N/C	
Dual, Customer Intends to Install PTO at Right Side and/or Bottom of Transmission REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS or 13GNB TRANSMISSION, MANUAL -OR- Code 13AUP or 13AUW TRANSMISSION, AUTOMATIC N/A: Code 13905 PROVISION FOR PTO	13XAV	N/C	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>PTO LOCATION (CONTINUED)</p> <p>Dual, Customer Intends to Install PTO at Right Side and/or Rear of Transmission REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS or 13GNB TRANSMISSION, MANUAL -OR- Code 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13905 PROVISION FOR PTO</p> <p>Dual, Customer Intends to Install PTO at Left and/or Right Side of Transmission REQS: Code 13AUT, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13905 PROVISION FOR PTO</p> <p>Dual, Customer Intends to Install PTO at Left Side and/or Top of Transmission REQS: Code 13905 PROVISION FOR PTO or Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVJ, 13AVK, 13AVR, 13AVS or 13AYC TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL</p>	<p>13XAJ</p> <p>13XAM</p> <p>13XAT</p>	<p>N/C</p> <p>N/C</p> <p>N/C</p>	
<p>SHIFT CONTROL PARAMETERS</p> <p>Allison S-1 Performance Programming in Primary and Allison Fixed Programming in Secondary REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL</p> <p>Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with DynActive and Dynamic Shift Sensing (FuelSense 2.0 Basic) REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL</p> <p>Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with DynActive, Dynamic Shift Sensing and Neutral at Stop-Premium, with Coast Mode (FuelSense 2.0 Plus) REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUT, 13AAU, 13AAV, 13AAW, 13AUX, 13AUY, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WVV(std) NEUTRAL AT STOP</p>	<p>13WDZ</p> <p>13XBD</p> <p>13XBE</p>	<p>\$48</p> <p>\$690</p> <p>\$750</p>	<p>0/0</p>



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
SHIFT CONTROL PARAMETERS	HV613 SBA		
(CONTINUED)			
Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with DynActive, with Dynamic Shift Sensing, Neutral at Stop-Premium, with Coast Mode and Acceleration Rate Management (FuelSense 2.0 Max) REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUT, 13AAU, 13AAV, 13AAW, 13AAZ, 13AAB, 13AAC, 13AAJ, 13AAK, 13AAV or 13AAV TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WVV(std) NEUTRAL AT STOP	13XBG	\$815	
Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming N/A: TRANSMISSION, MANUAL	13WYU	N/C	0/0
Allison 3 Speed S1 Secondary Shift Schedule for 5 or 6 Speed Allison Gen4/Gen 5 3000 & 4000 Series Transmissions REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AAZ, 13AAB, 13AAC, 13AAJ, 13AAK, 13AAV or 13AAV TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	13WDT	\$48	0/0
4 Speed S3 Secondary Shift Schedule for 5 or 6 Speed WT, MD and HD Transmissions REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AAZ, 13AAB, 13AAC, 13AAJ, 13AAK, 13AAV or 13AAV TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	13WDC	\$48	0/0
THRU-SHAFT PTO Provision, Left Side, with Fuller Transmission REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	13901	\$48	0/0
TRANSMISSION, AUXILIARY Fuller - AT-1202 - 2-Speed with Air Shift Controls REQS: Code 04VKC(std) AIR DRYER LOCATION, when in combination with Code 08VTR or 08WEJ BATTERY BOX and Code 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM	13607	\$11,524 +269/+93	
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>TRANSMISSION, AUXILIARY <i>(SEE PREV PAGE)</i></p> <p><i>Fuller</i></p> <p>- AT-1202 -</p> <p>REQS: Code 04VKC(std) AIR DRYER LOCATION, when in combination with Code 14ULV SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 04VKJ(std) AIR TANK LOCATION, when in combination with Code 08VTR or 08WEJ BATTERY BOX and Code 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 04VKJ(std) AIR TANK LOCATION, when in combination with Code 14ULV SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 04EBD AIR DRYER, when in combination with Code 14ULV SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER, when in combination with Code 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 08VTR, 08VUJ or 08WEJ BATTERY BOX, when in combination with Code 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 08WEJ BATTERY BOX, when in combination with Code 14ULV SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 07BKN or 07BKS EXHAUST SYSTEM</p> <p>REQS: Code 07BKS EXHAUST SYSTEM, when in combination with Code 14ULV SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 07BKS EXHAUST SYSTEM, when in combination with Code 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 15SWE or 15SWG FUEL TANK, when in combination with Code 08VTR or 08WEJ BATTERY BOX and Code 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 15SWE FUEL TANK, when in combination with Code 14ULV SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE</p> <p>-OR- Code 14UHC, 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM</p> <p>-OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE</p> <p>-OR- SUSPENSION, REAR, AIR, TRIDEM</p> <p>-OR- Code 14ULT, 14ULU, 14ULV, 14UNT, 14UNU, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY, 14GWZ, 14HRB, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>-OR- AXLE, REAR, TRIDEM</p> <p>-OR- AXLE, REAR, SINGLE</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	13607		



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>TRANSMISSION, AUXILIARY <i>(SEE PREV PAGE)</i></p> <p><i>Fuller</i></p> <p>- AT-1202 -</p> <p>REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC</p> <p>-OR- TRANSMISSION, MANUAL</p> <p>REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p>N/A: Code 16CAB CAB : Code 04WZJ AIR TANK LOCATION</p>	13607		
<p>TRANSMISSION COOLER HOSES</p> <p>Stainless Steel</p> <p>REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX or 13AUY TRANSMISSION, AUTOMATIC</p> <p>N/A: TRANSMISSION, MANUAL</p>	13WGK	\$532	
<p>TRANSMISSION LUBE PUMP</p> <p>for International, Fuller, Meritor or Spicer Transmissions; USE ONLY WHEN PUMP IS NOT INCLUDED STANDARD IN TRANSMISSION</p> <p>REQS: Code 13GHJ, 13GHL, 13GHW or 13GMZ TRANSMISSION, MANUAL</p> <p>N/A: TRANSMISSION, AUTOMATIC</p>	13WAP	\$324	+7/+3
<p>TRANSMISSION OIL</p> <p>Synthetic; 29 thru 42 Pints</p> <p>REQS: Code 13ATL(std), 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC</p> <p>N/A: TRANSMISSION, MANUAL</p> <p>Synthetic; 63 thru 76 Pints</p> <p>REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC or 13AYC TRANSMISSION, AUTOMATIC</p> <p>N/A: TRANSMISSION, MANUAL</p> <p><i>EmGard</i></p> <p>- 40W -</p> <p>Synthetic; 1 thru 21.99 Pints</p> <p>REQS: Code 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL</p> <p>N/A: TRANSMISSION, AUTOMATIC</p>	13WLP	\$203	0/0
	13WLM	\$405	0/0
	13WLW	\$85	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>TRANSMISSION OIL (CONTINUED)</p> <p><i>EmGard</i></p> <p>- 40W -</p> <p>Synthetic; 22 thru 33.99 Pints REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD or 13GXH TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC</p>	13WLX	\$153	0/0
<p>TRANSMISSION SHIFT CONTROL</p> <p>for Column Mounted Stalk Shifter REQS: Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC</p>	13WET	\$50	
<p>AXLE, REAR, SINGLE</p> <p><i>Meritor</i></p> <p>- RS-23-160 - Single Reduction, 23,000-lb Capacity, 200 Wheel Ends RATIO: 2.50, 2.67, 2.80, 2.93, 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.89, 5.38, 5.63, 6.14, 6.43, 6.83 or 7.17 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : Code 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : Code 14WBT 2-SPEED SHIFT PACKAGE : AXLE, REAR, TANDEM : Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WAP SHOCK ABSORBERS, REAR : Code 14WVG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING</p>	14051	STD	



HV613 SBA
AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
AXLE, REAR, SINGLE (SEE PREV PAGE) Meritor - RS-21-160 - N/A: Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : Code 14WBT 2-SPEED SHIFT PACKAGE : AXLE, REAR, TANDEM : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 04ERC BRAKE CHAMBERS, SPRING : Code 14WAP SHOCK ABSORBERS, REAR : Code 14WVG AXLE, REAR, LUBE Single Reduction, 20,000-lb Capacity, 200 Wheel Ends RATIO: 2.50, 2.67, 2.80, 2.93, 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.89, 5.38, 5.63, 6.14, 6.43, 6.83 or 7.17 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : Code 14WBT 2-SPEED SHIFT PACKAGE : AXLE, REAR, TANDEM : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 04ERC BRAKE CHAMBERS, SPRING : Code 14WAP SHOCK ABSORBERS, REAR : Code 14WVG AXLE, REAR, LUBE Single Reduction, 21,000-lb Capacity, 200 Wheel Ends RATIO: 2.50, 2.67, 2.80, 2.93, 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.89, 5.38, 5.63, 6.14, 6.43, 6.83 or 7.17 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM (SEE NEXT PAGE)	14ATZ		
	14ATY	N/C	0/0
	14ATE	N/C	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>AXLE, REAR, SINGLE (SEE PREV PAGE)</p> <p><i>Meritor</i></p> <p>- RS-21-160 - REQS: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : Code 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : Code 14WBT 2-SPEED SHIFT PACKAGE : AXLE, REAR, TANDEM : Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WAP SHOCK ABSORBERS, REAR : Code 14WVG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING NOTE: Axle Lead Time is 30 Days Standard, 90 Days w/no Spin Option</p> <p>- RS-23-161 - Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, 200 Wheel Ends RATIO: 2.50,2.67,2.80,2.93,3.07,3.21,3.42,3.58, 3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63, 6.14,6.43,6.83 or 7.17 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : Code 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : Code 14WBT 2-SPEED SHIFT PACKAGE : AXLE, REAR, TANDEM : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 10WGD SPECIAL RATING, GVWR (SEE NEXT PAGE)</p>	<p>14ATE</p> <p>14ARK</p>	<p>\$877</p> <p>0/+37</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-179

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AXLE, REAR, SINGLE <i>(SEE PREV PAGE)</i></p> <p><i>Meritor</i></p> <p>- RS-23-161 - AVAIL: Code 14WAP SHOCK ABSORBERS, REAR : Code 14WWMG AXLE, REAR, LUBE</p> <p>Single Reduction, 23,000-lb Capacity, 200 Wheel Ends RATIO: 2.50,2.67,2.80,2.93,3.07,3.21,3.42,3.58, 3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63, 6.14,6.43,6.83 or 7.17 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW or 14VAH SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : Code 28DEM and 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : Code 14WBT 2-SPEED SHIFT PACKAGE : AXLE, REAR, TANDEM : Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 10WGD SPECIAL RATING, GWWR : Code 14WAP SHOCK ABSORBERS, REAR : Code 14WWMG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING</p> <p>- RS-23-186 - Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, 200 Wheel Ends RATIO: 3.42,3.58,4.30,4.56,4.89,5.13,5.38,5.63, 5.86,6.14,6.83 or 7.17 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04JCC(std) or 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBW, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>14ARK</p> <p>14ASK</p> <p>14ARY</p>	<p>\$573</p> <p>\$1,327</p>	<p>0/+25</p> <p>0/+49</p>

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-180

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>AXLE, REAR, SINGLE (SEE PREV PAGE)</p> <p><i>Meritor</i></p> <p>- RS-26-185 - N/A: Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WAP SHOCK ABSORBERS, REAR : Code 14WMH AXLE, REAR, LUBE NOTE: Axle Lead Time is 60 Days</p> <p>Single Reduction, 26,000-lb Capacity, R Wheel Ends RATIO: 3.42,3.58,4.30,4.56,4.89,5.13,5.38,5.63, 5.86,6.14,6.83 or 7.17 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 10NZL, 10NZN and 10WGD SPECIAL RATING, GVWR : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 28DMJ, 28DTE, 28DVJ, 28DVR and 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : Code 14WBT 2-SPEED SHIFT PACKAGE : AXLE, REAR, TANDEM : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WAP SHOCK ABSORBERS, REAR : Code 14WMH AXLE, REAR, LUBE NOTE: Axle Lead Time is 60 Days</p> <p>- RS-30-185 - Single Reduction, Narrow Track, 30,000-lb Capacity, T Wheel Ends RATIO: 3.42,3.58,4.30,4.56,4.89,5.13,5.38,5.63, 5.86,6.14,6.83 or 7.17 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04JCC(std) or 04JNW BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 14SAL, 14SCD or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC (SEE NEXT PAGE)</p>	<p>14ASA</p> <p>14ARZ</p> <p>14ASC</p>	<p>\$3,863 0/+55</p> <p>\$3,829 0/+80</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
AXLE, REAR, SINGLE (SEE PREV PAGE) Meritor - RS-38-380 - AVAIL: Code 14881 DIFFERENTIAL, LOCKING : Code 10443 HUBODOMETER NOTE: Axle Lead Time is 120 Days	14ERC		
Dana Spicer - S23-172 - Single Reduction, 23,000-lb Capacity, R Wheel Ends RATIO: 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.78, 5.25, 5.38, 5.57 or 6.14 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX or 14TBJ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUI, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : Code 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : Code 14WBT 2-SPEED SHIFT PACKAGE : AXLE, REAR, TANDEM : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WAP SHOCK ABSORBERS, REAR : Code 14WMG AXLE, REAR, LUBE	14AWL	\$165	0/-91
- S23-172D - Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, R Wheel Ends RATIO: 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.78, 5.25, 5.38, 5.57 or 6.14 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX or 14TBJ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM <div style="text-align: right;">(SEE NEXT PAGE)</div>	14AWK	\$1,364	0/-63

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-188

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AXLE, REAR, SINGLE <i>(SEE PREV PAGE)</i></p> <p><i>Dana Spicer</i></p> <p>- 23082T - REQS: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBW, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX or 14TBJ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : Code 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, TANDEM : Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WAP SHOCK ABSORBERS, REAR : Code 14WMG AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING NOTE: Axle Lead Time is 49 Days</p>	14CDE		
<p>AXLE, REAR, TANDEM</p> <p><i>Dana Spicer</i></p> <p>- D46-172 - Single Reduction, 46,000-lb Capacity, R Wheel Ends RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30, 4.56,4.78,5.25,5.38,5.57 or 6.14 REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 28DTE, 28DTU and 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, SINGLE : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY</p>	14GKM	\$12,480 0/+2218	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>HV613 SBA</i>	
<p>AXLE, REAR, TANDEM (CONTINUED)</p> <p><i>Dana Spicer</i></p> <p>- D46-172HP - Single Reduction, 46,000-lb Capacity, 16mm Wall Housing Thickness, with Lube Oil Pump, R Wheel Ends RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30, 4.56,4.78,5.25,5.38,5.57 or 6.14 REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS or 14UZU SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 28DTE, 28DTU and 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, SINGLE : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY</p>	14GKE	\$12,257 0/+2223	
<p>- D46-172P - Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, R Wheel Ends RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30, 4.56,4.78,5.25,5.38,5.57 or 6.14 REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 28DTE, 28DTU and 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, SINGLE : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY</p>	14GKL	\$12,408 0/+2223	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>AXLE, REAR, TANDEM (SEE PREV PAGE)</p> <p><i>Meritor</i></p> <p>- MT-40-14X-3DFR - AVAIL: Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- MT-40-14X-4DCR - Single Reduction, 40,000-lb Capacity, w/.433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW or 14VKL SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, SINGLE : Code 14WZY AXLE SHAFT MODIFICATION : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- MT-40-14X-4DCR-P - Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, w/.433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14VKL SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM (SEE NEXT PAGE)</p>	<p>14GVX</p> <p>14GVN</p> <p>14GVL</p>	<p></p> <p>\$8,942 0/+1912</p> <p>\$9,437 0/+1922</p>	<p></p> <p></p> <p></p>



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>AXLE, REAR, TANDEM (SEE PREV PAGE)</p> <p><i>Meritor</i></p> <p>- MT-40-14X-4DCR-P - N/A: AXLE, REAR, SINGLE : Code 14WZY AXLE SHAFT MODIFICATION : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- MT-40-14X-4DER - Single Reduction, 40,000-lb Capacity, w/.433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends RATIO: 2.64, 3.08, 3.25, 3.36, 3.42, 3.55, 3.70, 3.90, 4.11, 4.33, 4.63, 4.88, 5.29, 5.86, 6.14, 6.43, 6.83 or 7.17 REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, SINGLE : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- MT-40-14X-4DER-P - Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends RATIO: 2.64, 3.08, 3.25, 3.36, 3.42, 3.55, 3.70, 3.90, 4.11, 4.33, 4.63, 4.88, 5.29, 5.86, 6.14, 6.43, 6.83 or 7.17 REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW or 14VKL SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14GVL</p> <p>14GVR</p> <p>14GVJ</p>	<p>\$8,242 0/+1898</p> <p>\$8,734 0/+1907</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-202

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AXLE, REAR, TANDEM (SEE PREV PAGE)</p> <p>Meritor</p> <p>- MT-40-14X-4DER-P - -OR- Code 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 28DTE, 28DTU and 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, SINGLE : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- MT-40-14X-4DFR - Single Reduction, 40,000-lb Capacity, w/.433"(11mm) Wall Housing Thickness, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, SINGLE : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- MT-40-14X-4DFR-P - Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, w/.433"(11mm) Wall Housing Thickness, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM (SEE NEXT PAGE)</p>			
	14GVJ		
	14GVY	\$7,437 0/+1886	
	14GVU	\$8,103 0/+1896	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
	CODE	HV613 SBA
AXLE, REAR, TANDEM (SEE PREV PAGE)		
<i>Meritor</i>		
- MT-40-14X-4DFR-P -		
-OR- SUSPENSION, REAR, SINGLE	14GVU	
-OR- SUSPENSION, REAR, AIR, SINGLE		
-OR- SUSPENSION, REAR, AIR, TRIDEM		
-OR- SUSPENSION, REAR, AIR, TANDEM		
N/A: Code 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, SINGLE : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING		
AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY		
- MT-40-14X-5DCR-P -		
Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, w/5"(12.7mm) Wall Housing Thickness, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, R Wheel Ends	14GVM	\$9,514 0/+1972
RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90,4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43,6.83 or 7.17		
REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04JCC(std) or 04JNW BRAKES, REAR, AIR DISC		
-OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM		
-OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM		
N/A: Code 28DTE, 28DTU and 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, SINGLE : Code 14WZY AXLE SHAFT MODIFICATION : Code 14877 and 14881 DIFFERENTIAL, LOCKING		
AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY		
- MT-40-14X-5DER-P -		
Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .5"(12.7mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends	14GVK	\$8,800 0/+1957
RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90,4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43,6.83 or 7.17		
REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM		
-OR- BRAKES, REAR, AIR DISC		
(SEE NEXT PAGE)		



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	HV613 SBA	
AXLE, REAR, TANDEM (SEE PREV PAGE)			
<i>Meritor</i>			
- RT-46-160 -			
-OR- SUSPENSION, REAR, AIR, SINGLE	14GRD		
-OR- SUSPENSION, REAR, AIR, TRIDEM			
-OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM			
N/A: Code 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, SINGLE : Code 14WBN DIFF. SWITCH CONTROLS			
AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14881 DIFFERENTIAL, LOCKING			
- RT-46-160P -			
Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, 200 Wheel Ends	14GRR	\$ 12,408	0/+2378
RATIO: 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.89, 5.38, 5.63, 6.14, 6.43, 6.83 or 7.17			
REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04JCC(std) or 04JNT BRAKES, REAR, AIR DISC			
-OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM			
REQS: Code 14UHC, 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM			
-OR- SUSPENSION, REAR, SINGLE			
-OR- SUSPENSION, REAR, AIR, SINGLE			
-OR- SUSPENSION, REAR, AIR, TRIDEM			
-OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM			
N/A: Code 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, SINGLE : Code 14WBN DIFF. SWITCH CONTROLS			
AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14881 DIFFERENTIAL, LOCKING			
Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Rear-Rear Axle, 200 Wheel Ends	14GRS	\$ 12,999	0/+2421
RATIO: 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.89, 5.38, 5.63, 6.14, 6.43, 6.83 or 7.17			
REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC			
-OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM			
REQS: Code 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW, 14VKL or 14698 SUSPENSION, REAR, TANDEM			
-OR- SUSPENSION, REAR, SINGLE			
-OR- SUSPENSION, REAR, AIR, SINGLE			
-OR- SUSPENSION, REAR, AIR, TRIDEM			
(SEE NEXT PAGE)			



HV613 SBA
AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Table with columns: ITEM DESCRIPTION, CODE, HV613 SBA. Includes detailed descriptions of axle configurations (Meritor RT-46-164EH) and pricing information (\$13,099 and \$12,470).

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-209

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>AXLE, REAR, TANDEM (CONTINUED)</p> <p><i>Meritor</i></p> <p>- RT-52-185P - Single Reduction, 52,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends RATIO: 4.30,4.56,4.89,5.38,6.14,6.83 or 7.17 REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 28DEM, 28DTE, 28DTU, 32DHY and 32WAA WHEELS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, SINGLE : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMZ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: Axle Lead Time is 60 Days</p>	<p>14GTW</p>	<p>\$22,458 0/+2626</p>	
<p>AXLE, REAR, TRIDEM</p> <p><i>Meritor</i></p> <p>- RZ-166 EH - Single Reduction, Wide Track, 53,000-lb Capacity, Driver Controlled Locking Differential in All Three Axles, 200 Wheel Ends RATIO: 4.30,4.56,4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 01ANF AXLE CONFIGURATION N/A: Code 04AZE and 04AZS AIR BRAKE ABS : Code 28DUR and 32WAA WHEELS, REAR : AXLE, REAR, SINGLE : AXLE, REAR, TANDEM : Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMZ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: Axle Lead Time is 45 Days</p> <p>Single Reduction, 53,000-lb Capacity, Driver Controlled Locking Differential in All Three Axles, 200 Wheel Ends RATIO: 4.10,4.30,4.56 or 4.89 REQS: Code 01ANF AXLE CONFIGURATION REQS: Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS REQS: Code 14UPC SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>14HRG</p> <p>14HRZ</p>	<p>\$25,475 0/+4800</p> <p>\$25,475 0/+4722</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-212

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AXLE, REAR, TRIDEM (SEE PREV PAGE)</p> <p><i>Meritor</i></p> <p>- RZ-166 EH - -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 28DUL, 28DUR and 32WAA WHEELS, REAR : AXLE, REAR, SINGLE : AXLE, REAR, TANDEM : Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMZ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: Axle Lead Time is 60 Days</p>	14HRZ		
<p>SUSPENSION, REAR, AIR, SINGLE</p> <p><i>Hendrickson</i></p> <p>- HAS 230 - 23,000-lb Capacity, 9.5" Ride Height, with Shock Absorbers REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04AZA(std), 04AZJ or 04AZS AIR BRAKE ABS REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARK, 14ARX, 14ARY, 14ASK, 14AWK, 14AWL, 14AWN, 14CDE or 14CVC AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 40SRN, 40SRP, 40SRR, 40SRS, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04677 TRAILER HOSES or Code 810008 FIFTH WHEEL LOCATION or TIRE CARRIER : Code 04ERC, 04WDW and 04WYB BRAKE CHAMBERS, SPRING : Code 01CAW FRAME RAILS : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WBS and 14WCR TRANSVERSE TORQUE RODS : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : SUSPENSION, REAR, AIR, TANDEM : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNN AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 10JAD FIFTH WHEEL, AIR SLIDE AVAIL: Code 10WGD SPECIAL RATING, GVWR</p>	14TAX	\$2,328 0/+17	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT	
ITEM DESCRIPTION	CODE	HV613 SBA
SUSPENSION, REAR, AIR, SINGLE (CONTINUED)		
<i>Hendrickson</i>		
- PRIMAAX EX -		
23,000-lb Capacity, 9.0" Ride Height, with Shock Absorbers	14TBZ	\$2,894 0/+94
REQS: Code 01ANA(std) AXLE CONFIGURATION		
REQS: Code 04AZA(std), 04AZJ or 04AZS AIR BRAKE ABS		
REQS: Code 01CAJ or 01CBU(std) FRAME RAILS		
REQS: Code 08VTN, 08VUJ, 08VUK or 08WEK BATTERY BOX, when in combination with Code 04VKK AIR TANK LOCATION		
REQS: Code 04JCC(std) or 04JNW BRAKES, REAR, AIR DISC		
-OR- Code 04NDB or 04NDH BRAKES, REAR, AIR CAM		
REQS: Code 14AHE, 14AHG, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY or 14051(std) AXLE, REAR, SINGLE		
-OR- AXLE, REAR, TRIDEM		
-OR- AXLE, REAR, TANDEM		
N/A: Code 40SRN, 40SRP, 40SRR, 40SRS, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP		
: Code 04ERC, 04WDW and 04WYB BRAKE CHAMBERS, SPRING		
: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE		
: SUSPENSION, REAR, TANDEM		
: Code 14SZB SPRINGS, REAR AUXILIARY		
: Code 14WBS and 14WCR TRANSVERSE TORQUE RODS		
: Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR		
: Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM		
: SUSPENSION, REAR, AIR, TANDEM		
: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE		
: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE		
: Code 13607 TRANSMISSION, AUXILIARY		
: Code 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY		
: Code 10STA FIFTH WHEEL MOUNTING ANGLES		
AVAIL: Code 10WGD SPECIAL RATING, GVWR		
: Code 10GYJ FIFTH WHEEL, AIR SLIDE		
- PRIMAAX EX 262 -		
26,000-lb Capacity, 9.0" Ride Height, with Shock Absorbers	14TCL	\$5,077 0/+144
REQS: Code 01ANA(std) AXLE CONFIGURATION		
REQS: Code 04AZA(std), 04AZJ or 04AZS AIR BRAKE ABS		
REQS: Code 01CAJ FRAME RAILS		
REQS: Code 08VTN, 08VUJ, 08VUK or 08WEK BATTERY BOX, when in combination with Code 04VKK AIR TANK LOCATION		
REQS: Code 04JNW BRAKES, REAR, AIR DISC		
-OR- Code 04NDB, 04NDH, 04NDL or 04NDP BRAKES, REAR, AIR CAM		
REQS: Code 04091(std) BRAKE SYSTEM, AIR		
(SEE NEXT PAGE)		



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>SUSPENSION, REAR, AIR, SINGLE (SEE PREV PAGE)</p> <p><i>International</i></p> <p>- IROS - N/A: Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 04ERC, 04WDW and 04WYB BRAKE CHAMBERS, SPRING : Code 01CGE FRAME RAILS : Code 01GBP FRAME REINFORCEMENT : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WBS and 14WCR TRANSVERSE TORQUE RODS : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : SUSPENSION, REAR, AIR, TANDEM : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE : Code 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE AVAIL: Code 10WGD SPECIAL RATING, GWWR</p>	14TBJ		
<p>SUSPENSION, REAR, AIR, TANDEM</p> <p><i>Hendrickson</i></p> <p>- HAS-402-55 - 40,000-lb Capacity, 55" Axle Spacing, 9.5" Ride Height, with Shock Absorbers, Mounted Inboard REQS: Code 01AND AXLE CONFIGURATION REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, SINGLE REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 09512 QUARTER FENDERS : Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04AZE AIR BRAKE ABS</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	14ULU	\$4,938 0/+633	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE)</p> <p><i>Hendrickson</i></p> <p>- HAS-460-60 - N/A: Code 01WBA, 01WBC and 01WPZ CROSSMEMBER, SUSPENSION : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM : Code 14WBS and 14WCR TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 10JPK FIFTH WHEEL, AIR SLIDE AVAIL: Code 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 04WDW BRAKE CHAMBERS, SPRING : Code 08WTJ SWITCH, BODY CIRCUITS, REAR</p> <p>- PRIMAAX EX - 46,000-lb Capacity, 55" Axle Spacing, 10.5" Ride Height, with Shock Absorbers REQS: Code 01AND AXLE CONFIGURATION REQS: Code 03ACP, 03ACR, 03ACS, 03ADE, 03ADG, 03AGA, 03AHL or 03AHU SUSPENSION, FRONT, SPRING REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING REQS: Code 04NDB or 04NDH BRAKES, REAR, AIR CAM REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, SINGLE REQS: Code 15DMV, 15DPL, 15DPM, 15DUX, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 09512 QUARTER FENDERS</p> <p>(SEE NEXT PAGE)</p>	<p>14ULS</p> <p>14UPL</p>	<p>\$7,167</p> <p>01+728</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-220

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE)</p> <p><i>Hendrickson</i></p> <p>- PRIMAAX EX -</p> <p>REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>-OR- AXLE, REAR, TRIDEM</p> <p>-OR- AXLE, REAR, SINGLE</p> <p>REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p>N/A: Code 09512 QUARTER FENDERS</p> <p>: Code 16AAH GAUGE, AIR PRESSURE</p> <p>: Code 16AAG VIRTUAL GAUGE, AIR PRESSURE</p> <p>: Code 04AZE AIR BRAKE ABS</p> <p>: Code 04ERC, 04WDW and 04WYB BRAKE CHAMBERS, SPRING</p> <p>: Code 01WBA, 01WBC and 01WPZ CROSSMEMBER, SUSPENSION</p> <p>: Code 01CAG FRAME RAILS</p> <p>: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE</p> <p>: SUSPENSION, REAR, TANDEM</p> <p>: Code 14WBS and 14WCR TRANSVERSE TORQUE RODS</p> <p>: Code 14803 BUSHINGS, EQUALIZER BEAM</p> <p>: Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR</p> <p>: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE</p> <p>: Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM</p> <p>: Code 16HKE GAUGE, LOAD INDICATING REAR</p> <p>: Code 14WAS SUSPENSION LEVELING VALVE</p> <p>: Code 14WCL TORQUE RODS</p> <p>: Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>: Code 14WNL AXLE, PUSHER, LIFT TYPE</p> <p>: Code 13607 TRANSMISSION, AUXILIARY, when in combination with Code 01CAW or 01CGE FRAME RAILS</p> <p>: Code 13607 TRANSMISSION, AUXILIARY, when in combination with Code 04092 BRAKE SYSTEM, AIR</p> <p>: Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR</p> <p>: Code 10JPK FIFTH WHEEL, AIR SLIDE</p> <p>AVAIL: Code 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP</p> <p>: Code 14WNK AXLE, TAG, LIFT TYPE</p>	<p>14UNY</p>		



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>SUSPENSION, REAR, AIR, TANDEM (CONTINUED)</p> <p><i>Hendrickson</i></p> <p>- PRIMAAX EX -</p> <p>46,000-lb Capacity, 72" Axle Spacing, 9.0" Ride Height, with Shock Absorbers REQS: Code 01AND AXLE CONFIGURATION REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING REQS: Code 04JCC(std) or 04JNT BRAKES, REAR, AIR DISC -OR- Code 04NDB or 04NDH BRAKES, REAR, AIR CAM REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, SINGLE REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 09512 QUARTER FENDERS : Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04AZE AIR BRAKE ABS : Code 04ERC, 04WDW and 04WYB BRAKE CHAMBERS, SPRING : Code 01WBA, 01WBC and 01WPZ CROSSMEMBER, SUSPENSION : Code 01CAG FRAME RAILS : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM : Code 14WBS and 14WCR TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>14UNW</p>	<p>\$7,167 0/+685</p>	



**HV613 SBA
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR					
	CODE	HV613 SBA				
SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE) Hendrickson - PRIMAAX EX - N/A: Code 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE AVAIL: Code 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP International Ride Optimized Suspension (IROS) Heavy Duty, 40,000-lb Capacity, 60" Axle Spacing, 9.25" Ride Height, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners, with Shock Absorbers REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04JCC(std) or 04JNT BRAKES, REAR, AIR DISC -OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 40SRN, 40SRP, 40SRR, 40SRS, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 09512 QUARTER FENDERS : Code 04AZE AIR BRAKE ABS : Code 01WBA, 01WBC and 01WPZ CROSSMEMBER, SUSPENSION : Code 01CGE FRAME RAILS : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM : Code 14WBS and 14WCR TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNNH, 14WNNJ, 14WNNL and 14WNNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNNK AXLE, TAG, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING : Code 01MEJ FRAME, SPECIAL EFFECTS						
	14UNW					
	14UNS	\$2,858 0/+410				



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>SUSPENSION, REAR, AIR, TANDEM (CONTINUED)</p> <p><i>International</i></p> <p>Ride Optimized Suspension (IROS) Heavy Duty, 40,000-lb Capacity, 55" Axle Spacing, 9.25" Ride Height, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners, with Shock Absorbers</p> <p>REQS: Code 01AND AXLE CONFIGURATION</p> <p>REQS: Code 04VKA, 04VKB or 04VKC AIR DRYER LOCATION, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 04WDT SPRING BRAKE MODULATOR VALVE</p> <p>REQS: Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK, 08VUR, 08WEK, 08XDZ or 08XGJ BATTERY BOX, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 04WDT SPRING BRAKE MODULATOR VALVE</p> <p>REQS: Code 15DMV, 15DPL, 15DPM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 04WDT SPRING BRAKE MODULATOR VALVE</p> <p>REQS: Code 04JCC(std) or 04JNT BRAKES, REAR, AIR DISC</p> <p>-OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM</p> <p>REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p>N/A: Code 40SRN, 40SRP, 40SRR, 40SRs, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP</p> <p>: Code 09512 QUARTER FENDERS</p> <p>: Code 16CAB and 16196 CAB or Code 04VHZ and 04WZJ AIR TANK LOCATION, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 04WDT SPRING BRAKE MODULATOR VALVE</p> <p>: Code 04VHT AIR DRYER LOCATION or Code 04WZJ AIR TANK LOCATION or Code 16CAB and 16196 CAB or Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM and 15SSC FUEL TANK or Code 08VTR, 08VUL, 08VUM, 08VUN, 08WEJ, 08WEL, 08WJJ and 08WJN BATTERY BOX, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 04091 BRAKE SYSTEM, AIR</p> <p>: Code 04AZE AIR BRAKE ABS</p> <p>: Code 01WBA, 01WBC and 01WPZ CROSSMEMBER, SUSPENSION</p> <p>: Code 01CGE FRAME RAILS</p> <p>: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE</p> <p>: SUSPENSION, REAR, TANDEM</p> <p>: Code 14WBS and 14WCR TRANSVERSE TORQUE RODS</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14UNT</p>	<p>\$2,533</p> <p>0/+340</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE)</p> <p><i>International</i></p> <p>N/A: Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS</p>	14UNU		
<p>SUSPENSION, REAR, AIR, TRIDEM</p> <p><i>Hendrickson</i></p> <p>- PAX-690-55 - 69,000-lb Capacity, 55" Axle Spacing, 12.5" Ride Height, with Shock Absorbers Mounted in Standard Location REQS: Code 01ANF AXLE CONFIGURATION REQS: Code 08TST, 08TTR, 08VUJ, 08VUK, 08WEJ, 08WJN or 08XGJ BATTERY BOX REQS: Code 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK REQS: Code 04NDB or 04NDH BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14HRG AXLE, REAR, TRIDEM -OR- AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 09505 and 10WTR QUARTER FENDERS, when in combination with Code 01ANF AXLE CONFIGURATION : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04AZE AIR BRAKE ABS : Code 01616 FRAME RAILS WITH TAPERED REAR or Code 01GTA REINFORCEMENT, PINTLE HOOK or Code 04JCC(std) and 04JNT BRAKES, REAR, AIR DISC : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : SUSPENSION, REAR, AIR, TANDEM : Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK, 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	14UPP	\$26,020 0/+1884	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>SUSPENSION, REAR, SINGLE</p> <p>23,500-lb Capacity, Vari-Rate Springs REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 40SRN, 40SRP, 40SRR, 40SRS, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : SUSPENSION, REAR, TANDEM : Code 14WBS and 14WCR TRANSVERSE TORQUE RODS : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE : Code 10JAD FIFTH WHEEL, AIR SLIDE AVAIL: Code 10WGD SPECIAL RATING, GWWR : Code 04ERC BRAKE CHAMBERS, SPRING : Code 14WAP SHOCK ABSORBERS, REAR</p>	<p style="text-align: center;">14SAN</p>	<p style="text-align: center;">STD</p>	
<p>23,000-lb Capacity, Vari-Rate Springs, with (3) Torque Rods REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04AZA(std), 04AZJ or 04AZS AIR BRAKE ABS REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC -OR- Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 04SBV or 04SPL AIR COMPRESSOR REQS: Code 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ASK, 14ATE, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYV, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJJ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 40SRN, 40SRP, 40SRR, 40SRS, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE (SEE NEXT PAGE)</p>	<p style="text-align: center;">14SCE</p>	<p style="text-align: center;">\$1,713 0/+76</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-230

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
	CODE	HV613 SBA	
SUSPENSION, REAR, SINGLE (CONTINUED) 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Multileaf Springs REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04JCC(std) or 04JNW BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 40SRN, 40SRP, 40SRR, 40SRS, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : SUSPENSION, REAR, TANDEM : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WBS and 14WCR TRANSVERSE TORQUE RODS : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 10JAD FIFTH WHEEL, AIR SLIDE AVAIL: Code 10WGD SPECIAL RATING, GWR : Code 04ERC BRAKE CHAMBERS, SPRING : Code 14WAP SHOCK ABSORBERS, REAR 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 40SRN, 40SRP, 40SRR, 40SRS, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : SUSPENSION, REAR, TANDEM : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WBS and 14WCR TRANSVERSE TORQUE RODS <div style="text-align: right;">(SEE NEXT PAGE)</div>	14SAL	\$218 0/+142	
	14VAJ	\$218 0/+97	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-233

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>SUSPENSION, REAR, SINGLE <i>(SEE PREV PAGE)</i></p> <p>Chalmers</p> <p>- 1030 Series - N/A: Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKP, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY AVAIL: Code 04ERC BRAKE CHAMBERS, SPRING</p>	14TBU		
<p>SUSPENSION, REAR, TANDEM</p> <p>Chalmers</p> <p>- 854-40L - Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with (8) Torque Rods, Restrictor Cans REQS: Code 01AND AXLE CONFIGURATION REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14GKE, 14GKJ, 14GKK, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY or 14GVZ AXLE, REAR, TANDEM -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, SINGLE N/A: Code 40SRN, 40SRP, 40SRR, 40SRS, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04AZS and 04AZY AIR BRAKE ABS : Code 01CGE FRAME RAILS : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14WBS and 14WCR TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 32WAA WHEELS, REAR : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 01553 TIRE CARRIER : Code 10JAD FIFTH WHEEL, AIR SLIDE AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING : Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBU SHOCK ABSORBERS, REAR</p>	14UZS	\$7,122 0/+550	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	
SUSPENSION, REAR, TANDEM (CONTINUED)			
<i>Chalmers</i>			
- 854-40L-HS -			
Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with (8) Torque Rods, High Stability Restrictor Cans	14UZR	\$7,122 0/+550	
REQS: Code 01AND AXLE CONFIGURATION			
REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT			
AXLE, FRONT NON-DRIVING			
REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM			
-OR- BRAKES, REAR, AIR DISC			
REQS: Code 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY or 14GVZ AXLE, REAR, TANDEM			
-OR- AXLE, REAR, TRIDEM			
-OR- AXLE, REAR, SINGLE			
N/A: Code 40SRN, 40SRP, 40SRR, 40SRS, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP			
: Code 16AAH GAUGE, AIR PRESSURE			
: Code 16AAG VIRTUAL GAUGE, AIR PRESSURE			
: Code 01CGE FRAME RAILS			
: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE			
: Code 14WBS and 14WCR TRANSVERSE TORQUE RODS			
: Code 14803 BUSHINGS, EQUALIZER BEAM			
: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE			
: Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM			
: Code 16HKE GAUGE, LOAD INDICATING REAR			
: Code 14WAS SUSPENSION LEVELING VALVE			
: SUSPENSION, REAR, AIR, TANDEM			
: Code 14WCL TORQUE RODS			
: Code 14899 SUSPENSION AIR CONTROL VALVE			
: Code 32WAA WHEELS, REAR			
: Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY			
: Code 01553 TIRE CARRIER			
: Code 10JAD FIFTH WHEEL, AIR SLIDE			
AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING			
: Code 01WBC CROSSMEMBER, SUSPENSION			
: Code 14WBU SHOCK ABSORBERS, REAR			
: Code 14WNL AXLE, PUSHER, LIFT TYPE			
- 854-46H -			
Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with (8) Torque Rods, Restrictor Cans	14UZU	\$7,708 0/+684	
REQS: Code 01AND AXLE CONFIGURATION			
REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT			
AXLE, FRONT NON-DRIVING			
REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM			
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Chalmers - 854-52H-HS - N/A: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 32WAA WHEELS, REAR : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 01553 TIRE CARRIER : Code 10JAD FIFTH WHEEL, AIR SLIDE AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING : Code 14WBU SHOCK ABSORBERS, REAR : Code 08WTJ SWITCH, BODY CIRCUITS, REAR		14UZX	
- 860-46H - Walking Beam, 46,000-lb Capacity, 60" Axle Spacing, Rubber Springs, with (8) Torque Rods, Restrictor Cans REQS: Code 01AND AXLE CONFIGURATION REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, SINGLE REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 40SRN, 40SRP, 40SRR, 40SRS, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04AZS and 04AZY AIR BRAKE ABS : Code 01CGE FRAME RAILS : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14WBS and 14WCR TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE (SEE NEXT PAGE)		14UZV	\$7,896 0/+702



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	HV613 SBA	
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) <i>Link</i> - AL-460 Airlink - N/A: Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04AZE, 04AZS and 04AZY AIR BRAKE ABS : Code 04ERC, 04WDW and 04WYB BRAKE CHAMBERS, SPRING : Code 01WPZ CROSSMEMBER, SUSPENSION : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14WBS and 14WCR TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 32WAA WHEELS, REAR : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 10JAD FIFTH WHEEL, AIR SLIDE : Code 10WDA FIFTH WHEEL MOUNTING ANGLES : Code 01580 TOW LOOP, REAR AVAIL: Code 08WTJ SWITCH, BODY CIRCUITS, REAR <i>Hendrickson</i> - HMX-400-52 - Walking Beam, 40,000-lb Capacity, 52" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRC, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, SINGLE N/A: Code 40SRN, 40SRP, 40SRR, 40SRS, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 01WBA CROSSMEMBER, SUSPENSION : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE (SEE NEXT PAGE)	14VKL		
	14UMB	\$4,320 0/+483	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV613 SBA	
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) <i>Hendrickson</i> - HMX-400-54 - N/A: Code 10JAD FIFTH WHEEL, AIR SLIDE AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING : Code 14WCR TRANSVERSE TORQUE RODS : Code 14WBV SHOCK ABSORBERS, REAR - HMX-460-54 - Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings REQS: Code 01AND AXLE CONFIGURATION REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, SINGLE N/A: Code 40SRN, 40SRP, 40SRR, 40SRS, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04JCG BRAKES, FRONT, AIR CAM : Code 01WBA CROSSMEMBER, SUSPENSION : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 32WAA WHEELS, REAR : Code 01553 TIRE CARRIER : Code 10JAD FIFTH WHEEL, AIR SLIDE AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING : Code 14WCR TRANSVERSE TORQUE RODS : Code 14WBV SHOCK ABSORBERS, REAR - HMX-460-60 - Walking Beam, 46,000-lb Capacity, 60" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings REQS: Code 01AND AXLE CONFIGURATION REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC (SEE NEXT PAGE)	14ULX 14ULY 14ULZ	\$5,023 0/+500 \$5,210 0/+546	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
SUSPENSION, REAR, TANDEM (SEE PREV PAGE)			
<p>Hendrickson</p>			
<p>- HMX-460-60 - REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, SINGLE REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 40SRN, 40SRP, 40SRR, 40SRS, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04JCG BRAKES, FRONT, AIR CAM : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 32WAA WHEELS, REAR : Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 01553 TIRE CARRIER : Code 10JAD FIFTH WHEEL, AIR SLIDE AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING : Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WCR TRANSVERSE TORQUE RODS : Code 14WBV SHOCK ABSORBERS, REAR</p>			
	14ULZ		
<p>- HMX-460-72.5 - Walking Beam, 46,000-lb Capacity, 72.5" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings REQS: Code 01AND AXLE CONFIGURATION REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING REQS: Code 04JCC(std) or 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM</p>			
	14UMC	\$6,298	0/+634
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR								
	CODE	HV613 SBA							
SUSPENSION, REAR, TANDEM <i>(SEE PREV PAGE)</i>									
<i>Hendrickson</i>									
- RT-403 -									
REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM	14UHC								
-OR- BRAKES, REAR, AIR DISC									
REQS: Code 14GRD, 14GRP, 14GRR, 14GVJ, 14GVK, 14GVL, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRL or 14HRW AXLE, REAR, TANDEM									
-OR- AXLE, REAR, TRIDEM									
-OR- AXLE, REAR, SINGLE									
N/A: Code 40SRN, 40SRP, 40SRR, 40SRS, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP									
: Code 16AAH GAUGE, AIR PRESSURE									
: Code 16AAG VIRTUAL GAUGE, AIR PRESSURE									
: Code 04JCG BRAKES, FRONT, AIR CAM									
: Code 01CAW FRAME RAILS									
: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE									
: Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR									
: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE									
: Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM									
: Code 16HKE GAUGE, LOAD INDICATING REAR									
: Code 14WAS SUSPENSION LEVELING VALVE									
: SUSPENSION, REAR, AIR, TANDEM									
: Code 14WCL TORQUE RODS									
: Code 14899 SUSPENSION AIR CONTROL VALVE									
: Code 32WAA WHEELS, REAR									
: Code 01553 TIRE CARRIER									
: Code 10JAD FIFTH WHEEL, AIR SLIDE									
: Code 10WDA FIFTH WHEEL MOUNTING ANGLES									
AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING									
: Code 01WBC CROSSMEMBER, SUSPENSION									
: Code 14WBS TRANSVERSE TORQUE RODS									
: Code 14WNJ AXLE, PUSHER, LIFT TYPE									
Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Multileaf Springs, with Rubber Center Bushings				14UHD	\$3,770	0/+927			
REQS: Code 01AND AXLE CONFIGURATION									
REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING									
REQS: Code 04JCC(std) or 04JNW BRAKES, REAR, AIR DISC									
-OR- Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM									
REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM									
-OR- AXLE, REAR, TRIDEM									
-OR- AXLE, REAR, SINGLE									
<i>(SEE NEXT PAGE)</i>									

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-249

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>SUSPENSION, REAR, TANDEM (SEE PREV PAGE)</p> <p><i>Hendrickson</i></p> <p>- RT-403 -</p> <p>N/A: Code 40SRN, 40SRP, 40SRR, 40SRS, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04JCG BRAKES, FRONT, AIR CAM : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 32WAA WHEELS, REAR : Code 01553 TIRE CARRIER : Code 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE</p> <p>AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING : Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBS TRANSVERSE TORQUE RODS</p> <p>Walking Beam, 40,000-lb Capacity, 60" Axle Spacing, Multileaf Springs, with Transverse Torque Rods, Rubber Center Bushings REQS: Code 01AND AXLE CONFIGURATION REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM</p> <p>-OR- BRAKES, REAR, AIR DISC REQS: Code 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ or 14HRW AXLE, REAR, TANDEM</p> <p>-OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, SINGLE REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p>N/A: Code 40SRN, 40SRP, 40SRR, 40SRS, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04JCG BRAKES, FRONT, AIR CAM : Code 04AZS and 04AZY AIR BRAKE ABS</p> <p>(SEE NEXT PAGE)</p>	<p>14UHD</p> <p>14UHE</p>	<p>\$4,343 0/+1122</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-250

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR					
ITEM DESCRIPTION	CODE	HV613 SBA				
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Hendrickson - RT-403 - N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14WBS and 14WCR TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 32WAA WHEELS, REAR : Code 13607 TRANSMISSION, AUXILIARY : Code 01553 TIRE CARRIER : Code 10JAD FIFTH WHEEL, AIR SLIDE AVAIL: Code 04WDW BRAKE CHAMBERS, SPRING : Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WNJ AXLE, PUSHER, LIFT TYPE				14UHE		
- RT-463 - Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Multileaf Springs, with Bronze Center Bushings REQS: Code 01AND AXLE CONFIGURATION REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, SINGLE N/A: Code 40SRN, 40SRP, 40SRR, 40SRS, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04JCG BRAKES, FRONT, AIR CAM : Code 01WPZ CROSSMEMBER, SUSPENSION : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM <div style="text-align: right;">(SEE NEXT PAGE)</div>				14UHK	\$4,000 0/+1006	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-251

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>SUSPENSION, REAR, TANDEM (CONTINUED)</p> <p><i>International</i></p> <p>4-Spring, 40,000-lb Capacity, 52" Axle Spacing, Multileaf Springs REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC -OR- Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY, 14GWZ or 14HRW AXLE, REAR, TANDEM -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, SINGLE REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 40SRN, 40SRP, 40SRR, 40SRS, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04AZE AIR BRAKE ABS : Code 04ERC, 04WDW and 04WYB BRAKE CHAMBERS, SPRING : Code 01CAW FRAME RAILS : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14WBS and 14WCR TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAP, 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 32WAA WHEELS, REAR : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 10JAD and 10JPK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY or Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK and 10JPK FIFTH WHEEL, AIR SLIDE, when in combination with Code 01GBP FRAME REINFORCEMENT : Code 10WDA FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 01WBA CROSSMEMBER, SUSPENSION : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p>	<p>14UNA</p>	<p>\$742</p>	<p>0/+331</p>

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-254

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AXLE, PUSHER, LIFT TYPE NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- AL-2200 - 20,000-lb Capacity, One Non-Steer Axle REQS: Code 01AND AXLE CONFIGURATION REQS: Code 16030(std) CAB REQS: Code 02AGC or 02ARV AXLE, FRONT NON-DRIVING, when in combination with Code 01ANA AXLE CONFIGURATION REQS: Code 04JBS BRAKES, AIR CAM, PUSHER AXLE REQS: Code 04VKG, 04VKJ(std) or 04VKK AIR TANK LOCATION REQS: Code 01GBP FRAME REINFORCEMENT REQS: Code 08VUJ, 08VUK, 08VUL, 08VUM or 08XGJ BATTERY BOX REQS: Code 08XGJ BATTERY BOX, when in combination with Code 14UAD AXLE SPACING, FIRST PUSHER and Code 15DYJ or 15DYK FUEL TANK REQS: Code 14UHK, 14ULX, 14ULY or 14UZB SUSPENSION, REAR, TANDEM, when in combination with Code 14UAB AXLE SPACING, FIRST PUSHER REQS: Code 14WCL TORQUE RODS, when in combination with Code 01AND AXLE CONFIGURATION and Code 14ULY SUSPENSION, REAR, TANDEM REQS: Code 34ABU, 34ACB, 34ACD, 34ACK, 34ACR or 34ACS WHEELS, LIFT AXLE PUSHER REQS: Code 14UAB, 14UAC, 14UAD or 14UAH AXLE SPACING, FIRST PUSHER REQS: Code 14RAA, 14RAB, 14RAD or 14RAR AXLE, LIFT, CONTROLS REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 08VTN, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08WEK or 08XGJ BATTERY BOX REQS: Code 14SAL, 14SAN(std), 14TBW, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 09505, 09512 and 10WTR QUARTER FENDERS</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>14WLM</p>	<p>\$11,378 +616/+711</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- AL-2200 - N/A: Code 04JNK SLACK ADJUSTER, TAG AXLE : Code 01CAG and 01CAJ FRAME RAILS : Code 01UBH CROSSMEMBER, INTERMEDIATE LOC : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE : Code 14UAJ, 14UAK and 14UAL AXLE SPACING, SECOND PUSHER : Code 14UAM AXLE SPACING, THIRD PUSHER : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 07BLG EXHAUST SYSTEM AVAIL: Code 04JNJ SLACK ADJUSTER, PUSHER AXLE</p> <p>- SL-2065 Tru-Track - 20,000-lb Capacity, One Self-Steer Axle REQS: Code 01AND AXLE CONFIGURATION REQS: Code 16030(std) CAB REQS: Code 02AGC or 02ARV AXLE, FRONT NON-DRIVING, when in combination with Code 01ANA AXLE CONFIGURATION REQS: Code 04JCK BRAKES, AIR CAM, PUSHER AXLE REQS: Code 04VKG, 04VKJ(std) or 04VKK AIR TANK LOCATION REQS: Code 01WMA CROSSMEMBER, INTERMEDIATE, when in combination with Code 14UAB AXLE SPACING, FIRST PUSHER REQS: Code 08XGJ BATTERY BOX, when in combination with Code 14UAD AXLE SPACING, FIRST PUSHER and Code 15DYJ or 15DYK FUEL TANK REQS: Code 14ULY SUSPENSION, REAR, TANDEM, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE and Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL REQS: Code 14698 SUSPENSION, REAR, TANDEM, when in combination with Code 14UAB AXLE SPACING, FIRST PUSHER REQS: Code 14WCL TORQUE RODS, when in combination with Code 01AND AXLE CONFIGURATION and Code 14ULY SUSPENSION, REAR, TANDEM REQS: Code 34ABU, 34ACB or 34ACD WHEELS, LIFT AXLE PUSHER REQS: Code 14UAB AXLE SPACING, FIRST PUSHER, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE and Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>			
	14WLM		
	14WNM	\$15,283 +616/+711	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-256

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL-2065 Tru-Track - REQS: Code 14UAB, 14UAC, 14UAD or 14UAH AXLE SPACING, FIRST PUSHER REQS: Code 14RAA, 14RAB or 14RAR AXLE, LIFT, CONTROLS REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 08VTN, 08VUK, 08VUL(std), 08VUM or 08WEK BATTERY BOX REQS: Code 14SAL, 14SAN(std), 14TBW, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 09505, 09512 and 10WTR QUARTER FENDERS : Code 04JNK SLACK ADJUSTER, TAG AXLE : Code 01CAG FRAME RAILS : Code 01UBH CROSSMEMBER, INTERMEDIATE LOC : Code 08VTN and 08WEK BATTERY BOX, when in combination with Code 14UAD AXLE SPACING, FIRST PUSHER : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX, 14UNY and 14UPL SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 14UAB AXLE SPACING, FIRST PUSHER : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 14UAJ, 14UAK and 14UAL AXLE SPACING, SECOND PUSHER : Code 14UAM AXLE SPACING, THIRD PUSHER : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 07BLG EXHAUST SYSTEM AVAIL: Code 04JNJ SLACK ADJUSTER, PUSHER AXLE</p>	<p>14WNM</p>		



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AXLE, PUSHER, LIFT TYPE (CONTINUED) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL0893SSR Tru-Trk Alumilite - (03) 8,000-lb Capacity, Three Self-Steer Axles REQS: Code 01AND AXLE CONFIGURATION REQS: Code 16030(std) CAB REQS: Code 02AGC or 02ARV AXLE, FRONT NON-DRIVING, when in combination with Code 01ANA AXLE CONFIGURATION REQS: Code 04VKA, 04VKB or 04VKC AIR DRYER LOCATION REQS: Code 04JBV BRAKES, AIR CAM, PUSHER AXLE REQS: Code 04VKK AIR TANK LOCATION REQS: Code 01UAN FRAME EXTENSION, FRONT, when in combination with Code 01CBU FRAME RAILS REQS: Code 01WMA CROSSMEMBER, INTERMEDIATE, when in combination with Code 01CBU FRAME RAILS REQS: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 01CBU FRAME RAILS REQS: Code 14WCL TORQUE RODS, when in combination with Code 01AND AXLE CONFIGURATION and Code 14ULY SUSPENSION, REAR, TANDEM REQS: Code 14UAA or 14UAE AXLE SPACING, FIRST PUSHER REQS: Code 14UAJ AXLE SPACING, SECOND PUSHER or Code 14UAM AXLE SPACING, THIRD PUSHER REQS: Code 14RAL, 14RAM or 14RAW AXLE, LIFT, CONTROLS REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 08VUJ, 08VUK or 08XDZ BATTERY BOX REQS: Code 14UHD, 14UHK, 14ULX, 14ULY, 14UZB, 14UZR, 14UZS, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJJ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 09505, 09512 and 10WTR QUARTER FENDERS : Code 04JNK SLACK ADJUSTER, TAG AXLE : Code 01CAG and 01CAJ FRAME RAILS : Code 01UBH CROSSMEMBER, INTERMEDIATE LOC : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM : SUSPENSION, REAR, AIR, TANDEM : WHEELS, LIFT AXLE PUSHER : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID (SEE NEXT PAGE)</p>	<p>14WNL</p>	<p>\$33,898 +1702/+425</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-258

SUBJECT TO CHANGE WITHOUT NOTICE



**HV613 SBA
AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <ul style="list-style-type: none"> - SL0893SSR Tru-Trk Alumilite - N/A: Code 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH and 13GYJ TRANSMISSION, MANUAL, when in combination with Code 12WPU PTO, ENGINE REAR : Code 07BLG EXHAUST SYSTEM AVAIL: Code 14UAJ AXLE SPACING, SECOND PUSHER - SL1190SSR Tru-Trk Alumilite - (02) 13,500-lb Capacity, Two Self-Steer Axles REQS: Code 01AND AXLE CONFIGURATION REQS: Code 16030(std) CAB REQS: Code 02AGC or 02ARV AXLE, FRONT NON-DRIVING, when in combination with Code 01ANA AXLE CONFIGURATION REQS: Code 04JBU BRAKES, AIR CAM, PUSHER AXLE REQS: Code 04VKK AIR TANK LOCATION REQS: Code 08VUJ or 08VUK BATTERY BOX REQS: Code 14WCL TORQUE RODS, when in combination with Code 01AND AXLE CONFIGURATION and Code 14ULY SUSPENSION, REAR, TANDEM REQS: Code 34ABH, 34ABJ, 34ABT, 34ABV, 34ACC, 34ACE, 34ACH or 34ACT WHEELS, LIFT AXLE PUSHER REQS: Code 14UAA, 14UAB, 14UAC, 14UAD or 14UAE AXLE SPACING, FIRST PUSHER REQS: Code 14UAJ, 14UAK or 14UAL AXLE SPACING, SECOND PUSHER REQS: Code 14RAD, 14RAE, 14RAV or 14RAW AXLE, LIFT, CONTROLS REQS: Code 07BKN or 07BKS EXHAUST SYSTEM REQS: Code 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE, 15STM, 15SWD, 15SWE or 15SWG FUEL TANK REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 08VUJ, 08VUK or 08XDZ BATTERY BOX REQS: Code 14TBW SUSPENSION, REAR, SINGLE -OR- Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM REQS: Code 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE or 15SWG FUEL TANK <p>(SEE NEXT PAGE)</p>	<p>14WNL</p> <p>14WNL</p> <p>14WNJ</p>	<p>\$22,727 +1030/+608</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-259

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
	CODE	HV613 SBA
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL1190SSR Tru-Trk Alumilite - N/A: Code 09505, 09512 and 10WTR QUARTER FENDERS : Code 04JNK SLACK ADJUSTER, TAG AXLE : Code 01CAG FRAME RAILS : Code 01UBH CROSSMEMBER, INTERMEDIATE LOC : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE : Code 14UAM AXLE SPACING, THIRD PUSHER : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 04JNL SLACK ADJUSTER, PUSHER AXLE</p> <p>13,500-lb Capacity, One Self-Steer Axle REQS: Code 10NZN SPECIAL RATING, GVWR, when in combination with Code 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM REQS: Code 01AND AXLE CONFIGURATION REQS: Code 16030(std) CAB REQS: Code 02AGC or 02ARV AXLE, FRONT NON-DRIVING, when in combination with Code 01ANA AXLE CONFIGURATION</p>	<p>14WNJ</p> <p>14WNH</p>	<p>\$11,501 +380/+439</p>
<i>(SEE NEXT PAGE)</i>		

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-260

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE)</p> <p>NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL1190SSR Tru-Trk Alumilite -</p> <p>REQS: Code 04EVP or 04EVR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02AEU AXLE, FRONT NON-DRIVING and Code 02AEV AXLE, FRONT NON-DRIVING and Code 02AEW AXLE, FRONT NON-DRIVING and Code 02AGT AXLE, FRONT NON-DRIVING and Code 02ARU AXLE, FRONT NON-DRIVING and Code 02ARY AXLE, FRONT NON-DRIVING and Code 02ARZ AXLE, FRONT NON-DRIVING and Code 02ATB AXLE, FRONT NON-DRIVING and Code 02AUR AXLE, FRONT NON-DRIVING and Code 02AYJ AXLE, FRONT NON-DRIVING and Code 02AYK AXLE, FRONT NON-DRIVING and Code 02AYT AXLE, FRONT NON-DRIVING and Code 14UHK SUSPENSION, REAR, TANDEM and Code 14ULS SUSPENSION, REAR, TANDEM and Code 14UHL SUSPENSION, REAR, TANDEM and Code 14ULT SUSPENSION, REAR, TANDEM and Code 14ULY SUSPENSION, REAR, TANDEM and Code 14UNW SUSPENSION, REAR, TANDEM and Code 14ULZ SUSPENSION, REAR, TANDEM and Code 14UNX SUSPENSION, REAR, TANDEM and Code 14UMC SUSPENSION, REAR, TANDEM and Code 14UNY SUSPENSION, REAR, TANDEM and Code 14UZB SUSPENSION, REAR, TANDEM and Code 14UPL SUSPENSION, REAR, TANDEM and Code 14UZT SUSPENSION, REAR, TANDEM and Code 34AAM SUSPENSION, REAR, TANDEM and Code 14UZU SUSPENSION, REAR, TANDEM and Code 34AAP SUSPENSION, REAR, TANDEM and Code 14UZV SUSPENSION, REAR, TANDEM and Code 34ABH SUSPENSION, REAR, TANDEM and Code 14UZW SUSPENSION, REAR, TANDEM and Code 34ABJ SUSPENSION, REAR, TANDEM and Code 14UZX SUSPENSION, REAR, TANDEM and Code 34ABS SUSPENSION, REAR, TANDEM and Code 14698 SUSPENSION, REAR, TANDEM and Code 34ABT SUSPENSION, REAR, TANDEM and Code 34AAM or 34ABU WHEELS, LIFT AXLE PUSHER and Code 34AAP or 34ABV WHEELS, LIFT AXLE PUSHER and Code 34ABH or 34ACB WHEELS, LIFT AXLE PUSHER and Code 34ABJ or 34ACC WHEELS, LIFT AXLE PUSHER and Code 34ABS or 34ACD WHEELS, LIFT AXLE PUSHER and Code 34ABT or 34ACE WHEELS, LIFT AXLE PUSHER and Code 34ABU or 34ACH WHEELS, LIFT AXLE PUSHER and Code 34ABV or 34ACJ WHEELS, LIFT AXL</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14WNH</p>		



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL1190SSR Tru-Trk Alumilite -</p> <p>REQS: Code 04EVP or 04EVR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02AGT, 02ATB or 02AYT AXLE, FRONT NON-DRIVING and Code 14SAL, 14SAN, 14SCE, 14TBW, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE and Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABS, 34ABT, 34ABU, 34ABV, 34ACB, 34ACC, 34ACD, 34ACE, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER</p> <p>REQS: Code 04EVP or 04EVR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02AGT, 02ATB or 02AYT AXLE, FRONT NON-DRIVING and Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE and Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABS, 34ABT, 34ABU, 34ABV, 34ACB, 34ACC, 34ACD, 34ACE, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER</p> <p>REQS: Code 04EVP or 04EVR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02AGT, 02ATB or 02AYT AXLE, FRONT NON-DRIVING and Code 14UHC, 14UHD, 14UHE, 14ULX, 14UMB, 14UNA, 14UZR or 14UZS SUSPENSION, REAR, TANDEM and Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABS, 34ABT, 34ABU, 34ABV, 34ACB, 34ACC, 34ACD, 34ACE, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER</p> <p>REQS: Code 04EVP or 04EVR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02AGT, 02ATB or 02AYT AXLE, FRONT NON-DRIVING and Code 14ULU, 14ULV, 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM and Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABS, 34ABT, 34ABU, 34ABV, 34ACB, 34ACC, 34ACD, 34ACE, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER</p> <p>REQS: Code 04EVP or 04EVR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02AGT, 02ATB or 02AYT AXLE, FRONT NON-DRIVING and Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABS, 34ABT, 34ABU, 34ABV, 34ACB, 34ACC, 34ACD, 34ACE, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER and Code 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY or 14GWZ AXLE, REAR, TANDEM</p> <p style="text-align: center;">(SEE NEXT PAGE)</p>	<p>14WNH</p>		

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-262

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL1190SSR Tru-Trk Alumilite - REQS: Code 04EVP or 04EVR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABS, 34ABT, 34ABU, 34ABV, 34ACB, 34ACC, 34ACD, 34ACE, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER and Code 14GTS or 14GTW AXLE, REAR, TANDEM REQS: Code 04JBR BRAKES, AIR CAM, PUSHER AXLE REQS: Code 04VCL, 04VKJ(std) or 04VKK AIR TANK LOCATION REQS: Code 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL, 08VUM, 08WEJ or 08WEK BATTERY BOX REQS: Code 14UHD, 14UHK, 14ULX, 14ULY or 14UMB SUSPENSION, REAR, TANDEM, when in combination with Code 15LLP LOCATION FUEL/WATER SEPARATOR REQS: Code 14WCL TORQUE RODS, when in combination with Code 01AND AXLE CONFIGURATION and Code 14ULY SUSPENSION, REAR, TANDEM REQS: Code 34AAM, 34AAP, 34ABS, 34ABU, 34ACB, 34ACD, 34ACJ, 34ACM or 34ACN WHEELS, LIFT AXLE PUSHER REQS: Code 14UAA, 14UAB or 14UAC AXLE SPACING, FIRST PUSHER, when in combination with Code 15LLP LOCATION FUEL/WATER SEPARATOR REQS: Code 14UAA, 14UAB, 14UAC or 14UAD AXLE SPACING, FIRST PUSHER REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAR or 14RAV AXLE, LIFT, CONTROLS REQS: Code 07BKN or 07BKS EXHAUST SYSTEM REQS: Code 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE, 15STM, 15SWD, 15SWE or 15SWG FUEL TANK REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 08VTN, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08WEJ, 08WEK or 08XDZ BATTERY BOX REQS: Code 14SAL, 14SAN(std), 14TBW, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM REQS: Code 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE or 15SWG FUEL TANK</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14WNH</p>		



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL1190SSR Tru-Trk Alumilite - N/A: Code 04JNK SLACK ADJUSTER, TAG AXLE : Code 04VCL AIR TANK LOCATION or BATTERY BOX, when in combination with Code 16CAB or 16196 CAB : Code 04VCL AIR TANK LOCATION, when in combination with Code 01ANA or 01ANF AXLE CONFIGURATION : Code 01CAG FRAME RAILS : Code 01UBH CROSSMEMBER, INTERMEDIATE LOC : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UAA and 14UAB AXLE SPACING, FIRST PUSHER, when in combination with Code 14UHC or 14UMB SUSPENSION, REAR, TANDEM : Code 14UAJ, 14UAK and 14UAL AXLE SPACING, SECOND PUSHER : Code 14UAM AXLE SPACING, THIRD PUSHER : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 09512 QUARTER FENDERS : Code 04JNJ SLACK ADJUSTER, PUSHER AXLE : Code 14WNK AXLE, TAG, LIFT TYPE</p>	14WNH		
<p>AXLE, PUSHER, LIFT TYPE, ID</p> <p>Customer Installed Pusher Type Axle; Nothing Installed at Manufacturing Plant REQS: Code 14WCL TORQUE RODS, when in combination with Code 01AND AXLE CONFIGURATION and Code 14ULY SUSPENSION, REAR, TANDEM N/A: Code 01CAG FRAME RAILS : Code 14WLM, 14WNH, 14WNL and 14WNN AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : AXLE, LIFT, CONTROLS</p>	14WLT	N/C	0/0
<p>AXLE SPACING, FIRST PUSHER</p> <p>100" Ahead of Drive Axle N/A: Code 14WLM, 14WNL, 14WNN, 14WNL and 14WNN AXLE, PUSHER, LIFT TYPE AVAIL: Code 14WLM and 14WNN AXLE, PUSHER, LIFT TYPE</p> <p>43" Ahead of Drive Axle N/A: Code 14WLM, 14WNL, 14WNN, 14WNL and 14WNN AXLE, PUSHER, LIFT TYPE AVAIL: Code 14WNL and 14WNL AXLE, PUSHER, LIFT TYPE</p>	14UAH	N/C	0/0
	14UAE	N/C	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
AXLE SPACING, FIRST PUSHER (CONTINUED)			
45" Ahead of Drive Axle N/A: Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE	14UAA	N/C	0/0
49" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WNL AXLE, PUSHER, LIFT TYPE	14UAB	N/C	0/0
54" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WNL AXLE, PUSHER, LIFT TYPE	14UAC	N/C	0/0
55" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WNL AXLE, PUSHER, LIFT TYPE	14UAD	N/C	0/0
AXLE SPACING, SECOND PUSHER			
42" Ahead of First Pusher Axle AVAIL: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE	14UAJ	N/C	0/0
46" Ahead of First Pusher Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	14UAK	N/C	0/0
48" Ahead of First Pusher Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	14UAL	N/C	0/0
AXLE SPACING, THIRD PUSHER			
42" Ahead of Second Pusher Axle AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE	14UAM	N/C	0/0
AXLE, TAG, LIFT TYPE			
NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
Watson & Chalin			
- AL-2200 -			
20,000-lb Capacity, One Non-Steer Axle			
REQS: Code 01AND AXLE CONFIGURATION			
REQS: Code 16030(std) CAB			
REQS: Code 02AGC or 02ARV AXLE, FRONT NON-DRIVING, when in combination with Code 01ANA AXLE CONFIGURATION			
REQS: Code 04JBT BRAKES, AIR CAM, TAG AXLE			
REQS: Code 14WCL TORQUE RODS, when in combination with Code 01AND AXLE CONFIGURATION and Code 14ULY SUSPENSION, REAR, TANDEM			
REQS: Code 14UBA or 14UBB AXLE SPACING, TAG			
(SEE NEXT PAGE)			
	14WLR	\$11,378	-588/+1915



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>AXLE, TAG, LIFT TYPE <i>(SEE PREV PAGE)</i> NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL1190SSR Tru-Trk Alumilite - -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 04JNJ, 04JNL and 04JNM SLACK ADJUSTER, PUSHER AXLE : Code 01CAG and 01CGE FRAME RAILS : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 16VKX MONITOR, TIRE PRESSURE : WHEELS, LIFT AXLE PUSHER : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 01553 TIRE CARRIER AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE</p>	14WNK		
<p>AXLE SPACING, TAG</p> <p>55" Behind Rear Drive Axle N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE</p> <p>61" Behind Rear Drive Axle N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE</p> <p>67" Behind Rear Drive Axle N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE</p>	14UAZ 14UBA 14UBB	N/C N/C N/C	0/0 0/0 0/0
<p>AXLE, LIFT, CONTROLS</p> <p>for One Lift Axle; All Controls Inside Cab; Includes Pressure Gauge, Pressure Regulator and Lift/Lower Switch Inside Cab REQS: Code 16030(std) CAB N/A: Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16CAB CAB : Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 60AAP BDY INTG, REMOTE POWER MODULE</p> <p>for Three Lift Axles; All Controls Inside Cab; Includes Pressure Gauge, Pressure Regulator and Lift/Lower Switch Inside Cab REQS: Code 16030(std) CAB</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	14RAA 14RAL	\$1,088 \$1,673	+5/0 +15/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HV613 SBA		
AXLE, LIFT, CONTROLS (SEE PREV PAGE)			
<p>REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC N/A: Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 60AAA, 60AAB, 60AAD and 60AAG BDY INTG, REMOTE POWER MODULE</p> <p>for Two Lift Axles; All Controls Inside Cab; Includes Pressure Gauge, Pressure Regulator and Lift/Lower Switch Inside Cab REQS: Code 16030(std) CAB N/A: Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 60AAA, 60AAB, 60AAD and 60AAG BDY INTG, REMOTE POWER MODULE</p> <p>for One Lift Axle; Controls Inside and Outside Cab; Includes Lift/Lower Switch Inside Cab on Dash; Pressure Gauge and Pressure Regulator Outside Cab N/A: Code 16196 CAB : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 13WBA and 13WDM HYDRAULIC RETARDER AVAIL: Code 08XBK SWITCH, AUXILIARY : Code 60AAA, 60AAB, 60AAD and 60AAG BDY INTG, REMOTE POWER MODULE</p> <p>for Three Lift Axles; Controls Inside and Outside Cab; Includes Lift/Lower Switch Inside Cab on Dash; Pressure Gauge and Pressure Regulator Outside Cab REQS: Code 16030(std) CAB REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC N/A: Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 12VAG and 12VAL AIR CLEANER AVAIL: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 08XBK SWITCH, AUXILIARY</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14RAL</p> <p>14RAD</p> <p>14RAR</p> <p>14RAW</p>	<p>\$1,365</p> <p>\$1,088</p> <p>\$1,673</p>	<p>+10/0</p> <p>+2/+4</p> <p>+3/+4</p>



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AXLE, LIFT, CONTROLS <i>(SEE PREV PAGE)</i></p> <p>AVAIL: Code 60AAA, 60AAB, 60AAD and 60AAG BDY INTG, REMOTE POWER MODULE</p> <p>for Two Lift Axles; Controls Inside and Outside Cab; Includes Lift/Lower Switch Inside Cab on Dash; Pressure Gauge and Pressure Regulator Outside Cab</p> <p>REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL</p> <p>-OR- TRANSMISSION, AUTOMATIC</p> <p>N/A: Code 16196 CAB : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 13WBA and 13WDM HYDRAULIC RETARDER</p> <p>AVAIL: Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WNK AXLE, TAG, LIFT TYPE : Code 08XBK SWITCH, AUXILIARY : Code 60AAA, 60AAB, 60AAD and 60AAG BDY INTG, REMOTE POWER MODULE</p> <p>for One Lift Axle; Controls Inside And Outside Cab; Includes Pressure Gauge and Lift/Lower Switch Inside Cab; Pressure Gauge and Pressure Regulator Outside Cab</p> <p>REQS: Code 16030(std) CAB N/A: Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE</p> <p>for Three Lift Axles; Controls Inside And Outside Cab; Includes Pressure Gauge and Lift/Lower Switch Inside Cab; Pressure Gauge and Pressure Regulator Outside Cab</p> <p>REQS: Code 16030(std) CAB REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL</p> <p>-OR- TRANSMISSION, AUTOMATIC</p> <p>N/A: Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID</p> <p>AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 60AAA, 60AAB, 60AAD and 60AAG BDY INTG, REMOTE POWER MODULE</p>	<p>14RAW</p> <p>14RAV</p> <p>14RAB</p> <p>14RAM</p>	<p></p> <p>\$1,365 +2/+3</p> <p>\$1,088 +1/+5</p> <p>\$1,673 +3/+15</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
AXLE, LIFT, CONTROLS (CONTINUED) for Two Lift Axles; Controls Inside And Outside Cab; Includes Pressure Gauge and Lift/Lower Switch Inside Cab; Pressure Gauge and Pressure Regulator Outside Cab REQS: Code 16030(std) CAB N/A: Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WNK AXLE, TAG, LIFT TYPE : Code 60AAA, 60AAB, 60AAD and 60AAG BDY INTG, REMOTE POWER MODULE	14RAE	\$1,365	+2/+10
AXLE, REAR, LIFT, LUBE EmGard - FE-75W-90 - Synthetic Oil; 1 thru 10.99 Pints	14WNB	\$127	0/0
AXLE, REAR, LUBE EmGard - FE-75W-90 - Synthetic Oil; 30 thru 39.99 Pints REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE N/A: Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, TANDEM Synthetic Oil; 40 thru 49.99 Pints REQS: Code 14AHH, 14AHJ, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD or 14AWN AXLE, REAR, SINGLE N/A: Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, TANDEM Synthetic Oil; 50 thru 64.99 Pints REQS: Code 14ERB, 14ERC or 14ERP AXLE, REAR, SINGLE -OR- Code 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY or 14GWZ AXLE, REAR, TANDEM N/A: Code 14HRG and 14HRZ AXLE, REAR, TRIDEM Synthetic Oil; 65 thru 89.99 Pints REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, SINGLE	14WMG	\$198	0/0
	14WMH	\$214	0/0
	14WMJ	\$364	0/0
	14WMK	\$488	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>AXLE, REAR, LUBE (CONTINUED)</p> <p><i>EmGard</i></p> <p>- FE-75W-90 -</p> <p>Synthetic Oil; 90 thru 115.99 Pints REQS: Code 14GTS or 14GTW AXLE, REAR, TANDEM -OR- AXLE, REAR, TRIDEM N/A: AXLE, REAR, SINGLE</p>	14WMZ	\$668	0/0
<p>AXLE SHAFT MODIFICATION</p> <p>Axle Shaft Flanges Modified for 0.625" Diameter Drive Studs with Solid Type Cone-Locks REQS: Code 14ARB, 14ARK, 14ARX, 14ARY, 14ASK, 14ATE, 14ATY, 14ATZ, 14CDE or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- Code 14GRD, 14GRP, 14GRR, 14GRS, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL or 14HRM AXLE, REAR, TANDEM N/A: Code 28DTE, 28DTU, 28DUL, 32DHY and 32WAA WHEELS, REAR</p>	14WZY	\$249	0/0
<p>BUSHINGS, EQUALIZER BEAM</p> <p>Bronze Center Bushings; for Hendrickson Suspension REQS: Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM N/A: Code 14WBS and 14WCR TRANSVERSE TORQUE RODS : Code 14WBS TRANSVERSE TORQUE RODS : SUSPENSION, REAR, AIR, TANDEM</p>	14803	\$176	
<p>DIFFERENTIAL, LOCKING</p> <p><i>Detroit</i></p> <p>- Locker - No-Spin; for Dana Spicer (previously Eaton) Rear Axles REQS: Code 04AZA(std) or 04AZE AIR BRAKE ABS REQS: Code 14AHE, 14AHH, 14AHK or 14CDE AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM N/A: AXLE, REAR, TANDEM</p> <p>No-Spin; for Meritor Rear Axles; Not with Meritor 185 & 186 Family of Axles REQS: Code 04AZA(std) or 04AZE AIR BRAKE ABS REQS: Code 14ASK, 14ATE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- Code 14GRD, 14GRR, 14HRB or 14HRW AXLE, REAR, TANDEM NOTE: Axle Lead Time is 90 Days</p>	14877	\$2,171	0/0
	14881	\$1,565	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
DIFF. SWITCH CONTROLS Two Independent Switches for Control Traction Differentials on Tandem Rear Axles, Mounted on Dash REQS: Code 14GKK, 14GKP, 14GVL, 14GVM, 14GVN, 14GWW, 14GWZ, 14HRC, 14HRE, 14HRL or 14HRM AXLE, REAR, TANDEM N/A: Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, SINGLE	14WBN	\$265	+1/0
SHOCK ABSORBERS, REAR (02) REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 04ERC BRAKE CHAMBERS, SPRING : SUSPENSION, REAR, TANDEM : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : SUSPENSION, REAR, AIR, TANDEM (04) for Chalmers Suspension Only, Mounted from Frame to Beam REQS: Code 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW or 14UZX SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM N/A: Code 04WYB BRAKE CHAMBERS, SPRING : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : SUSPENSION, REAR, AIR, TANDEM : AXLE, REAR, SINGLE (04) for Hendrickson HMX Suspension Only, Mounted from Frame to Beam REQS: Code 14ULX, 14ULY, 14ULZ, 14UMB or 14UMC SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM N/A: Code 04WYB BRAKE CHAMBERS, SPRING : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : SUSPENSION, REAR, AIR, TANDEM : AXLE, REAR, SINGLE	14WAP	\$171	0/+35
(04) for Chalmers Suspension Only, Mounted from Frame to Beam REQS: Code 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW or 14UZX SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM N/A: Code 04WYB BRAKE CHAMBERS, SPRING : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : SUSPENSION, REAR, AIR, TANDEM : AXLE, REAR, SINGLE	14WBU	\$811	0/+24
(04) for Hendrickson HMX Suspension Only, Mounted from Frame to Beam REQS: Code 14ULX, 14ULY, 14ULZ, 14UMB or 14UMC SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM N/A: Code 04WYB BRAKE CHAMBERS, SPRING : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : SUSPENSION, REAR, AIR, TANDEM : AXLE, REAR, SINGLE	14WBV	\$878	0/+31



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>SPRINGS, REAR AUXILIARY</p> <p>Multileaf; 4,500-lb Capacity REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 14SAN(std) SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE</p>	14SZB	\$208	0/+90
<p>SUSPENSION AIR CONTROL VALVE</p> <p>Pressure Release Control In Cab REQS: Code 14VKL SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE</p>	14899	\$163	+3/+5
<p>SUSPENSION LEVELING VALVE</p> <p>Dual Height; One Additional, for Air Ride Suspension REQS: Code 04AZA(std), 04AZJ, 04AZS, 04AZU or 04AZV AIR BRAKE ABS, when in combination with Code 14UNX SUSPENSION, REAR, AIR, TANDEM REQS: Code 04VHZ, 04VKH, 04VKJ, 04VKK or 04WZJ AIR TANK LOCATION, when in combination with Code 14UNX SUSPENSION, REAR, AIR, TANDEM REQS: Code 08VUJ, 08VUL(std), 08VUM, 08VUN or 08WJJ BATTERY BOX, when in combination with Code 04VKJ AIR TANK LOCATION and Code 14UNX SUSPENSION, REAR, AIR, TANDEM REQS: Code 14899 SUSPENSION AIR CONTROL VALVE, when in combination with Code 14UNX SUSPENSION, REAR, AIR, TANDEM REQS: Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU or 14UNX SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM</p>	14WAS	\$151	0/+5



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
SUSPENSION/REAR-AXLE IDENTITY	HV613 SBA		
for Dana Spicer Eaton Style Tandem Rear Axles with Bar-Pin Beam Attachment Type Suspensions REQS: Code 01AND AXLE CONFIGURATION REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN or 14GKP AXLE, REAR, TANDEM -OR- AXLE, REAR, SINGLE N/A: SUSPENSION, REAR, AIR, TANDEM : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM	14WAK	N/C	
for Meritor Tandem Rear Axles with Bar-Pin Beam Attachment Type Suspensions REQS: Code 01AND AXLE CONFIGURATION REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UNA or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM REQS: Code 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY, 14GWZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, SINGLE N/A: SUSPENSION, REAR, AIR, TANDEM	14WAL	N/C	
TORQUE RODS Hendrickson XTRB, for HMX Suspensions REQS: Code 14ULY SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM N/A: SUSPENSION, REAR, AIR, TANDEM	14WCL	\$445	
TRANSVERSE TORQUE RODS with Hendrickson Suspensions REQS: Code 14UHC, 14UHD, 14UHK or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14UNX SUSPENSION, REAR, AIR, TANDEM N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE Hendrickson TRAXX Rod, Transverse Rod Only REQS: Code 14ULX, 14ULY, 14ULZ, 14UMB or 14UMC SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM (SEE NEXT PAGE)	14WBS	\$929 0/+54	
Hendrickson TRAXX Rod, Transverse Rod Only REQS: Code 14ULX, 14ULY, 14ULZ, 14UMB or 14UMC SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM (SEE NEXT PAGE)	14WCR	\$172 -10/+32	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
TRANSVERSE TORQUE RODS <i>(SEE PREV PAGE)</i> N/A: Code 01CAG FRAME RAILS : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : SUSPENSION, REAR, AIR, TANDEM	14WCR		
2-SPEED SHIFT PACKAGE Controlled Shifting for 2-Speed Rear Axle, Requires Automatic Transmission in Neutral & Brake Pedal Pressed & Zero Vehicle Speed, Not with 30 psi Brakes Application REQS: Code 14CDE or 14CVC AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: TRANSMISSION, MANUAL	14WBT	\$308	0/0
PUSHER LIFT AXLE TIRE SLR NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book 0 to 1.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER 2 to 3.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER 4 to 5.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER	14XAB	N/C	0/0
TAG LIFT AXLE TIRE SLR NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, S ee Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book 0 to 1.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires 2 to 3.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires 4 to 5.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires	14XAE	N/C	0/0
TAG LIFT AXLE TIRE SLR NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, S ee Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book 0 to 1.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires 2 to 3.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires 4 to 5.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires	14XAG	N/C	0/0
TAG LIFT AXLE TIRE SLR NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, S ee Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book 0 to 1.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires 2 to 3.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires 4 to 5.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires	14XAH	N/C	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
FUEL TANK			
Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 50 US Gal (189L), Mounted Left Side, Under Cab REQS: Code 08VTN, 08VUL(std), 08VUM or 08WEK BATTERY BOX, when in combination with Code 16CAB CAB REQS: Code 15DYP DEF TANK, when in combination with Code 16CAB CAB REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ or 08XDZ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 16196 CAB : Code 04VHZ and 04VKG AIR TANK LOCATION : Code 01CAW FRAME RAILS : Code 15LKD FUEL HEATER AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SRE	STD	
(02) Top Draw, Non-Polished Aluminum, 26" Dia, 70 US Gal (265L); Total Capacity 140 US Gal (530L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab REQS: Code 08TST, 08TTR, 08VTJ, 08VUR, 08WJN, 08XDZ or 08XGJ BATTERY BOX, when in combination with Code 16030 CAB and Code 04091 BRAKE SYSTEM, AIR REQS: Code 08WJN or 08XGJ BATTERY BOX, when in combination with Code 16CAB CAB REQS: Code 07BKP(std) or 07BKS EXHAUST SYSTEM REQS: Code 15LMK LOCATION FUEL/WATER SEPARATOR, when in combination with Code 16030 CAB and Code 04091 BRAKE SYSTEM, AIR and Code 08TST, 08TTR, 08VTJ, 08VUR, 08WJN, 08XDZ or 08XGJ BATTERY BOX REQS: Code 15LNK LOCATION FUEL/WATER SEPARATOR, when in combination with Code 16030 CAB and Code 04092 BRAKE SYSTEM, AIR and Code 07BKP, 07BKS or 07BLG EXHAUST SYSTEM REQS: Code 15DYR DEF TANK, when in combination with Code 16CAB CAB REQS: Code 08VTJ, 08VUR, 08WJN or 08XGJ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM	15DYJ	\$840 +2/+116	
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
FUEL TANK (SEE PREV PAGE)			
<ul style="list-style-type: none"> -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION <ul style="list-style-type: none"> : Code 01CAW FRAME RAILS : Code 01WMA CROSSMEMBER, INTERMEDIATE : Code 15LKD FUEL HEATER : Code 12WPU PTO, ENGINE REAR AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS <ul style="list-style-type: none"> : Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE : Code 08WBW JUMP START STUD : Code 15WHD ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS 	15DYL		
<p>(02) Top Draw, Non-Polished Aluminum, 26" Dia, 100 US Gal (379L); Total Capacity 200 US Gal (758L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab</p> <ul style="list-style-type: none"> REQS: Code 08WJN or 08XGJ BATTERY BOX, when in combination with Code 16CAB CAB REQS: Code 07BKP(std) or 07BKS EXHAUST SYSTEM REQS: Code 15DYR DEF TANK, when in combination with Code 16CAB CAB REQS: Code 08VTJ, 08VUR, 08WJN or 08XGJ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION <ul style="list-style-type: none"> : Code 01CAW FRAME RAILS : Code 01WMA CROSSMEMBER, INTERMEDIATE : Code 15LKD FUEL HEATER : Code 12WPU PTO, ENGINE REAR AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS <ul style="list-style-type: none"> : Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE : Code 08WBW JUMP START STUD : Code 15WHD ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS 	15DRC	\$1,816 +13/+188	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
FUEL TANK	HV613 SBA		
<p style="text-align: right;"><i>(SEE PREV PAGE)</i></p> <p>AVAIL: Code 15960 FUEL TANK STRAPS</p> <p>Polished Aluminum, 26" Dia, 100 US Gal (379L), Mounted Left Side, Under Cab</p> <p>REQS: Code 08VTN or 08WEK BATTERY BOX, when in combination with Code 16CAB CAB</p> <p>REQS: Code 15DYP DEF TANK, when in combination with Code 16CAB CAB</p> <p>REQS: Code 15DYP(std) DEF TANK</p> <p>REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB</p> <p>REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ or 08XDZ BATTERY BOX</p> <p>REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE</p> <p>-OR- SUSPENSION, REAR, SINGLE</p> <p>-OR- SUSPENSION, REAR, TANDEM</p> <p>-OR- SUSPENSION, REAR, AIR, TRIDEM</p> <p>-OR- SUSPENSION, REAR, AIR, TANDEM</p> <p>N/A: Code 16196 CAB</p> <p style="padding-left: 20px;">: Code 04VHZ and 04VKG AIR TANK LOCATION</p> <p style="padding-left: 20px;">: Code 32WAA WHEELS, REAR</p> <p style="padding-left: 20px;">: Code 07BLG EXHAUST SYSTEM</p> <p style="padding-left: 20px;">: Code 15LKD FUEL HEATER</p> <p>AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS</p> <p style="padding-left: 20px;">: Code 15WHC ANTI-SIPHON DEVICE</p> <p style="padding-left: 20px;">: Code 15902 FUEL TANK CAP</p> <p style="padding-left: 20px;">: Code 15924 FUEL TANK STRAPS</p> <p>Top Draw, Non-Polished Aluminum, 26" Dia, 100 US Gal (379L), Mounted Left Side, Under Cab</p> <p>REQS: Code 08VTN or 08WEK BATTERY BOX, when in combination with Code 16CAB CAB</p> <p>REQS: Code 15DYP(std) DEF TANK</p> <p>REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB</p> <p>REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ or 08XDZ BATTERY BOX</p> <p>REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM</p> <p>-OR- SUSPENSION, REAR, SINGLE</p> <p>-OR- Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE</p> <p>-OR- SUSPENSION, REAR, AIR, TRIDEM</p> <p>-OR- SUSPENSION, REAR, AIR, TANDEM</p> <p>N/A: Code 16196 CAB</p> <p style="padding-left: 20px;">: Code 04VHZ and 04VKG AIR TANK LOCATION</p> <p style="padding-left: 20px;">: Code 07BLG EXHAUST SYSTEM</p> <p>AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS</p> <p style="padding-left: 20px;">: Code 15WHC ANTI-SIPHON DEVICE</p> <p style="padding-left: 20px;">: Code 15902 FUEL TANK CAP</p> <p style="padding-left: 20px;">: Code 15924 FUEL TANK STRAPS</p>	<p>15DYY</p> <p>15STM</p> <p>15SJR</p>	<p>\$626</p> <p>+29/+38</p> <p>\$346</p> <p>+32/+42</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
FUEL TANK (CONTINUED)			
Top Draw, Non-Polished Aluminum, 26" Dia, 100 US Gal (379L), Mounted Left Side, Back of Cab REQS: Code 16196 CAB REQS: Code 04VKG, 04VKH or 04VKK AIR TANK LOCATION REQS: Code 07BKP(std) or 07BKS EXHAUST SYSTEM REQS: Code 16ZGR or 16ZHM ACCESS, CAB AND FRAME REQS: Code 08VTJ, 08VUR, 08WJN or 08XGJ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANF AXLE CONFIGURATION : Code 01CAW FRAME RAILS : Code 32WAA WHEELS, REAR : Code 15WHC, 15WHD, 15WHV and 15WHW ANTI-SIPHON DEVICE : Code 15LKD FUEL HEATER AVAIL: Code 08WJV BATTERY DISCONNECT SWITCH : Code 01MEJ FRAME, SPECIAL EFFECTS : Code 14WNM AXLE, PUSHER, LIFT TYPE : Code 08WBW JUMP START STUD : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SVT	\$926 -25/+92	
Top Draw, Polished Aluminum, 26" Dia, 100 US Gal (379L), Mounted Left Side, Back of Cab REQS: Code 16196 CAB REQS: Code 04VKG, 04VKH or 04VKK AIR TANK LOCATION REQS: Code 07BKP(std) or 07BKS EXHAUST SYSTEM REQS: Code 16ZGR or 16ZHM ACCESS, CAB AND FRAME REQS: Code 08VTJ, 08VUR, 08WJN or 08XGJ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANF AXLE CONFIGURATION : Code 01CAW FRAME RAILS : Code 15WHC, 15WHD, 15WHV and 15WHW ANTI-SIPHON DEVICE : Code 15LKD FUEL HEATER AVAIL: Code 08WJV BATTERY DISCONNECT SWITCH : Code 01MEJ FRAME, SPECIAL EFFECTS : Code 14WNM AXLE, PUSHER, LIFT TYPE : Code 08WBW JUMP START STUD : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SVU	\$1,323 -25/+92	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
FUEL TANK (CONTINUED)			
Top Draw, Non-Polished Aluminum, 26" Dia, 120 US Gal (454L), Mounted Left Side, Under Cab REQS: Code 08VTN or 08WEK BATTERY BOX, when in combination with Code 16CAB CAB REQS: Code 15DYP DEF TANK, when in combination with Code 16CAB CAB REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUN, 08WEJ, 08WEK, 08WJJ or 08XDZ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 16196 CAB : Code 04VHZ and 04VKG AIR TANK LOCATION : Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE : Code 07BLG EXHAUST SYSTEM : Code 15LKD FUEL HEATER AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SWK	\$444 +36/+47	
Top Draw, Polished Aluminum, 26" Dia, 120 US Gal (454L), Mounted Left Side, Under Cab REQS: Code 08VTN or 08WEK BATTERY BOX, when in combination with Code 16CAB CAB REQS: Code 15DYP DEF TANK, when in combination with Code 16CAB CAB REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUN, 08WEJ, 08WEK, 08WJJ or 08XDZ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 16196 CAB : Code 04VHZ and 04VKG AIR TANK LOCATION : Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE : Code 07BLG EXHAUST SYSTEM : Code 15LKD FUEL HEATER AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SWJ	\$724 +36/+47	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
FUEL TANK (CONTINUED)			
Temporary, Top Draw, Non-Polished Aluminum, D-Style, 16" Tank Depth, 50 US Gal (189L), Mounted Left Side, Back of Cab REQS: Code 16030(std) CAB REQS: Code 04VCL or 04VHZ AIR TANK LOCATION REQS: Code 07BLG EXHAUST SYSTEM REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08VTN, 08VUJ, 08VUK, 08WEK, 08WJN or 08XGJ BATTERY BOX REQS: Code 14SAL, 14SAN(std), 14TBU, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB, 14UZB, 14UZR, 14UZS, 14UZU, 14UZV or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14TAX or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULT or 14UNX SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANF AXLE CONFIGURATION : Code 01CAW FRAME RAILS : Code 15924 and 15960 FUEL TANK STRAPS : Code 15LKZ FUEL/WATER SEPARATOR : Code 15LKD FUEL HEATER AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE : Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP	15SSC	\$107CR -50/+23	
Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 100 US Gal (379L), Mounted Left Side, Under Cab REQS: Code 08VTN or 08WEK BATTERY BOX, when in combination with Code 16CAB CAB REQS: Code 15DYP DEF TANK, when in combination with Code 16CAB CAB REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ or 08XDZ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 16196 CAB : Code 04VHZ and 04VKG AIR TANK LOCATION : Code 01CAW FRAME RAILS : Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE : Code 07BKN EXHAUST SYSTEM AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SGD	\$296 +24/+38	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-285

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>FUEL TANK (CONTINUED)</p>			
<p>(02) Top Draw, Polished Aluminum, D-Style, 16" Tank Depth, 40 US Gal (151L) Left Side; 50 US Gal (189L) Right Side; Total Capacity 90 US Gal (340L), Mounted Left and Right Side, Under Cab REQS: Code 16030(std) CAB REQS: Code 04VKJ(std) or 04VKK AIR TANK LOCATION REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08VUL(std), 08VUM or 08WEJ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANF AXLE CONFIGURATION : Code 01CAW FRAME RAILS : Code 13607 TRANSMISSION, AUXILIARY : Code 07BKN, 07BKP(std), 07BKS and 07BLG EXHAUST SYSTEM : Code 15LKD FUEL HEATER : Code 12WPU PTO, ENGINE REAR AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE : Code 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS</p>	15DYU	\$1,517 +75/+34	
<p>(02) Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 50 US Gal (189L) Left Side; 70 US Gal (265L) Right Side; Total Capacity 120 US Gal (454L), Mounted Left and Right Side, Under Cab REQS: Code 04VKJ(std) or 04VKK AIR TANK LOCATION REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08VUL(std), 08VUM or 08WEJ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANF AXLE CONFIGURATION : Code 16196 CAB : Code 01CAW FRAME RAILS : Code 13607 TRANSMISSION, AUXILIARY : Code 15LKD FUEL HEATER : Code 12WPU PTO, ENGINE REAR AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE : Code 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS</p>	15DYZ	\$739 +92/+42	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-287

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	HV613 SBA
FUEL TANK (CONTINUED)		
(02) Top Draw, Polished Aluminum, D-Style, 19" Tank Depth, 50 US Gal (189L) Left Side; 70 US Gal (265L) Right Side; Total Capacity 120 US Gal (454L), Mounted Left and Right Side, Under Cab REQS: Code 04VKJ(std) or 04VKK AIR TANK LOCATION REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08VUL(std), 08VUM or 08WEJ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANF AXLE CONFIGURATION : Code 16196 CAB : Code 01CAW FRAME RAILS : Code 13607 TRANSMISSION, AUXILIARY : Code 15LKD FUEL HEATER : Code 12WPU PTO, ENGINE REAR AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE : Code 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS	15DZA	\$1,397 +91/+45
Top Draw, Non-Polished Aluminum, D-Style, 16" Tank Depth, 50 US Gal (189L), Mounted Left Side, Under Cab REQS: Code 08VTN, 08VUL(std), 08VUM or 08WEK BATTERY BOX, when in combination with Code 16CAB CAB REQS: Code 15DYP DEF TANK, when in combination with Code 16CAB CAB REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ or 08XDZ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 16196 CAB : Code 04VHZ and 04VKG AIR TANK LOCATION : Code 01CAW FRAME RAILS AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SGJ	\$55CR -8/+1



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
FUEL TANK (CONTINUED)			
(02) Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 70 US Gal (265L); Total Capacity 140 US Gal (530L), Mounted Left and Right Side, Under Cab REQS: Code 16030(std) CAB REQS: Code 04VCL, 04VKJ(std) or 04VKK AIR TANK LOCATION REQS: Code 15DYR DEF TANK REQS: Code 16ZHM ACCESS, CAB AND FRAME REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08VTN, 08VTR, 08VUL(std), 08VUM, 08WEJ, 08WEK or 08WEL BATTERY BOX REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14VKL or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANF AXLE CONFIGURATION : Code 01CAW FRAME RAILS : Code 13607 TRANSMISSION, AUXILIARY : EXHAUST SYSTEM : Code 15LKD FUEL HEATER : Code 12WPU PTO, ENGINE REAR AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE : Code 15WHD and 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS	15DMV	\$1,191 +96/+46	
(02) Top Draw, Polished Aluminum, D-Style, 19" Tank Depth, 70 US Gal (265L); Total Capacity 140 US Gal (530L), Mounted Left and Right Side, Under Cab REQS: Code 16030(std) CAB REQS: Code 04VKJ(std) or 04VKK AIR TANK LOCATION REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08VUL(std), 08VUM or 08WEJ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANF AXLE CONFIGURATION : Code 01CAW FRAME RAILS : Code 13607 TRANSMISSION, AUXILIARY : Code 07BKN, 07BKP(std), 07BKS and 07BLG EXHAUST SYSTEM : Code 15LKD FUEL HEATER : Code 12WPU PTO, ENGINE REAR (SEE NEXT PAGE)	15DYS	\$1,798 +94/+54	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-289

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>HV613 SBA</i>	
<i>FUEL TANK (SEE PREV PAGE)</i>			
REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 04VHZ and 04VKG AIR TANK LOCATION : Code 15LKD FUEL HEATER AVAIL: Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SWG		
(02) Top Draw, Non-Polished Aluminum, 26" Dia, 80 US Gal (303L) Left Side; 100 US Gal (379L) Right Side; Total Capacity 180 US Gal (682L), Mounted Left and Right Side, Under Cab REQS: Code 16030(std) CAB REQS: Code 04VKJ(std) or 04VKK AIR TANK LOCATION REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08VUL(std) or 08VUM BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANF AXLE CONFIGURATION : Code 13607 TRANSMISSION, AUXILIARY : Code 07BKN, 07BKP(std), 07BKS and 07BLG EXHAUST SYSTEM : Code 15LKD FUEL HEATER : Code 12WPU PTO, ENGINE REAR AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE : Code 15WHD ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS	15DUX	\$1,242 +107/+63	
Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 80 US Gal (303L), Mounted Left Side, Under Cab REQS: Code 16030(std) CAB REQS: Code 15DYP(std) DEF TANK REQS: Code 15LXX FUEL/WATER SEPARATOR REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08VTR, 08WEJ or 08XDZ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANF AXLE CONFIGURATION : Code 04VHZ and 04VKG AIR TANK LOCATION : Code 01CAW and 01CGE FRAME RAILS	15SXN	\$249 +22/+27	
<i>(SEE NEXT PAGE)</i>			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
FUEL TANK (SEE PREV PAGE)			
N/A: Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE : Code 15WHC, 15WHD, 15WHV and 15WHW ANTI-SIPHON DEVICE : Code 15LLY, 15LMA, 15LMG, 15LMK, 15LMT, 15LMU, 15LMW, 15LMY and 15LNJ LOCATION FUEL/WATER SEPARATOR, when in combination with Code 15LKX FUEL/WATER SEPARATOR : Code 15LKD FUEL HEATER AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SXN		
Top Draw, Non-Polished Aluminum, 26" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab REQS: Code 08VTN, 08VUL(std), 08VUM or 08WEK BATTERY BOX, when in combination with Code 16CAB CAB REQS: Code 15LMK LOCATION FUEL/WATER SEPARATOR, when in combination with Code 16030 CAB and Code 04VHT AIR DRYER LOCATION and Code 04091 BRAKE SYSTEM, AIR and Code 08VUL or 08VUM BATTERY BOX and Code 07BKP, 07BKS or 07BLG EXHAUST SYSTEM REQS: Code 15LMY LOCATION FUEL/WATER SEPARATOR, when in combination with Code 16030 CAB and Code 04VHT AIR DRYER LOCATION and Code 04091 BRAKE SYSTEM, AIR and Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK, 08VUN, 08WEK, 08WJJ or 08XDZ BATTERY BOX and Code 07BKP, 07BKS or 07BLG EXHAUST SYSTEM REQS: Code 15DYP DEF TANK, when in combination with Code 16CAB CAB REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ or 08XDZ BATTERY BOX N/A: Code 16196 CAB : Code 04VHZ and 04VKG AIR TANK LOCATION : Code 27DTE WHEELS, FRONT : Code 07BLG EXHAUST SYSTEM : Code 15LKD FUEL HEATER AVAIL: Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SJZ	\$249 +11/+13	
Top Draw, Non-Polished Aluminum, 26" Dia, 80 US Gal (303L), Mounted Left Side, Back of Cab REQS: Code 16196 CAB REQS: Code 04VKG, 04VKH or 04VKK AIR TANK LOCATION REQS: Code 07BKP(std) or 07BKS EXHAUST SYSTEM REQS: Code 15DYP DEF TANK REQS: Code 16ZHM ACCESS, CAB AND FRAME REQS: Code 08VTJ, 08VUR, 08WJN or 08XGJ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE (SEE NEXT PAGE)	15SVR	\$500 -32/+52	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-293

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>FUEL TANK (SEE PREV PAGE)</p> <p>-OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANF AXLE CONFIGURATION : Code 01CAW FRAME RAILS : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 15LKD FUEL HEATER AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 08WBW JUMP START STUD : Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS</p> <p>Top Draw, Polished Aluminum, 26" Dia, 80 US Gal (303L), Mounted Left Side, Back of Cab REQS: Code 16196 CAB REQS: Code 04VKG, 04VKH or 04VKK AIR TANK LOCATION REQS: Code 07BKP(std) or 07BKS EXHAUST SYSTEM REQS: Code 15DYR DEF TANK REQS: Code 16ZHM ACCESS, CAB AND FRAME REQS: Code 08VTJ, 08VUR, 08WJN or 08XGJ BATTERY BOX REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01ANF AXLE CONFIGURATION : Code 01CAW FRAME RAILS : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 15LKD FUEL HEATER AVAIL: Code 01MEJ FRAME, SPECIAL EFFECTS : Code 08WBW JUMP START STUD : Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS</p> <p>Top Draw, Polished Aluminum, 26" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab REQS: Code 08VTN, 08VUL(std), 08VUM or 08WEK BATTERY BOX, when in combination with Code 16CAB CAB REQS: Code 15LMK LOCATION FUEL/WATER SEPARATOR, when in combination with Code 16030 CAB and Code 04VHT AIR DRYER LOCATION and Code 04091 BRAKE SYSTEM, AIR and Code 08VUL or 08VUM BATTERY BOX and Code 07BKP, 07BKS or 07BLG EXHAUST SYSTEM REQS: Code 15LMY LOCATION FUEL/WATER SEPARATOR, when in combination with Code 16030 CAB and Code 04VHT AIR DRYER LOCATION and Code 04091 BRAKE SYSTEM, AIR and Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK, 08VUN, 08WEK, 08WJJ or 08XDZ BATTERY BOX and Code 07BKP, 07BKS or 07BLG EXHAUST SYSTEM (SEE NEXT PAGE)</p>	<p>15SVR</p> <p>15SVS</p> <p>15SWD</p>	<p></p> <p>\$813</p> <p>\$528</p>	<p></p> <p style="text-align: center;">-32/+52</p> <p style="text-align: center;">+11/+13</p>



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>FUEL TANK <i>(SEE PREV PAGE)</i></p> <p>REQS: Code 15DYP DEF TANK, when in combination with Code 16CAB CAB REQS: Code 15DYP(std) DEF TANK REQS: Code 16XTK, 16XTM, 16ZBB or 16ZBT(std) ACCESS, CAB REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ or 08XDZ BATTERY BOX REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 16196 CAB : Code 04VHZ and 04VKG AIR TANK LOCATION : Code 07BLG EXHAUST SYSTEM : Code 15LKD FUEL HEATER AVAIL: Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS</p>	15SWD		
<p>ANTI-SIPHON DEVICE</p> <p>(02) Snap-In Type, Zinc Plated Steel, for Dual Fuel Tanks; for Cylindrical Fuel Tanks REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM or 15DYY FUEL TANK AVAIL: Code 15903 FUEL TANK CAP</p> <p>Snap-In Type; for Single Fuel Tank; for Round Fuel Tanks REQS: Code 15SJR, 15SJZ, 15STM, 15SVN, 15SVR, 15SVS, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 15902 and 15903 FUEL TANK CAP</p> <p>for Dual Tanks; 2-Inch Diameter; Located inside Fuel Tank Fill Neck REQS: Code 15DMV, 15DYS, 15DYT, 15DYU, 15DYZ or 15DZA FUEL TANK N/A: Code 15902 and 15903 FUEL TANK CAP</p> <p>for Single Tank; 2-Inch Diameter; Located inside Fuel Tank Fill Neck REQS: Code 15SGD, 15SGG, 15SGJ, 15SMD, 15SRE(std) or 15SSC FUEL TANK N/A: Code 15902 and 15903 FUEL TANK CAP</p>	15WHD 15WHC 15WHW 15WHV	\$156 \$78 \$122 \$61	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
DEF TANK	HV613 SBA		
9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ or 08XDZ BATTERY BOX REQS: Code 15DPL, 15DPM, 15DUX, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 16196 CAB	15DYP	STD	
9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Back of Cab REQS: Code 08TST, 08TTR, 08VTJ, 08VTR, 08VUK, 08VUL(std), 08VUM, 08VUR, 08WEJ, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX REQS: Code 15DMV, 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SGD, 15SGG, 15SGJ, 15SSC, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT or 15SVU FUEL TANK N/A: Code 07BLG EXHAUST SYSTEM	15DYP	\$ 110 -23/+23	
DEF TANK COVER Stainless Steel	15BAA	\$ 233 +2/0	
FUEL COOLER Less Thermostat; Mounted in Front of Cooling Module	15WCS	\$ 276 +15/0	
FUEL HEATER <i>Arctic Fox</i> In-Tank Type, with Thermostat, for Single Tank REQS: Code 07BKS or 07BLG EXHAUST SYSTEM REQS: Code 15LKU(std) or 15LKX FUEL/WATER SEPARATOR REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SMD, 15SVN or 15SWE FUEL TANK N/A: Code 16564 HEATER SHUT-OFF VALVES	15LKD	\$ 1,095	
FUEL TANK CAP (02) Locking Type REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ or 15DZA FUEL TANK AVAIL: Code 15WHD ANTI-SIPHON DEVICE Locking Type	15903	\$ 106	
	15902	\$ 53	
<i>(SEE NEXT PAGE)</i>			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>FUEL TANK CAP <i>(SEE PREV PAGE)</i></p> <p>REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p>N/A: Code 15WHC, 15WHD, 15WHV and 15WHW ANTI-SIPHON DEVICE</p>	15902		
<p>FUEL TANK STRAPS</p> <p>Bright Finish Stainless Steel</p> <p>REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p>Bright Finish Stainless Steel, for Dual Fuel Tanks</p> <p>REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ or 15DZA FUEL TANK</p>	15924 15960	\$260 \$520	
<p>FUEL/WATER SEPARATOR</p> <p><i>Racor</i></p> <p>Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor</p> <p>REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK</p> <p>N/A: Code 12XBS, 12XBU and 12XBW BLOCK HEATER, ENGINE</p> <p>- 6600 -</p> <p>12 VDC Electric Heater, Includes Pre-Heater, Fuel Heated with Fuel Blender Valve, with Sight Bowl, Includes Water-In-Fuel Sensor</p> <p>REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK</p> <p>N/A: Code 12XBS, 12XBU and 12XBW BLOCK HEATER, ENGINE</p> <p>: Code 15LKD FUEL HEATER</p>	15LKU 15LPR	STD \$228	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
FUEL/WATER SEPARATOR (CONTINUED)			
<i>Davco</i>			
- Fuel Pro 382 -			
Includes Water-in-Fuel Sensor			
REQS: Code 15LLP, 15LLY, 15LMA, 15LMK, 15LMT, 15LMU, 15LMW, 15LMY, 15LNH, 15LNJ or 15LNK	15LKZ	\$298	+ 2/0
LOCATION FUEL/WATER SEPARATOR			
REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK			
N/A: Code 12XBS, 12XBU and 12XBW BLOCK HEATER, ENGINE			
: Code 15LKD FUEL HEATER			
120 VAC Plug-in Electric Pre-Heater, Coolant Heated, Includes Water-in-Fuel Sensor	15LML	\$623	
REQS: Code 12XBS or 12XBW BLOCK HEATER, ENGINE			
REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK			
N/A: Code 15LKD FUEL HEATER			
AVAIL: Code 12XBS and 12XBW BLOCK HEATER, ENGINE			
12 VDC Electric Heater, Includes Pre-Heater, Includes Water-in-Fuel Sensor	15LKX	\$421	+ 4/ - 3
N/A: Code 12XBS, 12XBU and 12XBW BLOCK HEATER, ENGINE			
LOCATION FUEL/WATER SEPARATOR			
Mounted Above Right Rail, Back of Cab	15LNK	\$50	
Mounted Inside Left Rail, Back of Cab	15LLP	\$50	0/0
REQS: Code 04VKB AIR DRYER LOCATION, when in combination with Code 15DYJ FUEL TANK			
REQS: Code 04VKB AIR DRYER LOCATION, when in combination with Code 16CAB CAB			
REQS: Code 04WZJ AIR TANK LOCATION, when in combination with Code 16CAB CAB			
REQS: Code 04EBD or 04EBT AIR DRYER, when in combination with Code 16CAB CAB			
REQS: Code 08WEK BATTERY BOX, when in combination with Code 16CAB CAB			
REQS: Code 08XGJ BATTERY BOX, when in combination with Code 15DYJ FUEL TANK			
REQS: Code 14UHK SUSPENSION, REAR, TANDEM or Code 14UNX SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 16CAB CAB			
REQS: Code 14UHK SUSPENSION, REAR, TANDEM, when in combination with Code 15DYJ FUEL TANK			
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	
LOCATION FUEL/WATER SEPARATOR (SEE PREV PAGE)			
REQS: Code 14TCL SUSPENSION, REAR, AIR, SINGLE or Code 14UPC or 14UPP SUSPENSION, REAR, AIR, TRIDEM or Code 14ULT, 14ULU, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZX or 14698 SUSPENSION, REAR, TANDEM, when in combination with Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL REQS: Code 07BKS EXHAUST SYSTEM, when in combination with Code 16CAB CAB REQS: Code 15SJR FUEL TANK, when in combination with Code 16CAB CAB REQS: Code 15DYR DEF TANK, when in combination with Code 15DYJ FUEL TANK REQS: Code 15LKU FUEL/WATER SEPARATOR, when in combination with Code 15DYJ FUEL TANK REQS: Code 15LKZ FUEL/WATER SEPARATOR, when in combination with Code 16CAB CAB N/A: Code 04VKC(std) AIR DRYER LOCATION : Code 01WMA CROSSMEMBER, INTERMEDIATE, when in combination with Code 15DYJ FUEL TANK : Code 15WCS FUEL COOLER, when in combination with Code 04VKC AIR DRYER LOCATION and Code 07BKS EXHAUST SYSTEM	15LLP		
Mounted Outside Left Rail, 11" Back of Cab N/A: Code 15LKZ FUEL/WATER SEPARATOR	15LMG	\$50	
Mounted Outside Left Rail, 15" Back of Cab	15LMA	\$50	
Mounted Outside Left Rail, 20" Back of Cab	15LMY	\$50	
Mounted Outside Left Rail, 27" Back of Cab	15LNH	\$50	
Mounted Outside Left Rail, 34" Back of Cab	15LMW	\$50	
Mounted Outside Left Rail, 46" Back of Cab	15LMT	\$70	
Mounted Outside Left Rail, 54" Back of Cab	15LMK	\$70	
Mounted Outside Left Rail, 58" Back of Cab	15LNJ	\$70	
Mounted Outside Left Rail, 66" Back of Cab	15LLY	\$70	
Mounted Outside Left Rail, 8" Back of Cab	15LMU	\$50	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
CODE	HV613 SBA		
<p>CAB <i>(SEE PREV PAGE)</i></p> <p>REQS: Code 16JAJ, 16LER, 16LPC, 16LPZ, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPN, 16PPZ, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400(std) SEAT, PASSENGER</p> <p>REQS: Code 16ZBU ACCESS, CAB</p> <p>REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATG, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING</p> <p>REQS: Code 04091(std) BRAKE SYSTEM, AIR</p> <p>REQS: Code 08VTJ, 08VUR or 08WJJ BATTERY BOX</p> <p>REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TRIDEM</p> <p>-OR- AXLE, REAR, TANDEM</p> <p>REQS: Code 13ATL(std), 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC</p> <p>-OR- TRANSMISSION, MANUAL</p> <p>REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWE or 15SWG FUEL TANK</p> <p>N/A: Code 10NZL SPECIAL RATING, GVWR</p> <p>: Code 16VBS CONSOLE, CENTER</p> <p>: Code 16WJU WINDOW, POWER or Code 16XCK WINDOW, MANUAL or Code 16XWY WINDSHIELD WASHER RESERVOIR or Code 01GBP FRAME REINFORCEMENT</p> <p>: Code 16HXB, 16JCP, 16JCR, 16JYL, 16JYM, 16KVL, 16KVM, 16KVN, 16LKU and 16LLR SEAT, DRIVER</p> <p>: Code 16KAY and 16SMV SEAT, REAR</p> <p>: Code 16DAN CAB INTERIOR TRIM ACCENT</p> <p>: Code 16DAN CAB INTERIOR TRIM ACCENT or Code 04VHT AIR DRYER LOCATION or Code 04VHZ AIR TANK LOCATION or Code 14TCL SUSPENSION, REAR, AIR, SINGLE</p> <p>: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME</p> <p>: Code 08RLZ, 08WJV and 08WJW BATTERY DISCONNECT SWITCH, when in combination with Code 08TST, 08TTR, 08VTR, 08VUJ, 08VUK, 08VUN, 08WEJ, 08WEL or 08WJJ BATTERY BOX</p> <p>: Code 16917 MOUNTING BRACKETS</p> <p>: Code 01CAW FRAME RAILS</p> <p>: Code 01WMA CROSSMEMBER, INTERMEDIATE, when in combination with Code 01ANA AXLE CONFIGURATION</p> <p>: Code 14WLM, 14WNN, 14WNL and 14WNNM AXLE, PUSHER, LIFT TYPE</p> <p>: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>16196</p>		

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-301

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>CAB <i>(SEE PREV PAGE)</i></p> <p>N/A: Code 16SDC, 16SED, 16SEE and 16SMW GRAB HANDLE, EXTERIOR : Code 16SDC, 16SEE and 16SMW GRAB HANDLE, EXTERIOR : Code 08RLZ, 08WJV and 08WJV BATTERY DISCONNECT SWITCH, when in combination with Code 08TST, 08TTR, 08VTR, 08VUJ, 08VUK, 08VUN, 08WEJ, 08WEL or 08WJJ BATTERY BOX : Code 04VCL, 04VHZ and 04VKH AIR TANK LOCATION : Code 01CAW FRAME RAILS : Code 01WMA CROSSMEMBER, INTERMEDIATE, when in combination with Code 01ANA AXLE CONFIGURATION : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 08VZP BEACON MOUNTING BRACKET : Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 04092 BRAKE SYSTEM, AIR : Code 08RMV SPEAKERS : Code 08HXT HORN, AIR : Code 12WPU PTO, ENGINE REAR</p> <p>AVAIL: Code 16KAY, 16SMV and 16615 SEAT, REAR : Code 16GHU GRAB HANDLE, CAB INTERIOR : Code 16XRX MODESTY PANEL : Code 08WTP COURTESY LIGHT</p>	16CAB		
<p>ACCESS, CAB</p> <p>Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME : Code 01WLS, 01WLT and 01WLY DECK PLATE : Code 16196 CAB</p> <p>Aluminum, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab or Sleeper Cab REQS: Code 16030(std) CAB N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME : Code 01WLS, 01WLT and 01WLY DECK PLATE : Code 07BEV AFTERTREATMENT COVER</p> <p>Steel, Driver & Passenger Sides, Two Steps per Door, for use with Crew Cab REQS: Code 16196 CAB REQS: Code 08VTJ, 08VUR or 08WEL BATTERY BOX REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SMD, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU or 15SWE FUEL TANK N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME : Code 01WLS, 01WLT and 01WLY DECK PLATE</p>	<p>16ZBT</p> <p>16XTM</p> <p>16ZBU</p>	<p>STD</p> <p>\$471 - 10/-5</p> <p>N/C +31/+52</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
<p>ACCESS, CAB (CONTINUED)</p> <p>Bright Aluminum, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab or Extended Cab</p> <p>REQS: Code 07BES AFTERTREATMENT COVER, when in combination with Code 07BKP EXHAUST SYSTEM</p> <p>N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME</p> <p>: Code 01WLS, 01WLT and 01WLY DECK PLATE</p> <p>: Code 16196 CAB</p> <p>Bustin</p> <p>Aluminum, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab or Extended Cab, Self-Cleaning</p> <p>REQS: Code 07BES AFTERTREATMENT COVER, when in combination with Code 07BKP EXHAUST SYSTEM</p> <p>N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME</p> <p>: Code 01WLS, 01WLT and 01WLY DECK PLATE</p> <p>: Code 16196 CAB</p>	16XTK	\$651	- 12 / - 4
	16ZBB	\$777	- 9 / - 5
<p>ACCESS, CAB AND FRAME</p> <p>Bright Aluminum, Driver & Passenger Sides, Two Steps per Door; Left Side Frame Access Step, Includes One Flush Mounted Deck Plate and Black Grab Handle, for use with Day Cab or Sleeper Cab</p> <p>REQS: Code 16030 CAB, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE</p> <p>REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE</p> <p>REQS: Code 07BES AFTERTREATMENT COVER, when in combination with Code 07BKP or 07BKS EXHAUST SYSTEM</p> <p>REQS: Code 04092 BRAKE SYSTEM, AIR</p> <p>REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX</p> <p>REQS: Code 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p>N/A: Code 16SAP and 16SDD GRAB HANDLE, ADDITIONAL EXT</p> <p>: Code 16XTK, 16XTM, 16ZBB, 16ZBT(std) and 16ZBU ACCESS, CAB</p> <p>: Code 16SDC GRAB HANDLE, EXTERIOR</p> <p>: Code 16196 CAB</p> <p>: Code 04JDC AIR DRYER LOCATION, when in combination with Code 16030 or 16196 CAB</p> <p>: Code 08VUL(std), 08VUM and 08WEL BATTERY BOX or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	16ZGR	\$684	- 10 / + 17



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE		
ACCESS, CAB AND FRAME (SEE PREV PAGE)			
N/A: Code 13607 TRANSMISSION, AUXILIARY or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE : Code 08899 JUMP START STUD : Code 07BLG EXHAUST SYSTEM AVAIL: Code 01WLT DECK PLATE	16ZGR		
Aluminum, Driver & Passenger Sides, Two Steps per Door; Left Side Frame Access Step, Includes One Flush Mounted Deck Plate and Black Grab Handle, for use with Day Cab REQS: Code 16030 CAB, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX REQS: Code 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 16SAP and 16SDD GRAB HANDLE, ADDITIONAL EXT : Code 16XTK, 16XTM, 16ZBB, 16ZBT(std) and 16ZBU ACCESS, CAB : Code 16SDC GRAB HANDLE, EXTERIOR : Code 01WLY DECK PLATE : Code 16196 CAB : Code 04JDC AIR DRYER LOCATION, when in combination with Code 16030 or 16196 CAB : Code 08VUL(std), 08VUM and 08WEL BATTERY BOX or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE : Code 08899 JUMP START STUD : Code 07BLG EXHAUST SYSTEM	16ZHH	\$566	-9/+16
Steel, Driver & Passenger Sides, Two Steps per Door; Left Side Frame Access Step, Includes One Flush Mounted Deck Plate and Black Grab Handle, for use with Day Cab, Extended Cab or Sleeper Cab REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 08TTR, 08VTR, 08VUJ, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEL, 08WJJ or 08XGJ BATTERY BOX N/A: Code 16SAP and 16SDD GRAB HANDLE, ADDITIONAL EXT : Code 16XTK, 16XTM, 16ZBB, 16ZBT(std) and 16ZBU ACCESS, CAB : Code 01WLY DECK PLATE : Code 16196 CAB	16ZHM	\$369	-5/+20
(SEE NEXT PAGE)			

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-305

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>ACCESS, CAB AND FRAME (SEE PREV PAGE)</p> <p>N/A: Code 04JDC AIR DRYER LOCATION, when in combination with Code 16030 or 16196 CAB</p> <p>: Code 08899 JUMP START STUD</p> <p>: Code 07BLG EXHAUST SYSTEM</p> <p>AVAIL: Code 16SEE and 16SMW GRAB HANDLE, EXTERIOR</p> <p>Bustin</p> <p>Aluminum, Driver & Passenger Sides, Two Steps per Door; Left Side Frame Access Step, Includes One Deck Plate and Grab Handle, for use with Day Cab, Self-Cleaning</p> <p>REQS: Code 16030 CAB, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE</p> <p>REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE</p> <p>REQS: Code 07BES AFTERTREATMENT COVER, when in combination with Code 07BKP or 07BKS EXHAUST SYSTEM</p> <p>REQS: Code 04092 BRAKE SYSTEM, AIR</p> <p>REQS: Code 08TST, 08TTR, 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08WEJ, 08WEK, 08WEL, 08WJJ, 08WJN or 08XGJ BATTERY BOX</p> <p>REQS: Code 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p>N/A: Code 16SAP and 16SDD GRAB HANDLE, ADDITIONAL EXT</p> <p>: Code 16XTK, 16XTM, 16ZBB, 16ZBT(std) and 16ZBU ACCESS, CAB</p> <p>: Code 16196 CAB</p> <p>: Code 04JDC AIR DRYER LOCATION, when in combination with Code 16030 or 16196 CAB</p> <p>: Code 08WEL BATTERY BOX or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE</p> <p>: Code 13607 TRANSMISSION, AUXILIARY or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE</p> <p>: Code 08899 JUMP START STUD</p> <p>: Code 07BLG EXHAUST SYSTEM</p> <p>AVAIL: Code 01WLY DECK PLATE</p>	<p>16ZHM</p> <p>16ZBP</p>	<p></p> <p>\$ 1,929 +12/+55</p>	
<p>AIR CONDITIONER</p> <p>with Integral Heater and Defroster</p> <p>N/A: Code 16BAL(std) HEATER</p>	<p>16BAM</p>	<p>\$ 1,187</p>	
<p>ARM REST, LEFT, PASSENGER SEAT</p> <p>REQS: Code 16LER, 16LGC, 16PPD, 16PPN, 16RPV, 16RPX or 16RXP SEAT, PASSENGER</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>16WBZ</p>	<p>\$ 39 +3/0</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-306

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
ARM REST, LEFT, PASSENGER SEAT (SEE PREV PAGE) N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER	16WBZ		
ARM REST, RIGHT, DRIVER SEAT REQS: Code 16JJD, 16JNT(std), 16JNV, 16JYX, 16LJL, 16LJS, 16LKU, 16LRV, 16LRW or 16LSD SEAT, DRIVER	16WBY	\$39	+ 3/0
AUTOMATIC CLIMATE CONTROL Automatically Maintains Cabin Comfort Based on Selected Temperature	16ATC	\$98	0/0
BUNK, LOWER 26" Wide; Includes Mattress, Occupant Restraints and Under Bunk Storage Compartment REQS: Code 16VKC or 16VKL CAB INTERIOR TRIM REQS: Code 16CAB CAB N/A: Code 16HXB, 16KVL, 16KVM, 16KVN, 16LKU and 16LLR SEAT, DRIVER : Code 13WYH TRANSMISSION TCM LOCATION AVAIL: Code 16615 SEAT, REAR : Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID : Code 60AAA, 60AAB and 60AAD BDY INTG, REMOTE POWER MODULE	16SBA	\$2,300	+15/+29
CAB INTERIOR TRIM Classic, for Day Cab INCLS: SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For Canada Only : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For USA Only : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted - For Canada Only : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted - For USA Only REQS: Code 16WJU or 16WJV WINDOW, POWER or Code 16XCK or 16XCL WINDOW, MANUAL REQS: Code 16030(std) CAB REQS: Code 16WJU WINDOW, POWER -OR- Code 16XCK(std) WINDOW, MANUAL <div style="text-align: right;"><i>(SEE NEXT PAGE)</i></div>	16VKB	STD	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>CAB INTERIOR TRIM (SEE PREV PAGE)</p> <p>REQS: Code 16HYA, 16HYB, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPN, 16PPY, 16PXG, 16PXH, 16RAD, 16RAM, 16RAN, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SMX, 16SMY, 16SMZ, 16SPE, 16SPG, 16SPH or 16400(std) SEAT, PASSENGER</p> <p>N/A: Code 16VCA and 16VCB SEAT BELT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16SBA BUNK, LOWER</p> <p>AVAIL: Code 16HCK SEATBELT WARNING PREWIRE : Code 08WTP COURTESY LIGHT</p> <p>Classic, for Crew Cab INCLS: SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For Canada Only : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For USA Only : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted - For Canada Only : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted - For USA Only</p> <p>REQS: Code 16WJU or 16WJV WINDOW, POWER or Code 16XCK or 16XCL WINDOW, MANUAL</p> <p>REQS: Code 16196 CAB REQS: Code 16WJV WINDOW, POWER -OR- Code 16XCL WINDOW, MANUAL</p> <p>REQS: Code 16HYA, 16JAJ, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPN, 16PPZ, 16PXG, 16PXH, 16RAD, 16RAM, 16RAN, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SMX, 16SMY, 16SMZ or 16400(std) SEAT, PASSENGER</p> <p>N/A: Code 16HXB, 16KVL, 16KVM and 16KVN SEAT, DRIVER : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16SBA BUNK, LOWER</p> <p>AVAIL: Code 08WTR COURTESY LIGHT</p> <p>Classic, for Extended Cab INCLS: SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For Canada Only</p> <p>(SEE NEXT PAGE)</p>	<p>16VKB</p> <p>16VKD</p> <p>16VKC</p>	<p>N/C</p> <p>N/C</p> <p>N/C</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-308

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>CAB INTERIOR TRIM (SEE PREV PAGE)</p> <p>REQS: Code 16HYA, 16JAJ, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPN, 16PPZ, 16PXG, 16PXH, 16RAD, 16RAM, 16RAN, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SMX, 16SMY, 16SMZ or 16400(std) SEAT, PASSENGER</p> <p>N/A: Code 16VBT and 16VBX CAB SOUND INSULATION : Code 16HXB, 16KVL, 16KVM and 16KVN SEAT, DRIVER : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCS GAUGE, TEMPERATURE, AMBIENT : Code 08WTP and 08WTR COURTESY LIGHT : Code 08XKG DOME LIGHT, CAB : Code 16SBA BUNK, LOWER</p> <p>Diamond, for Day Cab</p> <p>INCLS: SUN VISOR (3) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side</p> <p>: CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For Canada Only</p> <p>: CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For USA Only</p> <p>: DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Reading Lights; Integral to Overhead Console, Center Mounted - For Canada Only</p> <p>: DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Reading Lights; Integral to Overhead Console, Center Mounted - For USA Only</p> <p>REQS: Code 16030(std) CAB REQS: Code 16WJU WINDOW, POWER -OR- Code 16XCK(std) WINDOW, MANUAL REQS: Code 16HYA, 16HYB, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPN, 16PPY, 16PXG, 16PXH, 16RAD, 16RAM, 16RAN, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SMX, 16SMY, 16SMZ, 16SPE, 16SPG, 16SPH or 16400(std) SEAT, PASSENGER</p> <p>N/A: Code 16VCA and 16VCB SEAT BELT : Code 16VBT and 16VBX CAB SOUND INSULATION : Code 16HCS GAUGE, TEMPERATURE, AMBIENT : Code 08WTP and 08WTR COURTESY LIGHT : Code 08XKG DOME LIGHT, CAB : Code 16SBA BUNK, LOWER</p> <p>AVAIL: Code 16HCK SEATBELT WARNING PREWIRE</p> <p>Diamond, for Extended Cab</p>	<p>16VKM</p> <p>16VKK</p> <p>16VKL</p>	<p>\$548</p> <p>\$530</p>	
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>CAB INTERIOR TRIM <i>(SEE PREV PAGE)</i></p> <p>INCLS: SUN VISOR (3) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side</p> <p>: CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For Canada Only</p> <p>: CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For USA Only</p> <p>: DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Reading Lights; Integral to Overhead Console, Center Mounted - For Canada Only</p> <p>: DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Reading Lights; Integral to Overhead Console, Center Mounted - For USA Only</p> <p>REQS: Code 16CAB CAB</p> <p>REQS: Code 16WJU WINDOW, POWER</p> <p>-OR- Code 16XCK(std) WINDOW, MANUAL</p> <p>REQS: Code 16HYA, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RAD, 16RAM, 16RAN, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SMX, 16SMY, 16SMZ or 16400(std) SEAT, PASSENGER</p> <p>N/A: Code 16VBT and 16VBX CAB SOUND INSULATION</p> <p>: Code 16HXB, 16KVL, 16KVM and 16KVN SEAT, DRIVER</p> <p>: Code 16DAN CAB INTERIOR TRIM ACCENT</p> <p>: Code 16HCS GAUGE, TEMPERATURE, AMBIENT</p> <p>: Code 08WTP and 08WTR COURTESY LIGHT</p> <p>: Code 08XKG DOME LIGHT, CAB</p>	16VKL		
<p>CAB INTERIOR TRIM ACCENT</p> <p>Black Cherry Color Padded Door Insert, Padded Door Topper, Seat Insert</p> <p>REQS: Code 16WJU WINDOW, POWER</p> <p>REQS: Code 16HXB or 16LSD SEAT, DRIVER</p> <p>REQS: Code 16VKK CAB INTERIOR TRIM</p> <p>REQS: Code 16030(std) CAB</p> <p>REQS: Code 16HYB, 16LER or 16400(std) SEAT, PASSENGER</p> <p>-OR- SEAT, TWO-MAN PASSENGER</p>	16DAN	\$488	0/0
<p>CAB REAR SUSPENSION</p> <p>Air Bag Type</p>	16WSK	STD	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
CAB REAR SUSPENSION (CONTINUED)			
Air, Provides Rear PTO and PTO Driveshaft Clearance REQS: Code 16030(std) CAB	16XZC	\$130	
CAB SOUND INSULATION			
Includes Dash Insulator and Engine Cover Insulator, Premium Floormat, and Sound Dampening Patches REQS: Code 16VKB(std), 16VKC or 16VKD CAB INTERIOR TRIM	16VBT	\$162	+27/0
Includes Dash Insulator Premium Floormat, and Sound Dampening Patches REQS: Code 16VKB(std), 16VKC or 16VKD CAB INTERIOR TRIM	16VBX	\$113	+10/0
CONSOLE, CENTER			
Polypropylene, with One Coin Holder, One Cup Holder and One Thermos Holder, with Laptop PC or Clipboard Storage, Includes small Storage Area REQS: Code 16030(std) CAB REQS: Code 14RAR, 14RAV or 14RAW AXLE, LIFT, CONTROLS REQS: Code 16HYA, 16HYB, 16JAJ, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RAD, 16RAM, 16RAN, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SPE, 16SPG, 16SPH or 16400(std) SEAT, PASSENGER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16KVL, 16KVM and 16KVN SEAT, DRIVER	16VBS	\$64	+4/+2
COVER PLATE			
Blank Steel Cover Plate in Place of Storage Bin for Customer Mounting Requirements N/A: Code 16XJP INSTRUMENT PANEL	16XCV	\$25	
COWL TRAY LID			
	16XXC	\$200	+8/+2
CURTAIN, WINDSHIELD			
Privacy for the Windshield and Door Windows REQS: Code 16CAB or 16196 CAB	16UZY	\$250	+8/0
Privacy for Windshield, Doors and Rear Windows REQS: Code 16CAB or 16196 CAB	16UZZ	\$338	+10/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
ELECTRONIC VEHICLE MONITORING Driver Information Display, Flush Mounted Style In Wing Panel; with 6.5" Color Touch Screen, Includes GPS Navigation for North America with Truck Logistics and USB Port REQS: Code 16XJP INSTRUMENT PANEL REQS: Code 14RAR, 14RAV or 14RAW AXLE, LIFT, CONTROLS REQS: Code 08RML, 08RMM, 08RMN, 08RMP or 08RMR RADIO N/A: Code 16HKA and 16HKT(std) IP CLUSTER DISPLAY : Code 60ABD BDY INTG, REMOTE START/STOP or Code 16XCX TELEMATICS BRACKET or IP CLUSTER DISPLAY	16HLN	\$1,712	
FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood N/A: Code 09WBT GRILLE EMBER SCREEN	16WLS	\$76 0/0	
GAUGE CLUSTER Base Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 3 Inch Monochromatic Text Display N/A: Code 16HLR VIRTUAL GAUGE, AIR APPLICATION : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 16HLW VIRTUAL GAUGE, OIL TEMP, ENG : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 08TPL COLLISION MITIGATION SYSTEM Base Level; English with Metric Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 3 Inch Monochromatic Text Display N/A: Code 16HLR VIRTUAL GAUGE, AIR APPLICATION : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 16HLW VIRTUAL GAUGE, OIL TEMP, ENG : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 08TPL COLLISION MITIGATION SYSTEM Base Level; Metric with Metric Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 3 Inch Monochromatic Text Display N/A: Code 16HLR VIRTUAL GAUGE, AIR APPLICATION : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 16HLW VIRTUAL GAUGE, OIL TEMP, ENG : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 08TPL COLLISION MITIGATION SYSTEM (SEE NEXT PAGE)	16GDC	STD	
	16GDD	N/C 0/0	
	16GDE	N/C 0/0	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
GAUGE CLUSTER <i>(SEE PREV PAGE)</i> N/A: Code 08TPL COLLISION MITIGATION SYSTEM Premium Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 5 Inch LCD Color Display Premium Level; English with Metric Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 5 Inch LCD Color Display Premium Level; Metric with Metric Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 5 Inch LCD Color Display	16GDE 16GDG 16GDH 16GDJ	\$488 \$488 \$488	0/0 0/0 0/0
GAUGE, AIR APPLICATION	16HGN	\$77	0/0
GAUGE, AIR CLEANER RESTRICTION <i>Filter-Minder</i> with Black Bezel, Mounted in Instrument Panel Under Hood Cleaner Mounted with Internal Switch, with Text Message in Cluster	16HHE 16HKC	\$30 \$76	+2/0 +2/0
GAUGE, AIR PRESSURE for Pressure in Rear Air Suspension, Mounted in Instrument Center Panel REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU or 14UNX SUSPENSION, REAR, AIR, TANDEM N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM	16AAH	\$77	0/0
GAUGE, LOAD INDICATING REAR Text Message in Cluster Display, for use with Rear Air Suspension REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM <div style="text-align: right;"><i>(SEE NEXT PAGE)</i></div>	16HKE	\$128	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
GAUGE, LOAD INDICATING REAR (SEE PREV PAGE) -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU or 14UNX SUSPENSION, REAR, AIR, TANDEM N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM	16HKE		
GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission N/A: GAUGE, OIL TEMP, MANUAL TRAN, when in combination with Code 16HGG GAUGE, OIL TEMP, ENGINE : TRANSMISSION, MANUAL	16HGH	\$48	+ 1/0
GAUGE, OIL TEMP, ENGINE N/A: GAUGE, OIL TEMP, AUTO TRANS, when in combination with Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : GAUGE, OIL TEMP, MANUAL TRAN, when in combination with Code 16HGH GAUGE, OIL TEMP, AUTO TRANS	16HGG	\$54	+ 1/0
GAUGE, OIL TEMP, MANUAL TRAN for Manual Transmission N/A: GAUGE, OIL TEMP, AUTO TRANS, when in combination with Code 16HGG GAUGE, OIL TEMP, ENGINE : TRANSMISSION, AUTOMATIC : Code 16WLM HOURMETER, PTO	16HGJ	\$48	+ 1/0
GAUGE, OIL TEMP, REAR AXLE REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	16HGL	\$95	+ 1/0
GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster REQS: Code 16VKB(std), 16VKC or 16VKD CAB INTERIOR TRIM	16HCS	\$71	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
GAUGE, VOLTMETER Auxiliary Gauge, Located in Center Panel. Standard Cluster Also Includes Digital Voltage Readout	16HLX	\$49	0/0
VIRTUAL GAUGE, AIR APPLICATION Requires Premium Cluster REQS: Code 16GDG, 16GDH or 16GDJ GAUGE CLUSTER	16HLR	\$58	0/0
VIRTUAL GAUGE, AIR PRESSURE for Pressure in Rear Air Suspension, Requires Premium Cluster REQS: Code 16GDG, 16GDH or 16GDJ GAUGE CLUSTER REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU or 14UNX SUSPENSION, REAR, AIR, TANDEM N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM	16AAG	\$58	0/0
VIRTUAL GA, OIL TEMP,AUTO XMSN for Allison Transmission, Requires Premium Cluster REQS: Code 16GDG, 16GDH or 16GDJ GAUGE CLUSTER N/A: Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : TRANSMISSION, MANUAL	16HLU	\$48	0/0
VIRTUAL GAUGE, OIL TEMP, ENG Requires Premium Cluster REQS: Code 16GDG, 16GDH or 16GDJ GAUGE CLUSTER	16HLW	\$48	0/0
VIRTUAL GA,OIL TEMP,MANL XMSN for Manual Transmission, Requires Premium Cluster REQS: Code 16GDG, 16GDH or 16GDJ GAUGE CLUSTER N/A: Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : TRANSMISSION, AUTOMATIC : Code 16WLM HOURMETER, PTO	16HLV	\$38	0/0
VIRTUAL GA,OIL TEMP,REAR AXLE Requires Premium Cluster REQS: Code 16GDG, 16GDH or 16GDJ GAUGE CLUSTER REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM	16HLS	\$79	0/0
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
VIRTUAL GA,OIL TEMP,REAR AXLE (SEE PREV PAGE) N/A: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	16HLS		
GRAB HANDLE, EXTERIOR (02) Black, Aluminum, for Cab Entry Mounted Left and Right Side at B-Pillar REQS: Code 16ZBP, 16ZGR or 16ZHH ACCESS, CAB AND FRAME N/A: Code 16SAP and 16SDD GRAB HANDLE, ADDITIONAL EXT : Code 16CAB CAB Black, Aluminum, for Cab Entry Mounted Left Side at B-Pillar N/A: Code 16CAB CAB (02) Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left and Right Side at B-Pillar REQS: Code 16ZBP ACCESS, CAB AND FRAME N/A: Code 16CAB CAB Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left Side at B-Pillar N/A: Code 16CAB CAB	16SED	\$87	
	16SMW	\$45	
	16SDC	\$236	+6/0
	16SEE	\$118	+3/0
GRAB HANDLE, ADDITIONAL EXT (02) Chrome; Towel Bar Type with Anti-Slip Rubber Inserts; Mounted Left and Right Side on Exterior, Rear of Rear Doors, with Crew Cab REQS: Code 16196 CAB N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME : Code 16SED GRAB HANDLE, EXTERIOR (1) Chrome; Towel Bar Type with Anti-Slip Rubber Insert; Mounted Left Side on Exterior, Rear of Rear Door, with Crew Cab REQS: Code 16196 CAB N/A: Code 16ZBP, 16ZGR, 16ZHH and 16ZHM ACCESS, CAB AND FRAME : Code 16SED GRAB HANDLE, EXTERIOR	16SDD	\$236	+5/0
	16SAP	\$118	0/0
GRAB HANDLE, CAB INTERIOR (2) Safety Yellow N/A: Code 16196 CAB (4) Safety Yellow, Crew Cab REQS: Code 16196 CAB	16GHU	\$33	0/0
	16GHV	\$64	0/0
HEATER N/A: Code 16BAM AIR CONDITIONER	16BAL	STD	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
HEATER HOSES	HV613 SBA		
Silicone REQ: Code 16WHJ HOSE CLAMPS, HEATER HOSE	16975	\$78	0/0
HOSE CLAMPS, HEATER HOSE Breeze Belleville Washer Type	16WHJ	\$25	0/0
HEATER SHUT-OFF VALVES (1) Ball Valve Type, Supply Line N/A: Code 15LKD FUEL HEATER	16564	\$69	0/0
HOURLMETER, PTO for Customer Provided PTO; with Indicator Light and Hourmeter in Gauge Cluster Includes Return Wire for PTO Feedback Switch N/A: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN AVAIL: Code 60AKG BDY INTG, PTO ACCOMMODATION	16WLM	\$138	+ 2/0
INSTRUMENT PANEL Flat Panel N/A: CAB INTERIOR TRIM ACCENT : Code 16HLN ELECTRONIC VEHICLE MONITORING : USB PORT, when in combination with Code 16XCZ TELEMATICS BRACKET AVAIL: Code 16XCZ TELEMATICS BRACKET Wing Panel N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 04596 CONTROL VALVE, FRONT BRAKE or Code 08718 POWER SOURCE : Code 08718 POWER SOURCE : Code 16XCZ TELEMATICS BRACKET	16XJN	STD	
IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING Omit Display of Fault Codes in Instrument Cluster and Disable Blink Codes, Requires Service Tool to Retrieve and View Fault Code N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING	16HKT	STD	
	16HKA	N/C	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>KEYLESS ENTRY SYSTEM REMOTE</p> <p>with Panic Alarm and Horn Beep Lock Confirmation, with Auxiliary Button for Work Light Function Includes One Key Fob REQS: Code 16WJU or 16WJV WINDOW, POWER, when in combination with Code 16CAB, 16030 or 16196 CAB REQS: Code 16WJU WINDOW, POWER, when in combination with Code 16030 CAB REQS: Code 08WLL LIGHT, WORK or Code 08WMA or 08WTT SWITCH, TOGGLE, FOR WORK LIGHT</p> <p>with Panic Alarm and Horn Beep Lock Confirmation, with Auxiliary Button for Trailer Accessory Function, Includes One Key Fob REQS: Code 16WJU or 16WJV WINDOW, POWER, when in combination with Code 16CAB, 16030 or 16196 CAB REQS: Code 16WJU WINDOW, POWER, when in combination with Code 16030 CAB</p> <p>with Panic and Auxiliary Buttons, Includes One Key Fob (Transmitter) REQS: Code 16WJU or 16WJV WINDOW, POWER, when in combination with Code 16CAB, 16030 or 16196 CAB REQS: Code 16WJU WINDOW, POWER, when in combination with Code 16030 CAB</p>	<p>16VCN</p> <p>16VCP</p> <p>16WKZ</p>	<p>\$390</p> <p>\$390</p> <p>\$328</p>	<p>+ 1/0</p> <p>+ 2/0</p> <p>+ 2/0</p>
<p>MIRROR, CONVEX, LOOK DOWN</p> <p>Right Side, Black, 6" x 10.5" REQS: Code 16SNL(std), 16SNM, 16SNP, 16SNS or 16SNT MIRRORS</p> <p>Right Side, Bright, 6" x 10.5" REQS: Code 16SNN, 16SNR, 16SNU, 16SNV or 16SPJ MIRRORS</p>	<p>16SNW</p> <p>16SNX</p>	<p>\$49</p> <p>\$57</p>	
<p>MIRRORS</p> <p>(02) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width N/A: Code 16VSL WINDSHIELD : Code 08RMN RADIO : Code 08RNB and 08RNC CB RADIO AVAIL: Code 16SDH, 16SDZ, 16SEA and 16WSL MIRROR, CONVEX, HOOD MOUNTED : Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"</p> <p>(02) Aero Pedestal, Power Adjust, Heated, Black Heads and Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width N/A: Code 16SJX MIRROR, CONVEX, HOOD MOUNTED : Code 08RMN RADIO : Code 08RMN RADIO, when in combination with Code 16030 CAB AVAIL: Code 16SNW MIRROR, CONVEX, LOOK DOWN (SEE NEXT PAGE)</p>	<p>16SNL</p> <p>16SNS</p>	<p>STD</p> <p>\$419</p>	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-319

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>MIRRORS <i>(SEE PREV PAGE)</i></p> <p>NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"</p> <p>(02) Aero Pedestal, Power Adjust, Heated, Turn Signals, Black Heads and Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width N/A: Code 16SJX MIRROR, CONVEX, HOOD MOUNTED : Code 08RMN RADIO : Code 08RMN RADIO, when in combination with Code 16030 CAB AVAIL: Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"</p> <p>(02) C-Loop, Power Adjust, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width N/A: Code 16SJX MIRROR, CONVEX, HOOD MOUNTED AVAIL: Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"</p> <p>(02) Aero Pedestal, Power Adjust, Heated, Bright Heads, Black Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width N/A: Code 16SDH, 16SJW and 16WSL MIRROR, CONVEX, HOOD MOUNTED : Code 08RMN RADIO : Code 08RMN RADIO, when in combination with Code 16030 CAB AVAIL: Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"</p> <p>(02) Aero Pedestal, Power Adjust, Heated, Turn Signals, Bright Heads, Black Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width N/A: Code 16SDH and 16WSL MIRROR, CONVEX, HOOD MOUNTED : Code 08RMN RADIO : Code 08RMN RADIO, when in combination with Code 16030 CAB AVAIL: Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"</p> <p>(02) C-Loop, Power Adjust, Heated, LED Clearance Lights, Bright Heads and Arms, 7" x 14.5", Includes 8" x 6" Convex Mirrors, for 96" Load Width N/A: Code 08RMN RADIO AVAIL: Code 16SDZ, 16SEA, 16SJV and 16SJX MIRROR, CONVEX, HOOD MOUNTED : Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"</p>			
	16SNS		
	16SNT	\$555	
	16SNP	\$321	
	16SNU	\$513	
	16SNV	\$649	
	16SPJ	\$535	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
MIRRORS (CONTINUED)			
(02) C-Loop, Power Adjust, Heated, LED Clearance Lights, Bright Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width N/A: Code 16SDH, 16SJW and 16WSL MIRROR, CONVEX, HOOD MOUNTED AVAIL: Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNR	\$667	
(02) C-Loop, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width N/A: Code 16SJX MIRROR, CONVEX, HOOD MOUNTED AVAIL: Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNM	\$151	
(02) C-Loop, Heated, Bright Heads, Black Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width N/A: Code 16SDH, 16SJW and 16WSL MIRROR, CONVEX, HOOD MOUNTED AVAIL: Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNN	\$245	
MIRROR, CONVEX, HOOD MOUNTED			
SPECIAL, Wiring Only for Left Side Heated Mirror, Does Not Include Mirror or Mounting Brackets REQS: Code 16SNM, 16SNN, 16SNP, 16SNR, 16SNS, 16SNT, 16SNU or 16SNV MIRRORS	16SBZ	\$50	+5/0
SPECIAL, Wiring Only for Right Side Heated Mirror, Does Not Include Mirror or Mounting Brackets REQS: Code 16SNM, 16SNN, 16SNP, 16SNR, 16SNS, 16SNT, 16SNU or 16SNV MIRRORS	16SBY	\$50	+6/-1
Lang Mekra			
(1) Right Side, Black, 7.5" Sq. REQS: Code 16SNL(std), 16SNM, 16SNP, 16SNS or 16SNT MIRRORS	16SDH	\$70	+6/0
(1) Right Side, Bright, Heated REQS: Code 16SNM, 16SNN, 16SNP, 16SNR, 16SNS, 16SNT, 16SNU, 16SNV or 16SPJ MIRRORS	16SJV	\$177	+5/0
(1) Right Side, Bright, 7.5" Sq.	16SEA	\$96	+6/0
(2) Right and Left Side, Bright, 7.5" Sq.	16SDZ	\$190	+11/0
(2) Right and Left Sides, Black 7.5" Sq. REQS: Code 16SNL(std), 16SNM, 16SNP, 16SNS or 16SNT MIRRORS	16WSL	\$137	+11/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
MIRROR, CONVEX, HOOD MOUNTED (CONTINUED) Lang Mekra (2) Right and Left Sides, Black, Heated, 7.5" Sq. REQS: Code 16SNM, 16SNP, 16SNS, 16SNT or 16SNV MIRRORS (2) Right and Left Sides, Bright, Heated, 7.5" Sq. REQS: Code 16SNN, 16SNR, 16SNU, 16SNV or 16SPJ MIRRORS	16SJW	\$265 +9/0	
	16SJX	\$390 +20/-1	
MODESTY PANEL Painted N/A: Code 07BLG EXHAUST SYSTEM Painted, Left Side Only REQS: Code 16030(std) CAB REQS: Code 07BLG EXHAUST SYSTEM	16XRX	\$217 0/0	
	16XSE	\$217	
MONITOR, TIRE PRESSURE - SmarTire - System gives Warning that Tire Pressure is below Set Pressure, Monitors Tire Pressure of Each Tire with Temperature Compensation, Data Displayed in the LCD of the Premium Level Cluster N/A: WHEEL, SPARE, DISC : Code 27DBA WHEELS, FRONT : Code 29AAA WHEEL BRAND, FRONT	16VKX	\$1,288	
MOUNTING BRACKETS for Catwalk, Less Roof Catwalk REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 16196 CAB : Code 08VZP BEACON MOUNTING BRACKET : Code 08HXT HORN, AIR : Code 08695 SNOW SHIELD	16917	\$171 +3/0	
SEAT BELT All Green; 1 to 3 N/A: Code 16KVL, 16KVM and 16KVN SEAT, DRIVER AVAIL: Code 16615 SEAT, REAR All Orange; 1 to 3 REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB or 16196 CAB AVAIL: Code 16615 SEAT, REAR All Orange; 4 to 6 REQS: Code 16VKC, 16VKD, 16VKL or 16VKM CAB INTERIOR TRIM REQS: Code 16CAB or 16196 CAB REQS: Code 16JAJ, 16LER, 16LGC, 16LPC, 16LPZ, 16LUM, 16LUN, 16LVK, 16PNX, 16PPD, 16PPG, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400(std) SEAT, PASSENGER (SEE NEXT PAGE)	16VHD	\$36	
	16VCC	\$26 0/0	
	16VCB	\$50 0/0	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
SEAT, DRIVER (CONTINUED)			
<i>National</i>			
- 2000 -			
Air Suspension, High Back with Integral Headrest, Cloth, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Rubber Bellows REQS: Code 16WBY ARM REST, RIGHT, DRIVER SEAT REQS: Code 16RPX, 16RXP, 16SMM, 16SMR, 16SMX or 16400(std) SEAT, PASSENGER N/A: Code 16LJY, 16PCS, 16SMT and 16SMV SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCH SEATBELT WARNING LIGHT IND. AVAIL: Code 16PJV SEAT, TWO-MAN PASSENGER	16LJL	\$301	0/0
Air Suspension, High Back with Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust REQS: Code 16RPX, 16RXP, 16SMM, 16SMR, 16SMX or 16400(std) SEAT, PASSENGER N/A: Code 16LJY, 16PCS, 16SMT and 16SMV SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT AVAIL: Code 16PJV SEAT, TWO-MAN PASSENGER	16JNV	\$41	0/0
Air Suspension, High Back with Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjust, Extended Track REQS: Code 16CAB or 16196 CAB REQS: Code 16RPV, 16RPX, 16RXP, 16SMM, 16SMR, 16SMX or 16400(std) SEAT, PASSENGER N/A: Code 16LJY, 16PCS, 16SMT and 16SMV SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCH SEATBELT WARNING LIGHT IND. : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 13WYH TRANSMISSION TCM LOCATION : Code 10XAP FIRE EXTINGUISHER BRACKET AVAIL: Code 16PJV SEAT, TWO-MAN PASSENGER	16LRW	\$74	-1/0
NFPA Compliant, Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust REQS: Code 16JAJ, 16LUM, 16PPG, 16PPN, 16PPZ, 16PXG, 16PXH, 16RPV, 16SMN, 16SMY or 16400(std) SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 10XAP FIRE EXTINGUISHER BRACKET AVAIL: Code 16PJW SEAT, TWO-MAN PASSENGER	16JJE	\$49	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
SEAT, DRIVER	HV613 SBA		
(CONTINUED)			
<p><i>National</i></p> <p>- 2000 -</p> <p>Air Suspension, High Back with Integral Headrest, Vinyl, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjust, Extended Track REQS: Code 16CAB or 16196 CAB REQS: Code 16JAJ, 16LUM, 16PPG, 16PPN, 16PPZ, 16PXG, 16PXH, 16RPV, 16SMN, 16SMY or 16400(std) SEAT, PASSENGER N/A: Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCH SEATBELT WARNING LIGHT IND. : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 13WYH TRANSMISSION TCM LOCATION : Code 10XAP FIRE EXTINGUISHER BRACKET AVAIL: Code 16PJW SEAT, TWO-MAN PASSENGER</p> <p>Air Suspension, Hi Back, Vinyl Boxing w/Leather Facing, 1 Inboard Arm Rest, Isolator, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Adj Side Bolster, Vinyl Suspension Cover, Heat REQS: Code 16PNX or 16400(std) SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE</p> <p>Air Suspension, Mid Back, Mordura Cloth, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3 Position Rear Cushion Adjust, -3 to +14 Degree Back Angle Adjust REQS: Code 16030(std) CAB REQS: Code 16LGC or 16400(std) SEAT, PASSENGER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCH SEATBELT WARNING LIGHT IND. : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 08TPL COLLISION MITIGATION SYSTEM : Code 16SBA BUNK, LOWER : Code 10XAP FIRE EXTINGUISHER BRACKET AVAIL: Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR</p> <p>Non-Suspension, High Back with Integral Head Rest, Cloth, with Fixed Back REQS: Code 16SMM, 16SMR or 16400(std) SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16WBY ARM REST, RIGHT, DRIVER SEAT</p> <p style="text-align: center;">(SEE NEXT PAGE)</p>	<p>16LRV</p> <p>16JPX</p> <p>16LKU</p> <p>16KAU</p>	<p>\$32</p> <p>\$696</p> <p>\$163</p> <p>\$25</p>	<p>- 2 / - 1</p> <p>+ 5 / + 3</p> <p>0 / 0</p> <p>- 32 / - 18</p>



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
SEAT, DRIVER	HV613 SBA		
<i>(SEE PREV PAGE)</i>			
National			
N/A: Code 16LJY, 16PCS, 16SMT and 16SMV SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 10XAP FIRE EXTINGUISHER BRACKET AVAIL: Code 16PJV SEAT, TWO-MAN PASSENGER	16KAU		
Non-Suspension, High Back with Integral Head Rest, Vinyl, with Fixed Back REQS: Code 16JAJ, 16LUM, 16PPG, 16PPN, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16SMN, 16SMY or 16400(std) SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 10XAP FIRE EXTINGUISHER BRACKET AVAIL: Code 16PJW SEAT, TWO-MAN PASSENGER	16KAV	N/C - 32/- 18	
- Model HP - Air Suspension, High Back, with Mordura Cloth, No Arm Rest, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, 3-14 Degree Back Angle Adjust, Bellows REQS: Code 16030(std) CAB REQS: Code 16LVK, 16SMZ or 16400(std) SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16SMT, 16SMU, 16SMV and 16615 SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCH SEATBELT WARNING LIGHT IND. : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 08TPL COLLISION MITIGATION SYSTEM : Code 16SBA BUNK, LOWER : Code 10XAP FIRE EXTINGUISHER BRACKET	16LLR	\$354 + 3/+ 2	
Air Suspension, High Back, Leather, 2 Arm Rests, Isolator, 7.5 Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, 3-14 Degree Back Angle Adjustment, Adj Side Bolster, Bellows, Back Cyclor REQS: Code 16HYB SEAT, PASSENGER REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM REQS: Code 16HYB or 16400(std) SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16VCA and 16VCB SEAT BELT : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16SMT, 16SMU, 16SMV and 16615 SEAT, REAR : Code 16196 CAB	16HXB	\$795 + 3/+ 2	
<i>(SEE NEXT PAGE)</i>			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
SEAT, DRIVER (SEE PREV PAGE)			
National - Model HP - N/A: Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 16SBA BUNK, LOWER : Code 10XAP FIRE EXTINGUISHER BRACKET Air Suspension, High Back, Vinyl, 2 Arm Rests, Isolator, 7.5 Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, 3-14 Degree Back Angle Adjustment, Adj Side Bolster, Bellows, Back Cyclor REQS: Code 16HYA or 16RAM SEAT, PASSENGER REQS: Code 16HYA, 16RAM or 16400(std) SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16SMT, 16SMU, 16SMV and 16615 SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16196 CAB : Code 16HCH SEATBELT WARNING LIGHT IND. : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 10XAP FIRE EXTINGUISHER BRACKET AVAIL: Code 16VCC and 16VHD SEAT BELT	16HXB 16JCP	\$501 +3/+2	
Air Suspension, High Back, Vinyl, 2 Arm Rests, Isolator, 7.5" Adjuster, 3 Chamber Lumbar, 6 Way Front Cushion Adjust, 3 Way Rear Cushion Adjust, 3-14 Degree Back Angle Adjust, Bellows REQS: Code 16HYA or 16RAM SEAT, PASSENGER REQS: Code 16HYA, 16RAM or 16400(std) SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16SMT, 16SMU, 16SMV and 16615 SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16196 CAB : Code 16HCH SEATBELT WARNING LIGHT IND. : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 10XAP FIRE EXTINGUISHER BRACKET AVAIL: Code 16VCC and 16VHD SEAT BELT	16JCR	\$445 +3/+2	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
SEAT, DRIVER (CONTINUED)			
<p><i>National</i></p> <p>- Model HP -</p> <p>RollTek Equipped, Air Suspension, High Back, Vinyl Boxing/ Leather Facing, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Adj. Side Bolster, Back Cyler, Non Swivel</p> <p>REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM REQS: Code 16030(std) CAB REQS: Code 16HYB, 16SPH or 16400(std) SEAT, PASSENGER REQS: Code 04SPL or 04SPM(std) AIR COMPRESSOR N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCH SEATBELT WARNING LIGHT IND. : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 16SBA BUNK, LOWER : Code 10XAP FIRE EXTINGUISHER BRACKET AVAIL: Code 16VCC SEAT BELT : Code 16615 SEAT, REAR</p>			
	16KVN	\$7,146 +27/+15	
<p>RollTek Equipped, Air Suspension, High Back, Mordura Cloth, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Adj. Side Bolster, Back Cyler, Non Swivel</p> <p>REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM REQS: Code 16030(std) CAB REQS: Code 16LUN, 16SPE or 16400(std) SEAT, PASSENGER REQS: Code 04SPL or 04SPM(std) AIR COMPRESSOR N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCH SEATBELT WARNING LIGHT IND. : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 16SBA BUNK, LOWER : Code 10XAP FIRE EXTINGUISHER BRACKET AVAIL: Code 16VCC SEAT BELT : Code 16615 SEAT, REAR</p>			
	16KVL	\$6,149	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-330

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>SEAT, DRIVER (CONTINUED)</p> <p><i>National</i></p> <p>- Model HP -</p> <p>Air Suspension, High Back, Vinyl boxing with cloth facing, 2 Arm Rests, Isolator, 7.5 Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, 3-14 Degree Back Angle Adjustment, Adj Side Bolster, Bellows, Back Cyclor</p> <p>REQS: Code 16RAD, 16RAN or 16400(std) SEAT, PASSENGER</p> <p>REQS: Code 16030(std) CAB</p> <p>N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16VCA and 16VCB SEAT BELT : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16SMT, 16SMU, 16SMV and 16615 SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 10XAP FIRE EXTINGUISHER BRACKET</p> <p>Air Suspension, High Back, Vinyl Boxing with Cloth Facing, 2 Arm Rests, Isolator, 7.5" Adjuster, 3 Chamber Lumbar, 6 Way Front Cushion Adjust, 3 Way Rear Cushion Adjust, 3-14 Degree Back Angle Adjust, Bellows</p> <p>REQS: Code 16RAD, 16RAN or 16400(std) SEAT, PASSENGER</p> <p>REQS: Code 16RAD, 16RAM, 16RAN or 16400(std) SEAT, PASSENGER</p> <p>N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16VCA and 16VCB SEAT BELT : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16SMT, 16SMU, 16SMV and 16615 SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16196 CAB : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 10XAP FIRE EXTINGUISHER BRACKET</p> <p>RollTek Equipped, Air Suspension, High Back, Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Adj. Side Bolster, Back Cyclor, Non Swivel</p> <p>REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM REQS: Code 16030(std) CAB REQS: Code 16LUM, 16RAM, 16SMN, 16SPG or 16400(std) SEAT, PASSENGER</p> <p>REQS: Code 04SPL or 04SPM(std) AIR COMPRESSOR</p> <p>N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT</p> <p style="text-align: center;">(SEE NEXT PAGE)</p>	<p>16JYM</p> <p>16JYL</p> <p>16KVM</p>	<p>\$528</p> <p>\$342</p> <p>\$6,096</p>	<p>+2/+1</p> <p>+1/+1</p> <p>+26/+15</p>

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-331

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
SEAT, DRIVER <i>(SEE PREV PAGE)</i> <i>National</i> - Model HP - N/A: Code 16HCH SEATBELT WARNING LIGHT IND. : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE, when in combination with Code 16030 CAB : Code 16SBA BUNK, LOWER : Code 10XAP FIRE EXTINGUISHER BRACKET AVAIL: Code 16VCC SEAT BELT : Code 16LJY, 16PCS, 16SMT and 16SMV SEAT, REAR - 2000 195 - Air Suspension, High Back with Integral Headrest, Cloth, Isolator, 3 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust, Cushion and Back Bolsters REQS: Code 16PPD, 16RPX, 16SMR, 16SMX or 16400(std) SEAT, PASSENGER N/A: Code 16PJV and 16P JW SEAT, TWO-MAN PASSENGER : Code 16LJY, 16PCS, 16SMT and 16SMV SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE <i>Seats, Inc.</i> - 911 Universal Series - NFPA Compliant, Air Suspension, High Back Vinyl with Covered Back and International Logo on Head Rest REQS: Code 16JAJ, 16LPC, 16LUM, 16PPY, 16PPZ, 16PXG, 16PXH, 16SMN, 16SMY or 16400(std) SEAT, PASSENGER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16P JW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 10XAP FIRE EXTINGUISHER BRACKET			
SEAT, PASSENGER Omit Item N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16P JW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16LRX and 16LSA SEAT, DRIVER	16400	STD	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>SEAT, PASSENGER (CONTINUED)</p> <p><i>Seats, Inc.</i></p> <p>Non Suspension, High Back, Fixed Back, Integral Headrest, Cloth, for use with Batteries in Cab REQS: Code 16JJD, 16JNV, 16JPY, 16JYX, 16LJL or 16LRW SEAT, DRIVER REQS: Code 16030(std) CAB REQS: Code 08XDZ BATTERY BOX N/A: Code 16VCA and 16VCB SEAT BELT : Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 08TPL COLLISION MITIGATION SYSTEM</p> <p>Non Suspension, High Back, Fixed Back, Integral Headrest, Mordura Cloth, for use with Batteries in Cab REQS: Code 16LLR or 16LSD SEAT, DRIVER REQS: Code 16030(std) CAB REQS: Code 08XDZ BATTERY BOX N/A: Code 16VCA and 16VCB SEAT BELT : Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 08TPL COLLISION MITIGATION SYSTEM</p> <p>Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl, for use with Batteries in Cab REQS: Code 16JJE, 16JNT(std), 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER REQS: Code 16030(std) CAB REQS: Code 08XDZ BATTERY BOX N/A: Code 16VCA and 16VCB SEAT BELT : Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 08TPL COLLISION MITIGATION SYSTEM</p> <p>- Universal Series - NFPA Compliant, Air Suspension, High Back, Vinyl with Covered Back and International Logo on Headrest for Fire Truck REQS: Code 16KUW SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT</p>	<p>16SMX</p> <p>16SMZ</p> <p>16SMY</p> <p>16LPC</p>	<p>\$521</p> <p>\$596</p> <p>\$504</p> <p>\$790 +61/+34</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
SEAT, PASSENGER (CONTINUED)	HV613 SBA		
<i>Seats, Inc.</i>			
- 911 Universal Series -			
NFPA Compliant, Non-Suspension, High Back for SCBA, Vinyl Covered Back, Adjusters, 0 Degree Back angle, International Logo on Headrest REQS: Code 16KUW SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16VKD and 16VKM CAB INTERIOR TRIM : Code 16196 CAB	16PPY	\$722 +72/+40	
NFPA Compliant, Non-Suspension, High Back for SCBA, Vinyl Covered Back, Adjusters, 5 Degree Back Angle, International Logo on Headrest REQS: Code 16JJE, 16JNT(std), 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER REQS: Code 16VKC, 16VKD, 16VKL or 16VKM CAB INTERIOR TRIM REQS: Code 16CAB or 16196 CAB N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT	16PPZ	\$722 +72/+40	
National			
Non Suspension, High Back, Fixed Back, Integral Headrest, Cloth REQS: Code 16JNV, 16JPY, 16JYX, 16KAU, 16LJL or 16LRW SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT	16SMM	\$398 +13/+10	
Non Suspension, High Back with Integral Headrest, Mordura Cloth, with Fixed Back REQS: Code 16KVL or 16LSD SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16LUN	\$427 +20/+11	
Non Suspension, High Back with Integral Headrest, Cloth, with Fixed Back, with Under Seat Storage REQS: Code 16JJD, 16JNV, 16JYX, 16KAU, 16LJL or 16LRW SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16SMR	\$504 +23/+18	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
SEAT, PASSENGER (CONTINUED)	HV613 SBA		
National			
Air-Suspension, High Back with Integral Headrest, Mordura Cloth, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjustment REQS: Code 16LSD SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16LER	\$731	+62/+34
Air-Suspension, High Back with Integral Headrest, Cloth, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment REQS: Code 16JJD, 16JNV, 16JYX, 16KAV, 16LJL or 16LRW SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16DAN CAB INTERIOR TRIM ACCENT	16RPX	\$568	+62/+34
Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl REQS: Code 16JJE, 16JNT(std), 16KAV, 16KUW, 16KVM, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT	16SMN	\$368	+13/+10
Non Suspension, High Back with Integral Headrest, Vinyl, with Fixed Back, with Under Seat Storage REQS: Code 16JJE, 16JNT(std), 16KAV, 16KUW, 16KVM, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT	16LUM	\$518	+31/+17
- Model HP - Air Suspension, High Back, with Mordura Cloth, No Arm Rest, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, 3-14 Degree Back Angle Adjust, Bellows REQS: Code 16LLR SEAT, DRIVER REQS: Code 16030(std) CAB N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 08TPL COLLISION MITIGATION SYSTEM	16LVK	\$1,016	+63/+35



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
SEAT, PASSENGER (CONTINUED)			
<i>National</i>			
- Model HP -			
Air Suspension, High Back, Vinyl Boxing with Cloth Facings, 2 Arm Rests, Isolator, 7.5" Adjuster, 3 Chamber Lumbar, 6 Way Front Cushion Adjustment, 3-14 Degree Back Angle Adjustment, Bellows REQS: Code 16JYL or 16JYM SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16VCA and 16VCB SEAT BELT : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16196 CAB : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16RAD	\$953 +61/+34	
RollTek Equipped, Air Suspension, High Back, Mordura Cloth, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Adj. Side Bolster, Back Cycler, Non Swivel REQS: Code 16KVL SEAT, DRIVER REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM REQS: Code 16030(std) CAB N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE AVAIL: Code 16VCC and 16VHD SEAT BELT	16SPE	\$8,261	
RollTek Equipped, Air Suspension, High Back, Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Adj. Side Bolster, Back Cycler, Non Swivel REQS: Code 16KVM SEAT, DRIVER REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM REQS: Code 16030(std) CAB N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE AVAIL: Code 16VCC and 16VHD SEAT BELT	16SPG	\$8,202	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>SEAT, PASSENGER (CONTINUED)</p> <p><i>National</i></p> <p>- 2000 -</p> <p>Air-Suspension, High Back with Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Dual Shocks REQS: Code 16WBZ ARM REST, LEFT, PASSENGER SEAT REQS: Code 16JNV, 16JYX, 16LJL or 16LRW SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16DAN CAB INTERIOR TRIM ACCENT</p> <p>Air-Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, Dual Shocks REQS: Code 16WBZ ARM REST, LEFT, PASSENGER SEAT REQS: Code 16JJE, 16JNT(std), 16KAV, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16DAN CAB INTERIOR TRIM ACCENT</p> <p>NFPA Compliant, Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjust REQS: Code 16JJE, 16JNT(std), 16KAV, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT</p> <p>Air Suspension, High Back, Prestige All Leather, International Logo on Headrest, 3 Chamber Lumbar Support, 6 Position Front Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Vinyl Suspension Cover, Heater REQS: Code 16LSA SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE</p> <p>Air Suspension, High Back with Integral Headrest, Vinyl, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Adjust REQS: Code 16JJE, 16JNT(std), 16KAV, 16LJS, 16LRV or 16LRW SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16DAN CAB INTERIOR TRIM ACCENT</p>			
	16RXP	\$794	+50/+31
	16PPN	\$623	+60/+33
	16PPG	\$700	+43/+26
	16LPZ	\$1,414	+60/+33
	16RPV	\$508	+62/+34



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
SEAT, PASSENGER (CONTINUED) <i>National</i> - 2000 - Air Suspension, High Back, Vinyl Boxing w/Leather Facing, 1 Inboard Arm Rest, Isolator, 3 Chamber Lumbar, 6 Way Front Adjust, -3 to 14 Degree Back Angle Adjustment, Vinyl Suspension Cover, Heat REQS: Code 16JPX SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE Air Suspension, Mid Back, Mordura Cloth, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3 Position Rear Cushion Adjust, -3 to +14 Degree Back Angle Adjust REQS: Code 16LKU SEAT, DRIVER REQS: Code 16030(std) CAB N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 08TPL COLLISION MITIGATION SYSTEM - 2000 Model 192 - Non Suspension, High Back, Vinyl Boxing with Cloth Facing, 11 Degree Back Angle Adjust REQS: Code 16JYL or 16JYM SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16VCA and 16VCB SEAT BELT : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16196 CAB : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE - 2000 Model 292 - Non Suspension, High Back, Vinyl, 2 Arm Rests, 11 Degree Back Angle Adjustment, Map Pocket REQS: Code 16JCP, 16JCR, 16JYL or 16KVM SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16VCA and 16VCB SEAT BELT : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16196 CAB : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE			
	16PNX	\$1,097 +67/+37	
	16LGC	\$863 +61/+34	
	16RAN	\$558 +21/+12	
	16RAM	\$462 +25/+14	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
SEAT, PASSENGER (CONTINUED)			
<i>National</i>			
- 2000 195 -			
Air-Suspension, High Back with Integral Headrest, Cloth, Isolator, 3 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjustment, Cushion and Back Bolsters REQS: Code 16JJD SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16DAN CAB INTERIOR TRIM ACCENT	16PPD	\$885 +60/+33	
<i>H.O. Bostrom</i>			
- Tanker 400CT -			
for SCBA; Non-Suspension, High Back, Vinyl, Adjusters, 0-Degree Back Angle, International Logo on Headrest REQS: Code 16JJE, 16JNT(std), 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT : Code 16196 CAB : Code 08TPL COLLISION MITIGATION SYSTEM	16PXG	\$740 +81/+50	
- Tanker 450 -			
for SCBA; Non-Suspension, High Back, Vinyl with Covered Back, International Logo on Headrest, Adjusters, 7-Degree Back Angle REQS: Code 16JJE, 16JNT(std), 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER REQS: Code 16CAB or 16196 CAB N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT	16PXH	\$740 +62/+31	
for SCBA with SecureAll Locking System, Non-Suspension, High Back, Vinyl, Adjusters, 7-Degree Back Angle, with Covered Back, International Logo on Headrest REQS: Code 16JJE, 16JNT(std), 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER REQS: Code 16VKD or 16VKM CAB INTERIOR TRIM REQS: Code 16196 CAB N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16DAN CAB INTERIOR TRIM ACCENT	16JAJ	\$1,728 +73/+40	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT		NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
SEAT, REAR			
BENCH; Omit Item REQS: Code 16CAB or 16196 CAB N/A: Code 16VCA and 16VCB SEAT BELT : Code 16HXB, 16JCP, 16JCR, 16JPY, 16JYL, 16JYM, 16KVM, 16LKV, 16LLR and 16LRX SEAT, DRIVER AVAIL: Code 16HCK SEATBELT WARNING PREWIRE	16615	N/C	0/0
Seats, Inc. - 911 Universal Series - NFPA Compliant, Three Individual Seats on one Riser, Non-Suspension, High Back for SCBA, Vinyl with Covered Back, International Logo on Headrest REQS: Code 16JJE, 16JNT(std), 16JPX, 16KAV, 16KUW, 16KVM, 16LJS, 16LRV or 16LSA SEAT, DRIVER REQS: Code 16196 CAB N/A: BDY INTG, ADDITIONAL CAB HOLE : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16PCS	\$2,234 +174/+97	
National BENCH; Full Width; Cloth, with Fixed Mid Back REQS: Code 16JJD, 16JNV, 16JPX, 16JYX, 16KAU, 16LJL, 16LKV, 16LRW or 16LSD SEAT, DRIVER REQS: Code 16CAB CAB N/A: Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT	16KAY	\$1,057 +68/+38	
BENCH; Full Width; Vinyl, with Fixed Mid Back REQS: Code 16JJE, 16JNT(std), 16JPX, 16KAV, 16KUW, 16KVM, 16LJS or 16LRV SEAT, DRIVER REQS: Code 16CAB CAB N/A: Code 13WYH TRANSMISSION TCM LOCATION : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16SMV	\$980 +37/+54	
BENCH; Full Width; Cloth, with Fixed Back and Two Integral Outboard Headrests REQS: Code 16JJD, 16JNV, 16JPX, 16JYX, 16KAU, 16LJL, 16LKV, 16LRW, 16LSA or 16LSD SEAT, DRIVER REQS: Code 16196 CAB N/A: Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16SMU	\$931 +38/+56	
BENCH; Full Width; Vinyl, with Fixed Back and Two Integral Outboard Headrests REQS: Code 16JJE, 16JNT(std), 16JPX, 16KAV, 16KUW, 16KVM, 16LJS, 16LRV or 16LSA SEAT, DRIVER REQS: Code 16196 CAB N/A: Code 16SBA BUNK, LOWER	16SMT	\$836 +35/+59	
(SEE NEXT PAGE)			

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-341

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>SEAT, REAR (SEE PREV PAGE)</p> <p><i>National</i></p> <p>AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE</p> <p>- 2000 -</p> <p>Three Individual Seats, NFPA Compliant, Air Suspension, High Back, Cloth, Isolator, with 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Lumbar, with 18" Wide Cushion and 20" Seat Back REQS: Code 16JJD, 16JNV, 16JPX, 16JYX, 16KAU, 16LJL, 16LKU, 16LRW or 16LSD SEAT, DRIVER REQS: Code 16196 CAB N/A: Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE</p> <p>Three Individual Seats, NFPA Compliant, Air Suspension, High Back, Vinyl, Isolator, with 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Lumbar, with 18" Wide Cushion and 20" Seat Back REQS: Code 16JJE, 16JNT(std), 16JPX, 16KAV, 16KUW, 16KVM, 16LJS, 16LRV or 16LSA SEAT, DRIVER REQS: Code 16196 CAB N/A: Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE</p> <p>Two Individual Outboard Seats, NFPA Compliant, Air Suspension, High Back, Cloth, Isolator, Lumbar, with 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjust, with 18" Wide Cushion and 20" Seat Back REQS: Code 16JJD, 16JNV, 16JPX, 16JYX, 16KAU, 16LJL, 16LKU, 16LRW or 16LSD SEAT, DRIVER REQS: Code 16196 CAB N/A: Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE</p>			
<p>SEAT, TWO-MAN PASSENGER</p> <p><i>National</i></p> <p>Mid Back, Fixed Back, Cloth, with Under Seat Storage REQS: Code 16XJN(std) INSTRUMENT PANEL REQS: Code 16JNV, 16JPY, 16JYL, 16JYM, 16JYX, 16KAU, 16LJL or 16LRW SEAT, DRIVER REQS: Code 14RAR, 14RAV or 14RAW AXLE, LIFT, CONTROLS REQS: Code 13GHJ, 13GHL, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC N/A: Code 16VZB SEAT BELT COMFORT CLIP (SEE NEXT PAGE)</p>			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>SEAT, TWO-MAN PASSENGER (SEE PREV PAGE)</p> <p><i>National</i></p> <p>N/A: Code 16VBS CONSOLE, CENTER : SEAT, PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE</p> <p>Mid Back, Fixed Back, Vinyl, with Under Seat Storage</p> <p>REQS: Code 16XJN(std) INSTRUMENT PANEL REQS: Code 16JJE, 16JNT(std), 16JYL, 16JYM, 16KAV, 16LJS, 16LRV or 16LRX SEAT, DRIVER REQS: Code 14RAR, 14RAV or 14RAW AXLE, LIFT, CONTROLS REQS: Code 13GHJ, 13GHL, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXC, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16VBS CONSOLE, CENTER : SEAT, PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE</p>	<p>16PJV</p> <p>16PJW</p>	<p>\$563 +39/+22</p>	
<p>SEATBELT WARNING LIGHT IND.</p> <p>Mounted in Dash, Will Flash when Park Brake is Disengaged and Driver Seatbelt Unfastened, Audible Alarm to remind Driver to Fasten Seatbelt</p> <p>N/A: Code 16JCP, 16JCR, 16JPY, 16KVL, 16KVM, 16KVN, 16LJL, 16LKU, 16LLR, 16LRV, 16LRW, 16LRX and 16LSA SEAT, DRIVER : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE</p>	<p>16HCH</p>	<p>\$56</p>	
<p>SEATBELT WARNING PREWIRE</p> <p>Includes Seat Belt Switches and Seat Sensors for all Belted Positions in the Cab and a Harness Routed to the Center of the Dash for the Aftermarket Installation of the Data Recorder and Seatbelt Indicator Systems, for 1 to 3 Seat Belts</p> <p>REQS: Code 16JJE, 16JNT(std), 16JNV, 16JYX, 16KAU, 16KAV, 16KUW, 16LJL or 16LJS SEAT, DRIVER REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB or 16196 CAB REQS: Code 16JAJ, 16LPC, 16LUM, 16PPD, 16PPG, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN or 16400(std) SEAT, PASSENGER N/A: Code 16HCH SEATBELT WARNING LIGHT IND. AVAIL: Code 16615 SEAT, REAR</p>	<p>16HCK</p>	<p>\$505 0/0</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
<p>SEATBELT WARNING PREWIRE (CONTINUED)</p> <p>Includes Seat Belt Switches and Seat Sensors for all Belted Positions in the Cab and a Harness Routed to the Center of the Dash for the Aftermarket Installation of the Data Recorder and Seatbelt Indicator Systems, for 4 to 6 Seat Belts REQS: Code 16VCA or 16VCB SEAT BELT REQS: Code 16JJE, 16JNT(std), 16JNV, 16JYX, 16KAU, 16KAV, 16KUW, 16LJL or 16LJS SEAT, DRIVER REQS: Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16SMT, 16SMU or 16SMV SEAT, REAR, when in combination with Code 16CAB or 16196 CAB REQS: Code 16VKC, 16VKD, 16VKL or 16VKM CAB INTERIOR TRIM REQS: Code 16CAB or 16196 CAB REQS: Code 16JAJ, 16LPC, 16LUM, 16PPD, 16PPG, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN or 16400(std) SEAT, PASSENGER N/A: Code 16KAY and 16615 SEAT, REAR : Code 16HCH SEATBELT WARNING LIGHT IND.</p>	16HCL	\$1,483	0/0
<p>SUNSHADE, EXTERIOR</p> <p>Bright Finish, with Integral Clearance/Marker Lights</p> <p>Aerodynamic, Painted Roof Color, with Integral Clearance/Marker Lights</p>	16XWE 16XWD	\$688 \$253	+12/+5 +13/+4
<p>TELEMATICS BRACKET</p> <p>with Universal Mount, 1" Ball Mount Size, for Customer Supplied Telematics Device, Mounted to Side Wing Panel REQS: Code 16XJP INSTRUMENT PANEL</p> <p>with Universal Mount, 1" Ball Mount Size, for Customer Supplied Telematics Device, Mounted in Auxiliary Gauge Location in Flat Panel, Includes (1) APO and (1) USB Port REQS: Code 16XJN(std) INSTRUMENT PANEL</p> <p>with Universal Mount, 1" Ball Mount Size, Mounted to Plate, Flush Mounted, Upper Left Corner on Front Face of the Wing Panel, Includes (1) APO and (1) USB Port REQS: Code 16XJP INSTRUMENT PANEL REQS: Code 08XHR POWER SOURCE, ADDITIONAL N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING</p>	16XCU 16XCZ 16XCX	\$168 \$148 \$148	
<p>WINDOW, MANUAL</p> <p>(02) and Manual Door Locks, Left and Right Doors N/A: Code 16WJU and 16WJV WINDOW, POWER : Code 16VKD and 16VKM CAB INTERIOR TRIM : Code 16196 CAB</p>	16XCK	STD	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
WINDOW, MANUAL (CONTINUED) (04) and Manual Door Locks, Front and Rear Doors, Left and Right REQS: Code 16VKD or 16VKM CAB INTERIOR TRIM REQS: Code 16196 CAB N/A: Code 16WJU and 16WJV WINDOW, POWER	16XCL	N/C	
WINDOW, POWER (04) And Power Door Locks, Front and Rear Doors, Left and Right, Includes Express Down Feature REQS: Code 16SNP, 16SNR, 16SNS, 16SNT, 16SNU, 16SNV or 16SPJ MIRRORS, when in combination with Code 16196 CAB REQS: Code 16VKD or 16VKM CAB INTERIOR TRIM REQS: Code 16196 CAB N/A: Code 16XCK(std) and 16XCL WINDOW, MANUAL (02) and Power Door Locks, Left and Right Doors, Includes Express Down Feature N/A: Code 16XCK(std) and 16XCL WINDOW, MANUAL : Code 16VKD and 16VKM CAB INTERIOR TRIM : Code 16196 CAB	16WJV	\$866	+ 10/0
	16WJU	\$367	+ 5/0
WINDSHIELD Heated, Single Piece REQS: Code 16SNM, 16SNN, 16SNP, 16SNR, 16SNS, 16SNT, 16SNU, 16SNV or 16SPJ MIRRORS AVAIL: Code 08THJ AUXILIARY HARNESS	16VSL	\$632	+ 1/0
WINDSHIELD WASHER RESERVOIR Mounted Under Cab with Remote Fill Mounted Behind Cab Drivers Side	16XWY	\$61	
WINDSHIELD WIPER BLADES Snow Type	16XWJ	\$30	+ 2/0
WHEELS, FRONT Accuride - 51408 - DISC: 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATG or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 32WAA WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR PAINT IDENTITY, FRONT WHEELS (SEE NEXT PAGE)	27DUW	STD	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>WHEELS, FRONT (SEE PREV PAGE)</p> <p><i>Accuride</i></p> <p>- 51408 - N/A: Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>- 28828 - DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATG, 02AUR or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 28DEL WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS AVAIL: Code 29AEM BRAKE DRUMS, FRONT</p> <p>- 29001 - DISC; 22.5x7.50 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std) or 02ATG AXLE, FRONT NON-DRIVING N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>- 29039 - DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset, with .5" Thick Disc REQS: Code 26DPN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC N/A: Code 29AAA WHEEL BRAND, FRONT : Code 29PAR PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS AVAIL: Code 10636 PAINT IDENTITY, PT-2</p>	<p>27DUW</p> <p>27DTT</p> <p>27DTU</p> <p>27DPN</p>	<p>\$145</p> <p>\$61</p> <p>\$285</p>	<p>+24/0</p> <p>+10/0</p> <p>+72/0</p>



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>WHEELS, FRONT (CONTINUED)</p> <p><i>Accuride</i></p> <p>- 29057 - DISC; 22.5x13.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 5.88" REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ or 02ATB AXLE, FRONT NON-DRIVING N/A: Code 32WAA WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p> <p>- 29169 - DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC N/A: Code 28DUX WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>- 29300 - DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARV, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 29AAA WHEEL BRAND, FRONT : Code 29PAR PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>- 29303 - DISC; 22.5x13.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 4.95" REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC</p> <p>(SEE NEXT PAGE)</p>	<p>27DUA</p> <p>27DUK</p> <p>27DUL</p> <p>27DTZ</p>	<p>\$865</p> <p>\$145</p> <p>\$265</p> <p>\$865</p>	<p>+120/0</p> <p>+22/0</p> <p>+82/0</p> <p>+120/0</p>



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	CODE	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
<p>WHEELS, FRONT (SEE PREV PAGE)</p> <p><i>Accuride</i></p> <p>- 29303 - REQS: Code 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ or 02ATB AXLE, FRONT NON-DRIVING N/A: Code 32WAA WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS AVAIL: Code 04WHX BRAKE PACKAGE, FRONT : Code 10636 PAINT IDENTITY, PT-2</p> <p>- 29374 - DISC; 22.5x12.25 Rims, Extra Polish Aluminum, 10- Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 16VKX MONITOR, TIRE PRESSURE : Code 32WAA WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBX COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 22.5x12.25 Rims, Extra Polish Aluminum, 10- Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING REQS: Code 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, AIR DISC N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 29ADX HUB BRAND, FRONT : Code 29WAG WHEEL IDENTITY : Code 28DTE, 28DTU and 32WAA WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBX COATING IDENTITY, FRONT WHEELS</p>	<p>27DTZ</p> <p>27DBA</p> <p>27DJL</p>	<p></p> <p>\$1,056</p> <p>\$1,539</p>	<p></p> <p>0/0</p> <p>-24/0</p>



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
 NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>WHEELS, FRONT (CONTINUED)</p> <p><i>Accuride</i></p> <p>- 29376 - DISC; 22.5x13.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB or 02AUR AXLE, FRONT NON-DRIVING N/A: Code 29ADX HUB BRAND, FRONT : Code 29WAG WHEEL IDENTITY : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 04WEZ(std) BRAKE PACKAGE, FRONT : Code 29PBX COATING IDENTITY, FRONT WHEELS</p> <p>- 29806 - DISC; 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 4.63" REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUM, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGE, 02AGT, 02ARU, 02ARV, 02ARY, 02ARZ, 02ATB, 02ATG, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p> <p>- 29807 - DISC; 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 5.37" REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUN, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 04JCG BRAKES, FRONT, AIR CAM, when in combination with Code 02AGC, 02AGE, 02ARV, 02ARW or 02ATG AXLE, FRONT NON-DRIVING : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS</p>	<p>27DVD</p> <p>27DUM</p> <p>27DUN</p>	<p>\$1,157 + 2/0</p> <p>\$1,050 + 104/0</p> <p>\$784 + 104/0</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
 NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV613 SBA	
WHEELS, FRONT (CONTINUED)			
<i>Accuride</i>			
- 41730 -			
DISC; 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	27DUS	\$811	- 18 / 0
REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC			
N/A: Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS			
AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS			
DISC; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	27DUR	\$777	- 18 / 0
REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC			
N/A: Code 32WAA WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS			
AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS			
- 42644 -			
DISC; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	27DVP	\$618	- 54 / 0
REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC			
REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02ATG, 02AUR or 02AYT AXLE, FRONT NON-DRIVING			
N/A: Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS			
AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS			
DISC; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs	27DVS	\$856	- 78 / 0
REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC			
REQS: Code 02AGC, 02AGE, 02ARV, 02ARW(std), 02ARY or 02ATG AXLE, FRONT NON-DRIVING			
N/A: Code 29ADX HUB BRAND, FRONT : Code 32WAA WHEELS, REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS			
AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>WHEELS, FRONT (CONTINUED)</p> <p><i>Accuride</i></p> <p>- 42644 -</p> <p>DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02ATG or 02AUR AXLE, FRONT NON-DRIVING N/A: Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AGC, 02AGE, 02ARV, 02ARW(std), 02ARY or 02ATG AXLE, FRONT NON-DRIVING N/A: Code 29ADX HUB BRAND, FRONT : Code 32WAA WHEELS, REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS</p> <p>- 50409 -</p> <p>DISC; 24.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02ATG, 02AUR, 02AYJ or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS</p>			
	27DVN	\$561 - 54/0	
	27DVR	\$801 - 78/0	
	27DUP	\$68 + 22/0	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
WHEELS, FRONT	HV613 SBA		
(CONTINUED)			
<i>No Vendor Identified</i>			
DISC; 22.5x12.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DRL, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 04JCG BRAKES, FRONT, AIR CAM, when in combination with Code 02AGC, 02AGE, 02ARV, 02ARW or 02ATG AXLE, FRONT NON-DRIVING : Code 29ADX HUB BRAND, FRONT : Code 32WAA WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS	27DHK	\$975	0 / 0
DISC; 22.5x13.00 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB or 02AUR AXLE, FRONT NON-DRIVING N/A: Code 32WAA WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS	27DMZ	\$1,026	+ 2 / 0
DISC; 24.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02ATG or 02AUR AXLE, FRONT NON-DRIVING N/A: Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS	27DMJ	\$481	- 26 / 0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	
WHEELS, FRONT (CONTINUED)			
<i>No Vendor Identified</i>			
DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02ATG or 02AUR AXLE, FRONT NON-DRIVING N/A: Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS	27DMK	\$539	- 2 / 0
Alcoa - 82462 - DISC; 22.5x12.25 Rims, LvL ONE Clean Buff, Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 04JCG BRAKES, FRONT, AIR CAM, when in combination with Code 02AGC, 02AGE, 02ARV, 02ARW or 02ATG AXLE, FRONT NON-DRIVING : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS	27DJH	\$1,302	- 2 / 0
DISC; 22.5x12.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVA, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 04JCG BRAKES, FRONT, AIR CAM, when in combination with Code 02AGC, 02AGE, 02ARV, 02ARW or 02ATG AXLE, FRONT NON-DRIVING : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS	27DJJ	\$1,460	- 2 / 0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA
<p>WHEELS, FRONT (CONTINUED)</p> <p>Alcoa</p> <p>- 88367 -</p> <p>DISC: 22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs</p> <p>REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC</p> <p>REQS: Code 02AGC, 02AGE, 02ARV, 02ARW(std), 02ARY or 02ATG AXLE, FRONT NON-DRIVING</p> <p>N/A: Code 29ADX HUB BRAND, FRONT : Code 32WAA WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS</p> <p>AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS</p>	27DVK	\$972 - 67/0
<p>- 98U63 -</p> <p>DISC: 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs</p> <p>REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC</p> <p>REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB or 02AUR AXLE, FRONT NON-DRIVING</p> <p>N/A: Code 29ADX HUB BRAND, FRONT : Code 29WAG WHEEL IDENTITY : Code 32WAA WHEELS, REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS</p> <p>AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS</p>	27DEL	\$864 - 31/0
<p>DISC: 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs</p> <p>REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC</p> <p>REQS: Code 02AGC, 02AGE, 02ARV or 02ARW(std) AXLE, FRONT NON-DRIVING</p> <p>N/A: Code 29ADX HUB BRAND, FRONT : Code 29WAG WHEEL IDENTITY : Code 32WAA WHEELS, REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS</p> <p>AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS</p>	27DEM	\$1,180 - 55/0

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-355

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>WHEELS, FRONT (CONTINUED)</p> <p><i>Maxion</i></p> <p>- 10038 - DISC; 22.5x7.50 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW or 26DVP WHEEL, SPARE, DISC REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAR, 29PAW or 29PBA PAINT IDENTITY, FRONT WHEELS REQS: Code 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std) or 02ATG AXLE, FRONT NON-DRIVING REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 29AAA WHEEL BRAND, FRONT : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p> <p>- 10049 - DISC; 22.5x8.25 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .490" Thick Increased Capacity Disc and Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAR, 29PAW or 29PBA PAINT IDENTITY, FRONT WHEELS N/A: Code 29AAA WHEEL BRAND, FRONT : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>- 90541 - DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAR, 29PAW or 29PBA PAINT IDENTITY, FRONT WHEELS REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATG or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 29AAA WHEEL BRAND, FRONT</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p style="text-align: center;">27DTE</p> <p style="text-align: center;">27DTH</p> <p style="text-align: center;">27DTJ</p>	<p style="text-align: center;">\$103</p> <p style="text-align: center;">\$151</p> <p style="text-align: center;">\$24</p>	<p style="text-align: center;">+18/0</p> <p style="text-align: center;">+30/0</p> <p style="text-align: center;">+6/0</p>



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>WHEELS, FRONT <i>(SEE PREV PAGE)</i></p> <p><i>Maxion</i></p> <p>- 90541 - N/A: Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>- 90542 - DISC; 24.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02ATG, 02AUR or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 29AAA WHEEL BRAND, FRONT : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS</p>			
<p>WHEELS, REAR</p> <p><i>Accuride</i></p> <p>- 51408 - DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 29WAG WHEEL IDENTITY : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PAS PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 29WAG WHEEL IDENTITY : Code 27DUK WHEELS, FRONT : Code 29BAG WHEEL, REAR, IDENTITY : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS PAINT IDENTITY, REAR WHEELS <i>(SEE NEXT PAGE)</i></p>			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>WHEELS, REAR (SEE PREV PAGE)</p> <p><i>Accuride</i></p> <p>- 51408 - N/A: Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS</p> <p>- 28827 - DUAL DISC; 24.5x8.25 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 29WAG WHEEL IDENTITY : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS AVAIL: Code 10636 PAINT IDENTITY, PT-2 : Code 29PBB PAINT IDENTITY, REAR WHEELS</p> <p>- 28828 - DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 29WAG WHEEL IDENTITY : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PAS PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS</p> <p>- 29001 - DUAL DISC; 22.5x7.50 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 14AHH, 14AHJ, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- Code 14GRD, 14GRP, 14GRR, 14GRS, 14GVL, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL or 14HRM AXLE, REAR, TANDEM N/A: Code 29WAG WHEEL IDENTITY : Code 27DJL WHEELS, FRONT</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>28DUX</p> <p>28DPR</p> <p>28DTT</p> <p>28DTU</p>	<p>\$339</p> <p>\$231</p> <p>\$104</p>	<p>0/+76</p> <p>0/+48</p> <p>0/+20</p>



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>WHEELS, REAR <i>(SEE PREV PAGE)</i></p> <p><i>Accuride</i></p> <p>- 29001 - N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 14WZY AXLE SHAFT MODIFICATION : Code 29PAS PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS</p> <p>- 29169 - DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 29WAG WHEEL IDENTITY : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PAS PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS</p> <p>- 29300 - DUAL DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 14HRG AXLE, REAR, TRIDEM -OR- Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 29WAG WHEEL IDENTITY : Code 29BAG WHEEL, REAR, IDENTITY : Code 14WZY AXLE SHAFT MODIFICATION : Code 29PAS PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS</p> <p>- 41730 - DUAL DISC; 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs N/A: Code 29WAG WHEEL IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p>	<p>28DTU</p> <p>28DUK</p> <p>28DUL</p> <p>28DUS</p>	<p>\$231</p> <p>\$559</p> <p>\$1,309</p>	<p>0/+44</p> <p>0/+164</p> <p>0/-36</p>



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>WHEELS, REAR (CONTINUED)</p> <p><i>Accuride</i></p> <p>- 41730 -</p> <p>DUAL DISC; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs N/A: Code 04WEY(std) BRAKE PACKAGE, REAR : Code 29WAG WHEEL IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS</p> <p>- 42644 -</p> <p>DUAL DISC; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs N/A: Code 29WAG WHEEL IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 29WAG WHEEL IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs N/A: Code 29WAG WHEEL IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p>	<p>28DUR</p> <p>28DVP</p> <p>28DVS</p> <p>28DVN</p>	<p>\$1,278</p> <p>\$1,263</p> <p>\$1,520</p> <p>\$1,148</p>	<p>0/-36</p> <p>0/-108</p> <p>0/-128</p> <p>0/-108</p>



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>WHEELS, REAR (CONTINUED)</p> <p><i>Accuride</i></p> <p>- 42644 -</p> <p>DUAL DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 29WAG WHEEL IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p>- 50409 -</p> <p>DUAL DISC; 24.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 29WAG WHEEL IDENTITY : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS</p> <p><i>No Vendor Identified</i></p> <p>SINGLE DISC; 22.5x13.00 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flange Nut, with Steel Hubs REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERB or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY, 14GWZ, 14HRB, 14HRC, 14HRE, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 29WAG WHEEL IDENTITY</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>			
	28DVR	\$1,414 0/-128	
	28DUP	\$37 0/+44	
	32DHY	\$616 0/-140	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
<i>ITEM DESCRIPTION</i>	<i>CODE</i>	NOTE: WEIGHTS - FRONT/REAR	
<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>HV613 SBA</i>	
<p>WHEELS, REAR (SEE PREV PAGE)</p> <p><i>No Vendor Identified</i></p> <p>N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS</p> <p>SINGLE DISC; 24.0x10.00 Rims, Painted Steel, 12-Stud, 16.625" BC, with Steel Hubs -- FOR DELIVERY USE ONLY -- REQS: Code 27DJH, 27DJJ, 27DMJ, 27DMK, 27DPN, 27DTD, 27DTE, 27DTH, 27DTJ, 27DTT, 27DTU, 27DUK, 27DUL, 27DUM, 27DUN, 27DUP, 27DUS, 27DVD, 27DVG, 27DVH, 27DVN or 27DVP WHEELS, FRONT REQS: Code 04NCZ, 04NDA, 04NDB, 04NDL, 04NDN, 04NDP or 04NEX BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TRIDEM -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 14ERP AXLE, REAR, SINGLE REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15SVN, 15SVP, 15SVR, 15SVS, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 29GBA HUB MODIFICATIONS, REAR : Code 14HRG and 14HRZ AXLE, REAR, TRIDEM : AXLE, REAR, TANDEM : Code 14WZY AXLE SHAFT MODIFICATION : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS AVAIL: Code 04WHL and 04WHY BRAKE PACKAGE, REAR : Code 04WDM DUST SHIELDS, REAR BRAKE : Code 10636 PAINT IDENTITY, PT-2</p> <p>DUAL DISC; 24.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 14AHE, 14AHG, 14AHH, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERB, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 29WAG WHEEL IDENTITY</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p style="text-align: center;">32DHY</p> <p style="text-align: center;">32WAA</p> <p style="text-align: center;">28DMJ</p>	<p style="text-align: center;">\$893</p> <p style="text-align: center;">0/+92</p> <p style="text-align: center;">\$989</p> <p style="text-align: center;">0/-52</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>WHEELS, REAR (CONTINUED)</p> <p><i>Alcoa</i></p> <p>- 88367 -</p> <p>DUAL DISC; 22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs N/A: Code 29WAG WHEEL IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS AVAIL: Code 29PBY COATING IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 22.5x8.25 Rims, Polished Aluminum, 10-Stud 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 29WAG WHEEL IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS AVAIL: Code 29PBY COATING IDENTITY, REAR WHEELS</p> <p>- 98U63 -</p> <p>DUAL DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERB or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 29WAG WHEEL IDENTITY : Code 27DTT WHEELS, FRONT : Code 29BAG WHEEL, REAR, IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS AVAIL: Code 29PBY COATING IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>28DVG</p> <p>28DVK</p> <p>28DEL</p> <p>28DEM</p>	<p>\$1,494</p> <p>\$1,751</p> <p>\$1,995</p> <p>\$2,048</p>	<p>0/-86</p> <p>0/-106</p> <p>0/-62</p> <p>0/-83</p>



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	HV613 SBA	
WHEELS, REAR (SEE PREV PAGE)			
Alcoa			
- 98U63 -			
-OR- Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY, 14GWZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 29WAG WHEEL IDENTITY : Code 29BAG WHEEL, REAR, IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS AVAIL: Code 29PBY COATING IDENTITY, REAR WHEELS	28DEM		
Maxion			
- 10038 -			
DUAL DISC; 22.5x7.50 Rims, Painted Steel, 5-Hand Hole, 10- Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DPN, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR, 26DUS, 26DUW, 26DVA, 26DVH or 26DVP WHEEL, SPARE, DISC REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAS, 29PAX or 29PBB PAINT IDENTITY, REAR WHEELS REQS: Code 14AHH, 14AHJ, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWL, 14CDE, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- Code 14GRD, 14GRP, 14GRR, 14GVL, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL or 14HRM AXLE, REAR, TANDEM N/A: Code 04WEY(std) BRAKE PACKAGE, REAR : Code 29WAG WHEEL IDENTITY : Code 27DJL WHEELS, FRONT : Code 29BAG WHEEL, REAR, IDENTITY : Code 14WZY AXLE SHAFT MODIFICATION : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS	28DTE	\$206	0/+36
- 10049 - DUAL DISC; 22.5x8.25 Rims, Painted Steel, 5-Hand Hole, 10- Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .490" Thick Increased Capacity Disc and Steel Hubs REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAS, 29PAX or 29PBB PAINT IDENTITY, REAR WHEELS	28DTH	\$302	0/+60
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
<p>WHEELS, REAR (SEE PREV PAGE)</p> <p><i>Maxion</i></p> <p>- 10049 -</p> <p>REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TRIDEM</p> <p>-OR- AXLE, REAR, TANDEM</p> <p>N/A: Code 29WAG WHEEL IDENTITY : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS</p> <p>- 90541 -</p> <p>DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs</p> <p>REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAS, 29PAX or 29PBB PAINT IDENTITY, REAR WHEELS</p> <p>REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TRIDEM</p> <p>-OR- AXLE, REAR, TANDEM</p> <p>N/A: Code 29WAG WHEEL IDENTITY : Code 29BAG WHEEL, REAR, IDENTITY : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs</p> <p>REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAS, 29PAX or 29PBB PAINT IDENTITY, REAR WHEELS</p> <p>REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TRIDEM</p> <p>-OR- AXLE, REAR, TANDEM</p> <p>N/A: Code 29WAG WHEEL IDENTITY : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS</p>	<p>28DTH</p> <p>28DTC</p> <p>28DTJ</p>	<p></p> <p>\$314</p> <p>\$46</p>	<p></p> <p>0/-8</p> <p>0/+12</p>



**HV613 SBA
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
 NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HV613 SBA	
WHEELS, REAR (CONTINUED) <i>Maxion</i> - 90542 - DUAL DISC; 24.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAS, 29PAX or 29PBB PAINT IDENTITY, REAR WHEELS REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14CDE, 14CVC, 14ERB, 14ERP or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM N/A: Code 29WAG WHEEL IDENTITY : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS	28DTD	\$176 0/+48	
WHEEL, SPARE, DISC 22.5x12.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DHK WHEELS, FRONT N/A: Code 16VKX MONITOR, TIRE PRESSURE : Code 29AAA WHEEL BRAND, FRONT : Code 29PBZ COATING IDENTITY, FRONT WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS 22.5x13.00 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DMZ WHEELS, FRONT N/A: Code 16VKX MONITOR, TIRE PRESSURE : Code 29AAA WHEEL BRAND, FRONT : Code 29PBZ COATING IDENTITY, FRONT WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS 24.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DMJ WHEELS, FRONT or Code 28DMJ WHEELS, REAR N/A: Code 16VKX MONITOR, TIRE PRESSURE : Code 29AAA WHEEL BRAND, FRONT : Code 29PBZ COATING IDENTITY, FRONT WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DMK WHEELS, FRONT or Code 28DMK WHEELS, REAR N/A: Code 16VKX MONITOR, TIRE PRESSURE : Code 29AAA WHEEL BRAND, FRONT : Code 29PBZ COATING IDENTITY, FRONT WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS	26DRL 26DRN 26DSB 26DSG	\$605 +34/+34 \$665 +34/+34 \$460 +27/+27 \$489 +27/+27	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-367

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
(CONTINUED)			
WHEEL, SPARE, DISC			
<i>Accuride</i>			
- 28828 - 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, with .472" Thick Increased Capacity Disc REQS: Code 27DTT WHEELS, FRONT or Code 28DTT WHEELS, REAR N/A: Code 16VKX MONITOR, TIRE PRESSURE	26DTT	\$259 +40/+40	
- 29039 - 22.5x9.00 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DPN WHEELS, FRONT N/A: Code 16VKX MONITOR, TIRE PRESSURE : Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS	26DPN	\$308 +52/+52	
- 29169 - 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, with .472" Thick Increased Capacity Disc REQS: Code 27DUK WHEELS, FRONT or Code 28DUK WHEELS, REAR N/A: Code 16VKX MONITOR, TIRE PRESSURE	26DUK	\$259 +39/+39	
- 29300 - 22.5x9.00 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DUL or 27DUR WHEELS, FRONT or Code 28DUL or 28DUR WHEELS, REAR N/A: Code 16VKX MONITOR, TIRE PRESSURE	26DUL	\$259 +54/+54	
- 29806 - 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DUM WHEELS, FRONT N/A: Code 16VKX MONITOR, TIRE PRESSURE : Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS	26DUM	\$706 +60/+60	
- 29807 - 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DUN WHEELS, FRONT N/A: Code 16VKX MONITOR, TIRE PRESSURE : Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS	26DUN	\$516 +60/+60	
- 41730 - 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DUS WHEELS, FRONT or Code 28DUS WHEELS, REAR N/A: Code 16VKX MONITOR, TIRE PRESSURE	26DUS	\$580 +29/+29	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
WHEEL, SPARE, DISC (CONTINUED)			
<i>Accuride</i>			
- 41730 -			
22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flange Nut REQS: Code 27DUR WHEELS, FRONT or Code 28DUR WHEELS, REAR N/A: Code 16VKX MONITOR, TIRE PRESSURE	26DUR	\$555 +29/+29	
- 42644 -			
22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted N/A: Code 16VKX MONITOR, TIRE PRESSURE : Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBT COATING IDENTITY, FRONT WHEELS	26DVP	\$487 0/+40	
22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted N/A: Code 16VKX MONITOR, TIRE PRESSURE : Code 27DBA and 27DTE WHEELS, FRONT : Code 28DTE WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBX COATING IDENTITY, FRONT WHEELS	26DVN	\$464 0/+40	
- 50409 -			
24.5x8.25 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DUP WHEELS, FRONT or Code 28DUP WHEELS, REAR N/A: Code 16VKX MONITOR, TIRE PRESSURE	26DUC	\$232 +39/+39	
- 51408 -			
22.5x8.25 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DUW(std) WHEELS, FRONT or Code 28DUW or 28DUX WHEELS, REAR N/A: Code 16VKX MONITOR, TIRE PRESSURE	26DUW	\$232 +34/+34	
<i>Alcoa</i>			
- 82462 -			
22.5x12.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DJJ WHEELS, FRONT N/A: Code 16VKX MONITOR, TIRE PRESSURE : Code 29AAA WHEEL BRAND, FRONT	26DVA	\$1,100 +33/+33	
- 88367 -			
22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DVG, 27DVH, 27DVJ or 27DVK WHEELS, FRONT or Code 28DVG, 28DVH, 28DVJ or 28DVK WHEELS, REAR N/A: Code 16VKX MONITOR, TIRE PRESSURE : Code 27DTE WHEELS, FRONT : Code 29AAA WHEEL BRAND, FRONT	26DVH	\$464 +23/+23	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>WHEEL, SPARE, DISC (CONTINUED)</p> <p><i>Maxion</i></p> <p>- 10049 - 22.5x8.25 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, with .490" Thick Increased Capacity Disc REQS: Code 27DTH WHEELS, FRONT or Code 28DTH WHEELS, REAR N/A: Code 16VKX MONITOR, TIRE PRESSURE</p> <p>- 90541 - 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DTJ WHEELS, FRONT or Code 28DTC or 28DTJ WHEELS, REAR N/A: Code 16VKX MONITOR, TIRE PRESSURE</p> <p>- 90542 - 24.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DTD WHEELS, FRONT or Code 28DTD WHEELS, REAR N/A: Code 16VKX MONITOR, TIRE PRESSURE</p>			
<p>BRAKE DRUMS, FRONT</p> <p><i>Motor Wheel</i></p> <p>Centrifuse Type REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02ATG, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 27DTT WHEELS, FRONT AVAIL: Code 04WBX DUST SHIELDS, FRONT BRAKE</p> <p><i>Webb</i></p> <p>Cast HD, Size 16.5" x 6" REQS: Code 02AEU, 02AEV, 02AEW, 02AGC, 02AGE, 02AGT, 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ATB, 02ATG, 02AYJ, 02AYK or 02AYT AXLE, FRONT NON-DRIVING N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC AVAIL: Code 04WBX DUST SHIELDS, FRONT BRAKE</p>			
<p>BRAKE DRUMS, REAR</p> <p><i>Motor Wheel</i></p> <p>Centrifuse Type; 16.5" x 7" REQS: Code 14AHE, 14AHG, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>BRAKE DRUMS, REAR <i>(SEE PREV PAGE)</i></p> <p><i>Motor Wheel</i></p> <p>-OR- AXLE, REAR, TANDEM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC REC: Code 04WDM DUST SHIELDS, REAR BRAKE</p>	29334		
<p>COATING IDENTITY, FRONT WHEELS</p> <p><i>Accuride</i></p> <p>- Accu-Shield - Disc Front Wheels; Aluminum, with Vendor Applied Clear Coat Not for Wide Base REQS: Code 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVA, 26DVH or 26DVP WHEEL, SPARE, DISC REQS: Code 27DUR, 27DUS, 27DVN, 27DVP, 27DVR or 27DVS WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT</p> <p>Disc Front Wheels; Aluminum, with Vendor Applied Clear Coat, for Wide Base REQS: Code 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVA, 26DVH or 26DVN WHEEL, SPARE, DISC REQS: Code 27DBA, 27DJL or 27DVD WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p><i>Alcoa</i></p> <p>- Dura-Bright XBR/EVO - Disc Front Wheels; Aluminum, with Vendor Applied Treatment; Not for Wide Base REQS: Code 26DPN, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR, 26DUS, 26DUW, 26DVA or 26DVH WHEEL, SPARE, DISC REQS: Code 27DEL, 27DEM, 27DVG or 27DVK WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT</p>	29PBT	\$278	0/0
<p>COATING IDENTITY, REAR WHEELS</p> <p><i>Accuride</i></p> <p>- Accu-Shield - Aluminum Disc Rear Wheels, with Vendor Applied Clear Coat; Not for Super Single Wide Base REQS: Code 28DMJ, 28DMK, 28DUS, 28DVN, 28DVP, 28DVR or 28DVS WHEELS, REAR REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERB, 14ERC or 14051(std) AXLE, REAR, SINGLE <i>(SEE NEXT PAGE)</i></p>	29PBZ	\$278	0/0
<p>COATING IDENTITY, REAR WHEELS</p> <p><i>Accuride</i></p> <p>- Accu-Shield - Aluminum Disc Rear Wheels, with Vendor Applied Clear Coat; Not for Super Single Wide Base REQS: Code 28DMJ, 28DMK, 28DUS, 28DVN, 28DVP, 28DVR or 28DVS WHEELS, REAR REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERB, 14ERC or 14051(std) AXLE, REAR, SINGLE <i>(SEE NEXT PAGE)</i></p>	29PBS	\$304	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>COATING IDENTITY, REAR WHEELS (SEE PREV PAGE)</p> <p><i>Accuride</i></p> <p>- Accu-Shield - -OR- AXLE, REAR, TRIDEM -OR- AXLE, REAR, TANDEM</p> <p><i>Alcoa</i></p> <p>- Dura-Bright XBR/EVO - Aluminum Disc Rear Wheels, with Vendor Applied Treatment; Not for Super Single Wide Base REQS: Code 26DPN, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR, 26DUS, 26DUW, 26DVA or 26DVH WHEEL, SPARE, DISC REQS: Code 28DEL, 28DEM, 28DVG or 28DVK WHEELS, REAR N/A: Code 29PBX COATING IDENTITY, FRONT WHEELS</p>	 29PBS 29PBY	 \$419 0/0	
<p>HUB BRAND, FRONT</p> <p><i>ConMet</i></p> <p>Steel Front Hubs, with Pre-Adjusted Bearings in lieu of Standard Source Steel Hubs REQS: Code 02AGC, 02AGE, 02ARV, 02ARW(std) or 02ATG AXLE, FRONT NON-DRIVING N/A: Code 29598 WHEEL SEALS, FRONT : Code 27DEL, 27DEM, 27DHK, 27DJL, 27DVD, 27DVJ, 27DVK, 27DVR and 27DVS WHEELS, FRONT</p>	 29ADX	 \$248	
<p>HUB MODIFICATIONS, REAR</p> <p>Provide Longer Studs in Rear Hubs for Retrofitting Aluminum Disc Wheels by Customer REQS: Code 28DPR, 28DTD, 28DTE, 28DTH, 28DTJ, 28DTT, 28DTU, 28DUK, 28DUL, 28DUP or 28DUW(std) WHEELS, REAR REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY, 14GWZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL or 14HRM AXLE, REAR, TANDEM</p>	 29GBA	 \$53	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-372

SUBJECT TO CHANGE WITHOUT NOTICE



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
PAINT IDENTITY, FRONT WHEELS			
Disc Front Wheels; with Vendor Applied Gray Powder Coat Paint REQS: Code 27DPN, 27DTD, 27DTE, 27DTH, 27DTJ, 27DTT, 27DTU, 27DUK, 27DUL, 27DUN or 27DUW(std) WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAW	\$24	0/0
Disc Front Wheels; with Vendor Applied White Powder Coat Paint REQS: Code 27DTD, 27DTE, 27DTH or 27DTJ WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAR	\$24	0/0
Disc Wheels; with Vendor Applied Black Powder Coat Paint REQS: Code 27DPN, 27DTD, 27DTE, 27DTH, 27DTJ, 27DTT, 27DTU, 27DUK, 27DUL, 27DUN or 27DUW(std) WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PBA	\$24	0/0
PAINT IDENTITY, REAR WHEELS			
Disc Rear Wheels; with Vendor Applied Gray Powder Coat Paint REQS: Code 28DTC, 28DTD, 28DTE, 28DTH, 28DTJ, 28DTT, 28DTU, 28DUK, 28DUL, 28DUW(std) or 28DUX WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAX	\$48	0/0
Disc Rear Wheels; with Vendor Applied White Powder Coat Paint REQS: Code 28DTC, 28DTD, 28DTE, 28DTH or 28DTJ WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAS	\$48	0/0
Disc Wheels; with Vendor Applied Black Powder Coat Paint REQS: Code 28DPR, 28DTC, 28DTD, 28DTE, 28DTH, 28DTJ, 28DTT, 28DTU, 28DUK, 28DUL, 28DUW(std) or 28DUX WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PBB	\$48	0/0
TIRE, SPARE			
Equal to Model Standard	29007	\$840	+45/+46
TIRE VALVE CAP			
Flo-Thru Design	29ACD	\$24	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
WHEEL BRAND, FRONT Alcoa Aluminum Disc Front Wheels REQS: Code 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS or 26DUW WHEEL, SPARE, DISC REQS: Code 27DEL, 27DEM, 27DVN, 27DVP, 27DVR or 27DVS WHEELS, FRONT N/A: Code 16VKX MONITOR, TIRE PRESSURE : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX and 29PBZ COATING IDENTITY, FRONT WHEELS	29AAA	\$260	
WHEEL BEARING, FRONT, LUBE EmGard - FE-75W-90 - Synthetic Oil	29WLK	\$59	0/0
WHEEL GUARDS, FRONT Accuride for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	29WAP	\$24	+2/0
WHEEL GUARDS, REAR Accuride for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels REQS: Code 28DPR, 28DTC, 28DTD, 28DTE, 28DTH, 28DTJ, 28DTT, 28DTU, 28DUK, 28DUL, 28DUP, 28DUW(std), 28DUX or 32WAA WHEELS, REAR	29WAR	\$24	0/+4
WHEEL IDENTITY Mark Rear Wheel "For Delivery Use Only" REQS: Code 32WAA WHEELS, REAR N/A: Code 27DEL, 27DEM, 27DJL and 27DVD WHEELS, FRONT	29WAG	N/C	0/0
WHEEL, REAR, IDENTITY Replace Inner Aluminum Wheels on Rear Duals with the Equivalent Steel Wheels - For Use with Hub Piloted Wheels Only REQS: Code 28DMJ, 28DMK, 28DUR, 28DUS, 28DVG, 28DVH, 28DVJ, 28DVK, 28DVN, 28DVP, 28DVR or 28DVS WHEELS, REAR	29BAG	\$350CR	0/+59



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
	CODE	HV613 SBA
WHEEL SEALS, FRONT Stemco - Voyager - Oil Lubricated Wheel Bearings ILO Standard Oil Seals N/A: Code 29ADX HUB BRAND, FRONT	29598	\$59
WHEEL SEALS, REAR Stemco - Voyager - Oil Lubricated Wheel Bearings REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14AWK, 14AWL, 14AWN, 14CDE, 14CVC, 14ERB or 14051(std) AXLE, REAR, SINGLE -OR- AXLE, REAR, TRIDEM -OR- Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY, 14GWZ, 14HRC, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM	29597	\$76
WHEELS, LIFT AXLE PUSHER Accuride - 29300 - Single Wheels, for Two Lift Axles; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	34ABV 34ABU	\$4,525 \$2,422 +233/+269

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-375

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
WHEELS, LIFT AXLE PUSHER (CONTINUED) Accuride - 41362 - Single Wheels, For One Lift Axle; 24.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE Single Wheels, For Two Lift Axles; 24.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Single Wheels, for Two Lift Axles; 24.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Single Wheels, For One Lift Axle; 24.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE - 41730 - Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE Single Wheels, For Two Lift Axles; 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE			
	34AAP	\$2,889	+174/+200
	34ABJ	\$5,778	0/0
	34ABH	\$5,684	0/0
	34AAM	\$2,842	0/0
	34ACD	\$2,850	+193/+223
	34ACE	\$5,651	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>WHEELS, LIFT AXLE PUSHER (CONTINUED)</p> <p><i>Accuride</i></p> <p>- 41730 -</p> <p>Single Wheels, for Two Lift Axles; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE</p> <p>Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE</p> <p>- 42644 -</p> <p>Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE</p> <p>Single Wheels, For One Lift Axle; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE</p> <p>Single Wheels, For Two Lift Axles; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE</p> <p>Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE</p>			
	34ACC	\$5,515 +553/+327	
	34ACB	\$2,782 +195/+225	
	34ACS	\$5,646 +273/+315	
	34ACM	\$2,846 +144/+166	
	34ACT	\$5,691 +365/+215	
	34ACR	\$5,599 0/0	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
WHEELS, LIFT AXLE PUSHER (CONTINUED) <i>Accuride</i> - 42644 - Single Wheels, For One Lift Axle; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE - 50409 - Single Wheels, for Two Lift Axles; 24.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Single Wheels, For One Lift Axle; 24.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE - 51408 - Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE Single Wheels, for Two Lift Axles; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Single Wheels, For One Lift Axle; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE			
	34ACN	\$2,799	+146/+168
	34ABT	\$4,350	0/0
	34ABS	\$2,175	+197/+227
	34ACK	\$3,533	+351/+405
	34ACH	\$3,554	+392/+232
	34ACJ	\$1,777	+167/+193



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
WARRANTY			
Standard for HV513, HV613 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2030A	40127	STD	
SERVICES, TOWING			
Navistar			
Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KLZ	\$400	0/0
Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KME	\$280	0/0
Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAU	\$600	
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMA	\$800	0/0
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMG	\$560	0/0
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAV	\$1,000	
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMB	\$1,100	0/0

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-379

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
SERVICES, TOWING	HV613 SBA		
(CONTINUED)			
<i>Navistar</i>			
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMH	\$780	0/0
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAW	\$1,400	
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMC	\$1,300	0/0
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMJ	\$920	0/0
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAX	\$1,900	
Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMD	\$1,600	0/0
Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMK	\$1,120	0/0
Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAY	\$2,600	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
SRV CONTRACT, EXT ALLISON XMSN			
<i>Allison</i>			
To 60-Month/Unlimited Miles/km, for Allison 3000 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13ATL(std) or 13AVE TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TTH	\$874	
To 60-Month/Unlimited Miles/km, for Allison 3000 HS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13ATL(std) or 13AVE TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TTK	\$844	
To 84-Month/Unlimited Miles/km, for Allison 3000 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13ATL(std) or 13AVE TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TTJ	\$1,532	
To 60-Month/Unlimited Miles/km, for Allison 3000 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TVS	\$1,264	
To 60-Month/Unlimited Miles/km, for Allison 3000 RDS with Refuse Packer Vocations (ST15, ST16) REQS: Code 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TVT	\$2,176	
To 60-Month/Unlimited Miles/km, for Allison 3000 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TVU	\$1,264	
To 60-Month/Unlimited Miles/km, for Allison 3000 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TVV	\$1,264	
To 60-Month/Unlimited Miles/km, for Allison 3000 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TVW	\$1,264	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
SRV CONTRACT, EXT ALLISON XMSN (CONTINUED)			
<i>Allison</i>			
To 60-Month/Unlimited Miles/km, for Allison 4000 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13AUZ or 13AVB TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TTL	\$894	
To 60-Month/Unlimited Miles/km, for Allison 4000 HS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13AUZ or 13AVB TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TTN	\$1,018	
To 84-Month/Unlimited Miles/km, for Allison 4000 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13AUZ or 13AVB TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TTM	\$2,008	
To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWC	\$2,054	
To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with Refuse Packer Vocations (ST15, ST16) REQS: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWD	\$2,608	
To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWE	\$2,054	
To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWG	\$2,054	
To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWH	\$2,054	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
SRV CONTRACT, EXT ALLISON XMSN (CONTINUED)			
<i>Allison</i>			
To 60-Month/Unlimited Miles/km, for Allison 4500 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13AVA or 13AVC TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TTP	\$956	
To 60-Month/Unlimited Miles/km, for Allison 4500 HS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13AVA or 13AVC TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TTS	\$1,024	
To 84-Month/Unlimited Miles/km, for Allison 4500 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13AVA or 13AVC TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TTR	\$2,008	
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13AUT, 13AUU, 13AUW or 13AUX TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWJ	\$1,952	
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Refuse Packer Vocations (ST15, ST16) REQS: Code 13AUT, 13AUU, 13AUW or 13AUX TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWK	\$2,404	
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13AUT, 13AUU, 13AUW or 13AUX TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWL	\$1,952	
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13AUT, 13AUU, 13AUW or 13AUX TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWM	\$1,952	
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13AUT, 13AUU, 13AUW or 13AUX TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWN	\$1,952	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
SRV CONTRACT, EXT CAB			
<i>Navistar</i>			
To 120-Month/300,000 Miles (480,000 km); Covers Cab Structure, Perforation and Corrosion, with Rear Axle Capacity of 52,000-lb or Less N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUC	\$1,500	0/0
To 72-Month/300,000 Miles (480,000 km); Covers Cab Structure, Perforation and Corrosion, with Rear Axle Capacity of 52,000-lb or Less N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUA	\$940	0/0
To 96-Month/300,000 Miles (480,000 km); Covers Cab Structure, Perforation and Corrosion, with Rear Axle Capacity of 52,000-lb or Less N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUB	\$1,240	0/0
SRV CONTRACT, EXT COOLING SYS			
<i>Navistar</i>			
To 24-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40MHR	\$220	0/0
To 24-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40MHS	\$260	0/0
To 24-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40MHV	\$560	0/0
To 36-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40MHT	\$460	0/0
To 36-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40MHU	\$520	0/0
To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40MKC	\$700	0/0
To 48-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40MKD	\$760	0/0
To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40MKE	\$840	0/0
To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40MKG	\$800	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
SRV CONTRACT, EXT COOLING SYS (CONTINUED) Navistar To 60-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40MKH	\$860	0/0
	40MJH	\$940	0/0
SRV CONTRACT, EXT EATON XMSN Eaton To 36-Month/Unlimited Miles/km, for Severe Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC To 48-Month/Unlimited Miles/km, for Severe Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC To 48-Month/Unlimited Miles/km, for Standard Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC To 60-Month/Unlimited Miles/km, for Severe Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC To 60-Month/Unlimited Miles/km, for Standard Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC To 36-Month/Unlimited Miles/km, for Severe Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXC, 13GYC, 13GYD, 13GYG or 13GYH TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC To 48-Month/Unlimited Miles/km, for Severe Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXC, 13GYC, 13GYD, 13GYG or 13GYH TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC	40SPV	\$3,050	0/0
	40SPW	\$3,900	0/0
	40SPY	\$2,300	0/0
	40SPX	\$5,100	0/0
	40SPZ	\$2,950	0/0
	40SRK	\$2,300	0/0
	40SRL	\$3,200	0/0

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-385

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
SRV CONTRACT, EXT EATON XMSN (CONTINUED)			
<i>Eaton</i>			
To 48-Month/Unlimited Miles/km, for Standard Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXC, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC	40SRA	\$1,900	0/0
To 60-Month/Unlimited Miles/km, for Severe Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXC, 13GYC, 13GYD, 13GYG or 13GYH TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC	40SRM	\$4,250	0/0
To 60-Month/Unlimited Miles/km, for Standard Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXC, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC	40SRB	\$2,500	0/0
SRV CONTRACT, EXT ELECTRICAL			
<i>Navistar</i>			
- Prepackaged Components -			
Excludes Starter and Alternator, To 24-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40NLR	\$360	0/0
Excludes Starter and Alternator, To 24-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40NLS	\$440	0/0
Excludes Starter and Alternator, To 36-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40NLT	\$760	0/0
Excludes Starter and Alternator, To 36-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40NLU	\$860	0/0
Excludes Starter and Alternator, To 36-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40NLV	\$940	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
SRV CONTRACT, EXT ELECTRICAL (CONTINUED) <i>Navistar</i> - Prepackaged Components - Excludes Starter and Alternator, To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION Excludes Starter and Alternator, To 48-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION Excludes Starter and Alternator, To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION Excludes Starter and Alternator, To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION Excludes Starter and Alternator, To 60-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION Excludes Starter and Alternator, To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION			
	40NLW	\$1,160	0/0
	40NLX	\$1,260	0/0
	40NLY	\$1,380	0/0
	40NLZ	\$1,320	0/0
	40NMA	\$1,420	0/0
	40NMB	\$1,580	0/0
SRV CONTRACT, EXT ENGINE <i>Navistar</i> To 36-Month/300,000 Miles (480,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 36-Month/350,000 Miles (560,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 36-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR			
	40SSV	\$2,200	0/0
	40SSW	\$2,600	0/0
	40SSX	\$3,100	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
SRV CONTRACT, EXT ENGINE (CONTINUED)			
<i>Navistar</i>			
To 36-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSY	\$5,500	0/0
To 48-Month/100,000 Miles (160,000 km), Unlimited Hours, Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSC	\$1,998	0/0
To 48-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSZ	\$4,400	0/0
To 48-Month/450,000 Miles (720,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STA	\$5,000	0/0
To 48-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STB	\$6,200	0/0
To 48-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40PMN	\$7,400	
To 60-Month/100,000 Miles (160,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STC	\$3,400	0/0
To 60-Month/200,000 Miles (320,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STD	\$4,600	0/0
To 60-Month/300,000 Miles (480,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STE	\$4,900	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
SRV CONTRACT, EXT ENGINE (CONTINUED)	HV613 SBA		
Navistar			
To 60-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STG	\$5,800	0/0
To 60-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STH	\$7,200	0/0
To 60-Month/550,000 Miles (880,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40PMT	\$7,800	
To 60-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40PMU	\$8,600	
To 72-Month/250,000 Miles (400,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STJ	\$5,000	0/0
To 72-Month/500,000 Miles (800,000 km) Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STK	\$8,800	0/0
To 72-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STL	\$10,800	0/0
To 84-Month/100,000 Miles (160,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STM	\$5,500	0/0
To 84-Month/150,000 Miles (240,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STN	\$6,400	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
SRV CONTRACT, EXT ENGINE (CONTINUED)			
<i>Navistar</i>			
To 84-Month/250,000 Miles (400,000 km) Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STP	\$7,000	0/0
To 84-Month/400,000 Miles (640,000 km) Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STR	\$8,800	0/0
To 36-Month/300,000 Miles (480,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSG	\$1,600	0/0
To 36-Month/350,000 Miles (560,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSH	\$1,800	0/0
To 36-Month/400,000 Miles (640,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSJ	\$2,100	0/0
To 48-Month/400,000 Miles (640,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSK	\$2,600	0/0
To 48-Month/450,000 Miles (720,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSM	\$3,000	0/0
To 48-Month/500,000 Miles (800,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSN	\$3,600	0/0
To 60-Month/300,000 Miles (480,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSP	\$2,600	0/0
To 60-Month/400,000 Miles (640,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSR	\$3,200	0/0
To 60-Month/500,000 Miles (800,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSS	\$4,100	0/0
To 72-Month/250,000 Miles (400,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SST	\$3,300	0/0
To 84-Month/250,000 Miles (400,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSU	\$3,900	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
SRV CONTRACT, EXT ENGINE/AFTR Navistar To 36-Month/300,000 Miles (480,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPT	\$3,150	
To 36-Month/350,000 Miles (560,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPU	\$3,700	
To 36-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPV	\$4,700	
To 36-Month/450,000 Miles (720,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40PRJ	\$6,400	
To 36-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPW	\$8,000	
To 48-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPX	\$6,600	
To 48-Month/450,000 Miles (720,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPY	\$7,500	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
SRV CONTRACT, EXT ENGINE/AFTR (CONTINUED) Navistar To 48-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPZ	\$9,200	
To 48-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRA	\$11,400	
To 60-Month/100,000 Miles (160,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRB	\$4,400	
To 60-Month/200,000 Miles (320,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRC	\$5,900	
To 60-Month/250,000 Miles (400,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40PRK	\$6,300	
To 60-Month/300,000 Miles (480,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRD	\$6,550	
To 60-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRE	\$8,300	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-392

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT	
	CODE	HV613 SBA
SRV CONTRACT, EXT ENGINE/AFTR (CONTINUED)		
<i>Navistar</i>		
To 60-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRG	\$10,200
To 60-Month/550,000 Miles (880,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRH	\$11,600
To 60-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRJ	\$13,200
To 72-Month/250,000 Miles (400,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRK	\$7,200
To 72-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRL	\$12,800
To 72-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRM	\$16,000
To 84-Month/100,000 Miles (160,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRN	\$8,600



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
SRV CONTRACT, EXT ENGINE/AFTR (CONTINUED)			
<i>Navistar</i>			
To 84-Month/150,000 Miles (240,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRP	\$9,800	
To 84-Month/250,000 Miles (400,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRR	\$10,800	
To 84-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRS	\$12,800	
SRV CONTRACT, EXT ENG M/COMP			
<i>Navistar</i>			
To 72-Month/600,000 Miles (960,000 km), Major Components Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSD	\$1,300	0/0
To 84-Month/700,000 Miles (1,120,000 km), Major Components Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSE	\$1,800	0/0
SRV CONTRACT, EXT FRAME			
To 120-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, with Rear Axle Capacity of 52,000-lb or Less N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUG	\$380	0/0
To 72-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, with Rear Axle Capacity of 52,000-lb or Less N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUD	\$240	0/0
To 96-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, with Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GKE, 14GKJ, 14GKK, 14GKL, 14GKM, 14GKN, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM -OR- AXLE, REAR, TRIDEM	40EUE	\$300	0/0
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
SRV CONTRACT, EXT FRAME (SEE PREV PAGE)			
-OR- AXLE, REAR, SINGLE N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUE		
SRV CONTRACT, EXT HEND SUSP			
<i>Hendrickson</i>			
To 24-Month/Unlimited Miles/Km, Extended Hendrickson HAS 30,000-46,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14ULS, 14ULT, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM	40SRT	\$1,210	0/0
To 36-Month/Unlimited Miles/Km, Extended Hendrickson HAS 30,000-46,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14ULS, 14ULT, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : SUSPENSION, REAR, TANDEM : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM	40SRU	\$1,510	0/0
To 24-Month/Unlimited Miles/Km, Extended Hendrickson PRIMAAX 46,000-52,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE : Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM	40SRN	\$1,000	0/0
To 36-Month/Unlimited Miles/Km, Extended Hendrickson PRIMAAX 46,000-52,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE	40SRR	\$1,260	0/0
<i>(SEE NEXT PAGE)</i>			

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-395

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
SRV CONTRACT, EXT HEND SUSP (SEE PREV PAGE)			
<i>Hendrickson</i>			
N/A: Code 14UPC and 14UPP SUSPENSION, REAR, AIR, TRIDEM	40SRR		
To 24-Month/Unlimited Miles/Km, Extended Hendrickson PRIMAXX 69,000-78,000-lb Capacity Suspensions, for Tridem Axles	40SRP	\$1,260	0/0
N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE			
: SUSPENSION, REAR, TANDEM			
: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE			
: SUSPENSION, REAR, AIR, TANDEM			
To 36-Month/Unlimited Miles/Km, Extended Hendrickson PRIMAXX 69,000-78,000-lb Capacity Suspensions, for Tridem Axles	40SRS	\$1,580	0/0
N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14TBU, 14TBW, 14VAH and 14VAJ SUSPENSION, REAR, SINGLE			
: SUSPENSION, REAR, TANDEM			
: Code 14TAX, 14TBJ, 14TBZ and 14TCL SUSPENSION, REAR, AIR, SINGLE			
: SUSPENSION, REAR, AIR, TANDEM			
SRV CONTRACT, EXT HTR/AC SYS			
<i>Navistar</i>			
- Prepackaged Components -			
To 24-Month/100,000 Miles (160,000 km)	40NHJ	\$460	0/0
N/A: SRV CONTRACT, EXT VEH COVERAGE			
: Code 01ANF AXLE CONFIGURATION			
To 24-Month/150,000 Miles (240,000 km)	40NHK	\$540	0/0
N/A: SRV CONTRACT, EXT VEH COVERAGE			
: Code 01ANF AXLE CONFIGURATION			
To 36-Month/100,000 Miles (160,000 km)	40NHL	\$940	0/0
N/A: SRV CONTRACT, EXT VEH COVERAGE			
: Code 01ANF AXLE CONFIGURATION			
To 36-Month/150,000 Miles (240,000 km)	40NHM	\$1,040	0/0
N/A: SRV CONTRACT, EXT VEH COVERAGE			
: Code 01ANF AXLE CONFIGURATION			
To 36-Month/200,000 Miles (320,000 km)	40NHN	\$1,160	0/0
N/A: SRV CONTRACT, EXT VEH COVERAGE			
: Code 01ANF AXLE CONFIGURATION			
To 48-Month/100,000 Miles (160,000 km)	40NHP	\$1,440	0/0
N/A: SRV CONTRACT, EXT VEH COVERAGE			
: Code 01ANF AXLE CONFIGURATION			
To 48-Month/150,000 Miles (240,000 km)	40NHR	\$1,540	0/0
N/A: SRV CONTRACT, EXT VEH COVERAGE			
: Code 01ANF AXLE CONFIGURATION			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>SRV CONTRACT, EXT HTR/AC SYS (CONTINUED)</p> <p><i>Navistar</i></p> <p>- Prepackaged Components -</p> <p>To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION</p> <p>To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION</p> <p>To 60-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION</p> <p>To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION</p>			
<p>SRV CONTRACT, EXT MAJOR COMP</p> <p><i>Navistar</i></p> <p>- Prepackaged Components -</p> <p>To 24-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION</p> <p>To 24-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION</p> <p>To 36-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION</p> <p>To 36-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION</p> <p>To 36-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION</p>			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
SRV CONTRACT, EXT MAJOR COMP (CONTINUED)			
<i>Navistar</i>			
- Prepackaged Components -			
To 48-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40LXA	\$880	0/0
To 48-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40LXB	\$940	0/0
To 48-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40LXC	\$1,040	0/0
To 60-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40LXD	\$980	0/0
To 60-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40LXE	\$1,080	0/0
To 60-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40LXG	\$1,180	0/0
To 60-Month/250,000 Miles (400,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40LXH	\$1,300	0/0
SRV CONTRACT, EXT STARTER/ALT			
<i>Navistar</i>			
- Prepackaged Components -			
Covers Starter and Alternator Only, To 24-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION	40MEV	\$240	0/0



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>SRV CONTRACT, EXT STARTER/ALT (CONTINUED)</p> <p><i>Navistar</i></p> <p>- Prepackaged Components -</p> <p>Covers Starter and Alternator Only, To 36-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION</p> <p>Covers Starter and Alternator Only, To 36-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION</p> <p>Covers Starter and Alternator Only, To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION</p> <p>Covers Starter and Alternator Only, To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION</p> <p>Covers Starter and Alternator Only, To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION</p> <p>Covers Starter and Alternator Only, To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 01ANF AXLE CONFIGURATION</p>	<p>40MEW</p> <p>40MEX</p> <p>40MEY</p> <p>40MEZ</p> <p>40MGA</p> <p>40MGB</p>	<p>\$400</p> <p>\$620</p> <p>\$620</p> <p>\$720</p> <p>\$700</p> <p>\$840</p>	<p>0/0</p> <p>0/0</p> <p>0/0</p> <p>0/0</p> <p>0/0</p> <p>0/0</p>
<p>SRV CONTRACT, EXT VEH COVERAGE</p> <p><i>Navistar</i></p> <p>To 60-Month/100,000 Miles (160,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION</p> <p>NOTE: Pricing may change if axle configuration is changed.</p>	<p>40PSS</p>	<p>\$12,800</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	
SRV CONTRACT, EXT VEH COVERAGE (CONTINUED)			
<i>Navistar</i>			
To 60-Month/200,000 Miles (320,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION NOTE: Pricing may change if axle configuration is changed.	40PST	\$15,900	
To 84-Month/100,000 Miles (160,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION NOTE: Pricing may change if axle configuration is changed.	40PSX	\$19,100	
To 84-Month/250,000 Miles (400,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION NOTE: Pricing may change if axle configuration is changed.	40PSY	\$25,800	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>SRV CONTRACT, EXT VEH COVERAGE (CONTINUED)</p> <p><i>Navistar</i></p> <p>To 24-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION</p> <p>To 24-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION</p> <p>To 24-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION</p> <p>To 36-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>40PPA</p> <p>40PPB</p> <p>40PPC</p> <p>40PPD</p>	<p>\$2,400</p> <p>\$2,800</p> <p>\$3,200</p> <p>\$4,000</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	
SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)			
<i>Navistar</i>			
N/A: Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION	40PPD		
To 36-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION	40PPE	\$5,000	
To 36-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION	40PPG	\$6,000	
To 36-Month/300,000 Miles (480,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION	40PPH	\$6,500	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
SRV CONTRACT, EXT VEH COVERAGE (CONTINUED)			
<i>Navistar</i>			
To 48-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION	40PPL	\$6,000	
To 48-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION	40PPM	\$7,000	
To 48-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION	40PPN	\$8,000	
To 48-Month/250,000 Miles (400,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP	40PPP	\$9,000	
<i>(SEE NEXT PAGE)</i>			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)			
<i>Navistar</i>			
N/A: Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION	40PPP		
To 60-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION	40PPS	\$8,400	
To 60-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION	40PPT	\$9,000	
To 60-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION	40PPU	\$10,000	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
SRV CONTRACT, EXT VEH COVERAGE (CONTINUED)			
<i>Navistar</i>			
To 60-Month/300,000 Miles (480,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION	40PPV	\$11,000	
To 84-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION	40PPY	\$10,500	
To 84-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION	40PPZ	\$12,050	
To 84-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP	40PRA	\$13,600	
(SEE NEXT PAGE)			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)</p> <p><i>Navistar</i></p> <p>N/A: Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION</p> <p>To 84-Month/250,000 Miles (400,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION</p> <p>To 84-Month/400,000 Miles (640,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 01ANF AXLE CONFIGURATION</p>	<p>40PRA</p> <p>40PRB</p> <p>40PRC</p>	<p></p> <p>\$15,000</p> <p>\$19,500</p>	<p></p> <p></p> <p></p>
<p>BDY INTG, REMOTE POWER MODULE</p> <p>(02) Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 2 Switch Packs with Latched Switches REQS: Code 14RAA or 14RAB AXLE, LIFT, CONTROLS N/A: Code 13WYH TRANSMISSION TCM LOCATION, when in combination with Code 60AAM BDY INTG, POWER MODULE AUX : Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 60AAM BDY INTG, POWER MODULE AUX : Code 16SBA BUNK, LOWER AVAIL: Code 08WSK SWITCH, BODY CIRCUITS, REAR</p>	<p>60AAH</p>	<p>\$1,480</p>	<p></p>



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
BDY INTG, REMOTE POWER MODULE (CONTINUED)			
(02) Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Module with Switch Pack Containing 6 Latched Switches, 1 Module with Hardware Only REQS: Code 14RAA AXLE, LIFT, CONTROLS N/A: Code 13WYH TRANSMISSION TCM LOCATION, when in combination with Code 60AAM BDY INTG, POWER MODULE AUX : Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 60AAM BDY INTG, POWER MODULE AUX : Code 16SBA BUNK, LOWER AVAIL: Code 08WTJ SWITCH, BODY CIRCUITS, REAR	60AAK	\$1,430	
(02) Mounted Under Cab or On Battery Box, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 2 Switch Packs with Latched Switches N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID	60AAB	\$1,380	
(02) Mounted Under Cab or On Battery Box, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Module with Switch Pack Containing 6 Latched Switches, 1 Module with Hardware Only N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID	60AAD	\$1,330	
(03) Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 3 Switch Packs with Latched Switches REQS: Code 14RAA AXLE, LIFT, CONTROLS N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR : Code 60AAM BDY INTG, POWER MODULE AUX : Code 16SBA BUNK, LOWER	60AAJ	\$2,170	
(03) Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 3 Modules with Hardware Only REQS: Code 14RAA AXLE, LIFT, CONTROLS N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR : Code 60AAM BDY INTG, POWER MODULE AUX : Code 16SBA BUNK, LOWER	60AAL	\$2,020	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
BDY INTG, REMOTE POWER MODULE (CONTINUED) (03) Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 2 Modules with Switch Packs Containing 6 Latched Switches, 1 Module with Hardware Only N/A: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM, 14RAR, 14RAV and 14RAW AXLE, LIFT, CONTROLS : Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR : Code 60AAM BDY INTG, POWER MODULE AUX : Code 16SBA BUNK, LOWER Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Switch Pack with Latched Switches N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR : Code 60AAM BDY INTG, POWER MODULE AUX : Code 16SBA BUNK, LOWER Mounted Under Cab or On Battery Box, Up to 6 Outputs & 6 Inputs, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Switch Pack with Latched Switches N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID	60AAP	\$2,120	
	60AAG	\$790	
	60AAA	\$690	
BDY INTG, ADDITIONAL CAB HOLE for Customer Use N/A: Code 13WYH TRANSMISSION TCM LOCATION	60AAT	\$50	
BDY INTG, DASH IND LT TRICOLOR (1) for Optional Usage Customer to Program (10) for Optional Usage Customer to Program (11) for Optional Usage Customer to Program (12) for Optional Usage Customer to Program (2) for Optional Usage Customer to Program (3) for Optional Usage Customer to Program	60AKY	\$98	
	60ALJ	\$440	
	60ALK	\$484	
	60ALL	\$528	
	60AKZ	\$116	
	60ALA	\$133	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
BDY INTG, DASH IND LT TRICOLOR (CONTINUED) (4) for Optional Usage Customer to Program (5) for Optional Usage Customer to Program (6) for Optional Usage Customer to Program (7) for Optional Usage Customer to Program (8) for Optional Usage Customer to Program (9) for Optional Usage Customer to Program	60ALB	\$176	
	60ALC	\$220	
	60ALD	\$266	
	60ALE	\$308	
	60ALG	\$352	
	60ALH	\$396	
BDY INTG, HEADLIGHTS, WIG WAG High Beam Wig Wag with Park Brake Interlock, Park Brake Disables High Beam Wig Wag, Enables Low Beam Wig Wag High Beam Wig Wag with Park Brake Interlock, Park Brake Disables Wig Wag	60AKL	\$268	
	60AKK	\$268	
BDY INTG, INDICATOR LIGHTS NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE (02) 1 for Gate Open and 1 for Rear Alert, Includes Audible Alarm, Programmable Mode for Various Switch Action (requires 2 Remote Power Module inputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR (02) 1 for Body Up, 1 for Gate Open, Includes Audible Alarm, Programmable Mode for Various Switch Actions. (Requires 2 Remote Power Module Inputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60AJC	\$89	
	60AJK	\$89	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HV613 SBA	
<p>BDY INTG, INDICATOR LIGHTS (CONTINUED) NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE</p> <p>(02) 1 for Boom Out of Stow, 1 for Outriggers Deployed, Includes Audible Alarm and Interlock to Parking Brake, Programmable Mode for Various Switch Actions (requires 2 Remote Power Module inputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR</p>	60AJD	\$89	
<p>BDY INTG, I/O EXP HARNESS</p> <p>- for Diamond Logic Builder - In-Cab wire harness (DLB) program only, Includes a harness with five blunt cut wires routed on lower left of instrument panel. Two ground active inputs and two (.5Amp) relay drivers outputs are provided N/A: Code 60ACX BDY INTG, THEFT DETERRENT SYS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP AVAIL: Code 08TMH SWITCH, AUXILIARY</p>	60ACW	\$77	
<p>BDY INTG, POWER MODULE AUX</p> <p>(1) Mounted on the Driver's Side Frame Rail at Rear of Frame; Up to 6 Outputs & 6 Inputs, Max. 20 Amp. per Channel, Max. 80 Amp. Total AVAIL: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID : Code 60AAA, 60AAB and 60AAD BDY INTG, REMOTE POWER MODULE</p>	60AAM	\$715	
<p>BDY INTG, PTO ACCOMMODATION NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE</p> <p>for Electric over Air, Clutched PTO Engagement and Disengagement, Does not Include Air Solenoid, with Latched Switch Mounted on Dash, Includes Audible Alarm and Indicator Light in Gauge Cluster (requires 1 Remote Power Module Input & 1 Output) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 16WLM HOURMETER, PTO : Code 13XAA PTO CONTROL, DASH MOUNTED</p>	60ABL	\$25	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>BDY INTG, PTO ACCOMMODATION (CONTINUED) NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE</p> <p>for Monitoring Cable Shift Engaged PTO, with Indicator Light and Audible Alarm in Gauge Cluster (requires 1 Remote Power Module input) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 16WLM HOURMETER, PTO : Code 13XAA PTO CONTROL, DASH MOUNTED</p> <p>for Electric over Hydraulic PTO, Does Not Include Solenoids, with Latched Switch Mounted on Dash Includes Audible Alarm and Indicator Light in Gauge Cluster (Requires 1 Remote Power Module input & 1 output) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 16WLM HOURMETER, PTO : Code 13XAA PTO CONTROL, DASH MOUNTED</p> <p>Accommodation for Electric over Air, Non Clutched PTO Engagement and Disengagement, Does not Include Air Solenoid, with Momentary Switch Mounted on Dash, Includes Audible Alarm and Indicator Light in Gauge Cluster (requires 1 Remote Input Power Module Input & 1 Output) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 16WLM HOURMETER, PTO : Code 13XAA PTO CONTROL, DASH MOUNTED</p> <p>for (3) Latched Rocker Switches, (1) PTO Switch, (2) Generic Switches to Control (3) 30 amp relays, with Programmable Interlocks, for Body Builder Hook up in the Engine Compartment Left Side, Recommended for Automatic Transmissions N/A: JUNCTION BLOCK or Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED or Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 13XAA PTO CONTROL, DASH MOUNTED</p>	<p>60ABA</p> <p>60ABE</p> <p>60ABK</p> <p>60AKG</p>	<p>\$25</p> <p>\$25</p> <p>\$25</p> <p>\$148</p>	
<p>BDY INTG, REMOTE START/STOP</p> <p>To Start and Stop Vehicle Engine N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 16HGL GAUGE, OIL TEMP, REAR AXLE or Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE : Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE : Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE (SEE NEXT PAGE)</p>	<p>60ABC</p>	<p>\$563</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
BDY INTG, REMOTE START/STOP (SEE PREV PAGE) N/A: TRANSMISSION, MANUAL : Code 08XKM SWITCH, AIR HORN, PASSENGER : Code 60ACW BDY INTG, I/O EXP HARNESS : Code 12VAG and 12VAL AIR CLEANER AVAIL: Code 08WEX AUXILIARY HARNESS : Code 08TMH SWITCH, AUXILIARY To Start and Stop Vehicle Engine, Will Start Emergency Pump Motor, Programmable Time Intervals N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 16HGL GAUGE, OIL TEMP, REAR AXLE or : Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE : Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE : TRANSMISSION, MANUAL : Code 08XKM SWITCH, AIR HORN, PASSENGER : Code 60ACW BDY INTG, I/O EXP HARNESS : Code 12VAG and 12VAL AIR CLEANER AVAIL: Code 08WEX AUXILIARY HARNESS : Code 08TMH SWITCH, AUXILIARY	60ABC 60ABD	\$563	
BDY INTG, RPM I/O HARNESS Includes a Harness with Six Input Blunt Cut Wires and Six Output Blunt Cut Wires, for use with one RPM REQS: Code 60AAA or 60AAG BDY INTG, REMOTE POWER MODULE Includes Two Harnesses with Six Input Blunt Cut Wires and Six Output Blunt Cut Wires, for use with Two RPM REQS: Code 08VZS SWITCH, BODY CIRCUITS, MID or Code 60AAB, 60AAD, 60AAH or 60AAK BDY INTG, REMOTE POWER MODULE	60ABM 60ABN	\$40 \$62	
BDY INTG, SWITCH DUAL OUTPUT NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE 2 Position Latched Rocker, Backlit, with "ON" Indicator Mounted on Dash, for 1; Auxiliary Load 40 amp Maximum; Power Available Only in "Ignition" or "Accessory" Position; Controls 2 Remote Power Modules (requires 2 Remote Power Module outputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60ACE	\$25	

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-412

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
<p>BDY INTG, SWITCH, INTERLOCKED NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE</p> <p>(02) 2 Position Latched Rockers, Backlit, with "ON" Indicator Mtd on Dash, for 2; Auxiliary Load each 20 amp Maximum; Outputs will Disengage when Vehicle Exceeds 30 MPH, Programmable; Power Available Only in "Ignition" or "Accessory" Position (requires 2 Remote Power Module outputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR</p> <p>2 Position Latched Rocker, Backlit, with "ON" Indicator Mounted on Dash for 1; Auxiliary Load 20 amp Maximum; Output will disengage when Vehicle Exceeds 30 MPH, Programmable; Power Available Only in "Ignition" or "Accessory" Position (requires 1 Remote Power Module output) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR</p>	<p style="text-align: center;">60ACH</p> <p style="text-align: center;">60ACG</p>	<p style="text-align: center;">\$25</p> <p style="text-align: center;">\$25</p>	
<p>BDY INTG, SWITCH MOMNTRY 3POS NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE</p> <p>(03) Rocker, Backlit, with "ON" Indicator Mounted on Dash, Latching Software, for 3; Auxiliary Load 20 amp. Maximum; Power Available Only in "Ignition" or "Accessory" Position, Output Also Controlled by a Customer Remote Mounted Switch (requires 3 Remote Power Module inputs & 3 outputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR</p> <p>Rocker, Backlit, with "ON" Indicator Mounted on Dash, Latching Software, for 1; Auxiliary Load 20 amp. Maximum; Power Available Only in "Ignition" or "Accessory" Position, Output Also Controlled by a Customer Remote Mounted Switch (requires 1 Remote Power Module input & 1 output) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p style="text-align: center;">60ACU</p> <p style="text-align: center;">60ACS</p>	<p style="text-align: center;">\$25</p> <p style="text-align: center;">\$25</p>	



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HV613 SBA	NOTE: WEIGHTS - FRONT/REAR
BDY INTG, SWITCH MOMNTRY 3POS (SEE PREV PAGE) NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE N/A: Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR Rocker, Backlit, with "ON" Indicator Mounted on Dash, Latching Software, for 2; Auxiliary Load 20 amp. Maximum; Power Available Only in "Ignition" or "Accessory" Position, Output Also Controlled by a Customer Remote Mounted Switch (requires 2 Remote Power Module inputs & 2 outputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60ACS 60ACT	\$25	
BDY INTG, THEFT DETERRENT SYS Includes one (1) Switch Pack of Six Momentary Switches N/A: Code 60ACW BDY INTG, I/O EXP HARNESS AVAIL: Code 08THJ AUXILIARY HARNESS : Code 08TMH SWITCH, AUXILIARY	60ACX	\$430	
TIRES Goodyear 11R22.5 LR-G ENDURANCE RSA 496 rev/mile 75 MPH All-Position 11R22.5 LR-G G622 RSD 497 rev/mile 75 MPH Drive-Position 11R22.5 LR-G G572 1AD 496 rev/mile 75 MPH Drive-Position 11R22.5 LR-H G622 RSD 497 rev/mile 75 MPH Drive-Position 11R22.5 LR-H G751 MSA 497 rev/mile 68 MPH All-Position 11R22.5 LR-H G731 MSA 497 rev/mile 68 MPH All-Position 11R22.5 LR-H G751 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7372138132 7372138102 7372138121 7382138102 7382138123 7382138124 7382138125	STD \$72 +5 \$133 +1 \$61 +7 \$296 +17 \$315 +17 \$391 +23	
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
TIRES (CONTINUED)			
<i>Goodyear</i>			
11R22.5 LR-H G731 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138126	\$413	+22
11R22.5 LR-H FUEL MAX RSA 497 rev/mile 75 MPH All-Position	7382138131	\$18CR	-5
11R22.5 LR-H ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7382138132	\$163	0
11R22.5 LR-H ARMOR MAX MSD 493 rev/mile 68 MPH Drive-Position	7382138133	\$124	+20
11R22.5 LR-H ARMOR MAX MSD DURASEAL 493 rev/mile 68 MPH Drive-Position	7382138134	\$270	+26
12R22.5 LR-H G622 RSD 482 rev/mile 75 MPH Drive-Position	7382158102	\$271	+18
12R22.5 LR-H G282 MSD 481 rev/mile 75 MPH Drive-Position	7382158105	\$241	+30
12R22.5 LR-H G751 MSA 483 rev/mile 68 MPH All-Position	7382158123	\$398	+29
12R22.5 LR-H ENDURANCE RSA 482 rev/mile 75 MPH All-Position	7382158132	\$241	+21
12R22.5 LR-H ARMOR MAX MSD 478 rev/mile 68 MPH Drive-Position	7382158133	\$413	+33
295/75R22.5 LR-G G572 1AD 513 rev/mile 75 MPH Drive-Position	7702498121	\$25	+1
295/75R22.5 LR-G FUEL MAX RSA 510 rev/mile 75 MPH All-Position	7702498131	\$18	-7
295/75R22.5 LR-G ENDURANCE RSA 512 rev/mile 75 MPH All-Position	7702498132	\$124	-4
295/75R22.5 LR-H ENDURANCE LHS 514 rev/mile 75 MPH All-Position	7762498136	\$195	-11
255/70R22.5 LR-H ENDURANCE RSA 566 rev/mile 81 MPH All-Position	7752528132	\$77	-28
315/80R22.5 LR-J UNISTEEL G291 491 rev/mile 75 MPH All-Position	7702540190	\$522	+11
315/80R22.5 LR-L UNISTEEL G291 491 rev/mile 68 MPH All-Position	7772540190	\$509	+12
315/80R22.5 LR-L G751 MSA 484 rev/mile 68 MPH All-Position	7772548123	\$507	+33
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-415

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
TIRES	CODE	HV613 SBA	
(CONTINUED)			
Goodyear			
315/80R22.5 LR-L G751 MSA DURASEAL 484 rev/mile 68 MPH All-Position	7772548125	\$807	+41
315/80R22.5 LR-L G289 WHA 484 rev/mile 68 MPH All-Position	7782548109	\$491	+28
275/70R22.5 LR-J ENDURANCE RSA 547 rev/mile 75 MPH All-Position	7792578132	\$208	-18
385/65R22.5 LR-J G296 MSA 488 rev/mile 68 MPH All-Position	7702658113	\$235CR	+48
425/65R22.5 LR-L G296 MSA 468 rev/mile 68 MPH All-Position	7752668113	\$81CR	+67
445/65R22.5 LR-L G296 MSA 457 rev/mile 68 MPH All-Position	7702678113	\$731	+85
445/65R22.5 LR-L G278 MSD 453 rev/mile 68 MPH Drive-Position	7702678130	\$114	+101
11R24.5 LR-H G182 RSD 473 rev/mile 75 MPH Drive-Position	7384220121	\$372	+21
11R24.5 LR-H G282 MSD 475 rev/mile 75 MPH Drive-Position	7384228105	\$654	+24
11R24.5 LR-H G751 MSA 474 rev/mile 68 MPH All-Position	7384228123	\$368	+22
11R24.5 LR-H FUEL MAX RSA 474 rev/mile 75 MPH All-Position	7384228131	\$25CR	+4
11R24.5 LR-H ARMOR MAX MSD 471 rev/mile 68 MPH Drive-Position	7384228133	\$181	+28
12R24.5 LR-H UNISTEEL G177 457 rev/mile 68 MPH Drive-Position	7384240162	\$516	+43
12R24.5 LR-H G751 MSA 461 rev/mile 68 MPH All-Position	7384248123	\$485	+39
11.25X24 LR-D IMPLEMENT RIB 480 rev/mile 30 MPH All-Position	6104180115	\$32	-33
Continental Tire			
11R22.5 LR-G HSR2 498 rev/mile 75 MPH All-Position	7372135415	\$4CR	0
11R22.5 LR-G HDL2 DL 491 rev/mile 75 MPH Drive-Position	7372135417	\$96	+17
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-416

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
TIRES (CONTINUED)			
<i>Continental Tire</i>			
11R22.5 LR-G HDR2 491 rev/mile 75 MPH Drive-Position	7372135423	\$52	+15
11R22.5 LR-G HDL2 DL ECO PLUS 491 rev/mile 75 MPH Drive-Position	7372135425	\$11CR	+17
11R22.5 LR-G HYBRID HD3 493 rev/mile 75 MPH Drive-Position	7372135428	\$17	+9
11R22.5 LR-G ECOPLUS HS3 495 rev/mile 75 MPH All-Position	7372135429	\$22CR	+6
11R22.5 LR-G HDR2 ECO PLUS 491 rev/mile 75 MPH Drive-Position	7372135434	\$68	+15
11R22.5 LR-H HDO 490 rev/mile 68 MPH Drive-Position	7382135413	\$192	+3
11R22.5 LR-H HSR2 498 rev/mile 75 MPH All-Position	7382135415	\$21	+1
11R22.5 LR-H HDL2 DL 491 rev/mile 75 MPH Drive-Position	7382135417	\$131	+18
11R22.5 LR-H HDR2 491 rev/mile 75 MPH Drive-Position	7382135423	\$51	+15
11R22.5 LR-H ECOPLUS HS3 495 rev/mile 75 MPH All-Position	7382135429	\$1	+6
11R22.5 LR-H HDW2 495 rev/mile 75 MPH Drive-Position	7382135430	\$70	+14
11R22.5 LR-H HDL2 493 rev/mile 75 MPH Drive-Position	7382135432	\$25CR	+6
11R22.5 LR-H HSC 3 496 rev/mile 68 MPH All-Position	7382135438	\$213	+16
11R22.5 LR-H HDC 3 492 rev/mile 68 MPH Drive-Position	7382135440	\$294	+24
12R22.5 LR-H HSR2 483 rev/mile 75 MPH All-Position	7382155415	\$19	+12
12R22.5 LR-H HSC1 482 rev/mile 75 MPH All-Position	7382155419	\$197	+17
12R22.5 LR-H HDR2 479 rev/mile 75 MPH Drive-Position	7382155423	\$256	+27
12R22.5 LR-H HDC1 479 rev/mile 68 MPH Drive-Position	7392155420	\$392	+31
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
TIRES (CONTINUED)			
<i>Continental Tire</i>			
295/75R22.5 LR-G HDR2 509 rev/mile 75 MPH Drive-Position	7702495423	\$31	+7
295/75R22.5 LR-G HDR2 ECO PLUS 509 rev/mile 75 MPH Drive-Position	7702495434	\$22	+8
295/75R22.5 LR-G HSR 3 514 rev/mile 75 MPH All-Position	7702495439	\$99	0
295/75R22.5 LR-H ECOPLUS HS3 519 rev/mile 75 MPH All-Position	7792495429	\$137	-1
295/75R22.5 LR-H HSR 3 514 rev/mile 75 MPH All-Position	7792495439	\$134	+5
255/70R22.5 LR-H HSR2 SA 565 rev/mile 75 MPH All-Position	7752525421	\$134CR	-32
275/80R22.5 LR-G HSR2 518 rev/mile 75 MPH All-Position	7772535415	\$26CR	-5
275/80R22.5 LR-H HSR2 518 rev/mile 75 MPH All-Position	7792535415	\$4	-4
315/80R22.5 LR-L HAU 3 WT 480 rev/mile 68 MPH All-Position	7792545437	\$466	+41
315/80R22.5 LR-L HSC 3 481 rev/mile 68 MPH All-Position	7792545438	\$481	+45
275/70R22.5 LR-H HYBRID HD3 540 rev/mile 81 MPH Drive-Position	7792575428	\$278	-6
385/65R22.5 LR-L HAC 3 479 rev/mile 68 MPH All-Position	7792655441	\$140CR	+49
425/65R22.5 LR-L HAC 3 465 rev/mile 68 MPH All-Position	7752665441	\$74CR	+66
11R24.5 LR-G HDL2 470 rev/mile 75 MPH Drive-Position	7374225432	\$12	+12
11R24.5 LR-H HSR2 476 rev/mile 75 MPH All-Position	7384225415	\$68	+9
11R24.5 LR-H HDL2 DL 468 rev/mile 75 MPH Drive-Position	7384225417	\$125	+29
11R24.5 LR-H HDR2 468 rev/mile 75 MPH Drive-Position	7384225423	\$116	+25
11R24.5 LR-H HDL2 DL ECO PLUS 468 rev/mile 75 MPH Drive-Position	7384225425	\$218	+28
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-418

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
TIRES	CODE	HV613 SBA	
(CONTINUED)			
Continental Tire			
11R24.5 LR-H ECOPLUS HS3 472 rev/mile 75 MPH All-Position	7384225429	\$26CR	+17
11R24.5 LR-H HSC 3 472 rev/mile 68 MPH All-Position	7384225438	\$206	+21
285/75R24.5 LR-G HDL2 DL 490 rev/mile 75 MPH Drive-Position	7704305417	\$232	+15
Hankook Tire			
10R22.5 LR-G AH37 517 rev/mile 75 MPH All-Position	7372115809	\$63CR	-19
11R22.5 LR-G AH37 501 rev/mile 75 MPH All-Position	7372135809	\$107CR	+1
11R22.5 LR-G DH37 498 rev/mile 75 MPH Drive-Position	7372135810	\$84CR	+8
11R22.5 LR-H AH37 499 rev/mile 75 MPH All-Position	7382135809	\$80CR	+1
295/75R22.5 LR-G AH37 513 rev/mile 75 MPH All-Position	7702495809	\$140CR	-7
295/75R22.5 LR-G DH37 509 rev/mile 75 MPH Drive-Position	7702495810	\$76CR	+2
Michelin			
11R22.5 LR-G X MULTI ENERGY D 499 rev/mile 75 MPH Drive-Position	7372133280	\$377	+11
11R22.5 LR-G XZE2 501 rev/mile 75 MPH All-Position	7472133269	\$137	-2
11R22.5 LR-G X LINE ENERGY D 500 rev/mile 75 MPH Drive-Position	7472133279	\$469	+11
11R22.5 LR-G X LINE ENERGY Z 502 rev/mile 75 MPH All-Position	7472133286	\$46	-3
11R22.5 LR-H XDN2 497 rev/mile 75 MPH Drive-Position	7482133264	\$353	+12
11R22.5 LR-H XZE2 501 rev/mile 75 MPH All-Position	7482133269	\$235	+5
11R22.5 LR-H X WORKS XDY 493 rev/mile 75 MPH Drive-Position	7482133281	\$420	+33
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
TIRES (CONTINUED)			
<i>Michelin</i>			
11R22.5 LR-H X LINE ENERGY Z 503 rev/mile 75 MPH All-Position	7482133286	\$162	-3
11R22.5 LR-H X WORKS Z 495 rev/mile 65 MPH All-Position	7482133287	\$458	+13
12R22.5 LR-H XZE 486 rev/mile 75 MPH All-Position	7482153253	\$630	+19
12R22.5 LR-H XDN2 483 rev/mile 75 MPH Drive-Position	7482153264	\$626	+27
12R22.5 LR-H X WORKS Z 483 rev/mile 65 MPH All-Position	7482153287	\$486	+30
295/80R22.5 LR-H XZA2 ENERGY 503 rev/mile 75 MPH All-Position	7682483273	\$310	+5
255/70R22.5 LR-H XZE 563 rev/mile 75 MPH All-Position	7652523253	\$178	-26
275/80R22.5 LR-G XZE2 517 rev/mile 75 MPH All-Position	7602533269	\$214	-7
275/80R22.5 LR-G X LINE ENERGY D 514 rev/mile 75 MPH Drive-Position	7602533279	\$274	+7
275/80R22.5 LR-G X MULTI ENERGY D 514 rev/mile 75 MPH Drive-Position	7602533280	\$336	+6
275/80R22.5 LR-H XZE 516 rev/mile 75 MPH All-Position	7682533253	\$286	-8
275/80R22.5 LR-H X MULTI ENERGY Z 515 rev/mile 75 MPH All-Position	7682533285	\$332	-4
275/80R22.5 LR-H X LINE ENERGY Z 517 rev/mile 75 MPH All-Position	7682533286	\$84	-6
315/80R22.5 LR-L X WORKS Z 485 rev/mile 65 MPH All-Position	7652543287	\$2,547	+42
315/80R22.5 LR-L X MULTIWAY 3D XZE 488 rev/mile 75 MPH All-Position	7652548202	\$621	+33
315/80R22.5 LR-L XZU-S2 488 rev/mile 65 MPH All-Position	7682543212	\$1,020	+42
385/65R22.5 LR-J XZY-3 491 rev/mile 65 MPH All-Position	7602653208	\$176CR	+57
425/65R22.5 LR-L XZY-3 465 rev/mile 65 MPH All-Position	7652663208	\$39CR	+89
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

HV613 SBA

SECTION 415

PRICES EFFECTIVE 01/01/2020

PLH-284 REVISION NO. 40

PAGE 415-420

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HV613 SBA	
TIRES (CONTINUED)			
<i>Michelin</i>			
11R24.5 LR-G XZE2 476 rev/mile 75 MPH All-Position	7474223269	\$293	+6
<i>Bridgestone</i>			
11R22.5 LR-G M770 492 rev/mile 75 MPH Drive-Position	7372139043	\$268	+9
11R22.5 LR-G M760 ECOPIA 492 rev/mile 75 MPH Drive-Position	7372139060	\$122	+14
11R22.5 LR-H R268 ECOPIA 500 rev/mile 75 MPH All-Position	7382139059	\$143	+2
11R22.5 LR-H R284 ECOPIA 505 rev/mile 75 MPH All-Position	7382139067	\$290	-5
295/75R22.5 LR-G M726ELA 507 rev/mile 75 MPH Drive-Position	7702499003	\$281	+10
295/75R22.5 LR-G M770 506 rev/mile 75 MPH Drive-Position	7702499043	\$85	+8
295/75R22.5 LR-G M710 ECOPIA 512 rev/mile 75 MPH Drive-Position	7702499058	\$83	-3
295/75R22.5 LR-G R268 ECOPIA 515 rev/mile 75 MPH All-Position	7702499059	\$95	-3
295/75R22.5 LR-G M760 ECOPIA 511 rev/mile 75 MPH Drive-Position	7702499060	\$149	+5
295/75R22.5 LR-G R284 ECOPIA 516 rev/mile 75 MPH All-Position	7702499067	\$177	-7
295/75R22.5 LR-H R284 ECOPIA 516 rev/mile 75 MPH All-Position	7762499067	\$262	-7
315/80R22.5 LR-L M843 480 rev/mile 65 MPH All-Position	7762549052	\$1,514	+35
425/65R22.5 LR-L M864 463 rev/mile 68 MPH All-Position	7752669068	\$189	+69
11R24.5 LR-H M726ELA 470 rev/mile 75 MPH Drive-Position	7384229003	\$479	+24
11R24.5 LR-H M843 468 rev/mile 65 MPH All-Position	7384229052	\$409	+29
11R24.5 LR-H R268 ECOPIA 477 rev/mile 75 MPH All-Position	7384229059	\$298	+11
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			



HV613 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HV613 SBA	
<p>TIRES (CONTINUED)</p> <p><i>Bridgestone</i></p> <p>11R24.5 LR-H R284 ECOPIA 482 rev/mile 75 MPH All-Position</p> <p>285/75R24.5 LR-G M726ELA 492 rev/mile 75 MPH Drive-Position</p>	<p>7384229067</p> <p>7704309003</p>	<p>\$501</p> <p>\$231</p>	<p>+3</p> <p>+14</p>
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			