



HX515 SFA 6x4 INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- A -			
ACCESS, C A B			113
ACCESSORY WIRING, S P E C I A L			37
AFTERTREATMENT C O V E R			23
AIR BRAKE A B S	04AZJ		7
- Bendix - AntiLock Brake System Full Vehicle Wheel Control System (4-Channel) with Automatic Traction Control			
AIR C L E A N E R	12VBB		39
- Dual Element			
AIR C O M P R E S S O R	04SPM		19
- Bendix - BA-921 Head Unload - 15.9 CFM			
AIR C O M P R E S S O R D I S C H A R G E L I N E			19
AIR C O N D I T I O N E R	16WKB	No Opt	113
- International - Blend-Air - with Integral Heater and Defroster			
AIR D R Y E R	04EBS		19
- Bendix - AD-9 - with Heater			
AIR T A N K			19
AIR T A N K L O C A T I O N			20
A L L I S O N S P A R E I N P U T / O U T P U T			65
A L T E R N A T O R	08GXJ		26
- Leece-Neville - AVI160P2013 - Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount			
A N T E N N A B A S E	08RMG	No Opt	26
- (02) Single Function, (1) for CB and (1) for Entertainment Radio, without Splitter, Separate Lead-Ins, with CB Antenna Mounted on Left Mirror and AM/FM Antenna Mounted on Right Mirror			
A N T E N N A M O U N T I N G B R A C K E T S			113
A N T I - F R E E Z E	12703	No Opt	40
- Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection			
A U T O M A T I C N E U T R A L			66
A U X I L I A R Y H A R N E S S			26
A X L E S H A F T M O D I F I C A T I O N			104
A X L E S P A C I N G , F I R S T P U S H E R			101



HX515 SFA 6x4 INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- A -			
AXLE SPACING, SECOND PUSHER.....			101
AXLE SPACING, TAG.....			102
AXLE, FRONT NON-DRIVING.....	02ARW		4
- Meritor - MFS-12-143A - Wide Track, I-Beam Type, 12,000-lb Capacity			
AXLE, LIFT, CONTROLS.....			103
AXLE, PUSHER, LIFT TYPE.....			97
AXLE, PUSHER, LIFT TYPE, ID.....			101
AXLE, REAR, LIFT, LUBE.....			104
AXLE, REAR, LUBE.....			104
AXLE, REAR, TANDEM.....	14GVU		69
- Meritor - MT-40-14X-4DFR-P - Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, w/.433"(11mm) Wall Housing Thickness, R Wheel Ends			
AXLE, TAG, LIFT TYPE.....			102
- B -			
BACK-UP ALARM.....			26
BATTERY BOX.....	08VUK		26
- Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab			
BATTERY BOX COVER.....			27
BATTERY CABLES.....			28
BATTERY DISCONNECT SWITCH.....			28
BATTERY SYSTEM.....	08MSG		28
- Fleetrite Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud			
BEACON LIGHT WIRING.....			29
BEACON LIGHTS.....			29
BLOCK HEATER, ENGINE.....			40
BODY BUILDER WIRING.....			29
BRAKE CHAMBERS, ADDITIONAL.....			18
BRAKE CHAMBERS, FRONT AXLE.....			10



HX515 SFA 6x4 INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- B -			
BRAKE CHAMBERS, REAR AXLE.....			16
BRAKE CHAMBERS, SPRING.....			17
BRAKE DRUMS, FRONT.....			146
BRAKE DRUMS, REAR.....			146
BRAKE PACKAGE, FRONT.....	04WEZ		9
- Bendix Spicer - ADB22X - Air, Disc Type, Extended Service; Size 22.5"			
BRAKE PACKAGE, REAR.....	04WEY		11
- Bendix Spicer - ADB22X - Air, Disc Type, Extended Service; Size 22.5"			
BRAKE SHOES, REAR.....			17
BRAKE SYSTEM, AIR.....	04091	No Opt	6
- Dual System for Straight Truck Applications			
BRAKES, AIR CAM, PUSHER AXLE.....			20
BRAKES, AIR CAM, TAG AXLE.....			20
BRAKES, FRONT, AIR CAM.....			10
BRAKES, FRONT, AIR DISC.....	04JBZ		9
- 22.5 Dia, Includes 18" Sq. In. Brake Chambers			
BRAKES, REAR, AIR CAM.....			13
BRAKES, REAR, AIR DISC.....	04JCC		12
- 22.5 Dia, Includes 18/24" Sq. In. Brake Chambers			
BUG SCREEN.....			33
BUMPER, FRONT.....	01LMU		1
- Gull Wing, Steel, 15.5" High x 94.0 Long, Heavy Duty			
BUSHINGS, EQUALIZER BEAM.....			104
- C -			
CAB.....	16031	No Opt	113
- Conventional, Day Cab			
CAB DOOR LOCKS.....	16WJG	No Opt	113
- Power			
CAB INTERIOR TRIM.....	16VJZ		114
- Classic, for HX Day Cab			



HX515 SFA 6x4 INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- C -			
CAB REAR SUSPENSION	16WLD	No Opt	114
- Dual Air Suspension, Includes Special Crossmember Assembly			
CHASSIS COATING			34
CIGAR LIGHTER			29
CIRCUIT BREAKERS	08XAH	No Opt	29
- Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses			
CLUTCH	11MGP		36
- Eaton Fuller - ECA-1850 - Two-Plate, Ceramic, 7-Spring with Pre-Damper, 15.5" Diameter, with Adjustment-Free Feature, 1850 lb-ft Torque Capacity			
CLUTCH BRAKE			37
CLUTCH EFFECTS			37
CLUTCH HOUSING			66
COATING IDENTITY, FRONT WHEELS			146
COATING IDENTITY, REAR WHEELS			147
COATING, RIM, REAR WHEELS			148
COLD STARTING EQUIPMENT			40
COUNTRY IDENTITY			34
CROSSMEMBER, AF, SPECIAL			2
CROSSMEMBER, FRAME TIE			2
CROSSMEMBER, REAR			2
CROSSMEMBER, REAR, AF			2
CUSTOMER SERVICES			34
- D -			
DEF TANK	15DYP		111
- 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab			
DEF TANK COVER			111
DIFF. SWITCH CONTROLS			104



HX515 SFA 6x4 INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- D -			
DRAIN VALVE.....	04732		20
- Berg with Pull Chain, for Air Tank			
DRIVELINE SYSTEM.....	06DHB		22
- Dana Spicer 1810HD Main Driveline with 1710 Interaxle Shaft, for 6x4			
DUST SHIELDS, FRONT BRAKE.....			11
DUST SHIELDS, REAR BRAKE.....			18
- E -			
ELECTRICAL SYSTEM.....	08000	No Opt	25
- 12-Volt, Standard Equipment			
ELECTRONIC VEHICLE MONITORING.....			114
EMISSION COMPLIANCE.....			40
ENGINE COMPRESSION BRAKE.....	07SDK		23
- by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch			
ENGINE CONTROL, REMOTE MOUNTED.....			40
ENGINE, DIESEL.....	12BDY		38
- International - A26 - EPA 2017, 370HP @ 1700 RPM, 1350 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max)			
EXHAUST HEIGHT.....	07WDM		24
- 10'			
EXHAUST SYSTEM.....	07BLJ		22
- Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side			
- F -			
FAN DRIVE.....	12THT	No Opt	39
- Horton - Drivemaster - Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed			
FAN DRIVE SPECIAL EFFECTS.....	12WTA	No Opt	40
- Fan Cooling Ring with Fan Shroud Effects, Engine Mounted			
FAN OVERRIDE.....			40
FEDERAL EMISSIONS.....			41



HX515 SFA 6x4 INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- F -			
FENDER EXTENSIONS.....			33
FOG LIGHTS.....			30
FRAME EXTENSION, FRONT.....			2
FRAME RAILS.....	01CGC		1
- Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 550.0" (13970mm) Maximum OAL			
FRAME REINFORCEMENT.....			1
FRAME, SPECIAL EFFECTS.....			2
FRONT END.....	09ANC	No Opt	33
- Tilting, Fiberglass, with Stationary Grille			
FUEL TANK.....	15SSN		107
- Non-Polished Aluminum, 24" Dia, 60 US Gal (227L), Mounted Left Side, Under Cab			
FUEL TANK CAP.....			112
FUEL TANK STRAPS.....			112
FUEL/WATER SEPARATOR.....	15LKU		112
- Racor Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor			
- G -			
GAUGE CLUSTER.....	16HBA		114
- English with English Electronic Speedometer			
GAUGE, AIR APPLICATION.....			114
GAUGE, AIR CLEANER RESTRICTION.....			115
GAUGE, AIR PRESSURE.....			115
GAUGE, MANIFOLD PRESSURE.....			115
GAUGE, OIL TEMP, REAR AXLE.....			115
GRAB HANDLE, EXTERIOR.....			115
GRILLE.....	09HCP	No Opt	33
- Stationary, Black Vertical Accent Bars, with Black Mesh			
- H -			
HAND CONTROL VALVE, AIR.....			21



HX515 SFA 6x4 INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- H -			
HEADLIGHTS.....	08XHT	No Opt	30
- Halogen, Composite Combination			
HEADLIGHTS ON W/WIPERS.....			30
HEATER SHUT-OFF VALVES.....			115
HEATER, ENHANCED CIRCULATION.....	16VRT	No Opt	115
- Bergstrom Control, for Extreme Cold Weather Climates			
HORN, AIR.....	08653		30
- Single, Located Under Cab			
HORN, ELECTRIC.....	08VAY		30
- Disc Style			
HOSE CLAMPS, HEATER HOSE.....			115
HOSE CLAMPS, RADIATOR HOSES.....	12WCX		41
- Gates Shrink Band Type			
HUB MODIFICATIONS, FRONT.....			148
HUB MODIFICATIONS, REAR.....			148
- I -			
INDICATOR TRANS GEAR POSITION.....			115
INPUT SHAFT.....			66
- J -			
JUMP START STUD.....			30
- K -			
KEYLESS ENTRY SYSTEM REMOTE.....			116
KEYS - ALL ALIKE.....			34
- L -			
LANGUAGE IDENTITY.....			35
LIGHT, WORK.....			30
LOGOS EXTERIOR.....	09AAB		33
- Model Badges			



HX515 SFA 6x4 INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- L -			
LOGOS EXTERIOR, ENGINE..... - Badges	09AAE		33
- M -			
MIRROR, CONVEX, HOOD MOUNTED.....			117
MIRROR, CONVEX, LOOK DOWN.....			116
MIRRORS..... - (02) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width	16SNL		116
MODESTY PANEL.....			117
MUD FLAP HOLDER.....			35
MUD FLAPS, REAR.....			35
MUFFLER/TAIL PIPE GUARD.....			24
- N -			
NEUTRAL AT STOP.....			66
- O -			
OIL COOLER MANUAL TRANSMISSION.....			67
OIL COOLER, AUTO TRANSMISSION.....			67
OIL PAN.....			41
OVER THE AIR PROGRAMMING.....			35
- P -			
PAINT CLASS.....			35
PAINT IDENTITY, FRONT WHEELS.....			148
PAINT IDENTITY, REAR WHEELS.....			148
PAINT SCHEMATIC, PT-1..... - Single Color, Design 100	10060	No Opt	35
PAINT TYPE..... - Base Coat/Clear Coat, 1-2 Tone	10761	No Opt	36
PAINT, CAB SUNSHADE.....			35



HX515 SFA 6x4 INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- P -			
PAINT, NON-REFLECTING.....			35
PDL WARNING BUZZER.....			104
POWER SOURCE.....	08718	No Opt	31
- Cigar Type Receptacle without Plug and Cord			
POWER SOURCE, TERMINAL TYPE.....	08WCK	No Opt	31
- 2-Post			
PTO CONTROL, DASH MOUNTED.....			67
PTO EFFECTS, ENGINE FRONT.....			41
PTO, ENGINE REAR.....			41
PUSHER LIFT AXLE TIRE SLR.....			106
- R -			
RADIATOR.....	12XBN	No Opt	39
- Aluminum; Welded, Front to Back CrossFlow System, 1084 Sqn, 866 Sqn CAC			
RADIATOR DRAIN & FILL FITTING.....	12WYZ	No Opt	41
- SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System			
RADIO.....	08RBN		31
- Omit Item, Includes Wiring and Antenna, with Multiple Speakers			
RAIN CAP.....			24
RECOVERY SHACKLE FRONT.....			3
REINFORCEMENT, PINTLE HOOK.....			3
RUNNING LIGHT.....			31
- S -			
SAFETY TRIANGLES.....			36
SATELLITE COMMUNICATION SYSTEM.....			31
SEAT BELT.....			117



HX515 SFA 6x4 INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- S -			
SEAT, DRIVER..... - National - 2000 Model 295 - Air Suspension, Intermediate Back, All Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3 Position Rear Cushion, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover	16JPC		118
SEAT, PASSENGER..... - Omit Item	16400		119
SERVICES, TOWING.....			154
SHIELD, TEMPERATURE SENSOR.....			105
SHIFT CONTROL PARAMETERS.....			67
SHOCK ABSORBERS, REAR.....			105
SLACK ADJUSTER, PUSHER AXLE.....			21
SLACK ADJUSTER, TAG AXLE.....			21
SLACK ADJUSTERS, FRONT.....			11
SLACK ADJUSTERS, REAR.....			17
SNOW SHIELD.....			31
SPECIAL RATING, GAWR.....			18
SPECIAL RATING, GVWR.....			36
SPOT LIGHT.....			32
SRV CONTRACT, EXT ALLISON XMSN.....			156
SRV CONTRACT, EXT CAB.....			158
SRV CONTRACT, EXT COOLING SYS.....			158
SRV CONTRACT, EXT EATON XMSN.....			159
SRV CONTRACT, EXT ELECTRICAL.....			160
SRV CONTRACT, EXT ENG M/COMP.....			168
SRV CONTRACT, EXT ENGINE.....			161
SRV CONTRACT, EXT ENGINE/AFTR.....			164
SRV CONTRACT, EXT FRAME.....			168
SRV CONTRACT, EXT HEND SUSP.....			169
SRV CONTRACT, EXT HTR/AC SYS.....			170



HX515 SFA 6x4 INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- S -			
SRV CONTRACT, EXT MAJOR COMP.....			171
SRV CONTRACT, EXT STARTER/ALT.....			173
SRV CONTRACT, EXT VEH COVERAGE.....			174
STARTING MOTOR.....	08WXG		32
- Mitsubishi Electric Automotive America - 105P - 12-Volt, with Soft-Start			
STEERING COLUMN.....	05710	No Opt	22
- Tilting and Telescoping			
STEERING GEAR.....	05PSA		21
- Sheppard - M100 - Power			
STEERING WHEEL.....	05CAW		22
- 4-Spoke; 18" Dia., Black			
STOP, TURN, TAIL & B/U LIGHTS.....			32
STORAGE, CAB INTERIOR.....			120
STORAGE, REAR WALL.....			120
SUNSHADE, EXTERIOR.....			120
SUSPENSION AIR CONTROL VALVE.....			105
SUSPENSION/REAR-AXLE IDENTITY.....			105
SUSPENSION, FRONT, SPRING.....	03ADC		5
- Parabolic Taper Leaf, Shackle Type, 12,000-lb Capacity, with Shock Absorbers			
SUSPENSION, REAR, AIR, TANDEM.....			82
SUSPENSION, REAR, TANDEM.....	14ULX		90
- Hendrickson - HMX-400-54 - Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings			
SWITCH, FOR EXHAUST.....			24
- T -			
TAG LIFT AXLE TIRE SLR.....			106
TAIL PIPE.....	07WDT		24
- (1) Straight Type			
THRU-SHAFT.....			68
TIRE VALVE CAP.....			149



HX515 SFA 6x4 INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- T -			
TIRE, SPARE.....			149
TIRES.....	7372138132		187
- Goodyear 11R22.5 LR-G ENDURANCE RSA 496 rev/mile 75 MPH All-Position			
TOGGLE SWITCH, AUXILIARY.....			32
TORQUE RODS.....			106
TOW HOOK, REAR.....			3
TOW LOOP, FRONT.....			3
TOW LOOP, REAR.....			3
TRAILER CONNECTION SOCKET.....			33
TRAILER CONNECTIONS.....			21
TRANSMISSION LUBE PUMP.....			68
TRANSMISSION OIL.....			68
TRANSMISSION SHIFT CONTROL.....			69
TRANSMISSION, AUTOMATIC.....			58
TRANSMISSION, MANUAL.....	13GWZ		41
- Eaton Fuller - UltraShift+ FO-16E313A 13-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid			
TRANSVERSE TORQUE RODS.....			106
TURN SIGNAL SWITCH.....			33
- V -			
VEHICLE REGISTRATION IDENTITY.....			36
- W -			
WARRANTY.....	40124	No Opt	154
- Standard for HX Series, Effective with Vehicles Built December 7, 2015 or Later, CTS-2015A			
WHEEL BEARING, FRONT, LUBE.....			149
WHEEL BRAND, FRONT.....			149
WHEEL GUARDS, FRONT.....			149



HX515 SFA 6x4 INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- W -			
WHEEL GUARDS, R E A R.....			149
WHEEL SEALS, F R O N T.....			150
WHEEL SEALS, R E A R.....			150
WHEEL, REAR, I D E N T I T Y.....			149
WHEEL, SPARE, D I S C.....			142
WHEELBASE R A N G E.....	01WWX		3
- 161" (410cm) Through and Including 205" (520cm)			
WHEELS, F R O N T.....	27DUW		121
- Accuride - 51408 - DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs			
WHEELS, L I F T A X L E P U S H E R.....			150
WHEELS, R E A R.....	28DUW		133
- Accuride - 51408 - DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs			
WINDOW, P O W E R.....	16WAK	No Opt	120
- (02) in Left and Right Doors			
WINDOW, R E A R.....	16VZA	No Opt	120
- 52.25" Wide			
W I N D S H I E L D.....	16WKR		120
- Single Piece			
W I N D S H I E L D W I P E R B L A D E S.....			120
W I R I N G M O D I F I C A T I O N S.....			33
- 2 -			
2-WAY R A D I O.....			29



HX515 SFA 6x4

STANDARD EQUIPMENT

MODEL CODE: HX51F00 LIST PRICE: \$214,946.00

01 FRAMES

* NOTE: APPLICATION AND COUNTRY RESTRICTION INFORMATION IS NOT SHOWN IN THE AVAILABLE EQUIPMENT SECTIONS. PLEASE REFER TO THE TOPS APPLICATION IN SALES TOOLS FOR THIS RESTRICTION INFORMATION.

01CGC - FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 550.0" (13970mm) Maximum OAL

01LMU - BUMPER, FRONT Gull Wing, Steel, 15.5" High x 94.0 Long, Heavy Duty

01WWX - WHEELBASE RANGE 161" (410cm) Through and Including 205" (520cm)

02 AXLE, FRONT

02ARW - AXLE, FRONT NON-DRIVING {Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity

03A SUSPENSION, FRONT

03ADC - SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 12,000-lb Capacity, with Shock Absorbers

04 BRAKES

04091 - BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
* BRAKE LINES Color and Size Coded Nylon
* DRAIN VALVE Twist-Type
* GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster
* PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel
* PARKING BRAKE VALVE For Truck
* QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4
* SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes)
* SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes)
* SPRING BRAKE MODULATOR VALVE {Bendix} SR-7 with relay valve for 6x4/8x6
* SWITCH, AUXILIARY Interrupter for Cab Clearance/Marker Lights (Blinks Lights with Headlight Switch in "ON" Position); Instrument Panel Mounted

04 BRAKES

(CONT.)

04AZJ - AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel) with Automatic Traction Control
04WEZ - BRAKE PACKAGE, FRONT {Bendix Spicer ADB22X} Air, Disc Type, Extended Service; Size 22.5"
04JBZ - BRAKES, FRONT, AIR DISC 22.5 Dia, Includes 18" Sq. In. Brake Chambers
04WEY - BRAKE PACKAGE, REAR {Bendix Spicer ADB22X} Air, Disc Type, Extended Service; Size 22.5"
04JCC - BRAKES, REAR, AIR DISC 22.5 Dia, Includes 18/24" Sq. In. Brake Chambers
04SPM - AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM
04EBS - AIR DRYER {Bendix AD-9} with Heater
04732 - DRAIN VALVE {Berg} with Pull Chain, for Air Tank

05 STEERING

05PSA - STEERING GEAR {Sheppard M100} Power
05710 - STEERING COLUMN Tilting and Telescoping
05CAW - STEERING WHEEL 4-Spoke; 18" Dia., Black

06 DRIVELINES

* END YOKES Half-Round, Easy Service (All)
* SLIP JOINT SPLINES Nylon-Coated
06DHB - DRIVELINE SYSTEM {Dana Spicer} 1810HD Main Driveline with 1710 Interaxle Shaft, for 6x4

07 EXHAUST SYSTEM

07BLJ - EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side
07SDK - ENGINE COMPRESSION BRAKE by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch
07WDM - EXHAUST HEIGHT 10'
07WDT - TAIL PIPE (1) Straight Type

08 ELECTRICAL

08000 - ELECTRICAL SYSTEM 12-Volt, Standard Equipment
* HAZARD SWITCH Integral with Turn Signal Switch
* HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever
* PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light

08 ELECTRICAL

(CONT.)

* STARTER SWITCH Electric, Key Operated
* STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector
* TURN SIGNAL SWITCH Manual Cancelling with Lane Change Feature
* TURN SIGNALS, FRONT Includes Integral Reflectors and Side Marker Lights; Fender Mounted
* WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature, Steering Column Mounted
* WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
* WIRING, CHASSIS Color Coded and Continuously Numbered
08GXJ - ALTERNATOR {Leece-Neveille AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount
08RMG - ANTENNA BASE (2) Single Function, (1) for CB and (1) for Entertainment Radio, without Splitter, Separate Lead-Ins, with CB Antenna Mounted on Left Mirror and AM/FM Antenna Mounted on Right Mirror
08VUK - BATTERY BOX Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab
08MSG - BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 198CCA Total, Top Threaded Stud
08XAH - CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
08XHT - HEADLIGHTS Halogen, Composite Combination
08653 - HORN, AIR Single, Located Under Cab
08VAY - HORN, ELECTRIC Disc Style
08718 - POWER SOURCE Cigar Type Receptacle without Plug and Cord
08WCK - POWER SOURCE, TERMINAL TYPE 2-Post
08RBN - RADIO Omit Item, Includes Wiring and Antenna, with Multiple Speakers
08WXG - STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start

Refer To General Info for Metric Conversion Tables



HX515 SFA 6x4

STANDARD EQUIPMENT

MODEL CODE: HX51F00

09 FRONT END

- 09ANC - FRONT END Tilting, Fiberglass, with Stationary Grille
- 09HCP - GRILLE Stationary, Black Vertical Accent Bars, with Black Mesh
- 09AAB - LOGOS EXTERIOR Model Badges
- 09AAE - LOGOS EXTERIOR, ENGINE Badges

10 PAINT & MISCELLANEOUS

- 10060 - PAINT SCHEMATIC, PT-1 Single Color, Design 100
* PAINT SCHEMATIC ID LETTERS "LU"
- 10761 - PAINT TYPE Base Coat/Clear Coat, 1-2 Tone

11 CLUTCH

- 11MGP - CLUTCH {Eaton Fuller ECA-1850} Two-Plate, Ceramic, 7-Spring with Pre-Damper, 15.5" Diameter, with Adjustment-Free Feature, 1850 lb-ft Torque Capacity

12 ENGINE

- 12BDY - ENGINE, DIESEL {International A26} EPA 2017, 370HP @ 1700 RPM, 1350 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max)
- 12XBN - RADIATOR Aluminum; Welded, Front to Back CrossFlow System, 1084 SqIn, 866 SqIn CAC
- 12THT - FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed
- 12VBB - AIR CLEANER Dual Element
- 12703 - ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
- 12WTA - FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted
- 12WCX - HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type
- 12WYZ - RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System

13 TRANSMISSION

- 13GWZ - TRANSMISSION, MANUAL {Eaton Fuller UltraShift+ FO-16E313A-MHP} 13-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid

14A AXLE, REAR

- 14GVU - AXLE, REAR, TANDEM {Meritor MT-40-14X-4DFR-P} Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, w/.433"(11mm) Wall Housing Thickness, R Wheel Ends
* RATIO: 2.64, 3.08, 3.25, 3.36, 3.42, 3.55, 3.70, 3.90, 4.11, 4.33, 4.63, 4.88, 5.29, 5.86, 6.14, 6.43, 6.83 OR 7.17

14B SUSPENSION, REAR

- 14ULX - SUSPENSION, REAR, TANDEM {Hendrickson HMX-400-54} Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings

15 FUEL TANKS

- * FUEL LINE FITTINGS O-Ring Snap-On Quick-Connect Voss Fittings at Both Ends; Anchored to frame for Fuel Hoses
- 15SSN - FUEL TANK Non-Polished Aluminum, 24" Dia, 60 US Gal (227L), Mounted Left Side, Under Cab
- 15DYP - DEF TANK 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab
- 15LKU - FUEL/WATER SEPARATOR {Racor} Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor

16 CAB

- 16031 - CAB Conventional, Day Cab
* CLEARANCE/MARKER LIGHTS (5) LED Roof Mounted
- * COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window
- * CONSOLE, CENTER Includes Two Cup Holders with Ash Cup and One Additional Storage Area
- * GLASS, ALL WINDOWS Tinted
- * GRAB HANDLE, CAB INTERIOR (2) One Each Side
- * GRAB HANDLE, EXTERIOR (2) Mounted Behind Driver and Passenger Doors

16 CAB (CONT.)

- * SPEAKERS IN CAB (4) Two Located in B-Pillar, Two Located Overhead on Driver and Passenger Sides
- * STEP (4) Two Steps Per Door
- 16WKB - AIR CONDITIONER {International Blend-Air} with Integral Heater and Defroster
- 16WJG - CAB DOOR LOCKS Power
- 16VJZ - CAB INTERIOR TRIM Classic, for HX Day Cab
* CONSOLE, OVERHEAD Molded Plastic with Three Storage Pockets; One with Velcro Strap for CB Radio Mounting; Two with Netting
- * DOME LIGHT, CAB (2) Rectangular, Door Activated; Above Door Mounted, One Each Side
- * FLOOR COVERING Rubber, Black
- * SUN VISOR (2) Vinyl with Toll Ticket Strap
- 16WLD - CAB REAR SUSPENSION Dual Air Suspension, Includes Special Crossmember Assembly
- 16HBA - GAUGE CLUSTER English with English Electronic Speedometer
NOTE: STANDARD IN USA
- 16VRT - HEATER, ENHANCED CIRCULATION {Bergstrom} Control, for Extreme Cold Weather Climates
- 16SNL - MIRRORS (2) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width
NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"
- For U.S. Only
- 16JPC - SEAT, DRIVER {National 2000 Model 295} Air Suspension, Intermediate Back, All Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3 Position Rear Cushion, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover
- 16400 - SEAT, PASSENGER Omit Item
- 16WAK - WINDOW, POWER (2) in Left and Right Doors
- 16VZA - WINDOW, REAR 52.25" Wide
- 16WKR - WINDSHIELD Single Piece

Refer To General Info for Metric Conversion Tables



Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCECCPS 16

INTERNATIONAL®

HX

TRUCKS - 26,000 LBS. GVW OR GREATER
BID #ESCNJ 17/18-30

SERIES HEAVY DUTY

HX515 SFA 6x4

STANDARD EQUIPMENT

MODEL CODE: HX51F00

27/28 WHEELS & TIRES

- * WHEEL SEALS, FRONT
{International} Oil
Lubricated, Includes Wheel Bearings
- * WHEEL SEALS, REAR
{International} Oil
Lubricated, Includes Wheel Bearings

27DUW - WHEELS, FRONT {Accuride 51408} DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs

28DUW - WHEELS, REAR {Accuride 51408} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs

737213 8132 (02) 11R22.5 14-PR LR-G SINGLE FRONT RADIAL TIRES {Goodyear ENDURANCE RSA}

737213 8132 (08) 11R22.5 14-PR LR-G DUAL REAR RADIAL TIRES {Goodyear ENDURANCE RSA}

40 WARRANTY

40124 - WARRANTY Standard for HX Series, Effective with Vehicles Built December 7, 2015 or Later, CTS-2015A

Refer To General Info for Metric Conversion Tables



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>FRAME RAILS NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 550.0" (13970mm) Maximum OAL</p> <p>Heat Treated Alloy Steel (120,000 PSI Yield); 12.50" x 3.750" x 0.500" (317.5mm x 95.25mm x 12.7mm); 480.8" (12212mm) Maximum OAL REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01UBG FRAME, SPECIAL EFFECTS : Code 01GDS FRAME REINFORCEMENT AVAIL: Code 10021 CHASSIS COATING</p>	<p>01CGC</p> <p>01CGD</p>	<p>STD</p> <p>\$1,505</p>	<p></p> <p>0/0</p>
<p>FRAME REINFORCEMENT NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Full Outer C-Channel, Heat Treated Alloy Steel (120,000 PSI Yield), 13.025" x 3.687" x 0.312" (330.8mm x 93.6mm x 7.9mm), 518.0" (13157.2mm) OAL REQS: Code 01AMS CROSSMEMBER, FRAME TIE REQS: Code 01CGC(std) FRAME RAILS REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM AVAIL: Code 10022 CHASSIS COATING</p>	<p>01GDS</p>	<p>\$3,469</p>	<p>0/0</p>
<p>BUMPER, FRONT</p> <p>Gull Wing, Steel, 15.5" High x 94.0 Long, Heavy Duty N/A: Code 01WCP FRAME EXTENSION, FRONT</p> <p>Gull Wing, Aluminum, 15.5" High x 94.0 Long, Severe Duty N/A: Code 01WCP FRAME EXTENSION, FRONT</p> <p>Gull Wing, Steel, Chrome Plated N/A: Code 01WCP FRAME EXTENSION, FRONT</p> <p>Swept Back 40-Degrees, Steel, Painted, Heavy Duty REQS: Code 01WCP FRAME EXTENSION, FRONT</p> <p>Full Width, Heavy Duty, Aluminum; Swept Back 40-Degrees REQS: Code 01WCP FRAME EXTENSION, FRONT</p>	<p>01LMU</p> <p>01LMT</p> <p>01LNJ</p> <p>01LLW</p> <p>01LMJ</p>	<p>STD</p> <p>\$127</p> <p>\$485</p> <p>N/C</p> <p>\$175</p>	<p></p> <p>- 45/+6</p> <p></p> <p>+ 51/- 18</p> <p>- 15/- 4</p>



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
CROSSMEMBER, AF, SPECIAL (02) Drop Center Crossmembers for Bridge Formula Mixer REQS: Code 14UHK, 14ULY, 14UZB or 14UZU SUSPENSION, REAR, TANDEM REQS: Code 15SGL, 15SHC, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM or 15SSN(std) FUEL TANK N/A: Code 01SAP, 01SAR and 01SAS CROSSMEMBER, REAR, AF : Code 01652 CROSSMEMBER, REAR : SUSPENSION, REAR, AIR, TANDEM : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 01WSA TOW LOOP, REAR	01UAA	\$366 -15/+60	
CROSSMEMBER, FRAME TIE for Heavy Duty for Standard Duty	01AMS 01AMR	\$258 +49/+11 N/C +36/+8	
CROSSMEMBER, REAR Relocated to End of Frame N/A: Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 01WSA TOW LOOP, REAR	01652	\$30 -20/+85	
CROSSMEMBER, REAR, AF (02) 5-Piece N/A: Code 01UAA CROSSMEMBER, AF, SPECIAL (03) 5-Piece N/A: Code 01UAA CROSSMEMBER, AF, SPECIAL (1) 5-Piece N/A: Code 01UAA CROSSMEMBER, AF, SPECIAL	01SAR 01SAS 01SAP	\$303 -64/+194 \$470 -102/+299 \$162 -21/+86	
FRAME EXTENSION, FRONT Integral; 27" in Front of Grille, Includes Crossmember for Front PTO REQS: Code 01LLW or 01LMJ BUMPER, FRONT N/A: Code 01LMT and 01LMU(std) BUMPER, FRONT	01WCP	\$695 +185/-28	
FRAME, SPECIAL EFFECTS Bolt Transition Plates to Frame for Mixer Body REQS: Code 01CGC(std) FRAME RAILS REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM REQS: Code 15SGL, 15SHC, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM or 15SSN(std) FUEL TANK N/A: Code 07BKN EXHAUST SYSTEM	01UBG	\$205 +19/+18	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
RECOVERY SHACKLE FRONT (02) Frame Mounted; 80,000-lb. Total Capacity N/A: Code 01WRY TOW LOOP, FRONT	01WRX	\$312 +24/-3	
REINFORCEMENT, PINTLE HOOK Ahead of Rear Crossmember for Pintle Hook N/A: Code 01WRZ TOW HOOK, REAR	01GTA	\$176 -13/+49	
TOW HOOK, REAR (02) Frame Mounted; 80,000-lb. Total Capacity REQS: Code 01652 CROSSMEMBER, REAR REQS: Code 08TKB, 08TKC or 08TKJ STOP, TURN, TAIL & B/U LIGHTS N/A: Code 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS : Code 01GTA REINFORCEMENT, PINTLE HOOK : Code 01WSA TOW LOOP, REAR : Code 10WPR, 10WPT and 10WPU MUD FLAP HOLDER	01WRZ	\$125 -10/+43	
TOW LOOP, FRONT Frame Mounted; 80,000-lb. Total Capacity N/A: Code 01WRX RECOVERY SHACKLE FRONT	01WRY	\$618 +114/-13	
TOW LOOP, REAR Frame Mounted; 80,000-lb. Total Capacity N/A: Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 01652 CROSSMEMBER, REAR : Code 08554 TRAILER CONNECTION SOCKET : Code 01WRZ TOW HOOK, REAR	01WSA	\$778 -34/+143	
WHEELBASE RANGE 161" (410cm) Through and Including 205" (520cm) 207" (525cm) Through and Including 252" (640cm) 254" (645cm) Through and Including 309" (785cm) 311" (790cm) Through and Including 364" (925cm) 366" (930cm) Through and Including 394" (1000cm)	01WWX 01WWY 01WVL 01WWZ 01WXA	STD \$966 0/0 \$1,397 0/0 \$1,832 0/0 \$2,300 0/0	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>AXLE, FRONT NON-DRIVING <i>(SEE PREV PAGE)</i></p> <p><i>Meritor</i></p> <p>- MFS-14-143A - N/A: Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 29PCB COATING IDENTITY, FRONT WHEELS AVAIL: Code 04WHD DUST SHIELDS, FRONT BRAKE</p> <p>- MFS-16-143A - Wide Track, I-Beam Type, 16,000-lb Capacity REQS: Code 05PTB STEERING GEAR REQS: Code 04193 BRAKES, FRONT, AIR CAM REQS: Code 03ADE SUSPENSION, FRONT, SPRING REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM N/A: Code 04JBZ(std) and 04JCN BRAKES, FRONT, AIR DISC : Code 04AZS and 04AZY AIR BRAKE ABS : Code 27DEM, 27DMM, 27DMN, 27DTA, 27DTC, 27DUC, 27DUX, 27DVB, 27DVJ, 27DVK, 27DVR and 27DVS WHEELS, FRONT AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p> <p>- MFS-18-133A - Wide Track, I-Beam Type, 18,000-lb Capacity REQS: Code 05PTB STEERING GEAR REQS: Code 04JCN BRAKES, FRONT, AIR DISC -OR- Code 04193 BRAKES, FRONT, AIR CAM REQS: Code 03ADG SUSPENSION, FRONT, SPRING N/A: Code 27DEM, 27DMM, 27DMN, 27DTA, 27DTC, 27DUC, 27DUX, 27DVJ, 27DVK, 27DVR and 27DVS WHEELS, FRONT</p> <p>- MFS-20-133A - Wide Track, I-Beam Type, 20,000-lb Capacity REQS: Code 05PTB STEERING GEAR REQS: Code 04JCN BRAKES, FRONT, AIR DISC -OR- Code 04193 BRAKES, FRONT, AIR CAM REQS: Code 03ADJ, 03AEB or 03AEX SUSPENSION, FRONT, SPRING N/A: Code 27DEM, 27DMM, 27DMN, 27DTA, 27DTC, 27DUC and 27DUX WHEELS, FRONT</p>			
<p>SUSPENSION, FRONT, SPRING</p> <p>Parabolic Taper Leaf, Shackle Type, 12,000-lb Capacity, with Shock Absorbers REQS: Code 02ARW(std) AXLE, FRONT NON-DRIVING</p> <p>Parabolic Taper Leaf, Shackle Type, 14,000-lb Capacity, with Shock Absorbers REQS: Code 02ASG AXLE, FRONT NON-DRIVING</p>	<p>02ASM</p> <p>02ARU</p> <p>02ARZ</p> <p>02ARY</p> <p>03ADC</p> <p>03ADD</p>	<p>\$2,037 +148/0</p> <p>\$2,088 +186/0</p> <p>\$2,584 +186/0</p> <p>STD</p> <p>\$244 +13/0</p>	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
SUSPENSION, FRONT, SPRING (CONTINUED)			
Parabolic Taper Leaf, Shackle Type, 16,000-lb Capacity, with Shock Absorbers REQS: Code 02ARU or 02ASM AXLE, FRONT NON-DRIVING	03ADE	\$283 +73/0	
Parabolic Taper Leaf, Shackle Type, 18,000-lb Capacity, with Shock Absorbers REQS: Code 02ARZ AXLE, FRONT NON-DRIVING	03ADG	\$450 +135/0	
Parabolic Taper Leaf, Shackle Type, 20,000-lb Capacity, Steel Springs 18K Capacity and (2) Rubber Auxiliary Springs 2K Capacity, Less Shock Absorbers REQS: Code 02ARY AXLE, FRONT NON-DRIVING	03ADJ	\$724 +146/0	
Parabolic Taper Leaf, Shackle Type, 20,000-lb Capacity, Steel Springs 18K Capacity and (2) Rubber Auxiliary Springs 2K Capacity, Includes (1) Extra Leaf and 1" Spacer on Left Side, Less Shock Absorbers REQS: Code 02ARY AXLE, FRONT NON-DRIVING	03AEB	\$319 +157/0	
Two Stage Multileaf, Shackle Type, 20,000-lb Capacity, Steel Springs 18K Capacity and (2) Rubber Auxiliary Springs 2K Capacity, with Shock Absorbers REQS: Code 02ARY AXLE, FRONT NON-DRIVING	03AEX	\$856 +180/0	
BRAKE SYSTEM, AIR			
Dual System for Straight Truck Applications INCLS: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes) : SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes) : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : BRAKE LINES Color and Size Coded Nylon : SPRING BRAKE MODULATOR VALVE {Bendix} SR-7 with relay valve for 6x4/8x6 : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : PARKING BRAKE VALVE For Truck : DRAIN VALVE Twist-Type : SWITCH, AUXILIARY Interrupter for Cab Clearance/Marker Lights (Blinks Lights with Headlight Switch in "ON" Position); Instrument Panel Mounted REQS: Code 01652 CROSSMEMBER, REAR, when in combination with Code 14UHL SUSPENSION, REAR, TANDEM N/A: Code 04WHL BRAKE PACKAGE, REAR : Code 04AAY and 04ABA BRAKE CHAMBERS, ADDITIONAL : Code 07BKN EXHAUST SYSTEM AVAIL: Code 04WHT SPECIAL RATING, GAWR	04091	STD	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
<p>AIR BRAKE ABS</p> <p><i>Bendix</i></p> <p>- AntiLock Brake System - Full Vehicle Wheel Control System (4-Channel) with Automatic Traction Control</p> <p>Full Vehicle Wheel Control System (4-Channel) REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRJ, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTU, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GMZ, 13GNA or 13GYK TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC</p> <p>with Electronic Stability Program (4-Channel; 4 Sensor/4 Modulator) with Automatic Traction Control REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC or Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM REQS: Code 02ARY or 02ARZ AXLE, FRONT NON-DRIVING REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UZB, 14UZU, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM N/A: HAND CONTROL VALVE, AIR, when in combination with Code 04619 TRAILER CONNECTIONS : TRAILER CONNECTIONS, when in combination with Code 14UHD, 14UHK, 14UHL, 14UJE, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM : Code 14WLM AXLE, PUSHER, LIFT TYPE or Code 14WLR AXLE, TAG, LIFT TYPE or Code 14WLT AXLE, PUSHER, LIFT TYPE, ID</p> <p>with Electronic Stability Program (6-Channel; 6 Sensor/6 Modulator) with Automatic Traction Control REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC or Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM REQS: Code 02ARY or 02ARZ AXLE, FRONT NON-DRIVING REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>04AZJ</p> <p>04AZA</p> <p>04AZS</p> <p>04AZY</p>	<p style="text-align: center;">STD</p> <p>\$182CR 0/0</p> <p>\$1,742</p> <p>\$2,426</p>	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
BRAKE PACKAGE, FRONT Bendix Spicer - ADB22X - Air, Disc Type, Extended Service; Size 22.5" REQS: Code 02ARU, 02ARY, 02ARZ or 02ASM AXLE, FRONT NON-DRIVING, when in combination with Code 04WHL or 04WHY BRAKE PACKAGE, REAR and Code 04091 BRAKE SYSTEM, AIR REQS: Code 02ARY AXLE, FRONT NON-DRIVING REQS: Code 04WEY, 04WHL, 04WHY or 04WXW BRAKE PACKAGE, REAR REQS: Code 02ARY, 02ARZ, 02ASG or 02ASM AXLE, FRONT NON-DRIVING N/A: Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCJ, 04193 and 04196 BRAKES, FRONT, AIR CAM : Code 27DRG, 27DTZ, 27DUA and 27DUM WHEELS, FRONT : Code 14GJW, 14GRJ, 14GRM, 14GTS, 14GTT, 14GTU, 14GTW and 14GUV AXLE, REAR, TANDEM, when in combination with Code 04WHL or 04WHY BRAKE PACKAGE, REAR and Code 04091 BRAKE SYSTEM, AIR - ES-165-6X - Air, Cam Type, Extended Service; Size 16.5" x 6", Includes Automatic Slack Adjusters REQS: Code 04WHL, 04WHY or 04WXW BRAKE PACKAGE, REAR REQS: Code 04193 BRAKES, FRONT, AIR CAM N/A: Code 04JBZ(std) and 04JCN BRAKES, FRONT, AIR DISC : Code 04WEY(std) BRAKE PACKAGE, REAR : Code 27DVB, 27DVC, 27DVD and 27DVG WHEELS, FRONT	04WEZ	STD	
	04WHX	\$258	0 / 0
BRAKES, FRONT, AIR DISC 22.5 Dia, Includes 18" Sq. In. Brake Chambers REQS: Code 04WEZ BRAKE PACKAGE, FRONT REQS: Code 02ASG AXLE, FRONT NON-DRIVING N/A: Code 04ETE, 04EXP and 04EXV BRAKE CHAMBERS, FRONT AXLE : Code 29331 BRAKE DRUMS, FRONT : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCJ, 04193 and 04196 BRAKES, FRONT, AIR CAM AVAIL: Code 04WEZ(std) BRAKE PACKAGE, FRONT 22.5 Dia, Includes 20" Sq. In. Brake Chambers REQS: Code 04WEZ BRAKE PACKAGE, FRONT REQS: Code 02ARY, 02ARZ, 02ASG or 02ASM AXLE, FRONT NON-DRIVING N/A: Code 04ETE, 04EXP and 04EXV BRAKE CHAMBERS, FRONT AXLE : Code 29331 BRAKE DRUMS, FRONT : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCJ, 04193 and 04196 BRAKES, FRONT, AIR CAM AVAIL: Code 04WEZ(std) BRAKE PACKAGE, FRONT	04JBZ	STD	
	04JCN	\$20	+ 1 / 0



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
BRAKES, FRONT, AIR CAM			
S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers REQS: Code 04EXP BRAKE CHAMBERS, FRONT AXLE REQS: Code 02ARW(std), 02ASG or 02ASM AXLE, FRONT NON-DRIVING N/A: Code 04JBZ(std) and 04JCN BRAKES, FRONT, AIR DISC : Code 04WEZ(std) and 04WHX BRAKE PACKAGE, FRONT : Code 04WHA and 04WHD DUST SHIELDS, FRONT BRAKE AVAIL: Code 04774 SPECIAL RATING, GAWR	04JCJ	\$1,368CR -28/0	
16.5" x 5", Includes 24 SqIn Long Stroke Brake Chambers REQS: Code 04ETE or 04EXV BRAKE CHAMBERS, FRONT AXLE REQS: Code 02ARW(std), 02ASG or 02ASM AXLE, FRONT NON-DRIVING N/A: Code 04JBZ(std) and 04JCN BRAKES, FRONT, AIR DISC : Code 04WEZ(std) and 04WHX BRAKE PACKAGE, FRONT : Code 04WHA and 04WHD DUST SHIELDS, FRONT BRAKE AVAIL: Code 04774 SPECIAL RATING, GAWR	04196	\$1,368CR -28/0	
16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers REQS: Code 04ETE or 04EXV BRAKE CHAMBERS, FRONT AXLE N/A: Code 04JBZ(std) and 04JCN BRAKES, FRONT, AIR DISC : Code 04WHA and 04WHD DUST SHIELDS, FRONT BRAKE AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WHX BRAKE PACKAGE, FRONT	04193	\$1,368CR +26/0	
BRAKE CHAMBERS, FRONT AXLE			
Haldex			
24 SqIn REQS: Code 04193 or 04196 BRAKES, FRONT, AIR CAM N/A: Code 04JBZ(std) and 04JCN BRAKES, FRONT, AIR DISC	04ETE	\$20 +17/0	
Bendix			
20 SqIn REQS: Code 04JCJ BRAKES, FRONT, AIR CAM N/A: Code 04JBZ(std) and 04JCN BRAKES, FRONT, AIR DISC	04EXP	N/C +16/0	
24 SqIn REQS: Code 04193 or 04196 BRAKES, FRONT, AIR CAM N/A: Code 04JBZ(std) and 04JCN BRAKES, FRONT, AIR DISC	04EXV	N/C +18/0	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
SLACK ADJUSTERS, FRONT Haldex Automatic REQ: Code 04LGA SLACK ADJUSTERS, REAR N/A: Code 04JBZ(std) and 04JCN BRAKES, FRONT, AIR DISC AVAIL: Code 04WHX BRAKE PACKAGE, FRONT	04LAA	\$138	0 / 0
DUST SHIELDS, FRONT BRAKE Bendix Spicer - ADB22X - Pad, with Air Disc Brakes REQ: Code 02ARU, 02ARW(std), 02ARY, 02ARZ or 02ASG AXLE, FRONT NON-DRIVING N/A: Code 29331 BRAKE DRUMS, FRONT : Code 04JCJ, 04193 and 04196 BRAKES, FRONT, AIR CAM : Code 27DRC, 27DRG, 27DUT, 27DUV, 27DVB and 27DVC WHEELS, FRONT Rotor, with Air Disc Brakes N/A: Code 29331 BRAKE DRUMS, FRONT : Code 04JCJ, 04193 and 04196 BRAKES, FRONT, AIR CAM	04WHA	\$48	+ 1 / 0
BRAKE PACKAGE, REAR Bendix Spicer - ADB22X - Air, Disc Type, Extended Service; Size 22.5" REQ: Code 04WEZ BRAKE PACKAGE, FRONT REQ: Code 14UHK, 14ULX, 14ULY, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW or 14UZX SUSPENSION, REAR, TANDEM or Code 14ULT, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM N/A: Code 04773 BRAKE SHOES, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL and 04NDP BRAKES, REAR, AIR CAM : Code 28DEN, 28DTY, 28DUR and 28DUS WHEELS, REAR : Code 14GRJ, 14GRM, 14GTT, 14GTU and 14GUV AXLE, REAR, TANDEM AVAIL: Code 04WEZ(std) BRAKE PACKAGE, FRONT - ES-165-7 NGLW - Air, Cam Type, Extended Service; Size 16.5" x 7", Includes Automatic Slack Adjusters REQ: Code 04WEZ(std) or 04WHX BRAKE PACKAGE, FRONT REQ: Code 04NDB or 04NDL BRAKES, REAR, AIR CAM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04773 BRAKE SHOES, REAR : Code 04LGA SLACK ADJUSTERS, REAR (SEE NEXT PAGE)	04WEY	STD	
	04WHL	\$288	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>BRAKE PACKAGE, REAR <i>(SEE PREV PAGE)</i></p> <p><i>Bendix Spicer</i></p> <p>- ES-165-7 NGLW - N/A: Code 04091(std) BRAKE SYSTEM, AIR</p> <p>- ES-165-7X - Air, Cam Type, Extended Service; Size 16.5" x 7", Includes Automatic Slack Adjusters REQS: Code 04WEZ(std) or 04WHX BRAKE PACKAGE, FRONT REQS: Code 04NDA, 04NDB, 04NDK or 04NDL BRAKES, REAR, AIR CAM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04773 BRAKE SHOES, REAR</p> <p><i>Dana Spicer</i></p> <p>- ES-165-7H - Air, Cam Type, Extended Service; Size 16.5" x 7", Includes Automatic Slack Adjusters, 52,000-lb Capacity Drive Tandem Axle Rating or 26,000 lb Drive Single Axle Rating REQS: Code 04WEZ BRAKE PACKAGE, FRONT REQS: Code 04NDA, 04NDB, 04NDK or 04NDL BRAKES, REAR, AIR CAM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04773 BRAKE SHOES, REAR</p>			
<p>BRAKES, REAR, AIR DISC</p> <p>22.5 Dia, Includes 18/24" Sq. In. Brake Chambers REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM</p> <p>-OR- Code 14UNW, 14UNX, 14UNY, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>N/A: Code 04EVH, 04EVP, 04EVT, 04EXR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE : Code 04773 BRAKE SHOES, REAR : Code 29334 BRAKE DRUMS, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04WDN DUST SHIELDS, REAR BRAKE : Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL and 04NDP BRAKES, REAR, AIR CAM : Code 04AAY and 04ABA BRAKE CHAMBERS, ADDITIONAL : Code 04WDW BRAKE CHAMBERS, SPRING AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WEY(std) BRAKE PACKAGE, REAR</p>	04JCC	STD	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>BRAKES, REAR, AIR DISC (CONTINUED)</p> <p>22.5 Dia, Includes 24/24" Sq. In. Brake Chambers REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UPU, 14UPV, 14UPW, 14UPX or 14XAM SUSPENSION, REAR, AIR, TANDEM REQS: Code 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL or 14HRM AXLE, REAR, TANDEM N/A: Code 04EVH, 04EVP, 04EVT, 04EXR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE : Code 04773 BRAKE SHOES, REAR : Code 29334 BRAKE DRUMS, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04WDN DUST SHIELDS, REAR BRAKE : Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL and 04NDP BRAKES, REAR, AIR CAM : Code 04WDW BRAKE CHAMBERS, SPRING AVAIL: Code 04WEY(std) BRAKE PACKAGE, REAR : Code 04ABA BRAKE CHAMBERS, ADDITIONAL</p>	04JNW	\$1,440	0/-22
<p>BRAKES, REAR, AIR CAM</p> <p>S-Cam; 16.5" x 7.0"; Includes 30/24 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVP BRAKE CHAMBERS, REAR AXLE REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04WEY(std) BRAKE PACKAGE, REAR : Code 04WDW BRAKE CHAMBERS, SPRING AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WDN DUST SHIELDS, REAR BRAKE</p> <p>S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake REQS: Code 04EVH, 04EXU or 04EXW BRAKE CHAMBERS, REAR AXLE REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04WEY(std) BRAKE PACKAGE, REAR AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WDN DUST SHIELDS, REAR BRAKE</p>	04NDL	\$3,048CR	0/+53
	04NDB	\$3,048CR	0/+53



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HX515 SFA 6x4		
BRAKES, REAR, AIR CAM (CONTINUED)			
S-Cam; 16.5" x 7.0"; Includes 36/36 Sq.In. Long Stroke Brake Chambers and Spring Actuated Parking Brakes REQS: Code 04EXT BRAKE CHAMBERS, REAR AXLE REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM REQS: Code 14GRJ, 14GTT, 14GTU or 14GUV AXLE, REAR, TANDEM N/A: Code 04WHT and 04774 SPECIAL RATING, GAWR : Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04WDW BRAKE CHAMBERS, SPRING AVAIL: Code 04WHY and 04WXW BRAKE PACKAGE, REAR : Code 04WDN DUST SHIELDS, REAR BRAKE	04NDA	\$988CR 0/+53	
S-Cam, 16.5" x 7.0"; Includes 30/36 Sq.In. Long Stroke Brake Chambers and Spring Actuated Parking Brake REQS: Code 04EVT or 04EXR BRAKE CHAMBERS, REAR AXLE REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRJ, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTU, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WHY and 04WXW BRAKE PACKAGE, REAR : Code 04WDN DUST SHIELDS, REAR BRAKE	04NDK	\$3,048CR 0/+53	
S-Cam; 16.5" x 8.625" Includes 30/30 Sq.In. Long Stroke Brake Chambers and Spring Actuated Parking Brake REQS: Code 04EVH, 04EXU or 04EXW BRAKE CHAMBERS, REAR AXLE REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRJ, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTU, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC	04NDH	\$2,826CR 0/+101	
<i>(SEE NEXT PAGE)</i>			



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
<p>BRAKES, REAR, AIR CAM <i>(SEE PREV PAGE)</i></p> <p>N/A: Code 04WEY(std), 04WHL, 04WHY and 04WXW BRAKE PACKAGE, REAR AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WDN DUST SHIELDS, REAR BRAKE</p> <p>S-Cam; 16.5" x 8.625"; Includes 30/24 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVP BRAKE CHAMBERS, REAR AXLE REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRJ, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTU, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04WEY(std), 04WHL, 04WHY and 04WXW BRAKE PACKAGE, REAR : Code 04773 BRAKE SHOES, REAR : Code 04WDW BRAKE CHAMBERS, SPRING AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WDN DUST SHIELDS, REAR BRAKE</p> <p>S-Cam; 18.0" x 7.0"; Includes 36/36 Sq.In. Long Stroke Brake Chambers and Spring Actuated Parking Brakes REQS: Code 04EXT BRAKE CHAMBERS, REAR AXLE REQS: Code 28DEL, 28DEM, 28DEN, 28DMK, 28DMM, 28DMN, 28DPR, 28DTA, 28DTC, 28DTY, 28DUC, 28DUR, 28DUX, 28DVJ, 28DVK, 28DVR or 28DVS WHEELS, REAR REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM N/A: Code 04WHT and 04774 SPECIAL RATING, GAWR : Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04WEY(std), 04WHL, 04WHY and 04WXW BRAKE PACKAGE, REAR : Code 04AZS and 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : AXLE, REAR, TANDEM AVAIL: Code 04WDN DUST SHIELDS, REAR BRAKE</p>	<p>04NDH</p> <p>04NDP</p> <p>04NDE</p>	<p></p> <p>\$2,826CR 0/+101</p> <p>\$1,124CR 0/+280</p>	<p></p> <p></p> <p></p>



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
BRAKE CHAMBERS, REAR AXLE			
<i>Haldex</i>			
- GC3036L - 30/36 Spring Brake REQS: Code 04NDK BRAKES, REAR, AIR CAM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04AAY and 04ABA BRAKE CHAMBERS, ADDITIONAL	04EVT	\$310 0/+96	
<i>MGM</i>			
- MJS3024ET - 30/24 Piston Spring Brake REQS: Code 04NDL or 04NDP BRAKES, REAR, AIR CAM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC AVAIL: Code 04AAY BRAKE CHAMBERS, ADDITIONAL	04EVP	\$908 0/+92	
- TR3030LP3TSHD - 30/30 Spring Brake REQS: Code 04NDB or 04NDH BRAKES, REAR, AIR CAM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04AAY and 04ABA BRAKE CHAMBERS, ADDITIONAL	04EVH	\$300 0/+82	
<i>Bendix</i>			
- EnduraSure Pro - 30/30 Spring Brake REQS: Code 04NDB or 04NDH BRAKES, REAR, AIR CAM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04AAY and 04ABA BRAKE CHAMBERS, ADDITIONAL	04EXW	\$162 0/+78	
- EverSure - 30/30 Spring Brake REQS: Code 04NDB or 04NDH BRAKES, REAR, AIR CAM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04AAY and 04ABA BRAKE CHAMBERS, ADDITIONAL	04EXU	N/C 0/+78	
30/36 Spring Brake REQS: Code 04NDK BRAKES, REAR, AIR CAM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04AAY and 04ABA BRAKE CHAMBERS, ADDITIONAL	04EXR	\$280 0/+110	
36/36 Spring Brake REQS: Code 04NDA or 04NDE BRAKES, REAR, AIR CAM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04AAY and 04ABA BRAKE CHAMBERS, ADDITIONAL	04EXT	\$288 0/+110	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-16

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
<p>SLACK ADJUSTERS, REAR</p> <p><i>Haldex</i></p> <p>Automatic</p> <p>REQS: Code 04LAA SLACK ADJUSTERS, FRONT or Code 04JBZ or 04JCN BRAKES, FRONT, AIR DISC</p> <p>REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM</p> <p>-OR- SUSPENSION, REAR, TANDEM</p> <p>N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC</p> <p>AVAIL: Code 04WHY and 04WXW BRAKE PACKAGE, REAR</p>	04LGA	\$376	
<p>BRAKE CHAMBERS, SPRING</p> <p>on Rear/Rear Axle Located Inside Rear Tire Envelope (Meets Asphalt Spreader/Paver Clearance Requirements)</p> <p>REQS: Code 04WEZ(std) or 04WHX BRAKE PACKAGE, FRONT</p> <p>REQS: Code 04LAA SLACK ADJUSTERS, FRONT</p> <p>REQS: Code 04WHY or 04WXW BRAKE PACKAGE, REAR</p> <p>REQS: Code 04LGA SLACK ADJUSTERS, REAR</p> <p>REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU or 14UZX SUSPENSION, REAR, TANDEM, when in combination with Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>REQS: Code 04NDB, 04NDH or 04NDK BRAKES, REAR, AIR CAM</p> <p>REQS: Code 14UHD, 14UHK, 14UHL, 14UJE, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM</p> <p>-OR- Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM</p> <p>N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC</p>	04WDW	\$48	
<p>BRAKE SHOES, REAR</p> <p>Cast</p> <p>REQS: Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK or 04NDL BRAKES, REAR, AIR CAM</p> <p>REQS: Code 14UKZ, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM</p> <p>-OR- SUSPENSION, REAR, TANDEM</p>	04773	\$2,042	0/0
(SEE NEXT PAGE)			



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
<p>BRAKE SHOES, REAR (SEE PREV PAGE)</p> <p>REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRJ, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTU, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC</p> <p>: Code 04WEY(std), 04WHL, 04WHY and 04WXW BRAKE PACKAGE, REAR</p>	04773		
<p>BRAKE CHAMBERS, ADDITIONAL</p> <p>(02) Spring Brake Type; T24/24 Sqli, for Air Disc</p> <p>REQS: Code 04JNW BRAKES, REAR, AIR DISC</p> <p>-OR- BRAKES, REAR, AIR CAM</p> <p>N/A: Code 04EVH, 04EVP, 04EVT, 04EXR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE</p> <p>: Code 04091(std) BRAKE SYSTEM, AIR</p> <p>MGM</p> <p>(02) Spring Brake Type, Piston Style; 30/24 Sqli</p> <p>REQS: Code 04EVP BRAKE CHAMBERS, REAR AXLE</p> <p>N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC</p> <p>: Code 04091(std) BRAKE SYSTEM, AIR</p>	04ABA 04AAY	\$246 \$600	0/+22 0/+25
<p>DUST SHIELDS, REAR BRAKE</p> <p>Omit Item</p> <p>N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC</p> <p>Bendix Spicer</p> <p>- ADB22X -</p> <p>Pad, with Air Disc Brakes</p> <p>N/A: Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL and 04NDP BRAKES, REAR, AIR CAM</p> <p>Rotor, with Air Disc Brakes</p> <p>N/A: Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL and 04NDP BRAKES, REAR, AIR CAM</p>	04WDN 04WHN 04WGZ	N/C \$96 \$730	 0/+1 0/+10
<p>SPECIAL RATING, GAWR</p> <p>Provides Rear Tractor Brake Rating Equal to Axle Rating up to 23,000-lbs for Single Axles, 46,000-lbs for Tandem Axles, or 69,000-lb for Tridem</p> <p>REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM</p> <p>-OR- BRAKES, REAR, AIR DISC</p> <p>N/A: Code 04091(std) BRAKE SYSTEM, AIR</p>	04774	N/C	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
SPECIAL RATING, GAWR	HX515 SFA	6x4	
<p style="text-align: right;">(CONTINUED)</p> <p>Provides Rear Brake Rating Equal to Axle Rating up to 26,000-lbs for Single Axles, 52,000-lbs for Tandem Axles REQ: Code 04JNW BRAKES, REAR, AIR DISC N/A: Code 04JCJ, 04193 and 04196 BRAKES, FRONT, AIR CAM : Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL and 04NDP BRAKES, REAR, AIR CAM</p>	04WHT	N/C	0 / 0
<p>AIR COMPRESSOR</p> <p>Bendix</p> <p>- BA-921 Head Unload - 15.9 CFM REQ: Code 16LGE, 16LHH, 16LHJ, 16RAC, 16RAN, 16SPV or 16400(std) SEAT, PASSENGER N/A: Code 16LWY SEAT, DRIVER</p> <p>YOOSUNG</p> <p>21.0 CFM REQ: Code 16LGE, 16LHH, 16LHJ, 16RAC, 16RAN or 16400(std) SEAT, PASSENGER N/A: Code 16LWY SEAT, DRIVER</p>	04SPM	STD	
<p>AIR COMPRESSOR DISCHARGE LINE</p> <p>1/2" ID to 5/8" ID Teflon Hose, with Stainless Steel Braid; to Air Dryer</p>	04WRJ	\$125	
<p>AIR DRYER</p> <p>Bendix</p> <p>- AD-9 - with Heater</p> <p>- AD-IP - with Heater</p> <p>Wabco</p> <p>- System Saver 1200 - with Heater</p>	04EBS	STD	
	04EBT	\$76	0 / 0
	04EBD	\$47	- 9 / - 9
<p>AIR TANK</p> <p>Painted Aluminum, with Straight Thread O-Ring Ports</p> <p>Polished Aluminum, with Straight Thread O-Ring Ports N/A: AIR TANK LOCATION</p>	04VGN	\$432	- 18 / - 10
	04VGM	\$502	- 18 / - 10



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
<p>AIR TANK LOCATION</p> <p>(04) Mounted Between the Rails, Back of Cab, for use with Between the Rails Air Tank System REQS: Code 04VGN AIR TANK REQS: Code 14UNX SUSPENSION, REAR, AIR, TANDEM or Code 14UHD, 14UHK, 14ULX, 14ULY, 14UZB, 14UZS, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM REQS: Code 14WNJ AXLE, PUSHER, LIFT TYPE, when in combination with Code 04619 TRAILER CONNECTIONS REQS: Code 08VUK(std) or 08VUZ BATTERY BOX REQS: Code 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std) or 15SWH FUEL TANK N/A: Code 07BKN EXHAUST SYSTEM : Code 01GTA REINFORCEMENT, PINTLE HOOK or Code 01SAR and 01SAS CROSSMEMBER, REAR, AF, when in combination with Code 04619 TRAILER CONNECTIONS</p>	04XAC	\$2,203	
<p>BRAKES, AIR CAM, PUSHER AXLE</p> <p>S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE</p> <p>S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with Two Pusher Lift Axles AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE</p> <p>S-Cam; 16.5" x 6.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WNM AXLE, PUSHER, LIFT TYPE</p> <p>S-Cam; 16.5" x 7.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE</p>	04JBR 04JBU 04JCK 04JBS	N/C N/C \$193 \$220	
<p>BRAKES, AIR CAM, TAG AXLE</p> <p>S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with Tag Lift Axle REQS: Code 14WNK AXLE, TAG, LIFT TYPE</p> <p>S-Cam; 16.5" x 7.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with Tag Lift Axle REQS: Code 14WLR AXLE, TAG, LIFT TYPE</p>	04JBW 04JBT	N/C N/C	
<p>DRAIN VALVE</p> <p><i>Berg</i></p> <p>with Pull Chain, for Air Tank</p>	04732	STD	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
DRAIN VALVE (CONTINUED) <i>No Vendor Identified</i> (03) with Pull Chains for Air Tanks Bendix - DV-2 - Automatic, with Heater, for Air Tank	04WWZ	\$105	
HAND CONTROL VALVE, AIR For Rear Chassis Brakes; with Pressure Reducing Valve N/A: Code 04619 TRAILER CONNECTIONS	04722	\$165	
HAND CONTROL VALVE, AIR For Rear Chassis Brakes; with Pressure Reducing Valve N/A: Code 04619 TRAILER CONNECTIONS	04583	\$255	+ 2/0
SLACK ADJUSTER, PUSHER AXLE Haldex Automatic; for (2) Pusher Axles N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Automatic; for Single Pusher Axle N/A: Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	04JNL	\$98	
SLACK ADJUSTER, TAG AXLE Haldex Automatic; for 1 Tag Axle N/A: Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE	04JNJ	\$58	
SLACK ADJUSTER, TAG AXLE Haldex Automatic; for 1 Tag Axle N/A: Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE	04JNK	\$58	
TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck REQ: Code 08554 TRAILER CONNECTION SOCKET N/A: Code 04583 HAND CONTROL VALVE, AIR : HAND CONTROL VALVE, AIR, when in combination with Code 04AZS or 04AZY AIR BRAKE ABS	04619	\$542	+ 2/0
STEERING GEAR Sheppard - M100 - Power REQ: Code 02ARW(std) or 02ASG AXLE, FRONT NON-DRIVING	05PSA	STD	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
STEERING GEAR (CONTINUED) <i>Sheppard</i> - M100/M80 - (02) Dual Power REQS: Code 02ARU, 02ARY, 02ARZ or 02ASM AXLE, FRONT NON-DRIVING	05PTB	\$1,159 +93/-7	
STEERING COLUMN Tilting and Telescoping	05710	STD	
STEERING WHEEL 4-Spoke; 18" Dia., Black 4-Spoke; 18" Dia., Black Leather Wrapped	05CAW 05CBE	STD \$248	 0/0
DRIVELINE SYSTEM <i>Dana Spicer</i> 1810HD Main Driveline with 1710 Interaxle Shaft, for 6x4 SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4 SPL350 Main Driveline with SPL250 Interaxle Shaft, for 6x4 Service Free SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4 Service Free SPL350 Main Driveline with SPL250 Interaxle Shaft, for 6x4	06DHB 06DGU 06DGV 06DGX 06DGY	STD \$527 +3/+4 \$1,407 +15/+25 \$723 +3/+4 \$1,603 +15/+25	
EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side REQS: Code 07WBS or 07WDN MUFFLER/TAIL PIPE GUARD REQS: Code 08VUK(std), 08VUZ or 08WJN BATTERY BOX REQS: Code 13GHL, 13GHP, 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GMZ, 13GNA, 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH, 13GYJ or 13GYK TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC REQS: Code 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std) or 15SWH FUEL TANK N/A: Code 07MAY, 07WBB and 07WDS TAIL PIPE	07BLJ	STD	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
EXHAUST SYSTEM (CONTINUED)			
Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Dual Vertical Tail Pipes, Cab Mounted, Left Side Pipe is Non-Functional/Aesthetic Only, Includes Bright Guards REQS: Code 07MAY, 07WBB or 07WDS TAIL PIPE REQS: Code 08VUK(std), 08VUZ or 08WJN BATTERY BOX REQS: Code 13GHL, 13GHP, 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GNA, 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH, 13GYJ or 13GYK TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC REQS: Code 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std) or 15SWH FUEL TANK N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBS and 07WDN MUFFLER/TAIL PIPE GUARD	07BMD	\$2,982 +40/+24	
Single, Vertical Aftertreatment Device, Frame Mounted Right Side Back of Cab, for Single Vertical Tail Pipe REQS: Code 07WBS or 07WDN MUFFLER/TAIL PIPE GUARD REQS: Code 15DYP(std) DEF TANK REQS: Code 08TST or 08VUK(std) BATTERY BOX REQS: Code 15DWS, 15DWT, 15DWU, 15DWV, 15SGL, 15SHC, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM or 15SSN(std) FUEL TANK N/A: Code 04XAC AIR TANK LOCATION : Code 04091(std) BRAKE SYSTEM, AIR : Code 01UBG FRAME, SPECIAL EFFECTS : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 08XGN LIGHT, WORK : Code 07BES AFTERTREATMENT COVER : Code 07MAY, 07WBB and 07WDS TAIL PIPE	07BKN	\$3,417 -18/+103	
AFTERTREATMENT COVER			
Polished Aluminum N/A: Code 07BKN EXHAUST SYSTEM	07BES	\$498	
ENGINE COMPRESSION BRAKE			
by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch	07SDK	STD	
Omit	07SDX	\$1,188CR -40/-9	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
EXHAUST HEIGHT		HX515 SFA 6x4	
10'	07WDM	STD	
11' 6" N/A: Code 07WDS TAIL PIPE	07WBU	\$118	+5/+4
12' 6" N/A: Code 07MAJ, 07MAS, 07MAY and 07WDS TAIL PIPE	07WCK	\$144	+7/+6
MUFFLER/TAIL PIPE GUARD			
(1) Aluminum N/A: Code 07BMD EXHAUST SYSTEM : Code 07MAY, 07WBB and 07WDS TAIL PIPE	07WDN	N/C	
(1) Bright Stainless Steel N/A: Code 07BMD EXHAUST SYSTEM : Code 07MAY, 07WBB and 07WDS TAIL PIPE	07WBS	\$133	
RAIN CAP			
with Single Exhaust, Chrome Finish REQS: Code 07MAJ or 07WAY TAIL PIPE N/A: Code 07BMD EXHAUST SYSTEM	07WAG	\$88	
with Single Exhaust, Non-Bright Finish REQS: Code 07MAS or 07WDT(std) TAIL PIPE N/A: Code 07BMD EXHAUST SYSTEM	07WAE	\$28	
SWITCH, FOR EXHAUST			
3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF	07WZX	\$56	
2 Position, Lighted & Latching, On/Off Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in On Position	07WZY	\$31	
TAIL PIPE			
(1) Straight Type N/A: Code 07BMD EXHAUST SYSTEM AVAIL: Code 07WAE RAIN CAP	07WDT	STD	
(02) Straight Type, Bright REQS: Code 07BMD EXHAUST SYSTEM REQS: Code 07WDM(std) EXHAUST HEIGHT N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBS and 07WDN MUFFLER/TAIL PIPE GUARD	07WDS	N/C	
(02) Turnback Type, Bright REQS: Code 07BMD EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBS and 07WDN MUFFLER/TAIL PIPE GUARD	07WBB	\$254	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
TAIL PIPE (CONTINUED)			
(1) S-Type REQS: Code 07WBU EXHAUST HEIGHT N/A: Code 07BMD EXHAUST SYSTEM : Code 07WCK EXHAUST HEIGHT AVAIL: Code 07WAE RAIN CAP	07MAS	\$51	
(1) S-Type, Bright REQS: Code 07WBU EXHAUST HEIGHT N/A: Code 07BMD EXHAUST SYSTEM : Code 07WCK EXHAUST HEIGHT AVAIL: Code 07WAG RAIN CAP	07MAJ	\$366	
(1) Straight Type, Bright N/A: Code 07BMD EXHAUST SYSTEM AVAIL: Code 07WAG RAIN CAP	07WAY	\$208	
(1) Turnback Type N/A: Code 07BMD EXHAUST SYSTEM : Code 07WAE and 07WAG RAIN CAP	07WAZ	\$64	
(1) Turnback Type, Bright N/A: Code 07BMD EXHAUST SYSTEM : Code 07WAE and 07WAG RAIN CAP	07WBA	\$208	
(02) Turnback Type, Chrome, 6" Diameter Belled Down to 5" at Muffler REQS: Code 07BMD EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBS and 07WDN MUFFLER/TAIL PIPE GUARD : Code 07WCK EXHAUST HEIGHT	07MAY	\$406	
ELECTRICAL SYSTEM			
12-Volt, Standard Equipment INCLS: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature, Steering Column Mounted : STARTER SWITCH Electric, Key Operated : WIRING, CHASSIS Color Coded and Continuously Numbered : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNALS, FRONT Includes Integral Reflectors and Side Marker Lights; Fender Mounted : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : HAZARD SWITCH Integral with Turn Signal Switch : TURN SIGNAL SWITCH Manual Cancelling with Lane Change Feature	08000	STD	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
ALTERNATOR			
<i>Leece-Neville</i>			
- AVI160P2013 - Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount	08GXJ	STD	
- AVI160P2003 - Brush Type; 12 Volt 240 Amp. Capacity, Pad Mount, with Remote Sense	08GXB	\$350	+5/0
- AVI160P2007 - Brush Type; 12 Volt 210 Amp. Capacity, Pad Mount, with Remote Sense	08GXC	\$253	+5/0
- BLP4006HN - Brushless, 12 Volt 325 Amp. Capacity, Pad Mount, with Remote Sense	08G XK	\$1,207	+22/0
<i>Delco Remy</i>			
- 28SI - Brush Type, 12 Volt 200 Amp. Capacity, Pad Mount, with Remote Voltage Sensor	08GHU	\$253	+3/0
- 36SI - Brushless, 12 Volt 165 Amp. Capacity, Pad Mount, with Remote Voltage Sensor	08GGG	\$340	+12/0
- 40SI - Brushless, 12 Volt 300 Amp. Capacity, Pad Mount, with Remote Voltage Sensor	08GHJ	\$1,257	+16/0
ANTENNA BASE			
(02) Single Function, (1) for CB and (1) for Entertainment Radio, without Splitter, Separate Lead-Ins, with CB Antenna Mounted on Left Mirror and AM/FM Antenna Mounted on Right Mirror	08RMG	STD	
AUXILIARY HARNESS			
5.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications	08TNP	\$178	
BACK-UP ALARM			
<i>Preco</i>			
- 1059 - Electronic; Solid State, Dual Function, 112 dBA N/A: Code 08TKC STOP, TURN, TAIL & B/U LIGHTS	08WDG	\$211	0/+1
BATTERY BOX			
Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab REQS: Code 15DWS, 15DWT, 15DWU, 15DWV, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std) or 15SWH FUEL TANK N/A: Code 08VUP and 08VUS BATTERY BOX COVER AVAIL: Code 08WBW JUMP START STUD	08VUK	STD	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
BATTERY BOX (CONTINUED) Aluminum, with Plastic Cover, 30" Wide, 2-4 Battery Capacity, Mounted Left Side Under Cab REQS: Code 15DXC, 15DXD, 15DXE, 15DXG, 15DXH or 15DXJ FUEL TANK N/A: Code 04XAC AIR TANK LOCATION : Code 08WWD BATTERY BOX COVER : Code 08TNR BATTERY CABLES : Code 07BKN EXHAUST SYSTEM AVAIL: Code 08WBW JUMP START STUD	08WJN	\$169	+29/0
Aluminum, with Aluminum Cover, 10.5" Wide, 2-3 Battery Capacity, Mounted Right Side Back of Cab REQS: Code 08WXY BATTERY DISCONNECT SWITCH REQS: Code 04XAC AIR TANK LOCATION REQS: Code 08MMZ BATTERY SYSTEM REQS: Code 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std) or 15SWH FUEL TANK N/A: Code 01UBG FRAME, SPECIAL EFFECTS : Code 08TNR BATTERY CABLES : Code 07BKN EXHAUST SYSTEM AVAIL: Code 08VUH and 08WGU BATTERY BOX COVER : Code 08899 JUMP START STUD	08VUZ	\$2,097	+15/+18
Aluminum, with Plastic Cover, 30" Wide, 2-4 Battery Capacity, Mounted Right Side Under Cab REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM or 15SSN(std) FUEL TANK N/A: Code 04XAC AIR TANK LOCATION : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 08TNR BATTERY CABLES AVAIL: Code 08VUH and 08WGU BATTERY BOX COVER : Code 08WBW JUMP START STUD	08TST	N/C	+28/+1
BATTERY BOX COVER Aluminum Polished Aluminum Stainless Steel, Bright Finish REQS: Code 08VUK(std) BATTERY BOX Aluminum, Universal Cover that Covers Both Battery Box & DEF Tank REQS: Code 15WDY DEF TANK, when in combination with Code 07BLJ or 07BMD EXHAUST SYSTEM REQS: Code 08WJN BATTERY BOX N/A: Code 15BAA DEF TANK COVER	08WGU	\$646	+1/+1
	08VUH	\$716	+1/+1
	08WWD	\$726	+5/+6
	08VUP	\$926	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
BATTERY BOX COVER (CONTINUED) Polished Aluminum, Universal Cover that Covers Both Battery Box & DEF Tank REQS: Code 15WDY DEF TANK, when in combination with Code 07BLJ or 07BMD EXHAUST SYSTEM REQS: Code 08WJN BATTERY BOX N/A: Code 15BAA DEF TANK COVER	08VUS	\$996	
BATTERY CABLES with 36" of Extra Length Coiled and Strapped Near Battery Box REQS: Code 08VUK(std) BATTERY BOX REQS: Code 08MJR, 08MJU, 08MJV, 08MMZ, 08MSG(std) or 08MSH BATTERY SYSTEM	08TNR	\$178	
BATTERY DISCONNECT SWITCH <i>Cole-Hersee</i> for Cab Power Disconnect Switch, Does Not Disconnect Charging Circuits, Lever Operated, Cab Mounted - 75920-06 - 300 Amp, Disconnects Cab Power, Does Not Disconnect Charging Circuits, Locks with Padlock, Battery Box Mounted REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX	08WXY 08RLZ	\$229 \$248	 +1/+1 +1/+1
BATTERY SYSTEM <i>Fleetrite</i> Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX Maintenance-Free, (3) 12-Volt 2250CCA Total, Top Threaded Stud REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX Maintenance-Free, (3) 12-Volt 2850CCA Total, Top Threaded Stud REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX Maintenance-Free, (4) 12-Volt 2640CCA Total, Top Threaded Stud REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX Maintenance-Free, (4) 12-Volt 3800CCA Total, Top Threaded Stud REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX	08MSG 08MJR 08MJU 08MSH 08MJV	STD \$126 \$179 \$317 \$356	 +7/+6 +12/+10 +29/+24 +44/+37



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
BATTERY SYSTEM (CONTINUED) <i>Fleetrite</i> - AGM-GP31 - Maintenance-Free, (3) AGM 12-Volt 2475CCA Total, Top Threaded Stud AVAIL: Code 08WBW JUMP START STUD - 31-PC2120 AGM - Maintenance-Free, (3) AGM 12-Volt 2775CCA Total, Top Threaded Stud REQS: Code 08GGG, 08GHU, 08GXB, 08GXC or 08GXX ALTERNATOR REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX N/A: Code 08TNR BATTERY CABLES	08MMZ	\$649 +29/+24	
	08MSL	\$1,162 +26/+22	
BEACON LIGHT WIRING for (2) Customer Installed Beacons; Includes 2-Way Switch N/A: Code 08WZC BEACON LIGHTS : Code 08RLK SATELLITE COMMUNICATION SYSTEM	08ACE	\$126	
BEACON LIGHTS (2); Mounted to Brackets on Day Cab and Hi-Rise Sleeper Cab, Mounted to Roof on Low Roof Sleeper N/A: Code 08ACE BEACON LIGHT WIRING	08WZC	\$439 +12/+10	
BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	08HAB	\$100 +2/+1	
	08HAE	\$209 -1/+4	
2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness	08REA	\$163 0/0	
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	08XAH	STD	
CIGAR LIGHTER Includes Ash Cup	08518	\$18	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
FOG LIGHTS Prewire; Includes Switch and Wiring for Fog Lights Mounted by Customer	08WMK	\$79	
HEADLIGHTS Halogen, Composite Combination	08XHT	STD	
HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	08WRB	\$42	
HORN, AIR Single, Located Under Cab N/A: Code 08695 SNOW SHIELD	08653	STD	
(02) Rectangular Bell; Chrome N/A: Code 08695 SNOW SHIELD	08WHJ	\$135	+3/+1
(02) Single Bell, Extra Long, Organ Tone; Chrome	08836	\$110	+3/+1
(02) Single Bell, Long Chrome	08685	\$75	+2/+1
ACCOMMODATION PACKAGE; Less Horn N/A: Code 08695 SNOW SHIELD	08WHE	\$88	0/0
HORN, ELECTRIC Disc Style	08VAY	STD	
(02) Disc Style	08541	\$29	+1/0
JUMP START STUD (02) Remote Mounted REQS: Code 08MJV or 08MSH BATTERY SYSTEM, when in combination with Code 08VUK BATTERY BOX REQS: Code 08VUZ BATTERY BOX REQS: Code 08MJR, 08MJU, 08MJV, 08MSG(std), 08MSH or 08MSL BATTERY SYSTEM	08899	\$214	
Remote Mounted REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX	08WBW	\$168	+1/+1
LIGHT, WORK (02) LED, Pedestal Mounted, Back of Cab in Upper Cab Corners, with Switch on Instrument Panel	08XGN	\$489	+5/+4
(02) Pedestal Mounted, Back of Cab, with Switch on Instrument Panel	08XGM	\$173	+5/+4

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-30

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
LIGHT, WORK (CONTINUED) Pedestal Mounted, Back of Cab, with Switch on Instrument Panel	08WLL	\$119	+3/+2
POWER SOURCE Cigar Type Receptacle without Plug and Cord	08718	STD	
POWER SOURCE, TERMINAL TYPE 2-Post	08WCK	STD	
RADIO Omit Item, Includes Wiring and Antenna, with Multiple Speakers N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING AM/FM/CD/WB/Clock/Auxiliary Input, with Multiple Speakers AM/FM/WB/Clock/Auxiliary Input, with Multiple Speakers AM/FM/CD/WB/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control, with Multiple Speakers AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control, with Multiple Speakers AM/FM/CD/WB/SiriusXM/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control, with Multiple Speakers	08RBN 08RME 08RMD 08RMB 08RMA 08RMC	STD \$474 \$368 \$763 \$483 \$886	 +2/+1 +2/+1 +2/+1 +2/+1 +2/+1
RUNNING LIGHT (02) Daytime	08WNH	N/C	
SATELLITE COMMUNICATION SYSTEM <i>PeopleNet</i> Installation Package, Less System; Includes GPS Antenna, Cellular Antenna Base Outside Cab, Main Power & Datalink Cable, Options Connector Located in Dash Passenger Side, J1939 & J1708 Connection for Customer Supplied VID Multi Bus Adaptor	08RLK	\$983	
SNOW SHIELD (02) Chrome; for Dual Air Horns REQS: Code 08WHJ, 08685 or 08836 HORN, AIR REQS: Code 08685 or 08836 HORN, AIR	08695	\$33	+1/0

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
SPOT LIGHT Chrome, Left Side Mounted	08588	\$260 +2/+1	
STARTING MOTOR <i>Mitsubishi Electric Automotive America</i> - 105P - 12-Volt, with Soft-Start <i>Delco Remy</i> - 39MT - 12 Volt, Gear Reduced, with Thermal Over-Crank Protection	08WXG 08WTL	STD \$42 +1/0	
STOP, TURN, TAIL & B/U LIGHTS <i>Truck Lite</i> Super 44, with LED Lights for Stop, Turn, Tail and Backup Lights, with Power Module, "International" Termination and Less Junction Box, Includes License Plate Light Super 44, with LED Lights for Stop, Turn & Tail Lights, Truck Lite Super 40 for Backup Lights, with Power Module, "International" Termination and Less Junction Box, Includes Incandescent License Plate Light Super 44, with LED Lights for Stop, Turn and Tail Lights, Truck Lite Super 40 Lamps for Backup Lights, Less Power Module, Includes Incandescent License Plate Light, with Separate Rear Reflectors, Less Rubber Mount REQS: Code 01652 CROSSMEMBER, REAR N/A: Code 08WDG BACK-UP ALARM <i>Weldon</i> Multi-Function LED Lamp, Mounted Inside Rails, Includes LED License Plate Light N/A: Code 08554 TRAILER CONNECTION SOCKET : Code 01WRZ TOW HOOK, REAR Multi-Function LED Lamp, Mounted Outside Rails, Includes LED License Plate Light N/A: Code 01WRZ TOW HOOK, REAR	08TKJ 08TKB 08TKC 08TPS 08TPR	\$483 -3/+10 \$191 -3/+10 \$212 -3/+10 \$250 -1/+6 \$178 -1/+6	
TOGGLE SWITCH, AUXILIARY (02) with Two 20-Amp Fuses/Circuit Breakers (04) with Four 20-Amp Fuses/Circuit Breakers	08XCC 08XCV	\$107 +1/0 \$206 +2/+1	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-32

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
TOGGLE SWITCH, AUXILIARY (CONTINUED) (06) with Six 20-Amp Fuses/Circuit Breakers	08XCD	\$297	+3/+1
TRAILER CONNECTION SOCKET 7-Way; Mounted at Rear of Frame N/A: Code 08TPS STOP, TURN, TAIL & B/U LIGHTS : Code 01WSA TOW LOOP, REAR	08554	\$336	
TURN SIGNAL SWITCH Self-Canceling	08WEZ	N/C	
WIRING MODIFICATIONS to Provide for Remote Cruise Control Connection	08TSE	\$93	
FRONT END Tilting, Fiberglass, with Stationary Grille	09ANC	STD	
BUG SCREEN Mounted Behind Grille	09WAC	\$131	+3/0
FENDER EXTENSIONS Rubber	09585	\$104	
GRILLE Stationary, Black Vertical Accent Bars, with Black Mesh	09HCP	STD	
LOGOS EXTERIOR Model Badges	09AAB	STD	
Model Badges, Shipped Loose, Located in Cab	09AAC	N/C	
LOGOS EXTERIOR, ENGINE Badges	09AAE	STD	
Badge Shipped Loose	09AAH	N/C	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
CHASSIS COATING			
Corrosion Resistant E-Coat Primer Coating for Single Frame Rails N/A: Code 01GDS FRAME REINFORCEMENT	10021	\$500	
Corrosion Resistant E-Coat Primer Coating for Reinforced Frame Rails REQS: Code 01CGC(std) FRAME RAILS REQS: Code 01GDS FRAME REINFORCEMENT	10022	\$1,000	
COUNTRY IDENTITY			
for Canada NOTE: 010003	10NCA	N/C	0/0
CUSTOMER SERVICES			
Navistar			
OnCommand Repair Advocate Service; 12-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARM	\$258	0/0
OnCommand Repair Advocate Services; 24-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARN	\$516	0/0
OnCommand Repair Advocate Services; 36-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARP	\$774	0/0
OnCommand Repair Advocate Services; 48-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARR	\$1,032	0/0
OnCommand Repair Advocate Services; 60-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARS	\$1,290	0/0
KEYS - ALL ALIKE			
Fleet - Includes Ignition and Cab Door Keys	10943	\$48	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
LANGUAGE IDENTITY for French NOTE: 010003	10WAW	N/C	
MUD FLAP HOLDER Spring Loaded, Painted Black, with Red and White Reflective Tape, Less Flaps N/A: Code 01WRZ TOW HOOK, REAR Spring Loaded, Bright Finish, 45-Degree End, with Red and White Reflective Tape, Less Flaps N/A: Code 01WRZ TOW HOOK, REAR Spring Loaded, Painted Black, 45-Degree End, with Red and White Reflective Tape, Less Flaps N/A: Code 01WRZ TOW HOOK, REAR	10WPR 10WPU 10WPT	\$105 -7/+29 \$226 -7/+26 \$121 -7/+28	
MUD FLAPS, REAR Black Poly, with International Logo, Less Holders REQS: Code 10WPR, 10WPT or 10WPU MUD FLAP HOLDER Black Rubber, Anti-Sail, Less Holders REQS: Code 10WPR, 10WPT or 10WPU MUD FLAP HOLDER	10WSX 10WPY	\$58 -4/+14 \$94 -4/+14	
OVER THE AIR PROGRAMMING <i>Navistar</i> for Navistar or International Engines	10AAX	\$250 0/0	
PAINT, CAB SUNSHADE Single Color other than Cab Roof Color REQS: Code 16XWD SUNSHADE, EXTERIOR	10614	\$420	
PAINT CLASS Premium Color Single Custom Color	10769 10771	\$600 \$700	
PAINT, NON-REFLECTING Non-Reflecting Paint	10661	\$568	
PAINT SCHEMATIC, PT-1 Single Color, Design 100 INCLS: PAINT SCHEMATIC ID LETTERS "LU"	10060	STD	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR
PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	10761	STD	
SAFETY TRIANGLES	10WCY	\$47 +4/+2	
SPECIAL RATING, GVWR Limited to 80,000-lb GVWR REQS: Code 14WLM, 14WNH, 14WNJ or 14WNM AXLE, PUSHER, LIFT TYPE REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING	10NZL	N/C	
VEHICLE REGISTRATION IDENTITY ID for the State of California NOTE: Pricing may change if axle configuration is changed. ID for 49 States, Excluding California NOTE: Pricing may change if axle configuration is changed.	10UAC 10UAD	N/C N/C	
CLUTCH NOTE: For ENGINE/CLUTCH COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - ECA-1850 - Two-Plate, Ceramic, 7-Spring with Pre-Damper, 15.5" Diameter, with Adjustment-Free Feature, 1850 lb-ft Torque Capacity REQS: Code 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL N/A: Code 11WAG CLUTCH BRAKE : TRANSMISSION, AUTOMATIC - Advantage - Self-Adjusting, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Coaxial VCT Plus PD Damper (Soft Rate) Mechanical Pull-Type Control, 6-Button Disc, 1860 lb-ft Torque Capacity REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GMZ, 13GNA or 13GYK TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	11MGP 11MRT	STD \$421 -6/-2	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
CLUTCH (CONTINUED) NOTE: For ENGINE/CLUTCH COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - Advantage - Self-Adjusting, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Coaxial VCT Plus PD Damper (Soft Rate) Mechanical Pull-Type Control, 4-Button Disc, 1750 lb-ft Torque Capacity REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GMZ, 13GNA or 13GYK TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC No Vendor Identified Omit Item (Clutch & Control) N/A: Code 11WAG CLUTCH BRAKE : TRANSMISSION, MANUAL	11MRU	N/C - 8 / - 3	
	11001	N/C - 108 / - 36	
CLUTCH BRAKE Two-Piece REQS: Code 11MRT or 11MRU CLUTCH	11WAG	\$31	
CLUTCH EFFECTS Hydraulic Clutch Actuation System, with Air Assist REQS: Code 13WAS CLUTCH HOUSING REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GMZ, 13GNA or 13GYK TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	11WAK	N/C 0 / 0	
ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use N/A: Code 12VGA ENGINE CONTROL, REMOTE MOUNTED	12VYL	\$45	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>HX515 SFA 6x4</i>	
<i>ENGINE, DIESEL</i>			
<p><small>NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</small></p> <p><i>International</i></p> <p>- A26 - EPA 2017, 370HP @ 1700 RPM, 1350 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REC: Code 12WEG COLD STARTING EQUIPMENT</p> <p>EPA 2017, 390HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 390 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REC: Code 12WEG COLD STARTING EQUIPMENT</p> <p>EPA 2017, 410HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 410 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REC: Code 12WEG COLD STARTING EQUIPMENT</p> <p>EPA 2017, 430HP @ 1700 RPM, 1550 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 430 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REQS: Code 13GHP, 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GNA, 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYD, 13GYG, 13GYH, 13GYJ or 13GYK TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC REC: Code 12WEG COLD STARTING EQUIPMENT</p> <p>EPA 2017, 450HP @ 1700 RPM, 1700 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 450 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REQS: Code 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GNA, 13GWR, 13GWX, 13GXA, 13GXD, 13GXH, 13GYD, 13GYH or 13GYK TRANSMISSION, MANUAL -OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW or 13AYC TRANSMISSION, AUTOMATIC REC: Code 12WEG COLD STARTING EQUIPMENT</p>			
	12BDY	STD	
	12BDZ	\$224	0/0
	12BEA	\$633	0/0
	12BEB	\$856	0/0
	12BEC	\$1,379	0/0



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
<p>ENGINE, DIESEL (CONTINUED) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>International</i></p> <p>- A26 -</p> <p>EPA 2017, 475HP @ 1700 RPM, 1700 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 475 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REQS: Code 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GNA, 13GWR, 13GWX, 13GXA, 13GXD, 13GXH, 13GYD, 13GYH or 13GYK TRANSMISSION, MANUAL -OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW or 13AYC TRANSMISSION, AUTOMATIC REC: Code 12WEG COLD STARTING EQUIPMENT</p> <p>EPA 2017, 500HP @ 1700 RPM, 1750 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 500 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REQS: Code 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GNA, 13GWR, 13GWX, 13GXA, 13GXD, 13GXH, 13GYD, 13GYH or 13GYK TRANSMISSION, MANUAL -OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW or 13AYC TRANSMISSION, AUTOMATIC REC: Code 12WEG COLD STARTING EQUIPMENT</p>	<p>12BED</p> <p>12BGP</p>	<p>\$1,678</p> <p>\$2,730</p>	<p>0/0</p> <p>0/0</p>
<p>RADIATOR</p> <p>Aluminum; Welded, Front to Back CrossFlow System, 1084 SqIn, 866 SqIn CAC</p>	12XBN	STD	
<p>FAN DRIVE</p> <p><i>Horton</i></p> <p>- Drivemaster - Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed</p>	12THT	STD	
<p>AIR CLEANER</p> <p>Dual Element</p> <p>Dual Element, with Integral Pre-Cleaner</p>	<p>12VBB</p> <p>12VBG</p>	<p>STD</p> <p>\$100</p>	<p></p> <p>+7/+1</p>



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	12703	STD	
BLOCK HEATER, ENGINE <i>Phillips</i> 120V/1150W 120V/1150W, with "Y" Cord for 120V/300W Oil Pan Heater	12XBR 12XBT	\$89 \$177	
COLD STARTING EQUIPMENT Automatic; with Engine ECM Control	12WEG	N/C 0/0	
EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood NOTE: Pricing may change if axle configuration is changed. Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door NOTE: Pricing may change if axle configuration is changed. Engine Shutdown System Exempt Vehicles, Complies with California Clean Air Regulations NOTE: Pricing may change if axle configuration is changed. Federal, Does Not Comply with California Clean Air Idle Regulations NOTE: Pricing may change if axle configuration is changed.	12WZB 12WZJ 12WZD 12WZE	\$97 \$97 N/C N/C	
ENGINE CONTROL, REMOTE MOUNTED for PTO with N13/A26 Engines N/A: Code 12VYL ACCESSORY WIRING, SPECIAL	12VGA	\$82	
FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	12WTA	STD	
FAN OVERRIDE Manual; with Electric Switch on Instrument Panel, (Fan On with Switch On)	12WBR	\$29 +2/0	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
FEDERAL EMISSIONS <i>International</i> - A26 - EPA, OBD and GHG Certified for Calendar Year 2020	12VHK	N/C	
HOSE CLAMPS, RADIATOR HOSES <i>Gates</i> Shrink Band Type <i>No Vendor Identified</i> , Mechanical Type; with Constant-Tension Functionality	12WCX 12WGA	 STD \$54	
OIL PAN Stainless Steel, for N13/A26 Engines	12WPZ	\$2,782 +49/+7	
PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted N/A: Code 12WPU PTO, ENGINE REAR	12851	\$353 +8/0	
PTO, ENGINE REAR for N13/A26 Engines (Ratio 1.276:1) N/A: Code 12851 PTO EFFECTS, ENGINE FRONT	12WPU	\$3,839 +21/+7	
RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System	12WYZ	STD	
TRANSMISSION, MANUAL NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book <i>Eaton Fuller</i> - UltraShift+ FO-16E313A-MHP - 13-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 16HLD INDICATOR TRANS GEAR POSITION REQS: Code 11MGP(std) CLUTCH REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION REQS: Code 13WLX TRANSMISSION OIL REQS: Code 12BDY(std), 12BDZ, 12BEA or 12BEB ENGINE, DIESEL (SEE NEXT PAGE)	13GWZ	STD	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105
 Printed in the United States of America

PAGE 580-41

SUBJECT TO CHANGE WITHOUT NOTICE
 All Taxes Extra, When Applicable



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
<p>TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- Advantage FAM-15810B-EA3 - N/A: Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 40SRA and 40SRB SRV CONTRACT, EXT EATON XMSN</p> <p>- Advantage FAO-14810C-EA3 - 10-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 16HLD INDICATOR TRANS GEAR POSITION REQS: Code 11MGP(std) CLUTCH REQS: Code 13WLW TRANSMISSION OIL REQS: Code 12BDY(std), 12BDZ or 12BEA ENGINE, DIESEL N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWF, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 14WLM, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION : Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p> <p>- Advantage FAO-16810C-EA3 - 10-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 16HLD INDICATOR TRANS GEAR POSITION REQS: Code 11MGP(std) CLUTCH REQS: Code 13WLW TRANSMISSION OIL N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWF, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 14WLM, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>13GYJ</p> <p>13GYC</p> <p>13GYD</p>	<p>\$1,170CR -120/-47</p> <p>\$451CR -109/-58</p>	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-43

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
<p>TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Eaton Fuller</i></p> <p>- Advantage FAO-16810C-EA3 - N/A: Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 15SJR, 15SSM, 15SSN(std) and 15SWH FUEL TANK AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p> <p>- Advantage FAOM-15810C-EA3 - 10-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 16HLD INDICATOR TRANS GEAR POSITION REQS: Code 11MGP(std) CLUTCH REQS: Code 13WLW TRANSMISSION OIL REQS: Code 12BDY(std), 12BDZ, 12BEA or 12BEB ENGINE, DIESEL N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWF, 40TWF, 40TWF, 40TWF, 40TWF and 40TWF SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 14WLM, 14WVN and 14WVN AXLE, PUSHER, LIFT TYPE : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION : Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p>	13GYD		
	13GYG	\$350 - 109/-58	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-44

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Eaton Fuller</i></p> <p>- Advantage FAOM-16810C-EA3 - 10-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 16HLD INDICATOR TRANS GEAR POSITION REQS: Code 11MGP(std) CLUTCH REQS: Code 13WLW TRANSMISSION OIL N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 14WLM, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT TRANSMISSION, AUTOMATIC : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 15SJR, 15SSM, 15SSN(std) and 15SWH FUEL TANK AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p> <p>- FRO/FROF-18210C - 10-Speed Manual, Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 13WLX TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT TRANSMISSION, AUTOMATIC</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>13GYH</p> <p>13GKZ</p>	<p>\$830</p> <p>\$7,999CR</p>	<p>- 109/-58</p> <p>- 182/-86</p>

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-45

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
<p>TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- FRO/FROF-18210C - N/A: Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION : Code 13WLM TRANSMISSION OIL</p> <p>- UltraShift+ FO-14E308LL-VCS - 10-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Double-Lo, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 16HLD INDICATOR TRANS GEAR POSITION REQS: Code 11MGP(std) CLUTCH REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION REQS: Code 13WLX TRANSMISSION OIL REQS: Code 12BDY(std), 12BDZ or 12BEA ENGINE, DIESEL N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 14WLM, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p> <p>- UltraShift+ FO-14E309ALL-VMS - 11-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Double-Lo, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 16HLD INDICATOR TRANS GEAR POSITION REQS: Code 11MGP(std) CLUTCH REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION REQS: Code 13WLX TRANSMISSION OIL REQS: Code 12BDY(std), 12BDZ or 12BEA ENGINE, DIESEL N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>13GKZ</p> <p>13GWN</p> <p>13GWV</p>	<p></p> <p>\$2,740 - 27/-5</p> <p>\$5,575 - 18/-14</p>	<p></p> <p></p> <p></p>

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-46

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Eaton Fuller</i></p> <p>- UltraShift+ FO-14E309ALL-VMS - N/A: Code 14WLM, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVU NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p> <p>- UltraShift+ FO-16E308LL-VCS - 10-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Double-Lo, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 16HLD INDICATOR TRANS GEAR POSITION REQS: Code 11MGP(std) CLUTCH REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION REQS: Code 13WLX TRANSMISSION OIL REQS: Code 12BDY(std), 12BDZ, 12BEA or 12BEB ENGINE, DIESEL N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 14WLM, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVU NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION : Code 15SJR, 15SSM, 15SSN(std) and 15SWH FUEL TANK AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p>	<p>13GWV</p> <p>13GWP</p>	<p></p> <p>\$2,797 -17/-14</p>	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
<p>TRANSMISSION, MANUAL (SEE PREV PAGE)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- UltraShift+ FO-17E308LL-VCS -</p> <p>N/A: Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WV V NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION : Code 15SJR, 15SSM, 15SSN(std) and 15SWH FUEL TANK</p> <p>AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p>	13GWR		
<p>- UltraShift+ FO-17E309ALL-VMS -</p> <p>11-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Double-Lo, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 16HLD INDICATOR TRANS GEAR POSITION REQS: Code 11MGP(std) CLUTCH REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION REQS: Code 13WLX TRANSMISSION OIL</p> <p>N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 14WLM, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WV V NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION : Code 15SJR, 15SSM, 15SSN(std) and 15SWH FUEL TANK</p> <p>AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p>	13GWX	\$5,997 -18/-14	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-49

SUBJECT TO CHANGE WITHOUT NOTICE



**HX515 SFA 6x4
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- UltraShift+ FO-18E313A-MHP - 13-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 16HLD INDICATOR TRANS GEAR POSITION REQS: Code 11MGP(std) CLUTCH REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION REQS: Code 13WLX TRANSMISSION OIL N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWW, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 14WLM, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION : Code 15SJR, 15SSM, 15SSN(std) and 15SWH FUEL TANK AVAIL: Code 40SPV, 40SPW, 40SPX, 40SPY and 40SPZ SRV CONTRACT, EXT EATON XMSN</p> <p>- UltraShift+ FO-18E318B-MXP - 18-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 16HLD INDICATOR TRANS GEAR POSITION REQS: Code 11MGP(std) CLUTCH REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION REQS: Code 13WLX TRANSMISSION OIL N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWW, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 14WLM, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS (SEE NEXT PAGE)</p>	13GXA	\$906	0/0
	13GXD	\$4,853	0/0

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-50

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR					
<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>HX515 SFA 6x4</i>				
<p>TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Eaton Fuller</i></p> <p>- UltraShift+ FO-18E318B-MXP - N/A: Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION : Code 15SJR, 15SSM, 15SSN(std) and 15SWH FUEL TANK AVAIL: Code 40SPV, 40SPW, 40SPX, 40SPY and 40SPZ SRV CONTRACT, EXT EATON XMSN</p> <p>- UltraShift+ FO-18E318B-VXP - 18-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 16HLD INDICATOR TRANS GEAR POSITION REQS: Code 11MGP(std) CLUTCH REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION REQS: Code 13WLX TRANSMISSION OIL N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 14WLM, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION : Code 15SJR, 15SSM, 15SSN(std) and 15SWH FUEL TANK AVAIL: Code 40SPV, 40SPW, 40SPX, 40SPY and 40SPZ SRV CONTRACT, EXT EATON XMSN</p>				<p>13GXD</p> <p>13GXH</p>	<p>\$8,744</p> <p>0/0</p>	



HX515 SFA 6x4
AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
<p>TRANSMISSION, MANUAL (CONTINUED)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Fuller</i></p> <p>- FR-14210B -</p> <p>10-Speed Manual, Direct Drive, Air Shift REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 12BDY(std), 12BDZ or 12BEA ENGINE, DIESEL</p> <p>N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p> <p>: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN</p> <p>: Code 16HLD INDICATOR TRANS GEAR POSITION</p> <p>: Code 13WGP INPUT SHAFT</p> <p>: Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS</p> <p>: Code 13WUA AUTOMATIC NEUTRAL</p> <p>: Code 13WVW NEUTRAL AT STOP</p> <p>: Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT</p> <p>: TRANSMISSION, AUTOMATIC</p> <p>: Code 13WBL TRANSMISSION SHIFT CONTROL</p> <p>: Code 13WCU OIL COOLER, AUTO TRANSMISSION</p> <p>: Code 13WLM TRANSMISSION OIL</p> <p>- FRO-14210C -</p> <p>10-Speed Manual, Overdrive, Air Shift REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 12BDY(std), 12BDZ or 12BEA ENGINE, DIESEL</p> <p>N/A: SRV CONTRACT, EXT EATON XMSN</p> <p>: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN</p> <p>: Code 16HLD INDICATOR TRANS GEAR POSITION</p> <p>: Code 13WGP INPUT SHAFT</p> <p>: Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS</p> <p>: Code 13WUA AUTOMATIC NEUTRAL</p> <p>: Code 13WVW NEUTRAL AT STOP</p> <p>: Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT</p> <p>: TRANSMISSION, AUTOMATIC</p> <p>: Code 13WBL TRANSMISSION SHIFT CONTROL</p> <p>: Code 13WCU OIL COOLER, AUTO TRANSMISSION</p> <p>: Code 13WLM TRANSMISSION OIL</p>	<p>13GHJ</p> <p>13GHL</p>	<p>\$11,773CR - 189/-79</p> <p>\$11,367CR - 186/-82</p>	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT					
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR			
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Fuller</i></p> <p>- RTLO(F)-16913A - 13-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MRT or 11MRU CLUTCH N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WAP TRANSMISSION LUBE PUMP : Code 13901 THRU-SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION AVAIL: Code 13WLX TRANSMISSION OIL</p>				13GKJ	\$6,589CR - 102/- 40	
<p>- RTLO(F)-16918B - 18-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MRT or 11MRU CLUTCH N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WAP TRANSMISSION LUBE PUMP : Code 13901 THRU-SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION AVAIL: Code 13WLX TRANSMISSION OIL</p>				13GKL	\$6,346CR - 101/- 39	



**HX515 SFA 6x4
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
	CODE	HX515 SFA 6x4
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Fuller</i></p> <p>- RTLO(F)-18918B - 18-Speed Manual, Double Overdrive, Double-Lo, Air Shift, Internal Lube Oil Pump REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 13WLX TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WAP TRANSMISSION LUBE PUMP : Code 13901 THRU-SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVU NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION</p> <p>- RTLO-18913A - 13-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 13WLX TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WAP TRANSMISSION LUBE PUMP : Code 13901 THRU-SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVU NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION</p>	<p>13GKM</p> <p>13GJS</p>	<p>\$5,528CR - 101/-39</p> <p>\$5,748CR - 99/-43</p>



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT	
	CODE	NOTE: WEIGHTS - FRONT/REAR
<p>TRANSMISSION, MANUAL (CONTINUED)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Fuller</i></p> <p>- RTO(F)-14909ALL - 11-Speed Manual, Overdrive, Double-Lo, Air Shift REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 12BDY(std), 12BDZ or 12BEA ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVW NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION : Code 07BMD EXHAUST SYSTEM AVAIL: Code 13WLX TRANSMISSION OIL</p> <p>- RTO(F)-16908LL - 10-Speed Manual, Overdrive, Double-Lo, Air Shift, Internal Lube Oil Pump REQS: Code 11MRT or 11MRU CLUTCH N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVW NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION AVAIL: Code 13WLX TRANSMISSION OIL</p>	<p>13GMZ</p> <p>13GHX</p>	<p>HX515 SFA 6x4</p> <p>\$6,464CR - 132/-53</p> <p>\$6,989CR - 115/-51</p>



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Fuller</i></p> <p>- RTO(F)-16909ALL - 11-Speed Manual, Overdrive, Double-Lo, Air Shift, Internal Lube Oil Pump REQS: Code 11MRT or 11MRU CLUTCH N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WAP TRANSMISSION LUBE PUMP : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVW NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR and 13WUS ALLISON SPARE INPUT/OUTPUT TRANSMISSION, AUTOMATIC : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU OIL COOLER, AUTO TRANSMISSION AVAIL: Code 13WLX TRANSMISSION OIL</p>	13GNA	\$5,058CR - 111/-47	
<p>TRANSMISSION, AUTOMATIC NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Allison</i></p> <p>- 4000 EVS - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor REQS: Code 11001 CLUTCH REQS: Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR or 13WUS ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL TRANSMISSION SHIFT CONTROL REQS: Code 13WCU OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	13AUR	\$13,830 +54/+54	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 4000 EVS - N/A: Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 13WUE ALLISON SPARE INPUT/OUTPUT</p> <p>5th Generation Controls, Close Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor REQS: Code 11001 CLUTCH REQS: Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR or 13WUS ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL TRANSMISSION SHIFT CONTROL REQS: Code 13WCU OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 13WUE ALLISON SPARE INPUT/OUTPUT</p> <p>- 4000 RDS - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway REQS: Code 11001 CLUTCH REQS: Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR or 13WUS ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL TRANSMISSION SHIFT CONTROL REQS: Code 13WCU OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL</p> <p>(SEE NEXT PAGE)</p>	<p>13AUR</p> <p>13AUN</p> <p>13ATR</p>	<p>\$13,830 +54/+54</p> <p>\$12,598 +54/+54</p>	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-59

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR				
	CODE	HX515 SFA 6x4		
<p>TRANSMISSION, AUTOMATIC (SEE PREV PAGE)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 4000 RDS -</p> <p>N/A: Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WUE ALLISON SPARE INPUT/OUTPUT : Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 40TWC, 40TWD, 40TWE, 40TWG and 40TWH SRV CONTRACT, EXT ALLISON XMSN</p> <p>5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, Refuse REQS: Code 11001 CLUTCH REQS: Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR or 13WUS ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL TRANSMISSION SHIFT CONTROL REQS: Code 13WCU OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM TRANSMISSION OIL REQS: Code 12BDY(std), 12BDZ, 12BEA or 12BEB ENGINE, DIESEL N/A: Code 40PPW SRV CONTRACT, EXT VEH COVERAGE : Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WUE ALLISON SPARE INPUT/OUTPUT : Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 40TWC, 40TWD, 40TWE, 40TWG and 40TWH SRV CONTRACT, EXT ALLISON XMSN</p> <p>5th Generation Controls, Close Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway REQS: Code 11001 CLUTCH REQS: Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR or 13WUS ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL TRANSMISSION SHIFT CONTROL REQS: Code 13WCU OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT</p> <p>(SEE NEXT PAGE)</p>	13ATR			
	13AUY	\$12,598 +54/+54		
	13ATP	\$12,598 +54/+54		

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-60

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
<p>TRANSMISSION, AUTOMATIC (SEE PREV PAGE)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 4500 EVS - N/A: Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 13WUE ALLISON SPARE INPUT/OUTPUT</p> <p>5th Generation Controls, Wide Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor REQS: Code 11001 CLUTCH REQS: Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR or 13WUS ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL TRANSMISSION SHIFT CONTROL REQS: Code 13WCU OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 13WUE ALLISON SPARE INPUT/OUTPUT</p> <p>- 4500 RDS - 5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway REQS: Code 11001 CLUTCH REQS: Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR or 13WUS ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL TRANSMISSION SHIFT CONTROL REQS: Code 13WCU OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>			
	13AUS		
	13AUP	\$ 16,218 +54/+54	
	13AUW	\$ 15,288 +65/+43	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Allison</i></p> <p>- 4500 RDS - N/A: Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WUE ALLISON SPARE INPUT/OUTPUT : Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN</p>			
<p>5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, Refuse</p> <p>REQS: Code 11001 CLUTCH REQS: Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR or 13WUS ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL TRANSMISSION SHIFT CONTROL REQS: Code 13WCU OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM TRANSMISSION OIL REQS: Code 12BDY(std), 12BDZ, 12BEA or 12BEB ENGINE, DIESEL</p> <p>N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WUE ALLISON SPARE INPUT/OUTPUT : Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN</p>	<p>13AUW</p> <p>13AUX</p>	<p>\$15,288 +54/+54</p>	
<p>5th Generation Controls, Wide Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway</p> <p>REQS: Code 11001 CLUTCH REQS: Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR or 13WUS ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL TRANSMISSION SHIFT CONTROL REQS: Code 13WCU OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM TRANSMISSION OIL</p> <p>N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WUE ALLISON SPARE INPUT/OUTPUT</p>	<p>13AUT</p>	<p>\$15,288 +54/+54</p>	
(SEE NEXT PAGE)			

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-63

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
Allison			
- 4500 RDS - N/A: Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN	13AUT		
5th Generation Controls, Wide Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, Refuse REQS: Code 11001 CLUTCH REQS: Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR or 13WUS ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL TRANSMISSION SHIFT CONTROL REQS: Code 13WCU OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM TRANSMISSION OIL REQS: Code 12BDY(std), 12BDZ, 12BEA or 12BEB ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WUE ALLISON SPARE INPUT/OUTPUT : Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN	13AAU	\$15,288 +54/+54	
- 4700 RDS - 5th Generation Controls, 7 Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway, with Two Speed Reverse REQS: Code 11001 CLUTCH REQS: Code 13WUA AUTOMATIC NEUTRAL REQS: Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR or 13WUS ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL TRANSMISSION SHIFT CONTROL REQS: Code 13WCU OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM TRANSMISSION OIL N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WVV NEUTRAL AT STOP (SEE NEXT PAGE)	13AYC	\$22,677 +163/+115	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-64

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
<p>TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 4700 RDS - N/A: Code 13WGJ OIL COOLER MANUAL TRANSMISSION : SATELLITE COMMUNICATION SYSTEM AVAIL: Code 13WYU SHIFT CONTROL PARAMETERS : Code 13WUS ALLISON SPARE INPUT/OUTPUT</p>	13AYC		
<p>ALLISON SPARE INPUT/OUTPUT NOTE: For SPARE INPUT/OUTPUT PACKAGE CONTENT, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>for Rugged Duty Series (RDS); Airport Refueler, Sewer Evac REQS: Code 13ATP, 13ATR, 13AUT, 13AAU, 13AAV, 13AAW, 13AAUX or 13AAUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WUA AUTOMATIC NEUTRAL</p> <p>for Emergency Vehicle Series (EVS); Fire/Pumper, Tank, Aerial/Ladder REQS: Code 13AUN, 13AUP, 13AUR or 13AUS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WUA AUTOMATIC NEUTRAL</p> <p>for Rugged Duty Series (RDS); Front Loaders, Rear Loaders, Recycling/Packer Trucks REQS: Code 13ATP, 13ATR, 13AUT, 13AAU, 13AAV, 13AAW, 13AAUX or 13AAUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WUA AUTOMATIC NEUTRAL</p> <p>for Rugged Duty Series (RDS); General Purpose Trucks, Construction REQS: Code 13ATP, 13ATR, 13AUT, 13AAU, 13AAV, 13AAW, 13AAUX or 13AAUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WUA AUTOMATIC NEUTRAL</p> <p>for Rugged Duty Series (RDS); General Purpose Trucks Modified for Single Input Auto Neutral REQS: Code 13WUA AUTOMATIC NEUTRAL REQS: Code 13ATP, 13ATR, 13AUT, 13AAU, 13AAV, 13AAW, 13AAUX, 13AAUY or 13AYC TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL</p>	<p>13WUH</p> <p>13WUE</p> <p>13WUJ</p> <p>13WUC</p> <p>13WUS</p>	<p>N/C</p> <p>N/C</p> <p>N/C</p> <p>N/C</p> <p>N/C</p>	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>HX515 SFA 6x4</i>	
<p>ALLISON SPARE INPUT/OUTPUT (CONTINUED) NOTE: For SPARE INPUT/OUTPUT PACKAGE CONTENT, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>for Rugged Duty Series (RDS); Side Loaders REQS: Code 13ATP, 13ATR, 13AUT, 13AAU, 13AAV, 13AAW, 13AAZ or 13AAY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WUA AUTOMATIC NEUTRAL</p> <p>for Dump/Construction with Two-Speed Axle or Auxiliary Transmission (RDS). REQS: Code 13ATP, 13ATR, 13AUT, 13AAU, 13AAV, 13AAW, 13AAZ or 13AAY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WUA AUTOMATIC NEUTRAL</p>	<p style="text-align: center;">13WUK</p> <p style="text-align: center;">13WUR</p>	<p style="text-align: center;">N/C</p> <p style="text-align: center;">N/C</p>	
<p>AUTOMATIC NEUTRAL</p> <p>Allison WT Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged N/A: TRANSMISSION, MANUAL AVAIL: Code 13WUS ALLISON SPARE INPUT/OUTPUT</p>	<p style="text-align: center;">13WUA</p>	<p style="text-align: center;">\$129</p>	
<p>CLUTCH HOUSING</p> <p>Aluminum; Available with 1350 to 2050 lb-ft Capacity Fuller Transmissions REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GMZ, 13GNA or 13GYK TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC</p>	<p style="text-align: center;">13WAS</p>	<p style="text-align: center;">\$57</p>	
<p>INPUT SHAFT</p> <p>Heavy Duty Roller Bearing; Spline Size 2.00" with 1.18" Pilot, Use with Eaton 13/18 Speed Manual Transmissions, with Transmission Mounted, 6 or 8 bolt PTO's with Up to the Total PTO Output of 500 lb. ft. REQS: Code 13GJS, 13GKJ, 13GKL, 13GKM or 13GYK TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC</p>	<p style="text-align: center;">13WGP</p>	<p style="text-align: center;">\$35</p>	
<p>NEUTRAL AT STOP</p> <p>Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AAZ or 13AAY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS</p>	<p style="text-align: center;">13WVV</p>	<p style="text-align: center;">\$725</p> <p style="text-align: center;">0/0</p>	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
OIL COOLER, AUTO TRANSMISSION <i>Modine</i> Remote Mounted; Not for use with Retarder N/A: TRANSMISSION, MANUAL	13WCU	\$1,371 + 45/- 4	
OIL COOLER MANUAL TRANSMISSION NOTE: See ENGINE/TRANSMISSION COMPATIBILITY Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book for Recommended and Mandatory Applications Water to Oil Type Included in Radiator End Tank (REQUIRES TRANSMISSION LUBE PUMP) REQS: Code 13WAP TRANSMISSION LUBE PUMP, when in combination with Code 13GHJ, 13GHL, 13GHW or 13GMZ TRANSMISSION, MANUAL REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GMZ, 13GNA, 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH or 13GYK TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	13WGJ	N/C + 4 / 0	
PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Control Valve, Piping and Wiring, Wired for PTO For Customer Provided PTO, Includes Switch and Wiring, for Allison Transmission REQS: Code 13WUC, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUR or 13WUS ALLISON SPARE INPUT/OUTPUT	13WVD 13XAZ	\$60 \$83	
SHIFT CONTROL PARAMETERS Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with DynActive and Dynamic Shift Sensing (FuelSense 2.0 Basic) REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with DynActive, Dynamic Shift Sensing and Neutral at Stop-Premium, with Coast Mode (FuelSense 2.0 Plus) REQS: Code 13ATP, 13ATR, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WVV NEUTRAL AT STOP	13XBD 13XBE	\$690 \$750	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
<p>SHIFT CONTROL PARAMETERS (CONTINUED)</p> <p>Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with DynActive, with Dynamic Shift Sensing, Neutral at Stop-Premium, with Coast Mode and Acceleration Rate Management (FuelSense 2.0 Max) REQ: Code 13ATP, 13ATR, 13AUT, 13AAU, 13AAV, 13AAW, 13AAZ or 13AAU TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WVV NEUTRAL AT STOP</p> <p>Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming N/A: TRANSMISSION, MANUAL</p> <p>Allison</p> <p>3 Speed S1 Secondary Shift Schedule for 5 or 6 Speed Allison Gen4/Gen 5 3000 & 4000 Series Transmissions REQ: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AAZ or 13AAU TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL</p>	13XBG	\$815	
	13WYU	N/C	
	13WDT	\$48	
<p>THRU-SHAFT</p> <p>PTO Provision, Left Side, with Fuller Transmission REQ: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GKZ, 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC</p>	13901	\$48	
<p>TRANSMISSION LUBE PUMP</p> <p>for International, Fuller, Meritor or Spicer Transmissions; USE ONLY WHEN PUMP IS NOT INCLUDED STANDARD IN TRANSMISSION REQ: Code 13GHJ, 13GHL, 13GHW or 13GMZ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC</p>	13WAP	\$324	
<p>TRANSMISSION OIL</p> <p>Synthetic; 63 thru 76 Pints N/A: TRANSMISSION, MANUAL</p> <p>EmGard</p> <p>- 40W - Synthetic; 1 thru 21.99 Pints REQ: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GKZ, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC</p>	13WLM	\$405	
	13WLW	\$85	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>TRANSMISSION OIL (CONTINUED)</p> <p><i>EmGard</i></p> <p>- 40W -</p> <p>Synthetic; 22 thru 33.99 Pints REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GMZ, 13GNA, 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH or 13GYK TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC</p>	13WLX	\$153	
<p>TRANSMISSION SHIFT CONTROL</p> <p><i>Allison</i></p> <p>Push-Button Type; for Allison 3000 & 4000 Series Transmission N/A: TRANSMISSION, MANUAL</p>	13WBL	\$50	
<p>AXLE, REAR, TANDEM</p> <p><i>Meritor</i></p> <p>- MT-40-14X-4DFR-P - Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, w/.433"(11mm) Wall Housing Thickness, R Wheel Ends RATIO: 2.64, 3.08, 3.25, 3.36, 3.42, 3.55, 3.70, 3.90, 4.11, 4.33, 4.63, 4.88, 5.29, 5.86, 6.14, 6.43, 6.83 or 7.17 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZF, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- MT-40-14X-4DCR - Single Reduction, 40,000-lb Capacity, w/.433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, R Wheel Ends RATIO: 2.64, 3.08, 3.25, 3.36, 3.42, 3.55, 3.70, 3.90, 4.11, 4.33, 4.63, 4.88, 5.29, 5.86, 6.14, 6.43, 6.83 or 7.17 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZF, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM (SEE NEXT PAGE)</p>	14GVU	STD	
	14GVN	\$839	0/+16



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
<p>AXLE, REAR, TANDEM (SEE PREV PAGE)</p> <p><i>Meritor</i></p> <p>- MT-40-14X-4DCR - -OR- Code 14UKZ, 14ULA, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX or 14XAL SUSPENSION, REAR, AIR, TANDEM N/A: Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- MT-40-14X-4DCR-P - Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, w/.433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14UJE, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- Code 14UKZ, 14ULA, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX or 14XAL SUSPENSION, REAR, AIR, TANDEM N/A: Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- MT-40-14X-4DER - Single Reduction, 40,000-lb Capacity, w/.433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- Code 14UKZ, 14ULA, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX or 14XAL SUSPENSION, REAR, AIR, TANDEM N/A: Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p>	<p>14GVN</p> <p>14GVL</p> <p>14GVR</p>	<p>\$1,334 0/+26</p> <p>\$139 0/+2</p>	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX515 SFA 6x4	
<p>AXLE, REAR, TANDEM (SEE PREV PAGE)</p> <p><i>Meritor</i></p> <p>- MT-40-14X-5DCR-P - -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- MT-40-14X-5DER-P - Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .5"(12.7mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX or 14XAL SUSPENSION, REAR, AIR, TANDEM N/A: Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- MT-40-14X-5DFR - Single Reduction, 40,000-lb Capacity, w/.5"(12.7mm) Wall Housing Thickness, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX or 14XAL SUSPENSION, REAR, AIR, TANDEM N/A: Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 29PCD COATING, RIM, REAR WHEELS (SEE NEXT PAGE)</p>	<p>14GVM</p> <p>14GVK</p> <p>14GVZ</p>	<p></p> <p>\$697</p> <p>\$602CR</p>	<p></p> <p>0/+61</p> <p>0/+40</p>



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HX515 SFA 6x4		
<p>AXLE, REAR, TANDEM (SEE PREV PAGE)</p> <p><i>Meritor</i></p> <p>- MT-40-14X-5DFR - AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- RT-46-160 - Single Reduction, 46,000-lb Capacity, Driver Controlled Locking Differential in Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 28DTA WHEELS, REAR : Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>Single Reduction, 46,000-lb Capacity, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>Single Reduction, 46,000-lb Capacity, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p>	<p>14GVZ</p> <p>14GRP</p> <p>14HRM</p> <p>14GRD</p>	<p></p> <p>\$4,623 0/+495</p> <p>\$5,615 0/+425</p> <p>\$3,994 0/+453</p>	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>AXLE, REAR, TANDEM (CONTINUED)</p> <p><i>Meritor</i></p> <p>- RT-46-160P - Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZF, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZF, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZF, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p>			
	14GRR	\$4,305 0/+482	
	14GRS	\$4,896 0/+525	
	14HRL	\$5,933 0/+452	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HX515 SFA 6x4		
AXLE, REAR, TANDEM (CONTINUED)			
<i>Meritor</i>			
- RT-46-164EH -			
Single Reduction, Standard Width, 46,000-lb Capacity, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends			
RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17			
REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP			
BRAKES, REAR, AIR CAM			
-OR- BRAKES, REAR, AIR DISC			
REQS: Code 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM			
-OR- SUSPENSION, REAR, AIR, TANDEM			
AVAIL: Code 14WMK AXLE, REAR, LUBE			
: Code 14WAL SUSPENSION/REAR-AXLE IDENTITY			
NOTE: Axle Lead Time is 45 Days			
Single Reduction, Wide Track, 46,000-lb Capacity, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends			
RATIO: 3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.89, 5.38,5.63,6.14,6.43,6.83 or 7.17			
REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP			
BRAKES, REAR, AIR CAM			
-OR- BRAKES, REAR, AIR DISC			
REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM			
-OR- SUSPENSION, REAR, AIR, TANDEM			
N/A: Code 29597 WHEEL SEALS, REAR			
AVAIL: Code 14WMK AXLE, REAR, LUBE			
: Code 14WAL SUSPENSION/REAR-AXLE IDENTITY			
NOTE: Axle Lead Time is 60 Days			
- RT-46-164P -			
Single Reduction, Standard Width, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends			
RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17			
REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP			
BRAKES, REAR, AIR CAM			
-OR- BRAKES, REAR, AIR DISC			
REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM			
-OR- SUSPENSION, REAR, AIR, TANDEM			
AVAIL: Code 14WMK AXLE, REAR, LUBE			
: Code 14WAL SUSPENSION/REAR-AXLE IDENTITY			
14HRC	\$5,563 0/+487		
14HRA	\$8,246 0/+539		
14HRE	\$6,525 0/+514		



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HX515 SFA 6x4		
AXLE, REAR, TANDEM (CONTINUED)			
<i>Meritor</i>			
- RT-46-164P -			
Single Reduction, Wide Track, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends RATIO: 3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 04773 BRAKE SHOES, REAR : Code 29597 WHEEL SEALS, REAR AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY	14HRH	\$6,625 0/+655	
Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, R Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY	14HRW	\$4,334 0/+516	
- RT-52-185 -			
Single Reduction, 52,000-lb Capacity, with Lube Oil Pump, R Wheel Ends RATIO: 4.30,4.56,4.89,5.38,6.14,6.83 or 7.17 REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UPU, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM N/A: Code 28DEM and 28DMN WHEELS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMZ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY (SEE NEXT PAGE)	14GTS	\$13,740 0/+710	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>AXLE, REAR, TANDEM (SEE PREV PAGE)</p> <p><i>Meritor</i></p> <p>- RT-52-185 - NOTE: Axle Lead Time is 60 Days</p> <p>- RT-52-185P - Single Reduction, 52,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends RATIO: 4.30,4.56,4.89,5.38,6.14,6.83 or 7.17 REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UPU, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM N/A: Code 28DEM and 28DMN WHEELS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMZ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: Axle Lead Time is 60 Days</p> <p>Single Reduction, 52,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Rear-Rear Axle, T Wheel Ends RATIO: 3.73,4.10,4.30,4.56,4.89,5.38,6.14,6.83 or 7.17 REQS: Code 04AZA, 04AZJ(std) or 04AZS AIR BRAKE ABS REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14698 SUSPENSION, REAR, TANDEM N/A: Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : SRV CONTRACT, EXT MAJOR COMP : Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04773 BRAKE SHOES, REAR : Code 29334 BRAKE DRUMS, REAR : SUSPENSION, REAR, AIR, TANDEM : Code 29597 WHEEL SEALS, REAR : Code 28DEM, 28DMM, 28DMN, 28DTA, 28DTC, 28DTY, 28DUC, 28DUX, 28DVJ, 28DVK, 28DVR and 28DVS WHEELS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WMJ, 14WMK and 14WMZ AXLE, REAR, LUBE : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 29PBS COATING IDENTITY, REAR WHEELS NOTE: Axle Lead Time is 60 Days</p>	<p>14GTS</p> <p>14GTW</p> <p>14GUV</p>	<p>\$14,355 0/+730</p> <p>\$15,567 0/+730</p>	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-77

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
<i>ITEM DESCRIPTION</i>	CODE	HX515 SFA	NOTE: WEIGHTS - FRONT/REAR
<i>ITEM DESCRIPTION</i>	CODE	6x4	6x4
AXLE, REAR, TANDEM (CONTINUED)			
<i>Meritor</i>			
- RT-58-185 -			
Single Reduction, 58,000-lb Capacity, with Lube Oil Pump, T Wheel Ends			
RATIO: 4.30,4.56,4.89,5.38,6.14,6.83 or 7.17			
REQS: Code 04AZA, 04AZJ(std) or 04AZS AIR BRAKE ABS			
REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE			
REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM			
REQS: Code 14524 SUSPENSION, REAR, TANDEM			
N/A: SRV CONTRACT, EXT VEH COVERAGE			
: Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB			
: Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME			
: SRV CONTRACT, EXT MAJOR COMP			
: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC			
: Code 29334 BRAKE DRUMS, REAR			
: SUSPENSION, REAR, AIR, TANDEM			
: Code 28DEM, 28DMM, 28DMN, 28DTA, 28DTC, 28DTY, 28DUC, 28DUX, 28DVJ, 28DVK, 28DVR and 28DVS WHEELS, REAR			
: Code 29GBA HUB MODIFICATIONS, REAR			
: Code 14WZY AXLE SHAFT MODIFICATION			
: Code 14WBN DIFF. SWITCH CONTROLS			
: Code 29PCD COATING, RIM, REAR WHEELS			
AVAIL: Code 14WMZ AXLE, REAR, LUBE			
: Code 14WAL SUSPENSION/REAR-AXLE IDENTITY			
: Code 29PBS COATING IDENTITY, REAR WHEELS			
NOTE: Axle Lead Time is 60 Days			
Single Reduction, 58,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Rear-Rear Axle, T Wheel Ends			
RATIO: 4.30,4.56,4.89,5.38,6.14,6.83 or 7.17			
REQS: Code 04AZA, 04AZJ(std) or 04AZS AIR BRAKE ABS			
REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE			
REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM			
REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC or 14524 SUSPENSION, REAR, TANDEM			
N/A: SRV CONTRACT, EXT VEH COVERAGE			
: Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB			
: Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME			
: SRV CONTRACT, EXT MAJOR COMP			
: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC			
: Code 29334 BRAKE DRUMS, REAR			
: SUSPENSION, REAR, AIR, TANDEM			
: Code 29597 WHEEL SEALS, REAR			
: Code 28DEM, 28DMM, 28DMN, 28DTA, 28DTC, 28DTY, 28DUC, 28DUX, 28DVJ, 28DVK, 28DVR and 28DVS WHEELS, REAR			
<i>(SEE NEXT PAGE)</i>			
	14GTT	\$17,163 0/+750	
	14GTU	\$17,477 0/+750	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>AXLE, REAR, TANDEM <i>(SEE PREV PAGE)</i></p> <p>Meritor</p> <p>- RT-70-380 - N/A: Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 29334 BRAKE DRUMS, REAR : Code 28DEL, 28DEM, 28DMJ, 28DMK, 28DMM, 28DMN, 28DTC, 28DUC, 28DUX, 28DVJ, 28DVK, 28DVR and 28DVS WHEELS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMZ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: Axle Lead Time is 120 Days</p> <p>Dana Spicer</p> <p>- DT463P/RT463 - Two-Speed 46,000-lb Capacity, with Lube Oil Pump, 18" Ring Gear, 200 Wheel Ends RATIO: 3.70/5.04, 3.90/5.31, 4.11/5.60, 4.33/5.91, 4.56/6.20, 4.88/6.64, 5.43/7.39 or 6.17/8.40 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZH, 14UZS, 14UZT, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 14AJX SHIELD, TEMPERATURE SENSOR : Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY</p> <p>- D46-172DHP - Single Reduction, 46,000-lb Capacity, 16mm Wall Housing Thickness, with Lube Oil Pump, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends RATIO: 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.78, 5.25, 5.38, 5.57 or 6.14 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZH, 14UZS or 14UZU SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 40PPJ, 40PPK, 40PPR, 40PPW and 40PPX SRV CONTRACT, EXT VEH COVERAGE <i>(SEE NEXT PAGE)</i></p>			
	14GRM		
	14GGU	\$12,193	0/+548
	14GKJ	\$6,222	0/+383



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
<p>AXLE, REAR, TANDEM (SEE PREV PAGE)</p> <p><i>Dana Spicer</i></p> <p>- D46-172DHP - N/A: Code 14AJX SHIELD, TEMPERATURE SENSOR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY</p> <p>Single Reduction, 46,000-lb Capacity, 16mm Wall Housing Thickness, with Lube Oil Pump, Driver Controlled Locking Differential in Forward-Rear & Rear-Rear Axle, R Wheel Ends RATIO: 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.78, 5.25, 5.38, 5.57 or 6.14 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS or 14UZU SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 40PPJ, 40PPK, 40PPR, 40PPW and 40PPX SRV CONTRACT, EXT VEH COVERAGE : Code 14AJX SHIELD, TEMPERATURE SENSOR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY</p> <p>- D46-172DP - Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, R Wheel Ends RATIO: 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.78, 5.25, 5.38, 5.57, 6.14 or 6.83 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 40PPJ, 40PPK, 40PPR, 40PPW and 40PPX SRV CONTRACT, EXT VEH COVERAGE : Code 14AJX SHIELD, TEMPERATURE SENSOR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY</p>			
	14GKJ		
	14GKK	\$6,486	0/+439
	14GKP	\$6,699	0/+439

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-81

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HX515 SFA 6x4		
AXLE, REAR, TANDEM (CONTINUED)			
<i>Dana Spicer</i>			
- D46-172HP -			
Single Reduction, 46,000-lb Capacity, 16mm Wall Housing Thickness, with Lube Oil Pump, R Wheel Ends			
RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30, 4.56,4.78,5.25,5.38,5.57 or 6.14			
REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM			
-OR- BRAKES, REAR, AIR DISC			
REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS or 14UZU SUSPENSION, REAR, TANDEM			
-OR- SUSPENSION, REAR, AIR, TANDEM			
N/A: Code 40PPJ, 40PPK, 40PPR, 40PPW and 40PPX SRV CONTRACT, EXT VEH COVERAGE			
: Code 14AJX SHIELD, TEMPERATURE SENSOR			
: Code 29GBA HUB MODIFICATIONS, REAR			
: Code 14WZY AXLE SHAFT MODIFICATION			
: Code 14WBN DIFF. SWITCH CONTROLS			
: Code 29PCD COATING, RIM, REAR WHEELS			
AVAIL: Code 14WMK AXLE, REAR, LUBE			
: Code 14WAK SUSPENSION/REAR-AXLE IDENTITY			
- D52-190D -			
Single-Reduction, 52,000-lb Capacity, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear, R Wheel Ends			
RATIO: 3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.78, 5.25,5.38,5.57,6.14,6.83 or 7.17			
REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE			
REQS: Code 04JNW BRAKES, REAR, AIR DISC			
-OR- Code 04NDB or 04NDL BRAKES, REAR, AIR CAM			
REQS: Code 14UZX or 14698 SUSPENSION, REAR, TANDEM			
-OR- Code 14UPV or 14UPW SUSPENSION, REAR, AIR, TANDEM			
N/A: Code 14AJX SHIELD, TEMPERATURE SENSOR			
: Code 29GBA HUB MODIFICATIONS, REAR			
: Code 14WZY AXLE SHAFT MODIFICATION			
: Code 29PCD COATING, RIM, REAR WHEELS			
AVAIL: Code 14WMK AXLE, REAR, LUBE			
: Code 14WAK SUSPENSION/REAR-AXLE IDENTITY			
SUSPENSION, REAR, AIR, TANDEM			
<i>Hendrickson</i>			
- HAS-402-55 -			
40,000-lb Capacity, 55" Axle Spacing, 10.6" Ride Height, with Shock Absorbers			
REQS: Code 02ARY, 02ARZ, 02ASG or 02ASM AXLE, FRONT NON-DRIVING			
REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC			
<i>(SEE NEXT PAGE)</i>			



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
(CONTINUED)			
<i>Hendrickson</i>			
- HAS-402-55 -			
40,000-lb Capacity, 55" Axle Spacing, 9.5" Ride Height, with Shock Absorbers, Mounted Inboard REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14AJX SHIELD, TEMPERATURE SENSOR : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY AVAIL: Code 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP	14ULU	\$547 0/+64	
- HAS-402-60 -			
40,000-lb Capacity, 60" Axle Spacing, 9.5" Ride Height, with Shock Absorbers REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04773 BRAKE SHOES, REAR : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14AJX SHIELD, TEMPERATURE SENSOR : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP	14ULA	\$273 0/+64	
40,000-lb Capacity, 60" Axle Spacing, 9.5" Ride Height, with Shock Absorbers, Mounted Inboard	14ULV	\$622 0/+64	
(SEE NEXT PAGE)			



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
SUSPENSION, REAR, AIR, TANDEM (CONTINUED)			
<i>Hendrickson</i>			
- HAS-460-55 -			
46,000-lb Capacity, 55" Axle Spacing, 9.5" Ride Height, with Shock Absorbers REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVK, 14GVM, 14GVU(std), 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14AJX SHIELD, TEMPERATURE SENSOR : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE AVAIL: Code 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP	14ULB	\$318 0/+82	
46,000-lb Capacity, 55" Axle Spacing, 9.5" Ride Height, with Shock Absorbers, Mounted Inboard REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVK, 14GVM, 14GVU(std), 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14AJX SHIELD, TEMPERATURE SENSOR : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY AVAIL: Code 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP	14ULT	\$668 0/+82	
- HAS-460-60 - 46,000-lb Capacity, 60" Axle Spacing, 9.5" Ride Height, with Shock Absorbers REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVK, 14GVM, 14GVU(std), 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14AJX SHIELD, TEMPERATURE SENSOR : SUSPENSION, REAR, TANDEM : SUSPENSION, REAR, TANDEM (SEE NEXT PAGE)	14ULC	\$396 0/+82	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	HX515 SFA 6x4	
<p>SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE)</p> <p>Hendrickson</p> <p>- HAS-460-60 - N/A: Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP</p> <p>46,000-lb Capacity, 60" Axle Spacing, 9.5" Ride Height, with Shock Absorbers, Mounted Inboard REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVK, 14GVM, 14GVU(std), 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04AZS and 04AZY AIR BRAKE ABS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14AJX SHIELD, TEMPERATURE SENSOR : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE AVAIL: Code 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP</p> <p>- PRIMAAX EX - 46,000-lb Capacity, 55" Axle Spacing, 9.0" Ride Height, with Shock Absorbers REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH or 04NDK BRAKES, REAR, AIR CAM REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04WDW BRAKE CHAMBERS, SPRING : Code 01UAA CROSSMEMBER, AF, SPECIAL : SUSPENSION, REAR, TANDEM : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY AVAIL: Code 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14ULC</p> <p>14ULS</p> <p>14UNX</p>	<p>\$745</p> <p>\$2,776</p>	<p>0/+82</p> <p>0/+223</p>



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE)</p> <p><i>Hendrickson</i></p> <p>- PRIMAAX EX - AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE</p> <p>46,000-lb Capacity, 60" Axle Spacing, 9.0" Ride Height, with Shock Absorbers REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH or 04NDK BRAKES, REAR, AIR CAM REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04WDW BRAKE CHAMBERS, SPRING : Code 01UAA CROSSMEMBER, AF, SPECIAL : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY AVAIL: Code 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP : Code 14WNK AXLE, TAG, LIFT TYPE</p> <p>46,000-lb Capacity, 72" Axle Spacing, 9.0" Ride Height, with Shock Absorbers REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH or 04NDK BRAKES, REAR, AIR CAM REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : Code 01UAA CROSSMEMBER, AF, SPECIAL : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP</p> <p>52,000-lb Capacity, 55" Axle Spacing, 10.0" Ride Height, with Shock Absorbers REQS: Code 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH or 04NDK BRAKES, REAR, AIR CAM</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14UNX</p> <p>14UNY</p> <p>14UNW</p> <p>14UPX</p>	<p>\$2,776 0/+223</p> <p>\$2,776 0/+223</p> <p>\$5,268 0/+437</p>	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT	
	CODE	HX515 SFA 6x4
NOTE: WEIGHTS - FRONT/REAR		
<p>SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE)</p> <p><i>Hendrickson</i></p> <p>- PRIMAAX EX -</p> <p>REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>N/A: Code 04WDW BRAKE CHAMBERS, SPRING : Code 01UAA CROSSMEMBER, AF, SPECIAL : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>AVAIL: Code 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP</p>	14UPX	
<p>52,000-lb Capacity, 55" Axle Spacing, 9.0" Ride Height, with Shock Absorbers</p> <p>REQS: Code 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH or 04NDK BRAKES, REAR, AIR CAM</p> <p>REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>N/A: Code 04WDW BRAKE CHAMBERS, SPRING : Code 01UAA CROSSMEMBER, AF, SPECIAL : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>AVAIL: Code 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP</p>	14UPV	\$5,652 0/+437
<p>52,000-lb Capacity, 60" Axle Spacing, 10.0" Ride Height, with Shock Absorbers</p> <p>REQS: Code 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH or 04NDK BRAKES, REAR, AIR CAM</p> <p>REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>N/A: Code 04AZS and 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : Code 01UAA CROSSMEMBER, AF, SPECIAL : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	14UPU	\$5,268 0/+437

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-89

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE)</p> <p><i>Hendrickson</i></p> <p>- PRIMAAX EX - N/A: Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY AVAIL: Code 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP</p> <p>52,000-lb Capacity, 60" Axle Spacing, 9.0" Ride Height, with Shock Absorbers REQS: Code 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH or 04NDK BRAKES, REAR, AIR CAM REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04WDW BRAKE CHAMBERS, SPRING : Code 01UAA CROSSMEMBER, AF, SPECIAL : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY AVAIL: Code 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP</p>	<p>14UPU</p> <p>14UPW</p>	<p>\$5,652</p> <p>0/+437</p>	
<p>SUSPENSION, REAR, TANDEM</p> <p><i>Hendrickson</i></p> <p>- HMX-400-54 - Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTU, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 16HLB GAUGE, AIR PRESSURE : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE AVAIL: Code 40SPJ and 40SPK SRV CONTRACT, EXT HEND SUSP : Code 14WBV SHOCK ABSORBERS, REAR</p>	<p>14ULX</p>	<p>STD</p>	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
<p>SUSPENSION, REAR, TANDEM (CONTINUED)</p> <p><i>Hendrickson</i></p> <p>- HMX-460-54 - Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTU, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 16HLB GAUGE, AIR PRESSURE : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE AVAIL: Code 40SPJ and 40SPK SRV CONTRACT, EXT HEND SUSP : Code 14WBV SHOCK ABSORBERS, REAR</p> <p>- HMX-460-60 - Walking Beam, 46,000-lb Capacity, 60" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTU, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 16HLB GAUGE, AIR PRESSURE : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE AVAIL: Code 40SPJ and 40SPK SRV CONTRACT, EXT HEND SUSP : Code 14WBV SHOCK ABSORBERS, REAR</p> <p>- HMX-460-72.5 - Walking Beam, 46,000-lb Capacity, 72.5" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRJ, 14GRP, 14GRR, 14GRS, 14GTU, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 16HLB GAUGE, AIR PRESSURE : Code 04AZS and 04AZY AIR BRAKE ABS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14ULY</p> <p>14ULZ</p> <p>14UMC</p>	<p>\$632</p> <p>\$819</p> <p>\$1,907</p>	<p>0/+10</p> <p>0/+31</p> <p>0/+77</p>



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
SUSPENSION, REAR, TANDEM (CONTINUED)			
<i>Hendrickson</i>			
- RT-463 -			
Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Multileaf Springs, with Bronze Center Bushings	14UHK	\$391CR 0/+445	
REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTU, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM			
N/A: Code 16HLB GAUGE, AIR PRESSURE			
: Code 14803 BUSHINGS, EQUALIZER BEAM			
: Code 14WBU and 14WBV SHOCK ABSORBERS, REAR			
: SUSPENSION, REAR, AIR, TANDEM			
: Code 14WCL TORQUE RODS			
: Code 14899 SUSPENSION AIR CONTROL VALVE			
AVAIL: Code 40SPL and 40SPM SRV CONTRACT, EXT HEND SUSP			
Walking Beam, 46,000-lb Capacity, 60" Axle Spacing, Multileaf Springs, with Transverse Torque Rods, Rubber Center Bushings	14UHL	\$506 0/+445	
REQS: Code 14GRD, 14GRP, 14GRR, 14GRS, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL or 14HRW AXLE, REAR, TANDEM			
N/A: Code 16HLB GAUGE, AIR PRESSURE			
: Code 04AZY AIR BRAKE ABS			
: Code 01UAA CROSSMEMBER, AF, SPECIAL			
: Code 14WBS TRANSVERSE TORQUE RODS			
: Code 14803 BUSHINGS, EQUALIZER BEAM			
: Code 14WBU and 14WBV SHOCK ABSORBERS, REAR			
: SUSPENSION, REAR, AIR, TANDEM			
: Code 14WCL TORQUE RODS			
: Code 14899 SUSPENSION AIR CONTROL VALVE			
AVAIL: Code 40SPL and 40SPM SRV CONTRACT, EXT HEND SUSP			
- RT-523 -			
Walking Beam, 52,000-lb Capacity, 54" Axle Spacing, Multileaf Springs, with Bronze Center Bushings	14698	\$1,854 0/+257	
REQS: Code 14GJW, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14HRA, 14HRC, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM			
N/A: Code 16HLB GAUGE, AIR PRESSURE			
: Code 01UAA CROSSMEMBER, AF, SPECIAL			
: Code 14803 BUSHINGS, EQUALIZER BEAM			
: Code 14WBU and 14WBV SHOCK ABSORBERS, REAR			
: SUSPENSION, REAR, AIR, TANDEM			
: Code 14WCL TORQUE RODS			
: Code 14899 SUSPENSION AIR CONTROL VALVE			
AVAIL: Code 40SPL, 40SPM, 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP			



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
SUSPENSION, REAR, TANDEM (CONTINUED)			
Hendrickson			
- RT-650 - Walking Beam, 65,000-lb Capacity, 56" Axle Spacing, Multileaf Springs, with Rubber Center Bushings REQS: Code 01CGC(std) FRAME RAILS REQS: Code 01GDS FRAME REINFORCEMENT, when in combination with Code 01CGC FRAME RAILS REQS: Code 14GRJ, 14GRM, 14GTT or 14GTU AXLE, REAR, TANDEM N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16HLB GAUGE, AIR PRESSURE : Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 04WDW BRAKE CHAMBERS, SPRING : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14WBS TRANSVERSE TORQUE RODS : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	14524	\$7,418 0/+546	
Chalmers			
- 854-40L - Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with (8) Torque Rods, Restrictor Cans REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY or 14GVZ AXLE, REAR, TANDEM N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16HLB GAUGE, AIR PRESSURE : Code 04AZS and 04AZY AIR BRAKE ABS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY AVAIL: Code 14WBU SHOCK ABSORBERS, REAR	14UZS	\$2,731 0/+30	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	HX515 SFA 6x4	
<p>SUSPENSION, REAR, TANDEM (CONTINUED)</p> <p><i>Chalmers</i></p> <p>- 854-46H - Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with (8) Torque Rods, Restrictor Cans REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16HLB GAUGE, AIR PRESSURE : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY AVAIL: Code 14WBU SHOCK ABSORBERS, REAR</p> <p>- 854-46H-HS - Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with (8) Torque Rods, High Stability Restrictor Cans REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16HLB GAUGE, AIR PRESSURE : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY AVAIL: Code 14WBU SHOCK ABSORBERS, REAR</p> <p>- 854-52H-HS - Walking Beam, 52,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with (8) Torque Rods, High Stability Restrictor Cans REQS: Code 14GJW, 14GTW or 14HRC AXLE, REAR, TANDEM N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16HLB GAUGE, AIR PRESSURE : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM (SEE NEXT PAGE)</p>	<p>14UZU</p> <p>14UZB</p> <p>14UZX</p>	<p>\$3,317 0/+139</p> <p>\$3,317 0/+181</p> <p>\$5,611 0/+389</p>	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
SUSPENSION, REAR, TANDEM (SEE PREV PAGE)			
<i>Chalmers</i>			
- 854-52H-HS -			
N/A: Code 14WCL TORQUE RODS	14UZX		
: Code 14899 SUSPENSION AIR CONTROL VALVE			
: Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY			
AVAIL: Code 14WBU SHOCK ABSORBERS, REAR			
- 860-46H -			
Walking Beam, 46,000-lb Capacity, 60" Axle Spacing, Rubber Springs, with (8) Torque Rods, Restrictor Cans	14UZV	\$3,505	0/+190
REQS: Code 14GGU, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM			
N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP			
: Code 16HLB GAUGE, AIR PRESSURE			
: Code 04AZS and 04AZY AIR BRAKE ABS			
: Code 01UAA CROSSMEMBER, AF, SPECIAL			
: Code 14WBS TRANSVERSE TORQUE RODS			
: Code 14803 BUSHINGS, EQUALIZER BEAM			
: SUSPENSION, REAR, AIR, TANDEM			
: Code 14WCL TORQUE RODS			
: Code 14899 SUSPENSION AIR CONTROL VALVE			
: Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY			
: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE			
AVAIL: Code 14WBU SHOCK ABSORBERS, REAR			
- 860-46H-HS -			
Walking Beam, 46,000-lb Capacity, 60" Axle Spacing, Rubber Springs, with (8) Torque Rods, High Stability Restrictor Cans	14UZT	\$3,505	0/+190
REQS: Code 14GGU, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM			
N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP			
: Code 16HLB GAUGE, AIR PRESSURE			
: Code 04AZS and 04AZY AIR BRAKE ABS			
: Code 01UAA CROSSMEMBER, AF, SPECIAL			
: Code 14WBS TRANSVERSE TORQUE RODS			
: Code 14803 BUSHINGS, EQUALIZER BEAM			
: SUSPENSION, REAR, AIR, TANDEM			
: Code 14WCL TORQUE RODS			
: Code 14899 SUSPENSION AIR CONTROL VALVE			
: Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY			
AVAIL: Code 14WBU SHOCK ABSORBERS, REAR			



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>SUSPENSION, REAR, TANDEM (CONTINUED)</p> <p><i>Chalmers</i></p> <p>- 872-46H-HS - Walking Beam, 46,000-lb Capacity, 72" Axle Spacing, Rubber Springs, with (8) Torque Rods, High Stability Restrictor Cans REQS: Code 14GGU, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16HLB GAUGE, AIR PRESSURE : Code 04AZS and 04AZY AIR BRAKE ABS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNN, 14WNNJ and 14WNNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WLNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WBU SHOCK ABSORBERS, REAR</p>	<p>14UZW</p>	<p>\$4,261 0/+260</p>	
<p>AXLE, PUSHER, LIFT TYPE</p> <p>NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Watson & Chalin</i></p> <p>- AL-2200 - 20,000-lb Capacity, One Non-Steer Axle REQS: Code 04JBS BRAKES, AIR CAM, PUSHER AXLE REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE REQS: Code 34ABP, 34ABU, 34ABZ, 34ACA, 34ACB, 34ACD, 34ACK, 34ACR or 34ACS WHEELS, LIFT AXLE PUSHER REQS: Code 14UAB, 14UAC or 14UAD AXLE SPACING, FIRST PUSHER REQS: Code 14RAA, 14RAB, 14RAD or 14RAR AXLE, LIFT, CONTROLS REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING REQS: Code 08VUK(std), 08VUZ or 08WJN BATTERY BOX REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UZZ, 14UZS, 14UZT, 14UZU, 14UZV, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UKZ, 14ULB, 14ULT, 14ULU, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14WLM</p>	<p>\$11,378 +406/+921</p>	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	CODE	HX515 SFA 6x4
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- AL-2200 - REQS: Code 14XAB, 14XAC or 14XAD PUSHER LIFT AXLE TIRE SLR REQS: Code 15DWS, 15DWU, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std) or 15SWH FUEL TANK N/A: Code 04JNK SLACK ADJUSTER, TAG AXLE : Code 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 14UAJ, 14UAK and 14UAL AXLE SPACING, SECOND PUSHER : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 07BKN EXHAUST SYSTEM AVAIL: Code 04JNJ SLACK ADJUSTER, PUSHER AXLE</p> <p>- SL-2065 Tru-Track - 20,000-lb Capacity, One Self-Steer Axle REQS: Code 04JCK BRAKES, AIR CAM, PUSHER AXLE REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE REQS: Code 34ABP, 34ABU, 34ABZ, 34ACA, 34ACB or 34ACD WHEELS, LIFT AXLE PUSHER REQS: Code 14UAB, 14UAC, 14UAD or 14UAH AXLE SPACING, FIRST PUSHER REQS: Code 14RAA, 14RAB or 14RAR AXLE, LIFT, CONTROLS REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING REQS: Code 08VUK(std), 08VUZ or 08WJN BATTERY BOX REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZX or 14698 SUSPENSION, REAR, TANDEM</p> <p>-OR- Code 14UKZ, 14ULB, 14ULT, 14ULU, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 14XAB, 14XAC or 14XAD PUSHER LIFT AXLE TIRE SLR REQS: Code 15DWS, 15DWU, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std) or 15SWH FUEL TANK N/A: Code 04JNK SLACK ADJUSTER, TAG AXLE : Code 14UHK, 14UHL, 14ULX(std), 14ULY and 14ULZ SUSPENSION, REAR, TANDEM or Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 14UAJ, 14UAK and 14UAL AXLE SPACING, SECOND PUSHER : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID (SEE NEXT PAGE)</p>		14WLM	
		14WNM	\$ 15,283 + 406/+921

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105
 Printed in the United States of America

PAGE 580-98

SUBJECT TO CHANGE WITHOUT NOTICE
 All Taxes Extra, When Applicable



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL-2065 Tru-Track - N/A: Code 07BKN EXHAUST SYSTEM AVAIL: Code 04JNJ SLACK ADJUSTER, PUSHER AXLE</p> <p>- SL1190SSR Tru-Trk Alumilite - (02) 13,500-lb Capacity, Two Self-Steer Axles REQS: Code 04JBU BRAKES, AIR CAM, PUSHER AXLE REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE REQS: Code 34ABH, 34ABJ, 34ABT, 34ABV, 34ACC, 34ACE, 34ACH or 34ACT WHEELS, LIFT AXLE PUSHER REQS: Code 14UAA, 14UAB, 14UAC or 14UAD AXLE SPACING, FIRST PUSHER REQS: Code 14UAJ, 14UAK or 14UAL AXLE SPACING, SECOND PUSHER, when in combination with Code 14UAA, 14UAB, 14UAC or 14UAD AXLE SPACING, FIRST PUSHER REQS: Code 14RAD or 14RAV AXLE, LIFT, CONTROLS REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING REQS: Code 08VUK(std), 08VUZ or 08WJN BATTERY BOX REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZX or 14698 SUSPENSION, REAR, TANDEM</p> <p>-OR- Code 14UKZ, 14ULB, 14ULT, 14ULU, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM REQS: Code 14XAB, 14XAC or 14XAD PUSHER LIFT AXLE TIRE SLR REQS: Code 15DWS, 15DWU, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std) or 15SWH FUEL TANK N/A: Code 04JNK SLACK ADJUSTER, TAG AXLE : Code 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 07BKN EXHAUST SYSTEM AVAIL: Code 04JNL SLACK ADJUSTER, PUSHER AXLE</p> <p>13,500-lb Capacity, One Self-Steer Axle</p>	<p>14WNM</p> <p>14WNJ</p> <p>14WNH</p>	<p>\$22,727 +696/+942</p> <p>\$11,501</p>	
(SEE NEXT PAGE)			



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL1190SSR Tru-Trk Alumilite - REQS: Code 04EVP, 04EVT or 04EXR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING and Code 14ULB, 14ULC, 14ULS, 14ULT, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX or 14XAM SUSPENSION, REAR, AIR, TANDEM and Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABP, 34ABS, 34ABT, 34ABU, 34ABV, 34ABZ, 34ACA, 34ACB, 34ACC, 34ACD, 34ACE, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER and Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 04EVP, 04EVT or 04EXR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABP, 34ABS, 34ABT, 34ABU, 34ABV, 34ABZ, 34ACA, 34ACB, 34ACC, 34ACD, 34ACE, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER and Code 14GJW, 14GRJ, 14GRM, 14GTS, 14GTT, 14GTU, 14GTW or 14GUV AXLE, REAR, TANDEM REQS: Code 04JBR BRAKES, AIR CAM, PUSHER AXLE REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE REQS: Code 34AAM, 34AAP, 34ABS, 34ABU, 34ACB, 34ACD, 34ACJ, 34ACM or 34ACN WHEELS, LIFT AXLE PUSHER REQS: Code 14UAA, 14UAB, 14UAC or 14UAD AXLE SPACING, FIRST PUSHER REQS: Code 14RAA, 14RAB, 14RAD, 14RAR or 14RAV AXLE, LIFT, CONTROLS REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING REQS: Code 08VUK(std), 08VUZ or 08WJN BATTERY BOX REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UKZ, 14ULB, 14ULT, 14ULU, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM REQS: Code 14XAB, 14XAC or 14XAD PUSHER LIFT AXLE TIRE SLR REQS: Code 15DWS, 15DWU, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std) or 15SWH FUEL TANK N/A: Code 04JNK SLACK ADJUSTER, TAG AXLE : Code 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	14WNH		



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Watson & Chalin - SL1190SSR Tru-Trk Alumilite - N/A: Code 14UAJ, 14UAK and 14UAL AXLE SPACING, SECOND PUSHER : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 07BKN EXHAUST SYSTEM AVAIL: Code 04JNJ SLACK ADJUSTER, PUSHER AXLE : Code 14WNK AXLE, TAG, LIFT TYPE	14WNH		
AXLE, PUSHER, LIFT TYPE, ID Customer Installed Pusher Type Axle; Nothing Installed at Manufacturing Plant REQ: Code 14RAU AXLE, LIFT, CONTROLS N/A: Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	14WLT	N/C	
AXLE SPACING, FIRST PUSHER 100" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE AVAIL: Code 14WNM AXLE, PUSHER, LIFT TYPE 45" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE AVAIL: Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE 49" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE 54" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE 55" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE	14UAH 14UAA 14UAB 14UAC 14UAD	N/C N/C N/C N/C N/C	
AXLE SPACING, SECOND PUSHER 42" Ahead of First Pusher Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE 46" Ahead of First Pusher Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE 48" Ahead of First Pusher Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	14UAJ 14UAK 14UAL	N/C N/C N/C	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
AXLE, TAG, LIFT TYPE		HX515 SFA	
		6x4	
<p>NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- AL-2200 - 20,000-lb Capacity, One Non-Steer Axle REQS: Code 04JBT BRAKES, AIR CAM, TAG AXLE REQS: Code 04AZA or 04AZJ(std) AIR BRAKE ABS REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE REQS: Code 14UBA or 14UBB AXLE SPACING, TAG REQS: Code 14RAA, 14RAB, 14RAD or 14RAR AXLE, LIFT, CONTROLS REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM N/A: Code 04JNJ and 04JNL SLACK ADJUSTER, PUSHER AXLE : Code 01UAA CROSSMEMBER, AF, SPECIAL : WHEELS, LIFT AXLE PUSHER : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID</p> <p>- SL1190SSR Tru-Trk Alumilite - 13,500-lb Capacity, One Self-Steer Axle REQS: Code 04JBW BRAKES, AIR CAM, TAG AXLE REQS: Code 04AZA or 04AZJ(std) AIR BRAKE ABS REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE REQS: Code 14RAA, 14RAB, 14RAD, 14RAR or 14RAV AXLE, LIFT, CONTROLS REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM N/A: Code 04JNJ and 04JNL SLACK ADJUSTER, PUSHER AXLE : Code 01UAA CROSSMEMBER, AF, SPECIAL : WHEELS, LIFT AXLE PUSHER : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE</p>	14WLR	\$11,378 -447/+1774	
<p>AXLE SPACING, TAG</p> <p>55" Behind Rear Drive Axle N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE</p>	14UAZ	N/C	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
AXLE SPACING, TAG (CONTINUED)			
61" Behind Rear Drive Axle N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	14UBA	N/C	
67" Behind Rear Drive Axle N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	14UBB	N/C	
AXLE, LIFT, CONTROLS			
for One Lift Axle; All Controls Inside Cab; Includes Pressure Gauge, Pressure Regulator and Lift/Lower Switch Inside Cab N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID	14RAA	\$1,088 +22/+8	
for One Non-Steer Lift Axle, Customer Installed, All Controls Inside Cab N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	14RAU	\$1,088 +22/+8	
for Two Lift Axles; All Controls Inside Cab; Includes Pressure Gauge, Pressure Regulator and Lift/Lower Switch Inside Cab N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID	14RAD	\$1,365 +22/+8	
for One Lift Axle; Controls Inside and Outside Cab; Includes Lift/Lower Switch Inside Cab on Dash; Pressure Gauge and Pressure Regulator Outside Cab N/A: Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID	14RAR	\$1,088 +17/+13	
for Two Lift Axles; Controls Inside and Outside Cab; Includes Lift/Lower Switch Inside Cab on Dash; Pressure Gauge and Pressure Regulator Outside Cab N/A: Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WNK AXLE, TAG, LIFT TYPE	14RAV	\$1,365 +17/+13	
for One Lift Axle; Controls Inside And Outside Cab; Includes Pressure Gauge and Lift/Lower Switch Inside Cab; Pressure Gauge and Pressure Regulator Outside Cab N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID	14RAB	\$1,088	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
AXLE, REAR, LIFT, LUBE EmGard - FE-75W-90 - Synthetic Oil; 1 thru 10.99 Pints	14WNB	\$127	
AXLE, REAR, LUBE EmGard - FE-75W-90 - Synthetic Oil; 50 thru 64.99 Pints REQS: Code 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY or 14GVZ AXLE, REAR, TANDEM Synthetic Oil; 65 thru 89.99 Pints REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM Synthetic Oil; 90 thru 115.99 Pints REQS: Code 14GRJ, 14GRM, 14GTS, 14GTT, 14GTU or 14GTW AXLE, REAR, TANDEM	14WMJ 14WMK 14WMZ	\$364 \$488 \$668	
AXLE SHAFT MODIFICATION Axle Shaft Flanges Modified for 0.625" Diameter Drive Studs with Solid Type Cone-Locks REQS: Code 14GGU, 14GRD, 14GRP, 14GRR, 14GRS, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL or 14HRM AXLE, REAR, TANDEM N/A: Code 28DTY and 28DUL WHEELS, REAR	14WZY	\$498	
BUSHINGS, EQUALIZER BEAM Bronze Center Bushings; for Hendrickson Suspension REQS: Code 14524 SUSPENSION, REAR, TANDEM N/A: Code 14WBS TRANSVERSE TORQUE RODS : SUSPENSION, REAR, AIR, TANDEM	14803	\$176	
DIFF. SWITCH CONTROLS Two Independent Switches for Control Traction Differentials on Tandem Rear Axles, Mounted on Dash REQS: Code 14GJW, 14GKK, 14GKP, 14GVL, 14GVM, 14GVN, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL or 14HRM AXLE, REAR, TANDEM	14WBN	\$265	0/0
PDL WARNING BUZZER Power Divider Lock	14862	\$30	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
SHIELD, TEMPERATURE SENSOR Mounted to Rear Axle REQS: Code 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM REQS: Code 14GRD, 14GRJ, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTU, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM	14AJX	\$88 0/0	
SHOCK ABSORBERS, REAR (04) for Chalmers Suspension Only, Mounted from Frame to Beam REQS: Code 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW or 14UZX SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM (04) for Hendrickson HMX Suspension Only, Mounted from Frame to Beam REQS: Code 14ULX(std), 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM	14WBU 14WBV	\$811 \$878 0/+24 0/+31	
SUSPENSION AIR CONTROL VALVE Pressure Release Control In Cab N/A: SUSPENSION, REAR, TANDEM	14899	\$163	
SUSPENSION/REAR-AXLE IDENTITY for Dana Spicer Eaton Style Tandem Rear Axles with Bar-Pin Beam Attachment Type Suspensions REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC or 14698 SUSPENSION, REAR, TANDEM REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK or 14GKP AXLE, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM for Meritor Tandem Rear Axles with Bar-Pin Beam Attachment Type Suspensions REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC or 14698 SUSPENSION, REAR, TANDEM REQS: Code 14GRD, 14GRJ, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTU, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM	14WAK 14WAL	\$191 \$191 0/0 0/0	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
TORQUE RODS Hendrickson XTRB, for HMX Suspensions REQS: Code 14ULX(std), 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM	14WCL	\$445	
TRANSVERSE TORQUE RODS with Hendrickson Suspensions REQS: Code 14UHD, 14UHK or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UNX SUSPENSION, REAR, AIR, TANDEM N/A: Code 14803 BUSHINGS, EQUALIZER BEAM	14WBS	\$929 0/+115	
PUSHER LIFT AXLE TIRE SLR NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY , See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book 0 to 1.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER 2 to 3.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER 4 to 5.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER 6 to 7.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE 8 to 9.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE	14XAB 14XAC 14XAD 14XAJ 14XAK	N/C N/C N/C N/C	
TAG LIFT AXLE TIRE SLR NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, S ee Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book 0 to 1.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires	14XAE	N/C	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
<p>TAG LIFT AXLE TIRE SLR (CONTINUED) NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p>			
2 to 3.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires	14XAG	N/C	
4 to 5.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires	14XAH	N/C	
<p>FUEL TANK</p>			
Non-Polished Aluminum, 24" Dia, 60 US Gal (227L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX AVAIL: Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SSN	STD	
(02) Non-Polished Aluminum, 24" Dia, 80 US Gal (303L); Total Capacity 160 US Gal (606L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Under Cab REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 15DYP(std) DEF TANK REQS: Code 08VUK(std) BATTERY BOX N/A: Code 04XAC AIR TANK LOCATION : Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14WLM, 14WNH, 14WNJ and 14WNN AXLE, PUSHER, LIFT TYPE AVAIL: Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS	15DWV	\$1,264 +104/+41	
(02) Non-Polished Aluminum, 24" Dia, 80 US Gal (303L); Total Capacity 160 US Gal (606L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab REQS: Code 15WDY DEF TANK REQS: Code 08WJN BATTERY BOX N/A: Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14WLM, 14WNH, 14WNJ and 14WNN AXLE, PUSHER, LIFT TYPE : Code 07BKN EXHAUST SYSTEM AVAIL: Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS	15DXC	\$1,783 +25/+103	
(02) Polished Aluminum, 24" Dia, 80 US Gal (303L); Total Capacity 160 US Gal (606L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Under Cab REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 15DYP(std) DEF TANK REQS: Code 08VUK(std) BATTERY BOX N/A: Code 04XAC AIR TANK LOCATION (SEE NEXT PAGE)	15DWU	\$3,095 +104/+41	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-107

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR
<p>FUEL TANK (SEE PREV PAGE)</p> <p>N/A: Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 15WAK FUEL TANK CAP</p> <p>(02) Polished Aluminum, 24" Dia, 80 US Gal (303L); Total Capacity 160 US Gal (606L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab REQS: Code 15WDY DEF TANK REQS: Code 08WJN BATTERY BOX N/A: Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 07BKN EXHAUST SYSTEM : Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 15WAK FUEL TANK CAP</p> <p>(02) Non-Polished Aluminum, 24" Dia, 100 US Gal (379L); Total Capacity 200 US Gal (758L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Under Cab REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 15DYP(std) DEF TANK REQS: Code 08VUK(std) BATTERY BOX REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM N/A: Code 04XAC AIR TANK LOCATION : Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE AVAIL: Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS</p> <p>(02) Non-Polished Aluminum, 24" Dia, 100 US Gal (379L); Total Capacity 200 US Gal (758L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab REQS: Code 15WDY DEF TANK REQS: Code 08WJN BATTERY BOX N/A: Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 07BKN EXHAUST SYSTEM AVAIL: Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS</p>	<p>15DWU</p> <p>15DXD</p> <p>15DWT</p> <p>15DXE</p>	<p></p> <p>\$2,948 +25/+103</p> <p>\$2,180 +154/+86</p> <p>\$2,141 +50/+165</p>	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HX515 SFA 6x4		
<p>FUEL TANK (CONTINUED)</p> <p>(02) Polished Aluminum, 24" Dia, 100 US Gal (379L); Total Capacity 200 US Gal (758L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Under Cab REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 15DYP(std) DEF TANK REQS: Code 08VUK(std) BATTERY BOX REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM N/A: Code 04XAC AIR TANK LOCATION : Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAA CROSSMEMBER, AF, SPECIAL AVAIL: Code 15WAK FUEL TANK CAP : Code 15960 FUEL TANK STRAPS</p> <p>(02) Polished Aluminum, 24" Dia, 100 US Gal (379L); Total Capacity 200 US Gal (758L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab REQS: Code 15WDY DEF TANK REQS: Code 08WJN BATTERY BOX N/A: Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14WLM, 14WNH, 14WNJ and 14WNN AXLE, PUSHER, LIFT TYPE : Code 07BKN EXHAUST SYSTEM : Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 15WAK FUEL TANK CAP</p> <p>(02) Non-Polished Aluminum, 24" Dia, 120 US Gal (454L); Total Capacity 240 US Gal (908L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab REQS: Code 15WDY DEF TANK REQS: Code 08WJN BATTERY BOX N/A: Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14WLM, 14WNH, 14WNJ and 14WNN AXLE, PUSHER, LIFT TYPE : Code 07BKN EXHAUST SYSTEM AVAIL: Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS</p> <p>(02) Polished Aluminum, 24" Dia, 120 US Gal (454L); Total Capacity 240 US Gal (908L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab REQS: Code 15WDY DEF TANK REQS: Code 08WJN BATTERY BOX N/A: Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 14WLM, 14WNH, 14WNJ and 14WNN AXLE, PUSHER, LIFT TYPE : Code 07BKN EXHAUST SYSTEM : Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 15WAK FUEL TANK CAP</p>	<p>15DWS</p> <p>15DXG</p> <p>15DXH</p> <p>15DXJ</p>	<p>\$3,152 +154/+86</p> <p>\$3,353 +50/+165</p> <p>\$2,345 +46/+185</p> <p>\$3,559 +46/+185</p>	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-109

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
FUEL TANK (CONTINUED)		HX515 SFA 6x4	
Polished Aluminum, 24" Dia, 100 US Gal (379L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX N/A: Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 15WAJ FUEL TANK CAP	15SSK	\$898 +36/+18	
Polished Aluminum, 24" Dia, 120 US Gal (454L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX N/A: Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 15WAJ FUEL TANK CAP	15SSG	\$1,180 +35/+27	
Polished Aluminum, 24" Dia, 60 US Gal (227L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX N/A: Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 15WAJ FUEL TANK CAP	15SSM	\$546 0/0	
Polished Aluminum, 24" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX N/A: Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 15WAJ FUEL TANK CAP	15SSL	\$723 +11/-4	
Non-Polished Aluminum, 24" Dia, 100 US Gal (379L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX AVAIL: Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SHC	\$618 +36/+18	
Top Draw, Non-Polished Aluminum, 26" Dia, 100 US Gal (379L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM N/A: Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 07BKN EXHAUST SYSTEM AVAIL: Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SJR	\$618 +36/+13	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
<p>FUEL TANK (CONTINUED)</p> <p>Top Draw, Polished Aluminum, 26" Dia, 100 US Gal (379L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK REQS: Code 08VUK(std) or 08VUZ BATTERY BOX REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM N/A: Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 27DVC WHEELS, FRONT : Code 07BKN EXHAUST SYSTEM : Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 15WAJ FUEL TANK CAP</p> <p>Non-Polished Aluminum, 24" Dia, 120 US Gal (454L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX N/A: Code 27DMN WHEELS, FRONT AVAIL: Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS</p> <p>Non-Polished Aluminum, 24" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX AVAIL: Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS</p>	<p>15SWH</p> <p>15SMZ</p> <p>15SGL</p>	<p>\$898 +36/+13</p> <p>\$883 +35/+27</p> <p>\$353 +11/-4</p>	
<p>DEF TANK</p> <p>9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab REQS: Code 15DWS, 15DWT, 15DWU, 15DWV, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std) or 15SWH FUEL TANK</p> <p>15.9 US Gal (60L) Capacity, Frame Mounted Outside Left Rail, Under Cab REQS: Code 15DXC, 15DXD, 15DXE, 15DXG, 15DXH or 15DXJ FUEL TANK N/A: Code 07BKN EXHAUST SYSTEM</p>	<p>15DYP</p> <p>15WDY</p>	<p>STD</p> <p>\$278 +12/+3</p>	
<p>DEF TANK COVER</p> <p>Stainless Steel REQS: Code 08VUK(std) or 08VUZ BATTERY BOX, when in combination with Code 15WDY DEF TANK N/A: Code 08VUP and 08VUS BATTERY BOX COVER</p>	<p>15BAA</p>	<p>\$233 +2/+1</p>	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
FUEL TANK CAP			
(02) Chrome, Locking Type REQS: Code 15DWS, 15DWU, 15DXD, 15DXG or 15DXJ FUEL TANK	15WAK	\$110	
(02) Locking Type REQS: Code 15DWT, 15DWV, 15DXC, 15DXE or 15DXH FUEL TANK	15903	\$106	
Chrome, Locking Type REQS: Code 15SSG, 15SSK, 15SSL, 15SSM or 15SWH FUEL TANK	15WAJ	\$55	
Locking Type REQS: Code 15SGL, 15SHC, 15SJR, 15SMZ or 15SSN(std) FUEL TANK	15902	\$53	
FUEL TANK STRAPS			
Bright Finish Stainless Steel REQS: Code 15SGL, 15SHC, 15SJR, 15SMZ or 15SSN(std) FUEL TANK	15924	\$260	
Bright Finish Stainless Steel, for Dual Fuel Tanks REQS: Code 15DWS, 15DWT, 15DWV, 15DXC, 15DXE or 15DXH FUEL TANK	15960	\$520	
FUEL/WATER SEPARATOR			
Racor			
Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor	15LKU	STD	
- 6600 - 12 VDC Electric Heater, Includes Pre-Heater, Fuel Heated with Fuel Blender Valve, with Sight Bowl, Includes Water-In-Fuel Sensor	15LPR	\$228	
Davco			
- Fuel Pro 382 - 12 VDC Electric Heater, Includes Pre-Heater, Includes Water-in-Fuel Sensor	15LKX	\$421	+3/0
Return Fuel Blender, with ESOC Fittings, Includes Water-in-Fuel Sensor	15LRL	\$815	+2/0
Return Fuel Blender, Includes Water-in-Fuel Sensor	15LRJ	\$726	+2/0
120 VAC Plug-in Electric Pre-Heater, Return Fuel Blender, Includes Water-in-Fuel Sensor	15LRK	\$775	+2/0
12 VDC Electric Heater, Includes Pre-Heater, Return Fuel Blender, Includes Water-in-Fuel Sensor	15LRH	\$666	+2/0



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
FUEL/WATER SEPARATOR (CONTINUED) <i>Davco</i> - Fuel Pro 382 - 120 VAC Plug-in Electric Pre-Heater, 12 VDC Electric Heater, Includes Pre-Heater, Return Fuel Blender, Includes Water-in-Fuel Sensor	15LRG	\$708	+2/0
CAB Conventional, Day Cab INCLS: GRAB HANDLE, EXTERIOR (2) Mounted Behind Driver and Passenger Doors : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CONSOLE, CENTER Includes Two Cup Holders with Ash Cup and One Additional Storage Area : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (2) One Each Side : STEP (4) Two Steps Per Door : CLEARANCE/MARKER LIGHTS (5) LED Roof Mounted : SPEAKERS IN CAB (4) Two Located in B-Pillar, Two Located Overhead on Driver and Passenger Sides REQS: Code 16VZA(std) WINDOW, REAR	16031	STD	
ACCESS, CAB <i>Bustin</i> Aluminum, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab or Extended Cab, Self-Cleaning	16ZBB	\$777	+58/+25
AIR CONDITIONER <i>International</i> - Blend-Air - with Integral Heater and Defroster	16WKB	STD	
ANTENNA MOUNTING BRACKETS for Satellite Communication System; Mounted on Back of Day Cab or Extended Cab, with or without Aerodynamic Package	16UKJ	\$130	
CAB DOOR LOCKS Power REQS: Code 16WAK(std) WINDOW, POWER	16WJG	STD	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
 NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
CAB INTERIOR TRIM			
Classic, for HX Day Cab INCLS: SUN VISOR (2) Vinyl with Toll Ticket Strap : CONSOLE, OVERHEAD Molded Plastic with Three Storage Pockets; One with Velcro Strap for CB Radio Mounting; Two with Netting : FLOOR COVERING Rubber, Black : DOME LIGHT, CAB (2) Rectangular, Door Activated; Above Door Mounted, One Each Side	16VJZ	STD	
Diamond, for HX Day Cab INCLS: SUN VISOR (2) Vinyl with Toll Ticket Strap : CONSOLE, OVERHEAD Molded Plastic with Three Storage Pockets; One with Velcro Strap for CB Radio Mounting; Two with Netting : FLOOR COVERING Rubber, Black : DOME LIGHT, CAB (2) Rectangular, Door Activated; Above Door Mounted, One Each Side	16VKA	\$539 + 5/0	
CAB REAR SUSPENSION			
Dual Air Suspension, Includes Special Crossmember Assembly	16WLD	STD	
ELECTRONIC VEHICLE MONITORING			
Driver Information Display, Flush Mounted Style In Wing Panel; with 6.5" Color Touch Screen, Includes GPS Navigation for North America with Truck Logistics and USB Port REQS: Code 14RAR or 14RAV AXLE, LIFT, CONTROLS REQS: Code 08RMA, 08RMB, 08RMC, 08RMD or 08RME RADIO	16HLN	\$1,712	
GAUGE CLUSTER			
English with English Electronic Speedometer NOTE: STANDARD IN USA : Pricing may change if axle configuration is changed.	16HBA	STD	
English with Metric Electronic Speedometer NOTE: 010003	16HBB	N/C	
Metric with Metric Electronic Speedometer NOTE: 010003	16HBC	N/C	
GAUGE, AIR APPLICATION			
	16HGN	\$77	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
GAUGE, AIR CLEANER RESTRICTION <i>Filter-Minder</i> Mounted in Instrument Panel	16HLC	\$51	
GAUGE, AIR PRESSURE for Pressure in Rear Air Suspension; Mounted In Instrument Panel N/A: SUSPENSION, REAR, TANDEM	16HLB	\$190	
GAUGE, MANIFOLD PRESSURE Data Link Driven; Mounted in Instrument Panel, Includes Controller Module	16HKB	\$97	
GAUGE, OIL TEMP, REAR AXLE	16HGL	\$190	
GRAB HANDLE, EXTERIOR Towel Bar Type in lieu of Non-Bright Grab Handles, for use with Cab or Cab/Sleeper Non-Bright Access, without Frame Access or Chassis Skirts Towel Bar Type, with Anti-Slip Rubber Inserts, for use with Cab Access, without Frame Access or Chassis Skirts	16ZDU 16ZHD	\$138 \$244	
HEATER, ENHANCED CIRCULATION <i>Bergstrom</i> Control, for Extreme Cold Weather Climates	16VRT	STD	
HOSE CLAMPS, HEATER HOSE <i>Breeze</i> Belleville Washer Type	16WHJ	\$25	
HEATER SHUT-OFF VALVES (1) Ball Valve Type, Supply Line	16564	\$69	
INDICATOR TRANS GEAR POSITION Display Gear Transmission REQ: Code 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	16HLD	\$172	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
KEYLESS ENTRY SYSTEM REMOTE with 60 Second Dome Light Delay and Horn Beep Confirmation, Locks Also Wired Through Door Switches (Requires 16WAK and 16WJG) REQS: Code 16WJG(std) CAB DOOR LOCKS REQS: Code 16WAK(std) WINDOW, POWER	16WJY	\$353	
MIRROR, CONVEX, LOOK DOWN Right Side, Black, 6" x 10.5" N/A: Code 16SNR and 16SPC MIRRORS Right Side, Bright, 6" x 10.5" REQS: Code 16SNR or 16SPC MIRRORS	16SNW	\$49	+2/+1
	16SNX	\$57	+2/+1
MIRRORS (02) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width AVAIL: Code 16SPA and 16SPB MIRROR, CONVEX, HOOD MOUNTED : Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNL	STD	
(02) C-Loop, Heated, Bright Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width AVAIL: Code 16SNY and 16SNZ MIRROR, CONVEX, HOOD MOUNTED : Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SPC	\$245	+1/0
(02) C-Loop, Power Adjust, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width AVAIL: Code 16SPA and 16SPB MIRROR, CONVEX, HOOD MOUNTED : Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNP	\$321	+2/+1
(02) C-Loop, Power Adjust, Heated, LED Clearance Lights, Bright Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width AVAIL: Code 16SNY and 16SNZ MIRROR, CONVEX, HOOD MOUNTED : Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNR	\$667	+4/+1



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
MIRRORS (CONTINUED) (02) C-Loop, Power Adjust, Heated, LED Clearance Lights, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width AVAIL: Code 16SPA and 16SPB MIRROR, CONVEX, HOOD MOUNTED : Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5" (02) C-Loop, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width AVAIL: Code 16SPA and 16SPB MIRROR, CONVEX, HOOD MOUNTED : Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SPD	\$437 +3/+1	
MIRROR, CONVEX, HOOD MOUNTED (1) Right Side, Black, 7.5" x 7" N/A: Code 16SNR and 16SPC MIRRORS (1) Right Side, Bright, 7.5" x 7" REQS: Code 16SNR or 16SPC MIRRORS (2) Right and Left Sides, Black, 7.5" x 7" N/A: Code 16SNR and 16SPC MIRRORS (2) Right and Left Sides, Bright, 7.5" x 7" REQS: Code 16SNR or 16SPC MIRRORS	16SPB 16SNZ 16SPA 16SNY	\$70 +6/-1 \$96 +6/-1 \$138 +12/-2 \$190 +12/-2	
MODESTY PANEL Painted Body Color, with LED Lights, for Day Cab Polished Stainless Steel, with LED Lights, for Day Cab	16XBZ 16XBK	\$249 \$416	
SEAT BELT All Orange	16WBX	\$39	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
SEAT, DRIVER			
<i>National</i>			
- 2000 Model 295 -			
Air Suspension, Intermediate Back, All Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3 Position Rear Cushion, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover REQS: Code 16RAC or 16400(std) SEAT, PASSENGER	16JPC	STD	
- Model HP3 -			
RollTek Equipped, Air Suspension, High Back, Vinyl Boxing with Cloth Facing, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 3 Position Rear Cushion Adjust, -3 to +12 Degree Back Angle Adjustment, Adjust Side Bolster, Back Cyclor REQS: Code 16LHH, 16LHJ, 16RAN or 16400(std) SEAT, PASSENGER	16KVW	\$6,355	
RollTek Equipped, Air Suspension, High Back, Vinyl Boxing with Leather Facing, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 3 Position Rear Cushion Adjust, -3 to +12 Degree Back Angle Adjustment, Adjust Side Bolster, Back Cyclor, Non Swivel REQS: Code 16LGE, 16SPV or 16400(std) SEAT, PASSENGER	16KVX	\$7,008	
- 2000 Model 195 -			
Air Suspension, Hi Back, Vinyl w/Cloth Insert, 2 Arm Rests, Isolator, Adjuster, 3 Chamber Lumbar, 6 Way Front Adj, 3 Way Rear Cushion Adj, 2-15 Degree Back Angle Adjustment, Adj Side Bolster, Vinyl Suspension Cover, Heat REQS: Code 16LHH, 16LHJ, 16RAN or 16400(std) SEAT, PASSENGER	16JPG	\$348	+2/+1
Air Suspension, Hi Back, Vinyl Boxing with Leather Facing, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Way Front Cushion Adjust, 3 Position Rear Cushion, 2-15 Degree Back Angle Adjust, Adj Side Bolster, Bellows, Heat REQS: Code 16LGE, 16SPV or 16400(std) SEAT, PASSENGER	16KAZ	\$684	+2/+1
Air Suspension, High Back, All Vinyl, 2 Arm Rests, Isolator, Adjuster, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 3 Position Rear Cushion Adj, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover REQS: Code 16LHH, 16LHJ, 16RAN, 16SSK or 16400(std) SEAT, PASSENGER N/A: Code 04SPL and 04SPM(std) AIR COMPRESSOR	16LWY	\$135	+11/+6



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
SEAT, DRIVER (CONTINUED) <i>National</i> - 2000 Model 195 - Air Suspension, High Back, Vinyl Boxing with Cloth Facing, 2 Arm Rests, Isolator, Adjuster, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 3 Position Rear Cushion Adj, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover REQS: Code 16LHH, 16LHJ, 16RAN or 16400(std) SEAT, PASSENGER	16JPD	\$105 +2/+1	
SEAT, PASSENGER Omit Item <i>National</i> - 2000 Model 192 - Non Suspension, High Back, Vinyl Boxing with Leather Facing, 1 Arm Rest, 11 Degree Back Angle Adjust, Map Pocket REQS: Code 16KAZ or 16KVX SEAT, DRIVER REQS: Code 04SPM(std) AIR COMPRESSOR Non Suspension, High Back, Vinyl Boxing with Cloth Facing, 11 Degree Back Angle Adjust REQS: Code 16JPD, 16JPG, 16KVW or 16LWY SEAT, DRIVER Non Suspension, High Back, All Vinyl, 11 Degree Back Angle Adjust REQS: Code 16LWY SEAT, DRIVER N/A: Code 04SPL and 04SPM(std) AIR COMPRESSOR - 2000 Model 197 - Air Suspension, Hi Back, Vinyl with Cloth Insert, 1 Arm Rest, 6" Adjuster, 3 Chamber Lumbar, 6 Position Cushion Adjust, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover, Heat REQS: Code 16JPD, 16JPG, 16KVW or 16LWY SEAT, DRIVER Air Suspension, Hi Back, Vinyl with Cloth Insert, 1 Arm Rest, 6" Adjuster, 3 Chamber Lumbar, 6 Position Cushion Adjust, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover REQS: Code 16JPD, 16JPG, 16KVW or 16LWY SEAT, DRIVER Air Suspension, High Back, Vinyl Boxing with Leather Facing, 1 Arm Rest, 6" Adjust, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover, Heat, Map Pocket REQS: Code 16KAZ or 16KVX SEAT, DRIVER	16400 16SPV 16RAN 16SSK 16LHH 16LHJ 16LGE	STD \$970 \$558 +20/+12 \$588 +22/+13 \$1,179 +51/+31 \$1,089 +51/+31 \$1,517 +51/+31	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
SEAT, PASSENGER (CONTINUED) <i>National</i> - 2000 Model 292 - Non Suspension, Intermediate Back, All Vinyl, 11 Degree Back Angle Adjustment REQS: Code 16JPC(std) SEAT, DRIVER	16RAC	\$541 +20/+12	
STORAGE, CAB INTERIOR Molded Holder for Thermos, Maps, and CD's; Located at Base of Passenger Seat	16VAW	\$67 +2/+1	
STORAGE, REAR WALL Storage Pocket, Located on Back Wall Between Driver and Passenger Seats	16UZJ	\$50 +2/+1	
SUNSHADE, EXTERIOR Bright Finish, with Integral Clearance/Marker Lights Aerodynamic, Painted Roof Color, with Integral Clearance/Marker Lights Bright Stainless Steel, 13" Drop Sun Visor, with Integral LED Clearance/Marker Lights	16XWE	\$688 +17/+4	
	16XWD	\$253 +12/+3	
	16XZE	\$888 +20/+5	
WINDOW, POWER (02) in Left and Right Doors REQS: Code 16WJG(std) CAB DOOR LOCKS	16WAK	STD	
WINDOW, REAR 52.25" Wide	16VZA	STD	
WINDSHIELD Single Piece Two Piece N/A: WINDSHIELD WIPER BLADES	16WKR	STD	
	16WKS	\$186	
WINDSHIELD WIPER BLADES Snow Type	16XWJ	\$30	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
WHEELS, FRONT			
<i>Accuride</i>			
- 51408 -			
DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	27DUW	STD	
REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC			
N/A: Code 29AAA WHEEL BRAND, FRONT			
: Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS			
AVAIL: Code 29PBA PAINT IDENTITY, FRONT WHEELS			
DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs	27DUX	\$375	-24/0
REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC			
REQS: Code 02ARW(std) or 02ASG AXLE, FRONT NON-DRIVING			
N/A: Code 29GAZ HUB MODIFICATIONS, FRONT			
: Code 29AAA WHEEL BRAND, FRONT			
: Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS			
AVAIL: Code 29PBA PAINT IDENTITY, FRONT WHEELS			
- 29039 -			
DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset, with .5" Thick Disc	27DPN	\$285	+72/0
REQS: Code 26DPN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC			
N/A: Code 29GAZ HUB MODIFICATIONS, FRONT			
: Code 29AAA WHEEL BRAND, FRONT			
: Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS			
AVAIL: Code 29PBA PAINT IDENTITY, FRONT WHEELS			
- 29057 -			
DISC; 22.5x13.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 5.88"	27DUA	\$865	+120/0
REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUA, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC			
REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING			
N/A: Code 29GAZ HUB MODIFICATIONS, FRONT			
: Code 29AAA WHEEL BRAND, FRONT			
: Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS			
: Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS			
AVAIL: Code 04WHX BRAKE PACKAGE, FRONT			



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
WHEELS, FRONT (CONTINUED)			
<i>Accuride</i>			
- 29169 -			
DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs	27DUK	\$145	+22/0
REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC			
N/A: Code 29GAZ HUB MODIFICATIONS, FRONT			
: Code 28DUX WHEELS, REAR			
: Code 29AAA WHEEL BRAND, FRONT			
: Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS			
AVAIL: Code 29PBA PAINT IDENTITY, FRONT WHEELS			
- 29300 -			
DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	27DUL	\$265	+82/0
REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC			
REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING			
N/A: Code 29AAA WHEEL BRAND, FRONT			
: Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS			
AVAIL: Code 29PBA PAINT IDENTITY, FRONT WHEELS			
- 29303 -			
DISC; 22.5x13.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 4.95"	27DTZ	\$865	+120/0
REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTZ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC			
REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING			
N/A: Code 29GAZ HUB MODIFICATIONS, FRONT			
: Code 29AAA WHEEL BRAND, FRONT			
: Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS			
: Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS			
AVAIL: Code 04WHX BRAKE PACKAGE, FRONT			
- 29374 -			
DISC; 22.5x12.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	27DBA	\$1,056	0/0
REQS: Code 26DBA, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH or 26DVP WHEEL, SPARE, DISC			
REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING			
N/A: Code 29GAZ HUB MODIFICATIONS, FRONT			
: Code 29AAA WHEEL BRAND, FRONT			

(SEE NEXT PAGE)



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>WHEELS, FRONT (SEE PREV PAGE)</p> <p><i>Accuride</i></p> <p>- 29374 - N/A: Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBX COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 22.5x12.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 28DTY WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBX COATING IDENTITY, FRONT WHEELS</p> <p>- 29376 - DISC; 22.5x13.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 28DTY WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 04WEZ(std) BRAKE PACKAGE, FRONT : Code 29PBX COATING IDENTITY, FRONT WHEELS</p> <p>- 29683 - DISC; 22.5x12.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 4.00" REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02ARY, 02ARZ, 02ASG or 02ASM AXLE, FRONT NON-DRIVING N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 04WEZ(std) BRAKE PACKAGE, FRONT : Code 04WHD DUST SHIELDS, FRONT BRAKE : Code 29PBX COATING IDENTITY, FRONT WHEELS</p>	<p>27DBA</p> <p>27DJL</p> <p>27DVD</p> <p>27DVB</p>	<p></p> <p>\$1,539 - 24 / 0</p> <p>\$1,157 + 2 / 0</p> <p>\$1,104 - 10 / 0</p>	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
	CODE	HX515 SFA 6x4
WHEELS, FRONT (CONTINUED)		
<i>Accuride</i>		
- 29683 -		
DISC; 22.5x12.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs, Offset 4.00"	27DVC	\$1,589 -34/0
REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC		
REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING		
REQS: Code 15DWS, 15DWT, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM or 15SSN(std) FUEL TANK		
N/A: Code 29GAZ HUB MODIFICATIONS, FRONT		
: Code 29AAA WHEEL BRAND, FRONT		
: Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS		
AVAIL: Code 04WEZ(std) BRAKE PACKAGE, FRONT		
: Code 04WHD DUST SHIELDS, FRONT BRAKE		
: Code 29PBX COATING IDENTITY, FRONT WHEELS		
- 29806 -		
DISC; 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 4.63"	27DUM	\$1,050 +104/0
REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUM, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC		
REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING		
N/A: Code 29GAZ HUB MODIFICATIONS, FRONT		
: Code 29AAA WHEEL BRAND, FRONT		
: Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS		
: Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS		
AVAIL: Code 04WHX BRAKE PACKAGE, FRONT		
- 29807 -		
DISC; 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 5.37"	27DUN	\$784 +104/0
REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUN, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC		
REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING		
N/A: Code 29AAA WHEEL BRAND, FRONT		
: Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS		
AVAIL: Code 29PBA PAINT IDENTITY, FRONT WHEELS		



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
<p>WHEELS, FRONT (CONTINUED)</p> <p><i>Accuride</i></p> <p>- 41730 - DISC: 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02ARU, 02ARY, 02ARZ or 02ASM AXLE, FRONT NON-DRIVING N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS</p> <p>DISC: 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS</p> <p>- 42644 - DISC: 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS</p> <p>DISC: 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02ARW(std), 02ARY or 02ASG AXLE, FRONT NON-DRIVING N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS</p>			
	27DUS	\$811	- 18 / 0
	27DUR	\$777	- 18 / 0
	27DVP	\$618	- 54 / 0
	27DVS	\$856	- 78 / 0



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
WHEELS, FRONT (CONTINUED) <i>Accuride</i> - 42644 - DISC: 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS DISC: 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02ARW(std), 02ARY or 02ASG AXLE, FRONT NON-DRIVING N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS - 50409 - DISC: 24.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02ARW(std) or 02ASG AXLE, FRONT NON-DRIVING N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS DISC: 24.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS	 27DVN 27DVR 27DUC 27DUP	 \$561 \$801 \$248 \$68	 -54/0 -78/0 -2/0 +22/0

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-126

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
<p>WHEELS, FRONT (CONTINUED)</p> <p><i>No Vendor Identified</i></p> <p>DISC; 22.5x12.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DRL, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 22.5x12.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 4.00" REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02ARU, 02ARY, 02ARZ, 02ASG or 02ASM AXLE, FRONT NON-DRIVING N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS AVAIL: Code 04WHD DUST SHIELDS, FRONT BRAKE</p> <p>DISC; 22.5x12.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs, Offset 4.00" REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS AVAIL: Code 04WHX BRAKE PACKAGE, FRONT : Code 04WHD DUST SHIELDS, FRONT BRAKE</p> <p>DISC; 22.5x13.00 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>		HX515 SFA 6x4	
	27DHK	\$975	0 / 0
	27DRC	\$1,021	- 10 / 0
	27DRG	\$1,609	- 34 / 0
	27DMZ	\$1,026	+ 2 / 0



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HX515 SFA 6x4		
<p>WHEELS, FRONT <i>(SEE PREV PAGE)</i></p> <p><i>No Vendor Identified</i></p> <p>N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 24.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC</p> <p>N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 24.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02ARW(std), 02ASG or 02ASM AXLE, FRONT NON-DRIVING</p> <p>N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC</p> <p>N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS</p> <p>AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02ARW(std), 02ASG or 02ASM AXLE, FRONT NON-DRIVING</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>27DMZ</p> <p>27DMJ</p> <p>27DMM</p> <p>27DMK</p> <p>27DMN</p>	<p></p> <p>\$481</p> <p>\$722</p> <p>\$539</p> <p>\$776</p>	<p></p> <p>-26/0</p> <p>-50/0</p> <p>-26/0</p> <p>-50/0</p>



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>WHEELS, FRONT (CONTINUED)</p> <p><i>Alcoa</i></p> <p>- 89U63 - DISC; 22.5x9.00 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset 4.06" REQS: Code 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 28DTJ, 28DVN and 28DVP WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 22.5x9.00 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset 4.06" REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 04WHD DUST SHIELDS, FRONT BRAKE : Code 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>- 98U63 - DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02ARW(std), 02ASG or 02ASM AXLE, FRONT NON-DRIVING N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS</p>	<p>27DVS</p> <p>27DUT</p> <p>27DEL</p> <p>27DEM</p>	<p>\$1,055</p> <p>\$1,289</p> <p>\$864</p> <p>\$1,180</p>	<p>- 37 / 0</p> <p>- 37 / 0</p> <p>- 31 / 0</p> <p>- 55 / 0</p>



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HX515 SFA 6x4		
<p>WHEELS, FRONT (CONTINUED)</p> <p><i>Maxion</i></p> <p>- 10049 - DISC; 22.5x8.25 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .490" Thick Increased Capacity Disc and Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 29PAR or 29PBA PAINT IDENTITY, FRONT WHEELS N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS</p> <p>- 90541 - DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 29PAR or 29PBA PAINT IDENTITY, FRONT WHEELS REQS: Code 02ARW(std) or 02ASG AXLE, FRONT NON-DRIVING N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS AVAIL: Code 29PAR PAINT IDENTITY, FRONT WHEELS</p> <p>DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 29PAR or 29PBA PAINT IDENTITY, FRONT WHEELS N/A: Code 29AAA WHEEL BRAND, FRONT : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS</p> <p>- 90542 - DISC; 24.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 29PAR or 29PBA PAINT IDENTITY, FRONT WHEELS REQS: Code 29PAR PAINT IDENTITY, FRONT WHEELS, when in combination with Code 26DTD WHEEL, SPARE, DISC REQS: Code 02ARW(std) or 02ASG AXLE, FRONT NON-DRIVING</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>27DTH</p> <p>27DTC</p> <p>27DTJ</p> <p>27DTA</p>	<p>\$151</p> <p>\$430</p> <p>\$24</p> <p>\$276</p>	<p>+30/0</p> <p>-18/0</p> <p>+6/0</p> <p>0/0</p>

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-132

SUBJECT TO CHANGE WITHOUT NOTICE



**HX515 SFA 6x4
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
 NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>WHEELS, FRONT (SEE PREV PAGE)</p> <p><i>Maxion</i></p> <p>- 90542 - N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS AVAIL: Code 29PAR PAINT IDENTITY, FRONT WHEELS</p> <p>DISC; 24.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 29PAR or 29PBA PAINT IDENTITY, FRONT WHEELS REQS: Code 29PAR PAINT IDENTITY, FRONT WHEELS, when in combination with Code 26DTD WHEEL, SPARE, DISC N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS</p>	<p>27DTA</p> <p>27DTD</p>	<p>\$88</p> <p>+ 24 / 0</p>	
<p>WHEELS, REAR</p> <p><i>Accuride</i></p> <p>- 51408 - DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBB PAINT IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 27DUK WHEELS, FRONT : Code 29BAG WHEEL, REAR, IDENTITY : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBB PAINT IDENTITY, REAR WHEELS</p>	<p>28DUW</p> <p>28DUX</p>	<p>STD</p> <p>\$862</p> <p>0 / - 4 1</p>	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-133

SUBJECT TO CHANGE WITHOUT NOTICE



**HX515 SFA 6x4
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
WHEELS, REAR (CONTINUED)			
<i>Accuride</i>			
- 28827 - DUAL DISC; 24.5x8.25 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBB PAINT IDENTITY, REAR WHEELS	28DPR	\$678	0/+152
- 29169 - DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBB PAINT IDENTITY, REAR WHEELS	28DUK	\$462	0/+88
- 29300 - DUAL DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 14WZY AXLE SHAFT MODIFICATION : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBB PAINT IDENTITY, REAR WHEELS	28DUL	\$1,118	0/+328
- 41730 - DUAL DISC; 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC N/A: Code 04WEY(std) BRAKE PACKAGE, REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS	28DUS	\$2,618	0/-72



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
<p>WHEELS, REAR (CONTINUED)</p> <p><i>Accuride</i></p> <p>- 41730 -</p> <p>DUAL DISC; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs N/A: Code 04WEY(std) BRAKE PACKAGE, REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS</p> <p>- 42644 -</p> <p>DUAL DISC; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC N/A: Code 27DVY WHEELS, FRONT : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC N/A: Code 27DVY WHEELS, FRONT : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS</p>	<p>28DUR</p> <p>28DVP</p> <p>28DVS</p> <p>28DVN</p>	<p>\$2,556</p> <p>\$2,526</p> <p>\$3,040</p> <p>\$2,296</p>	<p>0/-72</p> <p>0/-216</p> <p>0/-257</p> <p>0/-216</p>



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
<p>WHEELS, REAR (CONTINUED)</p> <p><i>Accuride</i></p> <p>- 42644 -</p> <p>DUAL DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p>- 50352 -</p> <p>DUAL DISC; 24.0x8.50 Rims, Top Coat Steel, 10-Stud, 335mm BC, Hub-Piloted, Flanged Nut, 5-Degree, 2-Piece, with Steel Hubs REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04WEY(std) BRAKE PACKAGE, REAR : Code 29334 BRAKE DRUMS, REAR : Code 27DJL and 27DVD WHEELS, FRONT : Code 29BAG WHEEL, REAR, IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS</p> <p>- 50409 -</p> <p>DUAL DISC; 24.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS</p>			
	28DVR	\$2,828 0/-257	
	28DTY	\$6,360 0/+800	
	28DUC	\$608 0/+47	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-136

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>WHEELS, REAR <i>(SEE PREV PAGE)</i></p> <p><i>Alcoa</i></p> <p>- 88367 -</p> <p>REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>N/A: Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS</p> <p>DUAL DISC; 22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs</p> <p>REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM</p> <p>-OR- BRAKES, REAR, AIR DISC</p> <p>N/A: Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS</p> <p>AVAIL: Code 29PBY COATING IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 22.5x8.25 Rims, Polished Aluminum, 10-Stud 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs</p> <p>REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>N/A: Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS</p> <p>AVAIL: Code 29PBY COATING IDENTITY, REAR WHEELS</p> <p>- 98U63 -</p> <p>DUAL DISC; 24.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs</p> <p>N/A: Code 04WEY(std) BRAKE PACKAGE, REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS</p>			
	28DVJ		
	28DVG	\$2,988 0/-171	
	28DVK	\$3,502 0/-212	
	28DEN	\$4,182 0/-125	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
WHEELS, REAR (CONTINUED)			
<i>Maxion</i>			
- 90541 -			
DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs	28DTC	\$628	0/-17
REQS: Code 29PAS or 29PBB PAINT IDENTITY, REAR WHEELS			
REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM			
N/A: Code 29BAG WHEEL, REAR, IDENTITY			
: Code 29GBA HUB MODIFICATIONS, REAR			
: Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS			
: Code 29PCD COATING, RIM, REAR WHEELS			
DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	28DTJ	\$92	0/+24
REQS: Code 29PAS or 29PBB PAINT IDENTITY, REAR WHEELS			
REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM			
-OR- BRAKES, REAR, AIR DISC			
N/A: Code 27DVY WHEELS, FRONT			
: Code 29BAG WHEEL, REAR, IDENTITY			
: Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS			
: Code 29PCD COATING, RIM, REAR WHEELS			
- 90542 -			
DUAL DISC; 24.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs	28DTA	\$1,104	0/+55
REQS: Code 29PAS or 29PBB PAINT IDENTITY, REAR WHEELS			
REQS: Code 29PAS PAINT IDENTITY, REAR WHEELS, when in combination with Code 26DTD WHEEL, SPARE, DISC			
REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRM, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM			
N/A: Code 29BAG WHEEL, REAR, IDENTITY			
: Code 29GBA HUB MODIFICATIONS, REAR			
: Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS			
: Code 29PCD COATING, RIM, REAR WHEELS			
AVAIL: Code 29PAS PAINT IDENTITY, REAR WHEELS			



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
<p>WHEELS, REAR (CONTINUED)</p> <p><i>Maxion</i></p> <p>- 90542 -</p> <p>DUAL DISC; 24.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs</p> <p>REQS: Code 29PAS or 29PBB PAINT IDENTITY, REAR WHEELS</p> <p>REQS: Code 29PAS PAINT IDENTITY, REAR WHEELS, when in combination with Code 26DTD WHEEL, SPARE, DISC</p> <p>REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM</p> <p>-OR- BRAKES, REAR, AIR DISC</p> <p>N/A: Code 29BAG WHEEL, REAR, IDENTITY</p> <p style="padding-left: 20px;">: Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS</p> <p style="padding-left: 20px;">: Code 29PCD COATING, RIM, REAR WHEELS</p>	28DTD	\$352	0/+96
<p>WHEEL, SPARE, DISC</p> <p>22.5x12.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only</p> <p>REQS: Code 27DHK WHEELS, FRONT</p> <p>N/A: Code 29AAA WHEEL BRAND, FRONT</p> <p>AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p style="padding-left: 20px;">: Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS</p> <p>22.5x13.00 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only</p> <p>REQS: Code 27DMZ WHEELS, FRONT</p> <p>N/A: Code 29AAA WHEEL BRAND, FRONT</p> <p>AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p style="padding-left: 20px;">: Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS</p> <p>24.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted</p> <p>REQS: Code 27DMJ WHEELS, FRONT or Code 28DMJ or 28DMM WHEELS, REAR</p> <p>N/A: Code 27DVY WHEELS, FRONT</p> <p style="padding-left: 20px;">: Code 29AAA WHEEL BRAND, FRONT</p> <p>AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p style="padding-left: 20px;">: Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS</p> <p>24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted</p> <p>REQS: Code 27DMK or 27DMN WHEELS, FRONT or Code 28DMK or 28DMN WHEELS, REAR</p> <p>N/A: Code 27DVY WHEELS, FRONT</p> <p style="padding-left: 20px;">: Code 29AAA WHEEL BRAND, FRONT</p> <p>AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p style="padding-left: 20px;">: Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS</p>	26DRL	\$605	0/+67
	26DRN	\$665	0/+68
	26DSB	\$460	0/+54
	26DSG	\$489	0/+54

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-142

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HX515 SFA 6x4		
WHEEL, SPARE, DISC (CONTINUED)			
<i>Accuride</i>			
- 29039 -			
22.5x9.00 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DPN WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS	26DPN	\$308	0/+103
- 29057 -			
22.5x13.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Offset 5.88", for Front Application Only REQS: Code 27DUA WHEELS, FRONT N/A: Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS	26DUA	\$538	0/+127
- 29169 -			
22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, with .472" Thick Increased Capacity Disc REQS: Code 27DUK WHEELS, FRONT or Code 28DUK WHEELS, REAR N/A: Code 27DVY WHEELS, FRONT	26DUK	\$259	0/+78
- 29300 -			
22.5x9.00 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DUL or 27DUR WHEELS, FRONT or Code 28DUL or 28DUR WHEELS, REAR N/A: Code 27DVY WHEELS, FRONT	26DUL	\$259	0/+108
- 29303 -			
22.5x13.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Offset 4.95", for Front Application Only REQS: Code 27DTZ WHEELS, FRONT N/A: Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS	26DTZ	\$568	0/+127
- 29374 -			
22.5x12.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DBA WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	26DBA	\$655	0/+67
- 29806 -			
22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DUM WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS	26DUM	\$706	0/+119



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HX515 SFA 6x4		
WHEEL, SPARE, DISC (CONTINUED)			
<i>Accuride</i>			
- 29807 -			
22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DUN WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS	26DUN	\$516	0/+119
- 41730 -			
22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DUS WHEELS, FRONT or Code 28DUS WHEELS, REAR	26DUS	\$580	0/+58
22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flange Nut REQS: Code 27DUR WHEELS, FRONT or Code 28DUR WHEELS, REAR	26DUR	\$555	0/+58
- 42644 -			
22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted N/A: Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBT COATING IDENTITY, FRONT WHEELS	26DVP	\$487	0/+40
22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted N/A: Code 27DBA WHEELS, FRONT : Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBX COATING IDENTITY, FRONT WHEELS	26DVN	\$464	0/+40
- 50409 -			
24.5x8.25 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DUC or 27DUP WHEELS, FRONT or Code 28DUC or 28DUP WHEELS, REAR N/A: Code 27DVY WHEELS, FRONT	26DUC	\$232	0/+78
- 51408 -			
22.5x8.25 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DUW(std) or 27DUX WHEELS, FRONT or Code 28DUW or 28DUX WHEELS, REAR	26DUW	\$232	0/+67
<i>Alcoa</i>			
22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 29AAA WHEEL BRAND, FRONT N/A: WHEELS, FRONT AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBT COATING IDENTITY, FRONT WHEELS	26DRS	\$606	0/+46



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
WHEEL, SPARE, DISC (CONTINUED)			
<i>Alcoa</i>			
- 82462 -			
22.5x12.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only	26DVA	\$1,100	0/+66
REQS: Code 27DJJ WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT			
- 88367 -			
22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted	26DVH	\$464	0/+46
REQS: Code 27DVG, 27DVH, 27DVJ or 27DVK WHEELS, FRONT or Code 28DVG, 28DVH, 28DVJ or 28DVK WHEELS, REAR			
N/A: Code 29AAA WHEEL BRAND, FRONT			
22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only	26DVG	\$606	0/+46
REQS: Code 27DVG or 27DVK WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS			
<i>Maxion</i>			
- 10049 -			
22.5x8.25 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, with .490" Thick Increased Capacity Disc	26DTH	\$266	0/+82
REQS: Code 27DTH WHEELS, FRONT or Code 28DTH WHEELS, REAR			
N/A: Code 27DVY WHEELS, FRONT			
- 90541 -			
22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted	26DTJ	\$266	0/+70
REQS: Code 27DTC or 27DTJ WHEELS, FRONT or Code 28DTC or 28DTJ WHEELS, REAR			
N/A: Code 27DVY WHEELS, FRONT			
- 90542 -			
24.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted	26DTD	\$266	0/+79
REQS: Code 27DTA or 27DTD WHEELS, FRONT or Code 28DTA or 28DTD WHEELS, REAR			
REQS: Code 29PAR PAINT IDENTITY, FRONT WHEELS, when in combination with Code 27DTA or 27DTD WHEELS, FRONT			
REQS: Code 29PAS PAINT IDENTITY, REAR WHEELS, when in combination with Code 28DTA or 28DTD WHEELS, REAR			
N/A: Code 27DVY WHEELS, FRONT			



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
BRAKE DRUMS, FRONT Motor Wheel Centrifuse Type N/A: Code 04JBZ(std) and 04JCN BRAKES, FRONT, AIR DISC : Code 04WHA and 04WHD DUST SHIELDS, FRONT BRAKE	29331	\$648	-30/0
BRAKE DRUMS, REAR Motor Wheel Centrifuse Type; 16.5" x 7" REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04JCC(std) and 04JNW BRAKES, REAR, AIR DISC : Code 28DTY WHEELS, REAR : Code 14GRJ, 14GRM, 14GTT, 14GTU and 14GUV AXLE, REAR, TANDEM	29334	\$1,018	0/-77
COATING IDENTITY, FRONT WHEELS Accuride - Accu-Shield - Disc Front Wheels; Aluminum, with Vendor Applied Clear Coat Not for Wide Base REQS: Code 26DBA, 26DRL, 26DRN, 26DRS, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVA, 26DVH or 26DVP WHEEL, SPARE, DISC REQS: Code 27DMK, 27DMN, 27DUR, 27DUS, 27DVP or 27DVS WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT Disc Front Wheels; Aluminum, with Vendor Applied Clear Coat, for Wide Base REQS: Code 26DBA, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVA, 26DVH or 26DVN WHEEL, SPARE, DISC REQS: Code 27DBA, 27DJL, 27DVB, 27DVC or 27DVD WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT	29PBT	\$278	
	29PBX	\$278	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
<p>COATING IDENTITY, FRONT WHEELS (CONTINUED)</p> <p>Alcoa</p> <p>- Dura-Bright XBR/EVO - Disc Front Wheels; Aluminum, with Vendor Applied Treatment; Not for Wide Base REQS: Code 26DPN, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR, 26DUS, 26DUW, 26DVA, 26DVG or 26DVH WHEEL, SPARE, DISC REQS: Code 27DEL, 27DEM, 27DUT, 27DVG, 27DVK or 27DVF WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT</p> <p>Disc Front Wheels; Aluminum, with Vendor Applied Treatment; for Wide Base REQS: Code 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVA or 26DVH WHEEL, SPARE, DISC REQS: Code 27DJJ or 27DUV WHEELS, FRONT REQS: Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING N/A: Code 29AAA WHEEL BRAND, FRONT</p>	29PBZ	\$ 419	
	29PCB	\$ 482	
<p>COATING IDENTITY, REAR WHEELS</p> <p>Accuride</p> <p>- Accu-Shield - Aluminum Disc Rear Wheels, with Vendor Applied Clear Coat; Not for Super Single Wide Base REQS: Code 28DMK, 28DMN, 28DUS, 28DVP, 28DVR or 28DVS WHEELS, REAR REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRJ, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTU, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 29PCD COATING, RIM, REAR WHEELS</p> <p>Alcoa</p> <p>- Dura-Bright XBR/EVO - Aluminum Disc Rear Wheels, with Vendor Applied Treatment; Not for Super Single Wide Base REQS: Code 26DPN, 26DTD, 26DTH, 26DTJ, 26DTZ, 26DUA, 26DUC, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR, 26DUS, 26DUW, 26DVA, 26DVG or 26DVH WHEEL, SPARE, DISC REQS: Code 28DEL, 28DEM, 28DVG or 28DVK WHEELS, REAR REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p>	29PBS	\$ 608	
	29PBY	\$ 838	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-147

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
COATING, RIM, REAR WHEELS Alcoa - Duraflange - Aluminum Disc Rear Wheels, with Vendor Applied Treatment REQS: Code 28DEN, 28DVG, 28DVK, 28DVP or 28DVS WHEELS, REAR REQS: Code 14GGU, 14GRD, 14GRP, 14GRR, 14GRS, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL or 14HRM AXLE, REAR, TANDEM AVAIL: Code 29PBY COATING IDENTITY, REAR WHEELS	29PCD	\$2,281	
HUB MODIFICATIONS, FRONT Provide Longer Studs in Front Hubs for Retrofitting Aluminum Disc Wheels by Customer REQS: Code 27DTJ, 27DUL, 27DUN or 27DUW(std) WHEELS, FRONT REQS: Code 02ARU, 02ARY, 02ARZ or 02ASM AXLE, FRONT NON-DRIVING N/A: BRAKE DRUMS, FRONT	29GAZ	\$53	
HUB MODIFICATIONS, REAR Provide Longer Studs in Rear Hubs for Retrofitting Aluminum Disc Wheels by Customer REQS: Code 28DPR, 28DTD, 28DTH, 28DTJ, 28DUK, 28DUL, 28DUP or 28DUW(std) WHEELS, REAR REQS: Code 14GGU, 14GRD, 14GRP, 14GRR, 14GRS, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL or 14HRM AXLE, REAR, TANDEM	29GBA	\$106	
PAINT IDENTITY, FRONT WHEELS Disc Front Wheels; with Vendor Applied White Powder Coat Paint REQS: Code 27DTA, 27DTC, 27DTD, 27DTH or 27DTJ WHEELS, FRONT Disc Wheels; with Vendor Applied Black Powder Coat Paint REQS: Code 27DPN, 27DTD, 27DTH, 27DTJ, 27DUK, 27DUL, 27DUN, 27DUW(std) or 27DUX WHEELS, FRONT	29PAR 29PBA	\$24 \$24	
PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; with Vendor Applied White Powder Coat Paint REQS: Code 28DTA, 28DTC, 28DTD, 28DTH or 28DTJ WHEELS, REAR Disc Wheels; with Vendor Applied Black Powder Coat Paint REQS: Code 28DPR, 28DTC, 28DTD, 28DTH, 28DTJ, 28DUK, 28DUL, 28DUW(std) or 28DUX WHEELS, REAR	29PAS 29PBB	\$96 \$96	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
TIRE, SPARE Equal to Model Standard	29007	\$840	
TIRE VALVE CAP Flo-Thru Design	29ACD	\$24	
WHEEL BRAND, FRONT <i>Alcoa</i> Aluminum Disc Front Wheels REQS: Code 26DRS, 26DTD, 26DTH, 26DTJ, 26DTZ, 26DUA, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS or 26DUW WHEEL, SPARE, DISC REQS: Code 27DEL, 27DEM, 27DVN, 27DVP, 27DVR or 27DVS WHEELS, FRONT N/A: Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS	29AAA	\$260	
WHEEL BEARING, FRONT, LUBE <i>EmGard</i> - FE-75W-90 - Synthetic Oil	29WLK	\$59	
WHEEL GUARDS, FRONT <i>Accuride</i> for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	29WAP	\$24	+ 1/0
WHEEL GUARDS, REAR <i>Accuride</i> for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels REQS: Code 28DPR, 28DTA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DUC, 28DUK, 28DUL, 28DUP, 28DUW(std) or 28DUX WHEELS, REAR	29WAR	\$48	0/+9
WHEEL, REAR, IDENTITY Replace Inner Aluminum Wheels on Rear Duals with the Equivalent Steel Wheels - For Use with Hub Piloted Wheels Only REQS: Code 28DMJ, 28DMK, 28DMM, 28DMN, 28DVG, 28DVH, 28DVJ, 28DVK, 28DVN, 28DVP, 28DVR or 28DVS WHEELS, REAR N/A: Code 14GRJ, 14GRM, 14GTT, 14GTU and 14GUV AXLE, REAR, TANDEM	29BAG	\$700CR	0/+117

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-149

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>HX515 SFA 6x4</i>	
WHEEL SEALS, FRONT Stemco - Voyager - Oil Lubricated Wheel Bearings ILO Standard Oil Seals	29598	\$59	
WHEEL SEALS, REAR Stemco - Voyager - Oil Lubricated Wheel Bearings REQ: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRJ, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRC, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM	29597	\$152	
WHEELS, LIFT AXLE PUSHER Accuride - 29300 - Single Wheels, for Two Lift Axles; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE - 29683 - Single Wheels, For One Lift Axle; 22.5x12.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, Offset 4.00" << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE	34ABV 34ABU 34ACA	\$4,525 \$2,422 +153/+349 \$2,666 +150/+340	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
<p>WHEELS, LIFT AXLE PUSHER (CONTINUED)</p> <p><i>Accuride</i></p> <p>- 29683 -</p> <p>Single Wheels, For One Lift Axle; 22.5x12.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, Offset 4.00" << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE</p> <p>- 29807 -</p> <p>Single Wheels, For One Lift Axle; 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, Offset 4.62" << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE</p> <p>- 41362 -</p> <p>Single Wheels, For One Lift Axle; 24.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE</p> <p>Single Wheels, For Two Lift Axles; 24.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE</p> <p>Single Wheels, for Two Lift Axles; 24.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE</p>			
	34ABP	\$2,734 +149/+339	
	34ABZ	\$2,915 +173/+393	
	34AAP	\$2,889 +114/+260	
	34ABJ	\$5,778 +97/+119	
	34ABH	\$5,684 +97/+119	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HX515 SFA 6x4		
WHEELS, LIFT AXLE PUSHER (CONTINUED)			
<i>Accuride</i>			
- 41362 -			
Single Wheels, For One Lift Axle; 24.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE	34AAM	\$2,842 +40/+68	
- 41730 -			
Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	34ACD	\$2,850 +127/+289	
Single Wheels, For Two Lift Axles; 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	34ACE	\$5,651	
Single Wheels, for Two Lift Axles; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	34ACC	\$5,515 +374/+506	
Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	34ACB	\$2,782 +128/+292	
- 42644 -			
Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE	34ACS	\$5,646 +180/+408	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
CODE	HX515 SFA 6x4		
WHEELS, LIFT AXLE PUSHER (CONTINUED)			
<i>Accuride</i>			
- 42644 -			
Single Wheels, For One Lift Axle; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE	34ACM	\$2,846 +95/+215	
Single Wheels, For Two Lift Axles; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	34ACT	\$5,691 +246/+334	
Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE	34ACR	\$5,599	
Single Wheels, For One Lift Axle; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE	34ACN	\$2,799 +96/+218	
- 50409 -			
Single Wheels, for Two Lift Axles; 24.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	34ABT	\$4,350	
Single Wheels, For One Lift Axle; 24.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE	34ABS	\$2,175 +130/+294	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>WHEELS, LIFT AXLE PUSHER (CONTINUED)</p> <p><i>Accuride</i></p> <p>- 51408 - Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE</p> <p>Single Wheels, for Two Lift Axles; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE</p> <p>Single Wheels, For One Lift Axle; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE</p>	<p>34ACK</p> <p>34ACH</p> <p>34ACJ</p>	<p>\$3,533 +231/+525</p> <p>\$3,554 +265/+359</p> <p>\$1,777 +110/+250</p>	
<p>WARRANTY</p> <p>Standard for HX Series, Effective with Vehicles Built December 7, 2015 or Later, CTS-2015A</p>	<p>40124</p>	<p>STD</p>	
<p>SERVICES, TOWING</p> <p><i>Navistar</i></p> <p>Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident</p> <p>Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident</p>	<p>40KLZ</p> <p>40KME</p>	<p>\$400 0/0</p> <p>\$280 0/0</p>	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
SERVICES, TOWING (CONTINUED)			
<i>Navistar</i>			
Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAU	\$600	
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMA	\$800	0/0
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMG	\$560	0/0
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAV	\$1,000	
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMB	\$1,100	0/0
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMH	\$780	0/0
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAW	\$1,400	
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMC	\$1,300	0/0



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>SERVICES, TOWING (CONTINUED)</p> <p><i>Navistar</i></p> <p>Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident</p> <p>Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident</p> <p>Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident</p> <p>Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident</p> <p>Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident</p>	<p>40KMJ</p> <p>40RAX</p> <p>40KMD</p> <p>40KMK</p> <p>40RAY</p>	<p>\$920</p> <p>\$1,900</p> <p>\$1,600</p> <p>\$1,120</p> <p>\$2,600</p>	<p>0/0</p> <p></p> <p>0/0</p> <p>0/0</p> <p></p>
<p>SRV CONTRACT, EXT ALLISON XMSN</p> <p><i>Allison</i></p> <p>To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with P&D or Beverage Vocations (ST09-ST13) REQ: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL</p> <p>To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with Refuse Packer Vocations (ST15, ST16) REQ: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL</p>	<p>40TWC</p> <p>40TWD</p>	<p>\$2,054</p> <p>\$2,608</p>	<p></p> <p></p>



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
SRV CONTRACT, EXT ALLISON XMSN (CONTINUED)			
Allison			
To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWE	\$2,054	
To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWG	\$2,054	
To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWH	\$2,054	
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13AUT, 13AUA, 13AUW or 13AUX TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWJ	\$1,952	
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Refuse Packer Vocations (ST15, ST16) REQS: Code 13AUT, 13AUA, 13AUW or 13AUX TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWK	\$2,404	
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13AUT, 13AUA, 13AUW or 13AUX TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWL	\$1,952	
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13AUT, 13AUA, 13AUW or 13AUX TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWM	\$1,952	
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13AUT, 13AUA, 13AUW or 13AUX TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWN	\$1,952	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-157

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
		HX515 SFA 6x4	
SRV CONTRACT, EXT CAB			
<i>Navistar</i>			
To 120-Month/300,000 Miles (480,000 km); Covers Cab Structure, Perforation and Corrosion, with Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUC	\$1,500	0/0
To 72-Month/300,000 Miles (480,000 km); Covers Cab Structure, Perforation and Corrosion, with Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUA	\$940	0/0
To 96-Month/300,000 Miles (480,000 km); Covers Cab Structure, Perforation and Corrosion, with Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUB	\$1,240	0/0
SRV CONTRACT, EXT COOLING SYS			
<i>Navistar</i>			
To 24-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40MHR	\$220	0/0
To 24-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40MHS	\$260	0/0
To 24-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40MHV	\$560	0/0
To 36-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40MHT	\$460	0/0
To 36-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40MHU	\$520	0/0
To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40MKC	\$700	0/0
To 48-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40MKD	\$760	0/0



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
SRV CONTRACT, EXT COOLING SYS (CONTINUED) Navistar To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 60-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	 40MKE 40MKG 40MKH 40MJH	 \$840 \$800 \$860 \$940	 0/0 0/0 0/0 0/0
SRV CONTRACT, EXT EATON XMSN Eaton To 36-Month/Unlimited Miles/km, for Severe Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC To 48-Month/Unlimited Miles/km, for Severe Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC To 48-Month/Unlimited Miles/km, for Standard Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC To 60-Month/Unlimited Miles/km, for Severe Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC To 60-Month/Unlimited Miles/km, for Standard Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC To 36-Month/Unlimited Miles/km, for Severe Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GYC, 13GYD, 13GYG or 13GYH TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC	 40SPV 40SPW 40SPY 40SPX 40SPZ 40SRK	 \$3,050 \$3,900 \$2,300 \$5,100 \$2,950 \$2,300	 0/0 0/0 0/0 0/0 0/0



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	WEIGHTS - FRONT/REAR
SRV CONTRACT, EXT EATON XMSN (CONTINUED)			
<i>Eaton</i>			
To 48-Month/Unlimited Miles/km, for Severe Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GYC, 13GYD, 13GYG or 13GYH TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC	40SRL	\$3,200	0/0
To 48-Month/Unlimited Miles/km, for Standard Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC	40SRA	\$1,900	0/0
To 60-Month/Unlimited Miles/km, for Severe Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GYC, 13GYD, 13GYG or 13GYH TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC	40SRM	\$4,250	0/0
To 60-Month/Unlimited Miles/km, for Standard Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL -OR- Code 13AYC TRANSMISSION, AUTOMATIC	40SRB	\$2,500	0/0
SRV CONTRACT, EXT ELECTRICAL			
<i>Navistar</i>			
- Prepackaged Components -			
Excludes Starter and Alternator, To 24-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NLR	\$360	0/0
Excludes Starter and Alternator, To 24-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NLS	\$440	0/0
Excludes Starter and Alternator, To 36-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NLT	\$760	0/0
Excludes Starter and Alternator, To 36-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NLU	\$860	0/0
Excludes Starter and Alternator, To 36-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NLV	\$940	0/0
Excludes Starter and Alternator, To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NLW	\$1,160	0/0



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
SRV CONTRACT, EXT ELECTRICAL (CONTINUED) Navistar - Prepackaged Components - Excludes Starter and Alternator, To 48-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Excludes Starter and Alternator, To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Excludes Starter and Alternator, To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Excludes Starter and Alternator, To 60-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Excludes Starter and Alternator, To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NLX 40NLY 40NLZ 40NMA 40NMB	\$1,260 0/0 \$1,380 0/0 \$1,320 0/0 \$1,420 0/0 \$1,580 0/0	
SRV CONTRACT, EXT ENGINE Navistar To 36-Month/300,000 Miles (480,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 36-Month/350,000 Miles (560,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 36-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 36-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 48-Month/100,000 Miles (160,000 km), Unlimited Hours, Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSV 40SSW 40SSX 40SSY 40SSC	\$2,200 0/0 \$2,600 0/0 \$3,100 0/0 \$5,500 0/0 \$1,998 0/0	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-161

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>SRV CONTRACT, EXT ENGINE (CONTINUED)</p> <p><i>Navistar</i></p> <p>To 48-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR</p> <p>To 48-Month/450,000 Miles (720,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR</p> <p>To 48-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR</p> <p>To 48-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR</p> <p>To 60-Month/100,000 Miles (160,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR</p> <p>To 60-Month/200,000 Miles (320,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR</p> <p>To 60-Month/300,000 Miles (480,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR</p> <p>To 60-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR</p> <p>To 60-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR</p>	<p>40SSZ</p> <p>40STA</p> <p>40STB</p> <p>40PMN</p> <p>40STC</p> <p>40STD</p> <p>40STE</p> <p>40STG</p> <p>40STH</p>	<p>\$4,400</p> <p>\$5,000</p> <p>\$6,200</p> <p>\$7,400</p> <p>\$3,400</p> <p>\$4,600</p> <p>\$4,900</p> <p>\$5,800</p> <p>\$7,200</p>	<p>0/0</p> <p>0/0</p> <p>0/0</p> <p></p> <p>0/0</p> <p>0/0</p> <p>0/0</p> <p>0/0</p> <p>0/0</p>



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	FRONT/REAR
SRV CONTRACT, EXT ENGINE (CONTINUED) Navistar To 60-Month/550,000 Miles (880,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 60-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 72-Month/250,000 Miles (400,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 72-Month/500,000 Miles (800,000 km) Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 72-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 84-Month/100,000 Miles (160,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 84-Month/150,000 Miles (240,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 84-Month/250,000 Miles (400,000 km) Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 84-Month/400,000 Miles (640,000 km) Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR			
	40PMT	\$7,800	
	40PMU	\$8,600	
	40STJ	\$5,000	0/0
	40STK	\$8,800	0/0
	40STL	\$10,800	0/0
	40STM	\$5,500	0/0
	40STN	\$6,400	0/0
	40STP	\$7,000	0/0
	40STR	\$8,800	0/0



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
SRV CONTRACT, EXT ENGINE (CONTINUED)		HX515 SFA	
<i>Navistar</i>		6x4	
To 36-Month/300,000 Miles (480,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSG	\$1,600	0/0
To 36-Month/350,000 Miles (560,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSH	\$1,800	0/0
To 36-Month/400,000 Miles (640,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSJ	\$2,100	0/0
To 48-Month/400,000 Miles (640,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSK	\$2,600	0/0
To 48-Month/450,000 Miles (720,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSM	\$3,000	0/0
To 48-Month/500,000 Miles (800,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSN	\$3,600	0/0
To 60-Month/300,000 Miles (480,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSP	\$2,600	0/0
To 60-Month/400,000 Miles (640,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSR	\$3,200	0/0
To 60-Month/500,000 Miles (800,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSS	\$4,100	0/0
To 72-Month/250,000 Miles (400,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SST	\$3,300	0/0
To 84-Month/250,000 Miles (400,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSU	\$3,900	0/0
SRV CONTRACT, EXT ENGINE/AFTR			
<i>Navistar</i>			
To 36-Month/300,000 Miles (480,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPT	\$3,150	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT	
	CODE	HX515 SFA 6x4
SRV CONTRACT, EXT ENGINE/AFTR (CONTINUED) Navistar To 36-Month/350,000 Miles (560,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPU	\$3,700
To 36-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPV	\$4,700
To 36-Month/450,000 Miles (720,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40PRJ	\$6,400
To 36-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPW	\$8,000
To 48-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPX	\$6,600
To 48-Month/450,000 Miles (720,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPY	\$7,500
To 48-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPZ	\$9,200



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
<p>SRV CONTRACT, EXT ENGINE/AFTR (CONTINUED)</p> <p><i>Navistar</i></p> <p>To 48-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP</p> <p>To 60-Month/100,000 Miles (160,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP</p> <p>To 60-Month/200,000 Miles (320,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP</p> <p>To 60-Month/250,000 Miles (400,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP</p> <p>To 60-Month/300,000 Miles (480,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP</p> <p>To 60-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP</p> <p>To 60-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP</p>	<p>40TRA</p> <p>40TRB</p> <p>40TRC</p> <p>40PRK</p> <p>40TRD</p> <p>40TRE</p> <p>40TRG</p>	<p>\$11,400</p> <p>\$4,400</p> <p>\$5,900</p> <p>\$6,300</p> <p>\$6,550</p> <p>\$8,300</p> <p>\$10,200</p>	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
SRV CONTRACT, EXT ENGINE/AFTR (CONTINUED) Navistar To 60-Month/550,000 Miles (880,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRH	\$11,600	
To 60-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRJ	\$13,200	
To 72-Month/250,000 Miles (400,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRK	\$7,200	
To 72-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRL	\$12,800	
To 72-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRM	\$16,000	
To 84-Month/100,000 Miles (160,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRN	\$8,600	
To 84-Month/150,000 Miles (240,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRP	\$9,800	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-167

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX515 SFA 6x4	
SRV CONTRACT, EXT ENGINE/AFTR (CONTINUED) Navistar To 84-Month/250,000 Miles (400,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP To 84-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRR	\$10,800	
	40TRS	\$12,800	
SRV CONTRACT, EXT ENG M/COMP Navistar To 72-Month/600,000 Miles (960,000 km), Major Components Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 84-Month/700,000 Miles (1,120,000 km), Major Components Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSD	\$1,300	0/0
	40SSE	\$1,800	0/0
SRV CONTRACT, EXT FRAME To 120-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, with Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE To 72-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, with Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUG	\$380	0/0
	40EUD	\$240	0/0



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>SRV CONTRACT, EXT FRAME (CONTINUED)</p> <p>To 96-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, with Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p>	40EUE	\$300	0/0
<p>SRV CONTRACT, EXT HEND SUSP</p> <p>Hendrickson</p> <p>To 24-Month/Unlimited Miles/Km, Extended Hendrickson HAS 30,000-46,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM N/A: SUSPENSION, REAR, TANDEM</p> <p>To 36-Month/Unlimited Miles/Km, Extended Hendrickson HAS 30,000-46,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM N/A: SUSPENSION, REAR, TANDEM</p> <p>To 24-Month/Unlimited Miles/Km, Extended Hendrickson HAULMAAX 40,000-46,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14ULX(std), 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM</p> <p>To 36-Month/Unlimited Miles/Km, Extended Hendrickson HAULMAAX 40,000-46,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14ULX(std), 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM</p> <p>To 24-Month/Unlimited Miles/Km, Extended Hendrickson PRIMAAAX 46,000-52,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM</p> <p>To 36-Month/Unlimited Miles/Km, Extended Hendrickson PRIMAAAX 46,000-52,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM</p>	40SRT	\$1,210	0/0
	40SRU	\$1,510	0/0
	40SPJ	\$970	0/0
	40SPK	\$1,620	0/0
	40SRN	\$1,000	0/0
	40SRR	\$1,260	0/0



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
SRV CONTRACT, EXT HEND SUSP (CONTINUED) Hendrickson To 24-Month/Unlimited Miles/Km, Extended Hendrickson RT/RTE 34,000-52,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14UHD, 14UHK, 14UHL or 14698 SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM To 36-Month/Unlimited Miles/Km, Extended Hendrickson RT/RTE 34,000-52,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14UHD, 14UHK, 14UHL or 14698 SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM	40SPL	\$1,170	0/0
	40SPM	\$2,010	0/0
SRV CONTRACT, EXT HTR/AC SYS Navistar - Prepackaged Components - To 24-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 24-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 36-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 36-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 36-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 36-Month/300,000 Miles (480,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 48-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 48-Month/400,000 Miles (640,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 60-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NHJ	\$460	0/0
	40NHK	\$540	0/0
	40NHL	\$940	0/0
	40NHM	\$1,040	0/0
	40NHN	\$1,160	0/0
	40NPV	\$1,300	
	40NHP	\$1,440	0/0
	40NHR	\$1,540	0/0
	40NHS	\$1,660	0/0
	40NPW	\$1,940	
	40NHT	\$1,620	0/0
	40NHU	\$1,720	0/0
	40NHV	\$1,940	0/0



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
<p>SRV CONTRACT, EXT HTR/AC SYS (CONTINUED)</p> <p><i>Navistar</i></p> <p>- Prepackaged Components -</p>			
<p>To 60-Month/400,000 Miles (640,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p>	40NPX	\$2,300	
<p>To 60-Month/500,000 Miles (800,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p>	40NPY	\$2,700	
<p>SRV CONTRACT, EXT MAJOR COMP</p> <p><i>Navistar</i></p> <p>- Prepackaged Components -</p>			
<p>To 24-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p>	40LWV	\$280	0/0
<p>To 24-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p>	40LWW	\$320	0/0
<p>To 36-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p>	40LWX	\$580	0/0
<p>To 36-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p>	40LWY	\$640	0/0



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR
SRV CONTRACT, EXT MAJOR COMP (CONTINUED)			
<i>Navistar</i>			
- Prepackaged Components -			
To 36-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE	40LWZ	\$700	0/0
To 48-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE	40LXA	\$880	0/0
To 48-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE	40LXB	\$940	0/0
To 48-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE	40LXC	\$1,040	0/0
To 60-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE	40LXD	\$980	0/0



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>SRV CONTRACT, EXT MAJOR COMP (CONTINUED)</p> <p><i>Navistar</i></p> <p>- Prepackaged Components -</p> <p>To 60-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 60-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 60-Month/250,000 Miles (400,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p>		\$1,080	0/0
	40LXE	\$1,180	0/0
	40LXG	\$1,300	0/0
	40LXH		
<p>SRV CONTRACT, EXT STARTER/ALT</p> <p><i>Navistar</i></p> <p>- Prepackaged Components -</p> <p>Covers Starter and Alternator Only, To 24-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>Covers Starter and Alternator Only, To 36-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>Covers Starter and Alternator Only, To 36-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>Covers Starter and Alternator Only, To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p>		\$240	0/0
	40MEV	\$400	0/0
	40MEW	\$620	0/0
	40MEX	\$620	0/0
	40MEY		



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>SRV CONTRACT, EXT STARTER/ALT (CONTINUED)</p> <p><i>Navistar</i></p> <p>- Prepackaged Components -</p> <p>Covers Starter and Alternator Only, To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>Covers Starter and Alternator Only, To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>Covers Starter and Alternator Only, To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p>	<p>40MEZ</p> <p>40MGA</p> <p>40MGB</p>	<p>\$720</p> <p>\$700</p> <p>\$840</p>	<p>0/0</p> <p>0/0</p> <p>0/0</p>
<p>SRV CONTRACT, EXT VEH COVERAGE</p> <p><i>Navistar</i></p> <p>To 36-Month/300,000 Miles (480,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS NOTE: Pricing may change if axle configuration is changed.</p> <p>To 48-Month/500,000 Miles (800,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>40PSP</p> <p>40PSR</p>	<p>\$9,650</p> <p>\$20,700</p>	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
		HX515 SFA 6x4	
SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)			
Navistar			
N/A: Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS NOTE: Pricing may change if axle configuration is changed.	40PSR		
To 60-Month/100,000 Miles (160,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS NOTE: Pricing may change if axle configuration is changed.	40PSS	\$12,800	
To 60-Month/200,000 Miles (320,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS NOTE: Pricing may change if axle configuration is changed.	40PST	\$15,900	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
(CONTINUED)			
<p><i>Navistar</i></p> <p>To 60-Month/300,000 Miles (480,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less REQ: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS NOTE: Pricing may change if axle configuration is changed.</p>	40PSU	\$17,550	
<p>To 60-Month/400,000 Miles (640,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less REQ: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS NOTE: Pricing may change if axle configuration is changed.</p>	40PSV	\$20,300	
<p>To 60-Month/500,000 Miles (800,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less REQ: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB</p>	40PSW	\$24,200	
<i>(SEE NEXT PAGE)</i>			

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-176

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
		HX515 SFA 6x4	
SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)			
<i>Navistar</i>			
N/A: Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS NOTE: Pricing may change if axle configuration is changed.	40PSW		
To 84-Month/100,000 Miles (160,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS NOTE: Pricing may change if axle configuration is changed.	40PSX	\$19,100	
To 84-Month/250,000 Miles (400,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS NOTE: Pricing may change if axle configuration is changed.	40PSY	\$25,800	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)			
<i>Navistar</i>			
N/A: SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT	40PPB		
: SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS			
To 24-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM	40PPC	\$3,200	
N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS			
To 36-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM	40PPD	\$4,000	
N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS			
To 36-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM	40PPE	\$5,000	
(SEE NEXT PAGE)			



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)</p> <p><i>Navistar</i></p> <p>N/A: SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS</p> <p>To 48-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS</p> <p>To 48-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS</p> <p>To 48-Month/250,000 Miles (400,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>40PPL</p> <p>40PPM</p> <p>40PPM</p> <p>40PPP</p>	<p></p> <p>\$7,000</p> <p>\$8,000</p> <p>\$9,000</p>	

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-182

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	NOTE: WEIGHTS - FRONT/REAR
SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)			
<i>Navistar</i>			
N/A: Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40PPP		
To 48-Month/500,000 Miles (800,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40PPR	\$11,500	
To 60-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40PPS	\$8,400	
To 60-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less	40PPT	\$9,000	
(SEE NEXT PAGE)			



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
 NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)			
<i>Navistar</i>			
REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40PPT		
To 60-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40PPU	\$10,000	
To 60-Month/300,000 Miles (480,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL	40PPV	\$11,000	
<i>(SEE NEXT PAGE)</i>			

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-184

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)</p> <p>Navistar</p> <p>N/A: SRV CONTRACT, EXT COOLING SYS</p> <p>To 60-Month/400,000 Miles (640,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX or 13AYC TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS</p> <p>To 60-Month/500,000 Miles (800,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS</p> <p>To 84-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>40PPV</p> <p>40PPW</p> <p>40PPX</p> <p>40PPY</p>	<p></p> <p>\$12,000</p> <p>\$14,000</p> <p>\$10,500</p>	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
<p>SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)</p> <p><i>Navistar</i></p> <p>N/A: Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS</p> <p>To 84-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS</p> <p>To 84-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS</p> <p>To 84-Month/250,000 Miles (400,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>			
	40PPY		
	40PPZ	\$12,050	
	40PRA	\$13,600	
	40PRB	\$15,000	



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
TIRES (CONTINUED)			
<i>Goodyear</i>			
11R22.5 LR-G G622 RSD 497 rev/mile 75 MPH Drive-Position	7372138102	\$72	+5
11R22.5 LR-H G751 MSA 497 rev/mile 68 MPH All-Position	7382138123	\$296	+17
11R22.5 LR-H G731 MSA 497 rev/mile 68 MPH All-Position	7382138124	\$315	+17
11R22.5 LR-H G751 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138125	\$391	+23
11R22.5 LR-H G731 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138126	\$413	+22
11R22.5 LR-H FUEL MAX RSA 497 rev/mile 75 MPH All-Position	7382138131	\$18CR	-5
11R22.5 LR-H ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7382138132	\$163	0
11R22.5 LR-H ARMOR MAX MSD 493 rev/mile 68 MPH Drive-Position	7382138133	\$124	+20
11R22.5 LR-H ARMOR MAX MSD DURASEAL 493 rev/mile 68 MPH Drive-Position	7382138134	\$270	+26
12R22.5 LR-H G622 RSD 482 rev/mile 75 MPH Drive-Position	7382158102	\$271	+18
12R22.5 LR-H G282 MSD 481 rev/mile 75 MPH Drive-Position	7382158105	\$241	+30
12R22.5 LR-H G751 MSA 483 rev/mile 68 MPH All-Position	7382158123	\$398	+29
12R22.5 LR-H ENDURANCE RSA 482 rev/mile 75 MPH All-Position	7382158132	\$241	+21
12R22.5 LR-H ARMOR MAX MSD 478 rev/mile 68 MPH Drive-Position	7382158133	\$413	+33
255/70R22.5 LR-H ENDURANCE RSA 566 rev/mile 81 MPH All-Position	7752528132	\$77	-28
315/80R22.5 LR-J UNISTEEL G291 491 rev/mile 75 MPH All-Position	7702540190	\$522	+11
315/80R22.5 LR-L UNISTEEL G291 491 rev/mile 68 MPH All-Position	7772540190	\$509	+12
315/80R22.5 LR-L G751 MSA 484 rev/mile 68 MPH All-Position	7772548123	\$507	+33
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-188

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
TIRES (CONTINUED)			
Goodyear			
315/80R22.5 LR-L G751 MSA DURASEAL 484 rev/mile 68 MPH All-Position	7772548125	\$807	+41
315/80R22.5 LR-L G289 WHA 484 rev/mile 68 MPH All-Position	7782548109	\$491	+28
275/70R22.5 LR-J ENDURANCE RSA 547 rev/mile 75 MPH All-Position	7792578132	\$208	-18
385/65R22.5 LR-J G296 MSA 488 rev/mile 68 MPH All-Position	7702658113	\$235CR	+48
425/65R22.5 LR-L G296 MSA 468 rev/mile 68 MPH All-Position	7752668113	\$81CR	+67
11R24.5 LR-H G182 RSD 473 rev/mile 75 MPH Drive-Position	7384220121	\$372	+21
11R24.5 LR-H G282 MSD 475 rev/mile 75 MPH Drive-Position	7384228105	\$654	+24
11R24.5 LR-H G751 MSA 474 rev/mile 68 MPH All-Position	7384228123	\$368	+22
11R24.5 LR-H FUEL MAX RSA 474 rev/mile 75 MPH All-Position	7384228131	\$25CR	+4
11R24.5 LR-H ARMOR MAX MSD 471 rev/mile 68 MPH Drive-Position	7384228133	\$181	+28
12R24.5 LR-H UNISTEEL G177 457 rev/mile 68 MPH Drive-Position	7384240162	\$516	+43
12R24.5 LR-H G751 MSA 461 rev/mile 68 MPH All-Position	7384248123	\$485	+39
1200R24 LR-J UNISTEEL G177 423 rev/mile 50 MPH Drive-Position	6354060162	\$817	+78
1200R24 LR-J G288 MSA 430 rev/mile 62 MPH All-Position	6394060126	\$802	+56
Continental Tire			
11R22.5 LR-G HSR2 498 rev/mile 75 MPH All-Position	7372135415	\$4CR	0
11R22.5 LR-G HDR2 491 rev/mile 75 MPH Drive-Position	7372135423	\$52	+15
11R22.5 LR-G HYBRID HD3 493 rev/mile 75 MPH Drive-Position	7372135428	\$17	+9
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-189

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	HX515 SFA 6x4	
TIRES (CONTINUED)			
<i>Continental Tire</i>			
11R22.5 LR-G HDR2 ECO PLUS 491 rev/mile 75 MPH Drive-Position	7372135434	\$68	+15
11R22.5 LR-H HDO 490 rev/mile 68 MPH Drive-Position	7382135413	\$192	+3
11R22.5 LR-H HDL2 DL 491 rev/mile 75 MPH Drive-Position	7382135417	\$131	+18
11R22.5 LR-H HDR2 491 rev/mile 75 MPH Drive-Position	7382135423	\$51	+15
11R22.5 LR-H HDW2 495 rev/mile 75 MPH Drive-Position	7382135430	\$70	+14
11R22.5 LR-H HDL2 493 rev/mile 75 MPH Drive-Position	7382135432	\$25CR	+6
11R22.5 LR-H HSC 3 496 rev/mile 68 MPH All-Position	7382135438	\$213	+16
11R22.5 LR-H HDC 3 492 rev/mile 68 MPH Drive-Position	7382135440	\$294	+24
12R22.5 LR-H HSR2 483 rev/mile 75 MPH All-Position	7382155415	\$19	+12
12R22.5 LR-H HSC1 482 rev/mile 75 MPH All-Position	7382155419	\$197	+17
12R22.5 LR-H HDR2 479 rev/mile 75 MPH Drive-Position	7382155423	\$256	+27
12R22.5 LR-H HDC1 479 rev/mile 68 MPH Drive-Position	7392155420	\$392	+31
295/75R22.5 LR-H HSR 3 514 rev/mile 75 MPH All-Position	7792495439	\$134	+5
255/70R22.5 LR-H HSR2 SA 565 rev/mile 75 MPH All-Position	7752525421	\$134CR	-32
275/80R22.5 LR-H HSR2 518 rev/mile 75 MPH All-Position	7792535415	\$4	-4
315/80R22.5 LR-L HAU 3 WT 480 rev/mile 68 MPH All-Position	7792545437	\$466	+41
315/80R22.5 LR-L HSC 3 481 rev/mile 68 MPH All-Position	7792545438	\$481	+45
385/65R22.5 LR-L HAC 3 479 rev/mile 68 MPH All-Position	7792655441	\$140CR	+49
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-190

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX515 SFA 6x4	
TIRES (CONTINUED)			
Continental Tire			
425/65R22.5 LR-L HAC 3 465 rev/mile 68 MPH All-Position	7752665441	\$74CR +66	
11R24.5 LR-G HDL2 470 rev/mile 75 MPH Drive-Position	7374225432	\$12 +12	
11R24.5 LR-H HSR2 476 rev/mile 75 MPH All-Position	7384225415	\$68 +9	
11R24.5 LR-H HDL2 DL 468 rev/mile 75 MPH Drive-Position	7384225417	\$125 +29	
11R24.5 LR-H HDR2 468 rev/mile 75 MPH Drive-Position	7384225423	\$116 +25	
11R24.5 LR-H HDL2 DL ECO PLUS 468 rev/mile 75 MPH Drive-Position	7384225425	\$218 +28	
11R24.5 LR-H ECOPLUS HS3 472 rev/mile 75 MPH All-Position	7384225429	\$26CR +17	
11R24.5 LR-H HSC 3 472 rev/mile 68 MPH All-Position	7384225438	\$206 +21	
Hankook Tire			
10R22.5 LR-G AH37 517 rev/mile 75 MPH All-Position	7372115809	\$63CR -19	
11R22.5 LR-G AH37 501 rev/mile 75 MPH All-Position	7372135809	\$107CR +1	
11R22.5 LR-G DH37 498 rev/mile 75 MPH Drive-Position	7372135810	\$84CR +8	
11R22.5 LR-H AH37 499 rev/mile 75 MPH All-Position	7382135809	\$80CR +1	
295/75R22.5 LR-G AH37 513 rev/mile 75 MPH All-Position	7702495809	\$140CR -7	
Michelin			
11R22.5 LR-G X MULTI ENERGY D 499 rev/mile 75 MPH Drive-Position	7372133280	\$377 +11	
11R22.5 LR-G XZE2 501 rev/mile 75 MPH All-Position	7472133269	\$137 -2	
11R22.5 LR-G X LINE ENERGY D 500 rev/mile 75 MPH Drive-Position	7472133279	\$469 +11	
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-191

SUBJECT TO CHANGE WITHOUT NOTICE



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
TIRES		HX515 SFA	
		6x4	
(CONTINUED)			
Michelin			
11R22.5 LR-H XDN2 497 rev/mile 75 MPH Drive-Position	7482133264	\$353	+12
11R22.5 LR-H XZE2 501 rev/mile 75 MPH All-Position	7482133269	\$235	+5
11R22.5 LR-H X WORKS XDY 493 rev/mile 75 MPH Drive-Position	7482133281	\$420	+33
12R22.5 LR-H XZE 486 rev/mile 75 MPH All-Position	7482153253	\$630	+19
12R22.5 LR-H X WORKS Z 483 rev/mile 65 MPH All-Position	7482153287	\$486	+30
295/80R22.5 LR-H XZA2 ENERGY 503 rev/mile 75 MPH All-Position	7682483273	\$310	+5
255/70R22.5 LR-H XZE 563 rev/mile 75 MPH All-Position	7652523253	\$178	-26
275/80R22.5 LR-H XZE 516 rev/mile 75 MPH All-Position	7682533253	\$286	-8
315/80R22.5 LR-L X WORKS Z 485 rev/mile 65 MPH All-Position	7652543287	\$2,547	+42
315/80R22.5 LR-L X MULTIWAY 3D XZE 488 rev/mile 75 MPH All-Position	7652548202	\$621	+33
385/65R22.5 LR-J XZY-3 491 rev/mile 65 MPH All-Position	7602653208	\$176CR	+57
425/65R22.5 LR-L XZY-3 465 rev/mile 65 MPH All-Position	7652663208	\$39CR	+89
11R24.5 LR-G XZE2 476 rev/mile 75 MPH All-Position	7474223269	\$293	+6
Bridgestone			
425/65R22.5 LR-L M864 463 rev/mile 68 MPH All-Position	7752669068	\$189	+69
11R24.5 LR-H M726ELA 470 rev/mile 75 MPH Drive-Position	7384229003	\$479	+24
11R24.5 LR-H M843 468 rev/mile 65 MPH All-Position	7384229052	\$409	+29
11R24.5 LR-H R268 ECOPIA 477 rev/mile 75 MPH All-Position	7384229059	\$298	+11
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

HX515 SFA 6x4

SECTION 580

PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105

PAGE 580-192

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



HX515 SFA 6x4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
<p>TIRES (CONTINUED)</p> <p><i>Bridgestone</i></p> <p>11R24.5 LR-H R284 ECOPIA 482 rev/mile 75 MPH All-Position</p>	<p>7384229067</p>	<p>HX515 SFA 6x4</p> <p>\$501</p>	<p>+3</p>
<p>* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE</p>			