



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- A -			
ACCESS, C A B			192
ACCESS, CAB AND FRAME			192
ACCESS, FRAME			192
ACCESSORY WIRING, SPECIAL			47, 80
AFTERTREATMENT COVER			44
AIR BRAKE ABS	04AZJ		16
- Bendix - AntiLock Brake System Full Vehicle Wheel Control System (4-Channel) with Automatic Traction Control STD ON HX520 SFA 6x4 ONLY			
	04AZV		
- Bendix - AntiLock Brake System Full Vehicle Wheel Control System (6-Channel; 6 Sensor/6 Modulator) with Automatic Traction Control STD ON HX520 SFA 8x6 Tridem ONLY			
AIR CLEANER	12VBC		93
- Single Element			
AIR COMPRESSOR	04SPA	No Opt	36
- Cummins 18.7 CFM			
AIR COMPRESSOR DISCHARGE LINE			36
AIR CONDITIONER	16WKB	No Opt	193
- International - Blend-Air - with Integral Heater and Defroster			
AIR DRYER	04EBS		36
- Bendix - AD-9 - with Heater			
AIR TANK			37
AIR TANK LOCATION			37
ALLISON SPARE INPUT/OUTPUT			123
ALTERNATOR	08GXJ		47
- Leece-Neville - AVI160P2013 - Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount			
ANTENNA BASE	08RMG	No Opt	48
- (02) Single Function, (1) for CB and (1) for Entertainment Radio, without Splitter, Separate Lead-Ins, with CB Antenna Mounted on Left Mirror and AM/FM Antenna Mounted on Right Mirror			
ANTENNA MOUNTING BRACKETS			193
ANTENNA, TELEVISION			193



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- A -			
ANTI-FREEZE.....	12703	No Opt	93
- Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection			
AUTOMATIC NEUTRAL.....			124
AUX TRANS SHIFT CONTROL.....			124
AUX. TRAILER SOCKET.....			48
AUXILIARY HARNESS.....			48
AUXILIARY TRANSMISSION LUBE.....			124
AXLE SHAFT MODIFICATION.....			174
AXLE SPACING, FIRST PUSHER.....			170
AXLE SPACING, SECOND PUSHER.....			171
AXLE SPACING, TAG.....			173
AXLE, FRONT NON-DRIVING.....	02ARW		8
- Meritor - MFS-12-143A - Wide Track, I-Beam Type, 12,000-lb Capacity STD ON HX520 SFA 6x4 ONLY			
	02ARU		
- Meritor - MFS-16-143A - Wide Track, I-Beam Type, 16,000-lb Capacity STD ON HX520 SFA 8x6 Tridem ONLY			
AXLE, LIFT, CONTROLS.....			173
AXLE, PUSHER, LIFT TYPE.....			165
AXLE, PUSHER, LIFT TYPE, ID.....			170
AXLE, REAR, LIFT, LUBE.....			174
AXLE, REAR, LUBE.....			174
AXLE, REAR, TANDEM.....	14GVU		130
- Meritor - MT-40-14X-4DFR-P - Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, w/.433"(11mm) Wall Housing Thickness, R Wheel Ends STD ON HX520 SFA 6x4 ONLY			
AXLE, REAR, TRIDEM.....	14HRG	No Opt	144
- Meritor - RZ-166 EH - Single Reduction, Wide Track, 53,000-lb Capacity, Driver Controlled Locking Differential in All Three Axles, 200 Wheel Ends STD ON HX520 SFA 8x6 Tridem ONLY			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- A -			
AXLE, TAG, LIFT TYPE			171
- B -			
BACK-UP ALARM			48
BATTERY BOX	08VUK		49
- Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab			
BATTERY BOX COVER			50
BATTERY CABLES			51
BATTERY DISCONNECT SWITCH			51
BATTERY SYSTEM	08MSG		51
- Fleetrite Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud			
BEACON LIGHT WIRING			52
BEACON LIGHTS			52
BLOCK HEATER, ENGINE			93
BODY BUILDER WIRING			52
BOX, SECURITY			193
BRAKE CHAMBERS, ADDITIONAL			34
BRAKE CHAMBERS, FRONT AXLE	04EXV		24
- Bendix 24 SqIn STD ON HX520 SFA 8x6 Tridem ONLY			
BRAKE CHAMBERS, REAR AXLE	04EXU		32
- Bendix - EverSure - 30/30 Spring Brake STD ON HX520 SFA 8x6 Tridem ONLY			
BRAKE CHAMBERS, SPRING			33
BRAKE DRUMS, FRONT			237
BRAKE DRUMS, REAR			238
BRAKE IDENTITY, REAR			27
BRAKE PACKAGE, FRONT	04WEZ		19
- Bendix Spicer - ADB22X - Air, Disc Type, Extended Service; Size 22.5" STD ON HX520 SFA 6x4 ONLY			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	STANDARD	OPT.	PAGE NO.
- B -			
BRAKE PACKAGE, R E A R.....	04WEY		25
- Bendix Spicer - ADB22X - Air, Disc Type, Extended Service; Size 22.5" STD ON HX520 SFA 6x4 ONLY			
BRAKE SHOES, R E A R.....			34
BRAKE SYSTEM, AIR.....	04091		13
- Dual System for Straight Truck Applications			
BRAKES, AIR CAM, PUSHER AXLE.....			38
BRAKES, AIR CAM, TAG AXLE.....			38
BRAKES, FRONT, AIR CAM.....	04193		23
- 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers STD ON HX520 SFA 8x6 Tridem ONLY			
BRAKES, FRONT, AIR DISC.....	04JBZ		22
- 22.5 Dia, Includes 18" Sq. In. Brake Chambers STD ON HX520 SFA 6x4 ONLY			
BRAKES, REAR, AIR CAM.....	04NDB		28
- S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake STD ON HX520 SFA 8x6 Tridem ONLY			
BRAKES, REAR, AIR DISC.....	04JCC		27
- 22.5 Dia, Includes 18/24" Sq. In. Brake Chambers STD ON HX520 SFA 6x4 ONLY			
BUG DEFLECTOR.....			58
BUG SCREEN.....			58
BUMPER, FRONT.....	01LPG		4
- Gull Wing, Aluminum, Stainless Steel Clad, Heavy Duty			
BUSHINGS, EQUALIZER BEAM.....			174
- C -			
C A B.....	16031		187
- Conventional, Day Cab			
CAB DOOR LOCKS.....	16WJG	No Opt	193
- Power			
CAB INTERIOR TRIM.....	16VJZ		193
- Classic, for HX Day Cab			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- C -			
CAB REAR SUSPENSION..... - Dual Air Suspension, Includes Special Crossmember Assembly	16WLD		194
CAB SIDE EXTENDERS (FAIRINGS).....			195
CABINET, FOOT LOCKER.....			195
CB RADIO.....			52
CHASSIS COATING.....			59
CIGAR LIGHTER.....			53
CIRCUIT BREAKERS..... - Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	08XAH	No Opt	53
CLUTCH..... - Eaton Fuller - ECA-1850 - Two-Plate, Ceramic, 7-Spring with Pre-Damper, 15.5" Diameter, with Adjustment-Free Feature, 1850 lb-ft Torque Capacity	11MGP		77
CLUTCH BRAKE.....			79
CLUTCH EFFECTS.....			79
CLUTCH HOUSING.....			125
COATING IDENTITY, FRONT WHEELS.....			238
COATING IDENTITY, REAR WHEELS.....			239
COATING, RIM, REAR WHEELS.....			240
COLD STARTING EQUIPMENT.....			93
COLLISION MITIGATION SYSTEM.....			53
COUNTRY IDENTITY.....			59
CROSSMEMBER, FRAME TIE.....			4
CROSSMEMBER, INTERMEDIATE LOC.....			4
CROSSMEMBER, REAR.....			5
CROSSMEMBER, REAR, AF.....			5
CURTAIN, WINDSHIELD.....			195
CUSTOMER SERVICES.....			60



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- D -			
DECK P L A T E.....			5
DEF TANK.....	15DYP		185
- 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab			
DEF TANK COVER.....			186
DEFROSTER FAN.....			195
DIFF. SWITCH CONTROLS.....			174
DRAIN V A L V E.....	04732		38
- Berg with Pull Chain, for Air Tank			
DRIVELINE SYSTEM.....	06DGU		41
- Dana Spicer SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4 STD ON HX520 SFA 6x4 ONLY			
	06DHU		
- Dana Spicer SPL250 Main Driveline, with SPL170 First Interaxle Shaft, SPL170 Second Interaxle Shaft, for 8x6 STD ON HX520 SFA 8x6 Tridem ONLY			
DUST SHIELDS, FRONT BRAKE.....			24
DUST SHIELDS, REAR BRAKE.....			35
- E -			
ELECTRICAL SYSTEM.....	08000	No Opt	46
- 12-Volt, Standard Equipment			
ELECTRONIC VEHICLE MONITORING.....			195
EMISSION COMPLIANCE.....			94
ENGINE COMPRESSION BRAKE.....	07SAP	No Opt	44
- Cummins Interbrake For Cummins Signature/ISX/X15 Engines; Furnished with Engine			
ENGINE CONTROL, REMOTE MOUNTED.....			94
ENGINE, DIESEL.....	12EUP		80
- Cummins - X15 430 V - Productivity Series, EPA 2017, 430HP @ 1900 RPM, 1650 lb-ft Torque @ 950 RPM, 2000 RPM Governed Speed, 441 Peak HP (Max)			
EXHAUST HEIGHT.....	07WDM		44
- 10'			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- E -			
EXHAUST SYSTEM	07BLJ		42
- Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side			
- F -			
FAN DRIVE	12THT	No Opt	93
- Horton - Drivemaster - Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed			
FAN DRIVE SPECIAL EFFECTS	12WTA	No Opt	94
- Fan Cooling Ring with Fan Shroud Effects, Engine Mounted			
FAN OVERRIDE			94
FAN, CIRCULATING, SLEEPER			195
FEDERAL EMISSIONS			94
FENDER EXTENSIONS			59
FIFTH WHEEL LOCATION			73
FIFTH WHEEL MOUNTING ANGLES			73
FIFTH WHEEL RELEASE			74
FIFTH WHEEL, AIR SLIDE			60
FIFTH WHEEL, STATIONARY			68
FOG LIGHTS			53
FRAME EXTENSION, FRONT			6
FRAME RAILS	01CGC		1
- Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 550.0" (13970mm) Maximum OAL			
FRAME RAILS WITH TAPERED REAR			6
FRAME REINFORCEMENT			3
FRONT END	09ASE	No Opt	58
- Tilting, Composite			
FUEL COOLER			186
FUEL HEATER			186



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- F -			
FUEL TANK..... - Non-Polished Aluminum, 24" Dia, 60 US Gal (227L), Mounted Left Side, Under Cab	15SSN		177
FUEL TANK CAP.....			186
FUEL TANK LOCATION.....			187
FUEL TANK STRAPS.....			187
FUEL/WATER SEPARATOR..... - Racor Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor	15LKU		187
- G -			
GAUGE CLUSTER..... - English with English Electronic Speedometer	16HBA		195
GAUGE, AIR APPLICATION.....			196
GAUGE, AIR CLEANER RESTRICTION.....			196
GAUGE, AIR PRESSURE.....			196
GAUGE, MANIFOLD PRESSURE.....			196
GAUGE, OIL TEMP, REAR AXLE.....			196
GCWR RANGE.....			74
GRAB HANDLE, EXTERIOR.....			196
GRILLE..... - Chrome Vertical Accent Bars, with Black Mesh	09HCN	No Opt	59
- H -			
HAND CONTROL VALVE, AIR.....			38
HEADLIGHTS..... - Halogen, Composite Combination	08XHT	No Opt	54
HEADLIGHTS ON W/WIPERS.....			54
HEATER SHUT-OFF VALVES.....			197
HEATER, ENHANCED CIRCULATION..... - Bergstrom Control, for Extreme Cold Weather Climates	16VRT	No Opt	197
HORN, AIR..... - Single, Located Under Cab	08653		54



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- H -			
HORN, ELECTRIC..... - Disc Style	08VAY		54
HOSE CLAMPS, HEATER HOSE.....			197
HOSE CLAMPS, RADIATOR HOSES..... - Gates Shrink Band Type	12WCX		94
HOSE TENDER.....			39
HUB MODIFICATIONS, FRONT.....			240
HUB MODIFICATIONS, REAR.....			240
HYDRAULIC RETARDER.....			125
- I -			
INDICATOR TRANS GEAR POSITION.....			197
INPUT SHAFT.....			125
- J -			
JUMP START STUD.....			54
- K -			
KEYLESS ENTRY SYSTEM REMOTE.....			197
KEYS - ALL ALIKE.....			74
- L -			
LANGUAGE IDENTITY.....			75
LICENSE PLATE HOLDER.....			7
LIGHT, WORK.....			55
LOGOS EXTERIOR..... - Model Badges	09AAB		59
LOGOS EXTERIOR, ENGINE..... - Badges	09AAE		59
- M -			
MIRROR, CONVEX, HOOD MOUNTED.....			199
MIRROR, CONVEX, LOOK DOWN.....			197



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- M -			
MIRRORS.....	16SNL		198
- (02) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width			
MODESTY PANEL.....			199
MUD FLAP HOLDER.....			75
MUD FLAPS, REAR.....			75
MUFFLER/TAIL PIPE GUARD.....			45
- N -			
NEUTRAL AT STOP.....			125
- O -			
OIL COOLER MANUAL TRANSMISSION.....			126
OIL COOLER, AUTO TRANSMISSION.....			126
OIL COOLER, AUX TRANSMISSION.....			126
OVER THE AIR PROGRAMMING.....			75
- P -			
PAINT CLASS.....			75
PAINT IDENTITY, FRONT WHEELS.....			240
PAINT IDENTITY, PT-2.....			75
PAINT IDENTITY, REAR WHEELS.....			241
PAINT SCHEMATIC, PT-1.....	10060		76
- Single Color, Design 100			
PAINT TYPE.....	10761	No Opt	76
- Base Coat/Clear Coat, 1-2 Tone			
PAINT, CAB SUNSHADE.....			75
PAINT, NON-REFLECTING.....			76
PDL WARNING BUZZER.....			175
POWER SOURCE.....	08718	No Opt	55
- Cigar Type Receptacle without Plug and Cord			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- P -			
POWER SOURCE, TERMINAL TYPE..... - 2-Post	08WCK	No Opt	55
PTO CONTROL, DASH MOUNTED.....			126
PTO EFFECTS, ENGINE FRONT.....			95
PUSHER LIFT AXLE TIRE SLR.....			176
- Q -			
QUARTER FENDERS.....			59
- R -			
RADIATOR..... - Aluminum; Welded, Down Flow System, Front to Back, 1325 SqIn, 806 SqIn CAC	12XBC		92
RADIATOR DRAIN & FILL FITTING..... - SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System	12WYZ	No Opt	95
RADIO..... - Omit Item, Includes Wiring and Antenna, with Multiple Speakers	08RBN		55
RADIO, AUXILIARY CONTROLS.....			56
RAIN CAP.....			45
REINFORCEMENT, PINTLE HOOK.....			6
ROOF AIR DEFLECTOR.....			199
RUNNING LIGHT.....			56
- S -			
SAFETY TRIANGLES.....			76
SATELLITE COMMUNICATION SYSTEM.....			56
SEAT BELT.....			200



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- S -			
SEAT, DRIVER..... - National - 2000 Model 295 - Air Suspension, Intermediate Back, All Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3 Position Rear Cushion, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover	16JPC	200
SEAT, PASSENGER..... - Omit Item	16400	202
SERVICES, TOWING.....			247
SHIELD, TEMPERATURE SENSOR.....			175
SHIFT CONTROL PARAMETERS.....			127
SHOCK ABSORBERS, FRONT.....			13
SHOCK ABSORBERS, REAR.....			175
SLACK ADJUSTER, PUSHER AXLE.....			40
SLACK ADJUSTER, TAG AXLE.....			40
SLACK ADJUSTERS, FRONT.....			24
SLACK ADJUSTERS, REAR.....			33
SLEEPER COMPARTMENT CURTAIN.....			203
SNOW SHIELD.....			56
SPECIAL RATING, GAWR.....			36
SPECIAL RATING, GVWR.....			76
SPOT LIGHT.....			56
SPRING BRAKE MODULATOR VALVE.....			40
SRV CONTRACT, EXT ALLISON XMSN.....			249
SRV CONTRACT, EXT CAB.....			251
SRV CONTRACT, EXT CMMS ENGINE.....			251
SRV CONTRACT, EXT CMMS M/COMP.....			271
SRV CONTRACT, EXT CMS ENG/AFTR.....			276
SRV CONTRACT, EXT COOLING SYS.....			272
SRV CONTRACT, EXT EATON XMSN.....			273
SRV CONTRACT, EXT ELECTRICAL.....			275



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- S -			
SRV CONTRACT, EXT FRAME.....			287
SRV CONTRACT, EXT HEND SUSP.....			288
SRV CONTRACT, EXT HTR/AC SYS.....			289
SRV CONTRACT, EXT MAJOR COMP.....			290
SRV CONTRACT, EXT STARTER/ALT.....			292
SRV CONTRACT, EXT VEH COVERAGE.....			293
STARTING MOTOR.....	08WXG		57
- Mitsubishi Electric Automotive America - 105P - 12-Volt, with Soft-Start			
STEERING COLUMN.....	05710	No Opt	41
- Tilting and Telescoping			
STEERING GEAR.....	05PSA		41
- Sheppard - M100 - Power STD ON HX520 SFA 6x4 ONLY			
	05PTB		
- Sheppard - M100/M80 - (02) Dual Power STD ON HX520 SFA 8x6 Tridem ONLY			
STEERING WHEEL.....	05CAW		41
- 4-Spoke; 18" Dia., Black			
STOP, TURN, TAIL & B/U LIGHTS.....			57
STORAGE SHELF, LEFT.....			204
STORAGE SHELF, RIGHT.....			204
STORAGE TRAY, UNDER BUNK.....			204
STORAGE, CAB INTERIOR.....			203
STORAGE, REAR WALL.....			203
SUNSHADE, EXTERIOR.....			204
SUSPENSION AIR CONTROL VALVE.....			175
SUSPENSION/REAR-AXLE IDENTITY.....			175
SUSPENSION, FRONT, SPRING.....	03ADC		12
- Parabolic Taper Leaf, Shackle Type, 12,000-lb Capacity, with Shock Absorbers STD ON HX520 SFA 6x4 ONLY			
	03ADE		
- Parabolic Taper Leaf, Shackle Type, 16,000-lb Capacity, with Shock Absorbers STD ON HX520 SFA 8x6 Tridem ONLY			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	STANDARD	OPT.	PAGE NO.
- S -			
SUSPENSION, REAR, AIR, TANDEM.....			144
SUSPENSION, REAR, AIR, TRIDEM.....	14UPC	No Opt	154
<ul style="list-style-type: none"> - Hendrickson - PAX-690-55 - 69,000-lb Capacity, 55" Axle Spacing, 9.5" Ride Height, with Shock Absorbers Mounted in Standard Location STD ON HX520 SFA 8x6 Tridem ONLY 			
SUSPENSION, REAR, TANDEM.....	14ULX		154
<ul style="list-style-type: none"> - Hendrickson - HMX-400-54 - Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings STD ON HX520 SFA 6x4 ONLY 			
SWITCH, FOR EXHAUST.....			45
- T -			
TAG LIFT AXLE TIRE SLR.....			177
TAIL PIPE.....	07WDT		45
<ul style="list-style-type: none"> - (1) Straight Type 			
THERMOSTAT TEMPERATURE CONTROL.....			204
THRU-SHAFT.....			127
TIRE VALVE CAP.....			241
TIRE, SPARE.....			241
TIRES.....	7372138132		302
<ul style="list-style-type: none"> - Goodyear 11R22.5 LR-G ENDURANCE RSA 496 rev/mile 75 MPH All-Position 			
TOGGLE SWITCH, AUXILIARY.....			57
TOOL BOX MOUNTED ON RAIL.....			7
TORQUE RODS.....			176
TOW HOOK, FRONT.....			6
TOW HOOK, REAR.....			6
TOW LOOP, REAR.....			6
TOW PIN, FRONT.....			7
TRAILER CONNECTION SOCKET.....			58
TRAILER CONNECTIONS.....			40
TRAILER HOSES AND CABLES.....			41



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- T -			
TRANSMISSION O I L			129
TRANSMISSION SHIFT CONTROL			130
TRANSMISSION, A U T O M A T I C			114
TRANSMISSION, A U X C O N T R O L S			129
TRANSMISSION, A U X I L I A R Y			128
TRANSMISSION, M A N U A L	13GWZ		95
<ul style="list-style-type: none"> - Eaton Fuller - UltraShift+ FO-16E313A 13-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid 			
TRANSVERSE TORQUE R O D S			176
TURN SIGNAL S W I T C H			58
TURN SIGNAL/SIDE M A R K E R L I G H T S			58
- W -			
W A R R A N T Y	40124	No Opt	247
<ul style="list-style-type: none"> - Standard for HX Series, Effective with Vehicles Built December 7, 2015 or Later, CTS-2015A 			
WHEEL BEARING, F R O N T, L U B E			242
WHEEL BRAND, F R O N T			241
WHEEL GUARDS, F R O N T			242
WHEEL GUARDS, R E A R			242
WHEEL SEALS, F R O N T			242
WHEEL SEALS, R E A R			242
WHEEL, R E A R, I D E N T I T Y			242
WHEEL, S P A R E, D I S C			233
WHEELBASE R A N G E	01WXC		7
<ul style="list-style-type: none"> - 169" (430cm) Through and Including 209" (530cm) STD ON HX520 SFA 6x4 ONLY 			
<ul style="list-style-type: none"> - 193" (490cm) Through and Including 232" (590cm) STD ON HX520 SFA 8x6 Tridem ONLY 			
	01WXP		



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- W -			
WHEELS, FRONT..... - Accuride - 51408 - DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	27DUW		205
WHEELS, LIFT AXLE PUSHER.....			243
WHEELS, REAR..... - Accuride - 51408 - DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	28DUW		222
WINDOW, POWER..... - (02) in Left and Right Doors	16WAK	No Opt	204
WINDOW, REAR..... - 52.25" Wide	16VZA	No Opt	204
WINDSHIELD..... - Single Piece	16WKR		204
WINDSHIELD WIPER BLADES.....			205
- 2 -			
2-WAY RADIO.....			53



HX520 SFA 6x4

STANDARD EQUIPMENT

MODEL CODE: HX52F00 LIST PRICE: \$226,778.00

01 FRAMES

- 01CGC - FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 550.0" (13970mm) Maximum OAL
- 01LPG - BUMPER, FRONT Gull Wing, Aluminum, Stainless Steel Clad, Heavy Duty
- 01WXC - WHEELBASE RANGE 169" (430cm) Through and Including 209" (530cm)

02 AXLE, FRONT

- 02ARW - AXLE, FRONT NON-DRIVING {Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity

03A SUSPENSION, FRONT

- 03ADC - SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackles Type, 12,000-lb Capacity, with Shock Absorbers

04 BRAKES

- 04091 - BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
 - * BRAKE LINES Color and Size Coded Nylon
 - * DRAIN VALVE Twist-Type
 - * GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster
 - * PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel
 - * PARKING BRAKE VALVE For Truck
 - * QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4
 - * SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes)
 - * SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes)
 - * SPRING BRAKE MODULATOR VALVE {Bendix} SR-7 with relay valve for 6x4/8x6
 - * SWITCH, AUXILIARY Interrupter for Cab Clearance/Marker Lights (Blinks Lights with Headlight Switch in "ON" Position); Instrument Panel Mounted
- 04AZJ - AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel) with Automatic Traction Control

04 BRAKES

- 04WEZ - BRAKE PACKAGE, FRONT {Bendix Spicer ADB22X} Air, Disc Type, Extended Service; Size 22.5"
- 04JJB - BRAKES, FRONT, AIR DISC 22.5 Dia, Includes 18" Sq. In. Brake Chambers
- 04WEY - BRAKE PACKAGE, REAR {Bendix Spicer ADB22X} Air, Disc Type, Extended Service; Size 22.5"
- 04JCC - BRAKES, REAR, AIR DISC 22.5 Dia, Includes 18/24" Sq. In. Brake Chambers
- 04SPA - AIR COMPRESSOR {Cummins} 18.7 CFM
- 04EBS - AIR DRYER {Bendix AD-9} with Heater
- 04732 - DRAIN VALVE {Berg} with Pull Chain, for Air Tank

05 STEERING

- 05PSA - STEERING GEAR {Sheppard M100} Power
- 05710 - STEERING COLUMN Tilting and Telescoping
- 05CAW - STEERING WHEEL 4-Spoke; 18" Dia., Black

06 DRIVELINES

- 06DGU - DRIVELINE SYSTEM {Dana Spicer} SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4

07 EXHAUST SYSTEM

- 07BLJ - EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side
- 07SAP - ENGINE COMPRESSION BRAKE {Cummins} Interbrake For Cummins Signature/ISX/X15 Engines; Furnished with Engine
- 07WDM - EXHAUST HEIGHT 10'
- 07WDT - TAIL PIPE (1) Straight Type

08 ELECTRICAL

- 08000 - ELECTRICAL SYSTEM 12-Volt, Standard Equipment
 - * HAZARD SWITCH Integral with Turn Signal Switch
 - * HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever
 - * PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
 - * STARTER SWITCH Electric, Key Operated
 - * STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector
 - * TURN SIGNAL SWITCH Manual Cancelling with Lane Change Feature

08 ELECTRICAL

- (CONT.) * TURN SIGNALS, FRONT Includes Integral Reflectors and Side Marker Lights; Fender Mounted
- * WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature, Steering Column Mounted
- * WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
- * WIRING, CHASSIS Color Coded and Continuously Numbered
- 08GXJ - ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount
- 08RMG - ANTENNA BASE (2) Single Function, (1) for CB and (1) for Entertainment Radio, without Splitter, Separate Lead-Ins, with CB Antenna Mounted on Left Mirror and AM/FM Antenna Mounted on Right Mirror
- 08VUK - BATTERY BOX Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab
- 08MSG - BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud
- 08XAH - CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
- 08XHT - HEADLIGHTS Halogen, Composite Combination
- 08653 - HORN, AIR Single, Located Under Cab
- 08VAY - HORN, ELECTRIC Disc Style
- 08718 - POWER SOURCE Cigar Type Receptacle without Plug and Cord
- 08WCK - POWER SOURCE, TERMINAL TYPE 2-Post
- 08RBN - RADIO Omit Item, Includes Wiring and Antenna, with Multiple Speakers
- 08WXG - STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start

09 FRONT END

- 09ASE - FRONT END Tilting, Composite
- 09HCN - GRILLE Chrome Vertical Accent Bars, with Black Mesh
- 09AAB - LOGOS EXTERIOR Model Badges
- 09AAE - LOGOS EXTERIOR, ENGINE Badges

Refer To General Info for Metric Conversion Tables



HX520 SFA 6x4

STANDARD EQUIPMENT

MODEL CODE: **HX52F00**

- | | | |
|--|---|--|
| <p>10 PAINT & MISCELLANEOUS
 10060 - PAINT SCHEMATIC, PT-1 Single Color, Design 100
 * PAINT SCHEMATIC ID LETTERS "LV"
 10761 - PAINT TYPE Base Coat/Clear Coat, 1-2 Tone</p> <p>11 CLUTCH
 11MGP - CLUTCH {Eaton Fuller ECA-1850} Two-Plate, Ceramic, 7-Spring with Pre-Damper, 15.5" Diameter, with Adjustment-Free Feature, 1850 lb-ft Torque Capacity</p> <p>12 ENGINE
 12EUP - ENGINE, DIESEL {Cummins X15 430 V} Productivity Series, EPA 2017, 430HP @ 1900 RPM, 1650 lb-ft Torque @ 950 RPM, 2000 RPM Governed Speed, 441 Peak HP (Max)
 12XBC - RADIATOR Aluminum; Welded, Down Flow System, Front to Back, 1325 SqIn, 806 SqIn CAC
 12THT - FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed
 12VBC - AIR CLEANER Single Element
 12703 - ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
 12WTA - FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted
 12WCX - HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type
 12WYZ - RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System</p> <p>13 TRANSMISSION
 13GWZ - TRANSMISSION, MANUAL {Eaton Fuller UltraShift+ FO-16E313A-MHP} 13-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> | <p>14A AXLE, REAR
 14GVU - AXLE, REAR, TANDEM {Meritor MT-40-14X-4DFR-P} Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, w/4.33"(11mm) Wall Housing Thickness, R Wheel Ends
 * RATIO: 2.64, 3.08, 3.25, 3.36, 3.42, 3.55, 3.70, 3.90, 4.11, 4.33, 4.63, 4.88, 5.29, 5.86, 6.14, 6.43, 6.83 OR 7.17</p> <p>14B SUSPENSION, REAR
 14ULX - SUSPENSION, REAR, TANDEM {Hendrickson HMX-400-54} Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings</p> <p>15 FUEL TANKS
 15SSN - FUEL TANK Non-Polished Aluminum, 24" Dia, 60 US Gal (227L), Mounted Left Side, Under Cab
 15DYP - DEF TANK 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab
 15LKU - FUEL/WATER SEPARATOR {Racor} Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor</p> <p>16 CAB
 16031 - CAB Conventional, Day Cab
 * CLEARANCE/MARKER LIGHTS (5) LED Roof Mounted
 * COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window
 * CONSOLE, CENTER Includes Two Cup Holders with Ash Cup and One Additional Storage Area
 * GLASS, ALL WINDOWS Tinted
 * GRAB HANDLE, CAB INTERIOR (2) One Each Side
 * GRAB HANDLE, EXTERIOR (2) Mounted Behind Driver and Passenger Doors
 * SPEAKERS IN CAB (4) Two Located in B-Pillar, Two Located Overhead on Driver and Passenger Sides
 * STEP (4) Two Steps Per Door
 16WKB - AIR CONDITIONER {International Blend-Air} with Integral Heater and Defroster
 16WJG - CAB DOOR LOCKS Power
 16VJZ - CAB INTERIOR TRIM Classic, for HX Day Cab</p> | <p>16 CAB (CONT.)
 * CONSOLE, OVERHEAD Molded Plastic with Three Storage Pockets; One with Velcro Strap for CB Radio Mounting; Two with Netting
 * DOME LIGHT, CAB (2) Rectangular, Door Activated; Above Door Mounted, One Each Side
 * FLOOR COVERING Rubber, Black
 * SUN VISOR (2) Vinyl with Toll Ticket Strap
 16WLD - CAB REAR SUSPENSION Dual Air Suspension, Includes Special Crossmember Assembly
 16HBA - GAUGE CLUSTER English with English Electronic Speedometer
 NOTE: STANDARD IN USA
 16VRT - HEATER, ENHANCED CIRCULATION {Bergstrom} Control, for Extreme Cold Weather Climates
 16SNL - MIRRORS (2) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width
 NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"
 - For U.S. Only
 16JPC - SEAT, DRIVER {National 2000 Model 295} Air Suspension, Intermediate Back, All Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3 Position Rear Cushion, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover
 16400 - SEAT, PASSENGER Omit Item
 16WAK - WINDOW, POWER (2) in Left and Right Doors
 16VZA - WINDOW, REAR 52.25" Wide
 16WKR - WINDSHIELD Single Piece</p> <p>27/28 WHEELS & TIRES
 27DUW - WHEELS, FRONT {Accuride 51408} DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
 28DUW - WHEELS, REAR {Accuride 51408} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs</p> |
|--|---|--|

Refer To General Info for Metric Conversion Tables



Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCECCPS 19

INTERNATIONAL®

HX

TRUCKS - 26,000 LBS. GVW OR GREATER
BID #ESCNJ 17/18-30

SERIES HEAVY DUTY

HX520 SFA 6x4

STANDARD EQUIPMENT

MODEL CODE: HX52F00

27/28 WHEELS & TIRES (CONT.)

737213 8132 (02) 11R22.5 14-PR
LR-G SINGLE FRONT RADIAL
TIRES {Goodyear ENDURANCE
RSA}

737213 8132 (08) 11R22.5 14-PR
LR-G DUAL REAR RADIAL TIRES
{Goodyear ENDURANCE RSA}

40 WARRANTY

40124 - WARRANTY Standard for
HX Series, Effective with
Vehicles Built December 7,
2015 or Later, CTS-2015A

Refer To General Info for Metric Conversion Tables

INTERNATIONAL® HX SERIES SECTION 583 - STANDARD EQUIPMENT PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105 PAGE 583-4

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, when Applicable



INTERNATIONAL®

HX

SERIES HEAVY DUTY

HX520 SFA 8x6 Tridem

STANDARD EQUIPMENT

MODEL CODE: HX52Z00 LIST PRICE: \$261,160.00

01 FRAMES

01CGC - FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 550.0" (13970mm) Maximum OAL

01LPG - BUMPER, FRONT Gull Wing, Aluminum, Stainless Steel Clad, Heavy Duty

01WXP - WHEELBASE RANGE 193" (490cm) Through and Including 232" (590cm)

02 AXLE, FRONT

02ARU - AXLE, FRONT NON-DRIVING {Meritor MFS-16-143A} Wide Track, I-Beam Type, 16,000-lb Capacity

03A SUSPENSION, FRONT

03ADE - SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackles Type, 16,000-lb Capacity, with Shock Absorbers

04 BRAKES

04091 - BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
 * BRAKE LINES Color and Size Coded Nylon
 * DRAIN VALVE Twist-Type
 * GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster
 * PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel
 * PARKING BRAKE VALVE For Truck
 * QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4
 * SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes)
 * SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes)
 * SPRING BRAKE MODULATOR VALVE {Bendix} SR-7 with relay valve for 6x4/8x6
 * SWITCH, AUXILIARY Interrupter for Cab Clearance/Marker Lights (Blinks Lights with Headlight Switch in "ON" Position); Instrument Panel Mounted

04AZV - AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (6-Channel; 6 Sensor/6 Modulator) with Automatic Traction Control

04 BRAKES

(CONT.)
 04193 - BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 Sqn Long Stroke Brake Chambers
 04EXV - BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 Sqn
 04NDB - BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake
 04EXU - BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake
 04SPA - AIR COMPRESSOR {Cummins} 18.7 CFM
 04EBS - AIR DRYER {Bendix AD-9} with Heater
 04732 - DRAIN VALVE {Berg} with Pull Chain, for Air Tank

05 STEERING

05PTB - STEERING GEAR (2) {Sheppard M100/M80} Dual Power
 05710 - STEERING COLUMN Tilting and Telescoping
 05CAW - STEERING WHEEL 4-Spoke; 18" Dia., Black

06 DRIVELINES

06DHU - DRIVELINE SYSTEM {Dana Spicer} SPL250 Main Driveline, with SPL170 First Interaxle Shaft, SPL170 Second Interaxle Shaft, for 8x6

07 EXHAUST SYSTEM

07BLJ - EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side
 07SAP - ENGINE COMPRESSION BRAKE {Cummins} Interbrake For Cummins Signature/ISX/X15 Engines; Furnished with Engine
 07WDM - EXHAUST HEIGHT 10'
 07WDT - TAIL PIPE (1) Straight Type

08 ELECTRICAL

08000 - ELECTRICAL SYSTEM 12-Volt, Standard Equipment
 * HAZARD SWITCH Integral with Turn Signal Switch
 * HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever
 * PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
 * STARTER SWITCH Electric, Key Operated
 * STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector

08 ELECTRICAL

(CONT.)
 * TURN SIGNAL SWITCH Manual Cancelling with Lane Change Feature
 * TURN SIGNALS, FRONT Includes Integral Reflectors and Side Marker Lights; Fender Mounted
 * WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature, Steering Column Mounted
 * WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
 * WIRING, CHASSIS Color Coded and Continuously Numbered

08GXJ - ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount

08RMG - ANTENNA BASE (2) Single Function, (1) for CB and (1) for Entertainment Radio, without Splitter, Separate Lead-Ins, with CB Antenna Mounted on Left Mirror and AM/FM Antenna Mounted on Right Mirror

08VUK - BATTERY BOX Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab

08MSG - BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud

08XAH - CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses

08XHT - HEADLIGHTS Halogen, Composite Combination

08653 - HORN, AIR Single, Located Under Cab

08VAY - HORN, ELECTRIC Disc Style

08718 - POWER SOURCE Cigar Type Receptacle without Plug and Cord

08WCK - POWER SOURCE, TERMINAL TYPE 2-Post

08RBN - RADIO Omit Item, Includes Wiring and Antenna, with Multiple Speakers

08WXG - STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start

09 FRONT END

09ASE - FRONT END Tilting, Composite
 09HCN - GRILLE Chrome Vertical Accent Bars, with Black Mesh

Refer To General Info for Metric Conversion Tables



INTERNATIONAL®

HX

SERIES HEAVY DUTY

HX520 SFA 8x6 Tridem

STANDARD EQUIPMENT

MODEL CODE: **HX52Z00**

<p>09 FRONT END (CONT.) 09AAB - LOGOS EXTERIOR Model Badges 09AAE - LOGOS EXTERIOR, ENGINE Badges 10 PAINT & MISCELLANEOUS 10060 - PAINT SCHEMATIC, PT-1 Single Color, Design 100 * PAINT SCHEMATIC ID LETTERS "LV" 10761 - PAINT TYPE Base Coat/Clear Coat, 1-2 Tone 11 CLUTCH 11MGP - CLUTCH {Eaton Fuller ECA-1850} Two-Plate, Ceramic, 7-Spring with Pre-Damper, 15.5" Diameter, with Adjustment-Free Feature, 1850 lb-ft Torque Capacity 12 ENGINE 12EUP - ENGINE, DIESEL {Cummins X15 430 V} Productivity Series, EPA 2017, 430HP @ 1900 RPM, 1650 lb-ft Torque @ 950 RPM, 2000 RPM Governed Speed, 441 Peak HP (Max) 12XBC - RADIATOR Aluminum; Welded, Down Flow System, Front to Back, 1325 SqIn, 806 SqIn CAC 12THT - FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed 12VBC - AIR CLEANER Single Element 12703 - ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection 12WTA - FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted 12WCX - HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type 12WYZ - RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System 13 TRANSMISSION 13GWZ - TRANSMISSION, MANUAL {Eaton Fuller UltraShift+ FO-16E313A-MHP} 13-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p>	<p>14A AXLE, REAR 14HRG - AXLE, REAR, TRIDEM {Meritor RZ-166 EH} Single Reduction, Wide Track, 53,000-lb Capacity, Driver Controlled Locking Differential in All Three Axles, 200 Wheel Ends * RATIO: 4.30, 4.56, 4.89, 5.38, 5.63, 6.14, 6.43, 6.83 OR 7.17 NOTE: Axle Lead Time is 45 Days 14B SUSPENSION, REAR 14UPC - SUSPENSION, REAR, AIR, TRIDEM {Hendrickson PAX-690-55} 69,000-lb Capacity, 55" Axle Spacing, 9.5" Ride Height, with Shock Absorbers Mounted in Standard Location 15 FUEL TANKS 15SSN - FUEL TANK Non-Polished Aluminum, 24" Dia, 60 US Gal (227L), Mounted Left Side, Under Cab 15DYP - DEF TANK 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab 15LKU - FUEL/WATER SEPARATOR {Racor} Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor 16 CAB 16031 - CAB Conventional, Day Cab * CLEARANCE/MARKER LIGHTS (5) LED Roof Mounted * COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window * CONSOLE, CENTER Includes Two Cup Holders with Ash Cup and One Additional Storage Area * GLASS, ALL WINDOWS Tinted * GRAB HANDLE, CAB INTERIOR (2) One Each Side * GRAB HANDLE, EXTERIOR (2) Mounted Behind Driver and Passenger Doors * SPEAKERS IN CAB (4) Two Located in B-Pillar, Two Located Overhead on Driver and Passenger Sides * STEP (4) Two Steps Per Door 16WKB - AIR CONDITIONER {International Blend-Air} with Integral Heater and Defroster 16WJG - CAB DOOR LOCKS Power 16VJZ - CAB INTERIOR TRIM Classic, for HX Day Cab</p>	<p>16 CAB (CONT.) * CONSOLE, OVERHEAD Molded Plastic with Three Storage Pockets; One with Velcro Strap for CB Radio Mounting; Two with Netting * DOME LIGHT, CAB (2) Rectangular, Door Activated; Above Door Mounted, One Each Side * FLOOR COVERING Rubber, Black * SUN VISOR (2) Vinyl with Toll Ticket Strap 16WLD - CAB REAR SUSPENSION Dual Air Suspension, Includes Special Crossmember Assembly 16HBA - GAUGE CLUSTER English with English Electronic Speedometer NOTE: STANDARD IN USA 16VRT - HEATER, ENHANCED CIRCULATION {Bergstrom} Control, for Extreme Cold Weather Climates 16SNL - MIRRORS (2) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width NOTE: Mirror Dimensions are Rounded to the Nearest 0.5" - For U.S. Only 16JPC - SEAT, DRIVER {National 2000 Model 295} Air Suspension, Intermediate Back, All Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3 Position Rear Cushion, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover 16400 - SEAT, PASSENGER Omit Item 16WAK - WINDOW, POWER (2) in Left and Right Doors 16VZA - WINDOW, REAR 52.25" Wide 16WKR - WINDSHIELD Single Piece 27/28 WHEELS & TIRES 27DUW - WHEELS, FRONT {Accuride 51408} DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs 28DUW - WHEELS, REAR {Accuride 51408} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs</p>
---	---	--

Refer To General Info for Metric Conversion Tables



Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCECCPS 22

TRUCKS - 26,000 LBS. GVW OR GREATER
BID #ESCNJ 17/18-30

INTERNATIONAL®

HX

SERIES HEAVY DUTY

HX520 SFA 8x6 Tridem

STANDARD EQUIPMENT

MODEL CODE: HX52Z00

27/28 WHEELS & TIRES (CONT.)

737213 8132 (02) 11R22.5 14-PR
LR-G SINGLE FRONT RADIAL
TIRES {Goodyear ENDURANCE
RSA}

737213 8132 (12) 11R22.5 14-PR
LR-G DUAL REAR RADIAL TIRES
{Goodyear ENDURANCE RSA}

40 WARRANTY

40124 - WARRANTY Standard for
HX Series, Effective with
Vehicles Built December 7,
2015 or Later, CTS-2015A

Refer To General Info for Metric Conversion Tables

INTERNATIONAL® HX SERIES SECTION 583 - STANDARD EQUIPMENT PRICES EFFECTIVE 01/01/2020

PL-284 REVISION NO. 105 PAGE 583-8

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, when Applicable



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>FRAME REINFORCEMENT <i>(SEE PREV PAGE)</i></p> <p>NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>REQS: Code 02ARU, 02ARW(std), 02ARY, 02ARZ, 02ASG, 02ASM, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING - for HX520 SFA 6x4</p> <p>-OR- Code 02ARU(std), 02ARY, 02ARZ, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING - for HX520 SFA 8x6 Tridem</p> <p>REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4</p> <p>-OR- SUSPENSION, REAR, TANDEM - for HX520 SFA 6x4</p> <p>-OR- SUSPENSION, REAR, AIR, TRIDEM - for HX520 SFA 8x6 Tridem</p> <p>AVAIL: Code 10022 CHASSIS COATING : Code 10JPG FIFTH WHEEL, AIR SLIDE</p>	01GDS		
<p>BUMPER, FRONT</p> <p>Gull Wing, Aluminum, Stainless Steel Clad, Heavy Duty</p> <p>N/A: Code 01WCP FRAME EXTENSION, FRONT : Code 01LEL LICENSE PLATE HOLDER</p> <p>"TEXAS Style", Aluminum, Stainless Steel Clad</p> <p>N/A: Code 01WCP FRAME EXTENSION, FRONT</p> <p>Swept Back 40-Degrees, Steel, Painted, Heavy Duty</p> <p>REQS: Code 01WCP FRAME EXTENSION, FRONT REQS: Code 01CGD FRAME RAILS N/A: Code 08XJG, 08XJH and 08XJJ FOG LIGHTS : Code 01VBC TOW PIN, FRONT - for HX520 SFA 6x4</p>	01LPG 01LPH 01LLW	STD \$333 +9/-1 N/C	STD \$333 +9/-1 N/C
<p>CROSSMEMBER, FRAME TIE</p> <p>for Heavy Duty</p> <p>for Standard Duty</p>	01AMS 01AMR	\$258 +51/+5 N/C +33/+9	\$258 0/0 N/C 0/0
<p>CROSSMEMBER, INTERMEDIATE LOC</p> <p>1st Located 19" Back of Cab, 2nd Located 58" Back of Cab</p> <p>REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 08VUK(std) or 08VUZ BATTERY BOX REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14UZB, 14UZS, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM</p> <p>REQS: Code 07BLJ(std) or 07BMD EXHAUST SYSTEM REQS: Code 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN, 15SWH, 15SWJ or 15SWK FUEL TANK</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	01UCD	\$50	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
CROSSMEMBER, INTERMEDIATE LOC (SEE PREV PAGE) N/A: Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE 2nd Located 6.0" Forward REQS: Code 04XAC AIR TANK LOCATION REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 08VUZ BATTERY BOX REQS: Code 14UNX, 14UPV or 14UPX SUSPENSION, REAR, AIR, TANDEM REQS: Code 07BLJ EXHAUST SYSTEM REQS: Code 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN, 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE	01UCD 01UBT	\$200	N/A
CROSSMEMBER, REAR Relocated to End of Frame N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 01WSA TOW LOOP, REAR	01652	\$30 -20/+85	\$30 0/0
CROSSMEMBER, REAR, AF (02) 5-Piece N/A: Code 01616 FRAME RAILS WITH TAPERED REAR - for HX520 SFA 8x6 Tridem : Code 01616 FRAME RAILS WITH TAPERED REAR - for HX520 SFA 6x4 : Code 01616 FRAME RAILS WITH TAPERED REAR (03) 5-Piece N/A: Code 01616 FRAME RAILS WITH TAPERED REAR (1) 5-Piece N/A: Code 01616 FRAME RAILS WITH TAPERED REAR - for HX520 SFA 8x6 Tridem : Code 01616 FRAME RAILS WITH TAPERED REAR - for HX520 SFA 6x4 : Code 01616 FRAME RAILS WITH TAPERED REAR	01SAR 01SAS 01SAP	\$303 -62/+193 \$470 -100/+297 \$162 -20/+86	\$303 -50/+181 N/A \$162 -16/+82
DECK PLATE Aluminum, (2) Sections, 15" Wide REQS: Code 16ZGV ACCESS, FRAME - for HX520 SFA 8x6 Tridem REQS: Code 16ZGV or 16ZHN ACCESS, FRAME - for HX520 SFA 6x4 N/A: Code 16ZBB ACCESS, CAB : Code 16ZBP ACCESS, CAB AND FRAME Bustin Aluminum, (2) Sections REQS: Code 16ZBP ACCESS, CAB AND FRAME N/A: Code 16ZBB ACCESS, CAB : Code 16ZGV and 16ZHN ACCESS, FRAME	01832 01WLY	\$347 +11/+15 \$1,119 +11/+15	\$347 0/0 \$1,119 +14/+12



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
FRAME EXTENSION, FRONT Integral; 27" in Front of Grille, Includes Crossmember for Front PTO REQS: Code 10WLC GCWR RANGE REQS: Code 01CGD FRAME RAILS REQS: Code 12XBN RADIATOR REQS: Code 01LLW BUMPER, FRONT N/A: Code 15WCS FUEL COOLER or Code 01VBC TOW PIN, FRONT : Code 01WRW TOW HOOK, FRONT	01WCP	\$695	\$695
FRAME RAILS WITH TAPERED REAR REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04619 TRAILER CONNECTIONS : Code 01SAP, 01SAR and 01SAS CROSSMEMBER, REAR, AF : Code 01652 CROSSMEMBER, REAR : Code 01GTA REINFORCEMENT, PINTLE HOOK : Code 01WRZ TOW HOOK, REAR : Code 01WSA TOW LOOP, REAR AVAIL: Code 08TMN TRAILER CONNECTION SOCKET - for HX520 SFA 6x4	01616	\$87 0/0	\$87 0/0
REINFORCEMENT, PINTLE HOOK Ahead of Rear Crossmember for Pintle Hook N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 01WRZ TOW HOOK, REAR	01GTA	\$176 -12/+48	\$176 0/0
TOW HOOK, FRONT (02) Frame Mounted; 80,000-lb. Total Capacity N/A: Code 01WCP FRAME EXTENSION, FRONT : Code 01VBC TOW PIN, FRONT	01WRW	\$118 +16/-1	\$118 0/0
TOW HOOK, REAR (02) Frame Mounted; 80,000-lb. Total Capacity REQS: Code 01652 CROSSMEMBER, REAR REQS: Code 08TKB, 08TKC or 08TKJ STOP, TURN, TAIL & B/U LIGHTS N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS : Code 01GTA REINFORCEMENT, PINTLE HOOK : Code 01WSA TOW LOOP, REAR : Code 10WPR, 10WPT and 10WPU MUD FLAP HOLDER	01WRZ	\$125 -10/+43	\$125 -8/+41
TOW LOOP, REAR Frame Mounted; 80,000-lb. Total Capacity N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 01652 CROSSMEMBER, REAR : Code 08TMN and 08554 TRAILER CONNECTION SOCKET : Code 01WRZ TOW HOOK, REAR	01WSA	\$778 -33/+142	\$778 -26/+136



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
TOW PIN, FRONT Heavy Duty; 150,000-lb. Total Capacity N/A: Code 01WRW TOW HOOK, FRONT	01VBC	\$838 +85/-11	\$838 +83/-9
WHEELBASE RANGE 169" (430cm) Through and Including 209" (530cm) 193" (490cm) Through and Including 232" (590cm) 211" (535cm) Through and Including 256" (650cm) 234" (595cm) Through and Including 280" (710cm) 258" (655cm) Through and Including 315" (800cm) 282" (715cm) Through and Including 339" (860cm) 317" (805cm) Through and Including 370" (940cm) 341" (865cm) Through and Including 392" (995cm)	01WXC 01WXP 01WXD 01WXR 01WJX 01WXS 01WXE 01WXT	STD N/A \$633 0/0 N/A \$1,397 N/A \$1,832 0/0 N/A	N/A STD N/A \$966 0/0 N/A \$1,832 0/0 N/A \$2,300 0/0
TOOL BOX MOUNTED ON RAIL Aluminum, with Diamond Plate Lid with Seal and Lockable T-Handle, Mounted Left Side BOC, 17"D X 18"L X 22" High REQS: Code 16AUB or 16AUC CAB REQS: Code 08WJN BATTERY BOX REQS: Code 14UNX, 14UPV or 14UPX SUSPENSION, REAR, AIR, TANDEM REQS: Code 15DXH or 15DXJ FUEL TANK N/A: SUSPENSION, REAR, TANDEM : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE AVAIL: Code 16ZGV ACCESS, FRAME	01GUG	\$952	N/A
LICENSE PLATE HOLDER 3-Plate, Swing Type, Mounted Below Front Bumper REQS: Code 01LLW or 01LPH BUMPER, FRONT	01LEL	\$137 +7/-1	\$137 -85/+9



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>AXLE, FRONT NON-DRIVING (SEE PREV PAGE)</p> <p><i>Meritor</i></p> <p>- MFS-16-135A - N/A: Code 27DEM, 27DMM, 27DMN, 27DTA, 27DTC, 27DTZ, 27DUA, 27DUC, 27DUX, 27DVJ, 27DVK, 27DVR and 27DVS WHEELS, FRONT AVAIL: Code 04WEZ BRAKE PACKAGE, FRONT - for HX520 SFA 8x6 Tridem</p> <p>- MFS-16-143A - Wide Track, I-Beam Type, 16,000-lb Capacity REQS: Code 05PTB(std) STEERING GEAR - for HX520 SFA 8x6 Tridem REQS: Code 05PTB STEERING GEAR - for HX520 SFA 6x4 REQS: Code 04193 BRAKES, FRONT, AIR CAM - for HX520 SFA 6x4 -OR- BRAKES, FRONT, AIR CAM - for HX520 SFA 8x6 Tridem REQS: Code 03ADE SUSPENSION, FRONT, SPRING - for HX520 SFA 6x4 -OR- Code 03ADE(std) SUSPENSION, FRONT, SPRING - for HX520 SFA 8x6 Tridem REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4 -OR- SUSPENSION, REAR, TANDEM - for HX520 SFA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX520 SFA 8x6 Tridem N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 03772 SHOCK ABSORBERS, FRONT : Code 27DEM, 27DMM, 27DMN, 27DTA, 27DTC, 27DUC, 27DUX, 27DVB, 27DVJ, 27DVK, 27DVR and 27DVS WHEELS, FRONT AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p> <p>- MFS-18-133A - Wide Track, I-Beam Type, 18,000-lb Capacity REQS: Code 05PTB(std) STEERING GEAR - for HX520 SFA 8x6 Tridem REQS: Code 05PTB STEERING GEAR - for HX520 SFA 6x4 REQS: Code 04193 BRAKES, FRONT, AIR CAM - for HX520 SFA 6x4 -OR- BRAKES, FRONT, AIR CAM - for HX520 SFA 8x6 Tridem REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 03ADG SUSPENSION, FRONT, SPRING N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 01CAG FRAME RAILS : Code 03772 SHOCK ABSORBERS, FRONT : Code 27DEM, 27DMM, 27DMN, 27DTA, 27DTC, 27DUC, 27DUX, 27DVJ, 27DVK, 27DVR and 27DVS WHEELS, FRONT AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p>	<p>02AVA</p> <p>02ARU</p> <p>02ARZ</p>	<p></p> <p>\$2,037 0/0</p> <p>\$2,088 +186/0</p>	<p></p> <p>STD</p> <p>\$51 +38/0</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
AXLE, FRONT NON-DRIVING (SEE PREV PAGE) Meritor - MFS-20-135A - N/A: Code 04JCJ, 04193(std) and 04196 BRAKES, FRONT, AIR CAM : Code 01CAG FRAME RAILS : Code 27DEM, 27DMM, 27DMN, 27DTA, 27DTC, 27DUC, 27DUX, 27DVJ, 27DVK, 27DVR and 27DVS WHEELS, FRONT AVAIL: Code 04WEZ BRAKE PACKAGE, FRONT - for HX520 SFA 8x6 Tridem	02AVC		
SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 12,000-lb Capacity, with Shock Absorbers REQS: Code 02ARW(std) AXLE, FRONT NON-DRIVING N/A: Code 03772 SHOCK ABSORBERS, FRONT Parabolic Taper Leaf, Shackle Type, 14,000-lb Capacity, with Shock Absorbers REQS: Code 02ARV or 02ASG AXLE, FRONT NON-DRIVING N/A: Code 03772 SHOCK ABSORBERS, FRONT Parabolic Taper Leaf, Shackle Type, 16,000-lb Capacity, with Shock Absorbers REQS: Code 02ARU, 02ASM or 02AVA AXLE, FRONT NON-DRIVING - for HX520 SFA 6x4 -OR- Code 02ARU(std) or 02AVA AXLE, FRONT NON-DRIVING - for HX520 SFA 8x6 Tridem N/A: Code 03772 SHOCK ABSORBERS, FRONT Parabolic Taper Leaf, Shackle Type, 18,000-lb Capacity, with Shock Absorbers REQS: Code 02ARZ or 02AVB AXLE, FRONT NON-DRIVING N/A: Code 03772 SHOCK ABSORBERS, FRONT Parabolic Taper Leaf, Shackle Type, 20,000-lb Capacity, Steel Springs 18K Capacity and (2) Rubber Auxiliary Springs 2K Capacity, Less Shock Absorbers REQS: Code 02ARY or 02AVC AXLE, FRONT NON-DRIVING N/A: Code 03772 SHOCK ABSORBERS, FRONT Two Stage Multileaf, Shackle Type, 20,000-lb Capacity, Steel Springs 18K Capacity and (2) Rubber Auxiliary Springs 2K Capacity, with Shock Absorbers REQS: Code 02ARY or 02AVC AXLE, FRONT NON-DRIVING N/A: Code 03772 SHOCK ABSORBERS, FRONT	03ADC 03ADD 03ADE 03ADG 03ADJ 03AEX	STD \$244 +13/0 \$283 0/0 \$450 +150/0 \$724 +171/0 \$856 +202/0	N/A N/A STD \$167 +66/0 \$441 +87/0 \$573 +118/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
SHOCK ABSORBERS, FRONT for 20,000-lb Capacity Suspensions REQS: Code 02ARY or 02AVC AXLE, FRONT NON-DRIVING REQS: Code 03ADJ SUSPENSION, FRONT, SPRING	03772	\$265 +79/0	N/A
BRAKE SYSTEM, AIR Dual System for Straight Truck Applications INCLS: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes) : SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes) : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : BRAKE LINES Color and Size Coded Nylon : SPRING BRAKE MODULATOR VALVE {Bendix} SR-7 with relay valve for 6x4/8x6 : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : PARKING BRAKE VALVE For Truck : DRAIN VALVE Twist-Type : SWITCH, AUXILIARY Interrupter for Cab Clearance/Marker Lights (Blinks Lights with Headlight Switch in "ON" Position); Instrument Panel Mounted REQS: Code 01652 CROSSMEMBER, REAR or Code 01WSA TOW LOOP, REAR or Code 01SAP or 01SAR CROSSMEMBER, REAR, AF - for HX520 SFA 8x6 Tridem REQS: Code 01652 CROSSMEMBER, REAR, when in combination with Code 14UHL SUSPENSION, REAR, TANDEM - for HX520 SFA 6x4 REQS: Code 04JBZ(std), 04JCN or 04JDD BRAKES, FRONT, AIR DISC - for HX520 SFA 6x4 -OR- Code 04JCN BRAKES, FRONT, AIR DISC - for HX520 SFA 8x6 Tridem -OR- BRAKES, FRONT, AIR CAM - for HX520 SFA 8x6 Tridem -OR- BRAKES, FRONT, AIR CAM - for HX520 SFA 6x4 REQS: Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM - for HX520 SFA 6x4 -OR- BRAKES, REAR, AIR DISC - for HX520 SFA 6x4 -OR- BRAKES, REAR, AIR CAM - for HX520 SFA 8x6 Tridem N/A: Code 16ZBP ACCESS, CAB AND FRAME : Code 16ZGV and 16ZHN ACCESS, FRAME : Code 04WZK BRAKE PACKAGE, FRONT - for HX520 SFA 8x6 Tridem : Code 04WBX DUST SHIELDS, FRONT BRAKE : Code 04WHL BRAKE PACKAGE, REAR : Code 29334 BRAKE DRUMS, REAR - for HX520 SFA 8x6 Tridem : Code 04WDM DUST SHIELDS, REAR BRAKE : Code 04AZY AIR BRAKE ABS - for HX520 SFA 8x6 Tridem <div style="text-align: right;"><i>(SEE NEXT PAGE)</i></div>	04091	STD	STD



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>BRAKE SYSTEM, AIR <i>(SEE PREV PAGE)</i></p> <p>INCLS: SWITCH, AUXILIARY Interrupter for Cab and Trailer Clearance/Marker Lights (Blinks Lights with Headlight Switch in "ON" Position); Instrument Panel Mounted - for HX520 SFA 8x6 Tridem</p> <p>REQS: Code 04774 SPECIAL RATING, GAWR - for HX520 SFA 8x6 Tridem</p> <p>REQS: Code 04AZY AIR BRAKE ABS - for HX520 SFA 8x6 Tridem</p> <p>REQS: Code 04AZS or 04AZY AIR BRAKE ABS - for HX520 SFA 6x4</p> <p>REQS: Code 04AAA or 04AAU BRAKE CHAMBERS, ADDITIONAL, when in combination with Code 04EVH, 04EXU or 04EXW BRAKE CHAMBERS, REAR AXLE - for HX520 SFA 6x4</p> <p>REQS: Code 01616 FRAME RAILS WITH TAPERED REAR</p> <p>REQS: Code 10WPY, 10WPY, 10WSX or 10WSX MUD FLAPS, REAR</p> <p>REQS: Code 10WPR, 10WPR, 10WPT, 10WPT, 10WPU or 10WPU MUD FLAP HOLDER</p> <p>REQS: Code 02ARU, 02ARV, 02ARW(std), 02ASG, 02ASM, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING - for HX520 SFA 6x4</p> <p>-OR- Code 02ARU(std), 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING - for HX520 SFA 8x6 Tridem</p> <p>N/A: Code 04WDN DUST SHIELDS, REAR BRAKE</p> <p style="padding-left: 20px;">: Code 04583 HAND CONTROL VALVE, AIR</p> <p style="padding-left: 20px;">: Code 04WDW BRAKE CHAMBERS, SPRING</p> <p style="padding-left: 20px;">: Code 04619 TRAILER CONNECTIONS</p> <p style="padding-left: 20px;">: CROSSMEMBER, INTERMEDIATE LOC or SUSPENSION, REAR, TANDEM or Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE - for HX520 SFA 6x4</p> <p style="padding-left: 20px;">: Tire 07384240162(Rear) and 07384248123(Rear)</p> <p style="padding-left: 20px;">: Code 14WNJ AXLE, PUSHER, LIFT TYPE</p> <p style="padding-left: 20px;">: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE</p> <p>AVAIL: Code 08TMN TRAILER CONNECTION SOCKET - for HX520 SFA 6x4</p> <p>REC: Code 10WDC FIFTH WHEEL RELEASE or Code 10STA, 10WDA or 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p style="padding-left: 20px;">: Code 10GWY, 10GWZ, 10GYZ, 10HCA, 10HKT, 10HYR, 10HYU or 10HYV FIFTH WHEEL, STATIONARY or Code 10HKJ, 10HKK, 10JPG, 10KKM, 10KKN, 10KKP, 10KKR, 10KKS, 10KKT, 10KKU or 10KKV FIFTH WHEEL, AIR SLIDE - for HX520 SFA 8x6 Tridem</p> <p style="padding-left: 20px;">: Code 10EYC, 10EYD, 10GWY, 10GWZ, 10GYZ, 10HCA, 10HKE, 10HKG, 10HKK, 10HKT, 10HYR, 10HYU, 10HYV, 10JAX, 10JAY or 10JAZ FIFTH WHEEL, STATIONARY or Code 10HHW, 10HHY, 10HHZ, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ, 10HKK, 10HLE, 10HYX, 10JAD, 10JPG, 10KKM, 10KKN, 10KKP, 10KKR, 10KKS, 10KKT, 10KKU or 10KKV FIFTH WHEEL, AIR SLIDE - for HX520 SFA 6x4</p>	04092		



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
AIR BRAKE ABS			
<i>Bendix</i>			
- AntiLock Brake System -			
Full Vehicle Wheel Control System (4-Channel) with Automatic Traction Control REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 08TPU COLLISION MITIGATION SYSTEM	04AZJ	STD	N/A
Full Vehicle Wheel Control System (4-Channel) REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRJ, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTU, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM REQS: Code 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GNA, 13GNB or 13GYK TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC N/A: Code 08TPU COLLISION MITIGATION SYSTEM	04AZA	\$182CR 0/0	N/A
with Electronic Stability Program (4-Channel; 4 Sensor/4 Modulator) with Automatic Traction Control REQS: Code 04JCC or 04JNT BRAKES, REAR, AIR DISC or Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL, 04NDP or 04NDZ BRAKES, REAR, AIR CAM REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14WLM, 14WNNH, 14WNNJ or 14WNNM AXLE, PUSHER, LIFT TYPE REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14WLR or 14WNNK AXLE, TAG, LIFT TYPE REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14WLT AXLE, PUSHER, LIFT TYPE, ID REQS: Code 02ARU, 02ARV, 02ARW(std), 02ARZ, 02ASG, 02ASM, 02AVA or 02AVC AXLE, FRONT NON-DRIVING REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL, 04NDP or 04NDZ BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UZH, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM	04AZS	\$1,742 0/0	N/A
(SEE NEXT PAGE)			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
BRAKES, FRONT, AIR DISC			
22.5 Dia, Includes 18" Sq. In. Brake Chambers REQS: Code 02ARV, 02ARW(std), 02ASG, 02ASM, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING REQS: Code 04WEZ(std) or 04WZK BRAKE PACKAGE, FRONT REQS: Code 02ASG AXLE, FRONT NON-DRIVING N/A: Code 04ETE, 04EXP and 04EXV BRAKE CHAMBERS, FRONT AXLE : Code 29331 BRAKE DRUMS, FRONT : Code 04WBX DUST SHIELDS, FRONT BRAKE : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCJ, 04193 and 04196 BRAKES, FRONT, AIR CAM AVAIL: Code 04WEZ(std) BRAKE PACKAGE, FRONT	04JBZ	STD	N/A
22.5 Dia, Includes 20" Sq. In. Brake Chambers REQS: Code 02ARV, 02ARW(std), 02ASG, 02ASM, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING - for HX520 SFA 6x4 REQS: Code 04WEZ(std) or 04WZK BRAKE PACKAGE, FRONT - for HX520 SFA 6x4 REQS: Code 04WEZ(std) or 04WZK BRAKE PACKAGE, FRONT REQS: Code 02ARV, 02ASG, 02ASM, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING - for HX520 SFA 6x4 -OR- Code 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING - for HX520 SFA 8x6 Tridem N/A: Code 04ETE, 04EXP and 04EXV(std) BRAKE CHAMBERS, FRONT AXLE : Code 29331 BRAKE DRUMS, FRONT - for HX520 SFA 6x4 : Code 04WBX DUST SHIELDS, FRONT BRAKE : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCJ, 04193(std) and 04196 BRAKES, FRONT, AIR CAM AVAIL: Code 04WEZ(std) BRAKE PACKAGE, FRONT	04JCN	\$20 + 1/0	\$1,388 - 25/0
22.5 Dia, Includes 24" Sq. In. Brake Chambers REQS: Code 04WEZ(std) or 04WZK BRAKE PACKAGE, FRONT - for HX520 SFA 6x4 REQS: Code 04WEZ(std) or 04WZK BRAKE PACKAGE, FRONT REQS: Code 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING REQS: Code 04092 BRAKE SYSTEM, AIR - for HX520 SFA 8x6 Tridem -OR- BRAKE SYSTEM, AIR - for HX520 SFA 6x4 N/A: Code 04WHX BRAKE PACKAGE, FRONT : Code 04ETE, 04EXP and 04EXV(std) BRAKE CHAMBERS, FRONT AXLE : Code 29331 BRAKE DRUMS, FRONT - for HX520 SFA 6x4 : Code 04WBX, 04WHA and 04WHD DUST SHIELDS, FRONT BRAKE : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCJ, 04193(std) and 04196 BRAKES, FRONT, AIR CAM	04JDD	\$1,346 + 1/0	\$2,714 - 25/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
<p>BRAKES, FRONT, AIR DISC (CONTINUED)</p> <p>22.5 Dia, Includes 27" Sq. In. Brake Chambers REQS: Code 04WEZ(std) or 04WZK BRAKE PACKAGE, FRONT - for HX520 SFA 6x4 REQS: Code 04WEZ(std) or 04WZK BRAKE PACKAGE, FRONT REQS: Code 02AVB or 02AVC AXLE, FRONT NON-DRIVING REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04ETE, 04EXP and 04EXV(std) BRAKE CHAMBERS, FRONT AXLE : Code 29331 BRAKE DRUMS, FRONT - for HX520 SFA 6x4 : Code 04WBX, 04WHA and 04WHD DUST SHIELDS, FRONT BRAKE : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCJ, 04193(std) and 04196 BRAKES, FRONT, AIR CAM AVAIL: Code 04WZK BRAKE PACKAGE, FRONT</p>	04JDE	\$1,446 +43/0	\$2,814 +17/0
<p>BRAKES, FRONT, AIR CAM</p> <p>S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers REQS: Code 04EXP BRAKE CHAMBERS, FRONT AXLE REQS: Code 02ARV, 02ARW(std), 02ASG or 02ASM AXLE, FRONT NON-DRIVING REQS: Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WEZ(std), 04WHX and 04WZK BRAKE PACKAGE, FRONT AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WBX DUST SHIELDS, FRONT BRAKE</p> <p>16.5" x 5", Includes 24 SqIn Long Stroke Brake Chambers REQS: Code 04ETE or 04EXV BRAKE CHAMBERS, FRONT AXLE REQS: Code 02ARV, 02ARW(std), 02ASG or 02ASM AXLE, FRONT NON-DRIVING REQS: Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WEZ(std), 04WHX and 04WZK BRAKE PACKAGE, FRONT AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WBX DUST SHIELDS, FRONT BRAKE</p> <p>16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers REQS: Code 04ETE or 04EXV BRAKE CHAMBERS, FRONT AXLE - for HX520 SFA 6x4 REQS: Code 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ASG or 02ASM AXLE, FRONT NON-DRIVING - for HX520 SFA 6x4</p>	04JCJ	\$1,368CR -28/0	N/A
	04196	\$1,368CR -28/0	N/A
	04193	\$1,368CR 0/0	STD
(SEE NEXT PAGE)			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>BRAKE PACKAGE, REAR (CONTINUED)</p> <p><i>Bendix Spicer</i></p> <p>- ES-165-7 NGLW - Air, Cam Type, Extended Service; Size 16.5" x 7", Includes Automatic Slack Adjusters REQS: Code 04WEZ(std) or 04WHX BRAKE PACKAGE, FRONT REQS: Code 04NDB or 04NDL BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04LGA SLACK ADJUSTERS, REAR AVAIL: Code 04AAW BRAKE SHOES, REAR</p> <p>- ES-165-7X - Air, Cam Type, Extended Service; Size 16.5" x 7", Includes Automatic Slack Adjusters REQS: Code 04774 SPECIAL RATING, GAWR, when in combination with Code 04092 BRAKE SYSTEM, AIR - for HX520 SFA 6x4 REQS: Code 04WEZ(std) or 04WHX BRAKE PACKAGE, FRONT - for HX520 SFA 8x6 Tridem REQS: Code 04WEZ(std) or 04WHX BRAKE PACKAGE, FRONT - for HX520 SFA 6x4 REQS: Code 04NDA, 04NDB, 04NDK or 04NDL BRAKES, REAR, AIR CAM - for HX520 SFA 6x4 -OR- Code 04NDB(std) BRAKES, REAR, AIR CAM - for HX520 SFA 8x6 Tridem N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC - for HX520 SFA 6x4 AVAIL: Code 04AAW BRAKE SHOES, REAR - for HX520 SFA 6x4</p> <p><i>Dana Spicer</i></p> <p>- ES-165-7H - Air, Cam Type, Extended Service; Size 16.5" x 7", Includes Automatic Slack Adjusters, 52,000-lb Capacity Drive Tandem Axle Rating or 26,000 lb Drive Single Axle Rating REQS: Code 04WEZ(std) or 04WHX BRAKE PACKAGE, FRONT REQS: Code 04NDA, 04NDB, 04NDK or 04NDL BRAKES, REAR, AIR CAM N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC AVAIL: Code 04AAW BRAKE SHOES, REAR</p>			
	04WHL	\$288	N/A
	04WHY	\$736 0/0	\$1,104 0/0
	04WXW	\$2,656 0/0	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
BRAKE IDENTITY, REAR Meritor - Cast Plus - 16.5" x 8.63" REQS: Code 04NDH or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC	04NNP	\$822 0/0	N/A
BRAKES, REAR, AIR DISC 22.5 Dia, Includes 18/24" Sq. In. Brake Chambers REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UNW, 14UNX, 14UNY, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM REQS: Code 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04EVH, 04EVP, 04EVT, 04EXR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE : Code 04AAW and 04773 BRAKE SHOES, REAR : Code 29334 BRAKE DRUMS, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL, 04NDP and 04NDZ BRAKES, REAR, AIR CAM : Code 04AAA, 04AAR, 04AAU, 04AAV, 04AAY and 04ABA BRAKE CHAMBERS, ADDITIONAL : Code 04WDW BRAKE CHAMBERS, SPRING AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WEY(std) BRAKE PACKAGE, REAR : Code 04WGZ and 04WHN DUST SHIELDS, REAR BRAKE 22.5 Dia, Includes 20/24" Sq. In. Brake Chambers REQS: Code 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRJ, 14GRM, 14GRR, 14GTS, 14GTT, 14GTU, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVN, 14GVR, 14GVU(std), 14GVY, 14HRA, 14HRC, 14HRE, 14HRH or 14HRW AXLE, REAR, TANDEM N/A: Code 04EVH, 04EVP, 04EVT, 04EXR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE : Code 04AAW and 04773 BRAKE SHOES, REAR : Code 29334 BRAKE DRUMS, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL, 04NDP and 04NDZ BRAKES, REAR, AIR CAM <div style="text-align: right;">(SEE NEXT PAGE)</div>	04JCC	STD	N/A
22.5 Dia, Includes 20/24" Sq. In. Brake Chambers REQS: Code 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRJ, 14GRM, 14GRR, 14GTS, 14GTT, 14GTU, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVN, 14GVR, 14GVU(std), 14GVY, 14HRA, 14HRC, 14HRE, 14HRH or 14HRW AXLE, REAR, TANDEM N/A: Code 04EVH, 04EVP, 04EVT, 04EXR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE : Code 04AAW and 04773 BRAKE SHOES, REAR : Code 29334 BRAKE DRUMS, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL, 04NDP and 04NDZ BRAKES, REAR, AIR CAM	04JNT	\$68 0/+4	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>BRAKE CHAMBERS, REAR AXLE (CONTINUED)</p> <p><i>Bendix</i></p> <p>- EverSure -</p> <p>36/36 Spring Brake REQS: Code 04NDA or 04NDE BRAKES, REAR, AIR CAM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04AAA, 04AAR, 04AAU, 04AAV, 04AAW and 04ABA BRAKE CHAMBERS, ADDITIONAL</p>	04EXT	\$288 0/+110	N/A
<p>SLACK ADJUSTERS, REAR</p> <p><i>Haldex</i></p> <p>Automatic REQS: Code 04JCN, 04JDD or 04JDE BRAKES, FRONT, AIR DISC - for HX520 SFA 8x6 Tridem REQS: Code 04JBZ(std), 04JCN, 04JDD or 04JDE BRAKES, FRONT, AIR DISC - for HX520 SFA 6x4 REQS: Code 04LAA SLACK ADJUSTERS, FRONT REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4 -OR- SUSPENSION, REAR, TANDEM - for HX520 SFA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX520 SFA 8x6 Tridem N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC - for HX520 SFA 6x4 AVAIL: Code 04WHY BRAKE PACKAGE, REAR - for HX520 SFA 8x6 Tridem : Code 04WHY and 04WXW BRAKE PACKAGE, REAR - for HX520 SFA 6x4</p>	04LGA	\$376 0/0	\$564 0/+12
<p>BRAKE CHAMBERS, SPRING</p> <p>on Rear/Rear Axle Located Inside Rear Tire Envelope (Meets Asphalt Spreader/Paver Clearance Requirements) REQS: Code 04WEZ(std), 04WHX or 04WZK BRAKE PACKAGE, FRONT REQS: Code 04LAA SLACK ADJUSTERS, FRONT REQS: Code 04LGA SLACK ADJUSTERS, REAR or Code 04WHY or 04WXW BRAKE PACKAGE, REAR REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU or 14UZV SUSPENSION, REAR, TANDEM, when in combination with Code 14GGU, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVV, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 04NDB, 04NDH or 04NDK BRAKES, REAR, AIR CAM REQS: Code 04091(std) BRAKE SYSTEM, AIR</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	04WDW	\$48 0/0	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
BRAKE CHAMBERS, SPRING <i>(SEE PREV PAGE)</i> REQS: Code 14UHD, 14UHK, 14UHL, 14UJE, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC	04WDW		
BRAKE SHOES, REAR Cast REQS: Code 04NNP BRAKE IDENTITY, REAR, when in combination with Code 04NDH or 04NDP BRAKES, REAR, AIR CAM REQS: Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK or 04NDL BRAKES, REAR, AIR CAM REQS: Code 14UKZ, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRJ, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTU, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04WEY(std), 04WHL, 04WHY and 04WXW BRAKE PACKAGE, REAR Heavy Duty, Fabricated N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC	04773	\$2,042 0/0	N/A
BRAKE CHAMBERS, ADDITIONAL (02) Spring Brake Type; T20/24 SqIn, for Air Disc REQS: Code 04JNT BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04EVH, 04EVP, 04EVT, 04EXR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE (02) Spring Brake Type; T24/24 SqIn, for Air Disc REQS: Code 04JNW BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04EVH, 04EVP, 04EVT, 04EXR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE	04AAR	\$68 0/+20	N/A
BRAKE CHAMBERS, ADDITIONAL (02) Spring Brake Type; T24/24 SqIn, for Air Disc REQS: Code 04JNW BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04EVH, 04EVP, 04EVT, 04EXR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE	04ABA	\$246 0/+22	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
<p>BRAKE CHAMBERS, ADDITIONAL (CONTINUED)</p> <p><i>MGM</i></p> <p>(02) Spring Brake Type, Piston Style; 30/24 Sqli REQS: Code 04EVP BRAKE CHAMBERS, REAR AXLE REQS: Code 04JNT BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR</p> <p>(02) Spring Brake Type; 30/30 Sqli REQS: Code 04EVH BRAKE CHAMBERS, REAR AXLE REQS: Code 04JNT BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR</p> <p><i>Bendix</i></p> <p>(02) Spring Brake Type; 30/30 Sqli REQS: Code 04EXU or 04EXW BRAKE CHAMBERS, REAR AXLE REQS: Code 04JNT BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR</p> <p>(02) Spring Brake Type; 30/36 Sqli REQS: Code 04EXR BRAKE CHAMBERS, REAR AXLE REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC</p>	<p>04AAY</p> <p>04AAA</p> <p>04AAU</p> <p>04AAV</p>	<p>\$600</p> <p>\$638</p> <p>\$220</p> <p>\$606</p>	<p>0/+25</p> <p>0/+21</p> <p>0/+18</p> <p>0/+35</p>
<p>DUST SHIELDS, REAR BRAKE</p> <p>for Air Brakes REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC - for HX520 SFA 6x4</p> <p>Omit Item REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC - for HX520 SFA 6x4</p> <p><i>Bendix Spicer</i></p> <p>- ADB22X - Pad, with Air Disc Brakes N/A: Code 04NDA, 04NDB(std), 04NDE, 04NDH, 04NDK, 04NDL, 04NDP and 04NDZ BRAKES, REAR, AIR CAM</p> <p>Rotor, with Air Disc Brakes N/A: Code 04NDA, 04NDB(std), 04NDE, 04NDH, 04NDK, 04NDL, 04NDP and 04NDZ BRAKES, REAR, AIR CAM</p>	<p>04WDM</p> <p>04WDN</p> <p>04WHN</p> <p>04WGZ</p>	<p>\$140</p> <p>N/C</p> <p>\$96</p> <p>\$730</p>	<p>0/+12</p> <p>N/C</p> <p>0/+1</p> <p>0/+10</p>
			<p>\$210</p> <p>N/C</p> <p>\$144</p> <p>\$1,095</p>
			<p>0/+18</p> <p>N/C</p> <p>0/+1</p> <p>0/+15</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
BRAKES, AIR CAM, PUSHER AXLE			
S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE	04JBR	N/C 0/0	N/A
S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with Two Pusher Lift Axles AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	04JBU	N/C 0/0	N/A
S-Cam; 16.5" x 6.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WNM AXLE, PUSHER, LIFT TYPE	04JCK	\$193 0/0	N/A
S-Cam; 16.5" x 6.0"; Includes 24 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WNM AXLE, PUSHER, LIFT TYPE	04JDH	\$193	N/A
S-Cam; 16.5" x 7.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE	04JBS	\$220 0/0	N/A
BRAKES, AIR CAM, TAG AXLE			
S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with Tag Lift Axle REQS: Code 14WNK AXLE, TAG, LIFT TYPE	04JBW	N/C 0/0	N/A
S-Cam; 16.5" x 7.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with Tag Lift Axle REQS: Code 14WLR AXLE, TAG, LIFT TYPE	04JBT	N/C 0/0	N/A
DRAIN VALVE			
Berg with Pull Chain, for Air Tank	04732	STD	STD
No Vendor Identified (03) with Pull Chains for Air Tanks	04WWZ	\$105 0/0	\$105 0/0
Bendix - DV-2 - Automatic, with Heater, for Air Tank	04722	\$165 0/0	\$165 0/0
HAND CONTROL VALVE, AIR			
For Rear Chassis Brakes; with Pressure Reducing Valve REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 04619 TRAILER CONNECTIONS	04583	\$255 0/0	\$255 + 5/- 1



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
HOSE TENDER			
Flexible Pogo Stick Type REQS: Code 16ZBP ACCESS, CAB AND FRAME or Code 16ZGV ACCESS, FRAME - for HX520 SFA 8x6 Tridem REQS: Code 16ZBP ACCESS, CAB AND FRAME or Code 16ZGV ACCESS, FRAME or Code 16ZHN ACCESS, FRAME - for HX520 SFA 6x4 REQS: Code 16031(std) CAB REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 07DWX EXHAUST SYSTEM	04692	\$365 0/0	\$365 0/0
Slide Bar with Single Spring Bracket; Bar Extended 4.0" From Cab REQS: Code 04092 BRAKE SYSTEM, AIR	04808	\$143 0/0	\$143 +9/+6
Flexible Pogo Stick Type, Located 12" +/- 6" Back of Cab REQS: Code 16031(std) CAB REQS: Code 14UKZ, 14ULB, 14ULT, 14ULU, 14UNX, 14UPV, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4 REQS: Code 07BLJ(std) or 07BMD EXHAUST SYSTEM REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 16ZBP ACCESS, CAB AND FRAME or Code 16ZGV ACCESS, FRAME, when in combination with Code 07BKN EXHAUST SYSTEM : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE	04AAN	\$282 0/0	\$282 0/0
Flexible Pogo Stick Type, Located 30" +/- 6" Back of Cab REQS: Code 16031(std) CAB REQS: Code 14UKZ, 14ULB, 14ULT, 14ULU, 14UNX, 14UPV, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4 REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 16ZBP ACCESS, CAB AND FRAME or Code 16ZGV ACCESS, FRAME, when in combination with Code 07BKN EXHAUST SYSTEM : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 07DWX EXHAUST SYSTEM	04AAM	\$291 0/0	\$291 0/0
Flexible Pogo Stick Type, Located 46" +/- 6" Back of Cab REQS: Code 16031(std) CAB REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 16ZBP ACCESS, CAB AND FRAME or Code 16ZGV ACCESS, FRAME, when in combination with Code 07BKN EXHAUST SYSTEM : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 07DWX EXHAUST SYSTEM	04AAP	\$325 0/0	\$325 0/0
Flexible Pogo Stick Type, Located 58" +/- 6" Back of Cab REQS: Code 16031(std) CAB REQS: Code 14UKZ, 14ULB, 14ULT, 14ULU, 14UNX, 14UPV, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4 (SEE NEXT PAGE)	04AAL	\$326 0/0	\$326 0/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
HOSE TENDER <i>(SEE PREV PAGE)</i> REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 16ZBP ACCESS, CAB AND FRAME or Code 16ZGV ACCESS, FRAME, when in combination with Code 07BKN EXHAUST SYSTEM : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 07DWX EXHAUST SYSTEM	04AAL		
SLACK ADJUSTER, PUSHER AXLE <i>Haldex</i> Automatic; for (2) Pusher Axles N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Automatic; for Single Pusher Axle N/A: Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	04JNL 04JNJ	\$98 \$58	0/0 0/0 N/A N/A
SLACK ADJUSTER, TAG AXLE <i>Haldex</i> Automatic; for 1 Tag Axle N/A: Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE	04JNK	\$58	0/0 N/A
SPRING BRAKE MODULATOR VALVE with Relay function REQS: Code 04092 BRAKE SYSTEM, AIR	04WDT	\$177	0/0 N/A
TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck REQS: Code 08554 TRAILER CONNECTION SOCKET - for HX520 SFA 8x6 Tridem REQS: Code 08TMN or 08554 TRAILER CONNECTION SOCKET - for HX520 SFA 6x4 REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: HAND CONTROL VALVE, AIR, when in combination with Code 04AZY AIR BRAKE ABS - for HX520 SFA 8x6 Tridem : HAND CONTROL VALVE, AIR, when in combination with Code 04AZS or 04AZY AIR BRAKE ABS - for HX520 SFA 6x4 : Code 04583 HAND CONTROL VALVE, AIR : Code 01616 FRAME RAILS WITH TAPERED REAR	04619	\$542	0/0 \$542 + 3/- 1



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
TRAILER HOSES AND CABLES			
Straight, Rubber Hose, 14' Working Length, Aluminum Glad Hands with Rubber Seals, Lighting Cable with Nylon Plug REQS: Code 04808 HOSE TENDER REQS: Code 04092 BRAKE SYSTEM, AIR	04803	\$30 0/0	\$30
STEERING GEAR			
<i>Sheppard</i>			
- M100 - Power REQS: Code 02ARV, 02ARW(std) or 02ASG AXLE, FRONT NON-DRIVING	05PSA	STD	N/A
- M100/HD94 - (02) Dual Power REQS: Code 02ARY or 02AVC AXLE, FRONT NON-DRIVING	05PUB	\$1,678 +105/-6	\$519 +20/-1
- M100/M80 - (02) Dual Power REQS: Code 02ARU, 02ARZ, 02ASM, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING - for HX520 SFA 6x4 -OR- Code 02ARU(std), 02ARZ, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING - for HX520 SFA 8x6 Tridem	05PTB	\$1,159 0/0	STD
STEERING COLUMN			
Tilting and Telescoping	05710	STD	STD
STEERING WHEEL			
4-Spoke; 18" Dia., Black	05CAW	STD	STD
4-Spoke; 18" Dia., Black Leather Wrapped	05CBE	\$248 -6/-2	\$248 +9/+3
DRIVELINE SYSTEM			
<i>Dana Spicer</i>			
SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4	06DGU	STD	N/A
SPL250 Main Driveline, with SPL170 First Interaxle Shaft, SPL170 Second Interaxle Shaft, for 8x6	06DHU	N/A	STD
SPL350 Main Driveline with SPL250 Interaxle Shaft, for 6x4	06DGV	\$880 +12/+21	N/A
Service Free SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4	06DGX	\$196 0/0	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
DRIVELINE SYSTEM (CONTINUED)			
<i>Dana Spicer</i>			
Service Free SPL350 Main Driveline with SPL250 Interaxle Shaft, for 6x4	06DGY	\$1,076 +12/+21	N/A
SPL250 Main Driveline, with SPL250 First Interaxle Shaft, SPL170 Second Interaxle Shaft, for 8x6	06DHV	N/A	\$400 0/0
SPL350 Main Driveline, with SPL250 First Interaxle Shaft, SPL170 Second Interaxle Shaft, for 8x6	06DHW	N/A	\$880 +16/+17
EXHAUST SYSTEM			
Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side REQS: Code 16WLD(std) CAB REAR SUSPENSION REQS: Code 16031(std) CAB REQS: Code 07WBS or 07WDN MUFFLER/TAIL PIPE GUARD REQS: Code 08VUK(std), 08VUZ or 08WJN BATTERY BOX - for HX520 SFA 6x4 -OR- Code 08VUK(std) or 08WJN BATTERY BOX - for HX520 SFA 8x6 Tridem REQS: Code 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DYM, 15EAR, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ, 15SWK or 15SXW FUEL TANK - for HX520 SFA 6x4 -OR- Code 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ or 15SWK FUEL TANK - for HX520 SFA 8x6 Tridem N/A: Code 16UZT ROOF AIR DEFLECTOR : Code 16WYV and 16WZR CAB SIDE EXTENDERS (FAIRINGS) : Code 07MAV, 07MAY, 07WBB and 07WDS TAIL PIPE : Code 15DWS, 15DWT, 15DWU and 15DWV FUEL TANK, when in combination with Code 16031 CAB - for HX520 SFA 6x4 : Code 07WCL EXHAUST HEIGHT AVAIL: Code 16XBK and 16XBZ MODESTY PANEL : Code 13PDN TRANSMISSION, AUXILIARY	07BLJ	STD	STD
Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Dual Vertical Tail Pipes, Cab Mounted, Left Side Pipe is Non-Functional/Aesthetic Only, Includes Bright Guards REQS: Code 16WLD(std) CAB REAR SUSPENSION REQS: Code 16031(std) CAB REQS: Code 07MAV, 07MAY, 07WBB or 07WDS TAIL PIPE REQS: Code 08VUK(std), 08VUZ or 08WJN BATTERY BOX - for HX520 SFA 6x4 (SEE NEXT PAGE)	07BMD	\$2,982 +35/+26	\$2,982 +40/+21



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
EXHAUST SYSTEM (CONTINUED) Single, Vertical Aftertreatment Device, Frame Mounted Right Side Back of Cab, for Single Vertical Tail Pipe REQS: Code 16WLD(std) CAB REAR SUSPENSION REQS: Code 16031(std) CAB REQS: Code 08TST BATTERY BOX, when in combination with Code 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN, 15SWH, 15SWJ or 15SWK FUEL TANK REQS: Code 07WBS or 07WDN MUFFLER/TAIL PIPE GUARD REQS: Code 15DYP(std) DEF TANK REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 08TST or 08VUK(std) BATTERY BOX REQS: Code 15DWS, 15DWT, 15DWU, 15DWV, 15SGL, 15SHC, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM or 15SSN(std) FUEL TANK N/A: Code 08WGV ACCESSORY WIRING, SPECIAL or Code 08XGN LIGHT, WORK : Code 16UZT ROOF AIR DEFLECTOR : Code 16WYV and 16WZR CAB SIDE EXTENDERS (FAIRINGS) : Code 04XAC AIR TANK LOCATION : Code 04AAN HOSE TENDER : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE - for HX520 SFA 6x4 : Code 08TMN TRAILER CONNECTION SOCKET or Code 14RAB, 14RAR and 14RAV AXLE, LIFT, CONTROLS - for HX520 SFA 6x4 : Code 07BES AFTERTREATMENT COVER : Code 07MAV, 07MAY, 07WBB and 07WDS TAIL PIPE : Code 07WCL EXHAUST HEIGHT AVAIL: Code 16XBK and 16XBZ MODESTY PANEL : Code 13PDN TRANSMISSION, AUXILIARY	07BKN	\$3,417 -14/+112	\$3,417 +7/+90
AFTERTREATMENT COVER Polished Aluminum N/A: Code 07BKN EXHAUST SYSTEM	07BES	\$498 0/0	\$498 0/0
ENGINE COMPRESSION BRAKE Cummins Interbrake For Cummins Signature/ISX/X15 Engines; Furnished with Engine	07SAP	STD	STD
EXHAUST HEIGHT 10' N/A: Code 07MAV TAIL PIPE 11' 6" N/A: Code 07WDS TAIL PIPE	07WDM 07WBU	STD \$118 +5/+4	STD \$118 +5/+3



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
EXHAUST HEIGHT (CONTINUED) 12' 6" REQS: Code 07WAY, 07WAZ, 07WBA, 07WBB or 07WDT(std) TAIL PIPE 13' REQS: Code 07BMD or 07DWX EXHAUST SYSTEM REQS: Code 07MAV or 07WBB TAIL PIPE	07WCK 07WCL	\$144 +7/+6 \$163	\$144 +8/+5 \$163
MUFFLER/TAIL PIPE GUARD (1) Aluminum REQS: Code 07BKN or 07BLJ(std) EXHAUST SYSTEM N/A: Code 07MAV, 07MAY, 07WBB and 07WDS TAIL PIPE (1) Bright Stainless Steel REQS: Code 07BKN or 07BLJ(std) EXHAUST SYSTEM N/A: Code 07MAV, 07MAY, 07WBB and 07WDS TAIL PIPE AVAIL: Code 16ZGV ACCESS, FRAME	07WDN 07WBS	N/C \$133 0/0	N/C \$133 0/0
RAIN CAP with Single Exhaust, Chrome Finish REQS: Code 07BKN or 07BLJ(std) EXHAUST SYSTEM REQS: Code 07MAJ or 07WAY TAIL PIPE with Single Exhaust, Non-Bright Finish REQS: Code 07BKN or 07BLJ(std) EXHAUST SYSTEM REQS: Code 07MAS or 07WDT(std) TAIL PIPE	07WAG 07WAE	\$88 0/0 \$28 0/0	\$88 0/0 \$28 0/0
SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF 2 Position, Lighted & Latching, On/Off Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in On Position	07WZX 07WZY	\$56 0/0 \$31 0/0	\$56 0/0 \$31 0/0
TAIL PIPE (1) Straight Type REQS: Code 07BKN or 07BLJ(std) EXHAUST SYSTEM N/A: Code 16UZT ROOF AIR DEFLECTOR : Code 07WCL EXHAUST HEIGHT AVAIL: Code 07WAE RAIN CAP (02) Straight Type, Bright REQS: Code 07BMD or 07DWX EXHAUST SYSTEM REQS: Code 07WDM(std) EXHAUST HEIGHT N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBS and 07WDN MUFFLER/TAIL PIPE GUARD	07WDT 07WDS	STD N/C	STD N/C



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
TAIL PIPE (CONTINUED)			
(02) Turnback Type, Bright REQS: Code 07BMD or 07DWX EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBS and 07WDN MUFFLER/TAIL PIPE GUARD	07WBB	\$254 0/0	\$254 0/0
(02) Turnback Type, Extended, Bright, 7" Diameter REQS: Code 07BMD or 07DWX EXHAUST SYSTEM REQS: Code 07WBU or 07WCL EXHAUST HEIGHT N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBS and 07WDN MUFFLER/TAIL PIPE GUARD	07MAV	\$2,186	\$2,186
(1) S-Type REQS: Code 07BKN or 07BLJ(std) EXHAUST SYSTEM REQS: Code 07WBU or 07WDM(std) EXHAUST HEIGHT REQS: Code 07WBU EXHAUST HEIGHT N/A: Code 16UZT ROOF AIR DEFLECTOR AVAIL: Code 07WAE RAIN CAP	07MAS	\$51 0/0	\$51 0/0
(1) S-Type, Bright REQS: Code 07BKN or 07BLJ(std) EXHAUST SYSTEM REQS: Code 07WBU or 07WDM(std) EXHAUST HEIGHT REQS: Code 07WBU EXHAUST HEIGHT N/A: Code 16UZT ROOF AIR DEFLECTOR AVAIL: Code 07WAG RAIN CAP	07MAJ	\$366 0/0	\$366 0/0
(1) Straight Type, Bright REQS: Code 07BKN or 07BLJ(std) EXHAUST SYSTEM N/A: Code 07WCL EXHAUST HEIGHT AVAIL: Code 07WAG RAIN CAP	07WAY	\$208 0/0	\$208 0/0
(1) Turnback Type REQS: Code 07BKN or 07BLJ(std) EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WCL EXHAUST HEIGHT	07WAZ	\$64 0/0	\$64 0/0
(1) Turnback Type, Bright REQS: Code 07BKN or 07BLJ(std) EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WCL EXHAUST HEIGHT	07WBA	\$208 0/0	\$208 0/0
(02) Turnback Type, Chrome, 6" Diameter Belled Down to 5" at Muffler REQS: Code 07BMD or 07DWX EXHAUST SYSTEM REQS: Code 07WBU or 07WDM(std) EXHAUST HEIGHT N/A: Code 16UZT ROOF AIR DEFLECTOR : Code 07WAE and 07WAG RAIN CAP : Code 07WBS and 07WDN MUFFLER/TAIL PIPE GUARD	07MAY	\$406 0/0	\$406 0/0
ELECTRICAL SYSTEM			
12-Volt, Standard Equipment INCLS: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature, Steering Column Mounted (SEE NEXT PAGE)	08000	STD	STD



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
ELECTRICAL SYSTEM (SEE PREV PAGE) INCLS: STARTER SWITCH Electric, Key Operated : WIRING, CHASSIS Color Coded and Continuously Numbered : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNALS, FRONT Includes Integral Reflectors and Side Marker Lights; Fender Mounted : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : HAZARD SWITCH Integral with Turn Signal Switch : TURN SIGNAL SWITCH Manual Cancelling with Lane Change Feature	08000		
ACCESSORY WIRING, SPECIAL Wiring for (2) Flood Lights That Customer Will Install on Bottom Rear Corners of Cab REQS: Code 16AUB or 16AUC CAB Wiring for (2) Work Lights That Customer Will Install on Top Rear Corners of Cab, with Dash Switch; Will Also Activate Standard Work Light REQS: Code 16LGE, 16LHH or 16RAN SEAT, PASSENGER, when in combination with Code 16031 CAB REQS: Code 16JPG or 16KAZ SEAT, DRIVER, when in combination with Code 16031 CAB REQS: Code 16X BK or 16X BZ MODESTY PANEL, when in combination with Code 16031 CAB REQS: Code 08WLL LIGHT, WORK, when in combination with Code 16031 CAB N/A: Code 08ACE BEACON LIGHT WIRING or Code 08WZC BEACON LIGHTS, when in combination with Code 16031 CAB	08WEP 08WGV	\$ 110 \$ 190	\$ 110 \$ 190
ALTERNATOR <i>Leece-Neville</i> - AVI160P2013 - Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount REQS: Code 16031(std) CAB - AVI160P2003 - Brush Type; 12 Volt 240 Amp. Capacity, Pad Mount, with Remote Sense - AVI160P2007 - Brush Type; 12 Volt 210 Amp. Capacity, Pad Mount, with Remote Sense	08GXJ 08GXB 08GXC	STD \$350 +4/0 \$253 +4/0	STD \$350 +20/0 \$253 +20/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
BACK-UP ALARM (CONTINUED) <i>Preco</i> - 1059 - Electronic; Solid State, Dual Function, 112 dBA	08WDG	\$211 0 / 0	\$211 + 1 / 0
BATTERY BOX Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab REQS: Code 16031(std) CAB REQS: Code 15DWS, 15DWT, 15DWU, 15DWV, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 08VUP and 08VUS BATTERY BOX COVER : Code 07DWX EXHAUST SYSTEM : Code 15WEB DEF TANK : Code 01GUG TOOL BOX MOUNTED ON RAIL AVAIL: Code 16ZGV ACCESS, FRAME Aluminum, with Plastic Cover, 30" Wide, 2-4 Battery Capacity, Mounted Left Side Under Cab REQS: Code 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DYM, 15EAR or 15SXW FUEL TANK - for HX520 SFA 6x4 -OR- Code 15DXC, 15DXD, 15DXE, 15DXG, 15DXH or 15DXJ FUEL TANK - for HX520 SFA 8x6 Tridem N/A: Code 04XAC AIR TANK LOCATION : Code 08WWD BATTERY BOX COVER : Code 08TNR BATTERY CABLES : Code 07BKN EXHAUST SYSTEM AVAIL: Code 08WBW JUMP START STUD Aluminum, with Aluminum Cover, 10.5" Wide, 2-3 Battery Capacity, Mounted Right Side Back of Cab REQS: Code 16031(std) CAB REQS: Code 04XAC AIR TANK LOCATION REQS: Code 08WVG STARTING MOTOR REQS: Code 07BLJ(std) or 07BMD EXHAUST SYSTEM REQS: Code 08MMZ BATTERY SYSTEM REQS: Code 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 08RLZ and 08WXY BATTERY DISCONNECT SWITCH : Code 04AZS and 04AZY AIR BRAKE ABS or Code 01CAG and 01CBU FRAME RAILS or Code 13PDN and 13607 TRANSMISSION, AUXILIARY or HOSE TENDER : Code 08TNR BATTERY CABLES : Code 15WEB DEF TANK : Code 01GUG TOOL BOX MOUNTED ON RAIL AVAIL: Code 16ZGV ACCESS, FRAME : Code 08VUH and 08WGU BATTERY BOX COVER : Code 08899 JUMP START STUD	08VUK	STD	STD
	08WJN	\$169 + 29 / 0	\$169 + 29 / 0
	08VUZ	\$2,097 + 15 / + 18	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>BATTERY BOX (CONTINUED)</p> <p>Aluminum, with Plastic Cover, 30" Wide, 2-4 Battery Capacity, Mounted Right Side Under Cab REQS: Code 16031(std) CAB REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 04XAC AIR TANK LOCATION : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE - for HX520 SFA 6x4 : Code 08TNR BATTERY CABLES : Code 15WEB DEF TANK : Code 01GUG TOOL BOX MOUNTED ON RAIL AVAIL: Code 08VUH and 08WGU BATTERY BOX COVER : Code 08WBW JUMP START STUD</p>	08TST	N/C +27/+2	N/C +28/+1
<p>BATTERY BOX COVER</p> <p>Aluminum</p> <p style="padding-left: 20px;">Polished Aluminum</p> <p>Stainless Steel, Bright Finish REQS: Code 08VUK(std) BATTERY BOX REQS: Code 15DWS, 15DWT, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DYM, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ, 15SWK or 15SXW FUEL TANK - for HX520 SFA 6x4 -OR- Code 15DWS, 15DWT, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ or 15SWK FUEL TANK - for HX520 SFA 8x6 Tridem</p> <p>Aluminum, Universal Cover that Covers Both Battery Box & DEF Tank REQS: Code 15WDY DEF TANK, when in combination with Code 07BLJ or 07BMD EXHAUST SYSTEM - for HX520 SFA 8x6 Tridem REQS: Code 15WDY or 15WEB DEF TANK, when in combination with Code 07BLJ or 07BMD EXHAUST SYSTEM - for HX520 SFA 6x4 REQS: Code 08WJN BATTERY BOX N/A: Code 15BAA DEF TANK COVER</p> <p>Polished Aluminum, Universal Cover that Covers Both Battery Box & DEF Tank REQS: Code 15WDY DEF TANK, when in combination with Code 07BLJ or 07BMD EXHAUST SYSTEM - for HX520 SFA 8x6 Tridem REQS: Code 15WDY or 15WEB DEF TANK, when in combination with Code 07BLJ or 07BMD EXHAUST SYSTEM - for HX520 SFA 6x4 REQS: Code 08WJN BATTERY BOX N/A: Code 15BAA DEF TANK COVER</p>	08WGU 08VUH 08WWD 08VUP 08VUS	\$646 \$716 \$726 \$926 \$996	0/0 0/0 +5/+5 \$926 \$996 +1/+1 +1/+1 +6/+5 +30/+10



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
BATTERY CABLES with 36" of Extra Length Coiled and Strapped Near Battery Box REQS: Code 08VUK(std) BATTERY BOX REQS: Code 08MJR, 08MJU, 08MJV, 08MMZ or 08MSG(std) BATTERY SYSTEM	08TNR	\$178	\$178
BATTERY DISCONNECT SWITCH Cole-Hersee for Cab Power Disconnect Switch, Does Not Disconnect Charging Circuits, Lever Operated, Cab Mounted REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX - 75920-06 - 300 Amp, Disconnects Cab Power, Does Not Disconnect Charging Circuits, Locks with Padlock, Battery Box Mounted REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX	08WXY	\$229 +1/+1	\$229 +3/-1
BATTERY SYSTEM Fleetrite Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX AVAIL: Code 08WBW JUMP START STUD Maintenance-Free, (3) 12-Volt 2250CCA Total, Top Threaded Stud REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX AVAIL: Code 08WBW JUMP START STUD Maintenance-Free, (3) 12-Volt 2850CCA Total, Top Threaded Stud REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX AVAIL: Code 08WBW JUMP START STUD Maintenance-Free, (4) 12-Volt 2640CCA Total, Top Threaded Stud REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX N/A: Code 08TNR BATTERY CABLES Maintenance-Free, (4) 12-Volt 3800CCA Total, Top Threaded Stud REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX	08MSG	STD	STD
	08MJR	\$126 +6/+6	\$126 +8/+4
	08MJU	\$179 +11/+11	\$179 +14/+7
	08MSH	\$317 +27/+26	\$317 +35/+18
	08MJV	\$356 +41/+40	\$356 +54/+28



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness	08REA	\$163 0/0	\$163 +3/-1
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	08XAH	STD	STD
CIGAR LIGHTER Includes Ash Cup	08518	\$18	\$18
COLLISION MITIGATION SYSTEM Bendix - Wingman Fusion - Adaptive Cruise Control w/Collision Mitigation & Stationary Vehicle Braking, Stationary Object Alert, Lane Departure Warning, Overspeed Alert & Action; Includes Front Radar & Camera, Driver Display, Lane Departure Warning Switch & Speakers; Safety Direct Capability, less Safety Direct Cable REQS: Code 16WKS WINDSHIELD REQS: Code 16JPG, 16JPH, 16JXH or 16KAZ SEAT, DRIVER or Code 16LDU, 16LDV, 16LGE, 16LHH or 16LLS SEAT, PASSENGER REQS: Code 16AUB or 16031 CAB REQS: Code 04AZS or 04AZY AIR BRAKE ABS REQS: Code 01LPG BUMPER, FRONT REQS: Code 08XAH CIRCUIT BREAKERS REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT or 13AUW TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 16646 DEFROSTER FAN or Code 08WGV ACCESSORY WIRING, SPECIAL or Code 16HLN ELECTRONIC VEHICLE MONITORING or Code 13WDM HYDRAULIC RETARDER or Code 08XGN LIGHT, WORK or MODESTY PANEL or SATELLITE COMMUNICATION SYSTEM or Code 14RAA, 14RAB, 14RAD and 14RAU AXLE, LIFT, CONTROLS : Code 16KVW and 16KVX SEAT, DRIVER : Code 16VLC CAB INTERIOR TRIM : Code 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW and 14UZX SUSPENSION, REAR, TANDEM	08TPU	\$3,388	N/A
FOG LIGHTS (02) Clear Lens, Halogen, Rectangular, with White Light Source REQS: Code 01LPG(std) or 01LPH BUMPER, FRONT	08XJG	\$185	\$185



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
FOG LIGHTS (CONTINUED)			
(02) Clear Lens, LED, Rectangular, with White Light Source REQS: Code 01LPG(std) or 01LPH BUMPER, FRONT	08XJH	\$275	\$275
(02) LED, Selective Yellow REQS: Code 01LPG(std) or 01LPH BUMPER, FRONT	08XJJ	\$301	\$301
HEADLIGHTS Halogen, Composite Combination	08XHT	STD	STD
HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	08WRB	\$42 0/0	\$42 0/0
HORN, AIR Single, Located Under Cab N/A: Code 08695 SNOW SHIELD	08653	STD	STD
(02) Rectangular Bell; Chrome N/A: Code 16AUC CAB : Code 16UZT ROOF AIR DEFLECTOR : Code 08695 SNOW SHIELD	08WHJ	\$135 0/0	\$135 +5/+2
(02) Single Bell, Extra Long, Organ Tone; Chrome REQS: Code 16031(std) CAB N/A: Code 16UZT ROOF AIR DEFLECTOR	08836	\$110 +3/+1	\$110 +5/+2
(02) Single Bell, Long Chrome N/A: Code 16AUC CAB : Code 16UZT ROOF AIR DEFLECTOR	08685	\$75 +4/+2	\$75 +4/+2
ACCOMMODATION PACKAGE; Less Horn N/A: Code 16UZT ROOF AIR DEFLECTOR : Code 08695 SNOW SHIELD	08WHE	\$88 0/0	\$88 +2/+1
HORN, ELECTRIC Disc Style	08VAY	STD	STD
(02) Disc Style	08541	\$29 +1/0	\$29 +1/0
JUMP START STUD (02) Remote Mounted REQS: Code 16031(std) CAB REQS: Code 08VUK(std) or 08VUZ BATTERY BOX - for HX520 SFA 6x4 -OR- Code 08VUK(std) BATTERY BOX - for HX520 SFA 8x6 Tridem REQS: Code 08MJV, 08MSH or 08MSL BATTERY SYSTEM REQS: Code 15DWS, 15DWT, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ, 15SWK or 15SXW FUEL TANK - for HX520 SFA 6x4	08899	\$214	\$214
(SEE NEXT PAGE)			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
JUMP START STUD <i>(SEE PREV PAGE)</i> -OR- Code 15DWS, 15DWT, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ or 15SWK FUEL TANK - for HX520 SFA 8x6 Tridem Remote Mounted REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX	08899		
Remote Mounted REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX	08WBW	\$168 0/0	\$168 +3/-1
LIGHT, WORK (02) Pedestal Mounted, Top Back of Cab Below Drip Rail REQS: Code 16AUB or 16AUC CAB AVAIL: Code 16ZGV ACCESS, FRAME (02) LED, Pedestal Mounted, Back of Cab in Upper Cab Corners, with Switch on Instrument Panel REQS: Code 16031(std) CAB (02) Pedestal Mounted, Back of Cab, with Switch on Instrument Panel REQS: Code 16031(std) CAB Pedestal Mounted, Back of Cab, with Switch on Instrument Panel REQS: Code 16031(std) CAB	08XKJ	\$231	\$231
(02) LED, Pedestal Mounted, Back of Cab in Upper Cab Corners, with Switch on Instrument Panel REQS: Code 16031(std) CAB	08XGN	\$489 +5/+3	\$489 +6/+3
(02) Pedestal Mounted, Back of Cab, with Switch on Instrument Panel REQS: Code 16031(std) CAB	08XGM	\$173 +5/+3	\$173 +6/+3
Pedestal Mounted, Back of Cab, with Switch on Instrument Panel REQS: Code 16031(std) CAB	08WLL	\$119 0/0	\$119 +3/+2
POWER SOURCE Cigar Type Receptacle without Plug and Cord	08718	STD	STD
POWER SOURCE, TERMINAL TYPE 2-Post	08WCK	STD	STD
RADIO Omit Item, Includes Wiring and Antenna, with Multiple Speakers N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 08RJG RADIO, AUXILIARY CONTROLS AM/FM/CD/WB/Clock/Auxiliary Input, with Multiple Speakers AM/FM/WB/Clock/Auxiliary Input, with Multiple Speakers AM/FM/CD/WB/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control, with Multiple Speakers AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control, with Multiple Speakers REQS: Code 16031(std) CAB	08RBN	STD	STD
AM/FM/CD/WB/Clock/Auxiliary Input, with Multiple Speakers	08RME	\$474 +3/-1	\$474 +3/-1
AM/FM/WB/Clock/Auxiliary Input, with Multiple Speakers	08RMD	\$368 +3/-1	\$368 +3/-1
AM/FM/CD/WB/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control, with Multiple Speakers	08RMB	\$763 +3/-1	\$763 +3/-1
AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control, with Multiple Speakers REQS: Code 16031(std) CAB	08RMA	\$483 +3/-1	\$483 +3/-1



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
RADIO (CONTINUED) AM/FM/CD/WB/SiriusXM/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control, with Multiple Speakers	08RMC	\$886 +3/-1	\$886 +3/-1
RADIO, AUXILIARY CONTROLS Located in Sleeper Control Panel; Includes Display and Controls for Radio Power, Volume, Mode, Seek/Tune, Clock and Alarm REQS: Code 16VLB or 16VLC CAB INTERIOR TRIM REQS: Code 16AUB or 16AUC CAB REQS: Code 08RMA, 08RMB, 08RMC, 08RMD or 08RME RADIO	08RJG	\$292	\$292
RUNNING LIGHT (02) Daytime	08WNH	N/C 0/0	N/C 0/0
SATELLITE COMMUNICATION SYSTEM <i>PeopleNet</i> Installation Package, Less System; Includes GPS Antenna, Cellular Antenna Base Inside Cab, Main Power & Datalink Cable, Options Connector Located in Dash Passenger Side, J1939 & J1708 Connection for Customer Supplied VID Multi Bus Adaptor REQS: Code 16AUB or 16AUC CAB N/A: Code 16UKJ ANTENNA MOUNTING BRACKETS Installation Package, Less System; Includes GPS Antenna, Cellular Antenna Base Outside Cab, Main Power & Datalink Cable, Options Connector Located in Dash Passenger Side, J1939 & J1708 Connection for Customer Supplied VID Multi Bus Adaptor REQS: Code 16031(std) CAB	08RLG 08RLK	\$922 \$983	\$922 \$983
SNOW SHIELD (02) Chrome; for Dual Air Horns REQS: Code 08WHJ, 08685 or 08836 HORN, AIR REQS: Code 08685 or 08836 HORN, AIR N/A: Code 16UZT ROOF AIR DEFLECTOR	08695	\$33 +1/0	\$33 +1/0
SPOT LIGHT Chrome, Left Side Mounted	08588	\$260 +3/0	\$260 +4/-1



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
TRAILER CONNECTION SOCKET 7-Way; Mounted at Rear of Frame REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08TPS STOP, TURN, TAIL & B/U LIGHTS : Code 01WSA TOW LOOP, REAR Phillips - STA-DRY - (2) 7-Way; (1) Equipped with ABS Feed Mounted at Back of Cab, (1) Mounted at End of Frame REQS: Code 01616 FRAME RAILS WITH TAPERED REAR REQS: Code 14UZB SUSPENSION, REAR, TANDEM REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM REQS: Code 08TKB, 08TKC or 08TKJ STOP, TURN, TAIL & B/U LIGHTS REQS: Code 10WPR, 10WPT or 10WPU MUD FLAP HOLDER REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 08TPS STOP, TURN, TAIL & B/U LIGHTS : AUX. TRAILER SOCKET : Code 01WSA TOW LOOP, REAR	08554	\$336 - 1/+6	\$336 0/0
TURN SIGNAL/SIDE MARKER LIGHTS LED; Mounted on Sleeper Side Extenders REQS: Code 16AUB or 16AUC CAB REQS: Code 16WYV or 16WZR CAB SIDE EXTENDERS (FAIRINGS) AVAIL: Code 16VZV and 16XJS MODESTY PANEL	08WXU	\$208 0/0	\$208 0/0
TURN SIGNAL SWITCH Self-Canceling	08WEZ	N/C 0/0	N/C 0/0
FRONT END Tilting, Composite	09ASE	STD	STD
BUG DEFLECTOR Smoked Colored Plastic, Mounted on Hood	09WAD	\$327 0/0	\$327 +5/0
Stainless Steel, Mounted on Hood	09WBD	\$327 +6/-1	\$327 +7/-1
BUG SCREEN Mounted Behind Grille	09WAC	\$131 +6/-1	\$131 +5/-1



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
FENDER EXTENSIONS			
Rubber	09585	\$104 0/0	\$104 0/0
GRILLE			
Chrome Vertical Accent Bars, with Black Mesh	09HCN	STD	STD
LOGOS EXTERIOR			
Model Badges	09AAB	STD	STD
Model Badges, Shipped Loose, Located in Cab	09AAC	N/C	N/C
LOGOS EXTERIOR, ENGINE			
Badges	09AAE	STD	STD
Badge Shipped Loose	09AAH	N/C	N/C
QUARTER FENDERS			
for Rear Wheels, Mirror-Finished Stainless Steel, Frame Mounted N/A: Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 01GUG TOOL BOX MOUNTED ON RAIL or Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE - for HX520 SFA 6x4	09505	\$318 +11/+24	\$318 +8/+27
CHASSIS COATING			
Corrosion Resistant E-Coat Primer Coating for Single Frame Rails N/A: Code 01CBU FRAME RAILS - for HX520 SFA 6x4 : Code 01GBP and 01GDS FRAME REINFORCEMENT	10021	\$500 0/0	\$500 0/0
Corrosion Resistant E-Coat Primer Coating for Reinforced Frame Rails REQS: Code 01CBU or 01CGC(std) FRAME RAILS REQS: Code 01GBP or 01GDS FRAME REINFORCEMENT	10022	\$1,000 0/0	\$1,000 0/0
COUNTRY IDENTITY			
for Canada NOTE: 010003	10NCA	N/C 0/0	N/C 0/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
CUSTOMER SERVICES			
<i>Navistar</i>			
OnCommand Repair Advocate Service; 12-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARM	\$258	\$258
OnCommand Repair Advocate Services; 24-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARN	\$516	\$516
OnCommand Repair Advocate Services; 36-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARP	\$774	\$774
OnCommand Repair Advocate Services; 48-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARR	\$1,032	\$1,032
OnCommand Repair Advocate Services; 60-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARS	\$1,290	\$1,290
FIFTH WHEEL, AIR SLIDE			
NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section			
<i>Fontaine</i>			
- BLH7AWB875024 - 24" Slide, 8.75" Above Top of Frame, No-Tilt, Left Hand Release REQS: Code 01CAG or 01CGC(std) FRAME RAILS REQS: Code 14UKZ, 14ULB, 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 01CAG FRAME RAILS REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES	10JAD	\$4,165 0/+702	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>FIFTH WHEEL, AIR SLIDE (CONTINUED) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Fontaine</p> <p>- SL7LWB675012 - 12" Slide, Cast Top Plate, 6.75" Above Top of Frame, Left Hand Release REQS: Code 01CAG or 01CGC(std) FRAME RAILS REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- SL7LWB675024 - 24" Slide, Cast Top Plate, 6.75" Above Top of Frame, Left Hand Release REQS: Code 01CAG or 01CGC(std) FRAME RAILS REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- SL7LWB675036 - 36" Slide, Cast Top Plate, 6.75" Above Top of Frame, Left Hand Release REQS: Code 01CAG or 01CGC(std) FRAME RAILS REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- SL7LWB725012 - 12" Slide, Cast Top Plate, 7.25 Above Top of Frame, Left Hand Release REQS: Code 01CAG or 01CGC(std) FRAME RAILS REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p>	<p>10HHW</p> <p>10HJA</p> <p>10HYX</p> <p>10HHY</p>	<p>\$2,700 0/+507</p> <p>\$2,773 0/+528</p> <p>\$3,407 0/+561</p> <p>\$2,711 0/+509</p>	<p>N/A</p> <p>N/A</p> <p>N/A</p> <p>N/A</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>FIFTH WHEEL, AIR SLIDE (CONTINUED) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Fontaine</p> <p>- SL7LWB725024 - 24" Slide, Cast Top Plate, 7.25" Above Top of Frame, Left Hand Release REQS: Code 01CAG or 01CGC(std) FRAME RAILS REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- SL7LWB825012 - 12" Slide, Cast Top Plate, 8.25 Above Top of Frame, Left Hand Release REQS: Code 01CAG or 01CGC(std) FRAME RAILS REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- SL7LWB825024 - 24" Slide, Cast Top Plate, 8.25" Above Top of Frame, Left Hand Release REQS: Code 01CAG or 01CGC(std) FRAME RAILS REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- SL7LWB925024 - 24" Slide, Cast Top Plate, 9.25" Above Top of Frame, Left Hand Release REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNX, 14UNY, 14UPV, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CBU FRAME RAILS : Code 01GBP and 01GDS FRAME REINFORCEMENT : SUSPENSION, REAR, TANDEM : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p>	<p>10HJB</p> <p>10HHZ</p> <p>10HJC</p> <p>10HJD</p>	<p>\$2,753 0/+540</p> <p>\$2,766 0/+516</p> <p>\$2,978 0/+546</p> <p>\$2,905 0/+547</p>	<p>N/A</p> <p>N/A</p> <p>N/A</p> <p>N/A</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>FIFTH WHEEL, AIR SLIDE (SEE PREV PAGE) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Holland</p> <p>- FW35J824XL00 - -OR- SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4 N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- FW35J836XL00 - 36" Slide, 8" Above Top of Frame, Left Hand Release REQS: Code 01CGC(std) FRAME RAILS - for HX520 SFA 8x6 Tridem REQS: Code 01CAG or 01CGC(std) FRAME RAILS - for HX520 SFA 6x4 REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX520 SFA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX520 SFA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4 N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- FW35J912XL00 - 12" Slide, 9" Above Top of Frame, Left Hand Release REQS: Code 01CGC(std) FRAME RAILS - for HX520 SFA 8x6 Tridem REQS: Code 01CAG or 01CGC(std) FRAME RAILS - for HX520 SFA 6x4 REQS: Code 810000 or 810018 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX520 SFA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX520 SFA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4 N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>10KKS</p> <p>10KKV</p> <p>10KKP</p>	<p></p> <p style="text-align: center;">\$3,182 0/+654</p> <p style="text-align: center;">\$2,981 0/+505</p>	<p></p> <p style="text-align: center;">\$3,182 0/+654</p> <p style="text-align: center;">\$2,981 0/+505</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>FIFTH WHEEL, AIR SLIDE (SEE PREV PAGE) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Holland</p> <p>- FW35J912XL00 - N/A: Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p style="text-align: center;">10KKP</p> <p>- FW35J924XL00 - 24" Slide, 9" Above Top of Frame, Left Hand Release REQ: Code 01CGC(std) FRAME RAILS - for HX520 SFA 8x6 Tridem REQ: Code 01CAG or 01CGC(std) FRAME RAILS - for HX520 SFA 6x4 REQ: Code 810000 FIFTH WHEEL LOCATION REQ: Code 04092 BRAKE SYSTEM, AIR REQ: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX520 SFA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX520 SFA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4 N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p style="text-align: center;">10KKT</p> <p style="text-align: right;">\$3,051 0/+540</p> <p style="text-align: right;">\$3,051 0/+540</p> <p>- FW35R836NL00 - 36" Slide, 8" Above Top of Frame, Left Hand Release, with 38" Wide Base Plate REQ: Code 01CGD FRAME RAILS REQ: Code 810000, 810002 or 810004 FIFTH WHEEL LOCATION REQ: Code 04092 BRAKE SYSTEM, AIR REQ: Code 14UNW, 14UNX, 14UPV, 14UPX or 14XAM SUSPENSION, REAR, AIR, TANDEM N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : SUSPENSION, REAR, TANDEM : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p style="text-align: center;">10KKZ</p> <p style="text-align: right;">\$6,417 0/+772</p> <p style="text-align: center;">N/A</p> <p>- FW70R924NL00 - 24" Slide, Heavy Duty, 9" Above Top of Frame, 80,000 lb Max. Vertical Load, 200,000 lb Max. Drawbar Pull, Left Hand Release REQ: Code 01GBP or 01GDS FRAME REINFORCEMENT, when in combination with Code 14UHD, 14UHK, 14UHL, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM - for HX520 SFA 6x4</p> <p style="text-align: center;">10JPG</p> <p style="text-align: right;">\$7,044 0/+876</p> <p style="text-align: right;">\$7,044 0/+876</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>FIFTH WHEEL, STATIONARY (SEE PREV PAGE) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Holland</p> <p>- FW-0070-S09619-1 - -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX520 SFA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4 N/A: Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 01GDS FRAME REINFORCEMENT</p> <p>- FW-0070-S09619-2 - Extra Capacity, 8" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX520 SFA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX520 SFA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4 N/A: Code 01CAG FRAME RAILS : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- FW-0070-S09619-3 - Extra Capacity, 7" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX520 SFA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX520 SFA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4 N/A: Code 01CAG FRAME RAILS : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- FW35-S10504-1L - 8.7" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX520 SFA 6x4</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>			
	10HCA		
	10GWY	\$5,200 0/+618	\$5,200 0/+618
	10GWZ	\$4,455 0/+612	\$4,455 0/+612
	10GYZ	\$2,689 0/+478	\$2,689 0/+478



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT					
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem			
<p>FIFTH WHEEL, STATIONARY (SEE PREV PAGE) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Holland</p> <p>- FW35-S10504-1L - -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX520 SFA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4 N/A: Code 01CBU FRAME RAILS : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 01GDS FRAME REINFORCEMENT</p>				10GYZ		
<p>- FW35-S10504-2L - 7.75" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX520 SFA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX520 SFA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4 N/A: Code 01CBU FRAME RAILS : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p>				10HYR	\$2,861 0/+480	\$2,861 0/+480
<p>- FW35-S10504-3L - 6.75" Above Top of Frame, Left Hand Release REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX520 SFA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX520 SFA 8x6 Tridem -OR- Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX or 14XAM SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4 N/A: Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 01GDS FRAME REINFORCEMENT</p>				10HYU	\$2,689 0/+474	\$2,689 0/+474



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
<p>FIFTH WHEEL, STATIONARY (CONTINUED) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Holland</p> <p>- FW35-S10504-4L - 5.75" Above Top of Frame, Left Hand Release REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX520 SFA 6x4</p> <p>-OR- SUSPENSION, REAR, AIR, TRIDEM - for HX520 SFA 8x6 Tridem</p> <p>-OR- SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4</p> <p>N/A: Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>AVAIL: Code 01GDS FRAME REINFORCEMENT</p> <p>- FW35-S10687-19 - Kompensator, 11.9" Above Top of Frame, with Lock Out Feature, Left Hand Release REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX520 SFA 6x4</p> <p>-OR- SUSPENSION, REAR, AIR, TRIDEM - for HX520 SFA 8x6 Tridem</p> <p>-OR- SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4</p> <p>N/A: Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>AVAIL: Code 01GDS FRAME REINFORCEMENT</p> <p>- FW35-S801XL - 9.21" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UNX SUSPENSION, REAR, AIR, TANDEM</p> <p>-OR- SUSPENSION, REAR, TANDEM</p> <p>N/A: Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p>	<p>10HYV</p> <p>10HKT</p> <p>10HKG</p>	<p>\$2,690 0/+395</p> <p>\$7,127 0/+804</p> <p>\$2,485 0/+498</p>	<p>\$2,690 0/+395</p> <p>\$7,127 0/+804</p> <p>N/A</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT					
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem			
<p>FIFTH WHEEL, STATIONARY (CONTINUED) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Jost</p> <p>- JSK36NSL-DB7X - 6.93" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01CGD FRAME RAILS : Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p>				10JAX	\$1,928 0/+375	N/A
<p>- JSK36NSL-DB8X - 7.93" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01CGD FRAME RAILS : Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p>				10JAY	\$1,928 0/+380	N/A
<p>- JSK36NSL-DB9X - 8.93" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01CGD FRAME RAILS : Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p>				10JAZ	\$1,928 0/+387	N/A
<p>- JSK37USL-PM-003 - 8.16" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR N/A: SUSPENSION, REAR, AIR, TANDEM : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES : Code 810006 and 810010 FIFTH WHEEL LOCATION, when in combination with Code 14UHD, 14UHK, 14UHL or 14698 SUSPENSION, REAR, TANDEM</p>				10HKH	\$1,977 0/+460	N/A
<p>- JSK37USL-PM-004 - 9.16" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UKZ, 14ULB, 14ULT, 14ULU, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM N/A: Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p>				10HKE	\$1,924 0/+464	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
FIFTH WHEEL LOCATION		HX520 SFA 6x4	HX520 SFA 8x6 Tridem
On Rear Axle Centerline	810000	N/C 0/0	N/C 0/0
02.0" Ahead of Rear Axle Centerline N/A: Code 10WEK FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 10HLE and 10KKZ FIFTH WHEEL, AIR SLIDE - for HX520 SFA 6x4	810002	N/C 0/0	N/C 0/0
04.0" Ahead of Rear Axle Centerline AVAIL: Code 10HLE and 10KKZ FIFTH WHEEL, AIR SLIDE - for HX520 SFA 6x4 : Code 10STA FIFTH WHEEL MOUNTING ANGLES	810004	N/C 0/0	N/C 0/0
06.0" Ahead of Rear Axle Centerline AVAIL: Code 10HLE FIFTH WHEEL, AIR SLIDE - for HX520 SFA 6x4 : Code 10STA FIFTH WHEEL MOUNTING ANGLES	810006	N/C 0/0	N/C 0/0
08.0" Ahead of Rear Axle Centerline AVAIL: Code 10HLE FIFTH WHEEL, AIR SLIDE - for HX520 SFA 6x4 : Code 10STA FIFTH WHEEL MOUNTING ANGLES	810008	N/C 0/0	N/C 0/0
10.0" Ahead of Rear Axle Centerline AVAIL: Code 10HLE FIFTH WHEEL, AIR SLIDE - for HX520 SFA 6x4 : Code 10STA FIFTH WHEEL MOUNTING ANGLES	810010	N/C 0/0	N/C 0/0
12.0" Ahead of Rear Axle Centerline AVAIL: Code 10HLE FIFTH WHEEL, AIR SLIDE - for HX520 SFA 6x4 : Code 10STA FIFTH WHEEL MOUNTING ANGLES	810012	N/C 0/0	N/C 0/0
14.0" Ahead of Rear Axle Centerline AVAIL: Code 10HLE FIFTH WHEEL, AIR SLIDE - for HX520 SFA 6x4 : Code 10STA FIFTH WHEEL MOUNTING ANGLES	810014	N/C 0/0	N/C 0/0
16.0" Ahead of Rear Axle Centerline AVAIL: Code 10HLE FIFTH WHEEL, AIR SLIDE - for HX520 SFA 6x4 : Code 10STA FIFTH WHEEL MOUNTING ANGLES	810016	N/C 0/0	N/C 0/0
18.0" Ahead of Rear Axle Centerline N/A: Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 10KKN, 10KKP and 10KKR FIFTH WHEEL, AIR SLIDE - for HX520 SFA 8x6 Tridem : Code 10HLE, 10KKN, 10KKP and 10KKR FIFTH WHEEL, AIR SLIDE - for HX520 SFA 6x4	810018	N/C 0/0	N/C 0/0
FIFTH WHEEL MOUNTING ANGLES for Manual Sliding Type Fifth Wheels Only REQS: Code 810000 or 810002 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR	10WDA	\$438 0/+78	\$438 0/+73
<i>(SEE NEXT PAGE)</i>			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
LANGUAGE IDENTITY for French NOTE: 010003	10WAW	N/C 0/0	N/C 0/0
MUD FLAP HOLDER Spring Loaded, Painted Black, with Red and White Reflective Tape, Less Flaps N/A: Code 01WRZ TOW HOOK, REAR Spring Loaded, Bright Finish, 45-Degree End, with Red and White Reflective Tape, Less Flaps N/A: Code 01WRZ TOW HOOK, REAR Spring Loaded, Painted Black, 45-Degree End, with Red and White Reflective Tape, Less Flaps N/A: Code 01WRZ TOW HOOK, REAR	10WPR 10WPU 10WPT	\$105 -7/+29 \$226 -6/+26 \$121 -7/+28	\$105 -6/+27 \$226 -5/+25 \$121 -6/+26
MUD FLAPS, REAR Black Poly, with International Logo, Less Holders REQS: Code 10WPR, 10WPT or 10WPU MUD FLAP HOLDER Black Rubber, Anti-Sail, Less Holders REQS: Code 10WPR, 10WPT or 10WPU MUD FLAP HOLDER	10WSX 10WPY	\$58 -4/+14 \$94 -4/+14	\$58 -3/+14 \$94 -3/+14
OVER THE AIR PROGRAMMING <i>Navistar</i> for Cummins Engines	10AAAY	\$250	\$250
PAINT, CAB SUNSHADE Single Color other than Cab Roof Color REQS: Code 16XWD SUNSHADE, EXTERIOR	10614	\$420 0/0	\$420 0/0
PAINT CLASS Premium Color Single Custom Color	10769 10771	\$600 0/0 \$700 0/0	\$600 0/0 \$700 0/0
PAINT IDENTITY, PT-2 Single Color, Instruction No. 931. Frame/Running Gear & Fuel Tank (Aluminum Tank Will Not Be Painted) N/A: Code 27DVY WHEELS, FRONT Single Color, Instruction No. 932. Wheels N/A: Code 27DPN, 27DTZ, 27DUV, 27DVB, 27DVC and 27DVY WHEELS, FRONT : Code 28DPR and 28DTY WHEELS, REAR : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS	10631 10632	\$600 0/0 \$303 0/0	\$600 0/0 \$303 0/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
PAINT IDENTITY, PT-2 (CONTINUED) Two Tone, Instruction No. 941. Frame/Running Gear/Fuel Tank and Wheels, (Aluminum Tanks Will Not Be Painted) N/A: Code 27DVY WHEELS, FRONT : Code 28DTY WHEELS, REAR : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS	10641	\$345 0/0	\$345 0/0
PAINT, NON-REFLECTING Non-Reflecting Paint	10661	\$568 0/0	\$568
PAINT SCHEMATIC, PT-1 Single Color, Design 100 INCLS: PAINT SCHEMATIC ID LETTERS "LV" REQS: Code 16031(std) CAB Single Color, Design 130 for 51" or 56" Low Roof Sleeper Cab/Chassis REQS: Code 16AUB CAB Single Color, Design 131 for 51" or 56" Hi-Rise Sleeper Cab/Chassis REQS: Code 16AUC CAB	10060 10130 10131	STD N/C 0/0 N/C	STD N/C 0/0 N/C
PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	10761	STD	STD
SAFETY TRIANGLES	10WCY	\$47 0/0	\$47 +4/+2
SPECIAL RATING, GVWR Limited to 80,000-lb GVWR REQS: Code 14WLM, 14WNH, 14WNJ or 14WNM AXLE, PUSHER, LIFT TYPE REQS: Code 02ARU, 02ARY, 02ARZ, 02ASM, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING N/A: Code 16AUC CAB : Code 01CAG FRAME RAILS	10NZL	N/C	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>CLUTCH (CONTINUED) NOTE: For ENGINE/CLUTCH COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- Advantage -</p> <p>Self-Adjusting, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Coaxial VCT Plus Damper (Soft Rate) Mechanical Pull-Type Control, 6-Button Disc, 1860 lb-ft Torque Capacity</p> <p>REQS: Code 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GNA, 13GNB or 13GYK TRANSMISSION, MANUAL - for HX520 SFA 6x4</p> <p>-OR- Code 13GHS, 13GKL, 13GKM, 13GNA or 13GYK TRANSMISSION, MANUAL - for HX520 SFA 8x6 Tridem</p> <p>REQS: Code 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUP(std), 12EUR, 12EUS, 12EUT, 12EUV, 12EUW, 12EUY, 12EUZ or 12EVA ENGINE, DIESEL</p> <p>N/A: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC</p> <p>- ECA-2250 -</p> <p>Two-Plate, Ceramic, 7-Spring with Pre-Damper, 15.5" Diameter, with Adjustment-Free Feature, 2250 lb-ft Torque Capacity</p> <p>REQS: Code 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYD, 13GYH, 13GYL or 13GYN TRANSMISSION, MANUAL</p> <p>N/A: Code 11WAG CLUTCH BRAKE : Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC</p> <p>No Vendor Identified</p> <p>Omit Item (Clutch & Control) N/A: Code 11WAG CLUTCH BRAKE : TRANSMISSION, MANUAL</p>	<p>11MRW</p> <p>11MHG</p> <p>11001</p>	<p>\$77 - 6 / - 2</p> <p>\$631 - 4 / - 1</p> <p>N/C - 106 / - 38</p>	<p>\$77 - 6 / - 2</p> <p>\$631 - 4 / - 1</p> <p>N/C - 113 / - 31</p>
<p>CLUTCH BRAKE</p> <p>Two-Piece</p> <p>REQS: Code 11MRP, 11MRR, 11MRT, 11MRU, 11MRV or 11MRW CLUTCH</p>	11WAG	\$31 0 / 0	\$31 0 / 0
<p>CLUTCH EFFECTS</p> <p>Hydraulic Clutch Actuation System, with Air Assist</p> <p>REQS: Code 13WAS CLUTCH HOUSING</p> <p>REQS: Code 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GNA, 13GNB or 13GYK TRANSMISSION, MANUAL - for HX520 SFA 6x4</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	11WAK	N/C 0 / 0	N/C 0 / 0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>CLUTCH EFFECTS <i>(SEE PREV PAGE)</i></p> <p>-OR- Code 13GHS, 13GKL, 13GKM, 13GNA or 13GYK TRANSMISSION, MANUAL - for HX520 SFA 8x6 Tridem</p> <p>N/A: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC</p>	11WAK		
<p>ACCESSORY WIRING, SPECIAL</p> <p>for Road Speed Wire Coiled Under Instrument Panel for Customer Use</p> <p>for Road Speed Wire Coiled Under Instrument Panel for Customer Use, Unconditioned Manual Transmission Output Shaft Speed, Additional Body Builder Signal Conditioning may be Required to Utilize Signal</p>	12VYL 12VGV	\$45 \$110 + 1/0	\$45 \$110 + 1/0
<p>ENGINE, DIESEL</p> <p>NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Cummins</p> <p>- X15 430 V - Productivity Series, EPA 2017, 430HP @ 1900 RPM, 1650 lb-ft Torque @ 950 RPM, 2000 RPM Governed Speed, 441 Peak HP (Max)</p> <p>REQS: Code 40TCT, 40TCU, 40TCV, 40TCW, 40TCX, 40TCY, 40TCZ, 40TDA, 40TDB, 40TDC, 40TDD, 40TDE, 40TDG, 40TDH, 40TDJ, 40TDK, 40TDL, 40TDM, 40TDN, 40TDP, 40TEB, 40TEC, 40TED, 40TEW, 40TEX, 40TEY, 40TEZ, 40TGA, 40TGB, 40TGC, 40TGD, 40TGE, 40TGG, 40TGH, 40TGJ, 40TGL, 40TGM, 40TGN, 40TGP, 40TGR, 40TGS, 40TGT, 40TGU, 40TGV, 40TGW, 40TGX, 40TGY, 40TGZ, 40THA, 40TNK, 40TNL, 40TNM, 40TNN or 40TNP SRV CONTRACT, EXT CMMS ENGINE</p> <p>REQS: Code 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GNA, 13GNB, 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYD or 13GYH TRANSMISSION, MANUAL - for HX520 SFA 6x4</p> <p>-OR- Code 13GHS, 13GKL, 13GKM, 13GNA, 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYD or 13GYH TRANSMISSION, MANUAL - for HX520 SFA 8x6 Tridem</p> <p>-OR- Code 13ATP, 13ATR, 13AUT or 13AUW TRANSMISSION, AUTOMATIC</p> <p>N/A: Code 40TAY, 40TAZ, 40TBA, 40TBB, 40TBC, 40TBD, 40TBE, 40TBG, 40TBH, 40TBJ, 40TBK, 40TBL, 40TCD, 40TCE, 40TCG, 40TCH, 40TCJ, 40TCK, 40TCL, 40TCM, 40TCN, 40TCP, 40TCR and 40TCS SRV CONTRACT, EXT CMS ENG/AFTR : Code 13WDM HYDRAULIC RETARDER : Code 15WEB DEF TANK</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	12EUP	STD	STD



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT					
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem			
<p>ENGINE, DIESEL (CONTINUED) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Cummins</p> <p>- X15 505 EV - Productivity Series, EPA 2017, 505HP @ 1800 RPM, 1850 lb-ft Torque @ 1150 RPM, 2100 RPM Governed Speed, 505 Peak HP (Max), (RATED FOR EMERGENCY VEHICLES ONLY) REQS: Code 12XBC(std) RADIATOR REQS: Code 13GXA, 13GXD, 13GXH, 13GYL or 13GYN TRANSMISSION, MANUAL -OR- Code 13AUN, 13AUP, 13AUR or 13AUS TRANSMISSION, AUTOMATIC N/A: SRV CONTRACT, EXT CMMS ENGINE : SRV CONTRACT, EXT CMS ENG/AFTR : Code 11MRP and 11MRU CLUTCH : Code 15WEB DEF TANK : Code 12851 PTO EFFECTS, ENGINE FRONT AVAIL: Code 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : Code 13WYU SHIFT CONTROL PARAMETERS - for HX520 SFA 8x6 Tridem : Code 13WDT and 13WYU SHIFT CONTROL PARAMETERS - for HX520 SFA 6x4</p> <p>- X15 525 - Performance Series, EPA 2017, 525HP @ 1950 RPM, 1850 lb-ft Torque @ 1200 RPM, 2000 RPM Governed Speed, 538 Peak HP (Max) REQS: Code 40TDU, 40TDV, 40TDW, 40TDX, 40TDY, 40TDZ, 40TEA, 40TEE, 40TEG, 40TEH, 40TEJ, 40TEK, 40TEL, 40TEM, 40TEN, 40TEP, 40TER, 40TES, 40THB, 40THC, 40THD, 40THE, 40THG, 40THH, 40THJ, 40THK, 40THL, 40THM, 40THN, 40THP, 40TNR, 40TNS, 40TNT, 40TNU, 40TNV, 40TNW, 40TNX, 40TNY, 40TNZ, 40TPA, 40TPB, 40TPC, 40TPD, 40TPE, 40TPG or 40TPH SRV CONTRACT, EXT CMMS ENGINE REQS: Code 15LNA or 15MAD FUEL HEATER REQS: Code 13GJS, 13GKM, 13GKZ, 13GXA, 13GXD, 13GXH, 13GYK, 13GYL or 13GYN TRANSMISSION, MANUAL - for HX520 SFA 6x4 -OR- Code 13GKM, 13GXA, 13GXD, 13GXH, 13GYK, 13GYL or 13GYN TRANSMISSION, MANUAL - for HX520 SFA 8x6 Tridem -OR- Code 13ATP, 13ATR, 13AUT, 13AUW, 13AYB or 13AYC TRANSMISSION, AUTOMATIC REQS: Code 15DWS, 15DWT, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DYM, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ, 15SWK or 15SXW FUEL TANK - for HX520 SFA 6x4</p> <p style="text-align: center;">(SEE NEXT PAGE)</p>				<p>12EUY</p> <p>12EGU</p>	<p>\$2,611</p> <p>\$2,882</p>	<p>0/0</p> <p>0/0</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Cummins</p> <p>- X15 565 - AVAIL: Code 13WDT and 13WYU SHIFT CONTROL PARAMETERS - for HX520 SFA 6x4</p> <p>Performance Series, EPA 2017, 565HP @ 1950 RPM, 2050 lb-ft Torque @ 1150 RPM, 2000 RPM Governed Speed, 580 Peak HP (Max) REQS: Code 40TDU, 40TDV, 40TDW, 40TDX, 40TDY, 40TDZ, 40TEA, 40TEE, 40TEG, 40TEH, 40TEJ, 40TEK, 40TEL, 40TEM, 40TEN, 40TEP, 40TER, 40TES, 40THB, 40THC, 40THD, 40THE, 40THG, 40THH, 40THJ, 40THK, 40THL, 40THM, 40THN, 40THP, 40TNR, 40TNS, 40TNT, 40TNU, 40TNV, 40TNW, 40TNX, 40TNY, 40TNZ, 40TPA, 40TPB, 40TPC, 40TPD, 40TPE, 40TPG or 40TPH SRV CONTRACT, EXT CMMS ENGINE REQS: Code 11MHG, 11MRR, 11MRV or 11001 CLUTCH REQS: Code 12XBC(std) RADIATOR REQS: Code 15LNA or 15MAD FUEL HEATER REQS: Code 13GYK, 13GYL or 13GYN TRANSMISSION, MANUAL N/A: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC : Code 13WCU OIL COOLER, AUTO TRANSMISSION : Code 12851 PTO EFFECTS, ENGINE FRONT AVAIL: Code 40TET, 40TEU and 40TEV SRV CONTRACT, EXT CMMS M/COMP : Code 40TAY, 40TAZ, 40TBA, 40TBB, 40TBC, 40TBD, 40TBE, 40TBG, 40TBH, 40TBJ, 40TBK, 40TBL, 40TCD, 40TCE, 40TCG, 40TCH, 40TCJ, 40TCK, 40TCL, 40TCM, 40TCN, 40TCP, 40TCR and 40TCS SRV CONTRACT, EXT CMS ENG/AFTR : Code 13WYU SHIFT CONTROL PARAMETERS - for HX520 SFA 8x6 Tridem : Code 13WDT and 13WYU SHIFT CONTROL PARAMETERS - for HX520 SFA 6x4</p> <p>- X15 565 EV - Productivity Series, EPA 2017, 565HP @ 1800 RPM, 1850 lb-ft Torque @ 1150 RPM, 2100 RPM Governed Speed, 565 Peak HP (Max), (RATED FOR EMERGENCY VEHICLES ONLY) REQS: Code 12XBC(std) RADIATOR REQS: Code 13GXA, 13GXD, 13GXH, 13GYL or 13GYN TRANSMISSION, MANUAL -OR- Code 13AUN, 13AUP, 13AUR or 13AUS TRANSMISSION, AUTOMATIC REQS: Code 15DWS, 15DWT, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DYM, 15EAR, 15SGL, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ, 15SWK or 15SXW FUEL TANK - for HX520 SFA 6x4</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>			
	12EGV		
	12EGL	\$5,439 0/0	\$5,439 0/0
	12EUZ	\$4,039 0/0	\$4,039 0/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Cummins</p> <p>- X15 565 V - AVAIL: Code 13WDT and 13WYU SHIFT CONTROL PARAMETERS - for HX520 SFA 6x4</p> <p>- X15 605 EV - Productivity Series, EPA 2017, 605HP @ 1800 RPM, 1850 lb-ft Torque @ 1150 RPM, 2100 RPM Governed Speed, 605 Peak HP (Max), (RATED FOR EMERGENCY VEHICLES ONLY) REQS: Code 12XBC(std) RADIATOR REQS: Code 13GXA, 13GXD, 13GXH, 13GYL or 13GYN TRANSMISSION, MANUAL -OR- Code 13AUN, 13AUP, 13AUR or 13AUS TRANSMISSION, AUTOMATIC N/A: SRV CONTRACT, EXT CMMS ENGINE : SRV CONTRACT, EXT CMS ENG/AFTR : Code 11MRP and 11MRU CLUTCH : Code 13WCU OIL COOLER, AUTO TRANSMISSION : Code 07DWX EXHAUST SYSTEM : Code 15WEB DEF TANK : Code 12851 PTO EFFECTS, ENGINE FRONT AVAIL: Code 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : Code 13WYU SHIFT CONTROL PARAMETERS - for HX520 SFA 8x6 Tridem : Code 13WDT and 13WYU SHIFT CONTROL PARAMETERS - for HX520 SFA 6x4</p> <p>Productivity Series, EPA 2017, 605HP @ 1950 RPM, 2050 lb-ft Torque @ 1150 RPM, 2000 RPM Governed Speed, 605 Peak HP (Max), (RATED FOR EMERGENCY VEHICLES ONLY) REQS: Code 11MHG, 11MRR, 11MRV or 11001 CLUTCH REQS: Code 12XBC(std) RADIATOR REQS: Code 13GYL or 13GYN TRANSMISSION, MANUAL REQS: Code 15DWS, 15DWT, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DYM, 15EAR, 15SGL, 15SHC, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ, 15SWK or 15SXW FUEL TANK - for HX520 SFA 6x4 -OR- Code 15DWS, 15DWT, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15SGL, 15SHC, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ or 15SWK FUEL TANK - for HX520 SFA 8x6 Tridem N/A: SRV CONTRACT, EXT CMMS ENGINE : SRV CONTRACT, EXT CMS ENG/AFTR : Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC : Code 13WCU OIL COOLER, AUTO TRANSMISSION : Code 07DWX EXHAUST SYSTEM : Code 15WEB DEF TANK</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>			
	12EUV		
	12EVA	\$7,164 0/0	\$7,164 0/0
	12EVB	\$10,914 0/0	\$10,914 0/0

**HX520 SFA 6x4
 HX520 SFA 8x6 Tridem
 PL-284 REVISION NO. 105**

**SECTION 583
 PAGE 583-90**

**PRICES EFFECTIVE 01/01/2020
 SUBJECT TO CHANGE WITHOUT NOTICE
 All Taxes Extra, When Applicable**



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
RADIATOR <i>(SEE PREV PAGE)</i> REQS: Code 12EGU, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUP(std), 12EUR, 12EUS, 12EUT, 12EUW or 12EUX ENGINE, DIESEL	12XBN		
FAN DRIVE <i>Horton</i> - Drivemaster - Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed	12THT	STD	STD
AIR CLEANER Single Element 12VBC STD STD Dual Element 12VBB \$108 +1/0 \$108 +1/0 Dual Element, with Integral Pre-Cleaner 12VBG \$208 +6/+1 \$208 +7/+1 Single Element, with Integral Pre-Cleaner 12VBH \$130 +5/+1 \$130 +6/0 Dual, Polished Stainless Steel, One Mounted on Each Side of Cowl Ahead of The Doors 12VBA \$2,236 +36/+8 \$2,236 +38/+6 REQS: Code 14RAA, 14RAD, 14RAR, 14RAU or 14RAV AXLE, LIFT, CONTROLS - for HX520 SFA 6x4			
ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	12703	STD	STD
BLOCK HEATER, ENGINE <i>Phillips</i> 120V/1500W 12864 \$89 0/0 \$89 0/0 N/A: Code 15LML FUEL/WATER SEPARATOR 120V/1500W, with "Y" Cord for Fuel Heater 12WCT \$125 0/0 \$125 +2/0 REQS: Code 15LML FUEL/WATER SEPARATOR 120V/1500W, with "Y" Cord for 120V/300W Oil Pan Heater 12WYW \$177 0/0 \$177 +2/0 N/A: Code 15LML FUEL/WATER SEPARATOR			
COLD STARTING EQUIPMENT Automatic Ether; with Engine ECM Control	12991	\$168 0/0	\$168 0/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood NOTE: Pricing may change if axle configuration is changed. Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door NOTE: Pricing may change if axle configuration is changed. Federal, Does Not Comply with California Clean Air Idle Regulations NOTE: Pricing may change if axle configuration is changed.	12WZB 12WZJ 12WZE	\$97 0 / 0 \$97 0 / 0 N/C 0 / 0	\$97 0 / 0 \$97 0 / 0 N/C 0 / 0
ENGINE CONTROL, REMOTE MOUNTED for X15 Engines REQ: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUP(std), 12EUR, 12EUS, 12EUT, 12EUV, 12EUW, 12EUX, 12EUY, 12EUT or 12EVA ENGINE, DIESEL	12VGU	\$93	\$93
FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	12WTA	STD	STD
FAN OVERRIDE Manual; with Electric Switch on Instrument Panel, (Fan On with Switch On)	12WBR	\$29 0 / 0	\$29 + 2 / 0
FEDERAL EMISSIONS <i>Cummins</i> - X15 - EPA, OBD and GHG Certified for Calendar Year 2020	12VHE	N/C	N/C
HOSE CLAMPS, RADIATOR HOSES <i>Gates</i> Shrink Band Type <i>No Vendor Identified</i> , Mechanical Type; with Constant-Tension Functionality	12WCX 12WGA	STD \$54 0 / 0	STD \$54 0 / 0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted REQS: Code 12XBN RADIATOR REQS: Code 12EGU, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUP(std), 12EUR, 12EUS, 12EUT, 12EUV or 12EUW ENGINE, DIESEL	12851	\$353	\$353
RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System	12WYZ	STD	STD
TRANSMISSION, MANUAL NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - UltraShift+ FO-16E313A-MHP - 13-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX520 SFA 8x6 Tridem REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX520 SFA 6x4 REQS: Code 11MGP(std) or 11MHG CLUTCH REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX520 SFA 8x6 Tridem REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX520 SFA 6x4 REQS: Code 13WLX TRANSMISSION OIL - for HX520 SFA 8x6 Tridem REQS: Code 13WLX TRANSMISSION OIL - for HX520 SFA 6x4 REQS: Code 12ELC, 12ELH, 12EUP(std) or 12EUR ENGINE, DIESEL N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX520 SFA 8x6 Tridem : Code 14WLM and 14WNJ AXLE, PUSHER, LIFT TYPE or Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX520 SFA 6x4 : Code 11WAK CLUTCH EFFECTS : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP <div style="text-align: right;">(SEE NEXT PAGE)</div>	13GWZ	STD	STD



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- Advantage FAOM-16810C-EA3 - N/A: Code 15SJR, 15SSM, 15SSN(std) and 15SWH FUEL TANK : Code 01GUG TOOL BOX MOUNTED ON RAIL - for HX520 SFA 6x4 AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p> <p>- FRO/FROF-18210C - 10-Speed Manual, Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MRP, 11MRR, 11MRT, 11MRU, 11MRV or 11MRW CLUTCH REQS: Code 13WLX TRANSMISSION OIL REQS: Code 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUP(std), 12EUR, 12EUS, 12EUT, 12EUV or 12EUW ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVU NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUR, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WUW AUX TRANS SHIFT CONTROL : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WMA AUXILIARY TRANSMISSION LUBE : Code 13WCT, 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION : Code 13WLM TRANSMISSION OIL</p> <p>- UltraShift+ FO-16E308LL-VCS - 10-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Double-Lo, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX520 SFA 8x6 Tridem REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX520 SFA 6x4 REQS: Code 11MGP(std) or 11MHG CLUTCH REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX520 SFA 8x6 Tridem</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>13GYH</p> <p>13GKZ</p> <p>13GWP</p>	<p></p> <p>\$7,999CR - 178/-90</p> <p>\$2,797 - 17/-14</p>	<p></p> <p>N/A</p> <p>\$2,797 - 20/-11</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>TRANSMISSION, MANUAL <i>(SEE PREV PAGE)</i> NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- UltraShift+ FO-16E308LL-VCS - REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX520 SFA 6x4 REQS: Code 13WLX TRANSMISSION OIL - for HX520 SFA 8x6 Tridem REQS: Code 13WLX TRANSMISSION OIL - for HX520 SFA 6x4 REQS: Code 12ELC, 12ELH, 12EUP(std) or 12EUR ENGINE, DIESEL N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX520 SFA 8x6 Tridem : Code 14WLM and 14WNJ AXLE, PUSHER, LIFT TYPE or Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX520 SFA 6x4 : Code 11WAK CLUTCH EFFECTS : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVW NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUR, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WUW AUX TRANS SHIFT CONTROL : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WMA AUXILIARY TRANSMISSION LUBE : Code 13PDN and 13607 TRANSMISSION, AUXILIARY : Code 13WCT, 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION : Code 15SJR, 15SSM, 15SSN(std) and 15SWH FUEL TANK : Code 01GUG TOOL BOX MOUNTED ON RAIL - for HX520 SFA 6x4 AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 13WLX TRANSMISSION OIL</p>	<p>13GWP</p>		



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- UltraShift+ FO-16E309ALL-VMS - 11-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Double-Lo, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX520 SFA 8x6 Tridem REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX520 SFA 6x4 REQS: Code 11MGP(std) or 11MHG CLUTCH REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX520 SFA 8x6 Tridem REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX520 SFA 6x4 REQS: Code 13WLX TRANSMISSION OIL - for HX520 SFA 8x6 Tridem REQS: Code 13WLX TRANSMISSION OIL - for HX520 SFA 6x4 REQS: Code 12ELC, 12ELH, 12EUP(std) or 12EUR ENGINE, DIESEL</p> <p>N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX520 SFA 8x6 Tridem : Code 14WLM and 14WNJ AXLE, PUSHER, LIFT TYPE or Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX520 SFA 6x4 : Code 11WAK CLUTCH EFFECTS : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUR, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WUW AUX TRANS SHIFT CONTROL : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WMA AUXILIARY TRANSMISSION LUBE : Code 13PDN and 13607 TRANSMISSION, AUXILIARY : Code 13WCT, 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION : Code 15SJR, 15SSM, 15SSN(std) and 15SWH FUEL TANK : Code 01GUG TOOL BOX MOUNTED ON RAIL - for HX520 SFA 6x4</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>13GWW</p>	<p>\$5,286 -17/-15</p>	<p>\$5,286 -20/-12</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
TRANSMISSION, MANUAL (CONTINUED)			
NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
<i>Fuller</i>			
- FRO-16210C -			
10-Speed Manual, Overdrive, Air Shift, Internal Lube Oil Pump	13GHS	\$10,286CR - 178/-90	\$10,286CR - 195/-73
REQS: Code 11MRP, 11MRR, 11MRT, 11MRU, 11MRV or 11MRW CLUTCH			
REQS: Code 12ELC, 12ELH, 12EUP(std) or 12EUR ENGINE, DIESEL			
N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN			
: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN			
: Code 16HLD INDICATOR TRANS GEAR POSITION			
: Code 13WGP INPUT SHAFT			
: Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS			
: Code 13WUA AUTOMATIC NEUTRAL			
: Code 13WVV NEUTRAL AT STOP			
: Code 13WUC, 13WUE, 13WUH, 13WUR, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT			
: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC			
: Code 13WDM HYDRAULIC RETARDER			
: Code 13WUW AUX TRANS SHIFT CONTROL			
: Code 13WBL TRANSMISSION SHIFT CONTROL			
: Code 13WMA AUXILIARY TRANSMISSION LUBE			
: Code 13WCT, 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION			
: Code 13WLM TRANSMISSION OIL			
- FRO-17210C -			
10-Speed Manual, Overdrive, Air Shift, Internal Lube Oil Pump	13GNB	\$8,892CR - 178/-90	N/A
REQS: Code 11MRP, 11MRR, 11MRT, 11MRU, 11MRV or 11MRW CLUTCH			
REQS: Code 12ELC, 12ELH, 12EUP(std), 12EUR or 12EUS ENGINE, DIESEL			
N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN			
: Code 16HLD INDICATOR TRANS GEAR POSITION			
: Code 13WGP INPUT SHAFT			
: Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS			
: Code 13WUA AUTOMATIC NEUTRAL			
: Code 13WVV NEUTRAL AT STOP			
: Code 13WUC, 13WUE, 13WUH, 13WUR, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT			
: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC			
: Code 13WDM HYDRAULIC RETARDER			
<i>(SEE NEXT PAGE)</i>			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Fuller</i></p> <p>- FRO-17210C - N/A: Code 13WUW AUX TRANS SHIFT CONTROL : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WMA AUXILIARY TRANSMISSION LUBE : Code 13WCT, 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION : Code 13WLM TRANSMISSION OIL AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p> <p>- RTLO(F)-16913A - 13-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MRP, 11MRR, 11MRT, 11MRU, 11MRV or 11MRW CLUTCH REQS: Code 12ELC, 12ELH, 12EUP(std) or 12EUR ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13901 THRU-SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVU NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUH, 13WUR, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WUW AUX TRANS SHIFT CONTROL : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WMA AUXILIARY TRANSMISSION LUBE : Code 13WCT, 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION AVAIL: Code 13WLX TRANSMISSION OIL</p> <p>- RTLO(F)-16918B - 18-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MRP, 11MRR, 11MRT, 11MRU, 11MRV or 11MRW CLUTCH REQS: Code 12ELC, 12ELH, 12EUP(std) or 12EUR ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>13GNB</p> <p>13GKJ</p> <p>13GKL</p>	<p></p> <p>\$6,589CR -100/-42</p> <p>\$6,346CR -99/-41</p>	<p></p> <p>N/A</p> <p>\$6,346CR -107/-33</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
TRANSMISSION, MANUAL (SEE PREV PAGE)			
NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
<i>Fuller</i>			
- RTLO(F)-18918B -			
N/A: Code 13WBL TRANSMISSION SHIFT CONTROL	13GKM		
: Code 13WMA AUXILIARY TRANSMISSION LUBE			
: Code 13WCT, 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION			
AVAIL: Code 13WLX TRANSMISSION OIL			
- RTLO-18913A -			
13-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump	13GJS	\$5,748CR -97/-45	N/A
REQS: Code 11MRP, 11MRR, 11MRT, 11MRU, 11MRV or 11MRW CLUTCH			
REQS: Code 13WLX TRANSMISSION OIL			
REQS: Code 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUP(std), 12EUR, 12EUS, 12EUT, 12EUV or 12EUW ENGINE, DIESEL			
N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN			
: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWW, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN			
: Code 16HLD INDICATOR TRANS GEAR POSITION			
: Code 13901 THRU-SHAFT			
: Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS			
: Code 13WUA AUTOMATIC NEUTRAL			
: Code 13WVV NEUTRAL AT STOP			
: Code 13WUC, 13WUE, 13WUH, 13WUR, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT			
: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC			
: Code 13WDM HYDRAULIC RETARDER			
: Code 13WUW AUX TRANS SHIFT CONTROL			
: Code 13WBL TRANSMISSION SHIFT CONTROL			
: Code 13WMA AUXILIARY TRANSMISSION LUBE			
: Code 13WCT, 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION			
- RTLOF-20918B -			
18-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump	13GYK	\$1,533CR -99/-41	\$1,533CR -107/-33
REQS: Code 11MRP, 11MRR, 11MRT, 11MRU, 11MRV or 11MRW CLUTCH			
REQS: Code 13WLX TRANSMISSION OIL - for HX520 SFA 8x6 Tridem			
REQS: Code 13WLX TRANSMISSION OIL - for HX520 SFA 6x4			
REQS: Code 12EGL, 12EGU, 12EGV, 12ELD, 12ELJ, 12EUT, 12EUV, 12EUW or 12EUX ENGINE, DIESEL			
(SEE NEXT PAGE)			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 4700 RDS - REQS: Code 13WLM TRANSMISSION OIL REQS: Code 12EGU, 12ELC, 12ELD, 12ELH or 12ELJ ENGINE, DIESEL N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWW, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 10WLC GCWR RANGE : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WVV NEUTRAL AT STOP : Code 13WDM HYDRAULIC RETARDER - for HX520 SFA 6x4 : Code 13WMA AUXILIARY TRANSMISSION LUBE : Code 13PDN and 13607 TRANSMISSION, AUXILIARY : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 08RLK SATELLITE COMMUNICATION SYSTEM : Code 08TPU COLLISION MITIGATION SYSTEM AVAIL: Code 13WYU SHIFT CONTROL PARAMETERS : Code 13WUS ALLISON SPARE INPUT/OUTPUT</p>	13AYC		
<p>ALLISON SPARE INPUT/OUTPUT NOTE: For SPARE INPUT/OUTPUT PACKAGE CONTENT, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>for Oil Field Series (OFS) REQS: Code 13AYB TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL</p> <p>for Rugged Duty Series (RDS); Airport Refueler, Sewer Evac REQS: Code 13ATP, 13ATR, 13AUT or 13AUW TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WUA AUTOMATIC NEUTRAL</p> <p>for Emergency Vehicle Series (EVS); Fire/Pumper, Tank, Aerial/Ladder REQS: Code 13AUN, 13AUP, 13AUR or 13AUS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WUA AUTOMATIC NEUTRAL</p>	<p>13WUY</p> <p>13WUH</p> <p>13WUE</p>	<p>\$129 0/0</p> <p>N/C 0/0</p> <p>N/C 0/0</p>	<p>\$129 0/0</p> <p>N/C 0/0</p> <p>N/C 0/0</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	NOTE: WEIGHTS - FRONT/REAR	
		HX520 SFA 6x4	HX520 SFA 8x6 Tridem
CLUTCH HOUSING Aluminum; Available with 1350 to 2050 lb-ft Capacity Fuller Transmissions REQS: Code 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GNA, 13GNB or 13GYK TRANSMISSION, MANUAL - for HX520 SFA 6x4 -OR- Code 13GHS, 13GKL, 13GKM, 13GNA or 13GYK TRANSMISSION, MANUAL - for HX520 SFA 8x6 Tridem N/A: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC	13WAS	\$57 0/0	\$57 0/0
HYDRAULIC RETARDER For Allison 4000 Series Transmission REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT or 13AUW TRANSMISSION, AUTOMATIC - for HX520 SFA 6x4 -OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW or 13AYC TRANSMISSION, AUTOMATIC - for HX520 SFA 8x6 Tridem REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUR, 12EUUV, 12EUW, 12EUX, 12EUY, 12EUZ, 12EVA or 12EVB ENGINE, DIESEL N/A: TRANSMISSION, MANUAL AVAIL: Code 13WHL OIL COOLER, AUTO TRANSMISSION	13WDM	\$9,754 0/0	\$9,754 0/0
INPUT SHAFT Heavy Duty Roller Bearing; Spline Size 2.00" with 1.18" Pilot, Use with Eaton 13/18 Speed Manual Transmissions, with Transmission Mounted, 6 or 8 bolt PTO's with Up to the Total PTO Output of 500 lb. ft. REQS: Code 13GJS, 13GKJ, 13GKL, 13GKM or 13GYK TRANSMISSION, MANUAL - for HX520 SFA 6x4 -OR- Code 13GKL, 13GKM or 13GYK TRANSMISSION, MANUAL - for HX520 SFA 8x6 Tridem N/A: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC	13WGP	\$35 0/0	\$35 0/0
NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT or 13AUW TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS	13WVV	\$725 0/0	\$725 0/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
SHIFT CONTROL PARAMETERS			
Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with DynActive and Dynamic Shift Sensing (FuelSense 2.0 Basic) REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT or 13AUW TRANSMISSION, AUTOMATIC REQS: Code 12EUS ENGINE, DIESEL N/A: TRANSMISSION, MANUAL	13XBD	\$690	\$690
Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with DynActive, Dynamic Shift Sensing and Neutral at Stop-Premium, with Coast Mode (FuelSense 2.0 Plus) REQS: Code 13ATP, 13ATR, 13AUT or 13AUW TRANSMISSION, AUTOMATIC REQS: Code 12EUS ENGINE, DIESEL N/A: TRANSMISSION, MANUAL : Code 13WVV NEUTRAL AT STOP	13XBE	\$750	\$750
Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with DynActive, with Dynamic Shift Sensing, Neutral at Stop-Premium, with Coast Mode and Acceleration Rate Management (FuelSense 2.0 Max) REQS: Code 13ATP, 13ATR, 13AUT or 13AUW TRANSMISSION, AUTOMATIC REQS: Code 12EUS ENGINE, DIESEL N/A: TRANSMISSION, MANUAL : Code 13WVV NEUTRAL AT STOP	13XBG	\$815	\$815
Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming N/A: TRANSMISSION, MANUAL	13WYU	N/C 0/0	N/C 0/0
Allison 3 Speed S1 Secondary Shift Schedule for 5 or 6 Speed Allison Gen4/Gen 5 3000 & 4000 Series Transmissions REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT or 13AUW TRANSMISSION, AUTOMATIC REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUS, 12EUV, 12EUW, 12EUX, 12EUY, 12EUZ, 12EVA or 12EVB ENGINE, DIESEL N/A: TRANSMISSION, MANUAL	13WDT	\$48	N/A
THRU-SHAFT			
PTO Provision, Left Side, with Fuller Transmission REQS: Code 13GHS, 13GHX, 13GKZ, 13GNB, 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYD or 13GYH TRANSMISSION, MANUAL N/A: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC	13901	\$48 0/0	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
TRANSMISSION, AUXILIARY			
<i>Fuller</i>			
- AT-1202 - 2-Speed with Air Shift Controls REQS: Code 07BMD or 07DWX EXHAUST SYSTEM REQS: Code 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4 -OR- SUSPENSION, REAR, TANDEM - for HX520 SFA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX520 SFA 8x6 Tridem REQS: Code 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRJ, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTU, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM - for HX520 SFA 6x4 -OR- AXLE, REAR, TRIDEM - for HX520 SFA 8x6 Tridem REQS: Code 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GNA, 13GNB or 13GYK TRANSMISSION, MANUAL - for HX520 SFA 6x4 -OR- Code 13GHS, 13GKL, 13GKM, 13GNA or 13GYK TRANSMISSION, MANUAL - for HX520 SFA 8x6 Tridem REQS: Code 15DWS, 15DWT, 15DWU, 15DWV, 15DXH, 15DXJ, 15DYM, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ or 15SWK FUEL TANK - for HX520 SFA 6x4 -OR- Code 15DWS, 15DWT, 15DWU, 15DWV, 15DXH, 15DXJ, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ or 15SWK FUEL TANK - for HX520 SFA 8x6 Tridem N/A: Code 16VAW STORAGE, CAB INTERIOR : Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC : Code 13702 OIL COOLER, AUX TRANSMISSION	13607	\$11,524 0/0	\$11,524 0/0
<i>Spicer</i>			
- ATO-1750-4C - 4-Speed; Mounted with Pin Center of Forward Flange 48" Back of Cab Includes 1241-C Top Mounted PTO; W/Output to Front and Lube Pump REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX520 SFA 6x4 -OR- SUSPENSION, REAR, TANDEM - for HX520 SFA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX520 SFA 8x6 Tridem REQS: Code 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GNA, 13GNB or 13GYK TRANSMISSION, MANUAL - for HX520 SFA 6x4 (SEE NEXT PAGE)	13PDN	\$25,494 +182/+371	\$25,494 +254/+299

**HX520 SFA 6x4
 HX520 SFA 8x6 Tridem**

PL-284 REVISION NO. 105

SECTION 583

PAGE 583-128

PRICES EFFECTIVE 01/01/2020

SUBJECT TO CHANGE WITHOUT NOTICE



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>TRANSMISSION, AUXILIARY <i>(SEE PREV PAGE)</i></p> <p><i>Spicer</i></p> <p>- ATO-1750-4C -</p> <p>-OR- Code 13GHS, 13GKL, 13GKM, 13GNA or 13GYK TRANSMISSION, MANUAL - for HX520 SFA 8x6 Tridem</p> <p>REQS: Code 15DWS, 15DWT, 15DWU, 15DWV, 15DXH, 15DXJ, 15DYM, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ or 15SWK FUEL TANK - for HX520 SFA 6x4</p> <p>-OR- Code 15DWS, 15DWT, 15DWU, 15DWV, 15DXH, 15DXJ, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ or 15SWK FUEL TANK - for HX520 SFA 8x6 Tridem</p> <p>N/A: Code 16VAW STORAGE, CAB INTERIOR : Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC</p>	13PDN		
<p>TRANSMISSION, AUX CONTROLS</p> <p>Tower Mounted on Cab Floor, Includes 3 Position Air Valve and Mounting Bracket</p> <p>REQS: Code 13607 TRANSMISSION, AUXILIARY</p>	13TSX	\$45	\$45
<p>TRANSMISSION OIL</p> <p>Synthetic; 63 thru 76 Pints N/A: TRANSMISSION, MANUAL</p> <p><i>EmGard</i></p> <p>- 40W -</p> <p>Synthetic; 1 thru 21.99 Pints</p> <p>REQS: Code 13GHS, 13GKZ, 13GNB, 13GYD or 13GYH TRANSMISSION, MANUAL - for HX520 SFA 6x4</p> <p>-OR- Code 13GHS, 13GYD or 13GYH TRANSMISSION, MANUAL - for HX520 SFA 8x6 Tridem</p> <p>N/A: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC</p>	13WLM	\$405 0/0	\$405 0/0
<p>Synthetic; 22 thru 33.99 Pints</p> <p>REQS: Code 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GNA, 13GNB, 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYK, 13GYL or 13GYN TRANSMISSION, MANUAL - for HX520 SFA 6x4</p> <p>-OR- Code 13GHS, 13GKL, 13GKM, 13GNA, 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYK, 13GYL or 13GYN TRANSMISSION, MANUAL - for HX520 SFA 8x6 Tridem</p> <p>N/A: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC</p>	13WLW	\$85 0/0	\$85 0/0
<p>Synthetic; 22 thru 33.99 Pints</p> <p>REQS: Code 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GNA, 13GNB, 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYK, 13GYL or 13GYN TRANSMISSION, MANUAL - for HX520 SFA 6x4</p> <p>-OR- Code 13GHS, 13GKL, 13GKM, 13GNA, 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYK, 13GYL or 13GYN TRANSMISSION, MANUAL - for HX520 SFA 8x6 Tridem</p> <p>N/A: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC</p>	13WLX	\$153 0/0	\$153 0/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>AXLE, REAR, TANDEM <i>(SEE PREV PAGE)</i></p> <p><i>Meritor</i></p> <p>- MT-40-14X-5DCR-P - AVAIL: Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- MT-40-14X-5DER-P - Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .5"(12.7mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90,4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43,6.83 or 7.17 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX or 14XAL SUSPENSION, REAR, AIR, TANDEM N/A: Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- MT-40-14X-5DFR - Single Reduction, 40,000-lb Capacity, w/.5"(12.7mm) Wall Housing Thickness, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90,4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43,6.83 or 7.17 REQS: Code 04JCC(std) or 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH, 04NDK, 04NDL, 04NDP or 04NDZ BRAKES, REAR, AIR CAM REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX or 14XAL SUSPENSION, REAR, AIR, TANDEM N/A: Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p>	<p>14GVM</p> <p>14GVK</p> <p>14GVZ</p>	<p></p> <p>\$697 0/+61</p> <p>\$602CR 0/+40</p>	<p></p> <p>N/A</p> <p>N/A</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
<p>AXLE, REAR, TANDEM (CONTINUED)</p> <p><i>Meritor</i></p> <p>- RT-40-160P - Single Reduction, 40,000-lb Capacity, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, R Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04NDB BRAKES, REAR, AIR CAM REQS: Code 14UNX SUSPENSION, REAR, AIR, TANDEM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : SUSPENSION, REAR, TANDEM : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- RT-46-160 - Single Reduction, 46,000-lb Capacity, Driver Controlled Locking Differential in Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH, 04NDK, 04NDL, 04NDP or 04NDZ BRAKES, REAR, AIR CAM REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 28DTA WHEELS, REAR : Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>Single Reduction, 46,000-lb Capacity, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04JCC(std) or 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH, 04NDK, 04NDL, 04NDP or 04NDZ BRAKES, REAR, AIR CAM REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>Single Reduction, 46,000-lb Capacity, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14HSC</p> <p>14GRP</p> <p>14HRM</p> <p>14GRD</p>	<p>\$4,906 0/+402</p> <p>\$4,623 0/+495</p> <p>\$5,615 0/+425</p> <p>\$3,994 0/+453</p>	<p>N/A</p> <p>N/A</p> <p>N/A</p> <p>N/A</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>AXLE, REAR, TANDEM (SEE PREV PAGE)</p> <p><i>Meritor</i></p> <p>- RT-46-160 - -OR- Code 04NDB, 04NDH, 04NDK, 04NDL, 04NDP or 04NDZ BRAKES, REAR, AIR CAM REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- RT-46-160P - Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04JCC(std) or 04JNT BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH, 04NDK, 04NDL, 04NDP or 04NDZ BRAKES, REAR, AIR CAM REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH, 04NDK, 04NDL, 04NDP or 04NDZ BRAKES, REAR, AIR CAM REQS: Code 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04JCC(std) or 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH, 04NDK, 04NDL, 04NDP or 04NDZ BRAKES, REAR, AIR CAM</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14GRD</p> <p>14GRR</p> <p>14GRS</p> <p>14HRL</p>	<p></p> <p>\$4,305 0/+482</p> <p>\$4,896 0/+525</p> <p>\$5,933 0/+452</p>	<p></p> <p>N/A</p> <p>N/A</p> <p>N/A</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>AXLE, REAR, TRIDEM</p> <p><i>Meritor</i></p> <p>- RZ-166 EH - Single Reduction, Wide Track, 53,000-lb Capacity, Driver Controlled Locking Differential in All Three Axles, 200 Wheel Ends RATIO: 4.30,4.56,4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE NOTE: Axle Lead Time is 45 Days</p>	14HRG	N/A	STD
<p>SUSPENSION, REAR, AIR, TANDEM</p> <p><i>Hendrickson</i></p> <p>- HAS-402-55 - 40,000-lb Capacity, 55" Axle Spacing, 10.6" Ride Height, with Shock Absorbers REQS: Code 02ARV, 02ARY, 02ARZ, 02ASG, 02ASM, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING REQS: Code 04JCC(std) or 04JNT BRAKES, REAR, AIR DISC -OR- Code 04NDZ BRAKES, REAR, AIR CAM REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DYM, 15SGL, 15SHC, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWJ or 15SWK FUEL TANK N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 04LGA SLACK ADJUSTERS, REAR : Code 04WDW BRAKE CHAMBERS, SPRING : Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 14AJX SHIELD, TEMPERATURE SENSOR : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL and 14WCP TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 13PDN and 13607 TRANSMISSION, AUXILIARY : Code 01GUG TOOL BOX MOUNTED ON RAIL : Code 10HYX and 10KKZ FIFTH WHEEL, AIR SLIDE : Code 10HKG, 10HKH and 10HYU FIFTH WHEEL, STATIONARY AVAIL: Code 04AAW BRAKE SHOES, REAR</p>	14XAL	\$260 0/+299	N/A

**HX520 SFA 6x4
 HX520 SFA 8x6 Tridem**

PL-284 REVISION NO. 105

SECTION 583

PRICES EFFECTIVE 01/01/2020

PAGE 583-144

SUBJECT TO CHANGE WITHOUT NOTICE



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE)			
<i>Hendrickson</i>			
- HAS-402-60 -			
REQS: Code 15DWS, 15DWT, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DYM, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 14AJX SHIELD, TEMPERATURE SENSOR : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL and 14WCP TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 01GUG TOOL BOX MOUNTED ON RAIL : Code 10JPG, 10KKU and 10KKZ FIFTH WHEEL, AIR SLIDE : Code 10HKE, 10HKG and 10HKH FIFTH WHEEL, STATIONARY AVAIL: Code 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 13PDN TRANSMISSION, AUXILIARY	14ULV		
- HAS-460-55 -			
46,000-lb Capacity, 55" Axle Spacing, 10.6" Ride Height, with Shock Absorbers REQS: Code 02ARV, 02ARY, 02ARZ, 02ASG, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING REQS: Code 04NDZ BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVM, 14GVU(std), 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DYM, 15SGL, 15SHC, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWJ or 15SWK FUEL TANK N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 04LGA SLACK ADJUSTERS, REAR : Code 04WDW BRAKE CHAMBERS, SPRING : Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 14AJX SHIELD, TEMPERATURE SENSOR : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL and 14WCP TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	14XAM	\$913 0/+121	N/A
(SEE NEXT PAGE)			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>SUSPENSION, REAR, AIR, TANDEM (CONTINUED)</p> <p><i>Hendrickson</i></p> <p>- PRIMAAX EX -</p> <p>52,000-lb Capacity, 60" Axle Spacing, 9.0" Ride Height, with Shock Absorbers REQS: Code 04JNT or 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH or 04NDK BRAKES, REAR, AIR CAM REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DWS, 15DWT, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DYM, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 04WDW BRAKE CHAMBERS, SPRING : Code 01CAG FRAME RAILS : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL and 14WCP TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 01GUG TOOL BOX MOUNTED ON RAIL : Code 10HJD and 10KKZ FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG and 10HKH FIFTH WHEEL, STATIONARY AVAIL: Code 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP</p>	14UPW	\$5,652 0/+437	N/A
<p>SUSPENSION, REAR, AIR, TRIDEM</p> <p><i>Hendrickson</i></p> <p>- PAX-690-55 -</p> <p>69,000-lb Capacity, 55" Axle Spacing, 9.5" Ride Height, with Shock Absorbers Mounted in Standard Location</p>	14UPC	N/A	STD
<p>SUSPENSION, REAR, TANDEM</p> <p><i>Hendrickson</i></p> <p>- HMX-400-54 -</p> <p>Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings REQS: Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC</p>	14ULX	STD	N/A

(SEE NEXT PAGE)



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
SUSPENSION, REAR, TANDEM (SEE PREV PAGE)			
<i>Hendrickson</i>			
- RT-523 -			
N/A: Code 10HJD, 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE	14698		
AVAIL: Code 40SPL, 40SPM, 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP			
- RT-650 -			
Walking Beam, 65,000-lb Capacity, 56" Axle Spacing, Multileaf Springs, with Rubber Center Bushings	14524	\$7,418 0/+546	N/A
REQS: Code 01CGC(std) FRAME RAILS			
REQS: Code 01GDS FRAME REINFORCEMENT, when in combination with Code 01CGC FRAME RAILS			
REQS: Code 02ARU, 02ARW(std), 02ARY, 02ARZ, 02ASG, 02ASM, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING			
REQS: Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM			
REQS: Code 14GRJ, 14GRM, 14GTT or 14GTU AXLE, REAR, TANDEM			
REQS: Code 15DWS, 15DWT, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DYM, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ, 15SWK or 15SXW FUEL TANK			
N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP			
: Code 16HLB GAUGE, AIR PRESSURE			
: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC			
: Code 04WDW BRAKE CHAMBERS, SPRING			
: Code 14WBS TRANSVERSE TORQUE RODS			
: Code 14WBU and 14WBV SHOCK ABSORBERS, REAR			
: SUSPENSION, REAR, AIR, TANDEM			
: Code 14WCL and 14WCP TORQUE RODS			
: Code 14899 SUSPENSION AIR CONTROL VALVE			
: Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY			
: Code 14WNJ AXLE, PUSHER, LIFT TYPE			
: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE			
: Code 01GUG TOOL BOX MOUNTED ON RAIL			
: Code 10HJD, 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE			
AVAIL: Code 01GDS FRAME REINFORCEMENT			
<i>Chalmers</i>			
- 854-40L -			
Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with (8) Torque Rods, Restrictor Cans	14UZS	\$2,731 0/+30	N/A
REQS: Code 14WBU SHOCK ABSORBERS, REAR, when in combination with Code 04092 BRAKE SYSTEM, AIR			
(SEE NEXT PAGE)			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>SUSPENSION, REAR, TANDEM (SEE PREV PAGE)</p> <p><i>Chalmers</i></p> <p>- 854-46H - AVAIL: Code 14WBU SHOCK ABSORBERS, REAR</p> <p>- 854-46H-HS - Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with (8) Torque Rods, High Stability Restrictor Cans REQS: Code 14WBU SHOCK ABSORBERS, REAR, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DWS, 15DWT, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DYM, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ, 15SWK or 15SXW FUEL TANK N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16HLB GAUGE, AIR PRESSURE : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL and 14WCP TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 01GUG TOOL BOX MOUNTED ON RAIL : Code 10HJD, 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE AVAIL: Code 14WBU SHOCK ABSORBERS, REAR</p> <p>- 854-52H-HS - Walking Beam, 52,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with (8) Torque Rods, High Stability Restrictor Cans REQS: Code 14WBU SHOCK ABSORBERS, REAR, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 14GJW, 14GTW or 14HRC AXLE, REAR, TANDEM REQS: Code 15DWS, 15DWT, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DYM, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ, 15SWK or 15SXW FUEL TANK N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16HLB GAUGE, AIR PRESSURE : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL and 14WCP TORQUE RODS</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14UZU</p> <p>14UZB</p> <p>14UZX</p>	<p></p> <p>\$3,317 0/+181</p> <p>\$5,611 0/+389</p>	<p></p> <p>N/A</p> <p>N/A</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>SUSPENSION, REAR, TANDEM (SEE PREV PAGE)</p> <p><i>Chalmers</i></p> <p>- 872-46H-HS - N/A: Code 14WCL and 14WCP TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 01GUG TOOL BOX MOUNTED ON RAIL : Code 10HJD, 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE AVAIL: Code 14WBU SHOCK ABSORBERS, REAR</p>	14UZW		
<p>AXLE, PUSHER, LIFT TYPE</p> <p>NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Watson & Chalin</i></p> <p>- AL-2200 - 20,000-lb Capacity, One Non-Steer Axle REQS: Code 04JBS BRAKES, AIR CAM, PUSHER AXLE REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE REQS: Code 14UZB, 14UZS, 14UZU or 14UZX SUSPENSION, REAR, TANDEM, when in combination with Code 01CAG or 01CBU FRAME RAILS REQS: Code 34ABP, 34ABU, 34ABZ, 34ACA, 34ACB, 34ACD, 34ACG, 34ACK, 34ACR or 34ACS WHEELS, LIFT AXLE PUSHER REQS: Code 14UAB AXLE SPACING, FIRST PUSHER, when in combination with Code 01CAG or 01CBU FRAME RAILS REQS: Code 14UAB, 14UAC or 14UAD AXLE SPACING, FIRST PUSHER REQS: Code 14RAA, 14RAB, 14RAD or 14RAR AXLE, LIFT, CONTROLS REQS: Code 02ARU, 02ARY, 02ARZ, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING REQS: Code 08VUK(std), 08VUZ or 08WJN BATTERY BOX REQS: Code 14UHD, 14UHK, 14UHL, 14UJE, 14ULX(std), 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 14XAB, 14XAC or 14XAD PUSHER LIFT AXLE TIRE SLR REQS: Code 15DWS, 15DWU, 15DXE, 15DXG, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 09505 QUARTER FENDERS : Code 16AUB CAB : Code 04JNK SLACK ADJUSTER, TAG AXLE : Code 01CAG FRAME RAILS</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	14WLM	\$11,378 +397/+930	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL1190SSR Tru-Trk Alumilite - REQS: Code 04EVP, 04EVT or 04EXR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABP, 34ABS, 34ABT, 34ABU, 34ABV, 34ABZ, 34ACA, 34ACB, 34ACC, 34ACD, 34ACE, 34ACG, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER and Code 14GJW, 14GRJ, 14GRM, 14GTS, 14GTT, 14GTU, 14GTW or 14GUV AXLE, REAR, TANDEM REQS: Code 04JBR BRAKES, AIR CAM, PUSHER AXLE REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 34AAM, 34AAP, 34ABS, 34ABU, 34ACB, 34ACD, 34ACJ, 34ACM or 34ACN WHEELS, LIFT AXLE PUSHER REQS: Code 14UAA, 14UAB, 14UAC or 14UAD AXLE SPACING, FIRST PUSHER REQS: Code 14RAA, 14RAB, 14RAD, 14RAR or 14RAV AXLE, LIFT, CONTROLS REQS: Code 02ARU, 02ARY, 02ARZ, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING REQS: Code 08VUK(std), 08VUZ or 08WJN BATTERY BOX REQS: Code 14UHD, 14UHK, 14UHL, 14UJE, 14ULX(std), 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 14XAB, 14XAC or 14XAD PUSHER LIFT AXLE TIRE SLR REQS: Code 15DWS, 15DWU, 15DXE, 15DXG, 15SGL, 15SHC, 15SJR, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 09505 QUARTER FENDERS : Code 04JNK SLACK ADJUSTER, TAG AXLE : Code 04EVH, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02ARU, 02ARY, 02ARZ, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING and Code 14UHK, 14UHL, 14UJE, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM and Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABP, 34ABS, 34ABT, 34ABU, 34ABV, 34ABZ, 34ACA, 34ACB, 34ACC, 34ACD, 34ACE, 34ACG, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER and Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14WNH</p>		



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL1190SSR Tru-Trk Alumilite - N/A: Code 04EVH, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02ARU, 02ARY, 02ARZ, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING and Code 14ULB, 14ULC, 14ULS, 14ULT, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX or 14XAM SUSPENSION, REAR, AIR, TANDEM and Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABP, 34ABS, 34ABT, 34ABU, 34ABV, 34ABZ, 34ACA, 34ACB, 34ACC, 34ACD, 34ACE, 34ACG, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER and Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM : Code 01CBU FRAME RAILS, when in combination with Code 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXD, 13GXH, 13GYD, 13GYH, 13GYL or 13GYN TRANSMISSION, MANUAL : Code 01UBT and 01UCD CROSSMEMBER, INTERMEDIATE LOC : Code 14UAJ, 14UAK and 14UAL AXLE SPACING, SECOND PUSHER : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 07BKN EXHAUST SYSTEM : Code 01GUG TOOL BOX MOUNTED ON RAIL AVAIL: Code 04JNJ SLACK ADJUSTER, PUSHER AXLE : Code 04692 and 04808 HOSE TENDER : Code 14WNK AXLE, TAG, LIFT TYPE</p>	14WNH		
<p>AXLE, PUSHER, LIFT TYPE, ID</p> <p>Customer Installed Pusher Type Axle; Nothing Installed at Manufacturing Plant REQS: Code 14RAU AXLE, LIFT, CONTROLS - for HX520 SFA 6x4 N/A: Code 01CAG FRAME RAILS : Code 14WLM, 14WNNH, 14WNNJ and 14WNNM AXLE, PUSHER, LIFT TYPE - for HX520 SFA 6x4 : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE - for HX520 SFA 6x4</p>	14WLT	N/C 0/0	N/C 0/0
<p>AXLE SPACING, FIRST PUSHER</p> <p>100" Ahead of Drive Axle N/A: Code 14WLM, 14WNNH, 14WNNJ and 14WNNM AXLE, PUSHER, LIFT TYPE AVAIL: Code 14WNNM AXLE, PUSHER, LIFT TYPE</p>	14UAH	N/C 0/0	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
AXLE SPACING, FIRST PUSHER (CONTINUED)			
45" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE AVAIL: Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE	14UAA	N/C 0/0	N/A
49" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE	14UAB	N/C 0/0	N/A
54" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE	14UAC	N/C 0/0	N/A
55" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE	14UAD	N/C 0/0	N/A
AXLE SPACING, SECOND PUSHER			
42" Ahead of First Pusher Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	14UAJ	N/C 0/0	N/A
46" Ahead of First Pusher Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	14UAK	N/C 0/0	N/A
48" Ahead of First Pusher Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	14UAL	N/C 0/0	N/A
AXLE, TAG, LIFT TYPE			
NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
Watson & Chalin			
- AL-2200 -			
20,000-lb Capacity, One Non-Steer Axle			
REQS: Code 16031(std) CAB			
REQS: Code 04JBT BRAKES, AIR CAM, TAG AXLE			
REQS: Code 04AZA or 04AZJ(std) AIR BRAKE ABS			
REQS: Code 04AZY AIR BRAKE ABS, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 04692 HOSE TENDER			
REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE			
REQS: Code 14UKZ, 14ULB, 14ULT, 14ULU, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 04692 HOSE TENDER			
REQS: Code 14UBA or 14UBB AXLE SPACING, TAG			
REQS: Code 14RAA, 14RAB, 14RAD or 14RAR AXLE, LIFT, CONTROLS			
REQS: Code 02ARU, 02ARY, 02ARZ, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING			
REQS: Code 04091(std) BRAKE SYSTEM, AIR			
REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM			
(SEE NEXT PAGE)			
14WLR	\$11,378 -438/+1765	N/A	



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
AXLE SPACING, TAG			
55" Behind Rear Drive Axle N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE	14UAZ	N/C 0/0	N/A
61" Behind Rear Drive Axle N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	14UBA	N/C 0/0	N/A
67" Behind Rear Drive Axle N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	14UBB	N/C 0/0	N/A
AXLE, LIFT, CONTROLS			
for One Lift Axle; All Controls Inside Cab; Includes Pressure Gauge, Pressure Regulator and Lift/Lower Switch Inside Cab REQS: Code 16031(std) CAB N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID	14RAA	\$1,088 0/0	N/A
for One Non-Steer Lift Axle, Customer Installed, All Controls Inside Cab N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	14RAU	\$1,088 0/0	N/A
for Two Lift Axles; All Controls Inside Cab; Includes Pressure Gauge, Pressure Regulator and Lift/Lower Switch Inside Cab REQS: Code 16031(std) CAB N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID	14RAD	\$1,365 0/0	N/A
for One Lift Axle; Controls Inside and Outside Cab; Includes Lift/Lower Switch Inside Cab on Dash; Pressure Gauge and Pressure Regulator Outside Cab N/A: Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID	14RAR	\$1,088 0/0	N/A
for Two Lift Axles; Controls Inside and Outside Cab; Includes Lift/Lower Switch Inside Cab on Dash; Pressure Gauge and Pressure Regulator Outside Cab N/A: Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WNK AXLE, TAG, LIFT TYPE	14RAV	\$1,365 0/0	N/A
for One Lift Axle; Controls Inside And Outside Cab; Includes Pressure Gauge and Lift/Lower Switch Inside Cab; Pressure Gauge and Pressure Regulator Outside Cab REQS: Code 16031(std) CAB N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 12VBA AIR CLEANER	14RAB	\$1,088 0/0	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
AXLE, REAR, LIFT, LUBE EmGard - FE-75W-90 - Synthetic Oil; 1 thru 10.99 Pints	14WNB	\$127 0/0	N/A
AXLE, REAR, LUBE EmGard - FE-75W-90 - Synthetic Oil; 50 thru 64.99 Pints REQS: Code 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY or 14GVZ AXLE, REAR, TANDEM Synthetic Oil; 65 thru 89.99 Pints REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM Synthetic Oil; 90 thru 115.99 Pints REQS: Code 14GRJ, 14GRM, 14GTS, 14GTT, 14GTU or 14GTW AXLE, REAR, TANDEM - for HX520 SFA 6x4 -OR- AXLE, REAR, TRIDEM - for HX520 SFA 8x6 Tridem	14WMJ 14WMK 14WMZ	\$364 0/0 \$488 0/0 \$668 0/0	N/A N/A \$668 0/0
AXLE SHAFT MODIFICATION Axle Shaft Flanges Modified for 0.625" Diameter Drive Studs with Solid Type Cone-Locks REQS: Code 14GGU, 14GRD, 14GRP, 14GRR, 14GRS, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL or 14HRM AXLE, REAR, TANDEM N/A: Code 28DTY and 28DUL WHEELS, REAR	14WZY	\$498 0/0	N/A
BUSHINGS, EQUALIZER BEAM Bronze Center Bushings; for Hendrickson Suspension REQS: Code 14524 SUSPENSION, REAR, TANDEM N/A: Code 14WBS TRANSVERSE TORQUE RODS : SUSPENSION, REAR, AIR, TANDEM	14803	\$176 0/0	N/A
DIFF. SWITCH CONTROLS Two Independent Switches for Control Traction Differentials on Tandem Rear Axles, Mounted on Dash REQS: Code 14GJW, 14GKK, 14GKP, 14GVL, 14GVM, 14GVN, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HSC AXLE, REAR, TANDEM Three Independent Switches for Control Traction Differentials on Tridem Rear Axles, Mounted on Dash	14WBN 14WCE	\$265 0/0 N/A	N/A \$597 0/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
SUSPENSION/REAR-AXLE IDENTITY (SEE PREV PAGE) REQS: Code 14GRD, 14GRJ, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTU, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM	14WAL		
TORQUE RODS Hendrickson XTRB, for HMX Suspensions REQS: Code 14ULX(std), 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM Hendrickson TRAXX Rods for Suspensions with Longitudinal Torque Rods REQS: Code 14ULY SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM	14WCL 14WCP	\$445 \$172	N/A N/A
TRANSVERSE TORQUE RODS with Hendrickson Suspensions REQS: Code 14UHD, 14UHK or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UNX SUSPENSION, REAR, AIR, TANDEM N/A: Code 14803 BUSHINGS, EQUALIZER BEAM	14WBS	\$929 0/+115	N/A
PUSHER LIFT AXLE TIRE SLR NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book 0 to 1.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER 2 to 3.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER 4 to 5.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER 6 to 7.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE	14XAB 14XAC 14XAD 14XAJ	N/C 0/0 N/C N/C N/C 0/0 0/0	N/A N/A N/A N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
DEF TANK (CONTINUED) 25.2 US Gal (95L) Capacity, Frame Mounted Outside Left Rail, Under Cab REQS: Code 08WJN BATTERY BOX REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUR, 12EUT or 12EUW ENGINE, DIESEL N/A: Code 07BKN EXHAUST SYSTEM	15WEB	\$518 +18/+5	N/A
DEF TANK COVER Stainless Steel REQS: Code 08VUK(std) BATTERY BOX, when in combination with Code 15WDY DEF TANK - for HX520 SFA 8x6 Tridem REQS: Code 08VUK(std) or 08VUZ BATTERY BOX, when in combination with Code 15WDY DEF TANK - for HX520 SFA 6x4 REQS: Code 15SWJ or 15SWK FUEL TANK, when in combination with Code 15WDY DEF TANK - for HX520 SFA 6x4 N/A: Code 08VUP and 08VUS BATTERY BOX COVER	15BAA	\$233 +2/+1	\$233 +2/+1
FUEL COOLER Less Thermostat; Mounted in Front of Cooling Module	15WCS	\$276 0/0	\$276 +4/-1
FUEL HEATER Cummins Omit Plumbing for TRV on Cummins Engines Plumbing for Thermal Recirculation Valve (TRV) Mounted to Cummins X15 Engines, Thermostatically Controlled	15MAD 15LNA	N/C \$148 -2/0	N/C \$148 -2/0
FUEL TANK CAP (02) Chrome, Locking Type REQS: Code 15DWS, 15DWU, 15DXD, 15DXG, 15DXJ, 15DYM or 15EAR FUEL TANK - for HX520 SFA 6x4 -OR- Code 15DWS, 15DWU, 15DXD, 15DXG or 15DXJ FUEL TANK - for HX520 SFA 8x6 Tridem (02) Locking Type REQS: Code 15DWT, 15DWV, 15DXC, 15DXE, 15DXH, 15DYM or 15EAR FUEL TANK - for HX520 SFA 6x4 -OR- Code 15DWT, 15DWV, 15DXC, 15DXE or 15DXH FUEL TANK - for HX520 SFA 8x6 Tridem Chrome, Locking Type REQS: Code 15SSG, 15SSK, 15SSL, 15SSM, 15SWH or 15SWJ FUEL TANK	15WAK 15903 15WAJ	\$110 0/0 \$106 0/0 \$55 0/0	\$110 0/0 \$106 0/0 \$55 0/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
FUEL TANK CAP (CONTINUED) Locking Type REQS: Code 15SGL, 15SHC, 15SJR, 15SMZ, 15SSN(std) or 15SWK FUEL TANK	15902	\$53 0/0	\$53 0/0
FUEL TANK LOCATION Customer Approved Back of Cab Fuel Tank Configuration	15WUD	N/C	N/A
FUEL TANK STRAPS Bright Finish Stainless Steel REQS: Code 15SGL, 15SHC, 15SJR, 15SMZ, 15SSN(std) or 15SWK FUEL TANK Bright Finish Stainless Steel, for Dual Fuel Tanks REQS: Code 15DWT, 15DWV, 15DXC, 15DXE, 15DXH or 15EAR FUEL TANK - for HX520 SFA 6x4 -OR- Code 15DWT, 15DWV, 15DXC, 15DXE or 15DXH FUEL TANK - for HX520 SFA 8x6 Tridem	15924 15960	\$260 0/0 \$520 0/0	\$260 0/0 \$520 0/0
FUEL/WATER SEPARATOR Racor Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor N/A: Code 12WCT BLOCK HEATER, ENGINE Davco - Fuel Pro 382 - 12 VDC Electric Heater, Includes Pre-Heater, Coolant Heated, Includes Water-in-Fuel Sensor N/A: Code 12WCT BLOCK HEATER, ENGINE 120 VAC Plug-in Electric Pre-Heater, Coolant Heated, Includes Water-in-Fuel Sensor REQS: Code 12WCT BLOCK HEATER, ENGINE Coolant Heated, Includes Water-in-Fuel Sensor N/A: Code 12WCT BLOCK HEATER, ENGINE 12 VDC Electric Heater, Includes Pre-Heater, Includes Water-in-Fuel Sensor N/A: Code 12WCT BLOCK HEATER, ENGINE	15LKU 15LMM 15LML 15LNE 15LKX	STD \$697 \$623 \$574 \$421 +3/0	STD \$697 \$623 \$574 \$421 +3/0
CAB Conventional, Day Cab INCLS: GRAB HANDLE, EXTERIOR (2) Mounted Behind Driver and Passenger Doors : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CONSOLE, CENTER Includes Two Cup Holders with Ash Cup and One Additional Storage Area : GLASS, ALL WINDOWS Tinted (SEE NEXT PAGE)	16031	STD	STD



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem	
<p>CAB <i>(SEE PREV PAGE)</i></p> <p>INCLS: GRAB HANDLE, CAB INTERIOR (2) One Each Side : STEP (4) Two Steps Per Door : DOME LIGHT, SLEEPER Rectangular; Switch Located on Light, on Cab Header Panel, and on Control Panel in Sleeper : LIGHT, LUGGAGE COMPARTMENT (3) Door or Bunk Activated, One Per Compartment : READING LIGHT, SLEEPER With Lower Bunk, Located on Back Panel, Left Side : CLEARANCE/MARKER LIGHTS (5) LED Roof Mounted : DOME LIGHT, CAB (2) Rectangular, Door Activated; Above Door Mounted, One Each Side : CONTROL PANEL, SLEEPER Includes Blower Speed and Temperature Controls, Winter/Summer Selector Switch, Roof Light Switch, Radio Volume and Balance Controls, 12-Volt Power Source, Located at Head of Bunk : SPEAKER IN SLEEPER (2) Located in Lower Back Panel : BUNK, LOWER 37" Lift-Up Bunk with Latch and Lighting : MATTRESS Inner Spring; For 37" Lower Bunk of Sleeper Cab</p> <p>REQS: Code 16JPH, 16JXH or 16LWY SEAT, DRIVER REQS: Code 16VLC CAB INTERIOR TRIM REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 14RAR, 14RAU or 14RAV AXLE, LIFT, CONTROLS - for HX520 SFA 6x4 REQS: Code 08GHJ, 08GHU, 08GXB, 08GXC or 08GXX ALTERNATOR REQS: Code 07DWX EXHAUST SYSTEM REQS: Code 15WDY DEF TANK - for HX520 SFA 8x6 Tridem REQS: Code 15WDY or 15WEB DEF TANK - for HX520 SFA 6x4 REQS: Code 08WHE or 08653(std) HORN, AIR REQS: Code 16LDS, 16LDU, 16LDV, 16LLS, 16RAN or 16400(std) SEAT, PASSENGER REQS: Code 08WJN BATTERY BOX REQS: Code 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ or 15DYM FUEL TANK - for HX520 SFA 6x4 -OR- Code 15DXC, 15DXD, 15DXE, 15DXG, 15DXH or 15DXJ FUEL TANK - for HX520 SFA 8x6 Tridem REQS: Code 10131 PAINT SCHEMATIC, PT-1 N/A: Code 10NZL SPECIAL RATING, GWWR : Code 16XZE SUNSHADE, EXTERIOR : Code 16UZJ STORAGE, REAR WALL : Code 16VZA(std) WINDOW, REAR : Code 04XAC AIR TANK LOCATION : Code 14WLM, 14WNNH, 14WNNJ and 14WNNM AXLE, PUSHER, LIFT TYPE, when in combination with Code 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXD, 13GXH, 13GYD, 13GYH, 13GYL or 13GYN TRANSMISSION, MANUAL - for HX520 SFA 6x4 : Code 14WNNJ AXLE, PUSHER, LIFT TYPE</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>16AUC</p>		



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>CAB <i>(SEE PREV PAGE)</i></p> <p>REQS: Code 16JPH, 16JXH or 16LWY SEAT, DRIVER REQS: Code 16VLB CAB INTERIOR TRIM REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 14RAR, 14RAU or 14RAV AXLE, LIFT, CONTROLS - for HX520 SFA 6x4 REQS: Code 08GHJ, 08GHU, 08GXB, 08GXC or 08GXX ALTERNATOR REQS: Code 07DWX EXHAUST SYSTEM REQS: Code 15WDY DEF TANK - for HX520 SFA 8x6 Tridem REQS: Code 15WDY or 15WEB DEF TANK - for HX520 SFA 6x4 REQS: Code 16LDS, 16LDU, 16LDV, 16LLS, 16RAN or 16400(std) SEAT, PASSENGER REQS: Code 08WJN BATTERY BOX REQS: Code 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ or 15DYM FUEL TANK - for HX520 SFA 6x4 -OR- Code 15DXC, 15DXD, 15DXE, 15DXG, 15DXH or 15DXJ FUEL TANK - for HX520 SFA 8x6 Tridem REQS: Code 10130 PAINT SCHEMATIC, PT-1 N/A: Code 16XZE SUNSHADE, EXTERIOR : Code 16VLJ STORAGE SHELF, RIGHT : Code 16VLH STORAGE SHELF, LEFT : Code 16UZJ STORAGE, REAR WALL : Code 16VZA(std) WINDOW, REAR : Code 16UZT ROOF AIR DEFLECTOR : Code 04XAC AIR TANK LOCATION : Code 14WLM, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE, when in combination with Code 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXD, 13GXH, 13GYD, 13GYH, 13GYL or 13GYN TRANSMISSION, MANUAL - for HX520 SFA 6x4 : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE : Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC : Code 08ACE BEACON LIGHT WIRING : Code 16UKJ ANTENNA MOUNTING BRACKETS : Code 08RMA RADIO : Code 08836 HORN, AIR AVAIL: Code 16ZGV ACCESS, FRAME : Code 16VZV and 16XJS MODESTY PANEL : Code 16WYV CAB SIDE EXTENDERS (FAIRINGS) : Code 04808 HOSE TENDER : Code 14WNL AXLE, PUSHER, LIFT TYPE - for HX520 SFA 6x4 : Code 08WBW JUMP START STUD : Code 08XKJ LIGHT, WORK : Code 08RLG SATELLITE COMMUNICATION SYSTEM</p>	<p>16AUB</p>		



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
ACCESS, FRAME <i>(SEE PREV PAGE)</i> N/A: Code 16ZBB ACCESS, CAB : Code 16ZBP ACCESS, CAB AND FRAME : Code 16WYV and 16WZR CAB SIDE EXTENDERS (FAIRINGS) : Code 08XKJ LIGHT, WORK : Code 01GUG TOOL BOX MOUNTED ON RAIL AVAIL: Code 16ZDV and 16ZGX GRAB HANDLE, EXTERIOR : Code 07WDN MUFFLER/TAIL PIPE GUARD	16ZHN		
AIR CONDITIONER <i>International</i> - Blend-Air - with Integral Heater and Defroster	16WKB	STD	STD
ANTENNA MOUNTING BRACKETS for Satellite Communication System; Mounted on Back of Day Cab or Extended Cab, with or without Aerodynamic Package REQS: Code 16031(std) CAB N/A: Code 16UZT ROOF AIR DEFLECTOR : Code 07DWX EXHAUST SYSTEM AVAIL: Code 08RLK SATELLITE COMMUNICATION SYSTEM	16UKJ	\$130	\$130
ANTENNA, TELEVISION with Lead-In REQS: Code 16VLD CABINET, FOOT LOCKER, when in combination with Code 16AUB or 16AUC CAB REQS: Code 16AUB or 16AUC CAB	16WDE	\$30	\$30
BOX, SECURITY (2) Located in Sleeper Cab, Attached to Bulkhead Under Lower Bunk REQS: Code 16AUB or 16AUC CAB	16VHL	\$97 +2/+3	\$97 +3/+2
CAB DOOR LOCKS Power REQS: Code 16WAK(std) WINDOW, POWER	16WJG	STD	STD
CAB INTERIOR TRIM Classic, for HX Day Cab INCLS: SUN VISOR (2) Vinyl with Toll Ticket Strap : CONSOLE, OVERHEAD Molded Plastic with Three Storage Pockets; One with Velcro Strap for CB Radio Mounting; Two with Netting : FLOOR COVERING Rubber, Black : DOME LIGHT, CAB (2) Rectangular, Door Activated; Above Door Mounted, One Each Side REQS: Code 16031(std) CAB REQS: Code 16LGE, 16LHH, 16LHJ, 16RAC, 16RAN, 16SPV, 16SSK or 16400(std) SEAT, PASSENGER N/A: Code 16XTJ SUNSHADE, EXTERIOR <i>(SEE NEXT PAGE)</i>	16VJZ	STD	STD



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
CAB INTERIOR TRIM (SEE PREV PAGE)			
N/A: Code 16VLD CABINET, FOOT LOCKER : Code 16VLH STORAGE SHELF, LEFT : Code 16VHM STORAGE TRAY, UNDER BUNK : Code 16JPH and 16JXH SEAT, DRIVER : Code 08RJG RADIO, AUXILIARY CONTROLS	16VJZ		
Diamond, for HX Day Cab INCLS: SUN VISOR (2) Vinyl with Toll Ticket Strap : CONSOLE, OVERHEAD Molded Plastic with Three Storage Pockets; One with Velcro Strap for CB Radio Mounting; Two with Netting : FLOOR COVERING Rubber, Black : DOME LIGHT, CAB (2) Rectangular, Door Activated; Above Door Mounted, One Each Side REQS: Code 16031(std) CAB REQS: Code 16LGE, 16LHH, 16LHJ, 16RAC, 16RAN, 16SPV, 16SSK or 16400(std) SEAT, PASSENGER N/A: Code 16XTJ SUNSHADE, EXTERIOR : Code 16VLD CABINET, FOOT LOCKER : Code 16VLH STORAGE SHELF, LEFT : Code 16VHM STORAGE TRAY, UNDER BUNK : Code 16JPH and 16JXH SEAT, DRIVER : Code 08RJG RADIO, AUXILIARY CONTROLS	16VKA	\$539 +5/+1	\$539 0/0
Diamond, for 51" Hi-Rise Sleeper Cab REQS: Code 16JPH, 16JXH, 16KVW, 16KVX or 16LWY SEAT, DRIVER REQS: Code 16AUC CAB REQS: Code 16LDS, 16LDU, 16LDV, 16LLS, 16RAN or 16SSK SEAT, PASSENGER N/A: Code 16VZA(std) WINDOW, REAR : Code 08TPU COLLISION MITIGATION SYSTEM	16VLC	\$748	\$748
Diamond, for 51" Low Roof Sleeper Cab REQS: Code 16JPH, 16JXH, 16KVW, 16KVX or 16LWY SEAT, DRIVER REQS: Code 16AUB CAB REQS: Code 16LDS, 16LDU, 16LDV, 16LLS, 16RAN or 16SSK SEAT, PASSENGER N/A: Code 16VZA(std) WINDOW, REAR	16VLB	\$748	\$748
CAB REAR SUSPENSION			
Dual Air Suspension, Includes Special Crossmember Assembly N/A: Code 07DWX EXHAUST SYSTEM	16WLD	STD	STD
Rear Cab Air Suspension, Includes Integrated Crossmember, for Sleeper Cab REQS: Code 16AUB or 16AUC CAB REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 07DWX EXHAUST SYSTEM	16VUT	\$1,528	\$1,528



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
CAB SIDE EXTENDERS (FAIRINGS)			
with Conventional Sleeper Cab REQS: Code 16AUB CAB REQS: Code 07DWX EXHAUST SYSTEM AVAIL: Code 16ZGV ACCESS, FRAME : Code 16VZV and 16XJS MODESTY PANEL	16WYV	\$468 +8/+21	\$468 +12/+17
Includes Cab Side Extender Top Extensions; For Use with Conventional Hi-Rise Sleeper Cab; Less Aero Package REQS: Code 16AUC CAB REQS: Code 07DWX EXHAUST SYSTEM AVAIL: Code 16ZGV ACCESS, FRAME : Code 16VZV and 16XJS MODESTY PANEL	16WZR	\$772 +13/+32	\$772 +19/+26
CABINET, FOOT LOCKER			
Storage, At Foot of Bunk, with Provisions for Entertainment Storage with Tie down and Power Source, Conventional Sleeper Cab REQS: Code 16VLB or 16VLC CAB INTERIOR TRIM REQS: Code 16AUB or 16AUC CAB	16VLD	\$1,064 +33/+47	\$1,064 +42/+38
CURTAIN, WINDSHIELD			
for Privacy REQS: Code 16AUB or 16AUC CAB	16VZT	\$227	\$227
DEFROSTER FAN			
Header Mounted Left Side N/A: Code 08RPD CB RADIO	16646	\$129	\$129
ELECTRONIC VEHICLE MONITORING			
Driver Information Display, Flush Mounted Style In Wing Panel; with 6.5" Color Touch Screen, Includes GPS Navigation for North America with Truck Logistics and USB Port REQS: Code 14RAR or 14RAV AXLE, LIFT, CONTROLS - for HX520 SFA 6x4 REQS: Code 08RMA, 08RMB, 08RMC, 08RMD or 08RME RADIO	16HLN	\$1,712 0/0	\$1,712 0/0
FAN, CIRCULATING, SLEEPER			
in Bunk Area REQS: Code 16AUB or 16AUC CAB	16SAJ	\$148 +15/+11	\$148 +17/+9
GAUGE CLUSTER			
English with English Electronic Speedometer NOTE: STANDARD IN USA : Pricing may change if axle configuration is changed.	16HBA	STD	STD
English with Metric Electronic Speedometer NOTE: 010003	16HBB	N/C 0/0	N/C 0/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
GRAB HANDLE, EXTERIOR (CONTINUED) Towel Bar Type, with Anti-Slip Rubber Inserts, for use with Frame or Cab/Frame Access, without Chassis Skirts REQS: Code 16ZBP ACCESS, CAB AND FRAME or Code 16ZGV ACCESS, FRAME - for HX520 SFA 8x6 Tridem REQS: Code 16ZBP ACCESS, CAB AND FRAME or Code 16ZGV ACCESS, FRAME or Code 16ZHN ACCESS, FRAME - for HX520 SFA 6x4 N/A: Code 16ZBB ACCESS, CAB	16ZGX	\$525 0/0	\$525 0/0
HEATER, ENHANCED CIRCULATION <i>Bergstrom</i> Control, for Extreme Cold Weather Climates	16VRT	STD	STD
HOSE CLAMPS, HEATER HOSE <i>Breeze</i> Belleville Washer Type	16WHJ	\$25 0/0	\$25 0/0
HEATER SHUT-OFF VALVES (1) Ball Valve Type, Supply Line	16564	\$69 0/0	\$69 0/0
INDICATOR TRANS GEAR POSITION Display Gear Transmission REQS: Code 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYD, 13GYH, 13GYL or 13GYN TRANSMISSION, MANUAL N/A: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AYB and 13AYC TRANSMISSION, AUTOMATIC	16HLD	\$172 0/0	\$172 0/0
KEYLESS ENTRY SYSTEM REMOTE with 60 Second Dome Light Delay and Horn Beep Confirmation, Locks Also Wired Through Door Switches (Requires 16WAK and 16WJG) REQS: Code 16WJG(std) CAB DOOR LOCKS REQS: Code 16WAK(std) WINDOW, POWER	16WJY	\$353 0/0	\$353 0/0
MIRROR, CONVEX, LOOK DOWN Right Side, Black, 6" x 10.5" N/A: Code 16SNR and 16SPC MIRRORS Right Side, Bright, 6" x 10.5" REQS: Code 16SNR or 16SPC MIRRORS	16SNW 16SNX	\$49 +2/+1 \$57 +2/+1	\$49 +2/+1 \$57 +2/+1



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
MIRRORS		STD	STD
(02) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width AVAIL: Code 16SPA and 16SPB MIRROR, CONVEX, HOOD MOUNTED : Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNL		
(02) C-Loop, Heated, Bright Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width N/A: Code 16SPA and 16SPB MIRROR, CONVEX, HOOD MOUNTED AVAIL: Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SPC	\$245 + 1/0	\$245 + 1/0
(02) C-Loop, Power Adjust, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width N/A: Code 16SNY and 16SNZ MIRROR, CONVEX, HOOD MOUNTED AVAIL: Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNP	\$321 + 2/+1	\$321 + 2/+1
(02) C-Loop, Power Adjust, Heated, LED Clearance Lights, Bright Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width N/A: Code 16SPA and 16SPB MIRROR, CONVEX, HOOD MOUNTED AVAIL: Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNR	\$667 + 4/+1	\$667 + 4/+1
(02) C-Loop, Power Adjust, Heated, LED Clearance Lights, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width N/A: Code 16SNY and 16SNZ MIRROR, CONVEX, HOOD MOUNTED AVAIL: Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SPD	\$437 + 3/+1	\$437 + 3/+1
(02) C-Loop, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width N/A: Code 16SNY and 16SNZ MIRROR, CONVEX, HOOD MOUNTED AVAIL: Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNM	\$151 + 1/0	\$151 + 1/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
MIRROR, CONVEX, HOOD MOUNTED			
(1) Right Side, Black, 7.5" x 7" N/A: Code 16SNR and 16SPC MIRRORS	16SPB	\$70 +6/-1	\$70 +6/-1
(1) Right Side, Bright, 7.5" x 7" REQS: Code 16SNR or 16SPC MIRRORS	16SNZ	\$96 +6/-1	\$96 +6/-1
(2) Right and Left Sides, Black, 7.5" x 7" N/A: Code 16SNR and 16SPC MIRRORS	16SPA	\$138 +12/-2	\$138 +12/-2
(2) Right and Left Sides, Bright, 7.5" x 7" REQS: Code 16SNR or 16SPC MIRRORS	16SNY	\$190 +12/-2	\$190 +12/-2
SPECIAL, Wiring Only for Left Side Heated Mirror, Does Not Include Mirror or Mounting Brackets REQS: Code 16SNM, 16SNP, 16SNR, 16SPC or 16SPD MIRRORS	16SBZ	\$50 +5/0	\$50 +5/0
SPECIAL, Wiring Only for Right Side Heated Mirror, Does Not Include Mirror or Mounting Brackets REQS: Code 16SNM, 16SNP, 16SNR, 16SPC or 16SPD MIRRORS	16SBY	\$50 +6/-1	\$50 +6/-1
MODESTY PANEL			
Painted Body Color, with LED Lights, for Day Cab REQS: Code 16031(std) CAB N/A: Code 16WYV and 16WZR CAB SIDE EXTENDERS (FAIRINGS) : Code 08WXU TURN SIGNAL/SIDE MARKER LIGHTS : Code 07DWX EXHAUST SYSTEM	16XBZ	\$249 0/0	\$249 0/0
Polished Stainless Steel, with LED Lights, for Day Cab REQS: Code 16031(std) CAB N/A: Code 16WYV and 16WZR CAB SIDE EXTENDERS (FAIRINGS) : Code 08WXU TURN SIGNAL/SIDE MARKER LIGHTS : Code 07DWX EXHAUST SYSTEM	16XBK	\$416 0/0	\$416 0/0
Painted Body Color, with LED Lights Under Cab and Black Rubber Under Sleeper, for Sleeper REQS: Code 16AUB or 16AUC CAB REQS: Code 07DWX EXHAUST SYSTEM	16XJS	\$350	\$350
Polished Stainless Steel, with LED Lights Under Cab and Sleeper, for 51" Sleeper REQS: Code 16AUB or 16AUC CAB REQS: Code 07DWX EXHAUST SYSTEM	16VZV	\$843	\$843
ROOF AIR DEFLECTOR			
Effects for Customer Furnished Roof Air Deflector, with Hi-Rise Sleeper Cab and Less Aerodynamic Package REQS: Code 16AUC CAB REQS: Code 07DWX EXHAUST SYSTEM REQS: Code 07MAV, 07WAY, 07WAZ, 07WBA, 07WBB or 07WDS TAIL PIPE REQS: Code 08653(std) HORN, AIR (SEE NEXT PAGE)	16UZT	\$465	\$465



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>SEAT, DRIVER (CONTINUED)</p> <p><i>National</i></p> <p>- 2000 Model 195 -</p> <p>Air Suspension, Hi Back, Vinyl w/Cloth Insert, 2 Arm Rests, Isolator, Adjuster, 3 Chamber Lumbar, 6 way Front Adj, 3 Way Rear Cushion Adjust, 2-23 Degree Back Angle Adjust, Adj Side Bolsters, Vinyl Suspension Cover, Heat, Swivel, Map Pocket REQS: Code 16VLB or 16VLC CAB INTERIOR TRIM REQS: Code 16AUB or 16AUC CAB REQS: Code 16LDS, 16LDU, 16LDV, 16LLS, 16RAN or 16400(std) SEAT, PASSENGER</p> <p>Air Suspension, Hi Back, Vinyl Boxing w/Leather Facing, 2 Arm Rests, Isolator, 7.5" Adjust, 3 Chamber Lumbar, 6 Way Front Cushion Adjust, 3 Position Rear Cushion, 6-23 Degree Back Angle Adjust, Bellows, Adj Side Bolster, Heat, Swivel, Vinyl Map Pocket REQS: Code 16VLB or 16VLC CAB INTERIOR TRIM REQS: Code 16AUB or 16AUC CAB REQS: Code 16LDV, 16LGE, 16LLS, 16SPV or 16400(std) SEAT, PASSENGER</p> <p>Air Suspension, Hi Back, Vinyl Boxing with Leather Facing, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Way Front Cushion Adjust, 3 Position Rear Cushion, 2-15 Degree Back Angle Adjust, Adj Side Bolster, Bellows, Heat REQS: Code 16VJZ(std) or 16VKA CAB INTERIOR TRIM REQS: Code 16031(std) CAB REQS: Code 16LGE, 16SPV or 16400(std) SEAT, PASSENGER</p> <p>Air Suspension, High Back, All Vinyl, 2 Arm Rests, Isolator, Adjuster, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 3 Position Rear Cushion Adj, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover REQS: Code 16LDS, 16LDU, 16LHH, 16LHJ, 16RAN, 16SSK or 16400(std) SEAT, PASSENGER</p> <p>Air Suspension, High Back, Vinyl Boxing with Cloth Facing, 2 Arm Rests, Isolator, Adjuster, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 3 Position Rear Cushion Adj, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover REQS: Code 16VJZ(std) or 16VKA CAB INTERIOR TRIM REQS: Code 16031(std) CAB REQS: Code 16LHH, 16LHJ, 16RAN or 16400(std) SEAT, PASSENGER</p>			
	16JPH	\$454	\$454
	16JXH	\$769	\$769
	16KAZ	\$684 +2/+1	\$684 0/0
	16LWY	\$135 +11/+6	\$135 +12/+5
	16JPD	\$105 +2/+1	\$105 0/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
SEAT, PASSENGER			
Omit Item REQS: Code 16VJZ(std) or 16VKA CAB INTERIOR TRIM	16400	STD	STD
National			
- 2000 Model 192 - Non Suspension, High Back, Vinyl Boxing with Leather Facing, 1 Arm Rest, 11 Degree Back Angle Adjust, Map Pocket REQS: Code 16JXH, 16KAZ or 16KVX SEAT, DRIVER REQS: Code 16VJZ(std) or 16VKA CAB INTERIOR TRIM REQS: Code 16031(std) CAB	16SPV	\$970	\$970
Non Suspension, High Back, Vinyl Boxing with Cloth Facing, 11 Degree Back Angle Adjust REQS: Code 16JPD, 16JPG, 16JPH, 16KVW or 16LWY SEAT, DRIVER	16RAN	\$558 +20/+13	\$558 0/0
Non Suspension, High Back, All Vinyl, 11 Degree Back Angle Adjust REQS: Code 16LWY SEAT, DRIVER REQS: Code 16031(std) CAB	16SSK	\$588 +22/+13	\$588 +24/+10
- 2000 Model 197 - Air Suspension, Hi Back, Vinyl with Cloth Insert, 1 Arm Rest, 6" Adjuster, 3 Chamber Lumbar, 6 Position Cushion Adjust, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover, Heat REQS: Code 16JPD, 16JPG, 16KVW or 16LWY SEAT, DRIVER REQS: Code 16VJZ(std) or 16VKA CAB INTERIOR TRIM REQS: Code 16031(std) CAB	16LHH	\$1,179 +50/+32	\$1,179 0/0
Air Suspension, Hi Back, Vinyl with Cloth Insert, 1 Arm Rest, 6" Adjuster, 3 Chamber Lumbar, 6 Position Cushion Adjust, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover REQS: Code 16JPD, 16JPG, 16KVW or 16LWY SEAT, DRIVER REQS: Code 16VJZ(std) or 16VKA CAB INTERIOR TRIM REQS: Code 16031(std) CAB	16LHJ	\$1,089 +50/+32	\$1,089 0/0
Air Suspension, High Back, Vinyl Boxing with Leather Facing, 1 Arm Rest, 6" Adjust, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover, Heat, Map Pocket REQS: Code 16JXH, 16KAZ or 16KVX SEAT, DRIVER REQS: Code 16VJZ(std) or 16VKA CAB INTERIOR TRIM REQS: Code 16031(std) CAB	16LGE	\$1,517 +50/+32	\$1,517 0/0
Air Suspension, High Back, Vinyl Boxing w/Leather Facing, 2 Arm Rests, 6" Adjust, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 6-23 Degree Back Angle Adj, Vinyl Suspension Cover, Heat REQS: Code 16JPH, 16JXH or 16KVX SEAT, DRIVER REQS: Code 16VLB or 16VLC CAB INTERIOR TRIM REQS: Code 16AUB or 16AUC CAB	16LDV	\$1,433	\$1,433



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
SEAT, PASSENGER (CONTINUED)			
<i>National</i>			
- 2000 Model 197 -			
Air Suspension, High Back, Vinyl Boxing w/Leather Facing, 2 Arm Rests, 6" Adjust, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 6-23 Degree Back Angle Adj, Vinyl Suspension Cover, Heat, Swivel, Vinyl Map Pocket REQS: Code 16JPH, 16JXH or 16KVX SEAT, DRIVER REQS: Code 16VLB or 16VLC CAB INTERIOR TRIM REQS: Code 16AUB or 16AUC CAB	16LLS	\$1,580	\$1,580
Air-Suspension, Hi Back, Vinyl with Cloth Facing; 2 Arm Rests, 6" Adjust, 3 Chamber Lumbar 6 Position Front Cushion Adjustment, 6-23 Degree Back Angle Adjust, Vinyl Suspension Cover, Swivel, Vinyl Map Pocket REQS: Code 16JPH, 16KVW or 16LWY SEAT, DRIVER REQS: Code 16VLB or 16VLC CAB INTERIOR TRIM REQS: Code 16AUB or 16AUC CAB	16LDS	\$1,196	\$1,196
Air Suspension, Hi Back, Vinyl w/Cloth Insert, 2 Arm Rests, 6" Adjust, 3-Chamber Lumbar, 6-Way Front Cushion Adjust, 6-23 Degree Back Angle Adj, Vinyl Suspension Cover, 3-Way Heat, Swivel, Vinyl Map Pocket REQS: Code 16JPH, 16KVW or 16LWY SEAT, DRIVER REQS: Code 16VLB or 16VLC CAB INTERIOR TRIM REQS: Code 16AUB or 16AUC CAB	16LDU	\$1,129	\$1,129
- 2000 Model 292 - Non Suspension, Intermediate Back, All Vinyl, 11 Degree Back Angle Adjustment REQS: Code 16JPC(std) SEAT, DRIVER REQS: Code 16VJZ(std) or 16VKA CAB INTERIOR TRIM REQS: Code 16031(std) CAB	16RAC	\$541 +20/+13	\$541 0/0
SLEEPER COMPARTMENT CURTAIN			
Insulated Curtain REQS: Code 16AUB or 16AUC CAB	16VRW	\$223	\$223
STORAGE, CAB INTERIOR			
Molded Holder for Thermos, Maps, and CD's; Located at Base of Passenger Seat N/A: Code 13PDN and 13607 TRANSMISSION, AUXILIARY	16VAW	\$67 +2/+1	\$67 0/0
STORAGE, REAR WALL			
Storage Pocket, Located on Back Wall Between Driver and Passenger Seats REQS: Code 16031(std) CAB	16UZJ	\$50 +2/+1	\$50 0/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
STORAGE SHELF, LEFT Includes Provisions for Cargo Straps, Mounted Behind Driver Seat, Conventional Sleeper Cab REQS: Code 16VLB or 16VLC CAB INTERIOR TRIM REQS: Code 16AUC CAB	16VLH	\$265 +6/+8	\$265 +8/+7
STORAGE SHELF, RIGHT Includes Provisions for Cargo Straps, Mounted Behind Passenger Seat, Conventional Sleeper Cab REQS: Code 16AUC CAB	16VLJ	\$265 +6/+8	\$265 +8/+7
STORAGE TRAY, UNDER BUNK REQS: Code 16VLB or 16VLC CAB INTERIOR TRIM REQS: Code 16AUB or 16AUC CAB	16VHM	\$59	\$59
SUNSHADE, EXTERIOR Bright Finish, with Integral Clearance/Marker Lights Aerodynamic, Painted Roof Color, with Integral Clearance/Marker Lights Bright Stainless Steel, 13" Drop Sun Visor, with Integral LED Clearance/Marker Lights, for Sleeper Cab Only REQS: Code 16VLB or 16VLC CAB INTERIOR TRIM REQS: Code 16AUB or 16AUC CAB Bright Stainless Steel, 13" Drop Sun Visor, with Integral LED Clearance/Marker Lights REQS: Code 16031(std) CAB	16XWE 16XWD 16XTJ 16XZE	\$688 0/0 \$253 0/0 \$888 \$888 +19/+6	\$688 0/0 \$253 0/0 \$888 \$888 +21/+4
THERMOSTAT TEMPERATURE CONTROL For Sleeper Area of Sleeper Cab REQS: Code 16AUB or 16AUC CAB	16WDL	\$111	\$111
WINDOW, POWER (02) in Left and Right Doors REQS: Code 16WJG(std) CAB DOOR LOCKS	16WAK	STD	STD
WINDOW, REAR 52.25" Wide REQS: Code 16VJZ(std) or 16VKA CAB INTERIOR TRIM REQS: Code 16031(std) CAB	16VZA	STD	STD
WINDSHIELD Single Piece Two Piece N/A: WINDSHIELD WIPER BLADES	16WKR 16WKS	STD \$186 0/0	STD \$186 0/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
WINDSHIELD WIPER BLADES			
Snow Type	16XWJ	\$30 0 / 0	\$30 0 / 0
WHEELS, FRONT			
<i>Accuride</i>			
- 51408 - DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 6x4 N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS	27DUW	STD	STD
DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02ARV, 02ARW(std) or 02ASG AXLE, FRONT NON-DRIVING N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS AVAIL: Code 29PBA PAINT IDENTITY, FRONT WHEELS	27DUX	\$375 - 24 / 0	N/A
- 29039 - DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset, with .5" Thick Disc REQS: Code 26DPN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 8x6 Tridem REQS: Code 26DPN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 6x4 N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 10632 PAINT IDENTITY, PT-2 : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS AVAIL: Code 29PBA PAINT IDENTITY, FRONT WHEELS	27DPN	\$285 + 72 / 0	\$285 + 72 / 0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>WHEELS, FRONT (CONTINUED)</p> <p><i>Accuride</i></p> <p>- 29057 - DISC; 22.5x13.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 5.88" REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUA, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUA, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 6x4 REQS: Code 02ARU, 02ARY, 02ARZ, 02AVB or 02AVC AXLE, FRONT NON-DRIVING - for HX520 SFA 6x4 -OR- Code 02ARU(std), 02ARY, 02ARZ, 02AVB or 02AVC AXLE, FRONT NON-DRIVING - for HX520 SFA 8x6 Tridem N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p> <p>- 29169 - DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 6x4 N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 28DUX WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS AVAIL: Code 29PBA PAINT IDENTITY, FRONT WHEELS</p> <p>- 29300 - DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 6x4</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p style="text-align: center;">27DUA</p> <p style="text-align: center;">27DUK</p> <p style="text-align: center;">27DUL</p>	<p style="text-align: center;">\$865 +120/0</p> <p style="text-align: center;">\$145 +22/0</p> <p style="text-align: center;">\$265 +82/0</p>	<p style="text-align: center;">\$865 +120/0</p> <p style="text-align: center;">\$145 +22/0</p> <p style="text-align: center;">\$265 +82/0</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>WHEELS, FRONT (SEE PREV PAGE)</p> <p><i>Accuride</i></p> <p>- 29374 - N/A: Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBX COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 22.5x12.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 02ARU, 02ARY, 02ARZ, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 29GAZ HUB MODIFICATIONS, FRONT : Code 28DTY WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBX COATING IDENTITY, FRONT WHEELS</p> <p>- 29376 - DISC; 22.5x13.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 6x4 REQS: Code 02ARU, 02ARY, 02ARZ, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING - for HX520 SFA 6x4 -OR- AXLE, FRONT NON-DRIVING - for HX520 SFA 8x6 Tridem N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 28DTY WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 04WEZ(std) BRAKE PACKAGE, FRONT : Code 29PBX COATING IDENTITY, FRONT WHEELS</p> <p>- 29683 - DISC; 22.5x12.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 4.00" REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 6x4</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>27DBA</p> <p>27DJL</p> <p>27DVD</p> <p>27DVB</p>	<p></p> <p>\$1,539 - 24/0</p> <p>\$1,157 + 2/0</p> <p>\$1,104 - 10/0</p>	<p>N/A</p> <p></p> <p>\$1,157 + 2/0</p> <p>\$1,104 - 10/0</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
<p>WHEELS, FRONT <i>(SEE PREV PAGE)</i></p> <p><i>Accuride</i></p> <p>- 29683 - N/A: Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 10632 PAINT IDENTITY, PT-2 AVAIL: Code 29PBX COATING IDENTITY, FRONT WHEELS</p> <p>- 29806 - DISC; 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 4.63" REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 6x4 REQS: Code 02ARU, 02ARV, 02ARY, 02ARZ, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING - for HX520 SFA 6x4 -OR- AXLE, FRONT NON-DRIVING - for HX520 SFA 8x6 Tridem N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p> <p>- 29807 - DISC; 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 5.37" REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUN, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUN, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 6x4 REQS: Code 02ARU, 02ARY, 02ARZ, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING - for HX520 SFA 6x4 -OR- AXLE, FRONT NON-DRIVING - for HX520 SFA 8x6 Tridem N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS AVAIL: Code 29PBA PAINT IDENTITY, FRONT WHEELS</p>			
	27DVC		
	27DUM	\$1,050 +104/0	\$1,050 +104/0
	27DUN	\$784 +104/0	\$784 +104/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>WHEELS, FRONT (CONTINUED)</p> <p><i>Alcoa</i></p> <p>- 82462 - DISC; 22.5x12.25 Rims, LvL ONE Clean Buff, Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 6x4 REQS: Code 02ARU, 02ARY, 02ARZ, 02ASM, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING - for HX520 SFA 6x4 -OR- AXLE, FRONT NON-DRIVING - for HX520 SFA 8x6 Tridem N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 22.5x12.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVA, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVA, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 6x4 REQS: Code 02ARU, 02ARY, 02ARZ, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING - for HX520 SFA 6x4 -OR- AXLE, FRONT NON-DRIVING - for HX520 SFA 8x6 Tridem N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PCB COATING IDENTITY, FRONT WHEELS</p> <p>- 88367 - DISC; 22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 6x4</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>			
	27DJH	\$1,302 - 2 / 0	\$1,302 - 2 / 0
	27DJJ	\$1,460 - 2 / 0	\$1,460 - 2 / 0
	27DVH	\$677 - 43 / 0	\$677 - 43 / 0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>WHEELS, FRONT (CONTINUED)</p> <p><i>Alcoa</i></p> <p>- 98U63 -</p> <p>DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 6x4 REQS: Code 02ARV, 02ARW(std), 02ASG or 02ASM AXLE, FRONT NON-DRIVING - for HX520 SFA 6x4 N/A: AXLE, FRONT NON-DRIVING - for HX520 SFA 8x6 Tridem : Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p><i>Maxion</i></p> <p>- 10049 -</p> <p>DISC; 22.5x8.25 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .490" Thick Increased Capacity Disc and Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX520 SFA 6x4 REQS: Code 29PBA PAINT IDENTITY, FRONT WHEELS or Code 10632 or 10641 PAINT IDENTITY, PT-2 - for HX520 SFA 8x6 Tridem REQS: Code 29PAR or 29PBA PAINT IDENTITY, FRONT WHEELS or Code 10632 or 10641 PAINT IDENTITY, PT-2 - for HX520 SFA 6x4 N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS</p> <p>- 90541 -</p> <p>DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>			
	27DEM	\$1,180 - 55/0	\$1,180 - 55/0
	27DTH	\$151 + 30/0	\$151 + 30/0
	27DTC	\$430 - 18/0	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>WHEELS, REAR (SEE PREV PAGE)</p> <p><i>Accuride</i></p> <p>- 51408 - REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM N/A: Code 27DUK WHEELS, FRONT : Code 29BAG WHEEL, REAR, IDENTITY : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBB PAINT IDENTITY, REAR WHEELS</p> <p>- 28827 - DUAL DISC; 24.5x8.25 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 10632 PAINT IDENTITY, PT-2 : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBB PAINT IDENTITY, REAR WHEELS</p> <p>- 29169 - DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL, 04NDP or 04NDZ BRAKES, REAR, AIR CAM - for HX520 SFA 6x4 -OR- BRAKES, REAR, AIR DISC - for HX520 SFA 6x4 -OR- BRAKES, REAR, AIR CAM - for HX520 SFA 8x6 Tridem N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBB PAINT IDENTITY, REAR WHEELS</p> <p>- 29300 - DUAL DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 14WZY AXLE SHAFT MODIFICATION : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBB PAINT IDENTITY, REAR WHEELS</p>	<p>28DUX</p> <p>28DPR</p> <p>28DUK</p> <p>28DUL</p>	<p></p> <p>\$678 0/+152</p> <p>\$462 0/+88</p> <p>\$1,118 0/+328</p>	<p></p> <p>\$1,017 0/+228</p> <p>\$693 0/+132</p> <p>N/A</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
<p>WHEELS, REAR (CONTINUED)</p> <p><i>Accuride</i></p> <p>- 41730 - DUAL DISC; 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM - for HX520 SFA 6x4 -OR- BRAKES, REAR, AIR DISC - for HX520 SFA 6x4 -OR- BRAKES, REAR, AIR CAM - for HX520 SFA 8x6 Tridem N/A: Code 29BAG WHEEL, REAR, IDENTITY - for HX520 SFA 6x4 : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs N/A: Code 04WEY(std) BRAKE PACKAGE, REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS</p> <p>- 42644 - DUAL DISC; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL, 04NDP or 04NDZ BRAKES, REAR, AIR CAM - for HX520 SFA 6x4 -OR- BRAKES, REAR, AIR DISC - for HX520 SFA 6x4 -OR- BRAKES, REAR, AIR CAM - for HX520 SFA 8x6 Tridem N/A: Code 27DVY WHEELS, FRONT : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC</p>			
	28DUS	\$2,618 0/-72	\$3,927 0/-108
	28DUR	\$2,556 0/-72	N/A
	28DVP	\$2,526 0/-216	\$3,789 0/-324
	28DVS	\$3,040 0/-257	N/A
(SEE NEXT PAGE)			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
<p>WHEELS, REAR (CONTINUED)</p> <p><i>Alcoa</i></p> <p>- 98U63 - DUAL DISC; 24.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC N/A: Code 04WEY(std) BRAKE PACKAGE, REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM - for HX520 SFA 6x4 -OR- BRAKES, REAR, AIR DISC - for HX520 SFA 6x4 -OR- BRAKES, REAR, AIR CAM - for HX520 SFA 8x6 Tridem REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRJ, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTU, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM - for HX520 SFA 6x4 -OR- AXLE, REAR, TRIDEM - for HX520 SFA 8x6 Tridem N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBY COATING IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM - for HX520 SFA 6x4 -OR- BRAKES, REAR, AIR DISC - for HX520 SFA 6x4 -OR- BRAKES, REAR, AIR CAM - for HX520 SFA 8x6 Tridem REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM - for HX520 SFA 6x4</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>28DEN</p> <p>28DEL</p> <p>28DEM</p>	<p>\$4,182 0/-125</p> <p>\$3,990 0/-125</p> <p>\$4,096 0/-166</p>	<p>N/A</p> <p>\$5,985 0/-187</p> <p>\$6,144 0/-248</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>WHEELS, REAR (CONTINUED)</p> <p><i>Maxion</i></p> <p>- 90541 -</p> <p>DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 10632 or 10641 PAINT IDENTITY, PT-2 or Code 29PAS or 29PBB PAINT IDENTITY, REAR WHEELS - for HX520 SFA 6x4 REQS: Code 29PBB PAINT IDENTITY, REAR WHEELS or Code 10632 or 10641 PAINT IDENTITY, PT-2 - for HX520 SFA 8x6 Tridem REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM - for HX520 SFA 6x4 -OR- BRAKES, REAR, AIR DISC - for HX520 SFA 6x4 -OR- BRAKES, REAR, AIR CAM - for HX520 SFA 8x6 Tridem N/A: Code 27DVY WHEELS, FRONT : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS</p> <p>- 90542 -</p> <p>DUAL DISC; 24.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 10632 or 10641 PAINT IDENTITY, PT-2 or Code 29PAS or 29PBB PAINT IDENTITY, REAR WHEELS REQS: Code 29PAS PAINT IDENTITY, REAR WHEELS or Code 10632 or 10641 PAINT IDENTITY, PT-2, when in combination with Code 26DTD WHEEL, SPARE, DISC - for HX520 SFA 6x4 REQS: Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRM, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PAS PAINT IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 24.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 10632 or 10641 PAINT IDENTITY, PT-2, when in combination with Code 26DTD WHEEL, SPARE, DISC - for HX520 SFA 8x6 Tridem</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>			
	28DTJ	\$92 0/+24	\$138 0/+36
	28DTA	\$1,104 0/+55	N/A
	28DTD	\$352 0/+96	\$528 0/+144



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>WHEEL, SPARE, DISC (CONTINUED)</p> <p>24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DMK WHEELS, FRONT or Code 28DMK or 28DMN WHEELS, REAR - for HX520 SFA 8x6 Tridem REQS: Code 27DMK WHEELS, FRONT or Code 27DMN WHEELS, FRONT or Code 28DMK WHEELS, REAR or Code 28DMN WHEELS, REAR - for HX520 SFA 6x4 N/A: Code 27DVY WHEELS, FRONT : Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS</p> <p>Accuride</p> <p>- 29039 - 22.5x9.00 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DPN WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>- 29057 - 22.5x13.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Offset 5.88", for Front Application Only REQS: Code 27DUA WHEELS, FRONT N/A: Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS</p> <p>- 29169 - 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, with .472" Thick Increased Capacity Disc REQS: Code 27DUK WHEELS, FRONT or Code 28DUK WHEELS, REAR N/A: Code 27DVY WHEELS, FRONT</p> <p>- 29300 - 22.5x9.00 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DBA, 27DUL, 27DUM, 27DUR, 27DVB, 27DVC, 27DVD, 27DVG, 27DVH or 27DVR WHEELS, FRONT - for HX520 SFA 8x6 Tridem REQS: Code 27DUL or 27DUR WHEELS, FRONT or Code 28DUL or 28DUR WHEELS, REAR - for HX520 SFA 6x4 N/A: Code 27DVY WHEELS, FRONT - for HX520 SFA 6x4</p>	<p>26DSG</p> <p>26DPN</p> <p>26DUA</p> <p>26DUK</p> <p>26DUL</p>	<p>\$489 0/+54</p> <p>\$308 0/+103</p> <p>\$538 0/+127</p> <p>\$259 0/+78</p> <p>\$259 0/+108</p>	<p>\$489 0/+54</p> <p>\$308 0/+103</p> <p>\$538 0/+127</p> <p>\$259 0/+78</p> <p>\$259 0/+108</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
<p>WHEEL, SPARE, DISC (CONTINUED)</p> <p><i>Accuride</i></p> <p>- 29303 - 22.5x13.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Offset 4.95", for Front Application Only REQS: Code 27DTZ WHEELS, FRONT N/A: Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS</p> <p>- 29374 - 22.5x12.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DBA WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS</p> <p>- 29807 - 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DUN WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>- 41730 - 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DUS WHEELS, FRONT or Code 28DUS WHEELS, REAR</p> <p>22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flange Nut REQS: Code 27DUR WHEELS, FRONT - for HX520 SFA 8x6 Tridem REQS: Code 27DUR WHEELS, FRONT REQS: Code 28DUR WHEELS, REAR - for HX520 SFA 6x4</p> <p>- 42644 - 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted N/A: Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBT COATING IDENTITY, FRONT WHEELS</p> <p>22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted N/A: Code 27DBA WHEELS, FRONT : Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBX COATING IDENTITY, FRONT WHEELS</p>			
	26DTZ	\$568 0/+127	\$568 0/+127
	26DBA	\$655 0/+67	\$655 0/+67
	26DUN	\$516 0/+119	\$516 0/+119
	26DUS	\$580 0/+58	\$580 0/+58
	26DUR	\$555 0/+58	\$555 0/+58
	26DVP	\$487 0/+40	\$487 0/+40
	26DVN	\$464 0/+40	\$464 0/+40



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
WHEEL, SPARE, DISC (CONTINUED) Maxion - 10049 - 22.5x8.25 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, with .490" Thick Increased Capacity Disc REQS: Code 27DTH WHEELS, FRONT or Code 28DTH WHEELS, REAR N/A: Code 27DVY WHEELS, FRONT - 90541 - 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DTJ WHEELS, FRONT or Code 28DTJ WHEELS, REAR - for HX520 SFA 8x6 Tridem REQS: Code 27DTC or 27DTJ WHEELS, FRONT or Code 28DTC or 28DTJ WHEELS, REAR - for HX520 SFA 6x4 N/A: Code 27DVY WHEELS, FRONT - 90542 - 24.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DTD WHEELS, FRONT or Code 28DTD WHEELS, REAR - for HX520 SFA 8x6 Tridem REQS: Code 27DTA or 27DTD WHEELS, FRONT or Code 28DTA or 28DTD WHEELS, REAR - for HX520 SFA 6x4 REQS: Code 29PAR PAINT IDENTITY, FRONT WHEELS or Code 10632 or 10641 PAINT IDENTITY, PT-2, when in combination with Code 27DTA or 27DTD WHEELS, FRONT - for HX520 SFA 6x4 REQS: Code 10632 or 10641 PAINT IDENTITY, PT-2, when in combination with Code 27DTD WHEELS, FRONT - for HX520 SFA 8x6 Tridem REQS: Code 10632 or 10641 PAINT IDENTITY, PT-2, when in combination with Code 28DTD WHEELS, REAR - for HX520 SFA 8x6 Tridem REQS: Code 29PAS PAINT IDENTITY, REAR WHEELS or Code 10632 or 10641 PAINT IDENTITY, PT-2, when in combination with Code 28DTA or 28DTD WHEELS, REAR - for HX520 SFA 6x4 N/A: Code 27DVY WHEELS, FRONT			
BRAKE DRUMS, FRONT Motor Wheel Centrifuse Type REQS: Code 27DEM, 27DJL, 27DMN, 27DRG or 27DVC WHEELS, FRONT, when in combination with Code 02ARU, 02ARY, 02ARZ, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING REQS: Code 02ARU, 02ARV, 02ARW(std), 02ARY, 02ARZ, 02ASG or 02ASM AXLE, FRONT NON-DRIVING N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC AVAIL: Code 04WBX DUST SHIELDS, FRONT BRAKE			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
COATING IDENTITY, REAR WHEELS (SEE PREV PAGE) Alcoa - Dura-Bright XBR/EVO - -OR- AXLE, REAR, TRIDEM - for HX520 SFA 8x6 Tridem	29PBY		
COATING, RIM, REAR WHEELS Alcoa - Duraflange - Aluminum Disc Rear Wheels, with Vendor Applied Treatment REQS: Code 28DEN, 28DVG, 28DVK, 28DVP or 28DVS WHEELS, REAR REQS: Code 14GGU, 14GRD, 14GRP, 14GRR, 14GRS, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL or 14HRM AXLE, REAR, TANDEM AVAIL: Code 29PBY COATING IDENTITY, REAR WHEELS	29PCD	\$2,281 0/0	N/A
HUB MODIFICATIONS, FRONT Provide Longer Studs in Front Hubs for Retrofitting Aluminum Disc Wheels by Customer REQS: Code 27DTJ, 27DUL, 27DUN or 27DUW(std) WHEELS, FRONT REQS: Code 02ARU, 02ARY, 02ARZ, 02ASM, 02AVA, 02AVB or 02AVC AXLE, FRONT NON-DRIVING - for HX520 SFA 6x4 -OR- AXLE, FRONT NON-DRIVING - for HX520 SFA 8x6 Tridem N/A: BRAKE DRUMS, FRONT - for HX520 SFA 6x4	29GAZ	\$53 0/0	\$53 0/0
HUB MODIFICATIONS, REAR Provide Longer Studs in Rear Hubs for Retrofitting Aluminum Disc Wheels by Customer REQS: Code 28DPR, 28DTD, 28DTH, 28DTJ, 28DUK, 28DUP or 28DUW(std) WHEELS, REAR - for HX520 SFA 8x6 Tridem REQS: Code 28DPR, 28DTD, 28DTH, 28DTJ, 28DUK, 28DUL, 28DUP or 28DUW(std) WHEELS, REAR - for HX520 SFA 6x4 REQS: Code 14GGU, 14GRD, 14GRP, 14GRR, 14GRS, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL or 14HRM AXLE, REAR, TANDEM - for HX520 SFA 6x4 -OR- AXLE, REAR, TRIDEM - for HX520 SFA 8x6 Tridem	29GBA	\$106 0/0	\$159 0/0
PAINT IDENTITY, FRONT WHEELS Disc Front Wheels; with Vendor Applied White Powder Coat Paint REQS: Code 27DTA, 27DTC, 27DTD, 27DTH or 27DTJ WHEELS, FRONT AVAIL: Code 10631 PAINT IDENTITY, PT-2	29PAR	\$24 0/0	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
PAINT IDENTITY, FRONT WHEELS (CONTINUED) Disc Wheels; with Vendor Applied Black Powder Coat Paint REQS: Code 27DPN, 27DTD, 27DTH, 27DTJ, 27DUK, 27DUL, 27DUN or 27DUW(std) WHEELS, FRONT - for HX520 SFA 8x6 Tridem REQS: Code 27DPN, 27DTD, 27DTH, 27DTJ, 27DUK, 27DUL, 27DUN, 27DUW(std) or 27DUX WHEELS, FRONT - for HX520 SFA 6x4 AVAIL: Code 10631 PAINT IDENTITY, PT-2	29PBA	\$24 0/0	\$24 0/0
PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; with Vendor Applied White Powder Coat Paint REQS: Code 28DTA, 28DTC, 28DTD, 28DTH or 28DTJ WHEELS, REAR AVAIL: Code 10631 PAINT IDENTITY, PT-2 Disc Wheels; with Vendor Applied Black Powder Coat Paint REQS: Code 28DPR, 28DTD, 28DTH, 28DTJ, 28DUK or 28DUW(std) WHEELS, REAR - for HX520 SFA 8x6 Tridem REQS: Code 28DPR, 28DTC, 28DTD, 28DTH, 28DTJ, 28DUK, 28DUL, 28DUW(std) or 28DUX WHEELS, REAR - for HX520 SFA 6x4 AVAIL: Code 10631 PAINT IDENTITY, PT-2	29PAS 29PBB	\$96 0/0 \$96 0/0	N/A \$144 0/0
TIRE, SPARE Equal to Model Standard	29007	\$840	\$840
TIRE VALVE CAP Flo-Thru Design	29ACD	\$24 0/0	\$24 0/0
WHEEL BRAND, FRONT Alcoa Aluminum Disc Front Wheels REQS: Code 26DRS, 26DTD, 26DTH, 26DTJ, 26DTZ, 26DUA, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS or 26DUW WHEEL, SPARE, DISC REQS: Code 27DEL, 27DEM, 27DVN, 27DVP or 27DVR WHEELS, FRONT - for HX520 SFA 8x6 Tridem REQS: Code 27DEL, 27DEM, 27DVN, 27DVP, 27DVR or 27DVS WHEELS, FRONT - for HX520 SFA 6x4 N/A: Code 29PBA PAINT IDENTITY, FRONT WHEELS - for HX520 SFA 8x6 Tridem : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS - for HX520 SFA 6x4 : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS	29AAA	\$260 0/0	\$260 0/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
WHEEL BEARING, FRONT, LUBE <i>EmGard</i> - FE-75W-90 - Synthetic Oil	29WLK	\$59 0/0	\$59 0/0
WHEEL GUARDS, FRONT <i>Accuride</i> for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	29WAP	\$24 0/0	\$24 0/0
WHEEL GUARDS, REAR <i>Accuride</i> for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels REQS: Code 28DPR, 28DTD, 28DTH, 28DTJ, 28DUK, 28DUP or 28DUW(std) WHEELS, REAR - for HX520 SFA 8x6 Tridem REQS: Code 28DPR, 28DTA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DUC, 28DUK, 28DUL, 28DUP, 28DUW(std) or 28DUX WHEELS, REAR - for HX520 SFA 6x4	29WAR	\$48 0/0	\$72 0/0
WHEEL, REAR, IDENTITY Replace Inner Aluminum Wheels on Rear Duals with the Equivalent Steel Wheels - For Use with Hub Piloted Wheels Only REQS: Code 28DMJ, 28DMK, 28DMM, 28DMN, 28DVG, 28DVH, 28DVJ, 28DVK, 28DVN, 28DVP, 28DVR or 28DVS WHEELS, REAR N/A: Code 14GRJ, 14GRM, 14GTT, 14GTU and 14GUV AXLE, REAR, TANDEM	29BAG	\$700CR 0/+117	N/A
WHEEL SEALS, FRONT <i>Stemco</i> - Voyager - Oil Lubricated Wheel Bearings ILO Standard Oil Seals	29598	\$59 0/0	\$59 0/0
WHEEL SEALS, REAR <i>Stemco</i> - Voyager - Oil Lubricated Wheel Bearings REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRJ, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRC, 14HRE, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM - for HX520 SFA 6x4 (SEE NEXT PAGE)	29597	\$152 0/0	\$228 0/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
WHEELS, LIFT AXLE PUSHER (CONTINUED) Accuride - 29807 - Single Wheels, For One Lift Axle; 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, Offset 4.62" << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE	34ABZ	\$2,915 +170/+396	N/A
- 41362 - Single Wheels, For One Lift Axle; 24.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE	34AAP	\$2,889 +112/+262	N/A
Single Wheels, For Two Lift Axles; 24.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	34ABJ	\$5,778 0/0	N/A
Single Wheels, for Two Lift Axles; 24.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	34ABH	\$5,684 0/0	N/A
Single Wheels, For One Lift Axle; 24.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE	34AAM	\$2,842 0/0	N/A
- 41730 - Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	34ACD	\$2,850 +125/+291	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>WHEELS, LIFT AXLE PUSHER (CONTINUED)</p> <p><i>Accuride</i></p> <p>- 41730 -</p> <p>Single Wheels, For Two Lift Axles; 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE</p> <p>Single Wheels, for Two Lift Axles; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE</p> <p>Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE</p> <p>- 42644 -</p> <p>Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE</p> <p>Single Wheels, For One Lift Axle; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE</p> <p>Single Wheels, For Two Lift Axles; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE</p>			
	34ACE	\$5,651	N/A
	34ACC	\$5,515 +366/+514	N/A
	34ACB	\$2,782 +126/+294	N/A
	34ACS	\$5,646 +176/+412	N/A
	34ACM	\$2,846 +93/+217	N/A
	34ACT	\$5,691 +241/+339	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
WHEELS, LIFT AXLE PUSHER (CONTINUED) Accuride - 42644 - Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE Single Wheels, For One Lift Axle; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE - 50409 - Single Wheels, for Two Lift Axles; 24.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Single Wheels, For One Lift Axle; 24.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE - 51408 - Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE Single Wheels, for Two Lift Axles; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE			
	34ACR	\$5,599	N/A
	34ACN	\$2,799 +94/+220	N/A
	34ABT	\$4,350	N/A
	34ABS	\$2,175 +127/+297	N/A
	34ACK	\$3,533 +226/+530	N/A
	34ACH	\$3,554 +260/+364	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
SERVICES, TOWING (CONTINUED) Navistar Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident			
	40KMA	\$800 0/0	\$800 0/0
	40KMG	\$560 0/0	\$560 0/0
	40RAV	\$1,000	\$1,000
	40KMB	\$1,100 0/0	\$1,100 0/0
	40KMH	\$780 0/0	\$780 0/0
	40RAW	\$1,400	\$1,400
	40KMC	\$1,300 0/0	\$1,300 0/0
	40KMJ	\$920 0/0	\$920 0/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
SRV CONTRACT, EXT ALLISON XMSN (CONTINUED) Allison To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13ATP or 13ATR TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13ATP or 13ATR TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13AUT or 13AUW TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Refuse Packer Vocations (ST15, ST16) REQS: Code 13AUT or 13AUW TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13AUT or 13AUW TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13AUT or 13AUW TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13AUT or 13AUW TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	 40TWG 40TWH 40TWJ 40TWK 40TWL 40TWM 40TWN	 \$2,054 \$2,054 \$1,952 \$2,404 \$1,952 \$1,952 \$1,952	 \$2,054 \$2,054 \$1,952 \$2,404 \$1,952 \$1,952



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem	
SRV CONTRACT, EXT CMMS ENGINE (CONTINUED)			
<i>Cummins</i>			
To 36-Month/350,000 Miles (560,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1 REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TCU	\$2,700	\$2,700
To 36-Month/350,000 Miles (560,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 2 REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TDH	\$1,900	\$1,900
To 36-Month/400,000 Miles (640,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1 REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TCV	\$3,200	\$3,200
To 36-Month/400,000 Miles (640,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 2 REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TDJ	\$2,200	\$2,200
To 36-Month/500,000 Miles (800,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1 REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TCW	\$4,800	\$4,800
To 48-Month/400,000 Miles (640,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1 REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP (SEE NEXT PAGE)	40TCX	\$4,100	\$4,100



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
SRV CONTRACT, EXT CMMS ENGINE (SEE PREV PAGE)			
<i>Cummins</i>			
N/A: SRV CONTRACT, EXT CMS ENG/AFTR	40TCX		
To 48-Month/400,000 Miles (640,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 2 REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TDK	\$2,700	\$2,700
To 48-Month/450,000 Miles (720,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 2 REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TDL	\$3,100	\$3,100
To 48-Month/450,000 Miles (720,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1 REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TNK	\$4,700	\$4,700
To 48-Month/500,000 Miles (800,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 2 REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TDM	\$3,500	\$3,500
To 48-Month/500,000 Miles (800,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1 REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TNL	\$5,500	\$5,500



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
SRV CONTRACT, EXT CMMS ENGINE (SEE PREV PAGE)			
Cummins			
N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TDV		
To 36-Month/400,000 Miles (640,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1 REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TDW	\$5,300	\$5,300
To 36-Month/500,000 Miles (800,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1 REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TDX	\$9,100	\$9,100
To 48-Month/400,000 Miles (640,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1 REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TDY	\$7,400	\$7,400
To 48-Month/450,000 Miles (720,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1 REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TDZ	\$9,000	\$9,000
To 48-Month/500,000 Miles (800,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1 REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR (SEE NEXT PAGE)	40TEA	\$10,800	\$10,800



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem	
SRV CONTRACT, EXT CMMS ENGINE (SEE PREV PAGE)			
Cummins			
N/A: SRV CONTRACT, EXT CMS ENG/AFTR	40TEA		
To 60-Month/100,000 Miles (160,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1 REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL	40TNR	\$3,300	\$3,300
N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR			
To 60-Month/200,000 Miles (320,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1 REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL	40TNS	\$4,100	\$4,100
N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR			
To 60-Month/300,000 Miles (480,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1 REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL	40TNT	\$6,100	\$6,100
N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR			
To 60-Month/400,000 Miles (640,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1 REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL	40TNU	\$8,900	\$8,900
N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR			
To 60-Month/500,000 Miles (800,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1 REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL	40TNV	\$12,500	\$12,500
N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>SRV CONTRACT, EXT CMMS ENGINE (CONTINUED)</p> <p><i>Cummins</i></p> <p>To 60-Month/300,000 Miles (480,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1, with Towing Coverage REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR</p> <p>To 60-Month/300,000 Miles (480,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 2, with Towing Coverage REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR</p> <p>To 60-Month/400,000 Miles (640,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1, with Towing Coverage REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR</p> <p>To 60-Month/400,000 Miles (640,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 2, with Towing Coverage REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR</p> <p>To 60-Month/500,000 Miles (800,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1, with Towing Coverage REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR</p>	<p>40TGG</p> <p>40TGW</p> <p>40TGH</p> <p>40TGX</p> <p>40TGJ</p>	<p>\$5,100</p> <p>\$3,400</p> <p>\$6,300</p> <p>\$4,200</p> <p>\$7,900</p>	<p>\$5,100</p> <p>\$3,400</p> <p>\$6,300</p> <p>\$4,200</p> <p>\$7,900</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>SRV CONTRACT, EXT CMMS ENGINE (CONTINUED)</p> <p><i>Cummins</i></p> <p>To 60-Month/500,000 Miles (800,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 2, with Towing Coverage REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR</p> <p>To 60-Month/600,000 Miles (960,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1, with Towing Coverage REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR</p> <p>To 72-Month/250,000 Miles (400,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1, with Towing Coverage REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR</p> <p>To 72-Month/250,000 Miles (400,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 2, with Towing Coverage REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR</p> <p>To 72-Month/500,000 Miles (800,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1, with Towing Coverage REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR</p>	<p>40TGY</p> <p>40TGK</p> <p>40TGL</p> <p>40TGZ</p> <p>40TGM</p>	<p>\$5,100</p> <p>\$10,000</p> <p>\$7,000</p> <p>\$4,000</p> <p>\$10,600</p>	<p>\$5,100</p> <p>\$10,000</p> <p>\$7,000</p> <p>\$4,000</p> <p>\$10,600</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem	
SRV CONTRACT, EXT CMMS ENGINE (CONTINUED)			
<i>Cummins</i>			
To 36-Month/400,000 Miles (640,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 2, with Towing Coverage REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TNY	\$4,000	\$4,000
To 36-Month/500,000 Miles (800,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1, with Towing Coverage REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40THE	\$10,900	\$10,900
To 48-Month/400,000 Miles (640,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 2 REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TEJ	\$4,300	\$4,300
To 48-Month/400,000 Miles (640,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1, with Towing Coverage REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40THG	\$9,600	\$9,600
To 48-Month/400,000 Miles (640,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 2, with Towing Coverage REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TNZ	\$5,700	\$5,700



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>SRV CONTRACT, EXT CMMS ENGINE (CONTINUED)</p> <p><i>Cummins</i></p> <p>To 48-Month/450,000 Miles (720,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 2 REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR</p> <p>To 48-Month/450,000 Miles (720,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1, with Towing Coverage REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR</p> <p>To 48-Month/450,000 Miles (720,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 2, with Towing Coverage REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR</p> <p>To 48-Month/500,000 Miles (800,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 2 REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR</p> <p>To 48-Month/500,000 Miles (800,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1, with Towing Coverage REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR</p>	<p>40TEK</p> <p>40THH</p> <p>40TPA</p> <p>40TEL</p> <p>40THJ</p>	<p>\$5,000</p> <p>\$11,200</p> <p>\$6,400</p> <p>\$5,900</p> <p>\$13,000</p>	<p>\$5,000</p> <p>\$11,200</p> <p>\$6,400</p> <p>\$5,900</p> <p>\$13,000</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem	
SRV CONTRACT, EXT CMMS ENGINE (CONTINUED)			
<i>Cummins</i>			
To 48-Month/500,000 Miles (800,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 2, with Towing Coverage REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TPB	\$7,300	\$7,300
To 60-Month/100,000 Miles (160,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1, with Towing Coverage REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40THK	\$5,800	\$5,800
To 60-Month/200,000 Miles (320,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1, with Towing Coverage REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40THL	\$6,600	\$6,600
To 60-Month/300,000 Miles (480,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 2 REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40TEM	\$3,700	\$3,700
To 60-Month/300,000 Miles (480,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1, with Towing Coverage REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP : SRV CONTRACT, EXT CMS ENG/AFTR	40THM	\$8,600	\$8,600



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
SRV CONTRACT, EXT COOLING SYS (CONTINUED)			
<i>Navistar</i>			
To 36-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40MHU	\$520 0/0	N/A
To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40MKC	\$700 0/0	N/A
To 48-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40MKD	\$760 0/0	N/A
To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40MKE	\$840 0/0	N/A
To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40MKG	\$800 0/0	N/A
To 60-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40MKH	\$860 0/0	N/A
To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40MJH	\$940 0/0	N/A
SRV CONTRACT, EXT EATON XMSN			
<i>Eaton</i>			
To 36-Month/Unlimited Miles/km, for Severe Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD, 13GXH, 13GYL or 13GYN TRANSMISSION, MANUAL -OR- Code 13AYB or 13AYC TRANSMISSION, AUTOMATIC	40SPV	\$3,050 0/0	\$3,050 0/0
To 48-Month/Unlimited Miles/km, for Severe Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD, 13GXH, 13GYL or 13GYN TRANSMISSION, MANUAL -OR- Code 13AYB or 13AYC TRANSMISSION, AUTOMATIC	40SPW	\$3,900 0/0	\$3,900 0/0
To 48-Month/Unlimited Miles/km, for Standard Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD, 13GXH, 13GYL or 13GYN TRANSMISSION, MANUAL -OR- Code 13AYB or 13AYC TRANSMISSION, AUTOMATIC	40SPY	\$2,300 0/0	\$2,300 0/0
To 60-Month/Unlimited Miles/km, for Severe Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD, 13GXH, 13GYL or 13GYN TRANSMISSION, MANUAL -OR- Code 13AYB or 13AYC TRANSMISSION, AUTOMATIC	40SPX	\$5,100 0/0	\$5,100 0/0



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
SRV CONTRACT, EXT EATON XMSN (CONTINUED)			
<i>Eaton</i>			
To 60-Month/Unlimited Miles/km, for Standard Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD, 13GXH, 13GYL or 13GYN TRANSMISSION, MANUAL -OR- Code 13AYB or 13AYC TRANSMISSION, AUTOMATIC	40SPZ	\$2,950 0/0	\$2,950 0/0
To 36-Month/Unlimited Miles/km, for Severe Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GNB, 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GYD or 13GYH TRANSMISSION, MANUAL - for HX520 SFA 6x4 -OR- Code 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GYD or 13GYH TRANSMISSION, MANUAL - for HX520 SFA 8x6 Tridem -OR- Code 13AYB or 13AYC TRANSMISSION, AUTOMATIC	40SRK	\$2,300 0/0	\$2,300 0/0
To 48-Month/Unlimited Miles/km, for Severe Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GNB, 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GYD or 13GYH TRANSMISSION, MANUAL - for HX520 SFA 6x4 -OR- Code 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GYD or 13GYH TRANSMISSION, MANUAL - for HX520 SFA 8x6 Tridem -OR- Code 13AYB or 13AYC TRANSMISSION, AUTOMATIC	40SRL	\$3,200 0/0	\$3,200 0/0
To 48-Month/Unlimited Miles/km, for Standard Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GNB, 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GYD or 13GYH TRANSMISSION, MANUAL - for HX520 SFA 6x4 -OR- Code 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GYD or 13GYH TRANSMISSION, MANUAL - for HX520 SFA 8x6 Tridem -OR- Code 13AYB or 13AYC TRANSMISSION, AUTOMATIC	40SRA	\$1,900 0/0	\$1,900 0/0
To 60-Month/Unlimited Miles/km, for Severe Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GNB, 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GYD or 13GYH TRANSMISSION, MANUAL - for HX520 SFA 6x4 -OR- Code 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GYD or 13GYH TRANSMISSION, MANUAL - for HX520 SFA 8x6 Tridem -OR- Code 13AYB or 13AYC TRANSMISSION, AUTOMATIC	40SRM	\$4,250 0/0	\$4,250 0/0
To 60-Month/Unlimited Miles/km, for Standard Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GNB, 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GYD or 13GYH TRANSMISSION, MANUAL - for HX520 SFA 6x4	40SRB	\$2,500 0/0	\$2,500 0/0
(SEE NEXT PAGE)			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem	
SRV CONTRACT, EXT CMS ENG/AFTR (CONTINUED)			
<i>Cummins</i>			
To 36-Month/400,000 Miles (640,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1 and Aftertreatment with Towing Coverage REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: SRV CONTRACT, EXT CMMS ENGINE : Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP	40TBP	\$6,000	\$6,000
To 36-Month/400,000 Miles (640,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1 and Aftertreatment with Towing Coverage REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: SRV CONTRACT, EXT CMMS ENGINE : Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP	40TCG	\$9,300	\$9,300
To 36-Month/500,000 Miles (800,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1 and Aftertreatment REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: SRV CONTRACT, EXT CMMS ENGINE : Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP	40TAK	\$7,520	\$7,520
To 36-Month/500,000 Miles (800,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1 and Aftertreatment REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: SRV CONTRACT, EXT CMMS ENGINE : Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP	40TBB	\$13,300	\$13,300
To 36-Month/500,000 Miles (800,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1 and Aftertreatment with Towing Coverage REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: SRV CONTRACT, EXT CMMS ENGINE : Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP	40TBR	\$8,720	\$8,720



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
SRV CONTRACT, EXT CMS ENG/AFTR (CONTINUED)			
Cummins			
To 36-Month/500,000 Miles (800,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1 and Aftertreatment with Towing Coverage REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: SRV CONTRACT, EXT CMMS ENGINE : Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP	40TCH	\$15,100	\$15,100
To 48-Month/400,000 Miles (640,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1 and Aftertreatment REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: SRV CONTRACT, EXT CMMS ENGINE : Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP	40TAL	\$6,300	\$6,300
To 48-Month/400,000 Miles (640,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1 and Aftertreatment REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: SRV CONTRACT, EXT CMMS ENGINE : Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP	40TBC	\$10,800	\$10,800
To 48-Month/400,000 Miles (640,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1 and Aftertreatment with Towing Coverage REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: SRV CONTRACT, EXT CMMS ENGINE : Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP	40TBS	\$7,700	\$7,700
To 48-Month/400,000 Miles (640,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1 and Aftertreatment with Towing Coverage REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: SRV CONTRACT, EXT CMMS ENGINE : Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP	40TCJ	\$13,000	\$13,000



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>SRV CONTRACT, EXT CMS ENG/AFTR (CONTINUED)</p> <p>Cummins</p> <p>To 60-Month/500,000 Miles (800,000 km), Extended Cummins X15 Performance or Productivity Series, Engine Coverage, Protection Plan 1 and Aftertreatment REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: SRV CONTRACT, EXT CMMS ENGINE : Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP</p> <p>To 60-Month/500,000 Miles (800,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1 and Aftertreatment with Towing Coverage REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: SRV CONTRACT, EXT CMMS ENGINE : Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP</p> <p>To 60-Month/500,000 Miles (800,000 km), Extended Cummins X15 Performance or Productivity Series Engine Coverage, Protection Plan 1 and Aftertreatment with Towing Coverage REQS: Code 12EGL, 12EGU, 12EGV, 12ELC, 12ELD, 12ELH, 12ELJ, 12EUUV, 12EUW or 12EUX ENGINE, DIESEL N/A: SRV CONTRACT, EXT CMMS ENGINE : Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP</p> <p>To 60-Month/550,000 Miles (880,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1 and Aftertreatment REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: SRV CONTRACT, EXT CMMS ENGINE : Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP</p> <p>To 60-Month/600,000 Miles (960,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1 and Aftertreatment REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: SRV CONTRACT, EXT CMMS ENGINE : Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP</p>			
	40TBL	\$18,500	\$18,500
	40TBZ	\$11,300	\$11,300
	40TCS	\$21,000	\$21,000
	40TMK	\$12,216	\$12,216
	40TML	\$13,100	\$13,100



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
SRV CONTRACT, EXT CMS ENG/AFTR (CONTINUED) Cummins To 72-Month/600,000 Miles (960,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1 and Aftertreatment with Towing Coverage REQS: Code 12EUP(std), 12EUR, 12EUS or 12EUT ENGINE, DIESEL N/A: SRV CONTRACT, EXT CMMS ENGINE : Code 40TDR, 40TDS, 40TDT, 40TET, 40TEU, 40TEV, 40TJB, 40TJC, 40TJD and 40TJE SRV CONTRACT, EXT CMMS M/COMP	40TCC	\$17,900	\$17,900
SRV CONTRACT, EXT FRAME To 120-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, with Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUG	\$380 0/0	N/A
To 72-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, with Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUD	\$240 0/0	N/A
To 96-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, with Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUE	\$300 0/0	N/A



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
<p>SRV CONTRACT, EXT HTR/AC SYS (CONTINUED)</p> <p><i>Navistar</i></p> <p>- Prepackaged Components -</p> <p>To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 60-Month/400,000 Miles (640,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE- for HX520 SFA 6x4</p> <p>To 60-Month/500,000 Miles (800,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE- for HX520 SFA 6x4</p>			
<p>SRV CONTRACT, EXT MAJOR COMP</p> <p><i>Navistar</i></p> <p>- Prepackaged Components -</p> <p>To 24-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 24-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 36-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 36-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less</p>			
(SEE NEXT PAGE)			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem	
<p>SRV CONTRACT, EXT MAJOR COMP (CONTINUED)</p> <p><i>Navistar</i></p> <p>- Prepackaged Components -</p> <p>To 60-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 60-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 60-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 60-Month/250,000 Miles (400,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p>	<p>40LXD</p> <p>40LXE</p> <p>40LXG</p> <p>40LXH</p>	<p>\$980</p> <p>\$1,080</p> <p>\$1,180</p> <p>\$1,300</p>	<p>0/0</p> <p>0/0</p> <p>0/0</p> <p>0/0</p>	<p>N/A</p> <p>N/A</p> <p>N/A</p> <p>N/A</p>
<p>SRV CONTRACT, EXT STARTER/ALT</p> <p><i>Navistar</i></p> <p>- Prepackaged Components -</p> <p>Covers Starter and Alternator Only, To 24-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p>	<p>40MEV</p>	<p>\$240</p>	<p>0/0</p>	<p>N/A</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)</p> <p><i>Navistar</i></p> <p>N/A: SRV CONTRACT, EXT COOLING SYS</p> <p>To 36-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM</p> <p>N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS</p> <p>To 36-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM</p> <p>N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS</p> <p>To 36-Month/300,000 Miles (480,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM</p> <p>N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>40PPD</p> <p>40PPE</p> <p>40PPG</p> <p>40PPH</p>	<p></p> <p>\$ 5,000</p> <p>\$ 6,000</p> <p>\$ 6,500</p>	<p></p> <p>N/A</p> <p>N/A</p> <p>N/A</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem	
SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)			
<i>Navistar</i>			
N/A: SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40PPH		
To 36-Month/350,000 Miles (560,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM	40PPJ	\$7,000	N/A
N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40PPK	\$9,000	N/A
To 36-Month/450,000 Miles (720,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM	40PPL	\$6,000	N/A
N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS			
To 48-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM (SEE NEXT PAGE)			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
<p>SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)</p> <p><i>Navistar</i></p> <p>N/A: Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS</p> <p>To 60-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM</p> <p>N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS</p> <p>To 60-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM</p> <p>N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS</p> <p>To 60-Month/300,000 Miles (480,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM</p> <p>N/A: SRV CONTRACT, EXT HTR/AC SYS</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>40PPS</p> <p>40PPT</p> <p>40PPU</p> <p>40PPV</p>	<p></p> <p>\$9,000</p> <p>\$10,000</p> <p>\$11,000</p>	<p></p> <p>N/A</p> <p>N/A</p> <p>N/A</p>



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem	
<p>SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)</p> <p>Navistar</p> <p>N/A: Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS</p> <p>To 84-Month/250,000 Miles (400,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM</p> <p>N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS</p> <p>To 84-Month/400,000 Miles (640,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM, 14HRW or 14HSC AXLE, REAR, TANDEM</p> <p>N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS</p>			
40PRA			
40PRB	\$15,000		N/A
40PRC	\$19,500		N/A
TIRES			
Goodyear			
11R22.5 LR-G ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7372138132	STD	STD



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
TIRES (CONTINUED)			
<i>Goodyear</i>			
11R22.5 LR-G G182 RSD 496 rev/mile 75 MPH Drive-Position	7372130121	\$10CR +13	\$10CR +13
11R22.5 LR-G G622 RSD 497 rev/mile 75 MPH Drive-Position	7372138102	\$72 +5	\$72 +5
11R22.5 LR-G ENDURANCE LHS 501 rev/mile 75 MPH All-Position	7372138136	\$133 -8	\$133 -8
11R22.5 LR-H G182 RSD 496 rev/mile 75 MPH Drive-Position	7382130121	\$139 +12	\$139 +12
11R22.5 LR-H G751 MSA 497 rev/mile 68 MPH All-Position	7382138123	\$296 +17	\$296 +17
11R22.5 LR-H G731 MSA 497 rev/mile 68 MPH All-Position	7382138124	\$315 +17	\$315 +17
11R22.5 LR-H G751 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138125	\$391 +23	\$391 +23
11R22.5 LR-H G731 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138126	\$413 +22	\$413 +22
11R22.5 LR-H ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7382138132	\$163 0	\$163 0
11R22.5 LR-H ARMOR MAX MSD 493 rev/mile 68 MPH Drive-Position	7382138133	\$124 +20	\$124 +20
11R22.5 LR-H ARMOR MAX MSD DURASEAL 493 rev/mile 68 MPH Drive-Position	7382138134	\$270 +26	\$270 +26
12R22.5 LR-H G622 RSD 482 rev/mile 75 MPH Drive-Position	7382158102	\$271 +18	\$271 +18
12R22.5 LR-H G282 MSD 481 rev/mile 75 MPH Drive-Position	7382158105	\$241 +30	\$241 +30
12R22.5 LR-H G751 MSA 483 rev/mile 68 MPH All-Position	7382158123	\$398 +29	\$398 +29
12R22.5 LR-H ENDURANCE RSA 482 rev/mile 75 MPH All-Position	7382158132	\$241 +21	\$241 +21
12R22.5 LR-H ARMOR MAX MSD 478 rev/mile 68 MPH Drive-Position	7382158133	\$413 +33	\$413 +33
255/70R22.5 LR-H ENDURANCE RSA 566 rev/mile 81 MPH All-Position	7752528132	\$77 -28	N/A
315/80R22.5 LR-L UNISTEEL G291 491 rev/mile 68 MPH All-Position	7772540190	\$509 +12	\$509 +12
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
TIRES (CONTINUED)			
<i>Goodyear</i>			
315/80R22.5 LR-L G751 MSA 484 rev/mile 68 MPH All-Position	7772548123	\$507 +33	\$507 +33
315/80R22.5 LR-L G751 MSA DURASEAL 484 rev/mile 68 MPH All-Position	7772548125	\$807 +41	\$807 +41
315/80R22.5 LR-L G289 WHA 484 rev/mile 68 MPH All-Position	7782548109	\$491 +28	\$491 +28
275/70R22.5 LR-J ENDURANCE RSA 547 rev/mile 75 MPH All-Position	7792578132	\$208 -18	N/A
385/65R22.5 LR-J G296 MSA 488 rev/mile 68 MPH All-Position	7702658113	\$235CR +48	\$235CR +48
425/65R22.5 LR-L G296 MSA 468 rev/mile 68 MPH All-Position	7752668113	\$81CR +67	\$81CR +67
11R24.5 LR-H G182 RSD 473 rev/mile 75 MPH Drive-Position	7384220121	\$372 +21	\$372 +21
11R24.5 LR-H G282 MSD 475 rev/mile 75 MPH Drive-Position	7384228105	\$654 +24	\$654 +24
11R24.5 LR-H G751 MSA 474 rev/mile 68 MPH All-Position	7384228123	\$368 +22	\$368 +22
11R24.5 LR-H FUEL MAX RSA 474 rev/mile 75 MPH All-Position	7384228131	\$25CR +4	\$25CR +4
11R24.5 LR-H ARMOR MAX MSD 471 rev/mile 68 MPH Drive-Position	7384228133	\$181 +28	\$181 +28
12R24.5 LR-H UNISTEEL G177 457 rev/mile 68 MPH Drive-Position	7384240162	\$516 +43	\$516 +43
12R24.5 LR-H G751 MSA 461 rev/mile 68 MPH All-Position	7384248123	\$485 +39	\$485 +39
<i>Continental Tire</i>			
11R22.5 LR-G HSR2 498 rev/mile 75 MPH All-Position	7372135415	\$4CR 0	\$4CR 0
11R22.5 LR-G HDR2 491 rev/mile 75 MPH Drive-Position	7372135423	\$52 +15	\$52 +15
11R22.5 LR-G HYBRID HD3 493 rev/mile 75 MPH Drive-Position	7372135428	\$17 +9	\$17 +9
11R22.5 LR-G HDR2 ECO PLUS 491 rev/mile 75 MPH Drive-Position	7372135434	\$68 +15	\$68 +15
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
TIRES (CONTINUED)			
<i>Continental Tire</i>			
11R22.5 LR-H HDO 490 rev/mile 68 MPH Drive-Position	7382135413	\$192 +3	\$192 +3
11R22.5 LR-H HDL2 DL 491 rev/mile 75 MPH Drive-Position	7382135417	\$131 +18	\$131 +18
11R22.5 LR-H HDR2 491 rev/mile 75 MPH Drive-Position	7382135423	\$51 +15	\$51 +15
11R22.5 LR-H HDW2 495 rev/mile 75 MPH Drive-Position	7382135430	\$70 +14	\$70 +14
11R22.5 LR-H HDL2 493 rev/mile 75 MPH Drive-Position	7382135432	\$25CR +6	\$25CR +6
11R22.5 LR-H HSC 3 496 rev/mile 68 MPH All-Position	7382135438	\$213 +16	\$213 +16
11R22.5 LR-H HDC 3 492 rev/mile 68 MPH Drive-Position	7382135440	\$294 +24	\$294 +24
12R22.5 LR-H HSR2 483 rev/mile 75 MPH All-Position	7382155415	\$19 +12	\$19 +12
12R22.5 LR-H HSC1 482 rev/mile 75 MPH All-Position	7382155419	\$197 +17	\$197 +17
12R22.5 LR-H HDR2 479 rev/mile 75 MPH Drive-Position	7382155423	\$256 +27	\$256 +27
12R22.5 LR-H HDC1 479 rev/mile 68 MPH Drive-Position	7392155420	\$392 +31	\$392 +31
295/75R22.5 LR-H HSR 3 514 rev/mile 75 MPH All-Position	7792495439	\$134 +5	N/A
255/70R22.5 LR-H HSR2 SA 565 rev/mile 75 MPH All-Position	7752525421	\$134CR -32	N/A
275/80R22.5 LR-H HSR2 518 rev/mile 75 MPH All-Position	7792535415	\$4 -4	N/A
315/80R22.5 LR-L HAU 3 WT 480 rev/mile 68 MPH All-Position	7792545437	\$466 +41	\$466 +41
315/80R22.5 LR-L HSC 3 481 rev/mile 68 MPH All-Position	7792545438	\$481 +45	\$481 +45
385/65R22.5 LR-L HAC 3 479 rev/mile 68 MPH All-Position	7792655441	\$140CR +49	\$140CR +49
425/65R22.5 LR-L HAC 3 465 rev/mile 68 MPH All-Position	7752665441	\$74CR +66	\$74CR +66
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	NOTE: WEIGHTS - FRONT/REAR	
TIRES		HX520 SFA 6x4	HX520 SFA 8x6 Tridem
(CONTINUED)			
Continental Tire			
11R24.5 LR-G HDL2 470 rev/mile 75 MPH Drive-Position	7374225432	\$12 +12	\$12 +12
11R24.5 LR-H HSR2 476 rev/mile 75 MPH All-Position	7384225415	\$68 +9	\$68 +9
11R24.5 LR-H HDL2 DL 468 rev/mile 75 MPH Drive-Position	7384225417	\$125 +29	\$125 +29
11R24.5 LR-H HDR2 468 rev/mile 75 MPH Drive-Position	7384225423	\$116 +25	\$116 +25
11R24.5 LR-H HDL2 DL ECO PLUS 468 rev/mile 75 MPH Drive-Position	7384225425	\$218 +28	\$218 +28
11R24.5 LR-H ECOPLUS HS3 472 rev/mile 75 MPH All-Position	7384225429	\$26CR +17	\$26CR +17
11R24.5 LR-H HSC 3 472 rev/mile 68 MPH All-Position	7384225438	\$206 +21	\$206 +21
285/75R24.5 LR-G HDL2 DL 490 rev/mile 75 MPH Drive-Position	7704305417	\$232 +15	\$232 +15
Hankook Tire			
10R22.5 LR-G AH37 517 rev/mile 75 MPH All-Position	7372115809	\$63CR -19	\$63CR -19
11R22.5 LR-G AH37 501 rev/mile 75 MPH All-Position	7372135809	\$107CR +1	\$107CR +1
11R22.5 LR-G DH37 498 rev/mile 75 MPH Drive-Position	7372135810	\$84CR +8	\$84CR +8
11R22.5 LR-H AH37 499 rev/mile 75 MPH All-Position	7382135809	\$80CR +1	\$80CR +1
295/75R22.5 LR-G AH37 513 rev/mile 75 MPH All-Position	7702495809	\$140CR -7	\$140CR -7
Michelin			
11R22.5 LR-G X MULTI ENERGY D 499 rev/mile 75 MPH Drive-Position	7372133280	\$377 +11	\$377 +11
11R22.5 LR-G XDN2 496 rev/mile 75 MPH Drive-Position	7472133264	\$229 +11	\$229 +11
11R22.5 LR-G XZE2 501 rev/mile 75 MPH All-Position	7472133269	\$137 -2	\$137 -2
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			



HX520 SFA 6x4 & HX520 SFA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX520 SFA 6x4	HX520 SFA 8x6 Tridem
TIRES (CONTINUED)			
<i>Michelin</i>			
11R22.5 LR-G X LINE ENERGY D 500 rev/mile 75 MPH Drive-Position	7472133279	\$469 +11	\$469 +11
11R22.5 LR-H XDN2 497 rev/mile 75 MPH Drive-Position	7482133264	\$353 +12	\$353 +12
11R22.5 LR-H XZE2 501 rev/mile 75 MPH All-Position	7482133269	\$235 +5	\$235 +5
11R22.5 LR-H X WORKS XDY 493 rev/mile 75 MPH Drive-Position	7482133281	\$420 +33	\$420 +33
11R22.5 LR-H X WORKS Z 495 rev/mile 65 MPH All-Position	7482133287	\$458 +13	N/A
12R22.5 LR-H XZE 486 rev/mile 75 MPH All-Position	7482153253	\$630 +19	\$630 +19
12R22.5 LR-H X WORKS Z 483 rev/mile 65 MPH All-Position	7482153287	\$486 +30	\$486 +30
295/80R22.5 LR-H XZA2 ENERGY 503 rev/mile 75 MPH All-Position	7682483273	\$310 +5	\$310 +5
255/70R22.5 LR-H XZE 563 rev/mile 75 MPH All-Position	7652523253	\$178 -26	N/A
275/80R22.5 LR-H XZE 516 rev/mile 75 MPH All-Position	7682533253	\$286 -8	N/A
315/80R22.5 LR-L X WORKS Z 485 rev/mile 65 MPH All-Position	7652543287	\$2,547 +42	\$2,547 +42
315/80R22.5 LR-L X MULTIWAY 3D XZE 488 rev/mile 75 MPH All-Position	7652548202	\$621 +33	\$621 +33
385/65R22.5 LR-J XZY-3 491 rev/mile 65 MPH All-Position	7602653208	\$176CR +57	\$176CR +57
425/65R22.5 LR-L XZY-3 465 rev/mile 65 MPH All-Position	7652663208	\$39CR +89	\$39CR +89
11R24.5 LR-G XZE2 476 rev/mile 75 MPH All-Position	7474223269	\$293 +6	\$293 +6
<i>Bridgestone</i>			
11R22.5 LR-G M770 492 rev/mile 75 MPH Drive-Position	7372139043	\$268 +9	N/A
255/70R22.5 LR-H R250 ED 567 rev/mile 75 MPH All-Position	7752529041	\$91 -27	N/A
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

