



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	STANDARD	OPT.	PAGE NO.
- A -			
ACCESS, C A B			181
ACCESS, CAB AND FRAME			182
ACCESS, FRAME			182
ACCESSORY WIRING, SPECIAL			81
AFTERTREATMENT COVER			50
AIR BRAKE ABS	04AZJ		22
- Bendix - AntiLock Brake System Full Vehicle Wheel Control System (4-Channel) with Automatic Traction Control STD ON HX615 SBA 6x4 ONLY			
- Bendix - AntiLock Brake System Full Vehicle Wheel Control System (6-Channel; 6 Sensor/6 Modulator) with Automatic Traction Control STD ON HX615 SBA 8x6 Tridem ONLY	04AZV		
AIR CLEANER	12VBB		83
- Dual Element			
AIR COMPRESSOR	04SPM		42
- Bendix - BA-921 Head Unload - 15.9 CFM			
AIR COMPRESSOR DISCHARGE LINE			42
AIR CONDITIONER	16WKB	No Opt	182
- International - Blend-Air - with Integral Heater and Defroster			
AIR DRYER	04EBS		42
- Bendix - AD-9 - with Heater			
AIR TANK			43
AIR TANK LOCATION			43
ALLISON SPARE INPUT/OUTPUT			116
ALTERNATOR	08GXJ		52
- Leece-Neville - AVI160P2013 - Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount			
ANTENNA BASE	08RMG	No Opt	53
- (02) Single Function, (1) for CB and (1) for Entertainment Radio, without Splitter, Separate Lead-Ins, with CB Antenna Mounted on Left Mirror and AM/FM Antenna Mounted on Right Mirror			
ANTENNA MOUNTING BRACKETS			182



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	STANDARD	OPT.	PAGE NO.
- A -			
ANTI-FREEZE.....	12703	No Opt	83
- Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection			
AUTOMATIC NEUTRAL.....			117
AUX. TRAILER SOCKET.....			53
AXLE SHAFT MODIFICATION.....			167
AXLE SPACING, FIRST PUSHER.....			163
AXLE SPACING, SECOND PUSHER.....			164
AXLE SPACING, TAG.....			165
AXLE SPACING, THIRD PUSHER.....			164
AXLE, FRONT NON-DRIVING.....	02ASG		7
- Meritor - MFS-13-143A - Wide Track, I-Beam Type, 13,200-lb Capacity STD ON HX615 SBA 6x4 ONLY			
	02ARU		
- Meritor - MFS-16-143A - Wide Track, I-Beam Type, 16,000-lb Capacity STD ON HX615 SBA 8x6 Tridem ONLY			
AXLE, LIFT, CONTROLS.....			165
AXLE, PUSHER, LIFT TYPE.....			154
AXLE, PUSHER, LIFT TYPE, ID.....			163
AXLE, REAR, LIFT, LUBE.....			167
AXLE, REAR, LUBE.....			167
AXLE, REAR, TANDEM.....	14GVU		121
- Meritor - MT-40-14X-4DFR-P - Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, w/.433"(11mm) Wall Housing Thickness, R Wheel Ends STD ON HX615 SBA 6x4 ONLY			
AXLE, REAR, TRIDEM.....	14HRG	No Opt	135
- Meritor - RZ-166 EH - Single Reduction, Wide Track, 53,000-lb Capacity, Driver Controlled Locking Differential in All Three Axles, 200 Wheel Ends STD ON HX615 SBA 8x6 Tridem ONLY			
AXLE, TAG, LIFT TYPE.....			164



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- B -			
BACK-UP ALARM.....			53
BATTERY BOX.....	08VUK		53
- Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab			
BATTERY BOX COVER.....			54
BATTERY CABLES.....			55
BATTERY DISCONNECT SWITCH.....			55
BATTERY SYSTEM.....	08MSG		55
- Fleetrite Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud			
BEACON LIGHT WIRING.....			56
BEACON LIGHTS.....			56
BLOCK HEATER, ENGINE.....			83
BODY BUILDER WIRING.....			56
BRAKE CHAMBERS, ADDITIONAL.....			40
BRAKE CHAMBERS, FRONT AXLE.....	04EXV		31
- Bendix 24 SqIn STD ON HX615 SBA 8x6 Tridem ONLY			
BRAKE CHAMBERS, REAR AXLE.....	04EXU		38
- Bendix - EverSure - 30/30 Spring Brake STD ON HX615 SBA 8x6 Tridem ONLY			
BRAKE CHAMBERS, SPRING.....			39
BRAKE DRUMS, FRONT.....			224
BRAKE DRUMS, REAR.....			224
BRAKE IDENTITY, REAR.....			34
BRAKE PACKAGE, FRONT.....	04WEZ		27
- Bendix Spicer - ADB22X - Air, Disc Type, Extended Service; Size 22.5" STD ON HX615 SBA 6x4 ONLY			
BRAKE PACKAGE, REAR.....	04WEY		32
- Bendix Spicer - ADB22X - Air, Disc Type, Extended Service; Size 22.5" STD ON HX615 SBA 6x4 ONLY			
BRAKE SHOES, REAR.....			40
BRAKE SYSTEM, AIR.....	04091		19
- Dual System for Straight Truck Applications			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	STANDARD	OPT.	PAGE NO.
- B -			
BRAKES, AIR CAM, PUSHER AXLE			44
BRAKES, AIR CAM, TAG AXLE			44
BRAKES, FRONT, AIR CAM	04193		30
- 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers STD ON HX615 SBA 8x6 Tridem ONLY			
BRAKES, FRONT, AIR DISC	04JBZ		29
- 22.5 Dia, Includes 18" Sq. In. Brake Chambers STD ON HX615 SBA 6x4 ONLY			
BRAKES, REAR, AIR CAM	04NDB		35
- S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake STD ON HX615 SBA 8x6 Tridem ONLY			
BRAKES, REAR, AIR DISC	04JCC		34
- 22.5 Dia, Includes 18/24" Sq. In. Brake Chambers STD ON HX615 SBA 6x4 ONLY			
BUG DEFLECTOR			62
BUG SCREEN			62
BUMPER, FRONT	01LRB		4
- Contoured, Steel, Painted, Heavy Duty, for HX			
BUSHINGS, EQUALIZER BEAM			167
- C -			
CAB	16031	No Opt	181
- Conventional, Day Cab			
CAB DOOR LOCKS	16WJG	No Opt	182
- Power			
CAB INTERIOR TRIM	16VJZ		182
- Classic, for HX Day Cab			
CAB REAR SUSPENSION	16WLD	No Opt	183
- Dual Air Suspension, Includes Special Crossmember Assembly			
CHASSIS COATING			62
CIGAR LIGHTER			57
CIRCUIT BREAKERS	08XAH	No Opt	57
- Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- C -			
CLUTCH.....	11MGP		79
- Eaton Fuller - ECA-1850 - Two-Plate, Ceramic, 7-Spring with Pre-Damper, 15.5" Diameter, with Adjustment-Free Feature, 1850 lb-ft Torque Capacity			
CLUTCH BRAKE.....			80
CLUTCH EFFECTS.....			80
CLUTCH HOUSING.....			117
COATING IDENTITY, FRONT WHEELS.....			225
COATING IDENTITY, REAR WHEELS.....			226
COATING, RIM, REAR WHEELS.....			226
COLD STARTING EQUIPMENT.....			83
COLLISION MITIGATION SYSTEM.....			57
COUNTRY IDENTITY.....			63
CROSSMEMBER, FRAME TIE.....			4
CROSSMEMBER, INTERMEDIATE LOC.....			4
CROSSMEMBER, REAR.....			4
CROSSMEMBER, REAR, AF.....			5
CUSTOMER SERVICES.....			63
- D -			
DECK PLATE.....			5
DEF TANK.....	15DYP		179
- 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab			
DEF TANK COVER.....			179
DIFF. SWITCH CONTROLS.....			168
DIFFERENTIAL, LOCKING.....			168
DRAIN VALVE.....	04732		45
- Berg with Pull Chain, for Air Tank			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- D -			
DRIVELINE SYSTEM.....	06DHB		47
- Dana Spicer 1810HD Main Driveline with 1710 Interaxle Shaft, for 6x4 STD ON HX615 SBA 6x4 ONLY			
	06DHU		
- Dana Spicer SPL250 Main Driveline, with SPL170 First Interaxle Shaft, SPL170 Second Interaxle Shaft, for 8x6 STD ON HX615 SBA 8x6 Tridem ONLY			
DUST SHIELDS, FRONT BRAKE.....			32
DUST SHIELDS, REAR BRAKE.....			41
- E -			
ELECTRICAL SYSTEM.....	08000	No Opt	52
- 12-Volt, Standard Equipment			
ELECTRONIC VEHICLE MONITORING.....			183
EMISSION COMPLIANCE.....			83
ENGINE COMPRESSION BRAKE.....	07SDK		50
- by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch			
ENGINE CONTROL, REMOTE MOUNTED.....			84
ENGINE, DIESEL.....	12BDY		81
- International - A26 - EPA 2017, 370HP @ 1700 RPM, 1350 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max)			
EXHAUST HEIGHT.....	07WDM		50
- 10'			
EXHAUST SYSTEM.....	07BLJ		48
- Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side			
- F -			
FAN DRIVE.....	12THT	No Opt	83
- Horton - Drivemaster - Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed			
FAN DRIVE SPECIAL EFFECTS.....	12WTA	No Opt	84
- Fan Cooling Ring with Fan Shroud Effects, Engine Mounted			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- F -			
FAN OVERRIDE.....			84
FEDERAL EMISSIONS.....			84
FENDER EXTENSIONS.....			62
FIFTH WHEEL LOCATION.....			76
FIFTH WHEEL MOUNTING ANGLES.....			76
FIFTH WHEEL RELEASE.....			77
FIFTH WHEEL, AIR SLIDE.....			64
FIFTH WHEEL, STATIONARY.....			71
FOG LIGHTS.....			58
FRAME RAILS.....	01CGC		1
<ul style="list-style-type: none"> - Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 550.0" (13970mm) Maximum OAL 			
FRAME RAILS WITH TAPERED REAR.....			5
FRAME REINFORCEMENT.....			3
FRONT END.....	09ASE	No Opt	62
<ul style="list-style-type: none"> - Tilting, Composite 			
FUEL COOLER.....			179
FUEL TANK.....	15SSN		170
<ul style="list-style-type: none"> - Non-Polished Aluminum, 24" Dia, 60 US Gal (227L), Mounted Left Side, Under Cab 			
FUEL TANK CAP.....			180
FUEL TANK LOCATION.....			180
FUEL TANK STRAPS.....			180
FUEL/WATER SEPARATOR.....	15LKU		180
<ul style="list-style-type: none"> - Racor Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor 			
- G -			
GAUGE CLUSTER.....	16HBA		183
<ul style="list-style-type: none"> - English with English Electronic Speedometer 			
GAUGE, AIR APPLICATION.....			183
GAUGE, AIR CLEANER RESTRICTION.....			183



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- G -			
GAUGE, AIR PRESSURE.....			184
GAUGE, MANIFOLD PRESSURE.....			184
GAUGE, OIL TEMP, REAR AXLE.....			184
GRAB HANDLE, EXTERIOR.....			184
GRILLE.....	09HCL		62
- Black Vertical Accent Bars, with Black Mesh			
- H -			
HAND CONTROL VALVE, AIR.....			45
HEADLIGHTS.....	08XHT	No Opt	58
- Halogen, Composite Combination			
HEADLIGHTS ON W/WIPERS.....			58
HEATER SHUT-OFF VALVES.....			185
HEATER, ENHANCED CIRCULATION.....	16VRT	No Opt	184
- Bergstrom Control, for Extreme Cold Weather Climates			
HORN, AIR.....	08653		58
- Single, Located Under Cab			
HORN, ELECTRIC.....	08VAY		58
- Disc Style			
HOSE CLAMPS, HEATER HOSE.....			184
HOSE CLAMPS, RADIATOR HOSES.....	12WCX		84
- Gates Shrink Band Type			
HOSE TENDER.....			45
HUB MODIFICATIONS, FRONT.....			227
HUB MODIFICATIONS, REAR.....			227
HYDRAULIC RETARDER.....			118
- I -			
INDICATOR TRANS GEAR POSITION.....			185
INPUT SHAFT.....			118
- J -			
JUMP START STUD.....			59



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- K -			
KEYLESS ENTRY SYSTEM REMOTE.....			185
KEYS - ALL ALIKE.....			77
- L -			
LANGUAGE IDENTITY.....			77
LICENSE PLATE HOLDER.....			7
LIGHT, WORK.....			59
LOGOS EXTERIOR.....	09AAB		62
- Model Badges			
LOGOS EXTERIOR, ENGINE.....	09AAE		62
- Badges			
- M -			
MIRROR, CONVEX, HOOD MOUNTED.....			186
MIRROR, CONVEX, LOOK DOWN.....			185
MIRRORS.....	16SNL		185
- (02) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width			
MODESTY PANEL.....			186
MUD FLAP HOLDER.....			77
MUD FLAPS, REAR.....			78
MUFFLER/TAIL PIPE GUARD.....			50
- N -			
NEUTRAL AT STOP.....			118
- O -			
OIL COOLER MANUAL TRANSMISSION.....			119
OIL COOLER, AUTO TRANSMISSION.....			118
OIL PAN.....			84
OVER THE AIR PROGRAMMING.....			78



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- P -			
PAINT CLASS.....			78
PAINT IDENTITY, FRONT WHEELS.....			227
PAINT IDENTITY, PT-2.....			78
PAINT IDENTITY, REAR WHEELS.....			227
PAINT SCHEMATIC, PT-1..... - Single Color, Design 100	10060	No Opt	79
PAINT TYPE..... - Base Coat/Clear Coat, 1-2 Tone	10761	No Opt	79
PAINT, CAB SUNSHADE.....			78
PAINT, NON-REFLECTING.....			78
PDL WARNING BUZZER.....			168
POWER SOURCE..... - Cigar Type Receptacle without Plug and Cord	08718	No Opt	59
POWER SOURCE, TERMINAL TYPE..... - 2-Post	08WCK	No Opt	59
PTO CONTROL, DASH MOUNTED.....			119
PTO, ENGINE REAR.....			84
PUSHER LIFT AXLE TIRE SLR.....			169
- Q -			
QUARTER FENDERS.....			62, 79
- R -			
RADIATOR..... - Aluminum; Welded, Down Flow System, Front to Back, 1325 SqIn, 806 SqIn CAC	12XBC	No Opt	83
RADIATOR DRAIN & FILL FITTING..... - SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System	12WYZ	No Opt	84
RADIO..... - Omit Item, Includes Wiring and Antenna, with Multiple Speakers	08RBN		59
RAIN CAP.....			50



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- R -			
REINFORCEMENT, PINTLE HOOK.....			6
RUNNING LIGHT.....			59
- S -			
SAFETY TRIANGLES.....			79
SATELLITE COMMUNICATION SYSTEM.....			60
SEAT BELT.....			186
SEAT, DRIVER.....	16JPC		187
<ul style="list-style-type: none"> - National - 2000 Model 295 - Air Suspension, Intermediate Back, All Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3 Position Rear Cushion, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover 			
SEAT, PASSENGER.....	16400		188
<ul style="list-style-type: none"> - Omit Item 			
SERVICES, TOWING.....			234
SHIELD, TEMPERATURE SENSOR.....			168
SHIFT CONTROL PARAMETERS.....			119
SHOCK ABSORBERS, FRONT.....			19
SHOCK ABSORBERS, REAR.....			168
SLACK ADJUSTER, PUSHER AXLE.....			46
SLACK ADJUSTER, TAG AXLE.....			46
SLACK ADJUSTERS, FRONT.....			31
SLACK ADJUSTERS, REAR.....			39
SNOW SHIELD.....			60
SPECIAL RATING, GAWR.....			42
SPECIAL RATING, GVWR.....			79
SPOT LIGHT.....			60
SPRING BRAKE MODULATOR VALVE.....			46
SPRINGS, FRONT AUXILIARY.....			19
SRV CONTRACT, EXT ALLISON XMSN.....			236



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- S -			
SRV CONTRACT, EXT C A B			237
SRV CONTRACT, EXT COOLING S Y S			238
SRV CONTRACT, EXT EATON X M S N			239
SRV CONTRACT, EXT E L E C T R I C A L			240
SRV CONTRACT, EXT E N G M / C O M P			248
SRV CONTRACT, EXT E N G I N E			241
SRV CONTRACT, EXT E N G I N E / A F T R			244
SRV CONTRACT, EXT F R A M E			248
SRV CONTRACT, EXT H E N D S U S P			249
SRV CONTRACT, EXT H T R / A C S Y S			250
SRV CONTRACT, EXT M A J O R C O M P			251
SRV CONTRACT, EXT S T A R T E R / A L T			253
SRV CONTRACT, EXT V E H C O V E R A G E			254
STARTING M O T O R	08WXG		60
- Mitsubishi Electric Automotive America - 105P - 12-Volt, with Soft-Start			
STEERING C O L U M N	05710	No Opt	47
- Tilting and Telescoping			
STEERING G E A R	05PSA		47
- Sheppard - M100 - Power STD ON HX615 SBA 6x4 ONLY			
	05PTB		
- Sheppard - M100/M80 - (02) Dual Power STD ON HX615 SBA 8x6 Tridem ONLY			
STEERING W H E E L	05CAW		47
- 4-Spoke; 18" Dia., Black			
STOP, TURN, TAIL & B/U L I G H T S			60
STORAGE, CAB I N T E R I O R			189
STORAGE, REAR W A L L			189
SUNSHADE, E X T E R I O R			189
SUSPENSION AIR CONTROL V A L V E			169
SUSPENSION/REAR-AXLE I D E N T I T Y			169



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	STANDARD	OPT.	PAGE NO.
- S -			
SUSPENSION, FRONT, SPRING	03ACH		16
- Multileaf, Shackle Type, 14,000-lb Capacity, with Shock Absorbers STD ON HX615 SBA 6x4 ONLY			
	03ACP		
- Multileaf, Shackle Type, 16,000-lb Capacity, Less Shock Absorbers STD ON HX615 SBA 8x6 Tridem ONLY			
SUSPENSION, REAR, AIR, TANDEM			135
SUSPENSION, REAR, AIR, TRIDEM	14UPC	No Opt	145
- Hendrickson - PAX-690-55 - 69,000-lb Capacity, 55" Axle Spacing, 9.5" Ride Height, with Shock Absorbers Mounted in Standard Location STD ON HX615 SBA 8x6 Tridem ONLY			
SUSPENSION, REAR, TANDEM	14ULX		146
- Hendrickson - HMX-400-54 - Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings STD ON HX615 SBA 6x4 ONLY			
SWITCH, FOR EXHAUST			51
- T -			
TAG LIFT AXLE TIRE SLR			170
TAIL PIPE	07WDT		51
- (1) Straight Type			
THRU-SHAFT			120
TIRE VALVE CAP			228
TIRE, SPARE			228
TIRES	7372138132		268
- Goodyear 11R22.5 LR-G ENDURANCE RSA 496 rev/mile 75 MPH All-Position			
TOGGLE SWITCH, AUXILIARY			61
TORQUE RODS			169
TOW HOOK, FRONT			6
TOW HOOK, REAR			6
TOW LOOP, REAR			6
TOW PIN, FRONT			6



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- T -			
TRAILER CONNECTION SOCKET.....			61
TRAILER CONNECTIONS.....			46
TRAILER HOSES AND CABLES.....			47
TRANSMISSION LUBE PUMP.....			120
TRANSMISSION OIL.....			120
TRANSMISSION SHIFT CONTROL.....			121
TRANSMISSION, AUTOMATIC.....			106
TRANSMISSION, MANUAL.....	13GWZ		85
- Eaton Fuller - UltraShift+ FO-16E313A 13-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid			
TRANSVERSE TORQUE RODS.....			169
TURN SIGNAL SWITCH.....			61
- V -			
VEHICLE REGISTRATION IDENTITY.....			79
- W -			
WARRANTY.....	40124	No Opt	234
- Standard for HX Series, Effective with Vehicles Built December 7, 2015 or Later, CTS-2015A			
WHEEL BEARING, FRONT, LUBE.....			228
WHEEL BRAND, FRONT.....			228
WHEEL GUARDS, FRONT.....			228
WHEEL GUARDS, REAR.....			229
WHEEL SEALS, FRONT.....			229
WHEEL SEALS, REAR.....			229
WHEEL, REAR, IDENTITY.....			229
WHEEL, SPARE, DISC.....			219



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem INDEX

Refer To General Info For Metric Conversion Tables

<i>ITEM DESCRIPTION</i>	<i>STANDARD</i>	<i>OPT.</i>	<i>PAGE NO.</i>
- W -			
WHEELBASE RANGE.....	01WXG		6
- 144" (365cm) Through and Including 185" (470cm) STD ON HX615 SBA 6x4 ONLY			
	01WXC		
- 169" (430cm) Through and Including 209" (530cm) STD ON HX615 SBA 8x6 Tridem ONLY			
WHEELS, FRONT.....	27DUW		190
- Accuride - 51408 - DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs			
WHEELS, LIFT AXLE PUSHER.....			230
WHEELS, REAR.....	28DUW		209
- Accuride - 51408 - DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs			
WINDOW, POWER.....	16WAK	No Opt	189
- (02) in Left and Right Doors			
WINDOW, REAR.....	16VZA	No Opt	189
- 52.25" Wide			
WINDSHIELD.....	16WKR		189
- Single Piece			
WINDSHIELD WIPER BLADES.....			189
WIRING MODIFICATIONS.....			61
- 2 -			
2-WAY RADIO.....			57



HX615 SBA 6x4

STANDARD EQUIPMENT

MODEL CODE: HX61F00 LIST PRICE: \$212,807.00

- 01 FRAMES**
 - * NOTE: APPLICATION AND COUNTRY RESTRICTION INFORMATION IS NOT SHOWN IN THE AVAILABLE EQUIPMENT SECTIONS. PLEASE REFER TO THE TOPS APPLICATION IN SALES TOOLS FOR THIS RESTRICTION INFORMATION.
 - 01CGC - FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 550.0" (13970mm) Maximum OAL
 - 01LRB - BUMPER, FRONT Contoured, Steel, Painted, Heavy Duty, for HX
 - 01WXG - WHEELBASE RANGE 144" (365cm) Through and Including 185" (470cm)
- 02 AXLE, FRONT**
 - 02ASG - AXLE, FRONT NON-DRIVING {Meritor MFS-13-143A} Wide Track, I-Beam Type, 13,200-lb Capacity
- 03A SUSPENSION, FRONT**
 - 03ACH - SUSPENSION, FRONT, SPRING Multileaf, Shackle Type, 14,000-lb Capacity, with Shock Absorbers
- 04 BRAKES**
 - 04091 - BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
 - * BRAKE LINES Color and Size Coded Nylon
 - * DRAIN VALVE Twist-Type
 - * GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster
 - * PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel
 - * PARKING BRAKE VALVE For Truck
 - * QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4
 - * SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes)
 - * SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes)
 - * SPRING BRAKE MODULATOR VALVE {Bendix} SR-7 with relay valve for 6x4/8x6
 - * SWITCH, AUXILIARY Interrupter for Cab Clearance/Marker Lights (Blinks Lights with Headlight Switch in "ON" Position); Instrument Panel Mounted
- 04 BRAKES (CONT.)**
 - 04AZJ - AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel) with Automatic Traction Control
 - 04WEZ - BRAKE PACKAGE, FRONT {Bendix Spicer ADB22X} Air, Disc Type, Extended Service; Size 22.5"
 - 04JBZ - BRAKES, FRONT, AIR DISC 22.5 Dia, Includes 18" Sq. In. Brake Chambers
 - 04WEY - BRAKE PACKAGE, REAR {Bendix Spicer ADB22X} Air, Disc Type, Extended Service; Size 22.5"
 - 04JCC - BRAKES, REAR, AIR DISC 22.5 Dia, Includes 18/24" Sq. In. Brake Chambers
 - 04SPM - AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM
 - 04EBS - AIR DRYER {Bendix AD-9} with Heater
 - 04732 - DRAIN VALVE {Berg} with Pull Chain, for Air Tank
- 05 STEERING**
 - 05PSA - STEERING GEAR {Sheppard M100} Power
 - 05710 - STEERING COLUMN Tilting and Telescoping
 - 05CAW - STEERING WHEEL 4-Spoke; 18" Dia., Black
- 06 DRIVELINES**
 - * END YOKES Half-Round, Easy Service (All)
 - * SLIP JOINT SPLINES Nylon-Coated
 - 06DHB - DRIVELINE SYSTEM {Dana Spicer} 1810HD Main Driveline with 1710 Interaxle Shaft, for 6x4
- 07 EXHAUST SYSTEM**
 - 07BLJ - EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side
 - 07SDK - ENGINE COMPRESSION BRAKE by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch
 - 07WDM - EXHAUST HEIGHT 10'
 - 07WDT - TAIL PIPE (1) Straight Type
- 08 ELECTRICAL**
 - 08000 - ELECTRICAL SYSTEM 12-Volt, Standard Equipment
 - * HAZARD SWITCH Integral with Turn Signal Switch
 - * HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever
 - * PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
- 08 ELECTRICAL (CONT.)**
 - * STARTER SWITCH Electric, Key Operated
 - * STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector
 - * TURN SIGNAL SWITCH Manual Cancelling with Lane Change Feature
 - * TURN SIGNALS, FRONT Includes Integral Reflectors and Side Marker Lights; Fender Mounted
 - * WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature, Steering Column Mounted
 - * WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
 - * WIRING, CHASSIS Color Coded and Continuously Numbered
 - 08GXJ - ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount
 - 08RMG - ANTENNA BASE (2) Single Function, (1) for CB and (1) for Entertainment Radio, without Splitter, Separate Lead-Ins, with CB Antenna Mounted on Left Mirror and AM/FM Antenna Mounted on Right Mirror
 - 08VUK - BATTERY BOX Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab
 - 08MSG - BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 198CCA Total, Top Threaded Stud
 - 08XAH - CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
 - 08XHT - HEADLIGHTS Halogen, Composite Combination
 - 08653 - HORN, AIR Single, Located Under Cab
 - 08VAY - HORN, ELECTRIC Disc Style
 - 08718 - POWER SOURCE Cigar Type Receptacle without Plug and Cord
 - 08WCK - POWER SOURCE, TERMINAL TYPE 2-Post
 - 08RBN - RADIO Omit Item, Includes Wiring and Antenna, with Multiple Speakers
 - 08WXG - STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start

Refer To General Info for Metric Conversion Tables



HX615 SBA 6x4

STANDARD EQUIPMENT

MODEL CODE: HX61F00

09 FRONT END

- 09ASE - FRONT END Tilting, Composite
- 09HCL - GRILLE Black Vertical Accent Bars, with Black Mesh
- 09AAB - LOGOS EXTERIOR Model Badges
- 09AAE - LOGOS EXTERIOR, ENGINE Badges

10 PAINT & MISCELLANEOUS

- 10060 - PAINT SCHEMATIC, PT-1 Single Color, Design 100
* PAINT SCHEMATIC ID LETTERS "LW"
- 10761 - PAINT TYPE Base Coat/Clear Coat, 1-2 Tone

11 CLUTCH

- 11MGP - CLUTCH {Eaton Fuller ECA-1850} Two-Plate, Ceramic, 7-Spring with Pre-Damper, 15.5" Diameter, with Adjustment-Free Feature, 1850 lb-ft Torque Capacity

12 ENGINE

- 12BDY - ENGINE, DIESEL {International A26} EPA 2017, 370HP @ 1700 RPM, 1350 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max)
- 12XBC - RADIATOR Aluminum; Welded, Down Flow System, Front to Back, 1325 SqIn, 806 SqIn CAC
- 12THT - FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed
- 12VBB - AIR CLEANER Dual Element
- 12703 - ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
- 12WTA - FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted
- 12WCX - HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type
- 12WYZ - RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System

13 TRANSMISSION

- 13GWZ - TRANSMISSION, MANUAL {Eaton Fuller UltraShift+ FO-16E313A-MHP} 13-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid

14A AXLE, REAR

- 14GVU - AXLE, REAR, TANDEM {Meritor MT-40-14X-4DFR-P} Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, w/.433"(11mm) Wall Housing Thickness, R Wheel Ends
* RATIO: 2.64, 3.08, 3.25, 3.36, 3.42, 3.55, 3.70, 3.90, 4.11, 4.33, 4.63, 4.88, 5.29, 5.86, 6.14, 6.43, 6.83 OR 7.17

14B SUSPENSION, REAR

- 14ULX - SUSPENSION, REAR, TANDEM {Hendrickson HMX-400-54} Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings

15 FUEL TANKS

- * FUEL LINE FITTINGS O-Ring Snap-On Quick-Connect Voss Fittings at Both Ends; Anchored to frame for Fuel Hoses
- 15SSN - FUEL TANK Non-Polished Aluminum, 24" Dia, 60 US Gal (227L), Mounted Left Side, Under Cab
- 15DYP - DEF TANK 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab
- 15LKU - FUEL/WATER SEPARATOR {Racor} Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor

16 CAB

- 16031 - CAB Conventional, Day Cab
* CLEARANCE/MARKER LIGHTS (5) LED Roof Mounted
- * COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window
- * CONSOLE, CENTER Includes Two Cup Holders with Ash Cup and One Additional Storage Area
- * GLASS, ALL WINDOWS Tinted
- * GRAB HANDLE, CAB INTERIOR (2) One Each Side
- * GRAB HANDLE, EXTERIOR (2) Mounted Behind Driver and Passenger Doors

16 CAB (CONT.)

- * SPEAKERS IN CAB (4) Two Located in B-Pillar, Two Located Overhead on Driver and Passenger Sides
- * STEP (4) Two Steps Per Door
- 16WKB - AIR CONDITIONER {International Blend-Air} with Integral Heater and Defroster
- 16WJG - CAB DOOR LOCKS Power
- 16VJZ - CAB INTERIOR TRIM Classic, for HX Day Cab
* CONSOLE, OVERHEAD Molded Plastic with Three Storage Pockets; One with Velcro Strap for CB Radio Mounting; Two with Netting
- * DOME LIGHT, CAB (2) Rectangular, Door Activated; Above Door Mounted, One Each Side
- * FLOOR COVERING Rubber, Black
- * SUN VISOR (2) Vinyl with Toll Ticket Strap
- 16WLD - CAB REAR SUSPENSION Dual Air Suspension, Includes Special Crossmember Assembly
- 16HBA - GAUGE CLUSTER English with English Electronic Speedometer
NOTE: STANDARD IN USA
- 16VRT - HEATER, ENHANCED CIRCULATION {Bergstrom} Control, for Extreme Cold Weather Climates
- 16SNL - MIRRORS (2) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width
NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"
- For U.S. Only
- 16JPC - SEAT, DRIVER {National 2000 Model 295} Air Suspension, Intermediate Back, All Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3 Position Rear Cushion, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover
- 16400 - SEAT, PASSENGER Omit Item
- 16WAK - WINDOW, POWER (2) in Left and Right Doors
- 16VZA - WINDOW, REAR 52.25" Wide
- 16WKR - WINDSHIELD Single Piece

Refer To General Info for Metric Conversion Tables



Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCECCPS 18

INTERNATIONAL®

HX

TRUCKS - 26,000 LBS. GVW OR GREATER
BID #ESCNJ 17/18-30

SERIES HEAVY DUTY

HX615 SBA 6x4

STANDARD EQUIPMENT

MODEL CODE: HX61F00

27/28 WHEELS & TIRES

- * WHEEL SEALS, FRONT
{International} Oil
Lubricated, Includes Wheel
Bearings
- * WHEEL SEALS, REAR
{International} Oil
Lubricated, Includes Wheel
Bearings

27DUW - WHEELS, FRONT {Accuride
51408} DISC; 22.5x8.25 Rims,
Powder Coat Steel, 2-Hand
Hole, 10-Stud, 285.75mm BC,
Hub-Piloted, Flanged Nut,
with Steel Hubs

28DUW - WHEELS, REAR {Accuride
51408} DUAL DISC; 22.5x8.25
Rims, Powder Coat Steel,
2-Hand Hole, 10-Stud,
285.75mm BC, Hub-Piloted,
Flanged Nut, with Steel Hubs

737213 8132 (02) 11R22.5 14-PR
LR-G SINGLE FRONT RADIAL
TIRES {Goodyear ENDURANCE
RSA}

737213 8132 (08) 11R22.5 14-PR
LR-G DUAL REAR RADIAL TIRES
{Goodyear ENDURANCE RSA}

40 WARRANTY

40124 - WARRANTY Standard for
HX Series, Effective with
Vehicles Built December 7,
2015 or Later, CTS-2015A

Refer To General Info for Metric Conversion Tables



HX615 SBA 8x6 Tridem

STANDARD EQUIPMENT

MODEL CODE: HX61Z00 LIST PRICE: \$246,687.00

01 FRAMES

* NOTE: APPLICATION AND COUNTRY RESTRICTION INFORMATION IS NOT SHOWN IN THE AVAILABLE EQUIPMENT SECTIONS. PLEASE REFER TO THE TOPS APPLICATION IN SALES TOOLS FOR THIS RESTRICTION INFORMATION.

01CGC - FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 550.0" (13970mm) Maximum OAL

01LRB - BUMPER, FRONT Contoured, Steel, Painted, Heavy Duty, for HX

01WXC - WHEELBASE RANGE 169" (430cm) Through and Including 209" (530cm)

02 AXLE, FRONT

02ARU - AXLE, FRONT NON-DRIVING {Meritor MFS-16-143A} Wide Track, I-Beam Type, 16,000-lb Capacity

03A SUSPENSION, FRONT

03ACP - SUSPENSION, FRONT, SPRING Multileaf, Shackle Type, 16,000-lb Capacity, Less Shock Absorbers

04 BRAKES

04091 - BRAKE SYSTEM, AIR Dual System for Straight Truck Applications

- * BRAKE LINES Color and Size Coded Nylon
- * DRAIN VALVE Twist-Type
- * GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster
- * PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel
- * PARKING BRAKE VALVE For Truck
- * QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4
- * SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes)
- * SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes)
- * SPRING BRAKE MODULATOR VALVE {Bendix} SR-7 with relay valve for 6x4/8x6
- * SWITCH, AUXILIARY Interrupter for Cab Clearance/Marker Lights (Blinks Lights with Headlight Switch in "ON" Position); Instrument Panel Mounted

04 BRAKES

(CONT.)

04AZV - AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (6-Channel; 6 Sensor/6 Modulator) with Automatic Traction Control

04193 - BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers

04EXV - BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn

04NDB - BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake

04EXU - BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake

04SPM - AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM

04EBS - AIR DRYER {Bendix AD-9} with Heater

04732 - DRAIN VALVE {Berg} with Pull Chain, for Air Tank

05 STEERING

05PTB - STEERING GEAR (2) {Sheppard M100/M80} Dual Power

05710 - STEERING COLUMN Tilting and Telescoping

05CAW - STEERING WHEEL 4-Spoke; 18" Dia., Black

06 DRIVELINES

- * END YOKES Half-Round, Easy Service (All)
- * SLIP JOINT SPLINES Nylon-Coated

06DHU - DRIVELINE SYSTEM {Dana Spicer} SPL250 Main Driveline, with SPL170 First Interaxle Shaft, SPL170 Second Interaxle Shaft, for 8x6

07 EXHAUST SYSTEM

07BLJ - EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side

07SDK - ENGINE COMPRESSION BRAKE by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch

07WDM - EXHAUST HEIGHT 10'

07WDT - TAIL PIPE (1) Straight Type

08 ELECTRICAL

- 08000 - ELECTRICAL SYSTEM 12-Volt, Standard Equipment
- * HAZARD SWITCH Integral with Turn Signal Switch
- * HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever

08 ELECTRICAL

(CONT.)

* PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light

* STARTER SWITCH Electric, Key Operated

* STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector

* TURN SIGNAL SWITCH Manual Cancelling with Lane Change Feature

* TURN SIGNALS, FRONT Includes Integral Reflectors and Side Marker Lights; Fender Mounted

* WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature,

Steering Column Mounted

* WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted

* WIRING, CHASSIS Color Coded and Continuously Numbered

08GXJ - ALTERNATOR

{Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount

08RMG - ANTENNA BASE (2) Single Function, (1) for CB and (1) for Entertainment Radio, without Splitter, Separate Lead-Ins, with CB Antenna Mounted on Left Mirror and AM/FM Antenna Mounted on Right Mirror

08VUK - BATTERY BOX Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab

08MSG - BATTERY SYSTEM {Fleetrite}

Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud

08XAH - CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses

08XHT - HEADLIGHTS Halogen, Composite Combination

08653 - HORN, AIR Single, Located Under Cab

08VAY - HORN, ELECTRIC Disc Style

08718 - POWER SOURCE Cigar Type Receptacle without Plug and Cord

08WCK - POWER SOURCE, TERMINAL TYPE 2-Post

08RBN - RADIO Omit Item, Includes Wiring and Antenna, with Multiple Speakers

Refer To General Info for Metric Conversion Tables



INTERNATIONAL®

HX

SERIES HEAVY DUTY

HX615 SBA 8x6 Tridem

STANDARD EQUIPMENT

MODEL CODE: HX61Z00

- | | | |
|--|--|---|
| <p>08 ELECTRICAL (CONT.)</p> <p>08WXG - STARTING MOTOR
{Mitsubishi Electric
Automotive America 105P}
12-Volt, with Soft-Start</p> <p>09 FRONT END</p> <p>09ASE - FRONT END Tilting,
Composite</p> <p>09HCL - GRILLE Black Vertical
Accent Bars, with Black Mesh</p> <p>09AAB - LOGOS EXTERIOR Model
Badges</p> <p>09AAE - LOGOS EXTERIOR, ENGINE
Badges</p> <p>10 PAINT & MISCELLANEOUS</p> <p>10060 - PAINT SCHEMATIC, PT-1
Single Color, Design 100
* PAINT SCHEMATIC ID LETTERS
"LW"</p> <p>10761 - PAINT TYPE Base
Coat/Clear Coat, 1-2 Tone</p> <p>11 CLUTCH</p> <p>11MGP - CLUTCH {Eaton Fuller
ECA-1850} Two-Plate,
Ceramic, 7-Spring with
Pre-Damper, 15.5" Diameter,
with Adjustment-Free
Feature, 1850 lb-ft Torque
Capacity</p> <p>12 ENGINE</p> <p>12BDY - ENGINE, DIESEL
{International A26} EPA
2017, 370HP @ 1700 RPM, 1350
lb-ft Torque @ 1000 RPM,
2100 RPM Governed Speed, 370
Peak HP (Max)</p> <p>12XBC - RADIATOR Aluminum;
Welded, Down Flow System,
Front to Back, 1325 SqIn,
806 SqIn CAC</p> <p>12THT - FAN DRIVE {Horton
Drivemaster} Direct Drive
Type, Two Speed with
Residual Torque Device for
Disengaged Fan Speed</p> <p>12VBB - AIR CLEANER Dual
Element</p> <p>12703 - ANTI-FREEZE Red,
Extended Life Coolant; To
-40 Degrees F/ -40 Degrees
C, Freeze Protection</p> <p>12WTA - FAN DRIVE SPECIAL
EFFECTS Fan Cooling Ring
with Fan Shroud Effects,
Engine Mounted</p> <p>12WCX - HOSE CLAMPS, RADIATOR
HOSES {Gates} Shrink Band
Type</p> <p>12WYZ - RADIATOR DRAIN & FILL
FITTING SPECIAL; To Vacuum
Out or Fill the Cooling
System from the Bottom of
Radiator, for Use with
Quick-Connect Radiator Drain
Tool or Shop Coolant
Evacuation-Fill System</p> | <p>13 TRANSMISSION</p> <p>13GWZ - TRANSMISSION, MANUAL
{Eaton Fuller UltraShift+
FO-16E313A-MHP} 13-Speed
Fully Automated Manual,
Aluminum Clutch Housing,
Overdrive, Electronic Shift
Controls and Clutch
Actuation, Air Range Shift,
Internal Lube Oil Pump, Hill
Start Aid</p> <p>14A AXLE, REAR</p> <p>14HRG - AXLE, REAR, TRIDEM
{Meritor RZ-166 EH} Single
Reduction, Wide Track,
53,000-lb Capacity, Driver
Controlled Locking
Differential in All Three
Axles, 200 Wheel Ends
* RATIO: 4.30, 4.56, 4.89,
5.38, 5.63, 6.14, 6.43,
6.83 OR 7.17</p> <p>NOTE: Axle Lead Time is 45
Days</p> <p>14B SUSPENSION, REAR</p> <p>14UPC - SUSPENSION, REAR, AIR,
TRIDEM {Hendrickson
PAX-690-55} 69,000-lb
Capacity, 55" Axle Spacing,
9.5" Ride Height, with Shock
Absorbers Mounted in
Standard Location</p> <p>15 FUEL TANKS</p> <p>* FUEL LINE FITTINGS O-Ring
Snap-On Quick-Connect Voss
Fittings at Both Ends;
Anchored to frame for Fuel
Hoses</p> <p>15SSN - FUEL TANK Non-Polished
Aluminum, 24" Dia, 60 US Gal
(227L), Mounted Left Side,
Under Cab</p> <p>15DYP - DEF TANK 9.5 US Gal
(36L) Capacity, Frame
Mounted Outside Left Rail,
Under Cab</p> <p>15LKU - FUEL/WATER SEPARATOR
{Racor} Fuel Pre-Filter and
Filter Base, Includes
Water-In-Fuel Sensor</p> <p>16 CAB</p> <p>16031 - CAB Conventional, Day
Cab</p> <p>* CLEARANCE/MARKER LIGHTS (5)
LED Roof Mounted</p> <p>* COAT HOOK, CAB Located on
Rear Wall, Centered Above
Rear Window</p> <p>* CONSOLE, CENTER Includes
Two Cup Holders with Ash
Cup and One Additional
Storage Area</p> <p>* GLASS, ALL WINDOWS Tinted</p> <p>* GRAB HANDLE, CAB INTERIOR
(2) One Each Side</p> <p>* GRAB HANDLE, EXTERIOR (2)
Mounted Behind Driver and
Passenger Doors</p> | <p>16 CAB (CONT.)</p> <p>* SPEAKERS IN CAB (4) Two
Located in B-Pillar, Two
Located Overhead on Driver
and Passenger Sides</p> <p>* STEP (4) Two Steps Per Door</p> <p>16WKB - AIR CONDITIONER
{International Blend-Air}
with Integral Heater and
Defroster</p> <p>16WJG - CAB DOOR LOCKS Power</p> <p>16VJZ - CAB INTERIOR TRIM
Classic, for HX Day Cab</p> <p>* CONSOLE, OVERHEAD Molded
Plastic with Three Storage
Pockets; One with Velcro
Strap for CB Radio
Mounting; Two with Netting</p> <p>* DOME LIGHT, CAB (2)
Rectangular, Door
Activated; Above Door
Mounted, One Each Side</p> <p>* FLOOR COVERING Rubber,
Black</p> <p>* SUN VISOR (2) Vinyl with
Toll Ticket Strap</p> <p>16WLD - CAB REAR SUSPENSION
Dual Air Suspension,
Includes Special Crossmember
Assembly</p> <p>16HBA - GAUGE CLUSTER English
with English Electronic
Speedometer</p> <p>NOTE: STANDARD IN USA</p> <p>16VRT - HEATER, ENHANCED
CIRCULATION {Bergstrom}
Control, for Extreme Cold
Weather Climates</p> <p>16SNL - MIRRORS (2) C-Loop,
Black Heads and Arms, 7.5" x
14" Flat Glass, Includes
7.5" x 7" Convex Mirrors,
for 102" Load Width</p> <p>NOTE: Mirror Dimensions are
Rounded to the Nearest
0.5"
- For U.S. Only</p> <p>16JPC - SEAT, DRIVER {National
2000 Model 295} Air
Suspension, Intermediate
Back, All Vinyl, 2 Arm
Rests, Isolator, 7"
Adjuster, 1 Chamber Lumbar,
2 Position Front Cushion
Adjust, 3 Position Rear
Cushion, 2-15 Degree Back
Angle Adjust, Vinyl
Suspension Cover</p> <p>16400 - SEAT, PASSENGER Omit
Item</p> <p>16WAK - WINDOW, POWER (2) in
Left and Right Doors</p> <p>16VZA - WINDOW, REAR 52.25"
Wide</p> <p>16WKR - WINDSHIELD Single Piece</p> |
|--|--|---|

Refer To General Info for Metric Conversion Tables



Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCECCPS 21

TRUCKS - 26,000 LBS. GVW OR GREATER
BID #ESCNJ 17/18-30

INTERNATIONAL®

HX

SERIES HEAVY DUTY

HX615 SBA 8x6 Tridem

STANDARD EQUIPMENT

MODEL CODE: HX61Z00

27/28 WHEELS & TIRES

- * WHEEL SEALS, FRONT
{International} Oil
Lubricated, Includes Wheel Bearings
- * WHEEL SEALS, REAR
{International} Oil
Lubricated, Includes Wheel Bearings

27DUW - WHEELS, FRONT {Accuride 51408} DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs

28DUW - WHEELS, REAR {Accuride 51408} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs

737213 8132 (02) 11R22.5 14-PR LR-G SINGLE FRONT RADIAL TIRES {Goodyear ENDURANCE RSA}

737213 8132 (12) 11R22.5 14-PR LR-G DUAL REAR RADIAL TIRES {Goodyear ENDURANCE RSA}

40 WARRANTY

40124 - WARRANTY Standard for HX Series, Effective with Vehicles Built December 7, 2015 or Later, CTS-2015A

Refer To General Info for Metric Conversion Tables



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>FRAME RAILS</p> <p>NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 550.0" (13970mm) Maximum OAL REQS: Code 01GDS FRAME REINFORCEMENT, when in combination with Code 02AEW, 02ARY or 02AYJ AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 REQS: Code 01GDS FRAME REINFORCEMENT, when in combination with Code 02AGT AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 N/A: Code 10KKZ FIFTH WHEEL, AIR SLIDE AVAIL: Code 01GDS FRAME REINFORCEMENT</p>	01CGC	STD	STD
<p>Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL REQS: Code 01GBP FRAME REINFORCEMENT REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARW, 02ARY, 02ARZ, 02ASG(std), 02ASM, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 -OR- Code 02AEU, 02AEV, 02AEW, 02ARU(std), 02ARY, 02ARZ, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14UZB, 14UZS, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 REQS: Code 15DWP, 15DWR, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DZB, 15DZC, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 16ZHV ACCESS, CAB - for HX615 SBA 6x4 : Code 14WLM, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE, when in combination with Code 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXD, 13GXH, 13GYD or 13GYH TRANSMISSION, MANUAL - for HX615 SBA 6x4 : Code 14WNK AXLE, TAG, LIFT TYPE or Code 14WLM, 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE, when in combination with Code 14UNX SUSPENSION, REAR, AIR, TANDEM : Code 10GYZ, 10HCA, 10HKT, 10HYR, 10HYU and 10HYV FIFTH WHEEL, STATIONARY AVAIL: Code 10022 CHASSIS COATING : Code 10JPG FIFTH WHEEL, AIR SLIDE</p>	01CBU	\$195CR 0/0	\$195CR 0/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>FRAME RAILS (SEE PREV PAGE)</p> <p>NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>N/A: Code 14WNK AXLE, TAG, LIFT TYPE or Code 14WLM, 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE, when in combination with Code 14UNX SUSPENSION, REAR, AIR, TANDEM : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 10JPG, 10KKM, 10KKN and 10KKZ FIFTH WHEEL, AIR SLIDE : Code 10GWY, 10GWZ, 10HCA, 10HKT, 10HYU and 10HYV FIFTH WHEEL, STATIONARY AVAIL: Code 01GBP FRAME REINFORCEMENT : Code 10021 CHASSIS COATING</p>	01CAG		
<p>FRAME REINFORCEMENT</p> <p>NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Full Outer C-Channel, Heat Treated Alloy Steel (120,000 PSI Yield), 10.813" x 3.892" x 0.312" (274.6mm x 98.8mm x 7.9mm), 480.0" (12192mm) OAL REQS: Code 01CBU FRAME RAILS - for HX615 SBA 8x6 Tridem REQS: Code 01CAG or 01CBU FRAME RAILS - for HX615 SBA 6x4 REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem -OR- Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 REQS: Code 15DWP, 15DWR, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DZB, 15DZC, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 14WNJ AXLE, PUSHER, LIFT TYPE - for HX615 SBA 6x4 : Code 10GYZ, 10HCA, 10HKT, 10HYU and 10HYV FIFTH WHEEL, STATIONARY AVAIL: Code 10022 CHASSIS COATING : Code 10JPG FIFTH WHEEL, AIR SLIDE</p>	01GBP	\$1,700 0/0	\$1,700 0/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>FRAME REINFORCEMENT (CONTINUED)</p> <p>NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Full Outer C-Channel, Heat Treated Alloy Steel (120,000 PSI Yield), 13.025" x 3.687" x 0.312" (330.8mm x 93.6mm x 7.9mm), 518.0" (13157.2mm) OAL</p> <p>REQS: Code 01AMS CROSSMEMBER, FRAME TIE REQS: Code 01CGC(std) FRAME RAILS REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 15DWP, 15DWR, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DZB, 15DZC, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK</p> <p>AVAIL: Code 10022 CHASSIS COATING : Code 10JPG FIFTH WHEEL, AIR SLIDE</p>	<p>01GDS</p>	<p>\$3,469 0/0</p>	<p>\$3,469 0/0</p>
<p>BUMPER, FRONT</p> <p>Contoured, Steel, Painted, Heavy Duty, for HX</p> <p>Contoured, Aluminum, Stainless Steel Clad, Heavy Duty</p>	<p>01LRB</p> <p>01LTE</p>	<p>STD</p> <p>\$354 -64/+13</p>	<p>STD</p> <p>\$354 -61/+10</p>
<p>CROSSMEMBER, FRAME TIE</p> <p>for Heavy Duty</p> <p>for Standard Duty</p>	<p>01AMS</p> <p>01AMR</p>	<p>\$258 +50/+6</p> <p>N/C +37/+4</p>	<p>\$258 +51/+5</p> <p>N/C +38/+3</p>
<p>CROSSMEMBER, INTERMEDIATE LOC</p> <p>1st Located 27" Back of Cab, 2nd Located 67" Back of Cab</p> <p>REQS: Code 14UNX, 14UPV or 14UPX SUSPENSION, REAR, AIR, TANDEM</p> <p>N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE</p>	<p>01UCG</p>	<p>\$140</p>	<p>N/A</p>
<p>CROSSMEMBER, REAR</p> <p>Relocated to End of Frame</p> <p>REQS: Code 14UHD, 14UHK, 14UHL, 14UJE, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4</p>	<p>01652</p>	<p>\$30 -23/+88</p>	<p>\$30 -18/+83</p>
(SEE NEXT PAGE)			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
CROSSMEMBER, REAR <i>(SEE PREV PAGE)</i> -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 01WSA TOW LOOP, REAR	01652		
CROSSMEMBER, REAR, AF (02) 5-Piece N/A: Code 01616 FRAME RAILS WITH TAPERED REAR - for HX615 SBA 8x6 Tridem : Code 01616 FRAME RAILS WITH TAPERED REAR - for HX615 SBA 6x4 : Code 01616 FRAME RAILS WITH TAPERED REAR (03) 5-Piece N/A: Code 01616 FRAME RAILS WITH TAPERED REAR (1) 5-Piece N/A: Code 01616 FRAME RAILS WITH TAPERED REAR - for HX615 SBA 8x6 Tridem : Code 01616 FRAME RAILS WITH TAPERED REAR - for HX615 SBA 6x4 : Code 01616 FRAME RAILS WITH TAPERED REAR	01SAR 01SAS 01SAP	\$303 -72/+202 \$470 -115/+312 \$162 -23/+89	\$303 -56/+187 N/A \$162 -18/+84
DECK PLATE Aluminum, (2) Sections, 15" Wide REQS: Code 16ZGV ACCESS, FRAME N/A: Code 16ZBB and 16ZHV ACCESS, CAB : Code 16ZBP ACCESS, CAB AND FRAME Bustin Aluminum, (2) Sections REQS: Code 16ZBP ACCESS, CAB AND FRAME - for HX615 SBA 8x6 Tridem REQS: Code 16ZBP ACCESS, CAB AND FRAME - for HX615 SBA 6x4 N/A: Code 16ZBB and 16ZHV ACCESS, CAB : Code 16ZGV ACCESS, FRAME	01832 01WLY	\$347 +13/+14 \$1,119 +13/+14	\$347 +16/+11 \$1,119 +16/+11
FRAME RAILS WITH TAPERED REAR REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04619 TRAILER CONNECTIONS : Code 01SAP, 01SAR and 01SAS CROSSMEMBER, REAR, AF : Code 01652 CROSSMEMBER, REAR : Code 01GTA REINFORCEMENT, PINTLE HOOK : Code 01WRZ TOW HOOK, REAR : Code 01WSA TOW LOOP, REAR AVAIL: Code 08TMN TRAILER CONNECTION SOCKET - for HX615 SBA 6x4	01616	\$87	\$87



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
REINFORCEMENT, PINTLE HOOK Ahead of Rear Crossmember for Pintle Hook N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 01WRZ TOW HOOK, REAR	01GTA	\$176 -14/+50	\$176 -11/+47
TOW HOOK, FRONT (02) Frame Mounted; 80,000-lb. Total Capacity N/A: Code 01VBC TOW PIN, FRONT	01WRW	\$118 +15/-1	\$118 +15/0
TOW HOOK, REAR (02) Frame Mounted; 80,000-lb. Total Capacity REQS: Code 01652 CROSSMEMBER, REAR REQS: Code 08TKB, 08TKC or 08TKJ STOP, TURN, TAIL & B/U LIGHTS N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS : Code 01GTA REINFORCEMENT, PINTLE HOOK : Code 01WSA TOW LOOP, REAR : Code 10WPR, 10WPT and 10WPU MUD FLAP HOLDER	01WRZ	\$125 -11/+44	\$125 -9/+42
TOW LOOP, REAR Frame Mounted; 80,000-lb. Total Capacity N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 01652 CROSSMEMBER, REAR : Code 08TMN and 08554 TRAILER CONNECTION SOCKET : Code 01WRZ TOW HOOK, REAR	01WSA	\$778 -38/+147	\$778 -30/+139
TOW PIN, FRONT Heavy Duty; 150,000-lb. Total Capacity N/A: Code 01WRW TOW HOOK, FRONT	01VBC	\$838 +95/-22	\$838 +91/-17
WHEELBASE RANGE 169" (430cm) Through and Including 209" (530cm) 144" (365cm) Through and Including 185" (470cm) 187" (475cm) Through and Including 232" (590cm) 211" (535cm) Through and Including 256" (650cm) 234" (595cm) Through and Including 291" (740cm) 258" (655cm) Through and Including 315" (800cm) 293" (745cm) Through and Including 346" (880cm)	01WXC 01WYG 01WXH 01WXD 01WXJ 01WJX 01WVZ	N/A STD \$633 N/A \$1,397 N/A \$1,832	STD N/A N/A \$633 N/A \$1,397 N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
AXLE, FRONT NON-DRIVING (CONTINUED) <i>Meritor</i>			
<p>- MFS-14-143A - Wide Track, I-Beam Type, 14,600-lb Capacity REQS: Code 05PTB STEERING GEAR REQS: Code 04JCN BRAKES, FRONT, AIR DISC -OR- BRAKES, FRONT, AIR CAM REQS: Code 03ADE SUSPENSION, FRONT, SPRING REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX or 14XAL SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM N/A: Code 10NZL SPECIAL RATING, GVWR : Code 04WZK BRAKE PACKAGE, FRONT : Code 04WHA DUST SHIELDS, FRONT BRAKE : Code 03703 and 03772 SHOCK ABSORBERS, FRONT : Code 27DBA, 27DHK, 27DJJ, 27DJL, 27DMZ, 27DRG, 27DTA, 27DTC, 27DTZ, 27DUA, 27DUC, 27DUL, 27DUM, 27DUN, 27DUR, 27DUX, 27DVC, 27DVD, 27DVJ, 27DVK, 27DVR and 27DVS WHEELS, FRONT : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE : Code 29PCB COATING IDENTITY, FRONT WHEELS AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE</p>	02ASM	\$1,278 0/0	N/A
<p>- MFS-16-133A - Wide Track, I-Beam Type, 16,000-lb Capacity REQS: Code 05PTB(std) STEERING GEAR - for HX615 SBA 8x6 Tridem REQS: Code 05PTB STEERING GEAR - for HX615 SBA 6x4 REQS: Code 27DBA, 27DEL, 27DJL, 27DMJ, 27DMK, 27DMZ, 27DPN, 27DRC, 27DRG, 27DTD, 27DTH, 27DUK, 27DUM, 27DUN, 27DUP, 27DUR, 27DUS, 27DUT, 27DVB, 27DVD, 27DVG, 27DVH, 27DVN or 27DVP WHEELS, FRONT - for HX615 SBA 8x6 Tridem REQS: Code 27DBA, 27DEL, 27DJL, 27DMJ, 27DMK, 27DMZ, 27DPN, 27DRC, 27DRG, 27DTD, 27DTH, 27DUK, 27DUM, 27DUN, 27DUP, 27DUR, 27DUS, 27DUT, 27DVB, 27DVD, 27DVG, 27DVH, 27DVN, 27DVP or 27DVP WHEELS, FRONT - for HX615 SBA 6x4 REQS: Code 04JCN or 04JDD BRAKES, FRONT, AIR DISC REQS: Code 03ADE SUSPENSION, FRONT, SPRING - for HX615 SBA 6x4 -OR- Code 03ACP(std) or 03ADE SUSPENSION, FRONT, SPRING - for HX615 SBA 8x6 Tridem N/A: Code 04WHX BRAKE PACKAGE, FRONT : Code 29AEM and 29331 BRAKE DRUMS, FRONT : Code 04WBX DUST SHIELDS, FRONT BRAKE : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCJ, 04193(std) and 04196 BRAKES, FRONT, AIR CAM : Code 03703 and 03772 SHOCK ABSORBERS, FRONT</p>	02AUR	\$2,385 +126/0	\$582 +38/0



**HX615 SBA 6x4 & HX615 SBA 8x6 Tridem
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
 NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>AXLE, FRONT NON-DRIVING (CONTINUED)</p> <p><i>Meritor</i></p> <p>- MFS-16-143A - Wide Track, I-Beam Type, 16,000-lb Capacity REQS: Code 05PTB(std) STEERING GEAR - for HX615 SBA 8x6 Tridem REQS: Code 05PTB STEERING GEAR - for HX615 SBA 6x4 REQS: Code 04193 BRAKES, FRONT, AIR CAM - for HX615 SBA 6x4 -OR- BRAKES, FRONT, AIR CAM - for HX615 SBA 8x6 Tridem REQS: Code 03ADE SUSPENSION, FRONT, SPRING REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 03703 and 03772 SHOCK ABSORBERS, FRONT : Code 27DEM, 27DMM, 27DMN, 27DTA, 27DTC, 27DUC, 27DUX, 27DVB, 27DVJ, 27DVK, 27DVR and 27DVS WHEELS, FRONT AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p> <p>- MFS-18-133A - Wide Track, I-Beam Type, 18,000-lb Capacity REQS: Code 05PTB(std) STEERING GEAR - for HX615 SBA 8x6 Tridem REQS: Code 05PTB STEERING GEAR - for HX615 SBA 6x4 REQS: Code 05PTB(std) STEERING GEAR, when in combination with Code 03ACR, 03ACU, 03ADE or 03AGA SUSPENSION, FRONT, SPRING REQS: Code 04JCN, 04JDD or 04JDE BRAKES, FRONT, AIR DISC -OR- BRAKES, FRONT, AIR CAM - for HX615 SBA 8x6 Tridem -OR- Code 04193 BRAKES, FRONT, AIR CAM - for HX615 SBA 6x4 REQS: Code 03ACR or 03ADG SUSPENSION, FRONT, SPRING N/A: Code 01CAG FRAME RAILS : Code 27DEM, 27DMM, 27DMN, 27DTA, 27DTC, 27DUC, 27DUX, 27DVJ, 27DVK, 27DVR and 27DVS WHEELS, FRONT AVAIL: Code 03703 SHOCK ABSORBERS, FRONT</p> <p>- MFS-20-133A - Wide Track, I-Beam Type, 20,000-lb Capacity REQS: Code 05PTB(std) STEERING GEAR - for HX615 SBA 8x6 Tridem REQS: Code 05PTB STEERING GEAR - for HX615 SBA 6x4</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>02ARU</p> <p>02ARZ</p> <p>02ARY</p>	<p>\$1,803 0/0</p> <p>\$1,854 +126/0</p> <p>\$2,350 +126/0</p>	<p>STD</p> <p>\$51 +38/0</p> <p>\$547 +38/0</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION		MODEL/SUGGESTED LIST PRICE/WEIGHT	
		CODE	NOTE: WEIGHTS - FRONT/REAR
		HX615 SBA 6x4	HX615 SBA 8x6 Tridem
AXLE, FRONT NON-DRIVING (SEE PREV PAGE) Dana Spicer - I-180W - REQS: Code 04193 BRAKES, FRONT, AIR CAM - for HX615 SBA 6x4 -OR- BRAKES, FRONT, AIR CAM - for HX615 SBA 8x6 Tridem REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 03ACR or 03ADG SUSPENSION, FRONT, SPRING REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04AZS and 04AZY AIR BRAKE ABS : Code 01CAG FRAME RAILS : Code 27DEM, 27DMM, 27DMN, 27DTA, 27DTC, 27DUC, 27DUX, 27DVJ, 27DVK, 27DVR and 27DVS WHEELS, FRONT AVAIL: Code 04WHX BRAKE PACKAGE, FRONT : Code 03703 SHOCK ABSORBERS, FRONT NOTE: Axle Lead Time is 52 Days - I-200W - Wide Track, I-Beam Type, 20,000-lb Capacity REQS: Code 05PTB(std) STEERING GEAR - for HX615 SBA 8x6 Tridem REQS: Code 05PTB STEERING GEAR - for HX615 SBA 6x4 REQS: Code 04193 BRAKES, FRONT, AIR CAM - for HX615 SBA 6x4 -OR- BRAKES, FRONT, AIR CAM - for HX615 SBA 8x6 Tridem REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 03ACS, 03ACU, 03ADR, 03ADS, 03AEX, 03AGA or 03AGR SUSPENSION, FRONT, SPRING REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04AZS and 04AZY AIR BRAKE ABS : Code 04092 BRAKE SYSTEM, AIR, when in combination with Code 03ADS SUSPENSION, FRONT, SPRING : Code 01CAG FRAME RAILS : Code 27DEM, 27DMM, 27DMN, 27DTA, 27DTC, 27DUC, 27DUX, 27DVJ, 27DVK, 27DVR and 27DVS WHEELS, FRONT (SEE NEXT PAGE)		02AEV	
		02AEW	\$2,858 +85/0 \$1,055 -3/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SUSPENSION, FRONT, SPRING			
Multileaf, Shackle Type, 14,000-lb Capacity, with Shock Absorbers REQS: Code 02ARW or 02ASG(std) AXLE, FRONT NON-DRIVING N/A: SPRINGS, FRONT AUXILIARY : Code 03703 and 03772 SHOCK ABSORBERS, FRONT	03ACH	STD	N/A
Parabolic Taper Leaf, Shackle Type, 13,200-lb Capacity, with Shock Absorbers REQS: Code 02ARW or 02ASG(std) AXLE, FRONT NON-DRIVING N/A: SPRINGS, FRONT AUXILIARY : Code 03703 and 03772 SHOCK ABSORBERS, FRONT	03AGD	\$62 - 137/0	N/A
Parabolic Taper Leaf, Shackle Type, 14,000-lb Capacity, with Shock Absorbers REQS: Code 02ASG(std) AXLE, FRONT NON-DRIVING N/A: SPRINGS, FRONT AUXILIARY : Code 03703 and 03772 SHOCK ABSORBERS, FRONT	03ADD	\$244 - 137/0	N/A
Multileaf, Shackle Type, 16,000-lb Capacity, Less Shock Absorbers REQS: Code 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 -OR- Code 02AUR or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem AVAIL: Code 03703 SHOCK ABSORBERS, FRONT	03ACP	\$283 0/0	STD
Parabolic Taper Leaf, Shackle Type, 16,000-lb Capacity, with Shock Absorbers REQS: Code 05PTB(std) STEERING GEAR, when in combination with Code 02AEV, 02ARZ or 02AYK AXLE, FRONT NON-DRIVING REQS: Code 02AEU, 02ARU, 02ASM or 02AUR AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 -OR- Code 02AEU, 02ARU(std) or 02AUR AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem N/A: SPRINGS, FRONT AUXILIARY - for HX615 SBA 8x6 Tridem : SPRINGS, FRONT AUXILIARY - for HX615 SBA 6x4 : Code 03703 and 03772 SHOCK ABSORBERS, FRONT	03ADE	\$283 - 91/0	N/C - 130/0
Multileaf, Shackle Type, 18,000-lb Capacity, Less Shock Absorbers REQS: Code 05PTB(std) STEERING GEAR, when in combination with Code 02AEV, 02ARZ or 02AYK AXLE, FRONT NON-DRIVING REQS: Code 02AEV, 02ARZ or 02AYK AXLE, FRONT NON-DRIVING AVAIL: Code 03703 SHOCK ABSORBERS, FRONT	03ACR	\$317 + 75/0	\$34 + 36/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SUSPENSION, FRONT, SPRING (CONTINUED)			
Parabolic Taper Leaf, Shackle Type, 18,000-lb Capacity, with Shock Absorbers REQS: Code 02AEV, 02ARZ or 02AYK AXLE, FRONT NON-DRIVING N/A: SPRINGS, FRONT AUXILIARY - for HX615 SBA 8x6 Tridem : SPRINGS, FRONT AUXILIARY - for HX615 SBA 6x4 : Code 03703 and 03772 SHOCK ABSORBERS, FRONT	03ADG	\$450 - 49/0	\$167 - 88/0
Multileaf, Shackle Type, 20,000-lb Capacity, Less Shock Absorbers REQS: Code 02AEW, 02ARY or 02AYJ AXLE, FRONT NON-DRIVING N/A: Code 01CAG FRAME RAILS AVAIL: Code 03772 SHOCK ABSORBERS, FRONT	03ACS	\$528 + 98/0	\$245 + 59/0
Multileaf, Slipper Type, 20,000-lb Capacity, with Torque Rods and Less Shock Absorbers REQS: Code 05PTB(std) STEERING GEAR, when in combination with Code 02AEV, 02ARZ or 02AYK AXLE, FRONT NON-DRIVING REQS: Code 02AEW, 02ARY or 02AYJ AXLE, FRONT NON-DRIVING N/A: Code 01CAG FRAME RAILS : Code 03703 and 03772 SHOCK ABSORBERS, FRONT	03ACU	\$880 + 179/0	\$597 + 140/0
Multileaf, Slipper Type, 20,000-lb Capacity, Includes (1) Extra Leaf on Right Side, with Torque Rods and Less Shock Absorbers REQS: Code 02AEW, 02ARY or 02AYJ AXLE, FRONT NON-DRIVING N/A: Code 04AZS and 04AZY AIR BRAKE ABS : Code 01CAG FRAME RAILS : Code 03703 and 03772 SHOCK ABSORBERS, FRONT	03ADR	\$637 + 188/0	\$354 + 149/0
Multileaf, Slipper Type, 20,000-lb Capacity, Includes (1) Extra Leaf on Left Side for Left Wing Snow Plow, with Torque Rods and Less Shock Absorbers REQS: Code 02AEW, 02ARY or 02AYJ AXLE, FRONT NON-DRIVING N/A: Code 04AZS and 04AZY AIR BRAKE ABS : Code 04092 BRAKE SYSTEM, AIR, when in combination with Code 02AEW, 02ARY or 02AYJ AXLE, FRONT NON-DRIVING : Code 01CAG FRAME RAILS : Code 03703 and 03772 SHOCK ABSORBERS, FRONT	03ADS	\$636 + 188/0	\$353 + 149/0
Parabolic Taper Leaf, Shackle Type, 20,000-lb Capacity, with Shock Absorbers REQS: Code 05PTB(std) STEERING GEAR, when in combination with Code 02AEV, 02ARZ or 02AYK AXLE, FRONT NON-DRIVING REQS: Code 02AEW, 02ARY or 02AYJ AXLE, FRONT NON-DRIVING	03AGA	\$724 - 26/0	\$441 - 65/0
<i>(SEE NEXT PAGE)</i>			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SUSPENSION, FRONT, SPRING (SEE PREV PAGE)			
N/A: SPRINGS, FRONT AUXILIARY - for HX615 SBA 8x6 Tridem : SPRINGS, FRONT AUXILIARY - for HX615 SBA 6x4 : Code 03703 and 03772 SHOCK ABSORBERS, FRONT	03AGA		
Two Stage Multileaf, Shackle Type, 20,000-lb Capacity, Steel Springs 18K Capacity and (2) Rubber Auxiliary Springs 2K Capacity, with Shock Absorbers REQS: Code 02AEW or 02ARY AXLE, FRONT NON-DRIVING N/A: SPRINGS, FRONT AUXILIARY - for HX615 SBA 8x6 Tridem : SPRINGS, FRONT AUXILIARY - for HX615 SBA 6x4 : Code 03703 and 03772 SHOCK ABSORBERS, FRONT	03AEX	\$856 +63/0	\$573 +23/0
Two Stage Multileaf, Shackle Type, 20,000-lb Capacity, Less Shock Absorbers REQS: Code 03770 SPRINGS, FRONT AUXILIARY, when in combination with Code 14WLT AXLE, PUSHER, LIFT TYPE, ID REQS: Code 02AEW, 02ARY or 02AYJ AXLE, FRONT NON-DRIVING N/A: Code 04AZS and 04AZY AIR BRAKE ABS : Code 01CAG FRAME RAILS : Code 03703 and 03772 SHOCK ABSORBERS, FRONT	03AGR	\$223 -16/0	\$60CR -55/0
Parabolic Taper Leaf, Shackle Type, 22,000-lb Capacity, Steel Springs 20K Capacity and (2) Auxiliary Springs 2K Capacity, with Shock Absorbers REQS: Code 02AGT or 02ATB AXLE, FRONT NON-DRIVING N/A: Code 03703 and 03772 SHOCK ABSORBERS, FRONT	03AEW	\$1,151 -20/0	\$868 -18/0
Multileaf, Shackle Type, 23,000-lb Capacity, Less Shock Absorbers REQS: Code 02AGT, 02ARY or 02ATB AXLE, FRONT NON-DRIVING N/A: Code 01CAG FRAME RAILS : Code 03703 and 03772 SHOCK ABSORBERS, FRONT	03ACT	\$948 +115/0	N/A
Multileaf, Shackle Type, 23,000-lb Capacity, with Special Spacer Blocks for Mixer Application, Less Shock Absorbers REQS: Code 02AGT, 02ARY or 02ATB AXLE, FRONT NON-DRIVING N/A: Code 01CAG FRAME RAILS : Code 03703 and 03772 SHOCK ABSORBERS, FRONT	03AEP	\$817 +117/0	\$534 +78/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SUSPENSION, FRONT, SPRING (CONTINUED) Multileaf, Slipper Type, 24,000-lb Capacity, with Torque Rods and Less Shock Absorbers REQS: Code 02AGT or 02ATB AXLE, FRONT NON-DRIVING N/A: Code 04AZS and 04AZY AIR BRAKE ABS : Code 01CAG FRAME RAILS : Code 03703 and 03772 SHOCK ABSORBERS, FRONT	03ACX	\$669 +224/0	\$386 +185/0
SHOCK ABSORBERS, FRONT for Axles Under 20,000-lb Capacity REQS: Code 02AEV, 02ARZ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING REQS: Code 03ACP or 03ACR SUSPENSION, FRONT, SPRING - for HX615 SBA 6x4 -OR- Code 03ACP(std) or 03ACR SUSPENSION, FRONT, SPRING - for HX615 SBA 8x6 Tridem N/A: Code 03770 SPRINGS, FRONT AUXILIARY for 20,000-lb Capacity Suspensions REQS: Code 02AEW, 02ARY or 02AYJ AXLE, FRONT NON-DRIVING REQS: Code 03ACS SUSPENSION, FRONT, SPRING N/A: Code 03770 SPRINGS, FRONT AUXILIARY	03703 03772	\$140 +74/+5 \$265 +79/0	\$140 +75/+4 \$265 +79/0
SPRINGS, FRONT AUXILIARY Rubber N/A: Code 03703 and 03772 SHOCK ABSORBERS, FRONT	03770	\$111 +21/0	\$111 +21/0
BRAKE SYSTEM, AIR Dual System for Straight Truck Applications INCLS: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes) : SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes) : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : BRAKE LINES Color and Size Coded Nylon : SPRING BRAKE MODULATOR VALVE {Bendix} SR-7 with relay valve for 6x4/8x6 : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : PARKING BRAKE VALVE For Truck : DRAIN VALVE Twist-Type : SWITCH, AUXILIARY Interrupter for Cab Clearance/Marker Lights (Blinks Lights with Headlight Switch in "ON" Position); Instrument Panel Mounted REQS: Code 01652 CROSSMEMBER, REAR or Code 01WSA TOW LOOP, REAR or Code 01SAP or 01SAR CROSSMEMBER, REAR, AF - for HX615 SBA 8x6 Tridem <p style="text-align: right;">(SEE NEXT PAGE)</p>	04091	STD	STD



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>BRAKE SYSTEM, AIR <i>(SEE PREV PAGE)</i></p> <p>INCLS: TRACTOR PROTECTION VALVE : GLAD HANDS (2) One for Service and One for Emergency; Trailer Hoses from Cab : PARKING BRAKE VALVE Combination Valve for Tractor and Trailer : HOSE TENDER Back of Cab Mounted : DRAIN VALVE Twist-Type : SWITCH, AUXILIARY Interrupter for Cab and Trailer Clearance/Marker Lights (Blinks Lights with Headlight Switch in "ON" Position); Instrument Panel Mounted</p> <p>REQS: Code 04774 SPECIAL RATING, GAWR - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 04AZY AIR BRAKE ABS - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 04AZS or 04AZY AIR BRAKE ABS - for HX615 SBA 6x4</p> <p>REQS: Code 04AAA or 04AAU BRAKE CHAMBERS, ADDITIONAL, when in combination with Code 04EVH, 04EXU or 04EXW BRAKE CHAMBERS, REAR AXLE - for HX615 SBA 6x4</p> <p>REQS: Code 01616 FRAME RAILS WITH TAPERED REAR - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 01616 FRAME RAILS WITH TAPERED REAR - for HX615 SBA 6x4</p> <p>REQS: Code 03ACS SUSPENSION, FRONT, SPRING - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 03ACS SUSPENSION, FRONT, SPRING - for HX615 SBA 6x4</p> <p>REQS: Code 10WPY, 10WPY, 10WSX or 10WSX MUD FLAPS, REAR</p> <p>REQS: Code 10WPR, 10WPR, 10WPT, 10WPT, 10WPU or 10WPU MUD FLAP HOLDER</p> <p>REQS: Code 02ARU, 02ARW, 02ARY, 02ARZ, 02ASG(std), 02ASM, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4</p> <p>-OR- Code 02ARU(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem</p> <p>N/A: ACCESS, CAB or SUSPENSION, REAR, TANDEM or Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE - for HX615 SBA 6x4</p> <p>: Code 04WDN DUST SHIELDS, REAR BRAKE : Code 04583 HAND CONTROL VALVE, AIR : Code 04WDW BRAKE CHAMBERS, SPRING : Code 04619 TRAILER CONNECTIONS : Tire 06394060126(Front) and 07702678113(Front) or Tire 07384240162(Rear) and 07384248123(Rear) : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 14896 DIFFERENTIAL, LOCKING</p> <p>AVAIL: Code 04XAC AIR TANK LOCATION - for HX615 SBA 6x4 : Code 08TMN TRAILER CONNECTION SOCKET - for HX615 SBA 6x4</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	04092		



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>AIR BRAKE ABS (CONTINUED)</p> <p><i>Bendix</i></p> <p>- AntiLock Brake System -</p> <p>with Electronic Stability Program (4-Channel; 4 Sensor/4 Modulator) with Automatic Traction Control</p> <p>REQS: Code 02ARW, 02ASG(std) or 02ASM AXLE, FRONT NON-DRIVING or Code 03ACH, 03ADD or 03AGD SUSPENSION, FRONT, SPRING, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14WLM, 14WNH, 14WNJ, 14WNL or 14WNM AXLE, PUSHER, LIFT TYPE</p> <p>REQS: Code 04JCC or 04JNT BRAKES, REAR, AIR DISC or Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM - for HX615 SBA 6x4</p> <p>REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14WLM, 14WNH, 14WNJ, 14WNL or 14WNM AXLE, PUSHER, LIFT TYPE</p> <p>REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14WLR or 14WNL AXLE, TAG, LIFT TYPE</p> <p>REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14WLT AXLE, PUSHER, LIFT TYPE, ID</p> <p>REQS: Code 02AGT, 02ARU, 02ARW, 02ARY, 02ARZ, 02ASG(std), 02ASM, 02ATB or 02AUR AXLE, FRONT NON-DRIVING</p> <p>REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM</p> <p>-OR- BRAKES, REAR, AIR DISC</p> <p>REQS: Code 03ACH(std), 03ACP, 03ACR, 03ACS, 03ACT, 03ACU, 03ADD, 03ADE, 03ADG, 03AEP, 03AEW, 03AEX, 03AGA or 03AGD SUSPENSION, FRONT, SPRING</p> <p>REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14ULX(std), 14ULY, 14ULZ, 14UZB, 14UZU, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM</p> <p>-OR- Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM</p> <p>N/A: HAND CONTROL VALVE, AIR, when in combination with Code 04619 TRAILER CONNECTIONS</p> <p>: Code 04619 TRAILER CONNECTIONS or Code 14WLR AXLE, TAG, LIFT TYPE or Code 14WLT AXLE, PUSHER, LIFT TYPE, ID or Code 13WDM HYDRAULIC RETARDER</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>04AZS</p>	<p>\$1,742</p>	<p>N/A</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>AIR BRAKE ABS (SEE PREV PAGE)</p> <p><i>Bendix</i></p> <p>- AntiLock Brake System -</p> <p>N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE or Code 14WLM, 14WNL, 14WNL and 14WNL AXLE, PUSHER, LIFT TYPE, when in combination with Code 04092 BRAKE SYSTEM, AIR - for HX615 SBA 6x4 : Code 14896 DIFFERENTIAL, LOCKING</p> <p>with Electronic Stability Program (6-Channel; 6 Sensor/6 Modulator) with Automatic Traction Control</p> <p>REQS: Code 02ARW, 02ASG(std) or 02ASM AXLE, FRONT NON-DRIVING or Code 03ACH, 03ADD or 03AGD SUSPENSION, FRONT, SPRING, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14WLM, 14WNL, 14WNL or 14WNL AXLE, PUSHER, LIFT TYPE - for HX615 SBA 6x4</p> <p>REQS: Code 04JCN, 04JDD or 04JDE BRAKES, FRONT, AIR DISC - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 04193 BRAKES, FRONT, AIR CAM - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 04JCC or 04JNT BRAKES, REAR, AIR DISC or Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM - for HX615 SBA 6x4</p> <p>REQS: Code 04NDB or 04NDH BRAKES, REAR, AIR CAM - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 03ACP, 03ACR, 03ACS, 03ACU, 03ADE, 03ADG, 03AEP, 03AEW, 03AEX or 03AGA SUSPENSION, FRONT, SPRING - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 14UPC SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14WLM, 14WNL, 14WNL, 14WNL or 14WNL AXLE, PUSHER, LIFT TYPE</p> <p>REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14WLR or 14WNL AXLE, TAG, LIFT TYPE - for HX615 SBA 6x4</p> <p>REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14WLT AXLE, PUSHER, LIFT TYPE, ID - for HX615 SBA 6x4</p> <p>REQS: Code 02AGT, 02ARU, 02ARW, 02ARY, 02ARZ, 02ASG(std), 02ASM, 02ATB or 02AUR AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4</p> <p>-OR- Code 02AGT, 02ARU(std), 02ARY, 02ARZ, 02ATB or 02AUR AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>04AZS</p> <p>04AZY</p>	<p>\$2,426</p>	<p>\$1,948</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>AIR BRAKE ABS (SEE PREV PAGE)</p> <p><i>Bendix</i></p> <p>- AntiLock Brake System - REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM - for HX615 SBA 6x4</p> <p>-OR- BRAKES, REAR, AIR DISC - for HX615 SBA 6x4</p> <p>-OR- BRAKES, REAR, AIR CAM - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 04092 BRAKE SYSTEM, AIR - for HX615 SBA 8x6 Tridem</p> <p>-OR- BRAKE SYSTEM, AIR - for HX615 SBA 6x4</p> <p>REQS: Code 03ACH(std), 03ACP, 03ACR, 03ACS, 03ACT, 03ACU, 03ADD, 03ADE, 03ADG, 03AEP, 03AEW, 03AEX, 03AGA or 03AGD SUSPENSION, FRONT, SPRING - for HX615 SBA 6x4</p> <p>-OR- Code 03ACP(std), 03ACR, 03ACS, 03ACU, 03ADE, 03ADG, 03AEP, 03AEW, 03AEX or 03AGA SUSPENSION, FRONT, SPRING - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14ULX(std), 14ULY, 14ULZ, 14UZB, 14UZU, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4</p> <p>-OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem</p> <p>-OR- Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULT, 14ULU, 14ULV, 14UNX, 14UNY, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4</p> <p>REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for HX615 SBA 6x4</p> <p>-OR- AXLE, REAR, TRIDEM - for HX615 SBA 8x6 Tridem</p> <p>N/A: HAND CONTROL VALVE, AIR, when in combination with Code 04619 TRAILER CONNECTIONS - for HX615 SBA 8x6 Tridem</p> <p>: HAND CONTROL VALVE, AIR, when in combination with Code 04619 TRAILER CONNECTIONS - for HX615 SBA 6x4</p> <p>: TRAILER CONNECTIONS or AXLE, PUSHER, LIFT TYPE, ID or HYDRAULIC RETARDER - for HX615 SBA 8x6 Tridem</p> <p>: Code 04619 TRAILER CONNECTIONS or Code 14WLR AXLE, TAG, LIFT TYPE or Code 14WLT AXLE, PUSHER, LIFT TYPE, ID or Code 13WDM HYDRAULIC RETARDER - for HX615 SBA 6x4</p> <p>: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE or Code 14WLM, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE, when in combination with Code 04092 BRAKE SYSTEM, AIR - for HX615 SBA 6x4</p> <p>: Code 14896 DIFFERENTIAL, LOCKING</p>	04AZY		



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>BRAKE PACKAGE, FRONT</p> <p><i>Bendix Spicer</i></p> <p>- ADB22X - Air, Disc Type, Extended Service; Size 22.5" REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY, 02ARZ, 02ASM, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING, when in combination with Code 04WHL or 04WHY BRAKE PACKAGE, REAR and Code 04091 BRAKE SYSTEM, AIR - for HX615 SBA 6x4 REQS: Code 02ARY, 02ASG(std), 02ATB or 02AUR AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 REQS: Code 04WHY BRAKE PACKAGE, REAR - for HX615 SBA 8x6 Tridem REQS: Code 04WEY(std) or 04WHL BRAKE PACKAGE, REAR, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY or 14GVZ AXLE, REAR, TANDEM - for HX615 SBA 6x4 REQS: Code 04WEY(std) or 04WHL BRAKE PACKAGE, REAR, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14UHD, 14ULX or 14UZS SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 REQS: Code 04WEY(std) or 04WHL BRAKE PACKAGE, REAR, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14UKZ, 14ULA, 14ULU, 14ULV or 14XAL SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 REQS: Code 04WEY, 04WHL, 04WHY or 04WXW BRAKE PACKAGE, REAR - for HX615 SBA 6x4 REQS: Code 03ACP, 03ACS, 03ADD, 03ADE, 03ADR, 03AEP, 03AEX, 03AGA, 03AGD or 03AGR SUSPENSION, FRONT, SPRING - for HX615 SBA 6x4 REQS: Code 02ARY, 02ARZ, 02ASG(std), 02ASM, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 -OR- Code 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem REQS: Code 04JBZ(std), 04JCN or 04JDD BRAKES, FRONT, AIR DISC - for HX615 SBA 6x4 -OR- Code 04JCN or 04JDD BRAKES, FRONT, AIR DISC - for HX615 SBA 8x6 Tridem N/A: Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCJ, 04193(std) and 04196 BRAKES, FRONT, AIR CAM : Code 27DRG, 27DTZ, 27DUA and 27DUM WHEELS, FRONT : Code 14GJW, 14GRJ, 14GRM, 14GTS, 14GTT, 14GTU, 14GTW and 14GUV AXLE, REAR, TANDEM, when in combination with Code 04WHL or 04WHY BRAKE PACKAGE, REAR and Code 04091 BRAKE SYSTEM, AIR - for HX615 SBA 6x4</p>	04WEZ	STD	N/C



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
BRAKE PACKAGE, FRONT (SEE PREV PAGE) Meritor - EX225H2 - REQS: Code 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING REQS: Code 04JDD or 04JDE BRAKES, FRONT, AIR DISC REQS: Code 04092 BRAKE SYSTEM, AIR - for HX615 SBA 8x6 Tridem -OR- BRAKE SYSTEM, AIR - for HX615 SBA 6x4 N/A: Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCJ, 04193(std) and 04196 BRAKES, FRONT, AIR CAM : Code 04WEY(std), 04WHL, 04WHY and 04WXW BRAKE PACKAGE, REAR	04WZK		
BRAKES, FRONT, AIR DISC 22.5 Dia, Includes 18" Sq. In. Brake Chambers REQS: Code 04WEZ(std) or 04WZK BRAKE PACKAGE, FRONT REQS: Code 02ASG(std) AXLE, FRONT NON-DRIVING N/A: Code 04ETE, 04EXP and 04EXV BRAKE CHAMBERS, FRONT AXLE : Code 29AEM and 29331 BRAKE DRUMS, FRONT : Code 04WBX DUST SHIELDS, FRONT BRAKE : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCJ, 04193 and 04196 BRAKES, FRONT, AIR CAM AVAIL: Code 04WEZ(std) BRAKE PACKAGE, FRONT 22.5 Dia, Includes 20" Sq. In. Brake Chambers REQS: Code 04WEZ(std) or 04WZK BRAKE PACKAGE, FRONT - for HX615 SBA 6x4 REQS: Code 02ARY, 02ARZ, 02ASG(std), 02ASM, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 -OR- Code 02ARY, 02ARZ, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem N/A: Code 04ETE, 04EXP and 04EXV(std) BRAKE CHAMBERS, FRONT AXLE : Code 29AEM and 29331 BRAKE DRUMS, FRONT : Code 04WBX DUST SHIELDS, FRONT BRAKE : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCJ, 04193(std) and 04196 BRAKES, FRONT, AIR CAM AVAIL: Code 04WEZ(std) BRAKE PACKAGE, FRONT 22.5 Dia, Includes 24" Sq. In. Brake Chambers REQS: Code 04WZK BRAKE PACKAGE, FRONT - for HX615 SBA 8x6 Tridem REQS: Code 04WEZ(std) or 04WZK BRAKE PACKAGE, FRONT - for HX615 SBA 6x4 REQS: Code 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING REQS: Code 04092 BRAKE SYSTEM, AIR - for HX615 SBA 8x6 Tridem -OR- BRAKE SYSTEM, AIR - for HX615 SBA 6x4 N/A: Code 04WHX BRAKE PACKAGE, FRONT <div style="text-align: right;">(SEE NEXT PAGE)</div>	04JBZ 04JCN 04JDD	STD \$20 + 1/0 \$1,346 + 1/0	N/A \$1,388 - 25/0 \$2,714 - 25/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>BRAKES, FRONT, AIR DISC <i>(SEE PREV PAGE)</i></p> <p>N/A: Code 04ETE, 04EXP and 04EXV(std) BRAKE CHAMBERS, FRONT AXLE : Code 29AEM and 29331 BRAKE DRUMS, FRONT : Code 04WBX, 04WHA and 04WHD DUST SHIELDS, FRONT BRAKE : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCJ, 04193(std) and 04196 BRAKES, FRONT, AIR CAM</p> <p>22.5 Dia, Includes 27" Sq. In. Brake Chambers REQ: Code 04WZK BRAKE PACKAGE, FRONT - for HX615 SBA 8x6 Tridem REQ: Code 04WEZ(std) or 04WZK BRAKE PACKAGE, FRONT - for HX615 SBA 6x4 REQ: Code 02ARY, 02ARZ, 02ATB, 02AYJ or 02AYK AXLE, FRONT NON-DRIVING REQ: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04ETE, 04EXP and 04EXV(std) BRAKE CHAMBERS, FRONT AXLE : Code 29AEM and 29331 BRAKE DRUMS, FRONT : Code 04WBX, 04WHA and 04WHD DUST SHIELDS, FRONT BRAKE : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCJ, 04193(std) and 04196 BRAKES, FRONT, AIR CAM AVAIL: Code 04WZK BRAKE PACKAGE, FRONT</p>			
<p>BRAKES, FRONT, AIR CAM</p> <p>S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers REQ: Code 04EXP BRAKE CHAMBERS, FRONT AXLE REQ: Code 02ARW, 02ASG(std) or 02ASM AXLE, FRONT NON-DRIVING N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WEZ(std), 04WHX and 04WZK BRAKE PACKAGE, FRONT AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WBX DUST SHIELDS, FRONT BRAKE</p> <p>16.5" x 5", Includes 24 Sqn Long Stroke Brake Chambers REQ: Code 04ETE or 04EXV BRAKE CHAMBERS, FRONT AXLE REQ: Code 02ARW, 02ASG(std) or 02ASM AXLE, FRONT NON-DRIVING N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WEZ(std), 04WHX and 04WZK BRAKE PACKAGE, FRONT AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WBX DUST SHIELDS, FRONT BRAKE</p> <p>16.5" x 6", Includes 24 Sqn Long Stroke Brake Chambers REQ: Code 04ETE or 04EXV BRAKE CHAMBERS, FRONT AXLE - for HX615 SBA 6x4</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>04JDD</p> <p>04JDE</p> <p>04JCJ</p> <p>04196</p> <p>04193</p>	<p></p> <p>\$1,446 +43/0</p> <p>\$1,368CR -28/0</p> <p>\$1,368CR -28/0</p> <p>\$1,368CR 0/0</p>	<p></p> <p>\$2,814 +17/0</p> <p>N/A</p> <p>N/A</p> <p>STD</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>HX615 SBA 6x4</i>	<i>HX615 SBA 8x6 Tridem</i>
<p>BRAKES, FRONT, AIR CAM <i>(SEE PREV PAGE)</i></p> <p>REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARW, 02ARY, 02ARZ, 02ASG(std), 02ASM, 02ATB, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4</p> <p>-OR- Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU(std), 02ARY, 02ARZ, 02ATB, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem</p> <p>N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC</p> <p>AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WHX BRAKE PACKAGE, FRONT : Code 04WBX DUST SHIELDS, FRONT BRAKE</p>	04193		
<p>BRAKE CHAMBERS, FRONT AXLE</p> <p><i>Haldex</i></p> <p>24 SqIn REQS: Code 04193 or 04196 BRAKES, FRONT, AIR CAM - for HX615 SBA 6x4</p> <p>-OR- BRAKES, FRONT, AIR CAM - for HX615 SBA 8x6 Tridem</p> <p>N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC</p> <p><i>Bendix</i></p> <p>20 SqIn REQS: Code 04JCJ BRAKES, FRONT, AIR CAM N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC</p> <p>24 SqIn REQS: Code 04193 or 04196 BRAKES, FRONT, AIR CAM - for HX615 SBA 6x4</p> <p>-OR- BRAKES, FRONT, AIR CAM - for HX615 SBA 8x6 Tridem</p> <p>N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC</p>	04ETE 04EXP 04EXV	\$20 + 17/0 N/C + 16/0 N/C 0/0	\$20 - 1/0 N/A STD
<p>SLACK ADJUSTERS, FRONT</p> <p><i>Haldex</i></p> <p>Automatic REQS: Code 04LGA SLACK ADJUSTERS, REAR REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARW, 02ARY, 02ARZ, 02ASG(std), 02ASM, 02ATB, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4</p> <p>-OR- Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU(std), 02ARY, 02ARZ, 02ATB, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem</p> <p>N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC</p> <p>AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p>	04LAA	\$138	\$138



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>BRAKE PACKAGE, REAR (SEE PREV PAGE)</p> <p><i>Bendix Spicer</i></p> <p>- ADB22X - N/A: Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL and 04NDP BRAKES, REAR, AIR CAM : Code 28DEN, 28DTY, 28DUR and 28DUS WHEELS, REAR : Code 14GRJ, 14GRM, 14GTT, 14GTU and 14GUV AXLE, REAR, TANDEM AVAIL: Code 04WEZ(std) BRAKE PACKAGE, FRONT</p> <p>- ES-165-7 NGLW - Air, Cam Type, Extended Service; Size 16.5" x 7", Includes Automatic Slack Adjusters REQS: Code 04WEZ(std) or 04WHX BRAKE PACKAGE, FRONT REQS: Code 04NDB or 04NDL BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04773 BRAKE SHOES, REAR : Code 04LGA SLACK ADJUSTERS, REAR</p> <p>- ES-165-7X - Air, Cam Type, Extended Service; Size 16.5" x 7", Includes Automatic Slack Adjusters REQS: Code 04774 SPECIAL RATING, GAWR, when in combination with Code 04092 BRAKE SYSTEM, AIR - for HX615 SBA 6x4 REQS: Code 04WEZ(std) or 04WHX BRAKE PACKAGE, FRONT - for HX615 SBA 8x6 Tridem REQS: Code 04WEZ(std) or 04WHX BRAKE PACKAGE, FRONT - for HX615 SBA 6x4 REQS: Code 04NDA, 04NDB, 04NDK or 04NDL BRAKES, REAR, AIR CAM - for HX615 SBA 6x4 -OR- Code 04NDB(std) BRAKES, REAR, AIR CAM - for HX615 SBA 8x6 Tridem N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC - for HX615 SBA 6x4 : Code 04773 BRAKE SHOES, REAR</p> <p><i>Dana Spicer</i></p> <p>- ES-165-7H - Air, Cam Type, Extended Service; Size 16.5" x 7", Includes Automatic Slack Adjusters, 52,000-lb Capacity Drive Tandem Axle Rating or 26,000 lb Drive Single Axle Rating REQS: Code 04WEZ(std) or 04WHX BRAKE PACKAGE, FRONT REQS: Code 04NDA, 04NDB, 04NDK or 04NDL BRAKES, REAR, AIR CAM N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04773 BRAKE SHOES, REAR</p>			
	04WEY		
	04WHL	\$288	N/A
	04WHY	\$736 0/0	\$1,104 0/0
	04WXW	\$2,656	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
 NOTE: WEIGHTS - FRONT/REAR**

<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>HX615 SBA 6x4</i>	<i>HX615 SBA 8x6 Tridem</i>
BRAKE IDENTITY, REAR Meritor - Cast Plus - 16.5" x 8.63" REQS: Code 04NDH or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC	04NNP	\$822	N/A
BRAKES, REAR, AIR DISC 22.5 Dia, Includes 18/24" Sq. In. Brake Chambers REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UNW, 14UNX, 14UNY, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM REQS: Code 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04EVH, 04EVP, 04EXR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE : Code 04773 BRAKE SHOES, REAR : Code 29334 BRAKE DRUMS, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL and 04NDP BRAKES, REAR, AIR CAM : Code 04AAA, 04AAR, 04AAU, 04AAV, 04AAY and 04ABA BRAKE CHAMBERS, ADDITIONAL : Code 04WDW BRAKE CHAMBERS, SPRING AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WEY(std) BRAKE PACKAGE, REAR : Code 04WGZ and 04WHN DUST SHIELDS, REAR BRAKE 22.5 Dia, Includes 20/24" Sq. In. Brake Chambers REQS: Code 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRJ, 14GRM, 14GRR, 14GTS, 14GTT, 14GTU, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVN, 14GVR, 14GVU(std), 14GVY, 14HRA, 14HRC, 14HRE, 14HRH or 14HRW AXLE, REAR, TANDEM N/A: Code 04EVH, 04EVP, 04EXR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE : Code 04773 BRAKE SHOES, REAR : Code 29334 BRAKE DRUMS, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL and 04NDP BRAKES, REAR, AIR CAM : Code 04AAV and 04ABA BRAKE CHAMBERS, ADDITIONAL : Code 04WDW BRAKE CHAMBERS, SPRING AVAIL: Code 04WEY(std) BRAKE PACKAGE, REAR <div style="text-align: right;"><i>(SEE NEXT PAGE)</i></div>	04JCC	STD	N/A
	04JNT	\$68 0/+4	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>BRAKES, REAR, AIR DISC <i>(SEE PREV PAGE)</i></p> <p>AVAIL: Code 04WGZ and 04WHN DUST SHIELDS, REAR BRAKE</p> <p>22.5 Dia, Includes 24/24" Sq. In. Brake Chambers REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM</p> <p>-OR- Code 14UPU, 14UPV, 14UPW, 14UPX or 14XAM SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL or 14HRM AXLE, REAR, TANDEM</p> <p>N/A: Code 04EVH, 04EVP, 04EXR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE : Code 04773 BRAKE SHOES, REAR : Code 29334 BRAKE DRUMS, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL and 04NDP BRAKES, REAR, AIR CAM : Code 04WDW BRAKE CHAMBERS, SPRING</p> <p>AVAIL: Code 04WEY(std) BRAKE PACKAGE, REAR : Code 04WGZ and 04WHN DUST SHIELDS, REAR BRAKE : Code 04ABA BRAKE CHAMBERS, ADDITIONAL</p>	<p>04JNT</p> <p>04JNW</p>	<p></p> <p>\$1,440</p>	<p></p> <p>N/A</p>
<p>BRAKES, REAR, AIR CAM</p> <p>S-Cam; 16.5" x 7.0"; Includes 30/24 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVP BRAKE CHAMBERS, REAR AXLE REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM</p> <p>-OR- SUSPENSION, REAR, TANDEM</p> <p>N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04NNP BRAKE IDENTITY, REAR : Code 04WEY(std) BRAKE PACKAGE, REAR : Code 04WDW BRAKE CHAMBERS, SPRING</p> <p>AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WDM and 04WDN DUST SHIELDS, REAR BRAKE</p> <p>S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake REQS: Code 04EVH, 04EXU or 04EXW BRAKE CHAMBERS, REAR AXLE - for HX615 SBA 6x4 REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4</p> <p>-OR- SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4</p> <p>-OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>04NDL</p> <p>04NDB</p>	<p>\$3,048CR 0/+53</p> <p>\$3,048CR 0/0</p>	<p>N/A</p> <p>STD</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>BRAKES, REAR, AIR CAM <i>(SEE PREV PAGE)</i></p> <p>N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC - for HX615 SBA 6x4 : Code 04NNP BRAKE IDENTITY, REAR : Code 04WEY(std) BRAKE PACKAGE, REAR AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WDM and 04WDN DUST SHIELDS, REAR BRAKE</p> <p>S-Cam; 16.5" x 7.0"; Includes 36/36 Sq.In. Long Stroke Brake Chambers and Spring Actuated Parking Brakes REQS: Code 04EXT BRAKE CHAMBERS, REAR AXLE REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM REQS: Code 14GRJ, 14GTT, 14GTU or 14GUV AXLE, REAR, TANDEM N/A: Code 04WHT and 04774 SPECIAL RATING, GAWR : Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04NNP BRAKE IDENTITY, REAR : Code 04WDW BRAKE CHAMBERS, SPRING AVAIL: Code 04WHY and 04WXW BRAKE PACKAGE, REAR : Code 04WDM and 04WDN DUST SHIELDS, REAR BRAKE</p> <p>S-Cam, 16.5" x 7.0"; Includes 30/36 Sq.In. Long Stroke Brake Chambers and Spring Actuated Parking Brake REQS: Code 04EXR BRAKE CHAMBERS, REAR AXLE REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRJ, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTU, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04NNP BRAKE IDENTITY, REAR AVAIL: Code 04774 SPECIAL RATING, GAWR : Code 04WHY and 04WXW BRAKE PACKAGE, REAR : Code 04WDM and 04WDN DUST SHIELDS, REAR BRAKE</p> <p>S-Cam; 16.5" x 8.625" Includes 30/30 Sq.In. Long Stroke Brake Chambers and Spring Actuated Parking Brake REQS: Code 04EVH, 04EXU or 04EXW BRAKE CHAMBERS, REAR AXLE - for HX615 SBA 6x4 REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>04NDB</p> <p>04NDA</p> <p>04NDK</p> <p>04NDH</p>	<p></p> <p>\$988CR 0/+52</p> <p>\$3,048CR 0/+53</p> <p>\$2,826CR 0/+101</p>	<p></p> <p>N/A</p> <p>N/A</p> <p>\$333 0/+72</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>BRAKES, REAR, AIR CAM <i>(SEE PREV PAGE)</i></p> <p>N/A: Code 04NNP BRAKE IDENTITY, REAR : Code 04WEY(std), 04WHL, 04WHY and 04WXW BRAKE PACKAGE, REAR : Code 04AZS and 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : AXLE, REAR, TANDEM AVAIL: Code 04WDM and 04WDN DUST SHIELDS, REAR BRAKE</p>	04NDE		
<p>BRAKE CHAMBERS, REAR AXLE</p> <p>MGM</p> <p>- MJS3024ET - 30/24 Piston Spring Brake REQS: Code 04AAY BRAKE CHAMBERS, ADDITIONAL, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 04NDL or 04NDP BRAKES, REAR, AIR CAM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC AVAIL: Code 04AAY BRAKE CHAMBERS, ADDITIONAL</p> <p>- TR3030LP3TSHD - 30/30 Spring Brake REQS: Code 04NDB or 04NDH BRAKES, REAR, AIR CAM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC AVAIL: Code 04AAA BRAKE CHAMBERS, ADDITIONAL</p> <p>Bendix</p> <p>- EnduraSure Pro - 30/30 Spring Brake REQS: Code 04NDB or 04NDH BRAKES, REAR, AIR CAM - for HX615 SBA 6x4 -OR- BRAKES, REAR, AIR CAM - for HX615 SBA 8x6 Tridem N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC - for HX615 SBA 6x4 AVAIL: Code 04AAU BRAKE CHAMBERS, ADDITIONAL - for HX615 SBA 6x4</p> <p>- EverSure - 30/30 Spring Brake REQS: Code 04NDB or 04NDH BRAKES, REAR, AIR CAM - for HX615 SBA 6x4 -OR- BRAKES, REAR, AIR CAM - for HX615 SBA 8x6 Tridem N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC - for HX615 SBA 6x4 AVAIL: Code 04AAU BRAKE CHAMBERS, ADDITIONAL - for HX615 SBA 6x4</p> <p>30/36 Spring Brake REQS: Code 04NDK BRAKES, REAR, AIR CAM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC AVAIL: Code 04AAV BRAKE CHAMBERS, ADDITIONAL</p>	<p>04EVP</p> <p>04EVH</p> <p>04EXW</p> <p>04EXU</p> <p>04EXR</p>	<p>\$908 0/+92</p> <p>\$300 0/+82</p> <p>\$162 0/+78</p> <p>N/C 0/0</p> <p>\$280 0/+110</p>	<p>N/A</p> <p>N/A</p> <p>\$243 0/0</p> <p>STD</p> <p>N/A</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem	
BRAKE CHAMBERS, REAR AXLE (CONTINUED) Bendix - EverSure - 36/36 Spring Brake REQS: Code 04NDA or 04NDE BRAKES, REAR, AIR CAM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04AAA, 04AAR, 04AAU, 04AAV, 04AAZ and 04ABA BRAKE CHAMBERS, ADDITIONAL	04EXT	\$288 0/+110	N/A
SLACK ADJUSTERS, REAR Haldex Automatic REQS: Code 04JCN, 04JDD or 04JDE BRAKES, FRONT, AIR DISC - for HX615 SBA 8x6 Tridem REQS: Code 04JBZ(std), 04JCN, 04JDD or 04JDE BRAKES, FRONT, AIR DISC - for HX615 SBA 6x4 REQS: Code 04LAA SLACK ADJUSTERS, FRONT REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC - for HX615 SBA 6x4 AVAIL: Code 04WHY BRAKE PACKAGE, REAR - for HX615 SBA 8x6 Tridem : Code 04WHY and 04WXW BRAKE PACKAGE, REAR - for HX615 SBA 6x4	04LGA	\$376	\$564
BRAKE CHAMBERS, SPRING on Rear/Rear Axle Located Inside Rear Tire Envelope (Meets Asphalt Spreader/Paver Clearance Requirements) REQS: Code 04WEZ(std), 04WHX or 04WZK BRAKE PACKAGE, FRONT REQS: Code 04LAA SLACK ADJUSTERS, FRONT REQS: Code 04LGA SLACK ADJUSTERS, REAR or Code 04WHY or 04WXW BRAKE PACKAGE, REAR REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU or 14UZV SUSPENSION, REAR, TANDEM, when in combination with Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 04NDB, 04NDH or 04NDK BRAKES, REAR, AIR CAM REQS: Code 04091(std) BRAKE SYSTEM, AIR <div style="text-align: right;">(SEE NEXT PAGE)</div>	04WDW	\$48	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
BRAKE CHAMBERS, SPRING <i>(SEE PREV PAGE)</i> REQS: Code 14UHD, 14UHK, 14UHL, 14UJE, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC	04WDW		
BRAKE SHOES, REAR Cast REQS: Code 04NNP BRAKE IDENTITY, REAR, when in combination with Code 04NDH or 04NDP BRAKES, REAR, AIR CAM REQS: Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK or 04NDL BRAKES, REAR, AIR CAM REQS: Code 14UKZ, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRJ, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTU, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04WEY(std), 04WHL, 04WHY and 04WXW BRAKE PACKAGE, REAR	04773	\$2,042	N/A
BRAKE CHAMBERS, ADDITIONAL (02) Spring Brake Type; T20/24 SqIn, for Air Disc REQS: Code 04JNT BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04EVH, 04EVP, 04EXR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE (02) Spring Brake Type; T24/24 SqIn, for Air Disc REQS: Code 04JNW BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04EVH, 04EVP, 04EXR, 04EXT, 04EXU and 04EXW BRAKE CHAMBERS, REAR AXLE MGM (02) Spring Brake Type, Piston Style; 30/24 SqIn REQS: Code 04EVP BRAKE CHAMBERS, REAR AXLE REQS: Code 04JNT BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR	04AAR	\$68 0/+20	N/A
	04ABA	\$246 0/+22	N/A
	04AAY	\$600 0/+25	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
BRAKE CHAMBERS, ADDITIONAL (CONTINUED)			
<i>MGM</i>			
(02) Spring Brake Type; 30/30 SqIn REQS: Code 04EVH BRAKE CHAMBERS, REAR AXLE REQS: Code 04JNT BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR	04AAA	\$638 0/+21	N/A
<i>Bendix</i>			
(02) Spring Brake Type; 30/30 SqIn REQS: Code 04EXU or 04EXW BRAKE CHAMBERS, REAR AXLE REQS: Code 04EXU BRAKE CHAMBERS, REAR AXLE, when in combination with Code 04NDB or 04NDH BRAKES, REAR, AIR CAM REQS: Code 04JNT BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR	04AAU	\$220 0/+18	N/A
(02) Spring Brake Type; 30/36 SqIn REQS: Code 04EXR BRAKE CHAMBERS, REAR AXLE REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC	04AAV	\$606 0/+35	N/A
DUST SHIELDS, REAR BRAKE			
for Air Brakes REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC - for HX615 SBA 6x4	04WDM	\$140 0/+12	\$210 0/+18
Omit Item REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC - for HX615 SBA 6x4	04WDN	N/C	N/C
<i>Bendix Spicer</i>			
- ADB22X - Pad, with Air Disc Brakes N/A: Code 04NDA, 04NDB(std), 04NDE, 04NDH, 04NDK, 04NDL and 04NDP BRAKES, REAR, AIR CAM	04WHN	\$96 0/+1	\$144 0/+1
Rotor, with Air Disc Brakes N/A: Code 04NDA, 04NDB(std), 04NDE, 04NDH, 04NDK, 04NDL and 04NDP BRAKES, REAR, AIR CAM	04WGZ	\$730 0/+10	\$1,095 0/+15



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
SPECIAL RATING, GAWR Provides Rear Tractor Brake Rating Equal to Axle Rating up to 23,000-lbs for Single Axles, 46,000-lbs for Tandem Axles, or 69,000-lb for Tridem REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM - for HX615 SBA 6x4 -OR- BRAKES, REAR, AIR DISC - for HX615 SBA 6x4 -OR- BRAKES, REAR, AIR CAM - for HX615 SBA 8x6 Tridem REQS: Code 04092 BRAKE SYSTEM, AIR Provides Rear Brake Rating Equal to Axle Rating up to 26,000-lbs for Single Axles, 52,000-lbs for Tandem Axles REQS: Code 04JNT or 04JNW BRAKES, REAR, AIR DISC N/A: Code 04JCJ, 04193 and 04196 BRAKES, FRONT, AIR CAM : Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL and 04NDP BRAKES, REAR, AIR CAM	04774	N/C	N/C
	04WHT	N/C 0/0	N/A
AIR COMPRESSOR Bendix - BA-921 Head Unload - 15.9 CFM REQS: Code 16LGE, 16LHH, 16LHJ, 16RAC, 16RAN, 16SPV or 16400(std) SEAT, PASSENGER N/A: Code 16LWY SEAT, DRIVER YOOSUNG 21.0 CFM REQS: Code 16LGE, 16LHH, 16LHJ, 16RAC, 16RAN or 16400(std) SEAT, PASSENGER N/A: Code 16LWY SEAT, DRIVER	04SPM	STD	STD
	04SPL	\$888 +23/+2	\$888 +70/+5
AIR COMPRESSOR DISCHARGE LINE 1/2" ID to 5/8" ID Teflon Hose, with Stainless Steel Braid; to Air Dryer	04WRJ	\$125	\$125
AIR DRYER Bendix - AD-9 - with Heater - AD-IP - with Heater	04EBS	STD	STD
	04EBT	\$76 0/0	\$76 0/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
AIR DRYER (CONTINUED) <i>Wabco</i> - System Saver 1200 - with Heater	04EBD	\$47 - 10/-8	\$47 - 11/-6
AIR TANK Painted Aluminum, with Straight Thread O-Ring Ports Polished Aluminum, with Straight Thread O-Ring Ports N/A: Code 04VJJ, 04WZJ and 04XAC AIR TANK LOCATION	04VGN 04VGM	\$432 - 18/-10 \$502 - 18/-10	\$432 - 18/-10 \$502 0/0
AIR TANK LOCATION (04) Mounted Between the Rails, Back of Cab, for use with Between the Rails Air Tank System REQS: Code 04VGN AIR TANK REQS: Code 01UCG CROSSMEMBER, INTERMEDIATE LOC or Code 14WNJ or 14WNL AXLE, PUSHER, LIFT TYPE or Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC or 14698 SUSPENSION, REAR, TANDEM, when in combination with Code 04619 TRAILER CONNECTIONS - for HX615 SBA 6x4 REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZU or 14698 SUSPENSION, REAR, TANDEM, when in combination with Code 04619 TRAILER CONNECTIONS and Code 14WNL AXLE, PUSHER, LIFT TYPE REQS: Code 14UNX, 14UPV or 14UPX SUSPENSION, REAR, AIR, TANDEM or Code 14UHD, 14UHK, 14ULX, 14ULY, 14UZB, 14UZS, 14UZU, 14UZ or 14698 SUSPENSION, REAR, TANDEM REQS: Code 14UAA AXLE SPACING, FIRST PUSHER, when in combination with Code 04619 TRAILER CONNECTIONS and Code 14WNL AXLE, PUSHER, LIFT TYPE REQS: Code 08VUK(std) or 08VUZ BATTERY BOX REQS: Code 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 13WDM HYDRAULIC RETARDER or Code 04AAL, 04AAM and 04AAP HOSE TENDER : Code 07BKN EXHAUST SYSTEM : Code 01GTA REINFORCEMENT, PINTLE HOOK or Code 01SAR and 01SAS CROSSMEMBER, REAR, AF, when in combination with Code 04619 TRAILER CONNECTIONS - for HX615 SBA 6x4	04XAC	\$2,203	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
AIR TANK LOCATION (CONTINUED) (03) : One Mounted Inside Right Rail, Back of Cab, Two Mounted Between Rails, Back of Cab REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 08VUZ BATTERY BOX REQS: Code 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 07BKN EXHAUST SYSTEM AVAIL: Code 04VGN AIR TANK (02) : One Mounted Under Each Frame Rail, Front of Rear Suspension, Parallel to Rail REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 08TST or 08VUK(std) BATTERY BOX REQS: Code 15SGL, 15SHC, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SSP, 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK AVAIL: Code 04VGN AIR TANK	04VJJ	\$1,715	N/A
	04WZJ	\$503	N/A
BRAKES, AIR CAM, PUSHER AXLE S-Cam; 12.75" x 4.0"; Includes MGM 12 Sq.In. Brake Chambers; Furnished with Three Pusher Lift Axles AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with Two Pusher Lift Axles AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE S-Cam; 16.5" x 6.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WNM AXLE, PUSHER, LIFT TYPE S-Cam; 16.5" x 7.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with One Pusher Lift Axle AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE	04JDB	N/C 0/0	N/A
	04JBR	N/C	N/A
	04JBU	N/C	N/A
	04JCK	\$193	N/A
	04JBS	\$220	N/A
BRAKES, AIR CAM, TAG AXLE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished with Tag Lift Axle REQS: Code 14WNK AXLE, TAG, LIFT TYPE S-Cam; 16.5" x 7.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished with Tag Lift Axle REQS: Code 14WLR AXLE, TAG, LIFT TYPE	04JBW	N/C	N/A
	04JBT	N/C	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
DRAIN VALVE Berg with Pull Chain, for Air Tank No Vendor Identified (03) with Pull Chains for Air Tanks Bendix - DV-2 - Automatic, with Heater, for Air Tank	 04732 04WWZ 04722	 STD \$105 \$165	 STD \$105 \$165
HAND CONTROL VALVE, AIR For Rear Chassis Brakes; with Pressure Reducing Valve REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 04619 TRAILER CONNECTIONS	 04583	 \$255	 \$255
HOSE TENDER Flexible Pogo Stick Type REQS: Code 16ZBP ACCESS, CAB AND FRAME or Code 16ZGV ACCESS, FRAME, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 04092 BRAKE SYSTEM, AIR Slide Bar with Single Spring Bracket; Bar Extended 4.0" From Cab REQS: Code 04092 BRAKE SYSTEM, AIR Flexible Pogo Stick Type, Located 12" +/- 6" Back of Cab REQS: Code 14UKZ, 14ULB, 14ULT, 14ULU, 14UNX, 14UPV, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 07BKN EXHAUST SYSTEM Flexible Pogo Stick Type, Located 30" +/- 6" Back of Cab REQS: Code 14UKZ, 14ULB, 14ULT, 14ULU, 14UNX, 14UPV, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE Flexible Pogo Stick Type, Located 46" +/- 6" Back of Cab REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE	 04692 04808 04AAN 04AAM 04AAP	 \$365 \$143 +9/+6 \$282 +16/+15 \$291 +13/+18 \$325 +10/+21	 \$365 \$143 +11/+5 \$282 +19/+11 \$291 +17/+14 \$325 +15/+16



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
HOSE TENDER (CONTINUED) Flexible Pogo Stick Type, Located 58" +/- 6" Back of Cab REQS: Code 14UKZ, 14ULB, 14ULT, 14ULU, 14UNX, 14UPV, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE	04AAL	\$326 +8/+23	\$326 +13/+18
SLACK ADJUSTER, PUSHER AXLE <i>Haldex</i> Automatic; for (2) Pusher Axles N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE Automatic; for Single Pusher Axle N/A: Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	04JNL 04JNJ	\$98 \$58	N/A N/A
SLACK ADJUSTER, TAG AXLE <i>Haldex</i> Automatic; for 1 Tag Axle N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE	04JNK	\$58	N/A
SPRING BRAKE MODULATOR VALVE with Relay function REQS: Code 04092 BRAKE SYSTEM, AIR	04WDT	\$177	N/A
TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck REQS: Code 08554 TRAILER CONNECTION SOCKET - for HX615 SBA 8x6 Tridem REQS: Code 08TMN or 08554 TRAILER CONNECTION SOCKET - for HX615 SBA 6x4 REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: HAND CONTROL VALVE, AIR, when in combination with Code 04AZY AIR BRAKE ABS - for HX615 SBA 8x6 Tridem : HAND CONTROL VALVE, AIR, when in combination with Code 04AZS or 04AZY AIR BRAKE ABS - for HX615 SBA 6x4 : Code 04583 HAND CONTROL VALVE, AIR : Code 01616 FRAME RAILS WITH TAPERED REAR	04619	\$542 +2/0	\$542 +2/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
TRAILER HOSES AND CABLES			
Straight, Rubber Hose, 14' Working Length, Aluminum Glad Hands with Rubber Seals, Lighting Cable with Nylon Plug REQS: Code 04808 HOSE TENDER REQS: Code 04092 BRAKE SYSTEM, AIR	04803	\$30	\$30
STEERING GEAR			
<i>Sheppard</i>			
- M100 - Power REQS: Code 02ARW or 02ASG(std) AXLE, FRONT NON-DRIVING	05PSA	STD	N/A
- M100/M80 - (02) Dual Power REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY, 02ARZ, 02ASM, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 -OR- Code 02AEU, 02AEV, 02AEW, 02ARU(std), 02ARY, 02ARZ, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem	05PTB	\$1,159 0/0	STD
- M110/M80 - (02) Dual Power REQS: Code 02AGT or 02ATB AXLE, FRONT NON-DRIVING	05PUA	\$2,239 +138/-19	\$1,080 +25/-3
STEERING COLUMN			
Tilting and Telescoping	05710	STD	STD
STEERING WHEEL			
4-Spoke; 18" Dia., Black	05CAW	STD	STD
4-Spoke; 18" Dia., Black Leather Wrapped	05CBE	\$248 0/0	\$248 0/0
DRIVELINE SYSTEM			
<i>Dana Spicer</i>			
1810HD Main Driveline with 1710 Interaxle Shaft, for 6x4	06DHB	STD	N/A
SPL250 Main Driveline, with SPL170 First Interaxle Shaft, SPL170 Second Interaxle Shaft, for 8x6	06DHU	N/A	STD
SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4	06DGU	\$527 +49/+63	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
DRIVELINE SYSTEM (CONTINUED)			
<i>Dana Spicer</i>			
SPL350 Main Driveline with SPL250 Interaxle Shaft, for 6x4	06DGV	\$1,407 +64/+82	N/A
Service Free SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4	06DGX	\$723 +49/+63	N/A
Service Free SPL350 Main Driveline with SPL250 Interaxle Shaft, for 6x4	06DGY	\$1,603 +64/+82	N/A
SPL250 Main Driveline, with SPL250 First Interaxle Shaft, SPL170 Second Interaxle Shaft, for 8x6	06DHV	N/A	\$400 +63/+49
SPL350 Main Driveline, with SPL250 First Interaxle Shaft, SPL170 Second Interaxle Shaft, for 8x6	06DHW	N/A	\$880 +82/+64
EXHAUST SYSTEM			
Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side REQS: Code 07WBS or 07WDN MUFFLER/TAIL PIPE GUARD REQS: Code 08VUK(std), 08VUZ or 08WJN BATTERY BOX - for HX615 SBA 6x4 -OR- Code 08VUK(std) or 08WJN BATTERY BOX - for HX615 SBA 8x6 Tridem REQS: Code 13GHL, 13GHP, 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GMZ, 13GNA, 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH, 13GYJ or 13GYK TRANSMISSION, MANUAL - for HX615 SBA 6x4 -OR- Code 13GHL, 13GHP, 13GHS, 13GKL, 13GKM, 13GNA, 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH, 13GYJ or 13GYK TRANSMISSION, MANUAL - for HX615 SBA 8x6 Tridem -OR- TRANSMISSION, AUTOMATIC REQS: Code 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 16ZHV ACCESS, CAB - for HX615 SBA 6x4 : Code 07MAY, 07WBB and 07WDS TAIL PIPE : Code 15DWP, 15DWR, 15DWU, 15DWV, 15DZB, 15DZC and 15SSP FUEL TANK, when in combination with Code 16031 CAB - for HX615 SBA 6x4 : Code 15WEN DEF TANK	07BLJ	STD	STD



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
EXHAUST SYSTEM (SEE PREV PAGE) N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE - for HX615 SBA 6x4 : Code 14WNM AXLE, PUSHER, LIFT TYPE, when in combination with Code 01CAG or 01CBU FRAME RAILS - for HX615 SBA 6x4 : Code 08XGN LIGHT, WORK : Code 08TMN TRAILER CONNECTION SOCKET - for HX615 SBA 6x4 : Code 07BES AFTERTREATMENT COVER : Code 07MAY, 07WBB and 07WDS TAIL PIPE : Code 15WDY DEF TANK AVAIL: Code 04WZJ AIR TANK LOCATION - for HX615 SBA 6x4	07BKN		
AFTERTREATMENT COVER Polished Aluminum N/A: Code 07BKN EXHAUST SYSTEM	07BES	\$498	\$498
ENGINE COMPRESSION BRAKE by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch Omit	07SDK 07SDX	STD \$1,188CR - 45 / - 4	STD \$1,188CR - 46 / - 3
EXHAUST HEIGHT 10' 11' 6" N/A: Code 07WDS TAIL PIPE 12' 6" N/A: Code 07MAJ, 07MAS, 07MAY and 07WDS TAIL PIPE	07WDM 07WBU 07WCK	STD \$118 + 5 / + 3 \$144 + 8 / + 4	STD \$118 + 6 / + 2 \$144 + 9 / + 3
MUFFLER/TAIL PIPE GUARD (1) Aluminum N/A: Code 07BMD EXHAUST SYSTEM : Code 07MAY, 07WBB and 07WDS TAIL PIPE (1) Bright Stainless Steel N/A: Code 07BMD EXHAUST SYSTEM : Code 07MAY, 07WBB and 07WDS TAIL PIPE	07WDN 07WBS	N/C \$133	N/C \$133
RAIN CAP with Single Exhaust, Chrome Finish REQS: Code 07MAJ or 07WAY TAIL PIPE N/A: Code 07BMD EXHAUST SYSTEM with Single Exhaust, Non-Bright Finish REQS: Code 07MAS or 07WDT(std) TAIL PIPE N/A: Code 07BMD EXHAUST SYSTEM	07WAG 07WAE	\$88 \$28	\$88 \$28



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SWITCH, FOR EXHAUST			
3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF	07WZX	\$56	\$56
2 Position, Lighted & Latching, On/Off Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in On Position	07WZY	\$31	\$31
TAIL PIPE			
(1) Straight Type N/A: Code 07BMD EXHAUST SYSTEM AVAIL: Code 07WAE RAIN CAP	07WDT	STD	STD
(02) Straight Type, Bright REQS: Code 07BMD EXHAUST SYSTEM REQS: Code 07WDM(std) EXHAUST HEIGHT N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBS and 07WDN MUFFLER/TAIL PIPE GUARD	07WDS	N/C	N/C
(02) Turnback Type, Bright REQS: Code 07BMD EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBS and 07WDN MUFFLER/TAIL PIPE GUARD	07WBB	\$254	\$254
(1) S-Type REQS: Code 07WBU EXHAUST HEIGHT N/A: Code 07BMD EXHAUST SYSTEM : Code 07WCK EXHAUST HEIGHT AVAIL: Code 07WAE RAIN CAP	07MAS	\$51	\$51
(1) S-Type, Bright REQS: Code 07WBU EXHAUST HEIGHT N/A: Code 07BMD EXHAUST SYSTEM : Code 07WCK EXHAUST HEIGHT AVAIL: Code 07WAG RAIN CAP	07MAJ	\$366	\$366
(1) Straight Type, Bright N/A: Code 07BMD EXHAUST SYSTEM AVAIL: Code 07WAG RAIN CAP	07WAY	\$208	\$208
(1) Turnback Type N/A: Code 07BMD EXHAUST SYSTEM : Code 07WAE and 07WAG RAIN CAP	07WAZ	\$64	\$64
(1) Turnback Type, Bright N/A: Code 07BMD EXHAUST SYSTEM : Code 07WAE and 07WAG RAIN CAP	07WBA	\$208	\$208
(02) Turnback Type, Chrome, 6" Diameter Belled Down to 5" at Muffler REQS: Code 07BMD EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBS and 07WDN MUFFLER/TAIL PIPE GUARD	07MAY	\$406	\$406
(SEE NEXT PAGE)			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
TAIL PIPE <i>(SEE PREV PAGE)</i> N/A: Code 07WCK EXHAUST HEIGHT	07MAY		
ELECTRICAL SYSTEM 12-Volt, Standard Equipment INCLS: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature, Steering Column Mounted : STARTER SWITCH Electric, Key Operated : WIRING, CHASSIS Color Coded and Continuously Numbered : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNALS, FRONT Includes Integral Reflectors and Side Marker Lights; Fender Mounted : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : HAZARD SWITCH Integral with Turn Signal Switch : TURN SIGNAL SWITCH Manual Cancelling with Lane Change Feature	08000	STD	STD
ALTERNATOR Leece-Neville - AVI160P2013 - Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount - AVI160P2003 - Brush Type; 12 Volt 240 Amp. Capacity, Pad Mount, with Remote Sense - AVI160P2007 - Brush Type; 12 Volt 210 Amp. Capacity, Pad Mount, with Remote Sense - BLP4006HN - Brushless, 12 Volt 325 Amp. Capacity, Pad Mount, with Remote Sense Delco Remy - 28SI - Brush Type, 12 Volt 200 Amp. Capacity, Pad Mount, with Remote Voltage Sensor - 36SI - Brushless, 12 Volt 165 Amp. Capacity, Pad Mount, with Remote Voltage Sensor	08GXJ 08GXB 08GXC 08G XK 08GHU 08GGG	STD \$350 + 5/- 1 \$253 + 5/- 1 \$1,207 + 24/- 3 \$253 + 4/0 \$340 + 13/- 1	STD \$350 + 5/0 \$253 + 5/0 \$1,207 + 24/- 2 \$253 + 4/0 \$340 + 13/- 1



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
ALTERNATOR (CONTINUED) <i>Delco Remy</i> - 40SI - Brushless, 12 Volt 300 Amp. Capacity, Pad Mount, with Remote Voltage Sensor	08GHJ	\$1,257 +18/-2	\$1,257 +18/-2
ANTENNA BASE (02) Single Function, (1) for CB and (1) for Entertainment Radio, without Splitter, Separate Lead-Ins, with CB Antenna Mounted on Left Mirror and AM/FM Antenna Mounted on Right Mirror	08RMG	STD	STD
AUX. TRAILER SOCKET 7-Way; with Battery Fed Circuit to Center Pin, with 25 Amp Fuse and Relay Controlled by Switch with Indicator Light on Instrument Panel Fed From Hot Battery Feed (Not wired Thru Key Switch) REQS: Code 04092 BRAKE SYSTEM, AIR 7-Way; with Battery Fed Circuit to Center Pin, with 25 Amp Fuse and Relay Controlled by Switch(with Indicator Light) Controlled by Accessory Side of Key Switch, Switch Mounted on Instrument Panel REQS: Code 04092 BRAKE SYSTEM, AIR	08THG 08THH	\$200 +6/+1 \$229 +6/+1	\$200 +6/+1 \$229 +6/+1
BACK-UP ALARM <i>Preco</i> - 1059 - Electronic; Solid State, Dual Function, 112 dBA	08WDG	\$211 0/+1	\$211 0/+1
BATTERY BOX Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab REQS: Code 15DWP, 15DWR, 15DWU, 15DWV, 15DZB, 15DZC, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 04VJJ AIR TANK LOCATION : Code 08VUP and 08VUS BATTERY BOX COVER : Code 15WEN DEF TANK AVAIL: Code 16ZBB ACCESS, CAB Aluminum, with Plastic Cover, 30" Wide, 2-4 Battery Capacity, Mounted Left Side Under Cab REQS: Code 15DXC, 15DXD, 15DXE, 15DXG, 15DXH or 15DXJ FUEL TANK N/A: Code 04VJJ, 04WZJ and 04XAC AIR TANK LOCATION : Code 08WWD BATTERY BOX COVER : Code 08TNR BATTERY CABLES : Code 07BKN EXHAUST SYSTEM : Code 15WEN DEF TANK <div style="text-align: right;"><i>(SEE NEXT PAGE)</i></div>	08VUK 08WJN	STD \$169 +29/0	STD \$169 +29/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
<p>BATTERY BOX <i>(SEE PREV PAGE)</i></p> <p>AVAIL: Code 16ZBB ACCESS, CAB : Code 08WBW JUMP START STUD</p> <p>Aluminum, with Aluminum Cover, 10.5" Wide, 2-3 Battery Capacity, Mounted Right Side Back of Cab REQS: Code 04VJJ or 04XAC AIR TANK LOCATION REQS: Code 08MMZ BATTERY SYSTEM REQS: Code 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 04WZJ AIR TANK LOCATION : Code 04AAL, 04AAM and 04AAP HOSE TENDER : Code 08TNR BATTERY CABLES : Code 07BKN EXHAUST SYSTEM : Code 15WEN DEF TANK AVAIL: Code 16ZBB ACCESS, CAB : Code 08WXY BATTERY DISCONNECT SWITCH : Code 08VUH and 08WGU BATTERY BOX COVER : Code 08899 JUMP START STUD</p> <p>Aluminum, with Plastic Cover, 30" Wide, 2-4 Battery Capacity, Mounted Right Side Under Cab REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SSP, 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK - for HX615 SBA 6x4 -OR- Code 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK - for HX615 SBA 8x6 Tridem N/A: Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 08TNR BATTERY CABLES AVAIL: Code 04WZJ AIR TANK LOCATION - for HX615 SBA 6x4 : Code 08VUH and 08WGU BATTERY BOX COVER : Code 08WBW JUMP START STUD</p>	<p>08WJN</p> <p>08VUZ</p> <p>08TST</p>	<p></p> <p>\$2,097 +16/+17</p> <p>N/C +34/-5</p>	<p></p> <p>N/A</p> <p>N/C +33/-4</p>
<p>BATTERY BOX COVER</p> <p>Aluminum</p> <p>Polished Aluminum</p> <p>Stainless Steel, Bright Finish REQS: Code 08VUK(std) BATTERY BOX AVAIL: Code 16ZBB ACCESS, CAB</p> <p>Aluminum, Universal Cover that Covers Both Battery Box & DEF Tank REQS: Code 15WDY DEF TANK, when in combination with Code 07BLJ or 07BMD EXHAUST SYSTEM REQS: Code 08WJN BATTERY BOX N/A: Code 15BAA DEF TANK COVER AVAIL: Code 16ZBB ACCESS, CAB</p>	<p>08WGU</p> <p>08VUH</p> <p>08WWD</p> <p>08VUP</p>	<p>\$646 +1/+1</p> <p>\$716 +1/+1</p> <p>\$726 +5/+6</p> <p>\$926</p>	<p>\$646 +1/+1</p> <p>\$716 +1/+1</p> <p>\$726 +6/+4</p> <p>\$926</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
BATTERY BOX COVER (CONTINUED) Polished Aluminum, Universal Cover that Covers Both Battery Box & DEF Tank REQS: Code 15WDY DEF TANK, when in combination with Code 07BLJ or 07BMD EXHAUST SYSTEM REQS: Code 08WJN BATTERY BOX N/A: Code 15BAA DEF TANK COVER AVAIL: Code 16ZBB ACCESS, CAB	08VUS	\$996	\$996
BATTERY CABLES with 36" of Extra Length Coiled and Strapped Near Battery Box REQS: Code 08VUK(std) BATTERY BOX REQS: Code 08MJR, 08MJU, 08MJV, 08MMZ, 08MSG(std) or 08MSH BATTERY SYSTEM	08TNR	\$178	\$178
BATTERY DISCONNECT SWITCH <i>Cole-Hersee</i> for Cab Power Disconnect Switch, Does Not Disconnect Charging Circuits, Lever Operated, Cab Mounted - 75920-06 - 300 Amp, Disconnects Cab Power, Does Not Disconnect Charging Circuits, Locks with Padlock, Battery Box Mounted REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX	08WXY 08RLZ	\$229 \$248 +1/+1 +1/+1	\$229 \$248 +1/+1 +1/+1
BATTERY SYSTEM <i>Fleetrite</i> Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX Maintenance-Free, (3) 12-Volt 2250CCA Total, Top Threaded Stud REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX Maintenance-Free, (3) 12-Volt 2850CCA Total, Top Threaded Stud REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX Maintenance-Free, (4) 12-Volt 2640CCA Total, Top Threaded Stud REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX	08MSG 08MJR 08MJU 08MSH	STD \$126 +7/+5 \$179 +13/+9 \$317 +31/+22	STD \$126 +9/+4 \$179 +15/+6 \$317 +38/+15



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
BATTERY SYSTEM (CONTINUED) <i>Fleetrite</i> Maintenance-Free, (4) 12-Volt 3800CCA Total, Top Threaded Stud REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX - AGM-GP31 - Maintenance-Free, (3) AGM 12-Volt 2475CCA Total, Top Threaded Stud AVAIL: Code 08WBW JUMP START STUD - 31-PC2120 AGM - Maintenance-Free, (3) AGM 12-Volt 2775CCA Total, Top Threaded Stud REQS: Code 08GGG, 08GHU, 08GXB, 08GXC or 08GXC ALTERNATOR REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX REQS: Code 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SSP, 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK - for HX615 SBA 6x4 -OR- Code 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK - for HX615 SBA 8x6 Tridem N/A: Code 08TNR BATTERY CABLES			
BEACON LIGHT WIRING for (2) Customer Installed Beacons; Includes 2-Way Switch N/A: Code 08WZC BEACON LIGHTS : Code 08RLK SATELLITE COMMUNICATION SYSTEM	08ACE	\$126	\$126
BEACON LIGHTS (2); Mounted to Brackets on Day Cab and Hi-Rise Sleeper Cab, Mounted to Roof on Low Roof Sleeper N/A: Code 08ACE BEACON LIGHT WIRING	08WZC	\$439 +14/+8	\$439 +15/+7
BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	08HAB 08HAE	\$100 +2/+1 \$209 -1/+4	\$100 +2/+1 \$209 -1/+4



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness	08REA	\$163	\$163
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	08XAH	STD	STD
CIGAR LIGHTER Includes Ash Cup	08518	\$18	\$18
COLLISION MITIGATION SYSTEM Bendix - Wingman Advanced - Adaptive Cruise Control with Collision Mitigation and Stationary Object Alert; Includes Front Antenna, Driver Display REQS: Code 04AZS or 04AZY AIR BRAKE ABS REQS: Code 01LTE BUMPER, FRONT REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AUW, 13AUX or 13AUY TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING or Code 01VBC TOW PIN, FRONT or Code 14RAA, 14RAB, 14RAD and 14RAU AXLE, LIFT, CONTROLS : Code 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW and 14UZX SUSPENSION, REAR, TANDEM - Wingman Fusion - Adaptive Cruise Control w/Collision Mitigation & Stationary Vehicle Braking, Stationary Object Alert, Lane Departure Warning, Overspeed Alert & Action; Includes Front Radar & Camera, Driver Display, Lane Departure Warning Switch & Speakers; Safety Direct Capability, less Safety Direct Cable REQS: Code 16WKS WINDSHIELD REQS: Code 16LGE or 16LHH SEAT, PASSENGER or Code 16JPG or 16KAZ SEAT, DRIVER REQS: Code 16031 CAB REQS: Code 04AZS or 04AZY AIR BRAKE ABS REQS: Code 01LTE BUMPER, FRONT REQS: Code 08XAH CIRCUIT BREAKERS REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AUW, 13AUX or 13AUY TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 16KVW and 16KVX SEAT, DRIVER (SEE NEXT PAGE)	08TPL	\$1,300	N/A
	08TPU	\$3,388	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
COLLISION MITIGATION SYSTEM (SEE PREV PAGE) Bendix - Wingman Fusion - N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING or Code 13WDM HYDRAULIC RETARDER or Code 08XGN LIGHT, WORK or Code 08RLK SATELLITE COMMUNICATION SYSTEM or Code 16XBK and 16XBZ MODESTY PANEL : Code 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW and 14UZX SUSPENSION, REAR, TANDEM	08TPU		
FOG LIGHTS (02) Clear Lens, Halogen, Rectangular, with White Light Source (02) Clear Lens, LED, Rectangular, with White Light Source (02) LED, Selective Yellow	08XJG 08XJH 08XJJ	\$185 \$275 \$301	\$185 \$275 \$301
HEADLIGHTS Halogen, Composite Combination	08XHT	STD	STD
HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	08WRB	\$42	\$42
HORN, AIR Single, Located Under Cab N/A: Code 08695 SNOW SHIELD (02) Rectangular Bell; Chrome N/A: Code 08695 SNOW SHIELD (02) Single Bell, Extra Long, Organ Tone; Chrome (02) Single Bell, Long Chrome ACCOMMODATION PACKAGE; Less Horn N/A: Code 08695 SNOW SHIELD	08653 08WHJ 08836 08685 08WHE	STD \$135 +3/+1 \$110 +3/+1 \$75 +3/+1 \$88 0/0	STD \$135 +3/+1 \$110 +3/+1 \$75 +3/+1 \$88 0/0
HORN, ELECTRIC Disc Style (02) Disc Style	08VAY 08541	STD \$29 +1/0	STD \$29 +1/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
JUMP START STUD			
(02) Remote Mounted REQS: Code 08MJV or 08MSH BATTERY SYSTEM, when in combination with Code 08VUK BATTERY BOX REQS: Code 08VUZ BATTERY BOX REQS: Code 08MJR, 08MJU, 08MJV, 08MSG(std), 08MSH or 08MSL BATTERY SYSTEM	08899	\$214	N/A
Remote Mounted REQS: Code 08TST, 08VUK(std) or 08WJN BATTERY BOX	08WBW	\$168 +1/+1	\$168 +1/+1
LIGHT, WORK			
(02) LED, Pedestal Mounted, Back of Cab in Upper Cab Corners, with Switch on Instrument Panel	08XGN	\$489 +5/+3	\$489 +6/+3
(02) Pedestal Mounted, Back of Cab, with Switch on Instrument Panel	08XGM	\$173 +5/+3	\$173 +6/+3
Pedestal Mounted, Back of Cab, with Switch on Instrument Panel	08WLL	\$119 +3/+2	\$119 +4/+2
POWER SOURCE			
Cigar Type Receptacle without Plug and Cord	08718	STD	STD
POWER SOURCE, TERMINAL TYPE			
2-Post	08WCK	STD	STD
RADIO			
Omit Item, Includes Wiring and Antenna, with Multiple Speakers N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING	08RBN	STD	STD
AM/FM/CD/WB/Clock/Auxiliary Input, with Multiple Speakers	08RME	\$474 +2/0	\$474 +2/0
AM/FM/WB/Clock/Auxiliary Input, with Multiple Speakers	08RMD	\$368 +2/0	\$368 +2/0
AM/FM/CD/WB/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control, with Multiple Speakers	08RMB	\$763 +2/0	\$763 +2/0
AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control, with Multiple Speakers	08RMA	\$483 +2/0	\$483 +2/0
AM/FM/CD/WB/SiriusXM/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control, with Multiple Speakers	08RMC	\$886 +2/0	\$886 +2/0
RUNNING LIGHT			
(02) Daytime	08WNH	N/C	N/C



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SATELLITE COMMUNICATION SYSTEM			
<i>PeopleNet</i>			
Installation Package, Less System; Includes GPS Antenna, Cellular Antenna Base Outside Cab, Main Power & Datalink Cable, Options Connector Located in Dash Passenger Side, J1939 & J1708 Connection for Customer Supplied VID Multi Bus Adaptor	08RLK	\$983	\$983
SNOW SHIELD			
(02) Chrome; for Dual Air Horns REQS: Code 08WHJ, 08685 or 08836 HORN, AIR REQS: Code 08685 or 08836 HORN, AIR	08695	\$33 + 1/0	\$33 + 1/0
SPOT LIGHT			
Chrome, Left Side Mounted	08588	\$260 + 3/0	\$260 + 3/0
STARTING MOTOR			
<i>Mitsubishi Electric Automotive America</i>			
- 105P - 12-Volt, with Soft-Start	08WXG	STD	STD
<i>Delco Remy</i>			
- 39MT - 12 Volt, Gear Reduced, with Thermal Over-Crank Protection	08WTL	\$42 + 1/0	\$42 + 1/0
STOP, TURN, TAIL & B/U LIGHTS			
<i>Truck Lite</i>			
Super 44, with LED Lights for Stop, Turn, Tail and Backup Lights, with Power Module, "International" Termination and and Less Junction Box, Includes License Plate Light	08TKJ	\$483 - 3/+ 11	\$483 - 2/+ 10
Super 44, with LED Lights for Stop, Turn & Tail Lights, Truck Lite Super 40 for Backup Lights, with Power Module, "International" Termination and Less Junction Box, Includes Incandescent License Plate Light	08TKB	\$191 - 3/+ 11	\$191 - 2/+ 10
Super 44, with LED Lights for Stop, Turn and Tail Lights, Truck Lite Super 40 Lamps for Backup Lights, Less Power Module, Includes Incandescent License Plate Light, with Separate Rear Reflectors, Less Rubber Mount REQS: Code 01616 FRAME RAILS WITH TAPERED REAR or Code 01652 CROSSMEMBER, REAR	08TKC	\$212 - 3/+ 11	\$212 - 2/+ 10



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
STOP, TURN, TAIL & B/U LIGHTS (CONTINUED) Weldon Multi-Function LED Lamp, Mounted Inside Rails, Includes LED License Plate Light N/A: Code 08554 TRAILER CONNECTION SOCKET : Code 01WRZ TOW HOOK, REAR Multi-Function LED Lamp, Mounted Outside Rails, Includes LED License Plate Light N/A: Code 01WRZ TOW HOOK, REAR	08TPS 08TPR	\$250 - 1/+6 \$178 - 1/+6	\$250 - 1/+6 \$178 - 1/+6
TOGGLE SWITCH, AUXILIARY (02) with Two 20-Amp Fuses/Circuit Breakers (04) with Four 20-Amp Fuses/Circuit Breakers (06) with Six 20-Amp Fuses/Circuit Breakers	08XCC 08XCV 08XCD	\$107 + 1/0 \$206 + 2/0 \$297 + 3/0	\$107 + 1/0 \$206 + 2/0 \$297 + 3/0
TRAILER CONNECTION SOCKET 7-Way; Mounted at Rear of Frame REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08TPS STOP, TURN, TAIL & B/U LIGHTS : Code 01WSA TOW LOOP, REAR Phillips - STA-DRY - (2) 7-Way; (1) Equipped with ABS Feed Mounted at Back of Cab, (1) Mounted at End of Frame REQS: Code 01616 FRAME RAILS WITH TAPERED REAR REQS: Code 14UZB SUSPENSION, REAR, TANDEM REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM REQS: Code 08TKB, 08TKC or 08TKJ STOP, TURN, TAIL & B/U LIGHTS REQS: Code 10WPR, 10WPT or 10WPU MUD FLAP HOLDER REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 08TPS STOP, TURN, TAIL & B/U LIGHTS : AUX. TRAILER SOCKET : Code 01WSA TOW LOOP, REAR	08554 08TMN	\$336 - 2/+6 \$280 - 1/+6	\$336 - 1/+6 N/A
TURN SIGNAL SWITCH Self-Canceling	08WEZ	N/C	N/C
WIRING MODIFICATIONS to Provide for Remote Cruise Control Connection	08TSE	\$93	\$93



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
FRONT END			
Tilting, Composite	09ASE	STD	STD
BUG DEFLECTOR			
Stainless Steel, Mounted on Hood	09WBD	\$327 +6/-1	\$327 +5/-1
BUG SCREEN			
Mounted Behind Grille	09WAC	\$131 +6/-1	\$131 +6/-1
FENDER EXTENSIONS			
Rubber	09585	\$104	\$104
GRILLE			
Black Vertical Accent Bars, with Black Mesh	09HCL	STD	STD
Chrome Vertical Accent Bars, with Black Mesh	09HCN	\$329 0/0	\$329 0/0
LOGOS EXTERIOR			
Model Badges	09AAB	STD	STD
Model Badges, Shipped Loose, Located in Cab	09AAC	N/C	N/C
LOGOS EXTERIOR, ENGINE			
Badges	09AAE	STD	STD
Badge Shipped Loose	09AAH	N/C	N/C
QUARTER FENDERS			
for Rear Wheels, Mirror-Finished Stainless Steel, Frame Mounted N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE - for HX615 SBA 6x4 : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE	09505	\$318 +11/+23	\$318 +9/+26
CHASSIS COATING			
Corrosion Resistant E-Coat Primer Coating for Single Frame Rails N/A: Code 01CBU FRAME RAILS : Code 01GBP and 01GDS FRAME REINFORCEMENT	10021	\$500	\$500



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
CHASSIS COATING (CONTINUED) Corrosion Resistant E-Coat Primer Coating for Reinforced Frame Rails REQS: Code 01CBU or 01CGC(std) FRAME RAILS REQS: Code 01GBP or 01GDS FRAME REINFORCEMENT	10022	\$1,000	\$1,000
COUNTRY IDENTITY for Canada NOTE: 010003	10NCA	N/C	N/C
CUSTOMER SERVICES Navistar OnCommand Repair Advocate Service; 12-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARM	\$258	\$258
OnCommand Repair Advocate Services; 24-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARN	\$516	\$516
OnCommand Repair Advocate Services; 36-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARP	\$774	\$774
OnCommand Repair Advocate Services; 48-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARR	\$1,032	\$1,032
OnCommand Repair Advocate Services; 60-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARS	\$1,290	\$1,290



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>FIFTH WHEEL, AIR SLIDE NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Fontaine</p> <p>- BLH7AWB875024 - 24" Slide, 8.75" Above Top of Frame, No-Tilt, Left Hand Release REQS: Code 01CAG or 01CGC(std) FRAME RAILS REQS: Code 14UKZ, 14ULB, 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 01CAG FRAME RAILS REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- SL7LWB675012 - 12" Slide, Cast Top Plate, 6.75" Above Top of Frame, Left Hand Release REQS: Code 01CAG or 01CGC(std) FRAME RAILS REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- SL7LWB675024 - 24" Slide, Cast Top Plate, 6.75" Above Top of Frame, Left Hand Release REQS: Code 01CAG or 01CGC(std) FRAME RAILS REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- SL7LWB675036 - 36" Slide, Cast Top Plate, 6.75" Above Top of Frame, Left Hand Release REQS: Code 01CAG or 01CGC(std) FRAME RAILS REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p>	<p>10JAD</p> <p>10HHW</p> <p>10HJA</p> <p>10HYX</p>	<p>\$4,165 0/+702</p> <p>\$2,700 0/+507</p> <p>\$2,773 0/+528</p> <p>\$3,407 0/+561</p>	<p>N/A</p> <p>N/A</p> <p>N/A</p> <p>N/A</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>FIFTH WHEEL, AIR SLIDE (CONTINUED) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Fontaine</p> <p>- SL7LWB725012 - 12" Slide, Cast Top Plate, 7.25 Above Top of Frame, Left Hand Release REQS: Code 01CAG or 01CGC(std) FRAME RAILS REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- SL7LWB725024 - 24" Slide, Cast Top Plate, 7.25" Above Top of Frame, Left Hand Release REQS: Code 01CAG or 01CGC(std) FRAME RAILS REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- SL7LWB825012 - 12" Slide, Cast Top Plate, 8.25 Above Top of Frame, Left Hand Release REQS: Code 01CAG or 01CGC(std) FRAME RAILS REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- SL7LWB825024 - 24" Slide, Cast Top Plate, 8.25" Above Top of Frame, Left Hand Release REQS: Code 01CAG or 01CGC(std) FRAME RAILS REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p>	<p>10HHY</p> <p>10HJB</p> <p>10HHZ</p> <p>10HJC</p>	<p>\$2,711 0/+509</p> <p>\$2,753 0/+540</p> <p>\$2,766 0/+516</p> <p>\$2,978 0/+546</p>	<p>N/A</p> <p>N/A</p> <p>N/A</p> <p>N/A</p>



**HX615 SBA 6x4 & HX615 SBA 8x6 Tridem
AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR					
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem			
FIFTH WHEEL, AIR SLIDE (SEE PREV PAGE) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section Holland - FW35J736XL00 - REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZZ, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem -OR- Code 14UKZ, 14ULB, 14ULT, 14ULU, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES - FW35J812XL00 - 12" Slide, 8" Above Top of Frame, Left Hand Release REQS: Code 01CGC(std) FRAME RAILS REQS: Code 810000 or 810018 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZZ, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES - FW35J824XL00 - 24" Slide, 8" Above Top of Frame, Left Hand Release REQS: Code 01CGC(std) FRAME RAILS - for HX615 SBA 8x6 Tridem REQS: Code 01CAG or 01CGC(std) FRAME RAILS - for HX615 SBA 6x4 REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZZ, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem (SEE NEXT PAGE)				10KKU		
	10KKN	\$2,981 0/+501	\$2,981 0/+501			
	10KKS	\$3,051 0/+536	\$3,051 0/+536			

HX615 SBA 6x4
HX615 SBA 8x6 Tridem
PL-284 REVISION NO. 105

SECTION 581
PAGE 581-67

PRICES EFFECTIVE 01/01/2020
SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>FIFTH WHEEL, AIR SLIDE (SEE PREV PAGE) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Holland</p> <p>- FW35J824XL00 - -OR- SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- FW35J836XL00 - 36" Slide, 8" Above Top of Frame, Left Hand Release REQS: Code 01CGC(std) FRAME RAILS - for HX615 SBA 8x6 Tridem REQS: Code 01CAG or 01CGC(std) FRAME RAILS - for HX615 SBA 6x4 REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- FW35J912XL00 - 12" Slide, 9" Above Top of Frame, Left Hand Release REQS: Code 01CGC(std) FRAME RAILS - for HX615 SBA 8x6 Tridem REQS: Code 01CAG or 01CGC(std) FRAME RAILS - for HX615 SBA 6x4 REQS: Code 810000 or 810018 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>10KKS</p> <p>10KKV</p> <p>10KKP</p>	<p>\$3,182 0/+654</p> <p>\$2,981 0/+505</p>	<p>\$3,182 0/+654</p> <p>\$2,981 0/+505</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
<p>FIFTH WHEEL, AIR SLIDE (SEE PREV PAGE) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Holland</p> <p>- FW35J912XL00 - N/A: Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p style="text-align: center;">10KKP</p> <p>- FW35J924XL00 - 24" Slide, 9" Above Top of Frame, Left Hand Release REQ: Code 01CGC(std) FRAME RAILS - for HX615 SBA 8x6 Tridem REQ: Code 01CAG or 01CGC(std) FRAME RAILS - for HX615 SBA 6x4 REQ: Code 810000 FIFTH WHEEL LOCATION REQ: Code 04092 BRAKE SYSTEM, AIR REQ: Code 14UHD, 14UHK, 14UHL, 14UHU, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p style="text-align: center;">10KKT</p> <p>- FW35R836NL00 - 36" Slide, 8" Above Top of Frame, Left Hand Release, with 38" Wide Base Plate REQ: Code 01CGD FRAME RAILS REQ: Code 810000, 810002 or 810004 FIFTH WHEEL LOCATION REQ: Code 04092 BRAKE SYSTEM, AIR REQ: Code 14UNW, 14UNX, 14UPV, 14UPX or 14XAM SUSPENSION, REAR, AIR, TANDEM N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : SUSPENSION, REAR, TANDEM : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p style="text-align: center;">10KKZ</p> <p>- FW70R924NL00 - 24" Slide, Heavy Duty, 9" Above Top of Frame, 80,000 lb Max. Vertical Load, 200,000 lb Max. Drawbar Pull, Left Hand Release REQ: Code 01GBP or 01GDS FRAME REINFORCEMENT, when in combination with Code 14UHD, 14UHK, 14UHL, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4</p> <p style="text-align: center;">10JPG</p>	<p style="text-align: center;">10KKP</p> <p style="text-align: center;">10KKT</p> <p style="text-align: center;">10KKZ</p> <p style="text-align: center;">10JPG</p>	<p style="text-align: center;">\$3,051 0/+540</p> <p style="text-align: center;">\$3,051 0/+540</p> <p style="text-align: center;">\$6,417 0/+772</p> <p style="text-align: center;">\$7,044 0/+876</p>	<p style="text-align: center;">\$3,051 0/+540</p> <p style="text-align: center;">N/A</p> <p style="text-align: center;">\$7,044 0/+876</p>
(SEE NEXT PAGE)			



**HX615 SBA 6x4 & HX615 SBA 8x6 Tridem
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
FIFTH WHEEL, AIR SLIDE (SEE PREV PAGE) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section Holland - FW70R924NL00 - REQS: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 14UHU, 14UJE, 14ULX, 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14ULB, 14ULT, 14ULU, 14UNX, 14UNY, 14UPV, 14UPW, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem N/A: Code 01CAG FRAME RAILS : SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES Jost - JSK37USL-A8PX24 - 24" Slide, Cast Top Plate, 7.75" Above Top of Frame, Left Hand Release REQS: Code 01CGC(std) FRAME RAILS - for HX615 SBA 8x6 Tridem REQS: Code 01CAG or 01CGC(std) FRAME RAILS - for HX615 SBA 6x4 REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES - JSK37USL-A9PX24 - 24" Slide, Heavy Duty Top Plate, 8.75" Above Top of Frame, Left Hand Release REQS: Code 01CGC(std) FRAME RAILS - for HX615 SBA 8x6 Tridem REQS: Code 01CAG or 01CGC(std) FRAME RAILS - for HX615 SBA 6x4 REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES			
	10JPG		
	10HKJ	\$2,925 0/+635	\$2,925 0/+635
	10HKK	\$3,060 0/+642	\$3,060 0/+642



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>FIFTH WHEEL, AIR SLIDE (CONTINUED) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Jost</p> <p>- JSK37USL-NA9PX24 - 24" Slide, Heavy Duty Top Plate, 8.75" Above Top of Frame, No-Tilt, Left Hand Release REQS: Code 01CAG or 01CGC(std) FRAME RAILS REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p>	10HLE	\$3,410 0/+575	N/A
<p>FIFTH WHEEL, STATIONARY NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Fontaine</p> <p>- SL7FMA-D69-2 - Cast Top Plate, 7.69" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM N/A: Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- SL7FMA-D69-3 - Cast Top Plate, 8.69" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM N/A: Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p>	10EYD 10EYC	\$2,168 0/+491 \$2,187 0/+499	N/A N/A
<p>Holland</p> <p>- FW-0070-S09619-1 - Extra Capacity, 9" Above Top of Frame, Left Hand Release REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	10HCA	\$4,715 0/+618	\$4,715 0/+618



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>FIFTH WHEEL, STATIONARY (SEE PREV PAGE) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Holland</p> <p>- FW-0070-S09619-1 - -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 N/A: Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 01GDS FRAME REINFORCEMENT</p> <p>- FW-0070-S09619-2 - Extra Capacity, 8" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 N/A: Code 01CAG FRAME RAILS : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- FW-0070-S09619-3 - Extra Capacity, 7" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 N/A: Code 01CAG FRAME RAILS : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p> <p>- FW35-S10504-1L - 8.7" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>			
	10HCA		
	10GWY	\$5,200 0/+618	\$5,200 0/+618
	10GWZ	\$4,455 0/+612	\$4,455 0/+612
	10GYZ	\$2,689 0/+478	\$2,689 0/+478



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR					
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem			
<p>FIFTH WHEEL, STATIONARY (SEE PREV PAGE) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Holland</p> <p>- FW35-S10504-1L - -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 N/A: Code 01CBU FRAME RAILS : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 01GDS FRAME REINFORCEMENT</p>				10GYZ		
<p>- FW35-S10504-2L - 7.75" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 N/A: Code 01CBU FRAME RAILS : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p>				10HYR	\$2,861 0/+480	\$2,861 0/+480
<p>- FW35-S10504-3L - 6.75" Above Top of Frame, Left Hand Release REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem -OR- Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX or 14XAM SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 N/A: Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 01GDS FRAME REINFORCEMENT</p>				10HYU	\$2,689 0/+474	\$2,689 0/+474



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR					
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem			
<p>FIFTH WHEEL, STATIONARY (CONTINUED) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section</p> <p>Holland</p> <p>- FW35-S10504-4L - 5.75" Above Top of Frame, Left Hand Release REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 N/A: Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 01GDS FRAME REINFORCEMENT</p>				10HYV	\$2,690 0/+395	\$2,690 0/+395
<p>- FW35-S10687-19 - Kompensator, 11.9" Above Top of Frame, with Lock Out Feature, Left Hand Release REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 N/A: Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 01GDS FRAME REINFORCEMENT</p>				10HKT	\$7,127 0/+804	\$7,127 0/+804
<p>- FW35-S801XL - 9.21" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UNX SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM N/A: Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES</p>				10HKG	\$2,485 0/+498	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
FIFTH WHEEL, STATIONARY (CONTINUED) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section Jost			
- JSK36NSL-DB7X - 6.93" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01CGD FRAME RAILS : Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES	10JAX	\$1,928 0/+375	N/A
- JSK36NSL-DB8X - 7.93" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01CGD FRAME RAILS : Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES	10JAY	\$1,928 0/+380	N/A
- JSK36NSL-DB9X - 8.93" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 01CGD FRAME RAILS : Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES	10JAZ	\$1,928 0/+387	N/A
- JSK37USL-PM-003 - 8.16" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR N/A: SUSPENSION, REAR, AIR, TANDEM : Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES : Code 810006 and 810010 FIFTH WHEEL LOCATION, when in combination with Code 14UHD, 14UHK, 14UHL or 14698 SUSPENSION, REAR, TANDEM	10HKH	\$1,977 0/+460	N/A
- JSK37USL-PM-004 - 9.16" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UKZ, 14ULB, 14ULT, 14ULU, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM N/A: Code 10WDC FIFTH WHEEL RELEASE : FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES	10HKE	\$1,924 0/+464	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
FIFTH WHEEL LOCATION			
On Rear Axle Centerline	810000	N/C	N/C
02.0" Ahead of Rear Axle Centerline N/A: Code 10WEK FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 10HLE and 10KKZ FIFTH WHEEL, AIR SLIDE - for HX615 SBA 6x4	810002	N/C	N/C
04.0" Ahead of Rear Axle Centerline AVAIL: Code 10HLE and 10KKZ FIFTH WHEEL, AIR SLIDE - for HX615 SBA 6x4 : Code 10STA FIFTH WHEEL MOUNTING ANGLES	810004	N/C	N/C
06.0" Ahead of Rear Axle Centerline AVAIL: Code 10HLE FIFTH WHEEL, AIR SLIDE - for HX615 SBA 6x4 : Code 10STA FIFTH WHEEL MOUNTING ANGLES	810006	N/C	N/C
08.0" Ahead of Rear Axle Centerline AVAIL: Code 10HLE FIFTH WHEEL, AIR SLIDE - for HX615 SBA 6x4 : Code 10STA FIFTH WHEEL MOUNTING ANGLES	810008	N/C	N/C
10.0" Ahead of Rear Axle Centerline AVAIL: Code 10HLE FIFTH WHEEL, AIR SLIDE - for HX615 SBA 6x4 : Code 10STA FIFTH WHEEL MOUNTING ANGLES	810010	N/C	N/C
12.0" Ahead of Rear Axle Centerline AVAIL: Code 10HLE FIFTH WHEEL, AIR SLIDE - for HX615 SBA 6x4 : Code 10STA FIFTH WHEEL MOUNTING ANGLES	810012	N/C	N/C
14.0" Ahead of Rear Axle Centerline AVAIL: Code 10HLE FIFTH WHEEL, AIR SLIDE - for HX615 SBA 6x4 : Code 10STA FIFTH WHEEL MOUNTING ANGLES	810014	N/C	N/C
16.0" Ahead of Rear Axle Centerline AVAIL: Code 10HLE FIFTH WHEEL, AIR SLIDE - for HX615 SBA 6x4 : Code 10STA FIFTH WHEEL MOUNTING ANGLES	810016	N/C	N/C
18.0" Ahead of Rear Axle Centerline N/A: Code 10STA, 10WDA and 10WEK FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 10KKN, 10KKP and 10KKR FIFTH WHEEL, AIR SLIDE - for HX615 SBA 8x6 Tridem : Code 10HLE, 10KKN, 10KKP and 10KKR FIFTH WHEEL, AIR SLIDE - for HX615 SBA 6x4	810018	N/C	N/C
FIFTH WHEEL MOUNTING ANGLES			
for Manual Sliding Type Fifth Wheels Only REQS: Code 810000 or 810002 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR	10WDA	\$438 0/+78	\$438 0/+78
<i>(SEE NEXT PAGE)</i>			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
MUD FLAP HOLDER (CONTINUED) Spring Loaded, Painted Black, 45-Degree End, with Red and White Reflective Tape, Less Flaps N/A: Code 01WRZ TOW HOOK, REAR	10WPT	\$121 -8/+29	\$121 -6/+27
MUD FLAPS, REAR Black Poly, with International Logo, Less Holders REQS: Code 10WPR, 10WPT or 10WPU MUD FLAP HOLDER Black Rubber, Anti-Sail, Less Holders REQS: Code 10WPR, 10WPT or 10WPU MUD FLAP HOLDER	10WSX 10WPY	\$58 -4/+15 \$94 -4/+15	\$58 -3/+14 \$94 -3/+14
OVER THE AIR PROGRAMMING <i>Navistar</i> for Navistar or International Engines	10AAX	\$250	\$250
PAINT, CAB SUNSHADE Single Color other than Cab Roof Color REQS: Code 16XWD SUNSHADE, EXTERIOR	10614	\$420	\$420
PAINT CLASS Premium Color Single Custom Color	10769 10771	\$600 \$700	\$600 \$700
PAINT IDENTITY, PT-2 Single Color, Instruction No. 931. Frame/Running Gear & Fuel Tank (Aluminum Tank Will Not Be Painted) N/A: Code 27DVY WHEELS, FRONT Single Color, Instruction No. 936. Frame/Running Gear, Less Fuel Tanks N/A: Code 27DVB, 27DVC and 27DVY WHEELS, FRONT Two Tone, Instruction No. 941. Frame/Running Gear/Fuel Tank and Wheels, (Aluminum Tanks Will Not Be Painted) N/A: Code 27DVY WHEELS, FRONT : Code 28DTY WHEELS, REAR : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS	10631 10636 10641	\$600 \$600 \$345	\$600 \$600 \$345
PAINT, NON-REFLECTING Non-Reflecting Paint	10661	\$568	\$568



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
PAINT SCHEMATIC, PT-1 Single Color, Design 100 INCLS: PAINT SCHEMATIC ID LETTERS "LW"	10060	STD	STD
PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	10761	STD	STD
QUARTER FENDERS for Rear Wheels, Black Plastic; Frame Mounted	10WTR	N/A	\$188
SAFETY TRIANGLES	10WCY	\$47 +4/+2	\$47 +4/+2
SPECIAL RATING, GVWR Limited to 80,000-lb GVWR REQS: Code 14WLM, 14WNNH, 14WNNJ or 14WNNM AXLE, PUSHER, LIFT TYPE REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING N/A: Code 01CAG FRAME RAILS	10NZL	N/C	N/A
VEHICLE REGISTRATION IDENTITY ID for the State of California NOTE: Pricing may change if axle configuration is changed. ID for 49 States, Excluding California NOTE: Pricing may change if axle configuration is changed.	10UAC 10UAD	N/C N/C	N/C N/C
CLUTCH NOTE: For ENGINE/CLUTCH COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - ECA-1850 - Two-Plate, Ceramic, 7-Spring with Pre-Damper, 15.5" Diameter, with Adjustment-Free Feature, 1850 lb-ft Torque Capacity REQS: Code 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL N/A: Code 11WAG CLUTCH BRAKE : TRANSMISSION, AUTOMATIC	11MGP	STD	STD



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
CLUTCH (CONTINUED)			
NOTE: For ENGINE/CLUTCH COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
Eaton Fuller			
- Advantage -			
Self-Adjusting, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Coaxial VCT Plus PD Damper (Soft Rate) Mechanical Pull-Type Control, 6-Button Disc, 1860 lb-ft Torque Capacity	11MRT	\$421 - 7/- 1	\$421 - 7/- 1
REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GMZ, 13GNA or 13GYK TRANSMISSION, MANUAL - for HX615 SBA 6x4			
-OR- Code 13GHL, 13GHP, 13GHS, 13GKL, 13GKM, 13GNA or 13GYK TRANSMISSION, MANUAL - for HX615 SBA 8x6 Tridem			
N/A: TRANSMISSION, AUTOMATIC			
Self-Adjusting, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Coaxial VCT Plus PD Damper (Soft Rate) Mechanical Pull-Type Control, 4-Button Disc, 1750 lb-ft Torque Capacity	11MRU	N/C - 9/- 2	N/C - 9/- 1
REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GMZ, 13GNA or 13GYK TRANSMISSION, MANUAL - for HX615 SBA 6x4			
-OR- Code 13GHL, 13GHP, 13GHS, 13GKL, 13GKM, 13GNA or 13GYK TRANSMISSION, MANUAL - for HX615 SBA 8x6 Tridem			
N/A: TRANSMISSION, AUTOMATIC			
No Vendor Identified			
Omit Item (Clutch & Control) N/A: Code 11WAG CLUTCH BRAKE : TRANSMISSION, MANUAL	11001	N/C - 125/- 19	N/C - 129/- 15
CLUTCH BRAKE			
Two-Piece REQS: Code 11MRT or 11MRU CLUTCH	11WAG	\$31	\$31
CLUTCH EFFECTS			
Hydraulic Clutch Actuation System, with Air Assist REQS: Code 13WAS CLUTCH HOUSING REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GMZ, 13GNA or 13GYK TRANSMISSION, MANUAL - for HX615 SBA 6x4	11WAK	N/C 0/0	N/C 0/0
-OR- Code 13GHL, 13GHP, 13GHS, 13GKL, 13GKM, 13GNA or 13GYK TRANSMISSION, MANUAL - for HX615 SBA 8x6 Tridem			
N/A: TRANSMISSION, AUTOMATIC			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
ACCESSORY WIRING, SPECIAL			
for Road Speed Wire Coiled Under Instrument Panel for Customer Use N/A: Code 12VGA ENGINE CONTROL, REMOTE MOUNTED	12VYL	\$45	\$45
ENGINE, DIESEL NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
<i>International</i>			
- A26 - EPA 2017, 370HP @ 1700 RPM, 1350 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REC: Code 12WEG COLD STARTING EQUIPMENT	12BDY	STD	STD
EPA 2017, 390HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 390 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REC: Code 12WEG COLD STARTING EQUIPMENT	12BDZ	\$224 0/0	\$224 0/0
EPA 2017, 410HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 410 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REC: Code 12WEG COLD STARTING EQUIPMENT	12BEA	\$633 0/0	\$633 0/0
EPA 2017, 430HP @ 1700 RPM, 1550 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 430 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REQS: Code 13GHP, 13GHS, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GNA, 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYD, 13GYG, 13GYH, 13GYJ or 13GYK TRANSMISSION, MANUAL - for HX615 SBA 6x4 -OR- Code 13GHP, 13GHS, 13GKL, 13GKM, 13GNA, 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYD, 13GYG, 13GYH, 13GYJ or 13GYK TRANSMISSION, MANUAL - for HX615 SBA 8x6 Tridem -OR- TRANSMISSION, AUTOMATIC REC: Code 12WEG COLD STARTING EQUIPMENT	12BEB	\$856 0/0	\$856 0/0
EPA 2017, 450HP @ 1700 RPM, 1700 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 450 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY	12BEC	\$1,379 0/0	\$1,379 0/0
(SEE NEXT PAGE)			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
RADIATOR Aluminum; Welded, Down Flow System, Front to Back, 1325 SqIn, 806 SqIn CAC REQS: Code 12WYZ(std) RADIATOR DRAIN & FILL FITTING	12XBC	STD	STD
FAN DRIVE <i>Horton</i> - Drivemaster - Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed	12THT	STD	STD
AIR CLEANER Dual Element Dual Element, with Integral Pre-Cleaner	12VBB 12VBG	STD \$100 +7/0	STD \$100 +7/0
ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	12703	STD	STD
BLOCK HEATER, ENGINE <i>Phillips</i> 120V/1150W 120V/1150W, with "Y" Cord for 120V/300W Oil Pan Heater	12XBR 12XBT	\$89 \$177	\$89 \$177
COLD STARTING EQUIPMENT Automatic; with Engine ECM Control	12WEG	N/C 0/0	N/C 0/0
EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood NOTE: Pricing may change if axle configuration is changed. Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door NOTE: Pricing may change if axle configuration is changed. Engine Shutdown System Exempt Vehicles, Complies with California Clean Air Regulations NOTE: Pricing may change if axle configuration is changed.	12WZB 12WZJ 12WZD	\$97 \$97 N/C	\$97 \$97 N/C



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
EMISSION COMPLIANCE (CONTINUED) Federal, Does Not Comply with California Clean Air Idle Regulations NOTE: Pricing may change if axle configuration is changed.	12WZE	N/C	N/C
ENGINE CONTROL, REMOTE MOUNTED for PTO with N13/A26 Engines N/A: Code 12VYL ACCESSORY WIRING, SPECIAL	12VGA	\$82	\$82
FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	12WTA	STD	STD
FAN OVERRIDE Manual; with Electric Switch on Instrument Panel, (Fan On with Switch On)	12WBR	\$29	\$29
FEDERAL EMISSIONS <i>International</i> - A26 - EPA, OBD and GHG Certified for Calendar Year 2020	12VHK	N/C	N/C
HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type No Vendor Identified , Mechanical Type; with Constant-Tension Functionality	12WCX 12WGA	STD \$54	STD \$54
OIL PAN Stainless Steel, for N13/A26 Engines	12WPZ	\$2,782 +45/-1	\$2,782 +44/0
PTO, ENGINE REAR for N13/A26 Engines (Ratio 1.276:1)	12WPU	\$3,839 +24/+4	\$3,839 +25/+3
RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System	12WYZ	STD	STD



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION, MANUAL NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Eaton Fuller</i></p> <p>- UltraShift+ FO-16E313A-MHP - 13-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX615 SBA 8x6 Tridem REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX615 SBA 6x4 REQS: Code 11MGP(std) CLUTCH REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX615 SBA 8x6 Tridem REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX615 SBA 6x4 REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 8x6 Tridem REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 6x4 REQS: Code 12BDY(std), 12BDZ, 12BEA or 12BEB ENGINE, DIESEL</p> <p>N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 04VJJ AIR TANK LOCATION - for HX615 SBA 6x4 : Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX615 SBA 8x6 Tridem : Code 14WLM, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE or Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX615 SBA 6x4 : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION</p> <p>AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 13WLX TRANSMISSION OIL</p>	<p>13GWZ</p>	<p>STD</p>	<p>STD</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- Advantage FAM-15810B-EA3 - 10-Speed Fully Automated Manual, Aluminum Clutch Housing, Direct Drive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 16HLD INDICATOR TRANS GEAR POSITION REQS: Code 11MGP(std) CLUTCH REQS: Code 13WLW TRANSMISSION OIL REQS: Code 12BDY(std), 12BDZ, 12BEA or 12BEB ENGINE, DIESEL N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER : Code 14WLM, 14WNL and 14WNL AXLE, PUSHER, LIFT TYPE - for HX615 SBA 6x4 : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION : Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 40SRA and 40SRB SRV CONTRACT, EXT EATON XMSN</p> <p>- Advantage FAO-14810C-EA3 - 10-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 16HLD INDICATOR TRANS GEAR POSITION REQS: Code 11MGP(std) CLUTCH REQS: Code 13WLW TRANSMISSION OIL REQS: Code 12BDY(std), 12BDZ or 12BEA ENGINE, DIESEL N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER</p> <p style="text-align: center;">(SEE NEXT PAGE)</p>	<p style="text-align: center;">13GYJ</p> <p style="text-align: center;">13GYC</p>	<p style="text-align: center;">\$38 - 122/- 45</p> <p style="text-align: center;">\$1,170CR - 134/- 33</p>	<p style="text-align: center;">\$38 - 132/- 35</p> <p style="text-align: center;">\$1,170CR - 141/- 26</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION, MANUAL (CONTINUED)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- Advantage FAOM-16810C-EA3 - 10-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 16HLD INDICATOR TRANS GEAR POSITION REQS: Code 11MGP(std) CLUTCH REQS: Code 13WLW TRANSMISSION OIL REQS: Code 12BDY(std), 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL - for HX615 SBA 6x4</p> <p>-OR- ENGINE, DIESEL - for HX615 SBA 8x6 Tridem N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 04VJJ AIR TANK LOCATION - for HX615 SBA 6x4 : Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER : Code 14WLM, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE - for HX615 SBA 6x4 : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION : Code 13WGJ OIL COOLER MANUAL TRANSMISSION</p> <p>AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN</p> <p>- FRO/FROF-18210C - 10-Speed Manual, Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 13WLX TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WAP TRANSMISSION LUBE PUMP</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>13GYH</p> <p>13GKZ</p>	<p>\$830 - 122/-45</p> <p>\$7,999CR - 203/-65</p>	<p>\$830 - 132/-35</p> <p>N/A</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- UltraShift+ FO-14E309ALL-VMS - AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 13WLX TRANSMISSION OIL</p> <p>- UltraShift+ FO-16E308LL-VCS - 10-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Double-Lo, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX615 SBA 8x6 Tridem REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX615 SBA 6x4 REQS: Code 11MGP(std) CLUTCH REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX615 SBA 8x6 Tridem REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX615 SBA 6x4 REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 8x6 Tridem REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 6x4 REQS: Code 12BDY(std), 12BDZ, 12BEA or 12BEB ENGINE, DIESEL N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 04VJJ AIR TANK LOCATION - for HX615 SBA 6x4 : Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX615 SBA 8x6 Tridem : Code 14WLM, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE or Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX615 SBA 6x4 : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 13WLX TRANSMISSION OIL</p>	<p>13GWV</p> <p>13GWP</p>	<p>\$2,797 -19/-12</p>	<p>\$2,797 -22/-9</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Eaton Fuller</i></p> <p>- UltraShift+ FO-16E309ALL-VMS - 11-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Double-Lo, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX615 SBA 8x6 Tridem REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX615 SBA 6x4 REQS: Code 11MGP(std) CLUTCH REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX615 SBA 8x6 Tridem REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX615 SBA 6x4 REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 8x6 Tridem REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 6x4 REQS: Code 12BDY(std), 12BDZ, 12BEA or 12BEB ENGINE, DIESEL</p> <p>N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 04VJJ AIR TANK LOCATION - for HX615 SBA 6x4 : Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX615 SBA 8x6 Tridem : Code 14WLM, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE or Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX615 SBA 6x4 : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION</p> <p>AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 13WLX TRANSMISSION OIL</p>	<p>13GWW</p>	<p>\$5,286 -20/-12</p>	<p>\$5,286 -23/-9</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Eaton Fuller</i></p> <p>- UltraShift+ FO-17E308LL-VCS - 10-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Double-Lo, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX615 SBA 8x6 Tridem REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX615 SBA 6x4 REQS: Code 11MGP(std) CLUTCH REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX615 SBA 8x6 Tridem REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX615 SBA 6x4 REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 8x6 Tridem REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 6x4</p> <p>N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 04VJJ AIR TANK LOCATION - for HX615 SBA 6x4 : Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX615 SBA 8x6 Tridem : Code 14WLM, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE or Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX615 SBA 6x4 : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION</p> <p>AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 13WLX TRANSMISSION OIL</p>	<p>13GWR</p>	<p>\$3,355 -20/-12</p>	<p>\$3,355 -23/-9</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Eaton Fuller</i></p> <p>- UltraShift+ FO-17E309ALL-VMS - 11-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Double-Lo, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX615 SBA 8x6 Tridem REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX615 SBA 6x4 REQS: Code 11MGP(std) CLUTCH REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX615 SBA 8x6 Tridem REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX615 SBA 6x4 REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 8x6 Tridem REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 6x4 REQS: Code 12BDY(std), 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL - for HX615 SBA 6x4</p> <p>-OR- ENGINE, DIESEL - for HX615 SBA 8x6 Tridem N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWT, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 04VJJ AIR TANK LOCATION - for HX615 SBA 6x4 : Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX615 SBA 8x6 Tridem : Code 14WLM, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE or Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX615 SBA 6x4 : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION</p> <p>AVAIL: Code 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 13WLX TRANSMISSION OIL</p>	<p>13GWX</p>	<p>\$5,997 -20/-12</p>	<p>\$5,997 -23/-9</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Eaton Fuller</i></p> <p>- UltraShift+ FO-18E313A-MHP - 13-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX615 SBA 8x6 Tridem REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX615 SBA 6x4 REQS: Code 11MGP(std) CLUTCH REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX615 SBA 8x6 Tridem REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX615 SBA 6x4 REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 8x6 Tridem REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 6x4</p> <p>N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 04VJJ AIR TANK LOCATION - for HX615 SBA 6x4 : Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX615 SBA 8x6 Tridem : Code 14WLM, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE or Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX615 SBA 6x4 : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION</p> <p>AVAIL: Code 40SPV, 40SPW, 40SPX, 40SPY and 40SPZ SRV CONTRACT, EXT EATON XMSN : Code 13WLX TRANSMISSION OIL</p>	<p>13GXA</p>	<p>\$906</p> <p style="text-align: right;">0/0</p>	<p>\$906</p> <p style="text-align: right;">0/0</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Eaton Fuller</p> <p>- UltraShift+ FO-18E318B-MXP - 18-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX615 SBA 8x6 Tridem REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX615 SBA 6x4 REQS: Code 11MGP(std) CLUTCH REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX615 SBA 8x6 Tridem REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX615 SBA 6x4 REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 8x6 Tridem REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 6x4</p> <p>N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 04VJJ AIR TANK LOCATION - for HX615 SBA 6x4 : Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX615 SBA 8x6 Tridem : Code 14WLM, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE or Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX615 SBA 6x4 : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION</p> <p>AVAIL: Code 40SPV, 40SPW, 40SPX, 40SPY and 40SPZ SRV CONTRACT, EXT EATON XMSN : Code 13WLX TRANSMISSION OIL</p>	<p>13GXD</p>	<p>\$4,853 0/0</p>	<p>\$4,853 0/0</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Eaton Fuller</i></p> <p>- UltraShift+ FO-18E318B-VXP - 18-Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid</p> <p>REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX615 SBA 8x6 Tridem REQS: Code 16HLD INDICATOR TRANS GEAR POSITION - for HX615 SBA 6x4 REQS: Code 11MGP(std) CLUTCH REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX615 SBA 8x6 Tridem REQS: Code 13WGJ OIL COOLER MANUAL TRANSMISSION - for HX615 SBA 6x4 REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 8x6 Tridem REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 6x4 REQS: Code 12BDY(std), 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL - for HX615 SBA 6x4</p> <p>-OR- ENGINE, DIESEL - for HX615 SBA 8x6 Tridem N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 04AZA and 04AZU AIR BRAKE ABS : Code 04VJJ AIR TANK LOCATION - for HX615 SBA 6x4 : Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX615 SBA 8x6 Tridem : Code 14WLM, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE or Code 04AAL, 04AAM, 04AAN and 04AAP HOSE TENDER - for HX615 SBA 6x4 : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION</p> <p>AVAIL: Code 40SPV, 40SPW, 40SPX, 40SPY and 40SPZ SRV CONTRACT, EXT EATON XMSN : Code 13WLX TRANSMISSION OIL</p>	<p>13GXH</p>	<p>\$8,744 0/0</p>	<p>\$8,744 0/0</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem

AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT					
	NOTE: WEIGHTS - FRONT/REAR					
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem			
<p>TRANSMISSION, MANUAL (CONTINUED)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Fuller</i></p> <p>- FR-14210B - 10-Speed Manual, Direct Drive, Air Shift REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 12BDY(std), 12BDZ or 12BEA ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWW, 40TWN, 40TWR, 40TWS, 40TWT and 40TWT SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION : Code 13WLM TRANSMISSION OIL</p> <p>- FRO-14210C - 10-Speed Manual, Overdrive, Air Shift REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 12BDY(std), 12BDZ or 12BEA ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWW, 40TWN, 40TWR, 40TWS, 40TWT and 40TWT SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION : Code 13WLM TRANSMISSION OIL</p>				<p>13GHJ</p> <p>13GHL</p>	<p>\$11,773CR -212/-56</p> <p>\$11,367CR -208/-60</p>	<p>N/A</p> <p>\$11,367CR -221/-47</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
TRANSMISSION, MANUAL (CONTINUED)			
NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
<i>Fuller</i>			
- FRO-15210C - 10-Speed Manual, Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 12BDY(std), 12BDZ, 12BEA or 12BEB ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWW, 40TWN, 40TWP and 40TWS SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION : Code 13WLM TRANSMISSION OIL	13GHP	\$10,669CR - 219/-49	\$10,669CR - 230/-38
- FRO-16210C - 10-Speed Manual, Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 12BDY(std), 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL - for HX615 SBA 6x4 -OR- ENGINE, DIESEL - for HX615 SBA 8x6 Tridem N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWW, 40TWN, 40TWP and 40TWS SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION : Code 13WLM TRANSMISSION OIL (SEE NEXT PAGE)	13GHS	\$10,286CR - 204/-64	\$10,286CR - 218/-50



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Fuller</i></p> <p>- FRO-16210C - N/A: Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION : Code 13WLM TRANSMISSION OIL</p> <p>- RTLO(F)-16913A - 13-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 12BDY(std), 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWW, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WAP TRANSMISSION LUBE PUMP : Code 13901 THRU-SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION AVAIL: Code 13WLX TRANSMISSION OIL</p> <p>- RTLO(F)-16918B - 18-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 12BDY(std), 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL - for HX615 SBA 6x4 -OR- ENGINE, DIESEL - for HX615 SBA 8x6 Tridem N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWW, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WAP TRANSMISSION LUBE PUMP : Code 13901 THRU-SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>13GHS</p> <p>13GKJ</p> <p>13GKL</p>	<p></p> <p>\$6,589CR - 115/-27</p> <p>\$6,346CR - 113/-27</p>	<p></p> <p>N/A</p> <p>\$6,346CR - 119/-21</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Fuller</p> <p>- RTLO(F)-16918B - N/A: Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION AVAIL: Code 13WLX TRANSMISSION OIL</p> <p style="text-align: right;">13GKL</p>			
<p>- RTLO(F)-18918B - 18-Speed Manual, Double Overdrive, Double-Lo, Air Shift, Internal Lube Oil Pump REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 8x6 Tridem REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 6x4 N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WAP TRANSMISSION LUBE PUMP : Code 13901 THRU-SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVW NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION AVAIL: Code 13WLX TRANSMISSION OIL</p> <p style="text-align: right;">13GKM</p>			
<p>- RTLO-18913A - 13-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 13WLX TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WAP TRANSMISSION LUBE PUMP : Code 13901 THRU-SHAFT</p> <p style="text-align: right;">13GJS</p>			
(SEE NEXT PAGE)			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
TRANSMISSION, MANUAL (SEE PREV PAGE)			
NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
<i>Fuller</i>			
- RTLO-18913A -			
N/A: Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVW NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION	13GJS		
- RTLOF-20918B -			
18-Speed Manual, Double Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 8x6 Tridem REQS: Code 13WLX TRANSMISSION OIL - for HX615 SBA 6x4 N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWW, 40TWN, 40TWP, 40TWS, 40TWT, 40TWW and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WAP TRANSMISSION LUBE PUMP : Code 13901 THRU-SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVW NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION AVAIL: Code 13WLX TRANSMISSION OIL	13GYK	\$1,533CR - 113/-27	\$1,533CR - 119/-21
- RTO(F)-14908LL -			
10-Speed Manual, Overdrive, Double-Lo, Air Shift REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 13WAP TRANSMISSION LUBE PUMP, when in combination with Code 13901 THRU-SHAFT REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 12BDY(std), 12BDZ or 12BEA ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN <i>(SEE NEXT PAGE)</i>	13GHW	\$8,083CR - 133/-33	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION, MANUAL (SEE PREV PAGE)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Fuller</p> <p>- RTO(F)-14908LL - N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWDJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION AVAIL: Code 13WLX TRANSMISSION OIL</p> <p>- RTO(F)-14909ALL - 11-Speed Manual, Overdrive, Double-Lo, Air Shift REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 12BDY(std), 12BDZ or 12BEA ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWDJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVV NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION : Code 07BMD EXHAUST SYSTEM AVAIL: Code 13WLX TRANSMISSION OIL</p>			
	13GHW		
	13GMZ	\$6,464CR -148/-37	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR					
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem			
<p>TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Fuller</i></p> <p>- RTO(F)-16908LL - 10-Speed Manual, Overdrive, Double-Lo, Air Shift, Internal Lube Oil Pump REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 12BDY(std), 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVW NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER : Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION AVAIL: Code 13WLX TRANSMISSION OIL</p> <p>- RTO(F)-16909ALL - 11-Speed Manual, Overdrive, Double-Lo, Air Shift, Internal Lube Oil Pump REQS: Code 11MRT or 11MRU CLUTCH REQS: Code 12BDY(std), 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL - for HX615 SBA 6x4 -OR- ENGINE, DIESEL - for HX615 SBA 8x6 Tridem N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 13WAP TRANSMISSION LUBE PUMP : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WDT, 13WYU, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WUA AUTOMATIC NEUTRAL : Code 13WVW NEUTRAL AT STOP : Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WDM HYDRAULIC RETARDER</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>				13GHX	\$6,989CR - 129/-37	N/A
	13GNA	\$5,058CR - 124/-34	\$5,058CR - 132/-26			

HX615 SBA 6x4
 HX615 SBA 8x6 Tridem
 PL-284 REVISION NO. 105

SECTION 581

PRICES EFFECTIVE 01/01/2020

PAGE 581-105

SUBJECT TO CHANGE WITHOUT NOTICE



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Fuller</p> <p>- RTO(F)-16909ALL - N/A: Code 13WBL TRANSMISSION SHIFT CONTROL : Code 13WCU and 13WHL OIL COOLER, AUTO TRANSMISSION AVAIL: Code 13WLX TRANSMISSION OIL</p>	13GNA		
<p>TRANSMISSION, AUTOMATIC NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 4000 EVS - 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor REQS: Code 11001 CLUTCH REQS: Code 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 8x6 Tridem REQS: Code 13WDT, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 6x4 REQS: Code 13WUC, 13WUE, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 8x6 Tridem REQS: Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 6x4 REQS: Code 13WBL TRANSMISSION SHIFT CONTROL REQS: Code 13WCU or 13WHL OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWW, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 13WUE ALLISON SPARE INPUT/OUTPUT</p>	13AUR	\$ 13,830 +61/+47	\$ 13,830 +71/+37



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION, AUTOMATIC (CONTINUED)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Allison</i></p> <p>- 4000 EVS -</p> <p>5th Generation Controls, Close Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor REQS: Code 11001 CLUTCH REQS: Code 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 8x6 Tridem REQS: Code 13WDT, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 6x4 REQS: Code 13WUC, 13WUE, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 8x6 Tridem REQS: Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 6x4 REQS: Code 13WBL TRANSMISSION SHIFT CONTROL REQS: Code 13WCU or 13WHL OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 13WUE ALLISON SPARE INPUT/OUTPUT</p> <p>- 4000 RDS -</p> <p>5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway REQS: Code 11001 CLUTCH REQS: Code 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 8x6 Tridem REQS: Code 13WDT, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 6x4</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>			
	13AUN	\$13,830 +61/+47	\$13,830 +71/+37
	13ATR	\$12,598 +61/+47	\$12,598 +71/+37



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT			
NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 4000 RDS - N/A: Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WUE and 13WUY ALLISON SPARE INPUT/OUTPUT : Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 40TWC, 40TWD, 40TWE, 40TWG and 40TWH SRV CONTRACT, EXT ALLISON XMSN 5th Generation Controls, Close Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway REQS: Code 11001 CLUTCH REQS: Code 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 8x6 Tridem REQS: Code 13WDT, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 6x4 REQS: Code 13WUC, 13WUE, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 8x6 Tridem REQS: Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 6x4 REQS: Code 13WBL TRANSMISSION SHIFT CONTROL REQS: Code 13WCU or 13WHL OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WUE and 13WUY ALLISON SPARE INPUT/OUTPUT : Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 40TWC, 40TWD, 40TWE, 40TWG and 40TWH SRV CONTRACT, EXT ALLISON XMSN			
	13AUJ		
	13ATP	\$12,598 +61/+47	\$12,598 +71/+37



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
TRANSMISSION, AUTOMATIC (CONTINUED)			
NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
<i>Allison</i>			
- 4000 RDS -			
5th Generation Controls, Close Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, Refuse	13AUV	\$12,598 +61/+47	\$12,598 +71/+37
REQS: Code 11001 CLUTCH			
REQS: Code 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 8x6 Tridem			
REQS: Code 13WDT, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 6x4			
REQS: Code 13WUC, 13WUE, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 8x6 Tridem			
REQS: Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 6x4			
REQS: Code 13WBL TRANSMISSION SHIFT CONTROL			
REQS: Code 13WCU or 13WHL OIL COOLER, AUTO TRANSMISSION			
REQS: Code 13WLM TRANSMISSION OIL			
REQS: Code 12BDY(std), 12BDZ, 12BEA or 12BEB ENGINE, DIESEL			
N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN			
: Code 16HLD INDICATOR TRANS GEAR POSITION			
: Code 11WAK CLUTCH EFFECTS			
: Code 13WAP TRANSMISSION LUBE PUMP			
: Code 13WAS CLUTCH HOUSING			
: TRANSMISSION, MANUAL			
: Code 13901 THRU-SHAFT			
: Code 13WGP INPUT SHAFT			
: Code 13WUE and 13WUY ALLISON SPARE INPUT/OUTPUT			
: Code 13WGJ OIL COOLER MANUAL TRANSMISSION			
AVAIL: Code 40TWC, 40TWD, 40TWE, 40TWG and 40TWH SRV CONTRACT, EXT ALLISON XMSN			
- 4500 EVS -			
5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor	13AUS	\$16,218 +61/+47	\$16,218 +71/+37
REQS: Code 11001 CLUTCH			
REQS: Code 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 8x6 Tridem			
REQS: Code 13WDT, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 6x4			
REQS: Code 13WUC, 13WUE, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 8x6 Tridem			
(SEE NEXT PAGE)			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p><i>Allison</i></p> <p>- 4500 RDS -</p> <p>5th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, Refuse REQS: Code 11001 CLUTCH REQS: Code 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 8x6 Tridem REQS: Code 13WDT, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 6x4 REQS: Code 13WUC, 13WUE, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 8x6 Tridem REQS: Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 6x4 REQS: Code 13WBL TRANSMISSION SHIFT CONTROL REQS: Code 13WCU or 13WHL OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM TRANSMISSION OIL REQS: Code 12BDY(std), 12BDZ, 12BEA or 12BEB ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WUE and 13WUY ALLISON SPARE INPUT/OUTPUT : Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN</p> <p>5th Generation Controls, Wide Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway REQS: Code 11001 CLUTCH REQS: Code 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 8x6 Tridem REQS: Code 13WDT, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 6x4 REQS: Code 13WUC, 13WUE, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 8x6 Tridem</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>13AUX</p> <p>13AUT</p>	<p>\$ 15,288 +61/+47</p> <p>\$ 15,288 +61/+47</p>	<p>\$ 15,288 +71/+37</p> <p>\$ 15,288 +71/+37</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem

AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 4500 RDS - REQS: Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 6x4 REQS: Code 13WBL TRANSMISSION SHIFT CONTROL REQS: Code 13WCU or 13WHL OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM TRANSMISSION OIL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WUE and 13WUY ALLISON SPARE INPUT/OUTPUT : Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN</p> <p>5th Generation Controls, Wide Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, Refuse REQS: Code 11001 CLUTCH REQS: Code 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 8x6 Tridem REQS: Code 13WDT, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 6x4 REQS: Code 13WUC, 13WUE, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 8x6 Tridem REQS: Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 6x4 REQS: Code 13WBL TRANSMISSION SHIFT CONTROL REQS: Code 13WCU or 13WHL OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM TRANSMISSION OIL REQS: Code 12BDY(std), 12BDZ, 12BEA or 12BEB ENGINE, DIESEL N/A: Code 40SPV, 40SPW, 40SPX, 40SPY, 40SPZ, 40SRA, 40SRB, 40SRK, 40SRL and 40SRM SRV CONTRACT, EXT EATON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL</p> <p>(SEE NEXT PAGE)</p>	<p>13AUT</p> <p>13AUA</p>	<p>\$15,288 +61/+47</p>	<p>\$15,288 +71/+37</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 4500 RDS - N/A: Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WUE and 13WUY ALLISON SPARE INPUT/OUTPUT : Code 13WGJ OIL COOLER MANUAL TRANSMISSION AVAIL: Code 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN</p> <p>- 4700 OFS - 5th Generation Controls, 7-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with Two Speed Reverse REQS: Code 11001 CLUTCH REQS: Code 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 8x6 Tridem REQS: Code 13WDT, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 6x4 REQS: Code 13WUA AUTOMATIC NEUTRAL REQS: Code 13WUC, 13WUE, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 8x6 Tridem REQS: Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 6x4 REQS: Code 13WBL TRANSMISSION SHIFT CONTROL REQS: Code 13WCU or 13WHL OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM TRANSMISSION OIL N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WVW NEUTRAL AT STOP : Code 13WDM HYDRAULIC RETARDER : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : SATELLITE COMMUNICATION SYSTEM : Code 08TPL and 08TPU COLLISION MITIGATION SYSTEM AVAIL: Code 13WYU SHIFT CONTROL PARAMETERS : Code 13WUY ALLISON SPARE INPUT/OUTPUT</p>	<p>13AAU</p> <p>13AYB</p>	<p>\$38,525 +182/+96</p>	<p>\$38,525 +203/+75</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 4700 RDS - 5th Generation Controls, 7 Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway, with Two Speed Reverse</p> <p>REQS: Code 11001 CLUTCH REQS: Code 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 8x6 Tridem REQS: Code 13WDT, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS - for HX615 SBA 6x4 REQS: Code 13WUA AUTOMATIC NEUTRAL REQS: Code 13WUC, 13WUE, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 8x6 Tridem REQS: Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 6x4 REQS: Code 13WBL TRANSMISSION SHIFT CONTROL REQS: Code 13WCU or 13WHL OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM TRANSMISSION OIL N/A: Code 40TWC, 40TWD, 40TWE, 40TWG, 40TWH, 40TWJ, 40TWK, 40TWL, 40TWM and 40TWN SRV CONTRACT, EXT ALLISON XMSN : Code 16HLD INDICATOR TRANS GEAR POSITION : Code 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13WVW NEUTRAL AT STOP : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : SATELLITE COMMUNICATION SYSTEM : Code 08TPL and 08TPU COLLISION MITIGATION SYSTEM</p> <p>AVAIL: Code 13WYU SHIFT CONTROL PARAMETERS : Code 13WUS ALLISON SPARE INPUT/OUTPUT</p>	13AYC	\$22,677 +182/+96	\$22,677 +203/+75
<p>ALLISON SPARE INPUT/OUTPUT NOTE: For SPARE INPUT/OUTPUT PACKAGE CONTENT, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>for Oil Field Series (OFS) REQS: Code 13AYB TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL</p>	13WUY	\$129	\$129



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
ALLISON SPARE INPUT/OUTPUT (CONTINUED) NOTE: For SPARE INPUT/OUTPUT PACKAGE CONTENT, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book for Emergency Vehicle Series (EVS); Fire/Pumper, Tank, Aerial/Ladder REQS: Code 13AUN, 13AUP, 13AUR or 13AUS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WUA AUTOMATIC NEUTRAL for Rugged Duty Series (RDS); Front Loaders, Rear Loaders, Recycling/Packer Trucks REQS: Code 13ATP, 13ATR, 13AUT, 13AAU, 13AAV, 13AAW, 13AAUX or 13AAUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WUA AUTOMATIC NEUTRAL for Rugged Duty Series (RDS); General Purpose Trucks, Construction REQS: Code 13ATP, 13ATR, 13AUT, 13AAU, 13AAV, 13AAW, 13AAUX or 13AAUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WUA AUTOMATIC NEUTRAL for Rugged Duty Series (RDS); General Purpose Trucks Modified for Single Input Auto Neutral REQS: Code 13WUA AUTOMATIC NEUTRAL REQS: Code 13ATP, 13ATR, 13AUT, 13AAU, 13AAV, 13AAW, 13AAUX, 13AAUY or 13AYC TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL for Rugged Duty Series (RDS); Side Loaders REQS: Code 13ATP, 13ATR, 13AUT, 13AAU, 13AAV, 13AAW, 13AAUX or 13AAUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WUA AUTOMATIC NEUTRAL	13WUE 13WUJ 13WUC 13WUS 13WUK	N/C N/C N/C N/C N/C	N/C N/A N/C N/C N/A
AUTOMATIC NEUTRAL Allison WT Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged N/A: TRANSMISSION, MANUAL AVAIL: Code 13WUS and 13WUY ALLISON SPARE INPUT/OUTPUT	13WUA	\$129	\$129
CLUTCH HOUSING Aluminum; Available with 1350 to 2050 lb-ft Capacity Fuller Transmissions REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GMZ, 13GNA or 13GYK TRANSMISSION, MANUAL - for HX615 SBA 6x4	13WAS	\$57	\$57

(SEE NEXT PAGE)



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
CLUTCH HOUSING <i>(SEE PREV PAGE)</i> -OR- Code 13GHL, 13GHP, 13GHS, 13GKL, 13GKM, 13GNA or 13GYK TRANSMISSION, MANUAL - for HX615 SBA 8x6 Tridem N/A: TRANSMISSION, AUTOMATIC	13WAS		
HYDRAULIC RETARDER For Allison 4000 Series Transmission REQ: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AUX, 13AUY or 13AYC TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL AVAIL: Code 13WHL OIL COOLER, AUTO TRANSMISSION	13WDM	\$9,754 +56/+19	\$9,754 +60/+15
INPUT SHAFT Heavy Duty Roller Bearing; Spline Size 2.00" with 1.18" Pilot, Use with Eaton 13/18 Speed Manual Transmissions, with Transmission Mounted, 6 or 8 bolt PTO's with Up to the Total PTO Output of 500 lb. ft. REQ: Code 13GJS, 13GKJ, 13GKL, 13GKM or 13GYK TRANSMISSION, MANUAL - for HX615 SBA 6x4 -OR- Code 13GKL, 13GKM or 13GYK TRANSMISSION, MANUAL - for HX615 SBA 8x6 Tridem N/A: TRANSMISSION, AUTOMATIC	13WGP	\$35	\$35
NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released REQ: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AAV, 13AAW, 13AUX or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13XBE and 13XBG SHIFT CONTROL PARAMETERS	13WVV	\$725 0/0	\$725 0/0
OIL COOLER, AUTO TRANSMISSION Remote Mounted REQ: Code 13WDM HYDRAULIC RETARDER N/A: TRANSMISSION, MANUAL Modine Remote Mounted; Not for use with Retarder N/A: TRANSMISSION, MANUAL : Code 13WDM HYDRAULIC RETARDER	13WHL	\$1,697 +102/-18	\$1,697 +98/-14
	13WCU	\$1,371 +44/-8	\$1,371 +42/-6



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>OIL COOLER MANUAL TRANSMISSION</p> <p>NOTE: See ENGINE/TRANSMISSION COMPATIBILITY Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book for Recommended and Mandatory Applications</p> <p>Water to Oil Type Included in Radiator End Tank (REQUIRES TRANSMISSION LUBE PUMP)</p> <p>REQS: Code 13WAP TRANSMISSION LUBE PUMP, when in combination with Code 13GHL TRANSMISSION, MANUAL - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 13WAP TRANSMISSION LUBE PUMP, when in combination with Code 13GHJ, 13GHL, 13GHW or 13GMZ TRANSMISSION, MANUAL - for HX615 SBA 6x4</p> <p>REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GMZ, 13GNA, 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH or 13GYK TRANSMISSION, MANUAL - for HX615 SBA 6x4</p> <p>-OR- Code 13GHL, 13GHP, 13GHS, 13GKL, 13GKM, 13GNA, 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH or 13GYK TRANSMISSION, MANUAL - for HX615 SBA 8x6 Tridem</p> <p>N/A: TRANSMISSION, AUTOMATIC</p>	13WGJ	N/C +5/-1	N/C +5/-1
<p>PTO CONTROL, DASH MOUNTED</p> <p>For Customer Provided PTO; Includes Control Valve, Piping and Wiring, Wired for PTO</p> <p>For Customer Provided PTO, Includes Switch and Wiring, for Allison Transmission</p> <p>REQS: Code 13WUC, 13WUE, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 13WUC, 13WUE, 13WUJ, 13WUK, 13WUS or 13WUY ALLISON SPARE INPUT/OUTPUT - for HX615 SBA 6x4</p>	13WVD 13XAZ	\$60 \$83	\$60 \$83
<p>SHIFT CONTROL PARAMETERS</p> <p>Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with DynActive and Dynamic Shift Sensing (FuelSense 2.0 Basic)</p> <p>REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX or 13AUY TRANSMISSION, AUTOMATIC</p> <p>N/A: TRANSMISSION, MANUAL</p> <p>Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with DynActive, Dynamic Shift Sensing and Neutral at Stop-Premium, with Coast Mode (FuelSense 2.0 Plus)</p> <p>REQS: Code 13ATP, 13ATR, 13AUT, 13AAU, 13AUV, 13AUW, 13AUX or 13AUY TRANSMISSION, AUTOMATIC</p> <p>N/A: TRANSMISSION, MANUAL : Code 13WVV NEUTRAL AT STOP</p>	13XBD 13XBE	\$690 \$750	\$690 \$750



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>SHIFT CONTROL PARAMETERS (CONTINUED)</p> <p>Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with DynActive, with Dynamic Shift Sensing, Neutral at Stop-Premium, with Coast Mode and Acceleration Rate Management (FuelSense 2.0 Max) REQ: Code 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WVV NEUTRAL AT STOP</p> <p>Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming N/A: TRANSMISSION, MANUAL</p> <p>Allison</p> <p>3 Speed S1 Secondary Shift Schedule for 5 or 6 Speed Allison Gen4/Gen 5 3000 & 4000 Series Transmissions REQ: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL</p>	13XBG	\$815	\$815
	13WYU	N/C	N/C
	13WDT	\$48	N/A
<p>THRU-SHAFT</p> <p>PTO Provision, Left Side, with Fuller Transmission REQ: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GKZ, 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC</p>	13901	\$48	N/A
<p>TRANSMISSION LUBE PUMP</p> <p>for International, Fuller, Meritor or Spicer Transmissions; USE ONLY WHEN PUMP IS NOT INCLUDED STANDARD IN TRANSMISSION REQ: Code 13GHJ, 13GHL, 13GHW or 13GMZ TRANSMISSION, MANUAL - for HX615 SBA 6x4 -OR- Code 13GHL TRANSMISSION, MANUAL - for HX615 SBA 8x6 Tridem N/A: TRANSMISSION, AUTOMATIC</p>	13WAP	\$324	\$324
<p>TRANSMISSION OIL</p> <p>Synthetic; 63 thru 76 Pints N/A: TRANSMISSION, MANUAL</p>	13WLM	\$405	\$405



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>TRANSMISSION OIL (CONTINUED)</p> <p><i>EmGard</i></p> <p>- 40W - Synthetic; 1 thru 21.99 Pints REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GKZ, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL - for HX615 SBA 6x4</p> <p>-OR- Code 13GHL, 13GHP, 13GHS, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL - for HX615 SBA 8x6 Tridem</p> <p>N/A: TRANSMISSION, AUTOMATIC</p> <p>Synthetic; 22 thru 33.99 Pints REQS: Code 13GHJ, 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GJS, 13GKJ, 13GKL, 13GKM, 13GKZ, 13GMZ, 13GNA, 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH or 13GYK TRANSMISSION, MANUAL - for HX615 SBA 6x4</p> <p>-OR- Code 13GHL, 13GHP, 13GHS, 13GKL, 13GKM, 13GNA, 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH or 13GYK TRANSMISSION, MANUAL - for HX615 SBA 8x6 Tridem</p> <p>N/A: TRANSMISSION, AUTOMATIC</p>			
<p>TRANSMISSION SHIFT CONTROL</p> <p><i>Allison</i></p> <p>Push-Button Type; for Allison 3000 & 4000 Series Transmission N/A: TRANSMISSION, MANUAL</p>			
<p>AXLE, REAR, TANDEM</p> <p><i>Meritor</i></p> <p>- MT-40-14X-4DFR-P - Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, w/.433"(11mm) Wall Housing Thickness, R Wheel Ends RATIO: 2.64, 3.08, 3.25, 3.36, 3.42, 3.55, 3.70, 3.90, 4.11, 4.33, 4.63, 4.88, 5.29, 5.86, 6.14, 6.43, 6.83 or 7.17 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM</p> <p>-OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM</p> <p>-OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14896 DIFFERENTIAL, LOCKING : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p>			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>AXLE, REAR, TANDEM (CONTINUED)</p> <p><i>Meritor</i></p> <p>- MT-40-14X-5DCR-P - Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, w/.5"(12.7mm) Wall Housing Thickness, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 REQS: Code 04JCC(std) or 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14896 DIFFERENTIAL, LOCKING : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- MT-40-14X-5DER-P - Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .5"(12.7mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX or 14XAL SUSPENSION, REAR, AIR, TANDEM N/A: Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14896 DIFFERENTIAL, LOCKING : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- MT-40-14X-5DFR - Single Reduction, 40,000-lb Capacity, w/.5"(12.7mm) Wall Housing Thickness, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 REQS: Code 04JCC(std) or 04JNW BRAKES, REAR, AIR DISC</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>			
	14GVM	\$1,411 0/+76	N/A
	14GVK	\$697 0/+61	N/A
	14GVZ	\$602CR 0/+40	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem

AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>AXLE, REAR, TANDEM <i>(SEE PREV PAGE)</i></p> <p><i>Meritor</i></p> <p>- MT-40-14X-5DFR -</p> <p>-OR- Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM</p> <p>REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM</p> <p>-OR- Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX or 14XAL SUSPENSION, REAR, AIR, TANDEM</p> <p>N/A: Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14896 DIFFERENTIAL, LOCKING : Code 29PCD COATING, RIM, REAR WHEELS</p> <p>AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- RT-46-160 -</p> <p>Single Reduction, 46,000-lb Capacity, Driver Controlled Locking Differential in Rear-Rear Axle, 200 Wheel Ends</p> <p>RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17</p> <p>REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC</p> <p>-OR- Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM</p> <p>REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM</p> <p>-OR- SUSPENSION, REAR, AIR, TANDEM</p> <p>N/A: Code 28DTA WHEELS, REAR : Code 14WBN DIFF. SWITCH CONTROLS : Code 14896 DIFFERENTIAL, LOCKING</p> <p>AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>Single Reduction, 46,000-lb Capacity, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends</p> <p>RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17</p> <p>REQS: Code 04JCC(std) or 04JNW BRAKES, REAR, AIR DISC</p> <p>-OR- Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM</p> <p>REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM</p> <p>-OR- SUSPENSION, REAR, AIR, TANDEM</p> <p>N/A: Code 14896 DIFFERENTIAL, LOCKING</p> <p>AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p>	<p style="text-align: center;">14GVZ</p> <p style="text-align: center;">14GRP</p> <p style="text-align: center;">14HRM</p>	<p style="text-align: center;">\$4,623 0/+495</p> <p style="text-align: center;">\$5,615 0/+425</p>	<p style="text-align: center;">N/A</p> <p style="text-align: center;">N/A</p> <p style="text-align: center;">N/A</p>



**HX615 SBA 6x4 & HX615 SBA 8x6 Tridem
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
 NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>AXLE, REAR, TANDEM (CONTINUED)</p> <p><i>Meritor</i></p> <p>- RT-46-160 -</p> <p>Single Reduction, 46,000-lb Capacity, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS : Code 14896 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>- RT-46-160P -</p> <p>Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04JCC(std) or 04JNT BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS : Code 14896 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04JCC(std) BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS : Code 14896 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p>	<p>14GRD</p> <p>14GRR</p> <p>14GRS</p>	<p>\$3,994 0/+453</p> <p>\$4,305 0/+482</p> <p>\$4,896 0/+525</p>	<p>N/A</p> <p>N/A</p> <p>N/A</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>AXLE, REAR, TANDEM (CONTINUED)</p> <p><i>Meritor</i></p> <p>- RT-46-164P - Single Reduction, Standard Width, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 14896 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>Single Reduction, Wide Track, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends RATIO: 3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 04773 BRAKE SHOES, REAR : Code 29597 WHEEL SEALS, REAR : Code 14896 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p>Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, R Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04JCC(std) or 04JNT BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14896 DIFFERENTIAL, LOCKING : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY</p>			
	14HRE	\$6,525 0/+514	N/A
	14HRH	\$6,625 0/+655	N/A
	14HRW	\$4,334 0/+516	N/A



**HX615 SBA 6x4 & HX615 SBA 8x6 Tridem
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
AXLE, REAR, TANDEM (SEE PREV PAGE) Meritor - RT-52-185P - N/A: Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : SRV CONTRACT, EXT MAJOR COMP : Code 04773 BRAKE SHOES, REAR : Code 29334 BRAKE DRUMS, REAR : SUSPENSION, REAR, AIR, TANDEM : Code 29597 WHEEL SEALS, REAR : Code 28DEM, 28DMM, 28DMN, 28DTA, 28DTC, 28DTY, 28DUC, 28DUX, 28DVJ, 28DVK, 28DVR and 28DVS WHEELS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WMJ, 14WMK and 14WMZ AXLE, REAR, LUBE : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14896 DIFFERENTIAL, LOCKING : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 29PBS COATING IDENTITY, REAR WHEELS NOTE: Axle Lead Time is 60 Days - RT-58-185 - Single Reduction, 58,000-lb Capacity, with Lube Oil Pump, T Wheel Ends RATIO: 4.30, 4.56, 4.89, 5.38, 6.14, 6.83 or 7.17 REQS: Code 04AZA, 04AZJ(std) or 04AZS AIR BRAKE ABS REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE REQS: Code 04JNT BRAKES, REAR, AIR DISC -OR- Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14UHU or 14524 SUSPENSION, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 29334 BRAKE DRUMS, REAR : SUSPENSION, REAR, AIR, TANDEM : Code 28DEM, 28DMM, 28DMN, 28DTA, 28DTC, 28DTY, 28DUC, 28DUX, 28DVJ, 28DVK, 28DVR and 28DVS WHEELS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMZ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 29PBS COATING IDENTITY, REAR WHEELS NOTE: Axle Lead Time is 60 Days	14GUV		
	14GTT	\$ 17,163 0/+750	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MODEL/SUGGESTED LIST PRICE/WEIGHT	
		HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>AXLE, REAR, TANDEM (CONTINUED)</p> <p><i>Meritor</i></p> <p>- RT-58-185 -</p> <p>Single Reduction, 58,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Rear-Rear Axle, T Wheel Ends RATIO: 4.30, 4.56, 4.89, 5.38, 6.14, 6.83 or 7.17 REQS: Code 04AZA, 04AZJ(std) or 04AZS AIR BRAKE ABS REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE REQS: Code 04JNT BRAKES, REAR, AIR DISC -OR- Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14UHD, 14UHK, 14UHU, 14ULX(std), 14ULY, 14ULZ, 14UMC or 14524 SUSPENSION, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 29334 BRAKE DRUMS, REAR : SUSPENSION, REAR, AIR, TANDEM : Code 29597 WHEEL SEALS, REAR : Code 28DEM, 28DMM, 28DMN, 28DTA, 28DTC, 28DTY, 28DUC, 28DUX, 28DVJ, 28DVK, 28DVR and 28DVS WHEELS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14896 DIFFERENTIAL, LOCKING : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMZ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 29PBS COATING IDENTITY, REAR WHEELS NOTE: Axle Lead Time is 60 Days</p> <p>- RT-58-380 -</p> <p>Double Reduction, 74" Track, 58,000-lb Capacity, T Wheel Ends RATIO: 5.52, 6.07, 6.37, 6.75, 7.24, 7.83, 9.14, 10.12 or 10.62 REQS: Code 04AZA, 04AZJ(std) or 04AZS AIR BRAKE ABS REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE REQS: Code 04JNT BRAKES, REAR, AIR DISC -OR- Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14UJE, 14UMC or 14524 SUSPENSION, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 29334 BRAKE DRUMS, REAR : SUSPENSION, REAR, AIR, TANDEM</p> <p>(SEE NEXT PAGE)</p>	14GTU	\$17,477 0/+750	N/A
	14GRJ	\$17,008 0/+948	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem

AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
AXLE, REAR, TANDEM (SEE PREV PAGE) Meritor - RT-58-380 - N/A: Code 28DEM, 28DMM, 28DMN, 28DTA, 28DTC, 28DTY, 28DUC, 28DUX, 28DVJ, 28DVK, 28DVR and 28DVS WHEELS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14896 DIFFERENTIAL, LOCKING : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMZ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 29PBS COATING IDENTITY, REAR WHEELS NOTE: Axle Lead Time is 120 Days - RT-70-380 - Double Reduction, 73.75" Track, 70,000-lb Capacity, W Wheel Ends RATIO: 5.52,6.07,6.37,6.75,7.24,7.83,9.14,10.12 or 10.62 REQS: Code 04AZJ(std) or 04AZS AIR BRAKE ABS REQS: Code 01AMS CROSSMEMBER, FRAME TIE REQS: Code 04JNT BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14UHU, 14UJE or 14524 SUSPENSION, REAR, TANDEM -OR- Code 14UKZ, 14ULA, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 29334 BRAKE DRUMS, REAR : Code 28DEL, 28DEM, 28DMJ, 28DMK, 28DMM, 28DMN, 28DTC, 28DUC, 28DUX, 28DVJ, 28DVK, 28DVR and 28DVS WHEELS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14896 DIFFERENTIAL, LOCKING : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMZ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: Axle Lead Time is 120 Days			
	14GRJ		
	14GRM	\$34,062 0/+1365	N/A



**HX615 SBA 6x4 & HX615 SBA 8x6 Tridem
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>AXLE, REAR, TANDEM (CONTINUED)</p> <p><i>Dana Spicer</i></p> <p>- DT463P/RT463 - Two-Speed 46,000-lb Capacity, with Lube Oil Pump, 18" Ring Gear, 200 Wheel Ends RATIO: 3.70/5.04, 3.90/5.31, 4.11/5.60, 4.33/5.91, 4.56/6.20, 4.88/6.64, 5.43/7.39 or 6.17/8.40 REQS: Code 04JNT BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 14AJX SHIELD, TEMPERATURE SENSOR : Code 14UKZ SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 04092 BRAKE SYSTEM, AIR : Code 14WBN DIFF. SWITCH CONTROLS : Code 14896 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY</p> <p>- D46-172DHP - Single Reduction, 46,000-lb Capacity, 16mm Wall Housing Thickness, with Lube Oil Pump, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends RATIO: 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.78, 5.25, 5.38, 5.57 or 6.14 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS or 14UZU SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 40PPJ, 40PPK, 40PPR, 40PPW and 40PPX SRV CONTRACT, EXT VEH COVERAGE : Code 14AJX SHIELD, TEMPERATURE SENSOR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14896 DIFFERENTIAL, LOCKING : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY</p> <p>Single Reduction, 46,000-lb Capacity, 16mm Wall Housing Thickness, with Lube Oil Pump, Driver Controlled Locking Differential in Forward-Rear & Rear-Rear Axle, R Wheel Ends RATIO: 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.78, 5.25, 5.38, 5.57 or 6.14 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS or 14UZU SUSPENSION, REAR, TANDEM</p> <p align="right">(SEE NEXT PAGE)</p>	<p>14GGU</p> <p>14GKJ</p> <p>14GKK</p>	<p>\$12,193 0/+548</p> <p>\$6,222 0/+383</p> <p>\$6,486 0/+439</p>	<p>N/A</p> <p>N/A</p> <p>N/A</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>AXLE, REAR, TANDEM (SEE PREV PAGE)</p> <p><i>Dana Spicer</i></p> <p>- D46-172DHP - -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 40PPJ, 40PPK, 40PPR, 40PPW and 40PPX SRV CONTRACT, EXT VEH COVERAGE : Code 14AJX SHIELD, TEMPERATURE SENSOR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14896 DIFFERENTIAL, LOCKING : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY</p> <p>- D46-172DP - Single Reduction, 46,000-lb Capacity, with Lube Oil Pump, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, R Wheel Ends RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30, 4.56,4.78,5.25,5.38,5.57,6.14 or 6.83 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 40PPJ, 40PPK, 40PPR, 40PPW and 40PPX SRV CONTRACT, EXT VEH COVERAGE : Code 14AJX SHIELD, TEMPERATURE SENSOR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14896 DIFFERENTIAL, LOCKING : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY</p> <p>- D46-172HP - Single Reduction, 46,000-lb Capacity, 16mm Wall Housing Thickness, with Lube Oil Pump, R Wheel Ends RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30, 4.56,4.78,5.25,5.38,5.57 or 6.14 REQS: Code 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS or 14UZU SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 40PPJ, 40PPK, 40PPR, 40PPW and 40PPX SRV CONTRACT, EXT VEH COVERAGE : Code 14AJX SHIELD, TEMPERATURE SENSOR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14896 DIFFERENTIAL, LOCKING : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY</p>	<p>14GKK</p> <p>14GKP</p> <p>14GKE</p>	<p></p> <p>\$6,699 0/+439</p> <p>\$4,154 0/+327</p>	<p></p> <p>N/A</p> <p>N/A</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>AXLE, REAR, TANDEM (CONTINUED)</p> <p><i>Dana Spicer</i></p> <p>- D52-190D - Single-Reduction, 52,000-lb Capacity, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear, R Wheel Ends RATIO: 3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.78, 5.25,5.38,5.57,6.14,6.83 or 7.17 REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE REQS: Code 04JNT or 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NDB or 04NDL BRAKES, REAR, AIR CAM REQS: Code 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UPV or 14UPW SUSPENSION, REAR, AIR, TANDEM N/A: Code 14AJX SHIELD, TEMPERATURE SENSOR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION : Code 14896 DIFFERENTIAL, LOCKING : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY</p>	14GJW	\$14,488 0/+632	N/A
<p>AXLE, REAR, TRIDEM</p> <p><i>Meritor</i></p> <p>- RZ-166 EH - Single Reduction, Wide Track, 53,000-lb Capacity, Driver Controlled Locking Differential in All Three Axles, 200 Wheel Ends RATIO: 4.30,4.56,4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE NOTE: Axle Lead Time is 45 Days</p>	14HRG	N/A	STD
<p>SUSPENSION, REAR, AIR, TANDEM</p> <p><i>Hendrickson</i></p> <p>- HAS-402-55 - 40,000-lb Capacity, 55" Axle Spacing, 10.6" Ride Height, with Shock Absorbers REQS: Code 02ARY, 02ARZ, 02ASG(std), 02ASM or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 04JCC(std) or 04JNT BRAKES, REAR, AIR DISC REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DWP, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DZB, 15DZC, 15SGL, 15SHC, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWJ or 15SWK FUEL TANK</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	14XAL	\$260	N/A



**HX615 SBA 6x4 & HX615 SBA 8x6 Tridem
AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>SUSPENSION, REAR, AIR, TANDEM (CONTINUED)</p> <p><i>Hendrickson</i></p> <p>- HAS-402-55 -</p> <p>40,000-lb Capacity, 55" Axle Spacing, 9.5" Ride Height, with Shock Absorbers, Mounted Inboard</p> <p>REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>REQS: Code 15DWP, 15DWR, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DZB, 15DZC, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK</p> <p>N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 14AJX SHIELD, TEMPERATURE SENSOR : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 10KKZ FIFTH WHEEL, AIR SLIDE : Code 10HKG and 10HKH FIFTH WHEEL, STATIONARY</p> <p>AVAIL: Code 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP</p> <p>- HAS-402-60 -</p> <p>40,000-lb Capacity, 60" Axle Spacing, 9.5" Ride Height, with Shock Absorbers</p> <p>REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p>REQS: Code 15DWP, 15DWR, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DZB, 15DZC, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK</p> <p>N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04773 BRAKE SHOES, REAR : Code 14AJX SHIELD, TEMPERATURE SENSOR : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS</p> <p>(SEE NEXT PAGE)</p>	<p>14ULU</p> <p>14ULA</p>	<p>\$547</p> <p>0/+64</p> <p>\$273</p> <p>0/+64</p>	<p>N/A</p> <p>N/A</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
 NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE)			
<i>Hendrickson</i>			
- HAS-402-60 -			
N/A: Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY	14ULA		
: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE			
: Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE			
: Code 10JPG, 10KKU and 10KKZ FIFTH WHEEL, AIR SLIDE			
: Code 10HKE, 10HKG and 10HKH FIFTH WHEEL, STATIONARY			
AVAIL: Code 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP			
40,000-lb Capacity, 60" Axle Spacing, 9.5" Ride Height, with Shock Absorbers, Mounted Inboard	14ULV	\$622 0/+64	N/A
REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM			
REQS: Code 15DWP, 15DWR, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DZB, 15DZC, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK			
N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC			
: Code 14AJX SHIELD, TEMPERATURE SENSOR			
: SUSPENSION, REAR, TANDEM			
: Code 14WBS TRANSVERSE TORQUE RODS			
: Code 14803 BUSHINGS, EQUALIZER BEAM			
: Code 14WBU and 14WBV SHOCK ABSORBERS, REAR			
: Code 14WCL TORQUE RODS			
: Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY			
: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE			
: Code 10JPG, 10KKU and 10KKZ FIFTH WHEEL, AIR SLIDE			
: Code 10HKE, 10HKG and 10HKH FIFTH WHEEL, STATIONARY			
AVAIL: Code 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP			
- HAS-460-55 -			
46,000-lb Capacity, 55" Axle Spacing, 10.6" Ride Height, with Shock Absorbers	14XAM	\$913	N/A
REQS: Code 02ARY, 02ARZ, 02ASG(std) or 02AUR AXLE, FRONT NON-DRIVING			
REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVM, 14GVU(std), 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM			
(SEE NEXT PAGE)			



**HX615 SBA 6x4 & HX615 SBA 8x6 Tridem
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE) <i>Hendrickson</i> - HAS-460-55 - REQS: Code 15DWP, 15DWR, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DZB, 15DZC, 15SGL, 15SHC, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWJ or 15SWK FUEL TANK N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 04773 BRAKE SHOES, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04NDA, 04NDB, 04NDE, 04NDH, 04NDK, 04NDL and 04NDP BRAKES, REAR, AIR CAM : Code 04WDW BRAKE CHAMBERS, SPRING : Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 14AJX SHIELD, TEMPERATURE SENSOR : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 10HYX FIFTH WHEEL, AIR SLIDE : Code 10HKG and 10HKH FIFTH WHEEL, STATIONARY 46,000-lb Capacity, 55" Axle Spacing, 9.5" Ride Height, with Shock Absorbers REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVK, 14GVM, 14GVU(std), 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DWP, 15DWR, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DZB, 15DZC, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 14AJX SHIELD, TEMPERATURE SENSOR : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 10KKZ FIFTH WHEEL, AIR SLIDE : Code 10HKG and 10HKH FIFTH WHEEL, STATIONARY (SEE NEXT PAGE)	14XAM		
	14ULB	\$318 0/+82	N/A

HX615 SBA 6x4
 HX615 SBA 8x6 Tridem
 PL-284 REVISION NO. 105

SECTION 581
 PAGE 581-139

PRICES EFFECTIVE 01/01/2020
 SUBJECT TO CHANGE WITHOUT NOTICE
 All Taxes Extra, When Applicable



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE)</p> <p><i>Hendrickson</i></p> <p>- HAS-460-55 - AVAIL: Code 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP</p> <p>46,000-lb Capacity, 55" Axle Spacing, 9.5" Ride Height, with Shock Absorbers, Mounted Inboard REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVK, 14GVM, 14GVU(std), 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DWP, 15DWR, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DZB, 15DZC, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 14AJX SHIELD, TEMPERATURE SENSOR : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 10KKZ FIFTH WHEEL, AIR SLIDE : Code 10HKG and 10HKH FIFTH WHEEL, STATIONARY AVAIL: Code 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP</p> <p>- HAS-460-60 - 46,000-lb Capacity, 60" Axle Spacing, 9.5" Ride Height, with Shock Absorbers REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVK, 14GVM, 14GVU(std), 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DWP, 15DWR, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DZB, 15DZC, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 14AJX SHIELD, TEMPERATURE SENSOR : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14ULB</p> <p>14ULT</p> <p>14ULC</p>	<p></p> <p>\$668</p> <p>0/+82</p> <p>\$396</p> <p>0/+82</p>	<p></p> <p>N/A</p> <p>N/A</p>



**HX615 SBA 6x4 & HX615 SBA 8x6 Tridem
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>SUSPENSION, REAR, AIR, TANDEM (CONTINUED)</p> <p><i>Hendrickson</i></p> <p>- PRIMAAX EX -</p> <p>46,000-lb Capacity, 72" Axle Spacing, 9.0" Ride Height, with Shock Absorbers REQS: Code 04JCC(std) or 04JNT BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH or 04NDK BRAKES, REAR, AIR CAM REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : Code 01CAG FRAME RAILS : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 10JPG FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG and 10HKH FIFTH WHEEL, STATIONARY AVAIL: Code 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP</p>			
	14UNW	\$2,776 0/+223	N/A
<p>52,000-lb Capacity, 55" Axle Spacing, 10.0" Ride Height, with Shock Absorbers REQS: Code 04JNT or 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH or 04NDK BRAKES, REAR, AIR CAM REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DWP, 15DWR, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DZB, 15DZC, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 04WDW BRAKE CHAMBERS, SPRING : Code 01CAG FRAME RAILS : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 10JPG FIFTH WHEEL, AIR SLIDE</p>			
	14UPX	\$5,268 0/+437	N/A
(SEE NEXT PAGE)			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE)</p> <p><i>Hendrickson</i></p> <p>- PRIMAAX EX - N/A: Code 10EYC, 10EYD, 10HKE, 10HKG and 10HKH FIFTH WHEEL, STATIONARY AVAIL: Code 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP</p> <p>52,000-lb Capacity, 55" Axle Spacing, 9.0" Ride Height, with Shock Absorbers REQS: Code 04JNT or 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH or 04NDK BRAKES, REAR, AIR CAM REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DWP, 15DWR, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DZB, 15DZC, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 04WDW BRAKE CHAMBERS, SPRING : Code 01CAG FRAME RAILS : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 10EYC, 10EYD, 10HKE, 10HKG and 10HKH FIFTH WHEEL, STATIONARY AVAIL: Code 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP</p> <p>52,000-lb Capacity, 60" Axle Spacing, 10.0" Ride Height, with Shock Absorbers REQS: Code 04JNT or 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH or 04NDK BRAKES, REAR, AIR CAM REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DWP, 15DWR, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DZB, 15DZC, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 04AZS and 04AZY AIR BRAKE ABS : Code 04WDW BRAKE CHAMBERS, SPRING : Code 01CAG FRAME RAILS : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS (SEE NEXT PAGE)</p>	<p>14UPX</p> <p>14UPV</p> <p>14UPU</p>	<p>\$5,652 0/+437</p> <p>\$5,268 0/+437</p>	<p>N/A</p> <p>N/A</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE) Hendrickson - PRIMAAX EX - N/A: Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG and 10HKH FIFTH WHEEL, STATIONARY AVAIL: Code 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP 52,000-lb Capacity, 60" Axle Spacing, 9.0" Ride Height, with Shock Absorbers REQS: Code 04JNT or 04JNW BRAKES, REAR, AIR DISC -OR- Code 04NDB, 04NDH or 04NDK BRAKES, REAR, AIR CAM REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DWP, 15DWR, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DZB, 15DZC, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 04WDW BRAKE CHAMBERS, SPRING : Code 01CAG FRAME RAILS : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WCL TORQUE RODS : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 10KKZ FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG and 10HKH FIFTH WHEEL, STATIONARY AVAIL: Code 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP	14UPU 14UPW	 \$5,652 0/+437	 N/A
SUSPENSION, REAR, AIR, TRIDEM Hendrickson - PAX-690-55 - 69,000-lb Capacity, 55" Axle Spacing, 9.5" Ride Height, with Shock Absorbers Mounted in Standard Location	14UPC	N/A	STD



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SUSPENSION, REAR, TANDEM			
<i>Hendrickson</i>			
- HMX-400-54 -			
Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings	14ULX	STD	N/A
REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTU, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 16HLB GAUGE, AIR PRESSURE : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE : Code 10GWY, 10GWZ and 10HCA FIFTH WHEEL, STATIONARY AVAIL: Code 40SPJ and 40SPK SRV CONTRACT, EXT HEND SUSP : Code 14WBV SHOCK ABSORBERS, REAR			
- HMX-460-54 -			
Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings	14ULY	\$632 0/+23	N/A
REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTU, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 16HLB GAUGE, AIR PRESSURE : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE : Code 10GWY, 10GWZ and 10HCA FIFTH WHEEL, STATIONARY AVAIL: Code 40SPJ and 40SPK SRV CONTRACT, EXT HEND SUSP : Code 14WBV SHOCK ABSORBERS, REAR			
- HMX-460-60 -			
Walking Beam, 46,000-lb Capacity, 60" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings	14ULZ	\$819 0/+31	N/A
REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTU, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 16HLB GAUGE, AIR PRESSURE : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM (SEE NEXT PAGE)			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>SUSPENSION, REAR, TANDEM (SEE PREV PAGE)</p> <p><i>Hendrickson</i></p> <p>- HMX-460-60 - N/A: Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE : Code 10GWY, 10GWZ and 10HCA FIFTH WHEEL, STATIONARY AVAIL: Code 40SPJ and 40SPK SRV CONTRACT, EXT HEND SUSP : Code 14WBV SHOCK ABSORBERS, REAR</p> <p>- HMX-460-72.5 - Walking Beam, 46,000-lb Capacity, 72.5" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings REQS: Code 04AZA or 04AZJ(std) AIR BRAKE ABS REQS: Code 04619 TRAILER CONNECTIONS REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 04JCC(std) or 04JNW BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRJ, 14GRP, 14GRR, 14GRS, 14GTU, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 16HLB GAUGE, AIR PRESSURE : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNN AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE : Code 10GWY, 10GWZ and 10HCA FIFTH WHEEL, STATIONARY : Code 10WDA FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 40SPJ and 40SPK SRV CONTRACT, EXT HEND SUSP : Code 14WBV SHOCK ABSORBERS, REAR</p> <p>- R-700 - Walking Beam, 80,000-lb Capacity, 60" Axle Spacing, Solid Mount REQS: Code 01CGC(std) FRAME RAILS REQS: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 01CGC FRAME RAILS REQS: Code 14GRJ or 14GRM AXLE, REAR, TANDEM REQS: Code 15DWP, 15DWR, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SSP, 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14ULZ</p> <p>14UMC</p> <p>14UJE</p>	<p></p> <p style="text-align: center;">\$1,907 0/+77</p> <p style="text-align: center;">\$23,397 0/+746</p>	<p></p> <p style="text-align: center;">N/A</p> <p style="text-align: center;">N/A</p>



**HX615 SBA 6x4 & HX615 SBA 8x6 Tridem
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Hendrickson - R-700 - N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16HLB GAUGE, AIR PRESSURE : Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04AZA, 04AZJ(std), 04AZS, 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 10JPG, 10KKM, 10KKN, 10KKP, 10KKR, 10KKS, 10KKT, 10KKU, 10KKV and 10KKZ FIFTH WHEEL, AIR SLIDE AVAIL: Code 01GDS FRAME REINFORCEMENT : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10JAX, 10JAY and 10JAZ FIFTH WHEEL, STATIONARY - RS-650 - Walking Beam, 65,000-lb Capacity, 56" Axle Spacing, Rubber Load Cushions REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 01GDS FRAME REINFORCEMENT, when in combination with Code 01CGC FRAME RAILS REQS: Code 14GRM, 14GTT or 14GTU AXLE, REAR, TANDEM N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16HLB GAUGE, AIR PRESSURE : Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04WDW BRAKE CHAMBERS, SPRING : Code 01652 CROSSMEMBER, REAR : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE AVAIL: Code 01GDS FRAME REINFORCEMENT	14UJE		
	14UHU	\$9,097 0/+734	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>SUSPENSION, REAR, TANDEM (CONTINUED)</p> <p><i>Hendrickson</i></p> <p>- RT-403 - Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Multileaf Springs, with Rubber Center Bushings REQS: Code 04JCC(std) or 04JNW BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, AIR CAM REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GTU, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 16HLB GAUGE, AIR PRESSURE : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE AVAIL: Code 40SPL and 40SPM SRV CONTRACT, EXT HEND SUSP</p> <p>- RT-463 - Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Multileaf Springs, with Bronze Center Bushings REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTU, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 16HLB GAUGE, AIR PRESSURE : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE AVAIL: Code 40SPL and 40SPM SRV CONTRACT, EXT HEND SUSP</p> <p>Walking Beam, 46,000-lb Capacity, 60" Axle Spacing, Multileaf Springs, with Transverse Torque Rods, Rubber Center Bushings REQS: Code 14GRD, 14GRP, 14GRR, 14GRS, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL or 14HRW AXLE, REAR, TANDEM N/A: Code 16HLB GAUGE, AIR PRESSURE : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WNL AXLE, PUSHER, LIFT TYPE</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>14UHD</p> <p>14UHK</p> <p>14UHL</p>	<p>\$621CR 0/+344</p> <p>\$391CR 0/+445</p> <p>\$506 0/+445</p>	<p>N/A</p> <p>N/A</p> <p>N/A</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>SUSPENSION, REAR, TANDEM <i>(SEE PREV PAGE)</i></p> <p><i>Hendrickson</i></p> <p>- RT-463 - N/A: Code 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE AVAIL: Code 40SPL and 40SPM SRV CONTRACT, EXT HEND SUSP</p> <p>- RT-523 - Walking Beam, 52,000-lb Capacity, 54" Axle Spacing, Multileaf Springs, with Bronze Center Bushings REQS: Code 14GJW, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14HRA, 14HRC, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 16HLB GAUGE, AIR PRESSURE : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE AVAIL: Code 40SPL, 40SPM, 40SRN and 40SRR SRV CONTRACT, EXT HEND SUSP</p> <p>- RT-650 - Walking Beam, 65,000-lb Capacity, 56" Axle Spacing, Multileaf Springs, with Rubber Center Bushings REQS: Code 01CGC(std) FRAME RAILS REQS: Code 01GDS FRAME REINFORCEMENT, when in combination with Code 01CGC FRAME RAILS REQS: Code 14GRJ, 14GRM, 14GTT or 14GTU AXLE, REAR, TANDEM N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16HLB GAUGE, AIR PRESSURE : Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC : Code 04WDW BRAKE CHAMBERS, SPRING : Code 14WBS TRANSVERSE TORQUE RODS : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNL, 14WNH, 14WNJ, 14WNL and 14WNN AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE : Code 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE AVAIL: Code 01GDS FRAME REINFORCEMENT</p>	<p>14UHL</p> <p>14698</p> <p>14524</p>	<p></p> <p>\$1,854 0/+257</p> <p>\$7,418 0/+546</p>	<p></p> <p>N/A</p> <p>N/A</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem
AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SUSPENSION, REAR, TANDEM (CONTINUED)			
Chalmers			
- 854-40L -			
Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with (8) Torque Rods, Restrictor Cans	14UZS	\$2,731 0/+30	N/A
REQS: Code 14WBU SHOCK ABSORBERS, REAR, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY or 14GVZ AXLE, REAR, TANDEM N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16HLB GAUGE, AIR PRESSURE : Code 04AZS and 04AZY AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE AVAIL: Code 14WBU SHOCK ABSORBERS, REAR			
- 854-46H -			
Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with (8) Torque Rods, Restrictor Cans	14UZU	\$3,317 0/+139	N/A
REQS: Code 14WBU SHOCK ABSORBERS, REAR, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16HLB GAUGE, AIR PRESSURE : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE AVAIL: Code 14WBU SHOCK ABSORBERS, REAR			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SUSPENSION, REAR, TANDEM (CONTINUED)			
Chalmers			
- 854-46H-HS -			
Walking Beam, 46,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with (8) Torque Rods, High Stability Restrictor Cans	14UZB	\$3,317 0/+181	N/A
REQS: Code 14WBU SHOCK ABSORBERS, REAR, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 14GGU, 14GKE, 14GKJ, 14GKK, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16HLB GAUGE, AIR PRESSURE : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE AVAIL: Code 14WBU SHOCK ABSORBERS, REAR			
- 854-52H-HS -			
Walking Beam, 52,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with (8) Torque Rods, High Stability Restrictor Cans	14UZX	\$5,611 0/+389	N/A
REQS: Code 14WBU SHOCK ABSORBERS, REAR, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 14GJW, 14GTW or 14HRC AXLE, REAR, TANDEM N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16HLB GAUGE, AIR PRESSURE : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE AVAIL: Code 14WBU SHOCK ABSORBERS, REAR			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>SUSPENSION, REAR, TANDEM (CONTINUED)</p> <p>Chalmers</p> <p>- 860-46H - Walking Beam, 46,000-lb Capacity, 60" Axle Spacing, Rubber Springs, with (8) Torque Rods, Restrictor Cans REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 14WBU SHOCK ABSORBERS, REAR, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 14GGU, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16HLB GAUGE, AIR PRESSURE : Code 04AZS and 04AZY AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE AVAIL: Code 14WBU SHOCK ABSORBERS, REAR</p> <p>- 860-46H-HS - Walking Beam, 46,000-lb Capacity, 60" Axle Spacing, Rubber Springs, with (8) Torque Rods, High Stability Restrictor Cans REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 14WBU SHOCK ABSORBERS, REAR, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 14GGU, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16HLB GAUGE, AIR PRESSURE : Code 04AZS and 04AZY AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WNL AXLE, PUSHER, LIFT TYPE</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>14UZV</p> <p>14UZT</p>	<p>\$3,505 0/+190</p> <p>\$3,505 0/+190</p>	<p>N/A</p> <p>N/A</p>

HX615 SBA 6x4
HX615 SBA 8x6 Tridem
PL-284 REVISION NO. 105

SECTION 581
PAGE 581-153

PRICES EFFECTIVE 01/01/2020
SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem	ITEM DESCRIPTION
SUSPENSION, REAR, TANDEM (SEE PREV PAGE)			
<i>Chalmers</i>			
- 860-46H-HS -			
14UZT			N/A: Code 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE AVAIL: Code 14WBU SHOCK ABSORBERS, REAR
- 872-46H-HS -			
14UZW	\$4,261 0/+260	N/A	Walking Beam, 46,000-lb Capacity, 72" Axle Spacing, Rubber Springs, with (8) Torque Rods, High Stability Restrictor Cans REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 14WBU SHOCK ABSORBERS, REAR, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 14GGU, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 40SPJ, 40SPK, 40SPL, 40SPM, 40SRN, 40SRR, 40SRT and 40SRU SRV CONTRACT, EXT HEND SUSP : Code 16HLB GAUGE, AIR PRESSURE : Code 04AZS and 04AZY AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : SUSPENSION, REAR, AIR, TANDEM : Code 14WCL TORQUE RODS : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 10JPG and 10KKZ FIFTH WHEEL, AIR SLIDE AVAIL: Code 14WBU SHOCK ABSORBERS, REAR
AXLE, PUSHER, LIFT TYPE			
NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY , See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
<i>Watson & Chalin</i>			
- AL-2200 -			
14WLM	\$11,378 +450/+877	N/A	20,000-lb Capacity, One Non-Steer Axle REQS: Code 04JBS BRAKES, AIR CAM, PUSHER AXLE REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 34ABP, 34ABU, 34ABZ, 34ACA, 34ACB, 34ACD, 34ACG, 34ACK, 34ACR or 34ACS WHEELS, LIFT AXLE PUSHER REQS: Code 14UAB, 14UAC or 14UAD AXLE SPACING, FIRST PUSHER REQS: Code 14RAA, 14RAB, 14RAD or 14RAR AXLE, LIFT, CONTROLS
(SEE NEXT PAGE)			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL1190SSR Tru-Trk Alumilite - REQS: Code 14ULX or 14ULY SUSPENSION, REAR, TANDEM, when in combination with Code 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL - for HX615 SBA 6x4</p> <p>REQS: Code 34ABH, 34ABJ, 34ABT, 34ABV, 34ACC, 34ACE, 34ACH or 34ACT WHEELS, LIFT AXLE PUSHER</p> <p>REQS: Code 14UAA or 14UBJ AXLE SPACING, FIRST PUSHER, when in combination with Code 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL - for HX615 SBA 6x4</p> <p>REQS: Code 14UAA, 14UAB, 14UAC, 14UAD or 14UBJ AXLE SPACING, FIRST PUSHER</p> <p>REQS: Code 14UAJ or 14UAL AXLE SPACING, SECOND PUSHER, when in combination with Code 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL - for HX615 SBA 6x4</p> <p>REQS: Code 14UAJ, 14UAK or 14UAL AXLE SPACING, SECOND PUSHER, when in combination with Code 14UAA, 14UAB, 14UAC or 14UAD AXLE SPACING, FIRST PUSHER</p> <p>REQS: Code 14RAD, 14RAV or 14RAW AXLE, LIFT, CONTROLS</p> <p>REQS: Code 07BLJ(std) or 07BMD EXHAUST SYSTEM, when in combination with Code 16031 CAB and Code 15DXE or 15DXG FUEL TANK</p> <p>REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING</p> <p>REQS: Code 04091(std) BRAKE SYSTEM, AIR</p> <p>REQS: Code 08VUK(std), 08VUZ or 08WJN BATTERY BOX</p> <p>REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZX or 14698 SUSPENSION, REAR, TANDEM</p> <p>-OR- Code 14UKZ, 14ULB, 14ULT, 14ULU, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM</p> <p>REQS: Code 14XAB, 14XAC or 14XAD PUSHER LIFT AXLE TIRE SLR</p> <p>REQS: Code 15DWU, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK</p> <p>N/A: Code 09505 QUARTER FENDERS</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	<p>14W NJ</p>		



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL1190SSR Tru-Trk Alumilite - REQ: Code 04EVP or 04EXR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02AEU AXLE, FRONT NON-DRIVING and Code 02AEV AXLE, FRONT NON-DRIVING and Code 02AEW AXLE, FRONT NON-DRIVING and Code 02AGT AXLE, FRONT NON-DRIVING and Code 02ARU AXLE, FRONT NON-DRIVING and Code 02ARY AXLE, FRONT NON-DRIVING and Code 02ARZ AXLE, FRONT NON-DRIVING and Code 02ATB AXLE, FRONT NON-DRIVING and Code 02AUR AXLE, FRONT NON-DRIVING and Code 02AYJ AXLE, FRONT NON-DRIVING and Code 02AYK AXLE, FRONT NON-DRIVING and Code 02AYL AXLE, FRONT NON-DRIVING and Code 34AAM WHEELS, LIFT AXLE PUSHER and Code 14ULB WHEELS, LIFT AXLE PUSHER and Code 34AAP WHEELS, LIFT AXLE PUSHER and Code 14ULC WHEELS, LIFT AXLE PUSHER and Code 34ABH WHEELS, LIFT AXLE PUSHER and Code 14ULS WHEELS, LIFT AXLE PUSHER and Code 34ABJ WHEELS, LIFT AXLE PUSHER and Code 14ULT WHEELS, LIFT AXLE PUSHER and Code 34ABP WHEELS, LIFT AXLE PUSHER and Code 14UNW WHEELS, LIFT AXLE PUSHER and Code 34ABS WHEELS, LIFT AXLE PUSHER and Code 14UNX WHEELS, LIFT AXLE PUSHER and Code 34ABT WHEELS, LIFT AXLE PUSHER and Code 14UNY WHEELS, LIFT AXLE PUSHER and Code 34ABU WHEELS, LIFT AXLE PUSHER and Code 14UPU WHEELS, LIFT AXLE PUSHER and Code 34ABV WHEELS, LIFT AXLE PUSHER and Code 14UPV WHEELS, LIFT AXLE PUSHER and Code 34ABZ WHEELS, LIFT AXLE PUSHER and Code 14UPW WHEELS, LIFT AXLE PUSHER and Code 34ACA WHEELS, LIFT AXLE PUSHER and Code 14UPX WHEELS, LIFT AXLE PUSHER and Code 34ACB WHEELS, LIFT AXLE PUSHER and Code 14XAM WHEELS, LIFT AXLE PUSHER and Code 34ACC or 34AAM WHEELS, LIFT AXLE PUSHER and Code 34ACD or 34AAP WHEELS, LIFT AXLE PUSHER and Code 34ACE or 34ABH WHEELS, LIFT AXLE PUSHER and Code 34ACG or 34ABJ WHEELS, LIFT AXLE PUSHER and Code 34ACH or 34ABP WHEELS, LIFT AXLE PUSHER and Code 34ACJ or 34ABS WHEELS, LIFT AXLE PUSHER and Code 34ACK or 34ABT WHEELS, LIFT AXLE PUSHER and Code 34ACM or 34ABU WHEELS, LIFT AXL</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	14WNH		



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL1190SSR Tru-Trk Alumilite -</p> <p>REQS: Code 04EVP or 04EXR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02AGT or 02ATB AXLE, FRONT NON-DRIVING and Code 14UKZ, 14ULA, 14ULU, 14ULV or 14XAL SUSPENSION, REAR, AIR, TANDEM and Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABP, 34ABS, 34ABT, 34ABU, 34ABV, 34ABZ, 34ACA, 34ACB, 34ACC, 34ACD, 34ACE, 34ACG, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER</p> <p>REQS: Code 04EVP or 04EXR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02AGT or 02ATB AXLE, FRONT NON-DRIVING and Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABP, 34ABS, 34ABT, 34ABU, 34ABV, 34ABZ, 34ACA, 34ACB, 34ACC, 34ACD, 34ACE, 34ACG, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER and Code 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY or 14GVZ AXLE, REAR, TANDEM</p> <p>REQS: Code 04EVP or 04EXR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING and Code 14UHK, 14UHL, 14UHU, 14UJE, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM and Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABP, 34ABS, 34ABT, 34ABU, 34ABV, 34ABZ, 34ACA, 34ACB, 34ACC, 34ACD, 34ACE, 34ACG, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER</p> <p>REQS: Code 04EVP or 04EXR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING and Code 14ULB, 14ULC, 14ULS, 14ULT, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX or 14XAM SUSPENSION, REAR, AIR, TANDEM and Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABP, 34ABS, 34ABT, 34ABU, 34ABV, 34ABZ, 34ACA, 34ACB, 34ACC, 34ACD, 34ACE, 34ACG, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER</p> <p>REQS: Code 04EVP or 04EXR BRAKE CHAMBERS, REAR AXLE, when in combination with Code 34AAM, 34AAP, 34ABH, 34ABJ, 34ABP, 34ABS, 34ABT, 34ABU, 34ABV, 34ABZ, 34ACA, 34ACB, 34ACC, 34ACD, 34ACE, 34ACG, 34ACH, 34ACJ, 34ACK, 34ACM, 34ACN, 34ACR, 34ACS or 34ACT WHEELS, LIFT AXLE PUSHER and Code 14GJW, 14GRJ, 14GRM, 14GTS, 14GTT, 14GTU, 14GTW or 14GUV AXLE, REAR, TANDEM</p> <p>REQS: Code 04JBR BRAKES, AIR CAM, PUSHER AXLE (SEE NEXT PAGE)</p>	<p>14WNH</p>		



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL1190SSR Tru-Trk Alumilite - REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE REQS: Code 14UHD, 14UHK, 14ULX(std), 14ULY, 14UZB, 14UZS, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM, when in combination with Code 01CBU FRAME RAILS REQS: Code 34AAM, 34AAP, 34ABS, 34ABU, 34ACB, 34ACD, 34ACJ, 34ACM or 34ACN WHEELS, LIFT AXLE PUSHER REQS: Code 14UAA AXLE SPACING, FIRST PUSHER, when in combination with Code 01CBU FRAME RAILS REQS: Code 14UAA, 14UAB, 14UAC or 14UAD AXLE SPACING, FIRST PUSHER REQS: Code 14RAA, 14RAB, 14RAD, 14RAR or 14RAV AXLE, LIFT, CONTROLS REQS: Code 07BLJ(std) or 07BMD EXHAUST SYSTEM, when in combination with Code 16031 CAB and Code 15DXE or 15DXG FUEL TANK REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 08VUK(std), 08VUZ or 08WJN BATTERY BOX REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UKZ, 14ULB, 14ULT, 14ULU, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX, 14XAL or 14XAM SUSPENSION, REAR, AIR, TANDEM REQS: Code 14XAB, 14XAC or 14XAD PUSHER LIFT AXLE TIRE SLR REQS: Code 15DWU, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 09505 QUARTER FENDERS : Code 04JNK SLACK ADJUSTER, TAG AXLE : Code 01CAG FRAME RAILS : Code 01CBU FRAME RAILS, when in combination with Code 13GWP, 13GWR, 13GWW, 13GWX, 13GWZ, 13GXA, 13GXD, 13GXH, 13GYD or 13GYH TRANSMISSION, MANUAL : Code 01UCG CROSSMEMBER, INTERMEDIATE LOC : Code 14UAJ, 14UAK and 14UAL AXLE SPACING, SECOND PUSHER : Code 14UAM AXLE SPACING, THIRD PUSHER : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID : Code 07BKN EXHAUST SYSTEM AVAIL: Code 04JNJ SLACK ADJUSTER, PUSHER AXLE : Code 04692 and 04808 HOSE TENDER</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>	14WNH		



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE)</p> <p>NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY , See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL1190SSR Tru-Trk Alumilite - AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE</p>	14WNH		
<p>AXLE, PUSHER, LIFT TYPE, ID</p> <p>Customer Installed Pusher Type Axle; Nothing Installed at Manufacturing Plant</p> <p>REQS: Code 14RAU AXLE, LIFT, CONTROLS - for HX615 SBA 6x4</p> <p>N/A: Code 01CAG FRAME RAILS : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE - for HX615 SBA 6x4 : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE - for HX615 SBA 6x4</p>	14WLT	N/C	N/C
<p>AXLE SPACING, FIRST PUSHER</p> <p>100" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE AVAIL: Code 14WNM AXLE, PUSHER, LIFT TYPE</p> <p>45" Ahead of Drive Axle N/A: Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE</p> <p>48" Ahead of Drive Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE</p> <p>49" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WNL AXLE, PUSHER, LIFT TYPE</p> <p>54" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WNL AXLE, PUSHER, LIFT TYPE</p> <p>55" Ahead of Drive Axle N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WNL AXLE, PUSHER, LIFT TYPE</p>	14UAH	N/C	N/A
	14UAA	N/C	N/A
	14UBJ	N/C	N/A
	14UAB	N/C	N/A
	14UAC	N/C	N/A
	14UAD	N/C	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
AXLE SPACING, SECOND PUSHER 42" Ahead of First Pusher Axle AVAIL: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE 46" Ahead of First Pusher Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE 48" Ahead of First Pusher Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	14UAJ 14UAK 14UAL	N/C N/C N/C 0/0	N/A N/A N/A
AXLE SPACING, THIRD PUSHER 42" Ahead of Second Pusher Axle AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE	14UAM	N/C	N/A
AXLE, TAG, LIFT TYPE NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Watson & Chalin - AL-2200 - 20,000-lb Capacity, One Non-Steer Axle REQS: Code 04JBT BRAKES, AIR CAM, TAG AXLE REQS: Code 04AZA or 04AZJ(std) AIR BRAKE ABS REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE REQS: Code 14UBA or 14UBB AXLE SPACING, TAG REQS: Code 14RAA, 14RAB or 14RAR AXLE, LIFT, CONTROLS or Code 14WLM, 14WNH, 14WNJ, 14WNL or 14WNM AXLE, PUSHER, LIFT TYPE REQS: Code 14RAA, 14RAB, 14RAD, 14RAR or 14RAW AXLE, LIFT, CONTROLS REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14ULX(std), 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM N/A: Code 04JNJ and 04JNL SLACK ADJUSTER, PUSHER AXLE : Code 01CAG FRAME RAILS : Code 01UCG CROSSMEMBER, INTERMEDIATE LOC : WHEELS, LIFT AXLE PUSHER : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID	14WLR	\$11,378 -504/+1831	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>AXLE, TAG, LIFT TYPE (CONTINUED) NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Watson & Chalin</p> <p>- SL1190SSR Tru-Trk Alumilite - 13,500-lb Capacity, One Self-Steer Axle REQS: Code 04JBW BRAKES, AIR CAM, TAG AXLE REQS: Code 04AZA or 04AZJ(std) AIR BRAKE ABS REQS: Code 01AMR or 01AMS CROSSMEMBER, FRAME TIE REQS: Code 14RAA, 14RAB or 14RAR AXLE, LIFT, CONTROLS or Code 14WLM, 14WNH, 14WNJ, 14WNL or 14WNM AXLE, PUSHER, LIFT TYPE REQS: Code 14RAA, 14RAB, 14RAD, 14RAR, 14RAV or 14RAW AXLE, LIFT, CONTROLS REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14ULX(std), 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM N/A: Code 04JNJ and 04JNL SLACK ADJUSTER, PUSHER AXLE : Code 01CAG FRAME RAILS : Code 01UCG CROSSMEMBER, INTERMEDIATE LOC : WHEELS, LIFT AXLE PUSHER : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE</p>	14WNK	\$11,540 -311/+1130	N/A
<p>AXLE SPACING, TAG</p> <p>55" Behind Rear Drive Axle N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE</p> <p>61" Behind Rear Drive Axle N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE</p> <p>67" Behind Rear Drive Axle N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE</p>	14UAZ	N/C 0/0	N/A
<p>14UBA</p>	N/C 0/0	N/A	
<p>14UBB</p>	N/C	N/A	
<p>AXLE, LIFT, CONTROLS</p> <p>for One Lift Axle; All Controls Inside Cab; Includes Pressure Gauge, Pressure Regulator and Lift/Lower Switch Inside Cab N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID</p>	14RAA	\$1,088 +25/+5	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
AXLE, LIFT, CONTROLS (CONTINUED)			
for One Non-Steer Lift Axle, Customer Installed, All Controls Inside Cab N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	14RAU	\$1,088 +25/+5	N/A
for Two Lift Axles; All Controls Inside Cab; Includes Pressure Gauge, Pressure Regulator and Lift/Lower Switch Inside Cab REQS: Code 14WLM, 14WNH or 14WNM AXLE, PUSHER, LIFT TYPE, when in combination with Code 14WLR or 14WNK AXLE, TAG, LIFT TYPE N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID	14RAD	\$1,365 +25/+5	N/A
for One Lift Axle; Controls Inside and Outside Cab; Includes Lift/Lower Switch Inside Cab on Dash; Pressure Gauge and Pressure Regulator Outside Cab N/A: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID	14RAR	\$1,088 +19/+11	N/A
for Three Lift Axles; Controls Inside and Outside Cab; Includes Lift/Lower Switch Inside Cab on Dash; Pressure Gauge and Pressure Regulator Outside Cab N/A: Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE	14RAW	\$1,673 +19/+11	N/A
for Two Lift Axles; Controls Inside and Outside Cab; Includes Lift/Lower Switch Inside Cab on Dash; Pressure Gauge and Pressure Regulator Outside Cab N/A: Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WNK AXLE, TAG, LIFT TYPE	14RAV	\$1,365 +19/+11	N/A
for One Lift Axle; Controls Inside And Outside Cab; Includes Pressure Gauge and Lift/Lower Switch Inside Cab; Pressure Gauge and Pressure Regulator Outside Cab N/A: Code 16HLN ELECTRONIC VEHICLE MONITORING : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID	14RAB	\$1,088	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
AXLE, REAR, LIFT, LUBE EmGard - FE-75W-90 - Synthetic Oil; 1 thru 10.99 Pints REQS: Code 14WLR or 14WNK AXLE, TAG, LIFT TYPE or Code 14WLM, 14WNH, 14WNJ, 14WNL or 14WNM AXLE, PUSHER, LIFT TYPE	14WNB	\$127	N/A
AXLE, REAR, LUBE EmGard - FE-75W-90 - Synthetic Oil; 50 thru 64.99 Pints REQS: Code 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY or 14GVZ AXLE, REAR, TANDEM Synthetic Oil; 65 thru 89.99 Pints REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM Synthetic Oil; 90 thru 115.99 Pints REQS: Code 14GRJ, 14GRM, 14GTS, 14GTT, 14GTU or 14GTW AXLE, REAR, TANDEM - for HX615 SBA 6x4 -OR- AXLE, REAR, TRIDEM - for HX615 SBA 8x6 Tridem	14WMJ 14WMK 14WMZ	\$364 \$488 \$668	N/A N/A \$668
AXLE SHAFT MODIFICATION Axle Shaft Flanges Modified for 0.625" Diameter Drive Studs with Solid Type Cone-Locks REQS: Code 14GGU, 14GRD, 14GRP, 14GRR, 14GRS, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL or 14HRM AXLE, REAR, TANDEM N/A: Code 28DTY and 28DUL WHEELS, REAR	14WZY	\$498	N/A
BUSHINGS, EQUALIZER BEAM Bronze Center Bushings; for Hendrickson Suspension REQS: Code 14524 SUSPENSION, REAR, TANDEM N/A: Code 14WBS TRANSVERSE TORQUE RODS : SUSPENSION, REAR, AIR, TANDEM	14803	\$176	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
DIFFERENTIAL, LOCKING <i>Detroit</i> - Locker - No-Spin; for Meritor 185 & 186 Family Rear Axles REQS: Code 04AZA AIR BRAKE ABS REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14GTT AXLE, REAR, TANDEM	14896	\$1,896	N/A
DIFF. SWITCH CONTROLS Two Independent Switches for Control Traction Differentials on Tandem Rear Axles, Mounted on Dash REQS: Code 14GJW, 14GKK, 14GKP, 14GVM, 14GVN, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL or 14HRM AXLE, REAR, TANDEM Three Independent Switches for Control Traction Differentials on Tridem Rear Axles, Mounted on Dash	14WBN 14WCE	\$265 N/A + 1/0	N/A \$597 + 1/0
PDL WARNING BUZZER Power Divider Lock	14862	\$30	\$30
SHIELD, TEMPERATURE SENSOR Mounted to Rear Axle REQS: Code 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem REQS: Code 14GRD, 14GRJ, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTU, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for HX615 SBA 6x4 -OR- AXLE, REAR, TRIDEM - for HX615 SBA 8x6 Tridem	14AJX	\$88 0/0	\$132 0/0
SHOCK ABSORBERS, REAR (04) for Chalmers Suspension Only, Mounted from Frame to Beam REQS: Code 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW or 14UZX SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM (04) for Hendrickson HMX Suspension Only, Mounted from Frame to Beam REQS: Code 14ULX(std), 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM	14WBU 14WBV	\$811 \$878 0/+24 0/+31	N/A N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SUSPENSION AIR CONTROL VALVE Pressure Release Control In Cab N/A: SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4	14899	\$163	\$163
SUSPENSION/REAR-AXLE IDENTITY for Dana Spicer Eaton Style Tandem Rear Axles with Bar-Pin Beam Attachment Type Suspensions REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC or 14698 SUSPENSION, REAR, TANDEM REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK or 14GKP AXLE, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM for Meritor Tandem Rear Axles with Bar-Pin Beam Attachment Type Suspensions REQS: Code 14UHD, 14UHK, 14UHL, 14ULX(std), 14ULY, 14ULZ, 14UMC or 14698 SUSPENSION, REAR, TANDEM REQS: Code 14GRD, 14GRJ, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTU, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM	14WAK	\$191	N/A
TORQUE RODS Hendrickson XTRB, for HMX Suspensions REQS: Code 14ULX(std), 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM	14WCL	\$445	N/A
TRANSVERSE TORQUE RODS with Hendrickson Suspensions REQS: Code 14UHD, 14UHK or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UNX SUSPENSION, REAR, AIR, TANDEM N/A: Code 14803 BUSHINGS, EQUALIZER BEAM	14WBS	\$929 0/+115	N/A
PUSHER LIFT AXLE TIRE SLR NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY . See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book 0 to 1.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER 2 to 3.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER	14XAB	N/C	N/A
(Continuation of Pusher Lift Axle Tire SLR section)	14XAC	N/C	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>PUSHER LIFT AXLE TIRE SLR (CONTINUED) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>4 to 5.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER</p> <p>6 to 7.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE</p> <p>8 to 9.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE</p>	<p>14XAD</p> <p>14XAJ</p> <p>14XAK</p>	<p>N/C</p> <p>N/C</p> <p>N/C</p>	<p>N/A</p> <p>N/A</p> <p>N/A</p>
<p>TAG LIFT AXLE TIRE SLR NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>0 to 1.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires</p> <p>2 to 3.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires</p> <p>4 to 5.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires</p>	<p>14XAE</p> <p>14XAG</p> <p>14XAH</p>	<p>N/C</p> <p>N/C</p> <p>N/C</p>	<p>N/A</p> <p>N/A</p> <p>N/A</p>
<p>FUEL TANK</p> <p>Non-Polished Aluminum, 24" Dia, 60 US Gal (227L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX - for HX615 SBA 6x4 -OR- Code 08TST or 08VUK(std) BATTERY BOX - for HX615 SBA 8x6 Tridem AVAIL: Code 16ZBB ACCESS, CAB : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS</p>	<p>15SSN</p>	<p>STD</p>	<p>STD</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
FUEL TANK (CONTINUED)			
(02) Non-Polished Aluminum, 24" Dia, 80 US Gal (303L); Total Capacity 160 US Gal (606L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Under Cab REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 15DYP(std) DEF TANK - for HX615 SBA 6x4 REQS: Code 08VUK(std) BATTERY BOX N/A: Code 04VJJ, 04WZJ and 04XAC AIR TANK LOCATION : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE - for HX615 SBA 6x4 AVAIL: Code 16ZBB ACCESS, CAB : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS	15DWV	\$1,264 +108/+37	\$1,264 +116/+29
(02) Non-Polished Aluminum, 24" Dia, 80 US Gal (303L); Total Capacity 160 US Gal (606L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab REQS: Code 15WDY DEF TANK REQS: Code 08WJN BATTERY BOX N/A: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 07BKN EXHAUST SYSTEM AVAIL: Code 16ZBB ACCESS, CAB : Code 04XAC AIR TANK LOCATION - for HX615 SBA 6x4 : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS	15DXC	\$1,783 +19/+109	\$1,783 +43/+85
(02) Polished Aluminum, 24" Dia, 80 US Gal (303L); Total Capacity 160 US Gal (606L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Under Cab REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 15DYP(std) DEF TANK - for HX615 SBA 6x4 REQS: Code 08VUK(std) BATTERY BOX N/A: Code 04VJJ, 04WZJ and 04XAC AIR TANK LOCATION : Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 16ZBB ACCESS, CAB : Code 15WAK FUEL TANK CAP	15DWU	\$3,095 +108/+37	\$3,095 +116/+29
(02) Polished Aluminum, 24" Dia, 80 US Gal (303L); Total Capacity 160 US Gal (606L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab REQS: Code 15WDY DEF TANK REQS: Code 08WJN BATTERY BOX N/A: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 07BKN EXHAUST SYSTEM : Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 16ZBB ACCESS, CAB : Code 04XAC AIR TANK LOCATION - for HX615 SBA 6x4 : Code 15WAK FUEL TANK CAP	15DXD	\$2,948 +19/+109	\$2,948 +43/+85



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
FUEL TANK (CONTINUED)			
<p>(02) Non-Polished Aluminum, 24" Dia, 100 US Gal (379L); Total Capacity 200 US Gal (758L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab REQS: Code 15WDY DEF TANK REQS: Code 08WJN BATTERY BOX N/A: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 07BKN EXHAUST SYSTEM AVAIL: Code 16ZBB ACCESS, CAB : Code 04XAC AIR TANK LOCATION - for HX615 SBA 6x4 : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS</p>	15DXE	\$2,141 +48/+167	\$2,141 +85/+130
<p>(02) Polished Aluminum, 24" Dia, 100 US Gal (379L); Total Capacity 200 US Gal (758L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab REQS: Code 15WDY DEF TANK REQS: Code 08WJN BATTERY BOX N/A: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 07BKN EXHAUST SYSTEM : Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 16ZBB ACCESS, CAB : Code 04XAC AIR TANK LOCATION - for HX615 SBA 6x4 : Code 15WAK FUEL TANK CAP</p>	15DXG	\$3,353 +48/+167	\$3,353 +85/+130
<p>(02) Top Draw, Non-Polished Aluminum, 24" Dia, 120 US Gal (454L) Left Side; 80 US Gal (303L) Right Side; Total Capacity 200 US Gal (757L), with Dual Supply and Return Lines, Less Equalizer Lines, Mounted Left and Right Side, Under Cab REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 15DYP(std) DEF TANK - for HX615 SBA 6x4 REQS: Code 08VUK(std) BATTERY BOX REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 REQS: Code 08MJR, 08MJU, 08MJV, 08MMZ, 08MSG(std) or 08MSH BATTERY SYSTEM N/A: Code 04VJJ, 04WZJ and 04XAC AIR TANK LOCATION : Code 27DVC WHEELS, FRONT : Code 14WLM, 14WNL, 14WNL, 14WNL and 14WNL AXLE, PUSHER, LIFT TYPE AVAIL: Code 16ZBB ACCESS, CAB : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS</p>	15DZC	\$2,180 +204/+162	\$2,180 +134/+66



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
FUEL TANK (CONTINUED)			
<p>(02) Top Draw, Polished Aluminum, 24" Dia, 120 US Gal (454L) Left Side; 80 US Gal (303L) Right Side; Total Capacity 200 US Gal (757L), with Dual Supply and Return Lines, Less Equalizer Lines, Mounted Left and Right Side, Under Cab REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 15DYP(std) DEF TANK - for HX615 SBA 6x4 REQS: Code 08VUK(std) BATTERY BOX REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14ULX(std), 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem -OR- SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 REQS: Code 08MJR, 08MJU, 08MJV, 08MMZ, 08MSG(std) or 08MSH BATTERY SYSTEM N/A: Code 04VJJ, 04WZJ and 04XAC AIR TANK LOCATION : Code 27DVC WHEELS, FRONT : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 16ZBB ACCESS, CAB : Code 15WAK FUEL TANK CAP</p>	15DZB	\$3,152 +204/+162	\$3,152 +134/+66
<p>(02) Non-Polished Aluminum, 24" Dia, 120 US Gal (454L); Total Capacity 240 US Gal (908L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Under Cab REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 15DYP(std) DEF TANK REQS: Code 08VUK(std) BATTERY BOX REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW, 14UPX or 14XAM SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem REQS: Code 08MJR, 08MJU, 08MJV, 08MMZ, 08MSG(std) or 08MSH BATTERY SYSTEM N/A: Code 04VJJ, 04WZJ and 04XAC AIR TANK LOCATION : Code 27DVB, 27DVC and 27DVY WHEELS, FRONT : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE AVAIL: Code 16ZBB ACCESS, CAB : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS</p>	15DWR	\$2,451 +141/+115	\$2,451 +166/+90



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
<p>FUEL TANK (CONTINUED)</p> <p>(02) Non-Polished Aluminum, 24" Dia, 120 US Gal (454L); Total Capacity 240 US Gal (908L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab REQS: Code 15WDY DEF TANK REQS: Code 08WJN BATTERY BOX N/A: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 07BKN EXHAUST SYSTEM AVAIL: Code 16ZBB ACCESS, CAB : Code 04XAC AIR TANK LOCATION - for HX615 SBA 6x4 : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS</p> <p>(02) Polished Aluminum, 24" Dia, 120 US Gal (454L); Total Capacity 240 US Gal (908L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Under Cab REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 15DYP(std) DEF TANK REQS: Code 08VUK(std) BATTERY BOX REQS: Code 08MJR, 08MJU, 08MJV, 08MMZ, 08MSG(std) or 08MSH BATTERY SYSTEM N/A: Code 04VJJ, 04WZJ and 04XAC AIR TANK LOCATION : Code 27DVB, 27DVC and 27DVY WHEELS, FRONT : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 16ZBB ACCESS, CAB : Code 15WAK FUEL TANK CAP</p> <p>(02) Polished Aluminum, 24" Dia, 120 US Gal (454L); Total Capacity 240 US Gal (908L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab REQS: Code 15WDY DEF TANK REQS: Code 08WJN BATTERY BOX N/A: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 07BKN EXHAUST SYSTEM : Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 16ZBB ACCESS, CAB : Code 04XAC AIR TANK LOCATION - for HX615 SBA 6x4 : Code 15WAK FUEL TANK CAP</p> <p>Polished Aluminum, 24" Dia, 100 US Gal (379L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK - for HX615 SBA 6x4 REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX - for HX615 SBA 6x4 -OR- Code 08TST or 08VUK(std) BATTERY BOX - for HX615 SBA 8x6 Tridem N/A: Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 16ZBB ACCESS, CAB : Code 15WAK FUEL TANK CAP</p>	<p>15DXH</p> <p>15DWP</p> <p>15DXJ</p> <p>15SSK</p>	<p>\$2,345 +44/+187</p> <p>\$3,790 +141/+115</p> <p>\$3,559 +44/+187</p> <p>\$898 +29/+25</p>	<p>\$2,345 +85/+146</p> <p>\$3,790 +166/+90</p> <p>\$3,559 +85/+146</p> <p>\$898 +35/+19</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
<p>FUEL TANK (CONTINUED)</p> <p>Polished Aluminum, 24" Dia, 120 US Gal (454L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK - for HX615 SBA 6x4 REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX - for HX615 SBA 6x4 -OR- Code 08TST or 08VUK(std) BATTERY BOX - for HX615 SBA 8x6 Tridem N/A: Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 16ZBB ACCESS, CAB : Code 15WAJ FUEL TANK CAP</p> <p>Polished Aluminum, 24" Dia, 60 US Gal (227L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX - for HX615 SBA 6x4 -OR- Code 08TST or 08VUK(std) BATTERY BOX - for HX615 SBA 8x6 Tridem N/A: Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 16ZBB ACCESS, CAB : Code 15WAJ FUEL TANK CAP</p> <p>Polished Aluminum, 24" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX - for HX615 SBA 6x4 -OR- Code 08TST or 08VUK(std) BATTERY BOX - for HX615 SBA 8x6 Tridem N/A: Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 16ZBB ACCESS, CAB : Code 15WAJ FUEL TANK CAP</p> <p>Non-Polished Aluminum, 24" Dia, 100 US Gal (379L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK - for HX615 SBA 6x4 REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX - for HX615 SBA 6x4 -OR- Code 08TST or 08VUK(std) BATTERY BOX - for HX615 SBA 8x6 Tridem AVAIL: Code 16ZBB ACCESS, CAB : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS</p> <p>Top Draw, Non-Polished Aluminum, 26" Dia, 100 US Gal (379L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK - for HX615 SBA 6x4 REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX - for HX615 SBA 6x4 -OR- Code 08TST or 08VUK(std) BATTERY BOX - for HX615 SBA 8x6 Tridem REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>15SSG</p> <p>15SSM</p> <p>15SSL</p> <p>15SHC</p> <p>15SJR</p>	<p>\$1,180 +29/+33</p> <p>\$546 0/0</p> <p>\$723 +1/+6</p> <p>\$618 +29/+25</p> <p>\$618 +30/+19</p>	<p>\$1,180 +36/+26</p> <p>\$546 0/0</p> <p>\$723 +2/+5</p> <p>\$618 +35/+19</p> <p>\$618 +34/+15</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>FUEL TANK <i>(SEE PREV PAGE)</i></p> <p>-OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem N/A: Code 07BKN EXHAUST SYSTEM AVAIL: Code 16ZBB ACCESS, CAB : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS</p> <p>Top Draw, Polished Aluminum, 26" Dia, 100 US Gal (379L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX - for HX615 SBA 6x4 -OR- Code 08TST or 08VUK(std) BATTERY BOX - for HX615 SBA 8x6 Tridem REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem N/A: Code 27DVC WHEELS, FRONT : Code 07BKN EXHAUST SYSTEM : Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 16ZBB ACCESS, CAB : Code 15WAJ FUEL TANK CAP</p> <p>Non-Polished Aluminum, 24" Dia, 120 US Gal (454L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK - for HX615 SBA 6x4 REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX - for HX615 SBA 6x4 -OR- Code 08TST or 08VUK(std) BATTERY BOX - for HX615 SBA 8x6 Tridem N/A: Code 27DMN WHEELS, FRONT AVAIL: Code 16ZBB ACCESS, CAB : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS</p> <p>Top Draw, Non-Polished Aluminum, 26" Dia, 120 US Gal (454L), Mounted Left Side, Under Cab REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX - for HX615 SBA 6x4 -OR- Code 08TST or 08VUK(std) BATTERY BOX - for HX615 SBA 8x6 Tridem N/A: Code 07BKN EXHAUST SYSTEM : Code 15WEN DEF TANK AVAIL: Code 16ZBB ACCESS, CAB : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS</p> <p>Top Draw, Polished Aluminum, 26" Dia, 120 US Gal (454L), Mounted Left Side, Under Cab REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX - for HX615 SBA 6x4 -OR- Code 08TST or 08VUK(std) BATTERY BOX - for HX615 SBA 8x6 Tridem N/A: Code 07BKN EXHAUST SYSTEM</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>15SJR</p> <p>15SWH</p> <p>15SMZ</p> <p>15SWK</p> <p>15SWJ</p>	<p></p> <p>\$898 +30/+19</p> <p>\$883 +29/+33</p> <p>\$883 +32/+26</p> <p>\$1,163 +32/+26</p>	<p></p> <p>\$898 +34/+15</p> <p>\$883 +36/+26</p> <p>\$883 +38/+20</p> <p>\$1,163 +38/+20</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
<p>FUEL TANK <i>(SEE PREV PAGE)</i></p> <p>N/A: Code 15924 and 15960 FUEL TANK STRAPS : Code 15WEN DEF TANK AVAIL: Code 16ZBB ACCESS, CAB : Code 15WAJ FUEL TANK CAP</p> <p>Top Draw, Non-Polished Aluminum, 26" Dia, 70 US Gal (265L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX - for HX615 SBA 6x4 -OR- Code 08TST or 08VUK(std) BATTERY BOX - for HX615 SBA 8x6 Tridem REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem N/A: Code 27DVC WHEELS, FRONT : Code 07BKN EXHAUST SYSTEM AVAIL: Code 16ZBB ACCESS, CAB : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS</p> <p>Top Draw, Polished Aluminum, 26" Dia, 70 US Gal (265L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX - for HX615 SBA 6x4 -OR- Code 08TST or 08VUK(std) BATTERY BOX - for HX615 SBA 8x6 Tridem REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem N/A: Code 27DVC WHEELS, FRONT : Code 07BKN EXHAUST SYSTEM : Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 16ZBB ACCESS, CAB : Code 15WAJ FUEL TANK CAP</p> <p>Non-Polished Aluminum, 24" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK - for HX615 SBA 6x4 REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX - for HX615 SBA 6x4 -OR- Code 08TST or 08VUK(std) BATTERY BOX - for HX615 SBA 8x6 Tridem AVAIL: Code 16ZBB ACCESS, CAB : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS</p>	<p>15SWJ</p> <p>15SWE</p> <p>15SWG</p> <p>15SGL</p>	<p></p> <p>N/C -10/+12</p> <p>\$501 -10/+12</p> <p>\$353 +1/+6</p>	<p></p> <p>N/C -8/+10</p> <p>\$501 -8/+10</p> <p>\$353 +2/+5</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>FUEL TANK (CONTINUED)</p> <p>Top Draw, Non-Polished Aluminum, 26" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK - for HX615 SBA 6x4 REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX - for HX615 SBA 6x4 -OR- Code 08TST or 08VUK(std) BATTERY BOX - for HX615 SBA 8x6 Tridem REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem N/A: Code 07BKN EXHAUST SYSTEM AVAIL: Code 16ZBB ACCESS, CAB : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS</p>	15SJZ	\$353 -10/+15	\$353 -7/+12
<p>Top Draw, Non-Polished Aluminum, 26" Dia, 80 US Gal (303L), Mounted Right Side, Back of Cab REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 15WEN DEF TANK REQS: Code 08TST BATTERY BOX REQS: Code 14UNW SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM REQS: Code 12BDY(std), 12BDZ, 12BEA, 12BEB, 12BEC or 12BED ENGINE, DIESEL N/A: Code 01GBP and 01GDS FRAME REINFORCEMENT : Code 27DVY WHEELS, FRONT : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 15WAJ, 15WAK, 15902 and 15903 FUEL TANK CAP AVAIL: Code 04WZJ AIR TANK LOCATION : Code 15924 FUEL TANK STRAPS</p>	15SSP	\$353 -85/+63	N/A
<p>Top Draw, Polished Aluminum, 26" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab REQS: Code 15DYP(std) DEF TANK REQS: Code 08TST, 08VUK(std) or 08VUZ BATTERY BOX - for HX615 SBA 6x4 -OR- Code 08TST or 08VUK(std) BATTERY BOX - for HX615 SBA 8x6 Tridem REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4 -OR- SUSPENSION, REAR, AIR, TRIDEM - for HX615 SBA 8x6 Tridem N/A: Code 27DVC WHEELS, FRONT : Code 07BKN EXHAUST SYSTEM : Code 15924 and 15960 FUEL TANK STRAPS AVAIL: Code 16ZBB ACCESS, CAB : Code 15WAJ FUEL TANK CAP</p>	15SWD	\$633 -10/+15	\$633 -13/+20



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
DEF TANK			
9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab REQS: Code 15DWP, 15DWR, 15DWU, 15DWV, 15DZB, 15DZC, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK N/A: Code 16ZHV ACCESS, CAB - for HX615 SBA 6x4	15DYP	STD	STD
15.9 US Gal (60L) Capacity, Frame Mounted Outside Left Rail, Under Cab REQS: Code 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15SWJ or 15SWK FUEL TANK - for HX615 SBA 6x4 -OR- Code 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DZB, 15DZC, 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSG, 15SSK, 15SWJ or 15SWK FUEL TANK - for HX615 SBA 8x6 Tridem N/A: Code 16ZHV ACCESS, CAB - for HX615 SBA 6x4 : Code 07BKN EXHAUST SYSTEM	15WDY	\$278 +12/+3	\$278 +49/+7
9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, 55" Back of Cab REQS: Code 16ZHV ACCESS, CAB REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 01CGC(std) or 01CGD FRAME RAILS REQS: Code 08TST BATTERY BOX REQS: Code 14UHD, 14UHK, 14UHL, 14UHU, 14UJE, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14524 or 14698 SUSPENSION, REAR, TANDEM REQS: Code 14UNW SUSPENSION, REAR, AIR, TANDEM REQS: Code 07BKN EXHAUST SYSTEM REQS: Code 15SSP FUEL TANK N/A: AIR TANK LOCATION or FRAME REINFORCEMENT or Code 14WLM, 14WNN, 14WNN, 14WNL and 14WNN AXLE, PUSHER, LIFT TYPE	15WEN	\$246 +8/+1	N/A
DEF TANK COVER			
Stainless Steel REQS: Code 08VUK(std) BATTERY BOX, when in combination with Code 15WDY DEF TANK - for HX615 SBA 8x6 Tridem REQS: Code 08VUK(std) or 08VUZ BATTERY BOX, when in combination with Code 15WDY DEF TANK - for HX615 SBA 6x4 N/A: Code 08VUP and 08VUS BATTERY BOX COVER	15BAA	\$233 +2/+1	\$233 +3/0
FUEL COOLER			
Less Thermostat; Mounted in Front of Cooling Module	15WCS	\$276 +4/-1	\$276 +4/-1



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
FUEL TANK CAP			
(02) Chrome, Locking Type REQS: Code 15DWP, 15DWU, 15DXD, 15DXG, 15DXJ or 15DZB FUEL TANK	15WAK	\$ 110	\$ 110
(02) Locking Type REQS: Code 15DWR, 15DWV, 15DXC, 15DXE, 15DXH or 15DZC FUEL TANK	15903	\$ 106	\$ 106
Chrome, Locking Type REQS: Code 15SSG, 15SSK, 15SSL, 15SSM, 15SWD, 15SWG, 15SWH or 15SWJ FUEL TANK	15WAJ	\$ 55	\$ 55
Locking Type REQS: Code 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSN(std), 15SWE or 15SWK FUEL TANK	15902	\$ 53	\$ 53
FUEL TANK LOCATION			
55" Back of Cab	15WUB	\$ 50	N/A
FUEL TANK STRAPS			
Bright Finish Stainless Steel REQS: Code 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSN(std), 15SSP, 15SWE or 15SWK FUEL TANK - for HX615 SBA 6x4 -OR- Code 15SGL, 15SHC, 15SJR, 15SJZ, 15SMZ, 15SSN(std), 15SWE or 15SWK FUEL TANK - for HX615 SBA 8x6 Tridem	15924	\$ 260	\$ 260
Bright Finish Stainless Steel, for Dual Fuel Tanks REQS: Code 15DWR, 15DWV, 15DXC, 15DXE, 15DXH or 15DZC FUEL TANK AVAIL: Code 16ZBB ACCESS, CAB	15960	\$ 520	\$ 520
FUEL/WATER SEPARATOR			
Racor			
Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor	15LKU	STD	STD
- 6600 - 12 VDC Electric Heater, Includes Pre-Heater, Fuel Heated with Fuel Blender Valve, with Sight Bowl, Includes Water-In-Fuel Sensor	15LPR	\$ 228	\$ 228
Davco			
- Fuel Pro 382 - 12 VDC Electric Heater, Includes Pre-Heater, Includes Water-in-Fuel Sensor	15LKX	\$ 421	\$ 421
Return Fuel Blender, with ESOC Fittings, Includes Water-in-Fuel Sensor	15LRL	\$ 815	\$ 815
		+ 3/0	+ 3/0
		+ 2/0	+ 2/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
FUEL/WATER SEPARATOR (CONTINUED) Davco - Fuel Pro 382 - Return Fuel Blender, Includes Water-in-Fuel Sensor 120 VAC Plug-in Electric Pre-Heater, Return Fuel Blender, Includes Water-in-Fuel Sensor 12 VDC Electric Heater, Includes Pre-Heater, Return Fuel Blender, Includes Water-in-Fuel Sensor 120 VAC Plug-in Electric Pre-Heater, 12 VDC Electric Heater, Includes Pre-Heater, Return Fuel Blender, Includes Water-in-Fuel Sensor	15LRJ 15LRK 15LRH 15LRG	\$726 +2/0 \$775 +2/0 \$666 +2/0 \$708 +2/0	\$726 +2/0 \$775 +2/0 \$666 +2/0 \$708 +2/0
CAB Conventional, Day Cab INCLS: GRAB HANDLE, EXTERIOR (2) Mounted Behind Driver and Passenger Doors : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CONSOLE, CENTER Includes Two Cup Holders with Ash Cup and One Additional Storage Area : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (2) One Each Side : STEP (4) Two Steps Per Door : CLEARANCE/MARKER LIGHTS (5) LED Roof Mounted : SPEAKERS IN CAB (4) Two Located in B-Pillar, Two Located Overhead on Driver and Passenger Sides REQS: Code 16VZA(std) WINDOW, REAR	16031	STD	STD
ACCESS, CAB Aluminum, Driver & Passenger Sides, Two Steps per Door, Driver Side Steps Mounted Independently on Separate Frame Structure REQS: Code 08TST BATTERY BOX REQS: Code 15SSP FUEL TANK N/A: Code 16ZBP ACCESS, CAB AND FRAME : Code 16ZGV ACCESS, FRAME : Code 01WLY and 01832 DECK PLATE AVAIL: Code 16ZDU and 16ZHD GRAB HANDLE, EXTERIOR : Code 08VUH and 08WGU BATTERY BOX COVER : Code 15924 FUEL TANK STRAPS	16ZHV	\$718 +76/+27	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
ACCESS, CAB (CONTINUED) <i>Bustin</i> Aluminum, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab or Extended Cab, Self-Cleaning N/A: Code 16ZBP ACCESS, CAB AND FRAME : Code 16ZGV ACCESS, FRAME : Code 01WLY and 01832 DECK PLATE AVAIL: Code 16ZDU and 16ZHD GRAB HANDLE, EXTERIOR	16ZBB	\$777 +51/+18	\$777 +55/+14
ACCESS, CAB AND FRAME <i>Bustin</i> Aluminum, Driver & Passenger Sides, Two Steps per Door; Left Side Frame Access Step, Includes One Deck Plate and Grab Handle, for use with Day Cab, Self-Cleaning REQ: Code 04092 BRAKE SYSTEM, AIR N/A: Code 16ZBB and 16ZHV ACCESS, CAB : Code 16ZGV ACCESS, FRAME AVAIL: Code 16ZDV and 16ZGX GRAB HANDLE, EXTERIOR : Code 01WLY DECK PLATE	16ZBP	\$1,929 +64/+33	\$1,929 +72/+25
ACCESS, FRAME Non-Bright, Step Mounted Left Side, with One Deck Plate and Grab Handle REQ: Code 04092 BRAKE SYSTEM, AIR N/A: Code 16ZBB and 16ZHV ACCESS, CAB : Code 16ZBP ACCESS, CAB AND FRAME AVAIL: Code 16ZDV and 16ZGX GRAB HANDLE, EXTERIOR : Code 01832 DECK PLATE	16ZGV	\$539 +11/+10	\$539 +13/+8
AIR CONDITIONER <i>International</i> - Blend-Air - with Integral Heater and Defroster	16WKB	STD	STD
ANTENNA MOUNTING BRACKETS for Satellite Communication System; Mounted on Back of Day Cab or Extended Cab, with or without Aerodynamic Package	16UKJ	\$130	\$130
CAB DOOR LOCKS Power REQ: Code 16WAK(std) WINDOW, POWER	16WJG	STD	STD
CAB INTERIOR TRIM Classic, for HX Day Cab INCLS: SUN VISOR (2) Vinyl with Toll Ticket Strap : CONSOLE, OVERHEAD Molded Plastic with Three Storage Pockets; One with Velcro Strap for CB Radio Mounting; Two with Netting (SEE NEXT PAGE)	16VJZ	STD	STD



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
CAB INTERIOR TRIM (SEE PREV PAGE) INCLS: FLOOR COVERING Rubber, Black : DOME LIGHT, CAB (2) Rectangular, Door Activated; Above Door Mounted, One Each Side Diamond, for HX Day Cab INCLS: SUN VISOR (2) Vinyl with Toll Ticket Strap : CONSOLE, OVERHEAD Molded Plastic with Three Storage Pockets; One with Velcro Strap for CB Radio Mounting; Two with Netting : FLOOR COVERING Rubber, Black : DOME LIGHT, CAB (2) Rectangular, Door Activated; Above Door Mounted, One Each Side	16VJZ 16VKA	\$539 \$539 +5/0	\$539 \$539 +5/0
CAB REAR SUSPENSION Dual Air Suspension, Includes Special Crossmember Assembly	16WLD	STD	STD
ELECTRONIC VEHICLE MONITORING Driver Information Display, Flush Mounted Style In Wing Panel; with 6.5" Color Touch Screen, Includes GPS Navigation for North America with Truck Logistics and USB Port REQ: Code 14RAR, 14RAV or 14RAW AXLE, LIFT, CONTROLS - for HX615 SBA 6x4 REQ: Code 08RMA, 08RMB, 08RMC, 08RMD or 08RME RADIO	16HLN	\$1,712	\$1,712
GAUGE CLUSTER English with English Electronic Speedometer NOTE: STANDARD IN USA : Pricing may change if axle configuration is changed. English with Metric Electronic Speedometer NOTE: 010003 Metric with Metric Electronic Speedometer NOTE: 010003	16HBA 16HBB 16HBC	STD N/C N/C	STD N/C N/C
GAUGE, AIR APPLICATION 16HGN	16HGN	\$77	\$77
GAUGE, AIR CLEANER RESTRICTION <i>Filter-Minder</i> Mounted in Instrument Panel	16HLC	\$51	\$51



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
GAUGE, AIR PRESSURE for Pressure in Rear Air Suspension; Mounted In Instrument Panel N/A: SUSPENSION, REAR, TANDEM - for HX615 SBA 6x4	16HLB	\$190	\$190
GAUGE, MANIFOLD PRESSURE Data Link Driven; Mounted in Instrument Panel, Includes Controller Module	16HKB	\$97	\$97
GAUGE, OIL TEMP, REAR AXLE	16HGL	\$190	\$285
GRAB HANDLE, EXTERIOR Towel Bar Type in lieu of Non-Bright Grab Handles, for use with Cab or Cab/Sleeper Non-Bright Access, without Frame Access or Chassis Skirts N/A: Code 16ZBP ACCESS, CAB AND FRAME : Code 16ZGV ACCESS, FRAME Towel Bar Type in lieu of Non-Bright Grab Handles, for use with Cab/Frame or Cab/Frame/Sleeper Non-Bright Access, without Chassis Skirts REQ: Code 16ZBP ACCESS, CAB AND FRAME or Code 16ZGV ACCESS, FRAME N/A: Code 16ZBB and 16ZHV ACCESS, CAB Towel Bar Type, with Anti-Slip Rubber Inserts, for use with Cab Access, without Frame Access or Chassis Skirts N/A: Code 16ZBP ACCESS, CAB AND FRAME : Code 16ZGV ACCESS, FRAME Towel Bar Type, with Anti-Slip Rubber Inserts, for use with Frame or Cab/Frame Access, without Chassis Skirts REQ: Code 16ZBP ACCESS, CAB AND FRAME or Code 16ZGV ACCESS, FRAME N/A: Code 16ZBB and 16ZHV ACCESS, CAB	16ZDU	\$138	\$138
	16ZDV	\$324	\$324
	16ZHD	\$244	\$244
	16ZGX	\$525	\$525
HEATER, ENHANCED CIRCULATION <i>Bergstrom</i> Control, for Extreme Cold Weather Climates	16VRT	STD	STD
HOSE CLAMPS, HEATER HOSE <i>Breeze</i> Belleville Washer Type	16WHJ	\$25	\$25



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
HEATER SHUT-OFF VALVES (1) Ball Valve Type, Supply Line	16564	\$69	\$69
INDICATOR TRANS GEAR POSITION Display Gear Transmission REQS: Code 13GWN, 13GWP, 13GWR, 13GWW, 13GWW, 13GWX, 13GWZ(std), 13GXA, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	16HLD	\$172	\$172
KEYLESS ENTRY SYSTEM REMOTE with 60 Second Dome Light Delay and Horn Beep Confirmation, Locks Also Wired Through Door Switches (Requires 16WAK and 16WJG) REQS: Code 16WJG(std) CAB DOOR LOCKS REQS: Code 16WAK(std) WINDOW, POWER	16WJY	\$353	\$353
MIRROR, CONVEX, LOOK DOWN Right Side, Black, 6" x 10.5" N/A: Code 16SNR and 16SPC MIRRORS Right Side, Bright, 6" x 10.5" REQS: Code 16SNR or 16SPC MIRRORS	16SNW 16SNX	\$49 \$57	\$49 \$57
MIRRORS (02) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width AVAIL: Code 16SPA and 16SPB MIRROR, CONVEX, HOOD MOUNTED : Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5" (02) C-Loop, Heated, Bright Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width AVAIL: Code 16SNY and 16SNZ MIRROR, CONVEX, HOOD MOUNTED : Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5" (02) C-Loop, Power Adjust, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width AVAIL: Code 16SPA and 16SPB MIRROR, CONVEX, HOOD MOUNTED : Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNL 16SPC 16SNP	STD \$245 \$321	STD \$245 \$321



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
MIRRORS (CONTINUED) (02) C-Loop, Power Adjust, Heated, LED Clearance Lights, Bright Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width AVAIL: Code 16SNY and 16SNZ MIRROR, CONVEX, HOOD MOUNTED : Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNR	\$667 +4/+1	\$667 +4/+1
(02) C-Loop, Power Adjust, Heated, LED Clearance Lights, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width AVAIL: Code 16SPA and 16SPB MIRROR, CONVEX, HOOD MOUNTED : Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SPD	\$437 +3/+1	\$437 +3/+1
(02) C-Loop, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width AVAIL: Code 16SPA and 16SPB MIRROR, CONVEX, HOOD MOUNTED : Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNM	\$151 +1/0	\$151 +1/0
MIRROR, CONVEX, HOOD MOUNTED (1) Right Side, Black, 7.5" x 7" N/A: Code 16SNR and 16SPC MIRRORS (1) Right Side, Bright, 7.5" x 7" REQS: Code 16SNR or 16SPC MIRRORS (2) Right and Left Sides, Black, 7.5" x 7" N/A: Code 16SNR and 16SPC MIRRORS (2) Right and Left Sides, Bright, 7.5" x 7" REQS: Code 16SNR or 16SPC MIRRORS	16SPB 16SNZ 16SPA 16SNY	\$70 +6/-1 \$96 +6/-1 \$138 +12/-2 \$190 +12/-2	\$70 +6/-1 \$96 +6/-1 \$138 +12/-2 \$190 +12/-2
MODESTY PANEL Painted Body Color, with LED Lights, for Day Cab Polished Stainless Steel, with LED Lights, for Day Cab	16XBZ 16XBK	\$249 \$416	\$249 \$416
SEAT BELT All Orange	16WBX	\$39	\$39



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SEAT, DRIVER			
<i>National</i>			
- 2000 Model 295 -			
Air Suspension, Intermediate Back, All Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3 Position Rear Cushion, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover REQS: Code 16RAC or 16400(std) SEAT, PASSENGER	16JPC	STD	STD
- Model HP3 -			
RollTek Equipped, Air Suspension, High Back, Vinyl Boxing with Cloth Facing, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 3 Position Rear Cushion Adjust, -3 to +12 Degree Back Angle Adjustment, Adjust Side Bolster, Back Cyclor REQS: Code 16LHH, 16LHJ, 16RAN or 16400(std) SEAT, PASSENGER AVAIL: Code 08TPL COLLISION MITIGATION SYSTEM - for HX615 SBA 6x4	16KVV	\$6,355	\$6,355
RollTek Equipped, Air Suspension, High Back, Vinyl Boxing with Leather Facing, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 3 Position Rear Cushion Adjust, -3 to +12 Degree Back Angle Adjustment, Adjust Side Bolster, Back Cyclor, Non Swivel REQS: Code 16LGE, 16SPV or 16400(std) SEAT, PASSENGER AVAIL: Code 08TPL COLLISION MITIGATION SYSTEM - for HX615 SBA 6x4	16KVX	\$7,008	\$7,008
- 2000 Model 195 -			
Air Suspension, Hi Back, Vinyl w/Cloth Insert, 2 Arm Rests, Isolator, Adjuster, 3 Chamber Lumbar, 6 Way Front Adj, 3 Way Rear Cushion Adj, 2-15 Degree Back Angle Adjustment, Adj Side Bolster, Vinyl Suspension Cover, Heat REQS: Code 16LHH, 16LHJ, 16RAN or 16400(std) SEAT, PASSENGER	16JPG	\$348 +3/+1	\$348 +3/+1
Air Suspension, Hi Back, Vinyl Boxing with Leather Facing, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Way Front Cushion Adjust, 3 Position Rear Cushion, 2-15 Degree Back Angle Adjust, Adj Side Bolster, Bellows, Heat REQS: Code 16LGE, 16SPV or 16400(std) SEAT, PASSENGER	16KAZ	\$684 +3/+1	\$684 +3/+1
Air Suspension, High Back, All Vinyl, 2 Arm Rests, Isolator, Adjuster, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 3 Position Rear Cushion Adj, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover REQS: Code 16LHH, 16LHJ, 16RAN, 16SSK or 16400(std) SEAT, PASSENGER N/A: Code 04SPL and 04SPM(std) AIR COMPRESSOR	16LWY	\$135 +13/+4	\$135 +14/+3



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
SEAT, DRIVER (CONTINUED) <i>National</i> - 2000 Model 195 - Air Suspension, High Back, Vinyl Boxing with Cloth Facing, 2 Arm Rests, Isolator, Adjuster, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 3 Position Rear Cushion Adj, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover REQS: Code 16LHH, 16LHJ, 16RAN or 16400(std) SEAT, PASSENGER	16JPD	\$105 +3/+1	\$105 +3/+1
SEAT, PASSENGER Omit Item <i>National</i> - 2000 Model 192 - Non Suspension, High Back, Vinyl Boxing with Leather Facing, 1 Arm Rest, 11 Degree Back Angle Adjust, Map Pocket REQS: Code 16KAZ or 16KVX SEAT, DRIVER REQS: Code 04SPM(std) AIR COMPRESSOR Non Suspension, High Back, Vinyl Boxing with Cloth Facing, 11 Degree Back Angle Adjust REQS: Code 16JPD, 16JPG, 16KVW or 16LWY SEAT, DRIVER Non Suspension, High Back, All Vinyl, 11 Degree Back Angle Adjust REQS: Code 16LWY SEAT, DRIVER N/A: Code 04SPL and 04SPM(std) AIR COMPRESSOR - 2000 Model 197 - Air Suspension, Hi Back, Vinyl with Cloth Insert, 1 Arm Rest, 6" Adjuster, 3 Chamber Lumbar, 6 Position Cushion Adjust, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover, Heat REQS: Code 16JPD, 16JPG, 16KVW or 16LWY SEAT, DRIVER Air Suspension, Hi Back, Vinyl with Cloth Insert, 1 Arm Rest, 6" Adjuster, 3 Chamber Lumbar, 6 Position Cushion Adjust, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover REQS: Code 16JPD, 16JPG, 16KVW or 16LWY SEAT, DRIVER Air Suspension, High Back, Vinyl Boxing with Leather Facing, 1 Arm Rest, 6" Adjust, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover, Heat, Map Pocket REQS: Code 16KAZ or 16KVX SEAT, DRIVER	16400 16SPV 16RAN 16SSK 16LHH 16LHJ 16LGE	STD \$970 \$558 +23/+10 \$588 +25/+9 \$1,179 +57/+25 \$1,089 +57/+25 \$1,517 +57/+25	STD \$970 \$558 +25/+8 \$588 +27/+7 \$1,179 +63/+20 \$1,089 +63/+20 \$1,517 +63/+20



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SEAT, PASSENGER (CONTINUED) <i>National</i> - 2000 Model 292 - Non Suspension, Intermediate Back, All Vinyl, 11 Degree Back Angle Adjustment REQS: Code 16JPC(std) SEAT, DRIVER	16RAC	\$541 +22/+10	\$541 +25/+8
STORAGE, CAB INTERIOR Molded Holder for Thermos, Maps, and CD's; Located at Base of Passenger Seat	16VAW	\$67 +3/+1	\$67 +3/+1
STORAGE, REAR WALL Storage Pocket, Located on Back Wall Between Driver and Passenger Seats	16UZJ	\$50 +2/+1	\$50 +2/+1
SUNSHADE, EXTERIOR Bright Finish, with Integral Clearance/Marker Lights Aerodynamic, Painted Roof Color, with Integral Clearance/Marker Lights Bright Stainless Steel, 13" Drop Sun Visor, with Integral LED Clearance/Marker Lights	16XWE	\$688 +19/+2	\$688 +19/+2
	16XWD	\$253 +14/+1	\$253 +14/+1
	16XZE	\$888 +23/+2	\$888 +23/+2
WINDOW, POWER (02) in Left and Right Doors REQS: Code 16WJG(std) CAB DOOR LOCKS	16WAK	STD	STD
WINDOW, REAR 52.25" Wide	16VZA	STD	STD
WINDSHIELD Single Piece Two Piece N/A: WINDSHIELD WIPER BLADES	16WKR	STD	STD
	16WKS	\$186	\$186
WINDSHIELD WIPER BLADES Snow Type	16XWJ	\$30	\$30



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
 NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
WHEELS, FRONT			
<i>Accuride</i>			
- 51408 -			
DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	27DUW	STD	STD
REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 8x6 Tridem			
REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 6x4			
REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARW, 02ARY, 02ARZ, 02ASG(std) or 02ASM AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4			
-OR- Code 02AEU, 02AEV, 02AEW, 02ARU(std), 02ARY or 02ARZ AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem			
N/A: Code 04WZK BRAKE PACKAGE, FRONT			
: Code 29AAA WHEEL BRAND, FRONT			
: Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS			
DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs	27DUX	\$375 - 24 / 0	N/A
REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC			
REQS: Code 02ARW or 02ASG(std) AXLE, FRONT NON-DRIVING			
N/A: Code 04WZK BRAKE PACKAGE, FRONT			
: Code 29GAZ HUB MODIFICATIONS, FRONT			
: Code 29AAA WHEEL BRAND, FRONT			
: Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS			
AVAIL: Code 29PBA PAINT IDENTITY, FRONT WHEELS			
- 29039 -			
DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset, with .5" Thick Disc	27DPN	\$285 + 72 / 0	\$285 + 72 / 0
REQS: Code 26DPN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 8x6 Tridem			
REQS: Code 26DPN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 6x4			
N/A: Code 29GAZ HUB MODIFICATIONS, FRONT			
: Code 29AAA WHEEL BRAND, FRONT			
: Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS			
AVAIL: Code 29PBA PAINT IDENTITY, FRONT WHEELS			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>WHEELS, FRONT (CONTINUED)</p> <p><i>Accuride</i></p> <p>- 29057 - DISC; 22.5x13.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 5.88" REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUA, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUA, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 6x4 REQS: Code 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ or 02ATB AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 -OR- Code 02AEV, 02AEW, 02AGT, 02ARU(std), 02ARY, 02ARZ or 02ATB AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p> <p>- 29169 - DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 6x4 N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 28DUX WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS AVAIL: Code 29PBA PAINT IDENTITY, FRONT WHEELS</p> <p>- 29300 - DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 6x4</p> <p>(SEE NEXT PAGE)</p>	<p>27DUA</p> <p>27DUK</p> <p>27DUL</p>	<p>\$865 +120/0</p> <p>\$145 +22/0</p> <p>\$265 +82/0</p>	<p>\$865 +120/0</p> <p>\$145 +22/0</p> <p>\$265 +82/0</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
WHEELS, FRONT (SEE PREV PAGE) Accuride - 29374 - N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBX COATING IDENTITY, FRONT WHEELS DISC; 22.5x12.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 6x4 REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 -OR- AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 29GAZ HUB MODIFICATIONS, FRONT : Code 28DTY WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBX COATING IDENTITY, FRONT WHEELS - 29376 - DISC; 22.5x13.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 6x4 REQS: Code 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB or 02AUR AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 -OR- Code 02AEV, 02AEW, 02AGT, 02ARU(std), 02ARY, 02ARZ, 02ATB or 02AUR AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 28DTY WHEELS, REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 04WEZ(std) BRAKE PACKAGE, FRONT : Code 29PBX COATING IDENTITY, FRONT WHEELS			
	27DBA		
	27DJL	\$1,539 -24/0	\$1,539
	27DVD	\$1,157 +2/0	\$1,157 +2/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
<p>WHEELS, FRONT <i>(SEE PREV PAGE)</i></p> <p><i>No Vendor Identified</i></p> <p>N/A: Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 22.5x12.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Offset 4.00" REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 6x4 REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ASG(std), 02ASM, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 -OR- Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU(std), 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem N/A: Code 04WHA DUST SHIELDS, FRONT BRAKE : Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 22.5x12.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs, Offset 4.00" REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 6x4 REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 -OR- AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem N/A: Code 04WHA DUST SHIELDS, FRONT BRAKE : Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS AVAIL: Code 04WHX BRAKE PACKAGE, FRONT</p>	<p>27DHK</p> <p>27DRC</p> <p>27DRG</p>	<p></p> <p>\$1,021 - 10/0</p> <p>\$1,609 - 34/0</p>	<p></p> <p>\$1,021 - 10/0</p> <p>\$1,609 - 34/0</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>WHEELS, FRONT <i>(SEE PREV PAGE)</i></p> <p><i>No Vendor Identified</i></p> <p>N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs</p> <p>REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 6x4</p> <p>REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARW, 02ARY, 02ARZ, 02ASG(std), 02ASM, 02ATB, 02AUR or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4</p> <p>-OR- Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU(std), 02ARY, 02ARZ, 02ATB, 02AUR or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem</p> <p>N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS</p> <p>AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs</p> <p>REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC</p> <p>REQS: Code 02ARW, 02ASG(std) or 02ASM AXLE, FRONT NON-DRIVING</p> <p>REQS: Code 15DWP, 15DWR, 15DWU, 15DWV, 15DXC, 15DXD, 15DXE, 15DXG, 15DXH, 15DXJ, 15DZB, 15DZC, 15SGL, 15SHC, 15SJR, 15SJZ, 15SSG, 15SSK, 15SSL, 15SSM, 15SSN(std), 15SSP, 15SWD, 15SWE, 15SWG, 15SWH, 15SWJ or 15SWK FUEL TANK</p> <p>N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS</p> <p>AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS</p>			
	27DMM		
	27DMK	\$539 - 26 / 0	\$539 - 26 / 0
	27DMN	\$776 - 50 / 0	N/A



**HX615 SBA 6x4 & HX615 SBA 8x6 Tridem
 AVAILABLE EQUIPMENT**

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>WHEELS, FRONT (CONTINUED)</p> <p>Alcoa</p> <p>- 82462 - DISC; 22.5x12.25 Rims, LvL ONE Clean Buff, Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 6x4 REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ASM, 02ATB, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 -OR- Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU(std), 02ARY, 02ARZ, 02ATB, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 22.5x12.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVA, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVA, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 6x4 REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 -OR- Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU(std), 02ARY, 02ARZ, 02ATB, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PCB COATING IDENTITY, FRONT WHEELS</p>	<p>27DJH</p> <p>27DJJ</p>	<p>\$1,302 - 2/0</p> <p>\$1,460 - 2/0</p>	<p>\$1,302 - 2/0</p> <p>\$1,460 - 2/0</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>WHEELS, FRONT (CONTINUED)</p> <p><i>Alcoa</i></p> <p>- 89U63 -</p> <p>DISC; 22.5x9.00 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs, Non-Standard Offset 4.06"</p> <p>REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 6x4</p> <p>N/A: Code 04WHA DUST SHIELDS, FRONT BRAKE : Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS</p> <p>AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>- 98U63 -</p> <p>DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs</p> <p>REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 6x4</p> <p>REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARW, 02ARY, 02ARZ, 02ASG(std), 02ASM, 02ATB, 02AUR or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4</p> <p>-OR- Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU(std), 02ARY, 02ARZ, 02ATB, 02AUR or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem</p> <p>N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS</p> <p>AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS</p> <p>DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs</p> <p>REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 6x4</p> <p>REQS: Code 02ARW, 02ASG(std) or 02ASM AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4</p> <p style="text-align: center;">(SEE NEXT PAGE)</p>			
	27DUT	\$1,289 - 37/0	\$1,289 - 37/0
	27DEL	\$864 - 31/0	\$864 - 31/0
	27DEM	\$1,180 - 55/0	\$1,180 - 55/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>WHEELS, FRONT (CONTINUED)</p> <p><i>Maxion</i></p> <p>- 90541 -</p> <p>DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 8x6 Tridem REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 6x4 REQS: Code 29PBA PAINT IDENTITY, FRONT WHEELS or Code 10641 PAINT IDENTITY, PT-2 - for HX615 SBA 8x6 Tridem REQS: Code 10641 PAINT IDENTITY, PT-2 or Code 29PAR or 29PBA PAINT IDENTITY, FRONT WHEELS - for HX615 SBA 6x4 REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARW, 02ARY, 02ARZ, 02ASG(std) or 02ASM AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 -OR- Code 02AEU, 02AEV, 02AEW, 02ARU(std), 02ARY or 02ARZ AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS</p> <p>- 90542 -</p> <p>DISC; 24.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC REQS: Code 29PAR PAINT IDENTITY, FRONT WHEELS or Code 10641 PAINT IDENTITY, PT-2, when in combination with Code 26DTD WHEEL, SPARE, DISC REQS: Code 10641 PAINT IDENTITY, PT-2 or Code 29PAR or 29PBA PAINT IDENTITY, FRONT WHEELS - for HX615 SBA 6x4 REQS: Code 02ARW or 02ASG(std) AXLE, FRONT NON-DRIVING N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS AVAIL: Code 29PAR PAINT IDENTITY, FRONT WHEELS</p>	<p>27DTJ</p> <p>27DTA</p>	<p>\$24 +6/0</p> <p>\$276 0/0</p>	<p>\$24 +6/0</p> <p>N/A</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>WHEELS, FRONT (CONTINUED)</p> <p><i>Maxion</i></p> <p>- 90542 -</p> <p>DISC; 24.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs</p> <p>REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVH, 26DVN or 26DVP WHEEL, SPARE, DISC - for HX615 SBA 6x4</p> <p>REQS: Code 29PBA PAINT IDENTITY, FRONT WHEELS or Code 10641 PAINT IDENTITY, PT-2 - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 29PAR PAINT IDENTITY, FRONT WHEELS or Code 10641 PAINT IDENTITY, PT-2, when in combination with Code 26DTD WHEEL, SPARE, DISC - for HX615 SBA 6x4</p> <p>REQS: Code 10641 PAINT IDENTITY, PT-2, when in combination with Code 26DTD WHEEL, SPARE, DISC - for HX615 SBA 8x6 Tridem</p> <p>REQS: Code 10641 PAINT IDENTITY, PT-2 or Code 29PAR or 29PBA PAINT IDENTITY, FRONT WHEELS - for HX615 SBA 6x4</p> <p>REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARW, 02ARY, 02ARZ, 02ASG(std), 02ASM, 02ATB, 02AUR or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4</p> <p>-OR- Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU(std), 02ARY, 02ARZ, 02ATB, 02AUR or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem</p> <p>N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS</p>	<p>27DTD</p>	<p>\$88 +24/0</p>	<p>\$88 +24/0</p>
<p>WHEELS, REAR</p> <p><i>Accuride</i></p> <p>- 51408 -</p> <p>DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs</p> <p>REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM - for HX615 SBA 6x4</p> <p>-OR- BRAKES, REAR, AIR DISC - for HX615 SBA 6x4</p> <p>-OR- BRAKES, REAR, AIR CAM - for HX615 SBA 8x6 Tridem</p> <p>N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS</p>	<p>28DUW</p>	<p>STD</p>	<p>STD</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
WHEELS, REAR (CONTINUED) Accuride - 51408 - DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQ: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 27DUK WHEELS, FRONT : Code 29BAG WHEEL, REAR, IDENTITY : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBB PAINT IDENTITY, REAR WHEELS - 28827 - DUAL DISC; 24.5x8.25 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBB PAINT IDENTITY, REAR WHEELS - 29169 - DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs REQ: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM - for HX615 SBA 6x4 -OR- BRAKES, REAR, AIR DISC - for HX615 SBA 6x4 -OR- BRAKES, REAR, AIR CAM - for HX615 SBA 8x6 Tridem N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBB PAINT IDENTITY, REAR WHEELS - 29300 - DUAL DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQ: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 14WZY AXLE SHAFT MODIFICATION : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS <div style="text-align: right;">(SEE NEXT PAGE)</div>			
	28DUX	\$862 0/-41	N/A
	28DPR	\$678 0/+152	\$1,017 0/+228
	28DUK	\$462 0/+88	\$693 0/+132
	28DUL	\$1,118 0/+328	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>WHEELS, REAR <i>(SEE PREV PAGE)</i></p> <p><i>Accuride</i></p> <p>- 29300 - N/A: Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBB PAINT IDENTITY, REAR WHEELS</p> <p>- 41730 - DUAL DISC; 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM - for HX615 SBA 6x4 -OR- BRAKES, REAR, AIR DISC - for HX615 SBA 6x4 -OR- BRAKES, REAR, AIR CAM - for HX615 SBA 8x6 Tridem N/A: Code 29BAG WHEEL, REAR, IDENTITY - for HX615 SBA 6x4 : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs N/A: Code 04WEY(std) BRAKE PACKAGE, REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS</p> <p>- 42644 - DUAL DISC; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM - for HX615 SBA 6x4 -OR- BRAKES, REAR, AIR DISC - for HX615 SBA 6x4 -OR- BRAKES, REAR, AIR CAM - for HX615 SBA 8x6 Tridem N/A: Code 27DVY WHEELS, FRONT : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p>			
	28DUL		
	28DUS	\$2,618 0/-72	\$3,927 0/-108
	28DUR	\$2,556 0/-72	N/A
	28DVP	\$2,526 0/-216	\$3,789 0/-324



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
<p>WHEELS, REAR <i>(SEE PREV PAGE)</i></p> <p><i>No Vendor Identified</i></p> <p>N/A: Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for HX615 SBA 6x4 -OR- AXLE, REAR, TRIDEM - for HX615 SBA 8x6 Tridem N/A: Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS</p> <p>Alcoa</p> <p>- 88367 - DUAL DISC; 22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM - for HX615 SBA 6x4 -OR- BRAKES, REAR, AIR DISC - for HX615 SBA 6x4 -OR- BRAKES, REAR, AIR CAM - for HX615 SBA 8x6 Tridem N/A: Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS</p> <p>DUAL DISC; 22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for HX615 SBA 6x4 -OR- AXLE, REAR, TRIDEM - for HX615 SBA 8x6 Tridem N/A: Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>	<p>28DMK</p> <p>28DMN</p> <p>28DVH</p> <p>28DVJ</p>	<p></p> <p>\$2,718 0/-145</p> <p>\$2,758 0/-171</p> <p>\$3,290 0/-212</p>	<p></p> <p>\$4,077 0/-217</p> <p>\$4,137 0/-257</p> <p>\$4,935 0/-318</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
<p>WHEELS, REAR <i>(SEE PREV PAGE)</i></p> <p>Alcoa</p> <p>- 88367 - N/A: Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS</p> <p>DUAL DISC; 22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM - for HX615 SBA 6x4 -OR- BRAKES, REAR, AIR DISC - for HX615 SBA 6x4 -OR- BRAKES, REAR, AIR CAM - for HX615 SBA 8x6 Tridem N/A: Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS AVAIL: Code 29PBY COATING IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 22.5x8.25 Rims, Polished Aluminum, 10-Stud 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS AVAIL: Code 29PBY COATING IDENTITY, REAR WHEELS</p> <p>- 98U63 - DUAL DISC; 24.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs N/A: Code 04WEY(std) BRAKE PACKAGE, REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRJ, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTU, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for HX615 SBA 6x4</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>			
	28DVJ		
	28DVG	\$2,988 0/-171	\$4,482 0/-257
	28DVK	\$3,502 0/-212	N/A
	28DEN	\$4,182 0/-125	N/A
	28DEL	\$3,990 0/-125	\$5,985 0/-187



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
WHEELS, REAR (SEE PREV PAGE)			
Alcoa			
- 98U63 -			
-OR- AXLE, REAR, TRIDEM - for HX615 SBA 8x6 Tridem	28DEL		
N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBY COATING IDENTITY, REAR WHEELS			
DUAL DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs	28DEM	\$4,096 0/-166	\$6,144 0/-248
REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for HX615 SBA 6x4			
-OR- AXLE, REAR, TRIDEM - for HX615 SBA 8x6 Tridem			
N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PBY COATING IDENTITY, REAR WHEELS			
Maxion			
- 10049 -			
DUAL DISC; 22.5x8.25 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .490" Thick Increased Capacity Disc and Steel Hubs	28DTH	\$604 0/+120	\$906 0/+180
REQS: Code 10641 PAINT IDENTITY, PT-2 or Code 29PBB PAINT IDENTITY, REAR WHEELS - for HX615 SBA 8x6 Tridem			
REQS: Code 10641 PAINT IDENTITY, PT-2 or Code 29PAS or 29PBB PAINT IDENTITY, REAR WHEELS - for HX615 SBA 6x4			
REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM - for HX615 SBA 6x4			
-OR- BRAKES, REAR, AIR DISC - for HX615 SBA 6x4			
-OR- BRAKES, REAR, AIR CAM - for HX615 SBA 8x6 Tridem			
N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>WHEELS, REAR (CONTINUED)</p> <p><i>Maxion</i></p> <p>- 90541 - DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 10641 PAINT IDENTITY, PT-2 or Code 29PAS or 29PBB PAINT IDENTITY, REAR WHEELS REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS</p> <p>DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 10641 PAINT IDENTITY, PT-2 or Code 29PBB PAINT IDENTITY, REAR WHEELS - for HX615 SBA 8x6 Tridem REQS: Code 10641 PAINT IDENTITY, PT-2 or Code 29PAS or 29PBB PAINT IDENTITY, REAR WHEELS - for HX615 SBA 6x4 REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM - for HX615 SBA 6x4 -OR- BRAKES, REAR, AIR DISC - for HX615 SBA 6x4 -OR- BRAKES, REAR, AIR CAM - for HX615 SBA 8x6 Tridem N/A: Code 27DVY WHEELS, FRONT : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS</p> <p>- 90542 - DUAL DISC; 24.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 10641 PAINT IDENTITY, PT-2 or Code 29PAS or 29PBB PAINT IDENTITY, REAR WHEELS REQS: Code 10641 PAINT IDENTITY, PT-2 or Code 29PAS PAINT IDENTITY, REAR WHEELS, when in combination with Code 26DTD WHEEL, SPARE, DISC REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRM, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 29GBA HUB MODIFICATIONS, REAR</p> <p style="text-align: center;">(SEE NEXT PAGE)</p>			
	28DTC	\$628 0/-17	N/A
	28DTJ	\$92 0/+24	\$138 0/+36
	28DTA	\$1,104 0/+55	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
NOTE: WEIGHTS - FRONT/REAR			
<p>WHEELS, REAR (SEE PREV PAGE)</p> <p><i>Maxion</i></p> <p>- 90542 - N/A: Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS AVAIL: Code 29PAS PAINT IDENTITY, REAR WHEELS</p> <p>DUAL DISC; 24.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 10641 PAINT IDENTITY, PT-2 or Code 29PBB PAINT IDENTITY, REAR WHEELS - for HX615 SBA 8x6 Tridem REQS: Code 10641 PAINT IDENTITY, PT-2, when in combination with Code 26DTD WHEEL, SPARE, DISC - for HX615 SBA 8x6 Tridem REQS: Code 10641 PAINT IDENTITY, PT-2 or Code 29PAS or 29PBB PAINT IDENTITY, REAR WHEELS - for HX615 SBA 6x4 REQS: Code 10641 PAINT IDENTITY, PT-2 or Code 29PAS PAINT IDENTITY, REAR WHEELS, when in combination with Code 26DTD WHEEL, SPARE, DISC - for HX615 SBA 6x4 REQS: Code 04NDA, 04NDB, 04NDH, 04NDK, 04NDL or 04NDP BRAKES, REAR, AIR CAM - for HX615 SBA 6x4 -OR- BRAKES, REAR, AIR DISC - for HX615 SBA 6x4 -OR- BRAKES, REAR, AIR CAM - for HX615 SBA 8x6 Tridem N/A: Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBY COATING IDENTITY, REAR WHEELS : Code 29PCD COATING, RIM, REAR WHEELS</p>			
<p>WHEEL, SPARE, DISC</p> <p>22.5x12.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DHK WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS</p> <p>22.5x13.00 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DMZ WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS</p>			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
WHEEL, SPARE, DISC (CONTINUED)			
24.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DMJ WHEELS, FRONT or Code 28DMJ WHEELS, REAR - for HX615 SBA 8x6 Tridem REQS: Code 27DMJ WHEELS, FRONT or Code 28DMJ WHEELS, REAR or Code 28DMM WHEELS, REAR - for HX615 SBA 6x4 N/A: Code 27DVY WHEELS, FRONT : Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	26DSB	\$460 0/+54	\$460 0/+54
24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DMK WHEELS, FRONT or Code 28DMK or 28DMN WHEELS, REAR - for HX615 SBA 8x6 Tridem REQS: Code 27DMK WHEELS, FRONT or Code 27DMN WHEELS, FRONT or Code 28DMK WHEELS, REAR or Code 28DMN WHEELS, REAR - for HX615 SBA 6x4 N/A: Code 27DVY WHEELS, FRONT : Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	26DSG	\$489 0/+54	\$489 0/+54
Accuride - 29039 - 22.5x9.00 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DPN WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS	26DPN	\$308 0/+103	\$308 0/+103
- 29057 - 22.5x13.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Offset 5.88", for Front Application Only REQS: Code 27DUA WHEELS, FRONT N/A: Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS	26DUA	\$538 0/+127	\$538 0/+127
- 29169 - 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, with .472" Thick Increased Capacity Disc REQS: Code 27DUK WHEELS, FRONT or Code 28DUK WHEELS, REAR N/A: Code 27DVY WHEELS, FRONT	26DUK	\$259 0/+78	\$259 0/+78



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
WHEEL, SPARE, DISC (CONTINUED)			
<i>Accuride</i>			
- 29300 -			
22.5x9.00 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted	26DUL	\$259 0/+108	\$259 0/+108
REQS: Code 27DBA, 27DJL, 27DUL, 27DUM, 27DUR, 27DVB, 27DVC, 27DVD, 27DVG, 27DVH, 27DVK or 27DVR WHEELS, FRONT - for HX615 SBA 8x6 Tridem			
REQS: Code 27DUL or 27DUR WHEELS, FRONT or Code 28DUL or 28DUR WHEELS, REAR - for HX615 SBA 6x4			
N/A: Code 27DVY WHEELS, FRONT - for HX615 SBA 6x4			
- 29303 -			
22.5x13.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Offset 4.95", for Front Application Only	26DTZ	\$568 0/+127	\$568 0/+127
REQS: Code 27DTZ WHEELS, FRONT			
N/A: Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS			
- 29374 -			
22.5x12.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted	26DBA	\$655 0/+67	\$655 0/+67
REQS: Code 27DBA WHEELS, FRONT			
N/A: Code 29AAA WHEEL BRAND, FRONT			
AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS			
- 29807 -			
22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only	26DUN	\$516 0/+119	\$516 0/+119
REQS: Code 27DUN WHEELS, FRONT			
N/A: Code 29AAA WHEEL BRAND, FRONT			
AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS			
- 41730 -			
22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted	26DUS	\$580 0/+58	\$580 0/+58
REQS: Code 27DUS WHEELS, FRONT or Code 28DUS WHEELS, REAR			
22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flange Nut	26DUR	\$555 0/+58	\$555 0/+58
REQS: Code 27DUR WHEELS, FRONT - for HX615 SBA 8x6 Tridem			
REQS: Code 27DUR WHEELS, FRONT			
REQS: Code 28DUR WHEELS, REAR - for HX615 SBA 6x4			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>WHEEL, SPARE, DISC (CONTINUED)</p> <p><i>Accuride</i></p> <p>- 42644 - 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted N/A: Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBT COATING IDENTITY, FRONT WHEELS</p> <p>22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted N/A: Code 27DBA WHEELS, FRONT : Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBX COATING IDENTITY, FRONT WHEELS</p> <p>- 50409 - 24.5x8.25 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DUP WHEELS, FRONT or Code 28DUP WHEELS, REAR - for HX615 SBA 8x6 Tridem REQS: Code 27DUC or 27DUP WHEELS, FRONT or Code 28DUC or 28DUP WHEELS, REAR - for HX615 SBA 6x4 N/A: Code 27DVY WHEELS, FRONT</p> <p>- 51408 - 22.5x8.25 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DUW(std) WHEELS, FRONT or Code 28DUW WHEELS, REAR - for HX615 SBA 8x6 Tridem REQS: Code 27DUW(std) WHEELS, FRONT or Code 27DUX WHEELS, FRONT or Code 28DUW WHEELS, REAR or Code 28DUX WHEELS, REAR - for HX615 SBA 6x4</p> <p><i>Alcoa</i></p> <p>22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 29AAA WHEEL BRAND, FRONT N/A: WHEELS, FRONT AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBT COATING IDENTITY, FRONT WHEELS</p> <p>- 82462 - 22.5x12.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DJJ WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT</p>			
	26DVP	\$487 0/+40	\$487 0/+40
	26DVN	\$464 0/+40	\$464 0/+40
	26DUC	\$232 0/+78	\$232 0/+78
	26DUW	\$232 0/+67	\$232 0/+67
	26DRS	\$606 0/+46	\$606 0/+46
	26DVA	\$1,100 0/+66	\$1,100 0/+66



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
(CONTINUED)			
Alcoa			
- 88367 - 22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DVG, 27DVH or 27DVK WHEELS, FRONT or Code 28DVG, 28DVH or 28DVJ WHEELS, REAR - for HX615 SBA 8x6 Tridem REQS: Code 27DVG, 27DVH, 27DVJ or 27DVK WHEELS, FRONT or Code 28DVG, 28DVH, 28DVJ or 28DVK WHEELS, REAR - for HX615 SBA 6x4 N/A: Code 29AAA WHEEL BRAND, FRONT	26DVH	\$464 0/+46	\$464 0/+46
22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DVG or 27DVK WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT AVAIL: Code 29PBZ COATING IDENTITY, FRONT WHEELS	26DVG	\$606 0/+46	\$606 0/+46
Maxion			
- 10049 - 22.5x8.25 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, with .490" Thick Increased Capacity Disc REQS: Code 27DTH WHEELS, FRONT or Code 28DTH WHEELS, REAR N/A: Code 27DVY WHEELS, FRONT	26DTH	\$266 0/+82	\$266 0/+82
- 90541 - 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DTJ WHEELS, FRONT or Code 28DTJ WHEELS, REAR - for HX615 SBA 8x6 Tridem REQS: Code 27DTC or 27DTJ WHEELS, FRONT or Code 28DTC or 28DTJ WHEELS, REAR - for HX615 SBA 6x4 N/A: Code 27DVY WHEELS, FRONT	26DTJ	\$266 0/+70	\$266 0/+70
- 90542 - 24.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DTD WHEELS, FRONT or Code 28DTD WHEELS, REAR - for HX615 SBA 8x6 Tridem REQS: Code 27DTA or 27DTD WHEELS, FRONT or Code 28DTA or 28DTD WHEELS, REAR - for HX615 SBA 6x4 REQS: Code 29PAR PAINT IDENTITY, FRONT WHEELS or Code 10641 PAINT IDENTITY, PT-2, when in combination with Code 27DTA or 27DTD WHEELS, FRONT - for HX615 SBA 6x4 REQS: Code 10641 PAINT IDENTITY, PT-2, when in combination with Code 27DTD WHEELS, FRONT - for HX615 SBA 8x6 Tridem REQS: Code 10641 PAINT IDENTITY, PT-2, when in combination with Code 28DTD WHEELS, REAR - for HX615 SBA 8x6 Tridem	26DTD	\$266 0/+79	\$266 0/+79
(SEE NEXT PAGE)			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>WHEEL, SPARE, DISC <i>(SEE PREV PAGE)</i></p> <p><i>Maxion</i></p> <p>- 90542 - REQS: Code 10641 PAINT IDENTITY, PT-2 or Code 29PAS PAINT IDENTITY, REAR WHEELS, when in combination with Code 28DTA or 28DTD WHEELS, REAR - for HX615 SBA 6x4 N/A: Code 27DVY WHEELS, FRONT</p>	26DTD		
<p>BRAKE DRUMS, FRONT</p> <p><i>Motor Wheel</i></p> <p>Centrifuse Type REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARW, 02ARY, 02ARZ, 02ASG(std), 02ASM, 02ATB, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC AVAIL: Code 04WBX DUST SHIELDS, FRONT BRAKE</p> <p><i>Webb</i></p> <p>Cast HD, Size 16.5" x 6" REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARW, 02ARY, 02ARZ, 02ASG(std), 02ASM, 02ATB, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 -OR- Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU(std), 02ARY, 02ARZ, 02ATB, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem N/A: Code 04JBZ(std), 04JCN, 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 27DVY WHEELS, FRONT AVAIL: Code 04WBX DUST SHIELDS, FRONT BRAKE</p>	29331	\$648 - 30 / 0	N/A
<p>BRAKE DRUMS, REAR</p> <p><i>Motor Wheel</i></p> <p>Centrifuse Type; 16.5" x 7" REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for HX615 SBA 6x4 -OR- AXLE, REAR, TRIDEM - for HX615 SBA 8x6 Tridem N/A: Code 04JCC(std), 04JNT and 04JNW BRAKES, REAR, AIR DISC - for HX615 SBA 6x4 : Code 28DTY WHEELS, REAR : Code 14GRJ, 14GRM, 14GTT, 14GTU and 14GUV AXLE, REAR, TANDEM - for HX615 SBA 6x4</p>	29334	\$1,018 0 / -77	\$1,527 0 / -116



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
COATING IDENTITY, FRONT WHEELS			
<i>Accuride</i>			
- Accu-Shield -			
Disc Front Wheels; Aluminum, with Vendor Applied Clear Coat Not for Wide Base REQS: Code 26DBA, 26DRL, 26DRN, 26DRS, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVA, 26DVH or 26DVP WHEEL, SPARE, DISC REQS: Code 27DMK, 27DUR, 27DUS, 27DVP or 27DVS WHEELS, FRONT - for HX615 SBA 8x6 Tridem REQS: Code 27DMK, 27DMN, 27DUR, 27DUS, 27DVP or 27DVS WHEELS, FRONT - for HX615 SBA 6x4 N/A: Code 29AAA WHEEL BRAND, FRONT	29PBT	\$278	\$278
Disc Front Wheels; Aluminum, with Vendor Applied Clear Coat, for Wide Base REQS: Code 26DBA, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVA, 26DVH or 26DVN WHEEL, SPARE, DISC REQS: Code 27DBA, 27DJL, 27DVB, 27DVC or 27DVD WHEELS, FRONT N/A: Code 29AAA WHEEL BRAND, FRONT	29PBX	\$278	\$278
<i>Alcoa</i>			
- Dura-Bright XBR/EVO -			
Disc Front Wheels; Aluminum, with Vendor Applied Treatment; Not for Wide Base REQS: Code 26DPN, 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUN, 26DUR, 26DUS, 26DUW, 26DVA, 26DVG or 26DVH WHEEL, SPARE, DISC REQS: Code 27DEL, 27DEM, 27DUT, 27DVG or 27DVK WHEELS, FRONT - for HX615 SBA 8x6 Tridem REQS: Code 27DEL, 27DEM, 27DUT, 27DVG, 27DVK or 27DVF WHEELS, FRONT - for HX615 SBA 6x4 N/A: Code 29AAA WHEEL BRAND, FRONT	29PBZ	\$419	\$419
Disc Front Wheels; Aluminum, with Vendor Applied Treatment; for Wide Base REQS: Code 26DTD, 26DTH, 26DTJ, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS, 26DUW, 26DVA or 26DVH WHEEL, SPARE, DISC REQS: Code 27DJJ WHEELS, FRONT REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 -OR- AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem N/A: Code 29AAA WHEEL BRAND, FRONT	29PCB	\$482	\$482



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
COATING IDENTITY, REAR WHEELS			
<i>Accuride</i>			
- Accu-Shield -			
Aluminum Disc Rear Wheels, with Vendor Applied Clear Coat; Not for Super Single Wide Base	29PBS	\$608	\$912
REQS: Code 28DMK, 28DMN, 28DUS, 28DVP or 28DVR WHEELS, REAR - for HX615 SBA 8x6 Tridem			
REQS: Code 28DMK, 28DMN, 28DUS, 28DVP, 28DVR or 28DVS WHEELS, REAR - for HX615 SBA 6x4			
REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRJ, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTU, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for HX615 SBA 6x4			
-OR- AXLE, REAR, TRIDEM - for HX615 SBA 8x6 Tridem			
N/A: Code 29PCD COATING, RIM, REAR WHEELS			
<i>Alcoa</i>			
- Dura-Bright XBR/EVO -			
Aluminum Disc Rear Wheels, with Vendor Applied Treatment; Not for Super Single Wide Base	29PBY	\$838	\$1,257
REQS: Code 26DPN, 26DTD, 26DTH, 26DTJ, 26DTZ, 26DUA, 26DUC, 26DUK, 26DUL, 26DUN, 26DUR, 26DUS, 26DUW, 26DVA, 26DVG or 26DVH WHEEL, SPARE, DISC			
REQS: Code 28DEL, 28DEM or 28DVG WHEELS, REAR - for HX615 SBA 8x6 Tridem			
REQS: Code 28DEL, 28DEM, 28DVG or 28DVK WHEELS, REAR - for HX615 SBA 6x4			
REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for HX615 SBA 6x4			
-OR- AXLE, REAR, TRIDEM - for HX615 SBA 8x6 Tridem			
COATING, RIM, REAR WHEELS			
<i>Alcoa</i>			
- Duraflange -			
Aluminum Disc Rear Wheels, with Vendor Applied Treatment	29PCD	\$2,281	N/A
REQS: Code 28DEN, 28DVG, 28DVK, 28DVP or 28DVS WHEELS, REAR			
REQS: Code 14GGU, 14GRD, 14GRP, 14GRR, 14GRS, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL or 14HRM AXLE, REAR, TANDEM			
AVAIL: Code 29PBY COATING IDENTITY, REAR WHEELS			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
HUB MODIFICATIONS, FRONT Provide Longer Studs in Front Hubs for Retrofitting Aluminum Disc Wheels by Customer REQS: Code 27DTJ, 27DUL, 27DUN or 27DUW(std) WHEELS, FRONT REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ASM, 02ATB, 02AUR, 02AYJ, 02AYK or 02AYL AXLE, FRONT NON-DRIVING - for HX615 SBA 6x4 -OR- AXLE, FRONT NON-DRIVING - for HX615 SBA 8x6 Tridem N/A: Code 29331 BRAKE DRUMS, FRONT - for HX615 SBA 6x4	29GAZ	\$53	\$53
HUB MODIFICATIONS, REAR Provide Longer Studs in Rear Hubs for Retrofitting Aluminum Disc Wheels by Customer REQS: Code 28DPR, 28DTD, 28DTH, 28DTJ, 28DUK, 28DUP or 28DUW(std) WHEELS, REAR - for HX615 SBA 8x6 Tridem REQS: Code 28DPR, 28DTD, 28DTH, 28DTJ, 28DUK, 28DUL, 28DUP or 28DUW(std) WHEELS, REAR - for HX615 SBA 6x4 REQS: Code 14GGU, 14GRD, 14GRP, 14GRR, 14GRS, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL or 14HRM AXLE, REAR, TANDEM - for HX615 SBA 6x4 -OR- AXLE, REAR, TRIDEM - for HX615 SBA 8x6 Tridem	29GBA	\$106	\$159
PAINT IDENTITY, FRONT WHEELS Disc Front Wheels; with Vendor Applied White Powder Coat Paint REQS: Code 27DTA, 27DTC, 27DTD, 27DTH or 27DTJ WHEELS, FRONT N/A: Code 10641 PAINT IDENTITY, PT-2 Disc Wheels; with Vendor Applied Black Powder Coat Paint REQS: Code 27DPN, 27DTD, 27DTH, 27DTJ, 27DUK, 27DUL, 27DUN or 27DUW(std) WHEELS, FRONT - for HX615 SBA 8x6 Tridem REQS: Code 27DPN, 27DTD, 27DTH, 27DTJ, 27DUK, 27DUL, 27DUN, 27DUW(std) or 27DUX WHEELS, FRONT - for HX615 SBA 6x4 N/A: Code 10641 PAINT IDENTITY, PT-2	29PAR 29PBA	\$24 \$24	N/A \$24
PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; with Vendor Applied White Powder Coat Paint REQS: Code 28DTA, 28DTC, 28DTD, 28DTH or 28DTJ WHEELS, REAR N/A: Code 10641 PAINT IDENTITY, PT-2	29PAS	\$96	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
PAINT IDENTITY, REAR WHEELS (CONTINUED) Disc Wheels; with Vendor Applied Black Powder Coat Paint REQS: Code 28DPR, 28DTD, 28DTH, 28DTJ, 28DUK or 28DUW(std) WHEELS, REAR - for HX615 SBA 8x6 Tridem REQS: Code 28DPR, 28DTC, 28DTD, 28DTH, 28DTJ, 28DUK, 28DUL, 28DUW(std) or 28DUX WHEELS, REAR - for HX615 SBA 6x4 N/A: Code 10641 PAINT IDENTITY, PT-2	29PBB	\$96	\$144
TIRE, SPARE Equal to Model Standard	29007	\$840	\$840
TIRE VALVE CAP Flo-Thru Design	29ACD	\$24	\$24
WHEEL BRAND, FRONT Alcoa Aluminum Disc Front Wheels REQS: Code 26DRS, 26DTD, 26DTH, 26DTJ, 26DTZ, 26DUA, 26DUC, 26DUK, 26DUL, 26DUR, 26DUS or 26DUW WHEEL, SPARE, DISC REQS: Code 27DEL, 27DEM, 27DVN, 27DVP, 27DVR or 27DVS WHEELS, FRONT N/A: Code 29PBA PAINT IDENTITY, FRONT WHEELS - for HX615 SBA 8x6 Tridem : Code 29PAR and 29PBA PAINT IDENTITY, FRONT WHEELS - for HX615 SBA 6x4 : Code 29PBT, 29PBX, 29PBZ and 29PCB COATING IDENTITY, FRONT WHEELS	29AAA	\$260	\$260
WHEEL BEARING, FRONT, LUBE EmGard - FE-75W-90 - Synthetic Oil	29WLK	\$59	\$59
WHEEL GUARDS, FRONT Accuride for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	29WAP	\$24 + 1/0	\$24 + 1/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
WHEEL GUARDS, REAR <i>Accuride</i> for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels REQS: Code 28DPR, 28DTD, 28DTH, 28DTJ, 28DUK, 28DUP or 28DUW(std) WHEELS, REAR - for HX615 SBA 8x6 Tridem REQS: Code 28DPR, 28DTA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DUC, 28DUK, 28DUL, 28DUP, 28DUW(std) or 28DUX WHEELS, REAR - for HX615 SBA 6x4	29WAR	\$48 0/+9	\$72 0/+11
WHEEL, REAR, IDENTITY Replace Inner Aluminum Wheels on Rear Duals with the Equivalent Steel Wheels - For Use with Hub Piloted Wheels Only REQS: Code 28DMJ, 28DMK, 28DMM, 28DMN, 28DVG, 28DVH, 28DVJ, 28DVK, 28DVN, 28DVP, 28DVR or 28DVS WHEELS, REAR N/A: Code 14GRJ, 14GRM, 14GTT, 14GTU and 14GUV AXLE, REAR, TANDEM	29BAG	\$700CR 0/+117	N/A
WHEEL SEALS, FRONT <i>Stemco</i> - Voyager - Oil Lubricated Wheel Bearings ILO Standard Oil Seals	29598	\$59	\$59
WHEEL SEALS, REAR <i>Stemco</i> - Voyager - Oil Lubricated Wheel Bearings REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRJ, 14GRM, 14GRP, 14GRR, 14GRS, 14GTS, 14GTT, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRC, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for HX615 SBA 6x4 -OR- AXLE, REAR, TRIDEM - for HX615 SBA 8x6 Tridem	29597	\$152	\$228



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

**MODEL/SUGGESTED LIST PRICE/WEIGHT
 NOTE: WEIGHTS - FRONT/REAR**

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
WHEELS, LIFT AXLE PUSHER			
<i>Accuride</i>			
- 29300 -			
Single Wheels, for Two Lift Axles; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >>	34ABV	\$4,525	N/A
N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE			
Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >>	34ABU	\$2,422 +170/+332	N/A
N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE			
- 29683 -			
Single Wheels, For One Lift Axle; 22.5x12.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, Offset 4.00" << Pricing Includes Standard Tires >>	34ACA	\$2,666 +166/+324	N/A
N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM and 14WNL AXLE, PUSHER, LIFT TYPE			
Single Wheels, For One Lift Axle; 22.5x12.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, Offset 4.00" << Pricing Includes Standard Tires >>	34ABP	\$2,734 +166/+322	N/A
N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM and 14WNL AXLE, PUSHER, LIFT TYPE			
- 29807 -			
Single Wheels, For One Lift Axle; 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, Offset 4.62" << Pricing Includes Standard Tires >>	34ABZ	\$2,915 +192/+374	N/A
N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM and 14WNL AXLE, PUSHER, LIFT TYPE			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
WHEELS, LIFT AXLE PUSHER (CONTINUED) Accuride - 41362 - Single Wheels, For One Lift Axle; 24.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE Single Wheels, For Two Lift Axles; 24.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Single Wheels, for Two Lift Axles; 24.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Single Wheels, For One Lift Axle; 24.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE - 41730 - Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE Single Wheels, For Two Lift Axles; 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE			
	34AAP	\$2,889 +127/+247	N/A
	34ABJ	\$5,778 +88/+128	N/A
	34ABH	\$5,684 +88/+128	N/A
	34AAM	\$2,842 +34/+74	N/A
	34ACD	\$2,850 +141/+275	N/A
	34ACE	\$5,651	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>WHEELS, LIFT AXLE PUSHER (CONTINUED)</p> <p><i>Accuride</i></p> <p>- 41730 -</p> <p>Single Wheels, for Two Lift Axles; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE</p> <p>Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE</p> <p>- 42644 -</p> <p>Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE</p> <p>Single Wheels, For One Lift Axle; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE</p> <p>Single Wheels, For Two Lift Axles; 22.5x8.25 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE</p> <p>Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE</p>			
	34ACC	\$5,515 +417/+463	N/A
	34ACB	\$2,782 +142/+278	N/A
	34ACS	\$5,646 +199/+389	N/A
	34ACM	\$2,846 +105/+205	N/A
	34ACT	\$5,691 +275/+305	N/A
	34ACR	\$5,599	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
WHEELS, LIFT AXLE PUSHER (CONTINUED)			
<i>Accuride</i>			
- 42644 -			
Single Wheels, For One Lift Axle; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >>	34ACN	\$2,799 +107/+207	N/A
N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE			
- 50409 -			
Single Wheels, for Two Lift Axles; 24.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >>	34ABT	\$4,350	N/A
N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE			
Single Wheels, For One Lift Axle; 24.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >>	34ABS	\$2,175 +144/+280	N/A
N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE			
- 51408 -			
Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >>	34ACK	\$3,533 +256/+500	N/A
N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE			
Single Wheels, for Two Lift Axles; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >>	34ACH	\$3,554 +296/+328	N/A
N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE			
Single Wheels, For One Lift Axle; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut << Pricing Includes Standard Tires >>	34ACJ	\$1,777 +122/+238	N/A
N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>WHEELS, LIFT AXLE PUSHER (CONTINUED)</p> <p><i>Alcoa</i></p> <p>- 89U63 - Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, Offset 4.06" << Pricing Includes Standard Tires >> N/A: Code 14XAB, 14XAC, 14XAD, 14XAJ and 14XAK PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM and 14WNM AXLE, PUSHER, LIFT TYPE</p>	34ACG	\$3,040 +129/+250	N/A
<p>WARRANTY</p> <p>Standard for HX Series, Effective with Vehicles Built December 7, 2015 or Later, CTS-2015A</p>	40124	STD	STD
<p>SERVICES, TOWING</p> <p><i>Navistar</i></p> <p>Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident</p> <p>Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident</p> <p>Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident</p> <p>Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident</p> <p>Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident</p>	40KLZ 40KME 40RAU 40KMA 40KMG	\$400 0/0 \$280 0/0 \$600 \$800 0/0 \$560 0/0	\$400 0/0 \$280 0/0 \$600 \$800 0/0 \$560 0/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SERVICES, TOWING (CONTINUED)			
<i>Navistar</i>			
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAV	\$1,000	\$1,000
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMB	\$1,100 0/0	\$1,100 0/0
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMH	\$780 0/0	\$780 0/0
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAW	\$1,400	\$1,400
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMC	\$1,300 0/0	\$1,300 0/0
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMJ	\$920 0/0	\$920 0/0
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAX	\$1,900	\$1,900
Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMD	\$1,600 0/0	\$1,600 0/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SERVICES, TOWING (CONTINUED)			
<i>Navistar</i>			
Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMK	\$1,120 0/0	\$1,120 0/0
Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40RAY	\$2,600	\$2,600
SRV CONTRACT, EXT ALLISON XMSN			
<i>Allison</i>			
To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWC	\$2,054	\$2,054
To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with Refuse Packer Vocations (ST15, ST16) REQS: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWD	\$2,608	\$2,608
To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWE	\$2,054	\$2,054
To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWG	\$2,054	\$2,054
To 60-Month/Unlimited Miles/km, for Allison 4000 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13ATP, 13ATR, 13AUV or 13AUY TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWH	\$2,054	\$2,054
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13AUT, 13AUA, 13AUB or 13AUC TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWJ	\$1,952	\$1,952



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SRV CONTRACT, EXT ALLISON XMSN (CONTINUED)			
<i>Allison</i>			
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Refuse Packer Vocations (ST15, ST16) REQS: Code 13AUT, 13AUU, 13AUW or 13AUX TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWK	\$2,404	\$2,404
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13AUT, 13AUU, 13AUW or 13AUX TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWL	\$1,952	\$1,952
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13AUT, 13AUU, 13AUW or 13AUX TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWM	\$1,952	\$1,952
To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13AUT, 13AUU, 13AUW or 13AUX TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	40TWN	\$1,952	\$1,952
SRV CONTRACT, EXT CAB			
<i>Navistar</i>			
To 120-Month/300,000 Miles (480,000 km); Covers Cab Structure, Perforation and Corrosion, with Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUC	\$1,500 0/0	N/A
To 72-Month/300,000 Miles (480,000 km); Covers Cab Structure, Perforation and Corrosion, with Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUA	\$940 0/0	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SRV CONTRACT, EXT CAB (CONTINUED) Navistar To 96-Month/300,000 Miles (480,000 km); Covers Cab Structure, Perforation and Corrosion, with Rear Axle Capacity of 52,000-lb or Less REQ: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE	40EUB	\$1,240 0/0	N/A
SRV CONTRACT, EXT COOLING SYS Navistar To 24-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 24-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 24-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 36-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 36-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 48-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 60-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40MHR 40MHS 40MHV 40MHT 40MHU 40MKC 40MKD 40MKE 40MKG 40MKH 40MJH	\$220 0/0 \$260 0/0 \$560 0/0 \$460 0/0 \$520 0/0 \$700 0/0 \$760 0/0 \$840 0/0 \$800 0/0 \$860 0/0 \$940 0/0	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SRV CONTRACT, EXT EATON XMSN			
<i>Eaton</i>			
To 36-Month/Unlimited Miles/km, for Severe Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL -OR- Code 13AYB or 13AYC TRANSMISSION, AUTOMATIC	40SPV	\$3,050 0/0	\$3,050 0/0
To 48-Month/Unlimited Miles/km, for Severe Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL -OR- Code 13AYB or 13AYC TRANSMISSION, AUTOMATIC	40SPW	\$3,900 0/0	\$3,900 0/0
To 48-Month/Unlimited Miles/km, for Standard Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL -OR- Code 13AYB or 13AYC TRANSMISSION, AUTOMATIC	40SPY	\$2,300 0/0	\$2,300 0/0
To 60-Month/Unlimited Miles/km, for Severe Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL -OR- Code 13AYB or 13AYC TRANSMISSION, AUTOMATIC	40SPX	\$5,100 0/0	\$5,100 0/0
To 60-Month/Unlimited Miles/km, for Standard Duty with GREATER THAN OR EQUAL TO 1850 lb-ft Torque REQS: Code 13GXA, 13GXD or 13GXH TRANSMISSION, MANUAL -OR- Code 13AYB or 13AYC TRANSMISSION, AUTOMATIC	40SPZ	\$2,950 0/0	\$2,950 0/0
To 36-Month/Unlimited Miles/km, for Severe Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GYC, 13GYD, 13GYG or 13GYH TRANSMISSION, MANUAL -OR- Code 13AYB or 13AYC TRANSMISSION, AUTOMATIC	40SRK	\$2,300 0/0	\$2,300 0/0
To 48-Month/Unlimited Miles/km, for Severe Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GYC, 13GYD, 13GYG or 13GYH TRANSMISSION, MANUAL -OR- Code 13AYB or 13AYC TRANSMISSION, AUTOMATIC	40SRL	\$3,200 0/0	\$3,200 0/0
To 48-Month/Unlimited Miles/km, for Standard Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL -OR- Code 13AYB or 13AYC TRANSMISSION, AUTOMATIC	40SRA	\$1,900 0/0	\$1,900 0/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SRV CONTRACT, EXT EATON XMSN (CONTINUED)			
<i>Eaton</i>			
To 60-Month/Unlimited Miles/km, for Severe Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GYC, 13GYD, 13GYG or 13GYH TRANSMISSION, MANUAL -OR- Code 13AYB or 13AYC TRANSMISSION, AUTOMATIC	40SRM	\$4,250 0/0	\$4,250 0/0
To 60-Month/Unlimited Miles/km, for Standard Duty with LESS THAN OR EQUAL TO 1750 lb-ft Torque REQS: Code 13GWN, 13GWP, 13GWR, 13GWV, 13GWW, 13GWX, 13GWZ(std), 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL -OR- Code 13AYB or 13AYC TRANSMISSION, AUTOMATIC	40SRB	\$2,500 0/0	\$2,500 0/0
SRV CONTRACT, EXT ELECTRICAL			
<i>Navistar</i>			
- Prepackaged Components -			
Excludes Starter and Alternator, To 24-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NLR	\$360 0/0	N/A
Excludes Starter and Alternator, To 24-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NLS	\$440 0/0	N/A
Excludes Starter and Alternator, To 36-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NLT	\$760 0/0	N/A
Excludes Starter and Alternator, To 36-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NLU	\$860 0/0	N/A
Excludes Starter and Alternator, To 36-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NLV	\$940 0/0	N/A
Excludes Starter and Alternator, To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NLW	\$1,160 0/0	N/A
Excludes Starter and Alternator, To 48-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NLX	\$1,260 0/0	N/A
Excludes Starter and Alternator, To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NLY	\$1,380 0/0	N/A
Excludes Starter and Alternator, To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NLZ	\$1,320 0/0	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SRV CONTRACT, EXT ELECTRICAL (CONTINUED) Navistar - Prepackaged Components - Excludes Starter and Alternator, To 60-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Excludes Starter and Alternator, To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NMA 40NMB	\$1,420 0/0 \$1,580 0/0	N/A N/A
SRV CONTRACT, EXT ENGINE Navistar To 36-Month/300,000 Miles (480,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 36-Month/350,000 Miles (560,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 36-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 36-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 48-Month/100,000 Miles (160,000 km), Unlimited Hours, Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 48-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR To 48-Month/450,000 Miles (720,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSV 40SSW 40SSX 40SSY 40SSC 40SSZ 40STA	\$2,200 0/0 \$2,600 0/0 \$3,100 0/0 \$5,500 0/0 \$1,998 0/0 \$4,400 0/0 \$5,000 0/0	\$2,200 0/0 \$2,600 0/0 \$3,100 0/0 \$5,500 0/0 \$1,998 0/0 \$4,400 0/0 \$5,000 0/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem	
SRV CONTRACT, EXT ENGINE (CONTINUED)			
<i>Navistar</i>			
To 48-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STB	\$6,200 0/0	\$6,200 0/0
To 48-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40PMN	\$7,400	\$7,400
To 60-Month/100,000 Miles (160,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STC	\$3,400 0/0	\$3,400 0/0
To 60-Month/200,000 Miles (320,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STD	\$4,600 0/0	\$4,600 0/0
To 60-Month/300,000 Miles (480,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STE	\$4,900 0/0	\$4,900 0/0
To 60-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STG	\$5,800 0/0	\$5,800 0/0
To 60-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STH	\$7,200 0/0	\$7,200 0/0
To 60-Month/550,000 Miles (880,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40PMT	\$7,800	N/A
To 60-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40PMU	\$8,600	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SRV CONTRACT, EXT ENGINE (CONTINUED)			
<i>Navistar</i>			
To 72-Month/250,000 Miles (400,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STJ	\$5,000 0/0	\$5,000 0/0
To 72-Month/500,000 Miles (800,000 km) Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STK	\$8,800 0/0	\$8,800 0/0
To 72-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STL	\$10,800 0/0	\$10,800 0/0
To 84-Month/100,000 Miles (160,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STM	\$5,500 0/0	\$5,500 0/0
To 84-Month/150,000 Miles (240,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STN	\$6,400 0/0	\$6,400 0/0
To 84-Month/250,000 Miles (400,000 km) Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STP	\$7,000 0/0	\$7,000 0/0
To 84-Month/400,000 Miles (640,000 km) Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40STR	\$8,800 0/0	\$8,800 0/0
To 36-Month/300,000 Miles (480,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSG	\$1,600 0/0	\$1,600 0/0
To 36-Month/350,000 Miles (560,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSH	\$1,800 0/0	\$1,800 0/0
To 36-Month/400,000 Miles (640,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSJ	\$2,100 0/0	\$2,100 0/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem	
SRV CONTRACT, EXT ENGINE (CONTINUED)			
<i>Navistar</i>			
To 48-Month/400,000 Miles (640,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSK	\$2,600 0/0	\$2,600 0/0
To 48-Month/450,000 Miles (720,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSM	\$3,000 0/0	\$3,000 0/0
To 48-Month/500,000 Miles (800,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSN	\$3,600 0/0	\$3,600 0/0
To 60-Month/300,000 Miles (480,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSP	\$2,600 0/0	\$2,600 0/0
To 60-Month/400,000 Miles (640,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSR	\$3,200 0/0	\$3,200 0/0
To 60-Month/500,000 Miles (800,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSS	\$4,100 0/0	\$4,100 0/0
To 72-Month/250,000 Miles (400,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SST	\$3,300 0/0	\$3,300 0/0
To 84-Month/250,000 Miles (400,000 km), Limited Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR	40SSU	\$3,900 0/0	\$3,900 0/0
SRV CONTRACT, EXT ENGINE/AFTR			
<i>Navistar</i>			
To 36-Month/300,000 Miles (480,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPT	\$3,150	\$3,150
To 36-Month/350,000 Miles (560,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPU	\$3,700	\$3,700



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SRV CONTRACT, EXT ENGINE/AFTR (CONTINUED) Navistar To 36-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPV	\$4,700	\$4,700
To 36-Month/450,000 Miles (720,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40PRJ	\$6,400	\$6,400
To 36-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPW	\$8,000	\$8,000
To 48-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPX	\$6,600	\$6,600
To 48-Month/450,000 Miles (720,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPY	\$7,500	\$7,500
To 48-Month/500,000 Miles (800,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TPZ	\$9,200	\$9,200
To 48-Month/600,000 Miles (960,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP	40TRA	\$11,400	\$11,400



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>SRV CONTRACT, EXT ENGINE/AFTR (CONTINUED)</p> <p><i>Navistar</i></p> <p>To 84-Month/400,000 Miles (640,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE : Code 40SSD and 40SSE SRV CONTRACT, EXT ENG M/COMP</p>	40TRS	\$12,800	\$12,800
<p>SRV CONTRACT, EXT ENG M/COMP</p> <p><i>Navistar</i></p> <p>To 72-Month/600,000 Miles (960,000 km), Major Components Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR</p> <p>To 84-Month/700,000 Miles (1,120,000 km), Major Components Plan for International A26 Engines N/A: SRV CONTRACT, EXT ENGINE/AFTR</p>	40SSD	\$1,300 0/0	\$1,300 0/0
<p>SRV CONTRACT, EXT FRAME</p> <p>To 120-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, with Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 72-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, with Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 96-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, with Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p>	40EUG	\$380 0/0	N/A
<p>To 72-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, with Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p>	40EUD	\$240 0/0	N/A
<p>To 96-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, with Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p>	40EUE	\$300 0/0	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SRV CONTRACT, EXT HEND SUSP			
<i>Hendrickson</i>			
To 24-Month/Unlimited Miles/Km, Extended Hendrickson HAS 30,000-46,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM N/A: SUSPENSION, REAR, TANDEM	40SRT	\$1,210 0/0	N/A
To 36-Month/Unlimited Miles/Km, Extended Hendrickson HAS 30,000-46,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14UKZ, 14ULA, 14ULB, 14ULC, 14ULS, 14ULT, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM N/A: SUSPENSION, REAR, TANDEM	40SRU	\$1,510 0/0	N/A
To 24-Month/Unlimited Miles/Km, Extended Hendrickson HAULMAAX 40,000-46,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14ULX(std), 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM	40SPJ	\$970 0/0	N/A
To 36-Month/Unlimited Miles/Km, Extended Hendrickson HAULMAAX 40,000-46,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14ULX(std), 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM	40SPK	\$1,620 0/0	N/A
To 24-Month/Unlimited Miles/Km, Extended Hendrickson PRIMAAX 46,000-52,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM	40SRN	\$1,000 0/0	N/A
To 36-Month/Unlimited Miles/Km, Extended Hendrickson PRIMAAX 46,000-52,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14698 SUSPENSION, REAR, TANDEM -OR- Code 14UNW, 14UNX, 14UNY, 14UPU, 14UPV, 14UPW or 14UPX SUSPENSION, REAR, AIR, TANDEM	40SRR	\$1,260 0/0	N/A
To 24-Month/Unlimited Miles/Km, Extended Hendrickson PRIMAAX 69,000-78,000-lb Capacity Suspensions, for Tridem Axles	40SRP	N/A	\$1,260 0/0
To 36-Month/Unlimited Miles/Km, Extended Hendrickson PRIMAAX 69,000-78,000-lb Capacity Suspensions, for Tridem Axles	40SRS	N/A	\$1,580 0/0



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SRV CONTRACT, EXT HEND SUSP (CONTINUED)			
<i>Hendrickson</i>			
To 24-Month/Unlimited Miles/Km, Extended Hendrickson RT/RTE 34,000-52,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14UHD, 14UHK, 14UHL or 14698 SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM	40SPL	\$1,170 0/0	N/A
To 36-Month/Unlimited Miles/Km, Extended Hendrickson RT/RTE 34,000-52,000-lb Capacity Suspensions, for Tandem Axles REQS: Code 14UHD, 14UHK, 14UHL or 14698 SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM	40SPM	\$2,010 0/0	N/A
SRV CONTRACT, EXT HTR/AC SYS			
<i>Navistar</i>			
- Prepackaged Components -			
To 24-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NHJ	\$460 0/0	N/A
To 24-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NHK	\$540 0/0	N/A
To 36-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NHL	\$940 0/0	N/A
To 36-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NHM	\$1,040 0/0	N/A
To 36-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NHN	\$1,160 0/0	N/A
To 36-Month/300,000 Miles (480,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NPV	\$1,300	\$1,300
To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NHP	\$1,440 0/0	N/A
To 48-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NHR	\$1,540 0/0	N/A
To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NHS	\$1,660 0/0	N/A
To 48-Month/400,000 Miles (640,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NPW	\$1,940	\$1,940
To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NHT	\$1,620 0/0	N/A
To 60-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40NHU	\$1,720 0/0	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>SRV CONTRACT, EXT HTR/AC SYS (CONTINUED)</p> <p><i>Navistar</i></p> <p>- Prepackaged Components -</p> <p>To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 60-Month/400,000 Miles (640,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 60-Month/500,000 Miles (800,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p>			
<p>SRV CONTRACT, EXT MAJOR COMP</p> <p><i>Navistar</i></p> <p>- Prepackaged Components -</p> <p>To 24-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 24-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 36-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 36-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p> <p style="text-align: right;">(SEE NEXT PAGE)</p>			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>SRV CONTRACT, EXT MAJOR COMP (SEE PREV PAGE)</p> <p><i>Navistar</i></p> <p>- Prepackaged Components - N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 36-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 48-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 48-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 48-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 60-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p>			
	40LWY		
	40LWZ	\$700 0/0	N/A
	40LXA	\$880 0/0	N/A
	40LXB	\$940 0/0	N/A
	40LXC	\$1,040 0/0	N/A
	40LXD	\$980 0/0	N/A



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>SRV CONTRACT, EXT MAJOR COMP (CONTINUED)</p> <p><i>Navistar</i></p> <p>- Prepackaged Components -</p> <p>To 60-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 60-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>To 60-Month/250,000 Miles (400,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT VEH COVERAGE</p>	<p>40LXE</p> <p>40LXG</p> <p>40LXH</p>	<p>\$1,080 0/0</p> <p>\$1,180 0/0</p> <p>\$1,300 0/0</p>	<p>N/A</p> <p>N/A</p> <p>N/A</p>
<p>SRV CONTRACT, EXT STARTER/ALT</p> <p><i>Navistar</i></p> <p>- Prepackaged Components -</p> <p>Covers Starter and Alternator Only, To 24-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>Covers Starter and Alternator Only, To 36-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>Covers Starter and Alternator Only, To 36-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>Covers Starter and Alternator Only, To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p>	<p>40MEV</p> <p>40MEW</p> <p>40MEX</p> <p>40MEY</p>	<p>\$240 0/0</p> <p>\$400 0/0</p> <p>\$620 0/0</p> <p>\$620 0/0</p>	<p>N/A</p> <p>N/A</p> <p>N/A</p> <p>N/A</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>SRV CONTRACT, EXT STARTER/ALT (CONTINUED)</p> <p><i>Navistar</i></p> <p>- Prepackaged Components -</p> <p>Covers Starter and Alternator Only, To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>Covers Starter and Alternator Only, To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p> <p>Covers Starter and Alternator Only, To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE</p>	<p>40MEZ</p> <p>40MGA</p> <p>40MGB</p>	<p>\$720</p> <p>\$700</p> <p>\$840</p>	<p>0/0</p> <p>0/0</p> <p>0/0</p>
<p>SRV CONTRACT, EXT VEH COVERAGE</p> <p><i>Navistar</i></p> <p>To 36-Month/300,000 Miles (480,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for HX615 SBA 6x4 -OR- AXLE, REAR, TRIDEM - for HX615 SBA 8x6 Tridem N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB - for HX615 SBA 6x4 : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME - for HX615 SBA 6x4 : SRV CONTRACT, EXT MAJOR COMP - for HX615 SBA 6x4 : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT - for HX615 SBA 6x4 : SRV CONTRACT, EXT ELECTRICAL - for HX615 SBA 6x4 : SRV CONTRACT, EXT COOLING SYS - for HX615 SBA 6x4 NOTE: Pricing may change if axle configuration is changed.</p> <p>To 48-Month/500,000 Miles (800,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for HX615 SBA 6x4 -OR- AXLE, REAR, TRIDEM - for HX615 SBA 8x6 Tridem N/A: SRV CONTRACT, EXT HTR/AC SYS (SEE NEXT PAGE)</p>	<p>40PSP</p> <p>40PSR</p>	<p>\$9,650</p> <p>\$20,700</p>	<p>\$9,650</p> <p>\$20,700</p>



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)</p> <p><i>Navistar</i></p> <p>N/A: SRV CONTRACT, EXT MAJOR COMP - for HX615 SBA 6x4 : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT - for HX615 SBA 6x4 : SRV CONTRACT, EXT ELECTRICAL - for HX615 SBA 6x4 : SRV CONTRACT, EXT COOLING SYS - for HX615 SBA 6x4 NOTE: Pricing may change if axle configuration is changed.</p>			
<p>To 60-Month/500,000 Miles (800,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for HX615 SBA 6x4 -OR- AXLE, REAR, TRIDEM - for HX615 SBA 8x6 Tridem</p>	40PSV		
<p>N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB - for HX615 SBA 6x4 : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME - for HX615 SBA 6x4 : SRV CONTRACT, EXT MAJOR COMP - for HX615 SBA 6x4 : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT - for HX615 SBA 6x4 : SRV CONTRACT, EXT ELECTRICAL - for HX615 SBA 6x4 : SRV CONTRACT, EXT COOLING SYS - for HX615 SBA 6x4 NOTE: Pricing may change if axle configuration is changed.</p>	40PSW	\$24,200	\$24,200
<p>To 84-Month/100,000 Miles (160,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for HX615 SBA 6x4 -OR- AXLE, REAR, TRIDEM - for HX615 SBA 8x6 Tridem</p>	40PSX	\$19,100	\$19,100
<p>N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB - for HX615 SBA 6x4 : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME - for HX615 SBA 6x4 : SRV CONTRACT, EXT MAJOR COMP - for HX615 SBA 6x4</p> <p style="text-align: right;"><i>(SEE NEXT PAGE)</i></p>			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)			
<i>Navistar</i>			
N/A: Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT - for HX615 SBA 6x4 : SRV CONTRACT, EXT ELECTRICAL - for HX615 SBA 6x4 : SRV CONTRACT, EXT COOLING SYS - for HX615 SBA 6x4 NOTE: Pricing may change if axle configuration is changed.	40PSX		
To 84-Month/250,000 Miles (400,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for HX615 SBA 6x4 -OR- AXLE, REAR, TRIDEM - for HX615 SBA 8x6 Tridem N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB - for HX615 SBA 6x4 : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME - for HX615 SBA 6x4 : SRV CONTRACT, EXT MAJOR COMP - for HX615 SBA 6x4 : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT - for HX615 SBA 6x4 : SRV CONTRACT, EXT ELECTRICAL - for HX615 SBA 6x4 : SRV CONTRACT, EXT COOLING SYS - for HX615 SBA 6x4 NOTE: Pricing may change if axle configuration is changed.	40PSY	\$25,800	\$25,800
To 84-Month/400,000 Miles (640,000 km), Bumper to Bumper Coverage for A26 Powered Unit, for Rear Axle Rating of 52,000 lbs or Less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for HX615 SBA 6x4 -OR- AXLE, REAR, TRIDEM - for HX615 SBA 8x6 Tridem N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB - for HX615 SBA 6x4 : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME - for HX615 SBA 6x4 : SRV CONTRACT, EXT MAJOR COMP - for HX615 SBA 6x4	40PSZ	\$32,300	\$32,300
(SEE NEXT PAGE)			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)			
<i>Navistar</i>			
N/A: Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40PPE		
To 36-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40PPG	\$ 6,000	N/A
To 36-Month/300,000 Miles (480,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40PPH	\$ 6,500	N/A
To 36-Month/350,000 Miles (560,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS	40PPJ	\$ 7,000	N/A
(SEE NEXT PAGE)			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
(CONTINUED)			
<i>Navistar</i>			
To 48-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40PPM	\$7,000	N/A
To 48-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40PPN	\$8,000	N/A
To 48-Month/250,000 Miles (400,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP	40PPP	\$9,000	N/A
<i>(SEE NEXT PAGE)</i>			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT					
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR					
ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem			
SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE) Navistar N/A: Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS To 48-Month/500,000 Miles (800,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS To 60-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS To 60-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: SRV CONTRACT, EXT HTR/AC SYS <div style="text-align: right;">(SEE NEXT PAGE)</div>						
	40PPP					
	40PPR	\$11,500	N/A			
	40PPS	\$8,400	N/A			
	40PPT	\$9,000	N/A			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
<p>SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)</p> <p><i>Navistar</i></p> <p>N/A: Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS</p>			
<p>To 60-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p>	40PPU	\$10,000	N/A
<p>N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS</p>			
<p>To 60-Month/300,000 Miles (480,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM</p>	40PPV	\$11,000	N/A
<p>N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS</p>			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT		
ITEM DESCRIPTION	NOTE: WEIGHTS - FRONT/REAR		
CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem	
SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)			
<i>Navistar</i>			
N/A: SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40PPY		
To 84-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM	40PPZ	\$12,050	N/A
N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS			
To 84-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM	40PRA	\$13,600	N/A
N/A: SRV CONTRACT, EXT HTR/AC SYS : Code 40EUA, 40EUB and 40EUC SRV CONTRACT, EXT CAB : Code 40EUD, 40EUE and 40EUG SRV CONTRACT, EXT FRAME : SRV CONTRACT, EXT MAJOR COMP : Code 40MEV, 40MEW, 40MEX, 40MEY, 40MEZ, 40MGA and 40MGB SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS			
To 84-Month/250,000 Miles (400,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less REQS: Code 14GGU, 14GJW, 14GKE, 14GKJ, 14GKK, 14GKP, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GUV, 14GVJ, 14GVK, 14GVM, 14GVN, 14GVR, 14GVU(std), 14GVY, 14GVZ, 14HRA, 14HRC, 14HRE, 14HRH, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM	40PRB	\$15,000	N/A
(SEE NEXT PAGE)			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
TIRES (CONTINUED)			
<i>Goodyear</i>			
11R22.5 LR-H G751 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138125	\$391 +23	\$391 +23
11R22.5 LR-H G731 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138126	\$413 +22	\$413 +22
11R22.5 LR-H FUEL MAX RSA 497 rev/mile 75 MPH All-Position	7382138131	\$18CR -5	\$18CR -5
11R22.5 LR-H ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7382138132	\$163 0	\$163 0
11R22.5 LR-H ARMOR MAX MSD 493 rev/mile 68 MPH Drive-Position	7382138133	\$124 +20	\$124 +20
11R22.5 LR-H ARMOR MAX MSD DURASEAL 493 rev/mile 68 MPH Drive-Position	7382138134	\$270 +26	\$270 +26
12R22.5 LR-H G622 RSD 482 rev/mile 75 MPH Drive-Position	7382158102	\$271 +18	\$271 +18
12R22.5 LR-H G282 MSD 481 rev/mile 75 MPH Drive-Position	7382158105	\$241 +30	N/A
12R22.5 LR-H G751 MSA 483 rev/mile 68 MPH All-Position	7382158123	\$398 +29	\$398 +29
12R22.5 LR-H ENDURANCE RSA 482 rev/mile 75 MPH All-Position	7382158132	\$241 +21	\$241 +21
12R22.5 LR-H ARMOR MAX MSD 478 rev/mile 68 MPH Drive-Position	7382158133	\$413 +33	\$413 +33
295/75R22.5 LR-G FUEL MAX RSA 510 rev/mile 75 MPH All-Position	7702498131	\$18 -7	N/A
295/75R22.5 LR-G ENDURANCE RSA 512 rev/mile 75 MPH All-Position	7702498132	\$124 -4	N/A
255/70R22.5 LR-H ENDURANCE RSA 566 rev/mile 81 MPH All-Position	7752528132	\$77 -28	N/A
315/80R22.5 LR-J UNISTEEL G291 491 rev/mile 75 MPH All-Position	7702540190	\$522 +11	\$522 +11
315/80R22.5 LR-L UNISTEEL G291 491 rev/mile 68 MPH All-Position	7772540190	\$509 +12	\$509 +12
315/80R22.5 LR-L G751 MSA 484 rev/mile 68 MPH All-Position	7772548123	\$507 +33	\$507 +33
315/80R22.5 LR-L G751 MSA DURASEAL 484 rev/mile 68 MPH All-Position	7772548125	\$807 +41	\$807 +41
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
TIRES (CONTINUED)			
<i>Goodyear</i>			
315/80R22.5 LR-L G289 WHA 484 rev/mile 68 MPH All-Position	7782548109	N/A	\$491 +28
385/65R22.5 LR-J G296 MSA 488 rev/mile 68 MPH All-Position	7702658113	\$235CR +48	\$235CR +48
425/65R22.5 LR-L G296 MSA 468 rev/mile 68 MPH All-Position	7752668113	\$81CR +67	\$81CR +67
445/65R22.5 LR-L G296 MSA 457 rev/mile 68 MPH All-Position	7702678113	\$731 +85	\$731 +85
445/65R22.5 LR-L G278 MSD 453 rev/mile 68 MPH Drive-Position	7702678130	\$114 +101	\$114 +101
11R24.5 LR-G ENDURANCE RSA 473 rev/mile 75 MPH All-Position	7374228132	\$305 +9	N/A
11R24.5 LR-H G182 RSD 473 rev/mile 75 MPH Drive-Position	7384220121	\$372 +21	\$372 +21
11R24.5 LR-H G282 MSD 475 rev/mile 75 MPH Drive-Position	7384228105	\$654 +24	\$654 +24
11R24.5 LR-H G751 MSA 474 rev/mile 68 MPH All-Position	7384228123	\$368 +22	\$368 +22
11R24.5 LR-H FUEL MAX RSA 474 rev/mile 75 MPH All-Position	7384228131	\$25CR +4	\$25CR +4
11R24.5 LR-H ARMOR MAX MSD 471 rev/mile 68 MPH Drive-Position	7384228133	\$181 +28	\$181 +28
12R24.5 LR-H UNISTEEL G177 457 rev/mile 68 MPH Drive-Position	7384240162	\$516 +43	\$516 +43
12R24.5 LR-H G751 MSA 461 rev/mile 68 MPH All-Position	7384248123	\$485 +39	\$485 +39
1200R24 LR-J UNISTEEL G177 423 rev/mile 50 MPH Drive-Position	6354060162	\$817 +78	\$817 +78
1200R24 LR-J G288 MSA 430 rev/mile 62 MPH All-Position	6394060126	\$802 +56	\$802 +56
<i>Continental Tire</i>			
11R22.5 LR-G HSR2 498 rev/mile 75 MPH All-Position	7372135415	\$4CR 0	\$4CR 0
11R22.5 LR-G HDR2 491 rev/mile 75 MPH Drive-Position	7372135423	\$52 +15	N/A
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
TIRES (CONTINUED)			
<i>Continental Tire</i>			
11R22.5 LR-G HYBRID HD3 493 rev/mile 75 MPH Drive-Position	7372135428	\$17 +9	N/A
11R22.5 LR-G HDR2 ECO PLUS 491 rev/mile 75 MPH Drive-Position	7372135434	\$68 +15	N/A
11R22.5 LR-H HDO 490 rev/mile 68 MPH Drive-Position	7382135413	\$192 +3	\$192 +3
11R22.5 LR-H HDL2 DL 491 rev/mile 75 MPH Drive-Position	7382135417	\$131 +18	N/A
11R22.5 LR-H HDR2 491 rev/mile 75 MPH Drive-Position	7382135423	\$51 +15	N/A
11R22.5 LR-H HDW2 495 rev/mile 75 MPH Drive-Position	7382135430	\$70 +14	\$70 +14
11R22.5 LR-H HDL2 493 rev/mile 75 MPH Drive-Position	7382135432	\$25CR +6	N/A
11R22.5 LR-H HSC 3 496 rev/mile 68 MPH All-Position	7382135438	\$213 +16	\$213 +16
11R22.5 LR-H HDC 3 492 rev/mile 68 MPH Drive-Position	7382135440	\$294 +24	\$294 +24
12R22.5 LR-H HSR2 483 rev/mile 75 MPH All-Position	7382155415	\$19 +12	\$19 +12
12R22.5 LR-H HSC1 482 rev/mile 75 MPH All-Position	7382155419	\$197 +17	\$197 +17
12R22.5 LR-H HDC1 479 rev/mile 68 MPH Drive-Position	7392155420	N/A	\$392 +31
295/75R22.5 LR-G HDL2 DL ECO PLUS 507 rev/mile 75 MPH Drive-Position	7702495425	\$175 +12	N/A
295/75R22.5 LR-G HDL2 511 rev/mile 75 MPH Drive-Position	7702495432	\$74CR +1	N/A
295/75R22.5 LR-G HSR 3 514 rev/mile 75 MPH All-Position	7702495439	\$99 0	N/A
295/75R22.5 LR-H HDL2 511 rev/mile 75 MPH Drive-Position	7782495432	\$7CR +1	N/A
255/70R22.5 LR-H HSR2 SA 565 rev/mile 75 MPH All-Position	7752525421	\$134CR -32	N/A
315/80R22.5 LR-L HAU 3 WT 480 rev/mile 68 MPH All-Position	7792545437	\$466 +41	\$466 +41
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
TIRES (CONTINUED)			
Continental Tire			
315/80R22.5 LR-L HSC 3 481 rev/mile 68 MPH All-Position	7792545438	\$481 +45	\$481 +45
385/65R22.5 LR-L HAC 3 479 rev/mile 68 MPH All-Position	7792655441	\$140CR +49	\$140CR +49
425/65R22.5 LR-L HAC 3 465 rev/mile 68 MPH All-Position	7752665441	\$74CR +66	\$74CR +66
11R24.5 LR-G HDL2 470 rev/mile 75 MPH Drive-Position	7374225432	\$12 +12	N/A
11R24.5 LR-H HSR2 476 rev/mile 75 MPH All-Position	7384225415	\$68 +9	\$68 +9
11R24.5 LR-H HDL2 DL 468 rev/mile 75 MPH Drive-Position	7384225417	\$125 +29	N/A
11R24.5 LR-H HDR2 468 rev/mile 75 MPH Drive-Position	7384225423	\$116 +25	\$116 +25
11R24.5 LR-H HDL2 DL ECO PLUS 468 rev/mile 75 MPH Drive-Position	7384225425	\$218 +28	N/A
11R24.5 LR-H ECOPLUS HS3 472 rev/mile 75 MPH All-Position	7384225429	\$26CR +17	\$26CR +17
11R24.5 LR-H HSC 3 472 rev/mile 68 MPH All-Position	7384225438	\$206 +21	\$206 +21
285/75R24.5 LR-G HDL2 DL 490 rev/mile 75 MPH Drive-Position	7704305417	\$232 +15	N/A
Hankook Tire			
10R22.5 LR-G AH37 517 rev/mile 75 MPH All-Position	7372115809	\$63CR -19	\$63CR -19
11R22.5 LR-G AH37 501 rev/mile 75 MPH All-Position	7372135809	\$107CR +1	\$107CR +1
11R22.5 LR-G DH37 498 rev/mile 75 MPH Drive-Position	7372135810	\$84CR +8	\$84CR +8
11R22.5 LR-H AH37 499 rev/mile 75 MPH All-Position	7382135809	\$80CR +1	\$80CR +1
295/75R22.5 LR-G AH37 513 rev/mile 75 MPH All-Position	7702495809	\$140CR -7	\$140CR -7
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
TIRES (CONTINUED)			
<i>Michelin</i>			
11R22.5 LR-G X MULTI ENERGY D 499 rev/mile 75 MPH Drive-Position	7372133280	\$377 +11	N/A
11R22.5 LR-G XZE2 501 rev/mile 75 MPH All-Position	7472133269	\$137 -2	\$137 -2
11R22.5 LR-G X LINE ENERGY D 500 rev/mile 75 MPH Drive-Position	7472133279	\$469 +11	N/A
11R22.5 LR-H XDN2 497 rev/mile 75 MPH Drive-Position	7482133264	\$353 +12	\$353 +12
11R22.5 LR-H XZE2 501 rev/mile 75 MPH All-Position	7482133269	\$235 +5	\$235 +5
11R22.5 LR-H X WORKS XDY 493 rev/mile 75 MPH Drive-Position	7482133281	\$420 +33	\$420 +33
11R22.5 LR-H X WORKS Z 495 rev/mile 65 MPH All-Position	7482133287	\$458 +13	N/A
12R22.5 LR-H XZE 486 rev/mile 75 MPH All-Position	7482153253	\$630 +19	\$630 +19
12R22.5 LR-H X WORKS Z 483 rev/mile 65 MPH All-Position	7482153287	\$486 +30	\$486 +30
295/80R22.5 LR-H XZA2 ENERGY 503 rev/mile 75 MPH All-Position	7682483273	\$310 +5	\$310 +5
255/70R22.5 LR-H XZE 563 rev/mile 75 MPH All-Position	7652523253	\$178 -26	N/A
275/80R22.5 LR-G XZE2 517 rev/mile 75 MPH All-Position	7602533269	\$214 -7	N/A
275/80R22.5 LR-H XZE 516 rev/mile 75 MPH All-Position	7682533253	\$286 -8	N/A
275/80R22.5 LR-H X MULTI ENERGY Z 515 rev/mile 75 MPH All-Position	7682533285	\$332 -4	N/A
275/80R22.5 LR-H X LINE ENERGY Z 517 rev/mile 75 MPH All-Position	7682533286	\$84 -6	N/A
315/80R22.5 LR-L X WORKS Z 485 rev/mile 65 MPH All-Position	7652543287	\$2,547 +42	\$2,547 +42
315/80R22.5 LR-L X MULTIWAY 3D XZE 488 rev/mile 75 MPH All-Position	7652548202	\$621 +33	\$621 +33
385/65R22.5 LR-J XZY-3 491 rev/mile 65 MPH All-Position	7602653208	\$176CR +57	\$176CR +57
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			



HX615 SBA 6x4 & HX615 SBA 8x6 Tridem AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	HX615 SBA 6x4	HX615 SBA 8x6 Tridem
TIRES (CONTINUED)			
<i>Michelin</i>			
425/65R22.5 LR-L XZY-3 465 rev/mile 65 MPH All-Position	7652663208	\$39CR +89	\$39CR +89
11R24.5 LR-G XZE2 476 rev/mile 75 MPH All-Position	7474223269	\$293 +6	\$293 +6
<i>Bridgestone</i>			
11R22.5 LR-G M770 492 rev/mile 75 MPH Drive-Position	7372139043	\$268 +9	N/A
11R22.5 LR-H R268 ECOPIA 500 rev/mile 75 MPH All-Position	7382139059	\$143 +2	N/A
11R22.5 LR-H R284 ECOPIA 505 rev/mile 75 MPH All-Position	7382139067	\$290 -5	N/A
295/75R22.5 LR-G M710 ECOPIA 512 rev/mile 75 MPH Drive-Position	7702499058	\$83 -3	N/A
315/80R22.5 LR-L M843 480 rev/mile 65 MPH All-Position	7762549052	\$1,514 +35	N/A
425/65R22.5 LR-L M864 463 rev/mile 68 MPH All-Position	7752669068	\$189 +69	\$189 +69
11R24.5 LR-H M726ELA 470 rev/mile 75 MPH Drive-Position	7384229003	\$479 +24	N/A
11R24.5 LR-H M843 468 rev/mile 65 MPH All-Position	7384229052	\$409 +29	\$409 +29
11R24.5 LR-H R268 ECOPIA 477 rev/mile 75 MPH All-Position	7384229059	\$298 +11	\$298 +11
11R24.5 LR-H R284 ECOPIA 482 rev/mile 75 MPH All-Position	7384229067	\$501 +3	\$501 +3
285/75R24.5 LR-G M726ELA 492 rev/mile 75 MPH Drive-Position	7704309003	\$231 +14	N/A
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			