

1050K CRAWLER DOZER



JOHN DEERE

01-Mar-2022

Code	Description	QTY	List Price (USD)
------	-------------	-----	------------------

2430T	1050K CRAWLER DOZER	1	\$848,985.00
-------	---------------------	---	--------------

1050K Standard Equipment

ENGINE:

John Deere PowerTech Plus 13.5L Certified to EPA FT4 / EU Stage IV emissions
 350 SAE Net hp (261 kw)
 Turbocharged with Charged Air Cooler
 No power Derating up to 10,000 ft Altitude
 Wet Sleeve Cylinder Liners
 Isolation-Mounted
 Electronic Fuel Injection
 Electronic Control with Automatic Engine Protection
 Vertical Spin-on Engine Oil Filter
 Vertical Spin-on Dual Stage Fuel Filter
 Oil-to-Water Engine Oil Cooler
 Dual Safety Element Dry-Type Air Cleaner, Evacuator Valve
 Eco Mode, Auto Idle, Auto Shutdown
 500 hr. Engine Oil Change Interval

COOLING SYSTEM:

Engine Coolant -34 Degree F (-37 Degree C)
 Coolant Recovery Tank
 Cool-On-Demand Variable Speed Engine Fan with Automatic Reversing
 Perforated engine hood and side shields
 8-Fin/in. Engine Coolant Radiator
 8-Fin/in. Hydrostatic Oil-to-Air Cooler
 8-Fin/in. Hydraulic Oil-to-Air Cooler
 8-Fin/in. Charge Air Cooler (Air to Air)
 8-Fin/in. Fuel Cooler (Fuel to Air)

ELECTRICAL:

24 Volt System
 130 Amp Sealed Alternator for cab units
 (2) Cylinder mounted, (2) cab rear mounted, (2) roof forward mounted - Halogen Lights
 Bypass Start Safety Cover on Starter
 24 Volt Electrical Load Center
 (2) Batteries with 190 Minute Reserve Capacity, 950 CCA
 Blade-Type Fuses
 Electrical Master Disconnect
 Positive Terminal Battery Covers
 Reverse Warning Alarm (Conforms to SAE J994, J1446, ISO 9533)

HYDRAULICS:

81 gpm (308 L/min) variable displacement piston pump
 Electro-Hydraulic Control System
 Two-Function electro-hydraulic (EH) T-bar joystick
 Hydraulic Diagnostic Ports
 23 Gallon (87 Liter) Independent Hydraulic Oil Reservoir (tank volume)

POWER TRAIN:

Dual Path Hydrostatic Transmission
Automatic Load Sensing for Speed and Power Management
AutoTracking Steering Control
39 Gallon (149 Liter) Independent Hydrostatic Reservoir
Single Lever-Steering, Direction / Speed Control with
Counter Rotation and Horn
Combined Decelerator/Brake Pedal
Selectable reverse speed ratios 100%, 115%, or 130% of
forward ground speed Electronic Control with Automatic
Transmission Protection
Double Reduction Final Drives with Wet Multi-Disk Brakes
Integral Final Drive Seal Protection
Primary and Secondary Service Brakes (Conforms to ISO
10265)
Automatic Spring-Applied, Hydraulic Released Park Brake -
Lever Operated (Conforms to ISO 10265)
Selectable Decelerator Mode

UNDERCARRIAGE:

Oscillating Undercarriage
86 in. (2184.4 mm) Track Gauge
24 in. (610 mm) Closed Center extreme-duty Single Grouser
Track Shoes
Adjustable Track Sag
Segmented Sprockets

OPERATOR STATION:

JDLink Ultimate Machine Monitoring System w/ 5-year
Message Service
Modular Design Isolation Mounted ROPS/FOPS Operator
Station (Conforms to SAE J1040 - ISO 3471)
Manual/Hydraulic Operated Operator Station Tilt Feature
Left and Right Side Cab Access
Floor mat
Interior and exterior sound treatment
Slip-Resistant Steps and Ergonomically Located Handholds
for Left, Right Access (Conforms to SAE J185 - ISO 2867)
Air-suspension seat:
-Thigh Support
-Lumbar
-Backrest Tilt
-Height, Weight and Fore-Aft
-Adjustable Armrests
-3 in. (76 mm) Orange Seat Belt with Retractors (Conforms to
SAE J386 - ISO 6683)
Side Console Leg Cushions
Adjustable Foot Rests
Lunch Box Storage
Lockable Glove (Storage) Box
Cupholders
Built-in Operator's Manual Storage Compartment and
Manual
12 Volt Power Port
Electronic Monitor System with Audible and Visual Warning:
-Engine Coolant Temperature
-Transmission Oil Temperature
-Hydraulic Oil Temperature

- Transmission Pressure
- Low Alternator Voltage
- Engine Air Filter Restriction
- Hydraulic Filter Restriction
- Transmission Filter Restriction
- Hydraulic Fan Filter Restriction
- Water in Fuel
- Machine Diagnostic Service Code

Indicator lights:

- Fasten-Seat-Belt
- Return-To-Neutral
- Park Brake
- Calibration/Service Mode
- Decelerator Function Mode

Digital Readout:

- Tachometer
- Alternator Voltage
- Hour Meter
- Machine Diagnostic Service Code(s)
- Transmission Charge Pressure
- Transmission Direction and Speed
- Diagnostic Service Codes
- Monitor Settings
- Calibration
- Transmission Control Settings
- Machine Travel History

Gauges, Electric, Illuminated:

- Engine Coolant Temperature
- Engine Oil Pressure
- Fuel Level
- Transmission Oil Temperature
- Hydraulic Oil Temperature

Push Button Electronic Engine Speed Control
Horn, Electric (Conforms to SAE J994, J1446, ISO 9533)
Coded Keyless Start with Electric Fuel Shut Off
Interior Mounted Rearview Mirror (Conforms to SAE J985)

OVERALL VEHICLE:

Unitized Mainframe with:

- Integral Bottom Protection
- Integral front tow loops
- Integral Machine Transport Tie-Downs

Bolt-on Bottom Access Covers
Perforated Engine Side Shields
Left & Right Side Hinged Engine Access Panel
Transmission Rear Access Cover
Hand holds for Machine Fueling
Lockable Vandal Protection for:

- Engine Access Panel
- Side tank access doors
- Instrument Panel

6.1 gallon DEF Reservoir
180 Gallon (681 Liter) Fuel Tank:

- Shut Off Valve at Tank Outlet
- Water Drain on tank
- Fast-Fuel Installation Ready

Maintenance Free Center Crossbar Pivot

2430T 1050K CRAWLER DOZER 1 \$848,985.00

ENGINE

Engine Basic Factory Options - Required

0940 JohnDeere PowerTech PSS 6 Cyl FT4 / Stage 4 Compliant Diesel Engine \$21,044.00
 13.5 L (824 cu. In.)
 350 net hp (261 kW) @ 1800 rpm
 No power Derating up to 10,000 ft altitude
 Electronic control with automatic engine protection
 Dual Turbo Configuration: Variable-Geometry Turbocharger(VGT) and Fixed Cooled Exhaust Gas Recirculation
 Diesel particulate filter
 Electronically Controlled Fuel Delivery System
 Wet Sleeve Cylinder Liners
 Vertical Spin-on Engine Oil Filter
 Vertical Spin-on Dual Stage Fuel Filter
 Fuel/Water sensor
 Electric Fuel Primer
 Dual element dry canister with external rotary ejector precleaner
 Exhaust Stack, Black

Cold Start Packages Field Installed Attachments - Optional

9015 Ether Start Aid \$350.00
 Recommended for use below 32 degrees F, 0 degrees C
 Ether automatically dispensed during cold start (Controlled by ECU)

Engine Field Installed Attachments - Optional

9060 Fuel Lines and Fittings, Severe Duty \$531.00
 Requires code 0940.
 For use where fuel quality is questionable and/or additional water separation is required. Filter base contains fuel heater.

9065 Chrome Exhaust \$520.00

9075 Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes \$900.00
 Remote Service Bank is inside engine compartment and includes Industry Standard Quick Disconnect Couplers.

9530 Engine Block Coolant Heater (120 V) \$144.00

9085 Fast-Fuel System \$2,196.00

Fast-fuel system compatible with Wiggins components

9532 Engine Block Coolant Heater (220 V) \$153.00

Cold Start Field Installed Attachments - Optional

AT447475 Diesel Fuel-Fired Engine Coolant Heater Kit \$5,229.00
 Requires FT4 engine code 0940.

PACKAGES

Dozer Configuration Basic Factory Options - Required

1046 Suspended OSD (Outside Dozer) No Added Cost
 Suspended Double Bogie Track Frame with Isolated Crossbar
 Standard Gauge 2184mm (86 in.) – 8 Roller Track Frame

1076 Waste Handler Non-Suspended OSD (Outside Dozer) \$25,000.00
 Heavy-Duty Fixed Roller Track Frame with Isolated Crossbar
 Standard Gauge 2184mm (86 in.) – 8 Roller Track Frame
 Includes debris management sealing package, heavy-duty perforated grille, final drive seal guarding, heavy-duty sheet metal with special perforation, engine heat wrap, wide-fin radiator, large debris engine precleaner, HVAC powered precleaner, alternator screen, fender guards and recessed sprockets for waste handling applications.
 Recommend trapezoidal shoe (code options 4505, 4506, 4507, 4674, 4675, 4676)
 For front striker bar, order field kit AT456104.
 For rear striker bars, order rear storage compartment (code 9510) or,
 For rear striker bars on machine equipped with rear ripper (code 9185 or 9187), order field kit BYT10799.

1096 Stockpile Non-Suspended OSD (Outside Dozer) \$20,477.00
 Heavy-Duty Fixed Roller Track Frame with Isolated Crossbar
 Standard Gauge 2184mm (86 in.) – 8 Roller Track Frame
 Includes deluxe LED light package (10 total), HVAC powered precleaner, debris management sealing package, heavy-duty perforated grille, special sheetmetal perforation, over-hood guarding, wide-fin radiator, and engine heat wrap for airborne debris applications.
 Recommend trapezoidal shoe (code options 4505, 4506, 4507, 4674, 4675, 4676)
 For Coal Handling Blade, order code 7062.
 For other high capacity blade options – contact DMAC

UNDERCARRIAGE

Track Shoes and Chain Basic Factory Options - Required

4502	24 inch (610mm) Extreme Service Shoes - Heavy Duty Undercarriage Sealed and Lubricated Track (SALT)	\$7,917.00
4503	26 inch (660mm) Extreme Service Shoes - Heavy Duty Undercarriage Sealed and Lubricated Track (SALT)	\$9,519.00
4504	28 inch (711mm) Extreme Service Shoes - Heavy Duty Undercarriage Sealed and Lubricated Track (SALT)	\$10,292.00
4505	24 inch (610mm) Extreme Service Shoes with Trapezoidal Holes - Heavy Duty Undercarriage Sealed and Lubricated Track (SALT) Recommend trapezoidal shoes for high-packing applications such as waste handling	\$8,851.00
4506	26 inch (660mm) Extreme Service Shoes with Trapezoidal Holes - Heavy Duty Undercarriage Sealed and Lubricated Track (SALT) Recommend trapezoidal shoes for high-packing applications such as waste handling Availability for this track option is limited and may exceed standard lead time.	\$9,705.00
4507	28 inch (711 mm) Extreme Service Shoes with Trapezoidal Holes - Heavy Duty Undercarriage Sealed and Lubricated Track (SALT) Recommend trapezoidal shoes for high-packing applications such as waste handling Availability for this track option is limited and may exceed standard lead time.	\$10,454.00
4671	24 inch (610mm) Extreme Service Shoes - Extended Life Undercarriage Sealed and Lubricated Track (SALT) with SC2 Coated Bushings	\$32,262.00
4672	24 inch (610mm) Extreme Service Shoes with Trapezoidal Holes - Extended Life Undercarriage Sealed and Lubricated Track (SALT) with SC2 Coated Bushings Recommend trapezoidal shoes for high-packing applications such as waste handling	\$33,176.00
4673	26 inch (660mm) Extreme Service Shoes - Extended Life Undercarriage Sealed and Lubricated Track (SALT) with SC2 Coated Bushings	\$33,935.00
4674	26 inch (660mm) Extreme Service Shoes with Trapezoidal Holes - Extended Life Undercarriage Sealed and Lubricated Track (SALT) with SC2 Coated Bushings Recommend trapezoidal shoes for high-packing applications such as waste handling Availability for this track option is limited and may exceed standard lead time.	\$34,102.00
4675	28 inch (710mm) Extreme Service Shoes - Extended Life Undercarriage Sealed and Lubricated Track (SALT) with SC2 Coated Bushings	\$34,781.00
4676	28 inch (710mm) Extreme Service Shoes with Trapezoidal Holes - Extended Life Undercarriage	\$34,973.00

Sealed and Lubricated Track (SALT) with SC2 Coated Bushings
Recommend trapezoidal shoes for high-packing applications such as waste handling
Availability for this track option is limited and may exceed standard lead time.

Miscellaneous Field Installed Attachments - Optional

9157 Sprocket Segments with Recesses \$3,400.00

Only recommended for applications where material packing in sprocket area is common, such as heavy mud or waste handling. Included in the waste handling package code 1070 (STD OSD WH).

BLADE

Dozer Blade Basic Factory Options - Required

U-Blades and Semi-U Blades equipped with Standard Cutting Edges and Cupped Endbits without Spillguards
Blades are not installed but shipped with Crawler Dozer.

7073 Mechanical Angle Dozer Blade - 202 Inch (5139 mm) \$52,986.00

9 Cubic Yard (6.9 Cubic Meter)
New Deere Design and Manufacturing
Includes Standard Cutting Edges and Straight End Bits.

7062 Coal Blade - 216 Inch (5493 mm) \$44,638.00

Attention - option may have long lead time
32 Cubic Yard (24.5 Cubic Meter)
Includes Standard Cutting Edges and Straight End Bits.

7038 Semi-U Blade - 163 Inch (4142 mm) \$19,527.00

14 Cubic Yard (10.7 Cubic Meter)

7039 Semi-U Blade With Center Push Plate - 163 Inch (4142 mm) \$23,202.00

14 Cubic Yard (10.7 Cubic Meter)

7040 Semi-U Blade With Rock Rack and Wear Plate - 163 Inch (4142 mm) \$26,457.00

14 Cubic Yard (10.7 Cubic Meter)

7041 Semi-U Blade With Trash Rack & Wear Plate For Wastehandler - 163 Inch (4142 mm) \$20,790.00

14 Cubic Yard (10.7 Cubic Meter)

7042 U-Blade - 157 Inch (3976 mm) \$25,705.00

14.7 Cubic Yard (11.3 Cubic Meter)

7043 U-Blade With Rock Rack and Wear Plate - 157 Inch (3976 mm) \$34,604.00

14.7 Cubic Yard (11.3 Cubic Meter)

7044	U-Blade With Trash Rack & Wear Plate For Wastehandler - 157 Inch (3976 mm) 14.7 Cubic Yard (11.3 Cubic Meter)	\$31,658.00
------	--	-------------

Blade Field Installed Attachments - Optional

9219	U Blade Cutting Edges, Heavy Duty Requires code 7042, 7043, or 7044. For use in high impact applications like rock or concrete rubble. Thicker profile may adversely affect penetration performance.	\$2,458.00
------	--	------------

9218	Semi-U Blade Cutting Edges, Heavy Duty Requires code 7038, 7039, 7040, or 7041. For use in high impact applications like rock or concrete rubble. Thicker profile may adversely affect penetration performance.	\$2,407.00
------	---	------------

9215	Blade End Bits, Heavy Duty For use in high impact applications like rock or concrete rubble. Thicker profile may adversely affect penetration performance.	\$1,500.00
------	---	------------

9222	Blade End Bits, Straight Not recommended for use in highly abrasive materials or rock.	\$525.00
------	---	----------

HYDRAULICS

Hydraulics for Dozer Blade and Attachments Basic Factory Options - Required

7725	2 Function Electro-Hydraulic (EH) Controls for Outside Dozer w/ Quick Drop Valve Does not include auxiliary hydraulics.	No Added Cost
------	--	---------------

7780	4 Function Electro-Hydraulic (EH) Control Valve For Outside Dozer with Dual Aux (required for Ripper installation)	\$4,536.00
------	---	------------

7736	3 Function Electro-Hydraulic (EH) Controls for Outside Dozer w/ Winch Valve	\$3,507.00
------	---	------------

Greases, Fuel, Oil, & Coolant Basic Factory Options - Required

8010	Hydraulic And Hydrostatic Oil - Hydrau Standard Factory Fill. Provides All-Season Capability in Ambient Temperatures Ranging From -25C (-13F) to 50C (122F).	No Added Cost
8020	Hydraulic and Hydrostatic Oil - Hydrau XR, Final Drive Oil - Low Vis Hygard Includes arctic hose package for external hydraulics. Optional Factory Fill. Intended for Colder Climates with Extreme Cold Ambient Temperatures down to -40C (-40F) Provides All-Season Capability in Ambient Temperature Ranging from -40C to 40C (-40F to 104F).	\$1,447.00
	Hydraulic Controls	Field Installed Attachments - Optional
9456	Hydraulic Winch Ready Kit with Mounting Plate and Rear Screen Requires code 7736. Can't be ordered with code 9185, 9186 or 9187. Includes plumbing to the rear of the machine.	\$9,658.00
9035	Power Pitch with Programmable Return to Pitch Settings	\$15,253.00
	Hydraulics	Field Installed Attachments - Optional
AT429780	4th Section Aux Plumbing Field Kit Requires kit AT429658.	\$777.00
AT429658	2-3 or 3-4 Section Valve Conversion Kit - Valve Only Requires AT438427 Joystick from service if not already equipped.	\$2,126.00
AT429681	4-5 Section Valve Conversion Kit - Valve Only Requires AT438427 Joystick from service if not already equipped.	\$2,079.00
AT429771	3rd Section Aux Plumbing Field Kit Requires kit AT429658.	\$1,135.00
AT429798	Power Pitch Internal Field Kit - PP Valve and plumbing to main control valve For S/N -409641 and prior If S/N -409642 and newer, please use BYT12251	\$2,033.00

AT429786	Hydraulics for Rear Auxiliary Plumbing (5th Section Plumbing) Requires kit AT429681.	\$693.00
AT429832	Power Pitch External Field Kit - cylinders, plumbing from Power Pitch Valve to cylinders For use with Code 7047, 7048, 7049, 7050, 7051, 7052, or 7053 and AT429798. Requires code 8010.	\$9,243.00
BYT11809	Power Pitch Plumbing External Field Kit - Arctic Requires code 8020. For use with 163 Inch Semi-U Blade (Code 7038, 7039, 7040, or 7041) and AT429798 (internal power pitch plumbing).	\$9,581.00
BYT11775	Power Pitch Plumbing External Field Kit Requires code 8010. For use with 163 Inch Semi-U Blade (Code 7038, 7039, 7040, or 7041) and AT429798 (internal power pitch plumbing).	\$9,581.00
BYT11576	Power Pitch External Std Field Kit - Arctic For use with Code 7047, 7048, 7049, 7050, 7051, 7052, or 7053 and AT429798. Requires code 8020.	\$9,581.00
BYT11771	3-SECTION WINCH CONVERSION KIT 1050K SCX300 FIREPOWER 2	\$2,258.00
BYT11770	3262 4-5 SEC CONV KIT FIELD KIT	\$2,258.00
BYT11769	2/3 OR 3/4 AUX SECTION CONVERSION KIT 1050K SCX300 FIREPOWER 2	\$2,258.00
BYT12251	Power Pitch Internal Field Kit - PP Valve and plumbing to main control valve For S/N -409642 and newer If S/N -409641 and prior, please use AT429798	\$2,250.00

OPERATOR'S STATION AND CONTROLS

Seat

Basic Factory Options - Required

5885	Standard Air Suspension Comfort Control High Back Fabric Seat 3 in. (76 mm) retractable orange seat belt. Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning	No Added Cost
5890	Deluxe Heated Air Suspension Comfort Control High Back Fabric Seat	\$662.00

3 In. (76 mm) retractable orange seat belt.
 Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight and fore-aft positioning.

Lighting Field Installed Attachments - Optional

9168 Premium LED Light Package (10 Total) \$3,557.00
 10 high output LED lights replace the 6 standard lights.

9521 Beacon Light \$295.00

9166 Deluxe LED Light Package (6 Total) \$2,954.00
 6 high output LED lights replace the 6 standard lights.

9520 License Plate Bracket and Beacon Light \$631.00
 Includes beacon from code 9521 and license plate bracket.

Radio Field Installed Attachments - Optional

9501 Premium Radio with Bluetooth \$1,120.00
 AM/FM/Weather Band (WB) Radio with Bluetooth, Remote Aux and Remote USB Port

Washer and Wiper Field Installed Attachments - Optional

9335 HVAC Powered Precleaner \$1,051.00
 Improves in-cab air quality and extends cab air filter life.

Miscellaneous Field Installed Attachments - Optional

9510 Rear Storage Compartment (Dog House) \$5,133.00
 Requires Code 1076 Waste Handler Package or code 1096 Stockpile Configuration.
 Includes integral rear striker bars and mounting location for fire suppression. Weight: 2143 kg

JOHN DEERE WORKSIGHT™

Machine Connectivity Basic Factory Options - Required

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink™ Modem (MTG). JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.	No Added Cost
------	--	---------------

170R	JDLink™ Satellite Includes integrated cab wiring harness, antenna, JDLink™ Modem's (Cellular MTG & Satellite MTG). JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.	\$3,000.00
------	---	------------

Grade Control Basic Factory Options - Required

2500	Topcon Grade Control Base Kit Installed Factory installed and includes additional brackets and wiring harnesses that further enhances and simplifies the addition of a Topcon grade control system. This also enables the Topcon 3D-MC2 Grade Control Systems to be ordered.	\$7,497.00
------	---	------------

2575	No Topcon or SmartGrade Grade Control Base Kit Installed Order for no blade control or Trimble or Leica Blade control field installations. Requires No Topcon Radio Installation code 2775	No Added Cost
------	--	---------------

Topcon Grade Control System Basic Factory Options - Required

2775	No Topcon Radio Installation	No Added Cost
------	------------------------------	---------------

DESTINATION AND LANGUAGE

Operator's Manual and Decals Basic Factory Options - Required

2605	English Operator Manual	No Added Cost
------	-------------------------	---------------

2610	Spanish Operator Manual	No Added Cost
2615	French Operator Manual	No Added Cost
2620	Russian Operator Manual	No Added Cost
2625	Portuguese Operator Manual	No Added Cost

RIPPER

Ripper Field Installed Attachments - Optional

9187	Ripper, Multi-Shank Heavy Duty, Adjustable Pitch Ripper with 3 Shank Pockets and (3) Shank/Teeth Not for use with other Rear Attachment Requires code 7780 (4 Section Valve)	\$70,781.00
9185	Ripper, Single Shank Heavy Duty, Adjustable Pitch Ripper with 1 Shank Pocket and (1) Shank/Tooth Not for use with other Rear Attachment Requires code 7780 (4 Section Valve) Pin Puller and external hydraulics are included when ordered with code 9186.	\$44,892.00
9186	Hydraulic Pin Puller for Single Shank Ripper Factory installed internal hydraulic plumbing for hydraulic pin puller option. Prepares tractor for installation of single shank ripper with hydraulic pin puller.	\$1,585.00

RUST PROTECTION

Rust Protection Field Installed Attachments - Optional

9909	Non-Export Rust Preventive Coating Coating protects exposed unpainted surfaces from road salt during shipment.	\$151.00
------	---	----------

WEIGHTS AND BALLASTING

	Counterweight	Field Installed Attachments - Optional
--	---------------	--

9250	Rear Counterweight Not for use with code 9185, 9187 or 9456. 2230 kg. (4924 lbs.)	\$15,212.00
------	---	-------------

HITCHES

	Hitches	Field Installed Attachments - Optional
--	---------	--

9340	Retrieval Hitch Bolts to rear counterweight. Requires code 9250. Includes pin.	\$602.00
------	--	----------

MISCELLANEOUS

	Miscellaneous	Field Installed Attachments - Optional
--	---------------	--

	Frame Attachment	Field Installed Attachments - Optional
--	------------------	--

AT429618	Hydraulic Pin Puller for Single Shank Ripper Requires code 9185.	\$5,358.00
----------	---	------------

AT444163	Single Shank Ripper without Pin Puller	\$44,897.00
----------	--	-------------

AT444162	Single Shank Ripper with Pin Puller	\$50,253.00
----------	-------------------------------------	-------------

AT444164	Ripper, 3 Shank	\$72,558.00
----------	-----------------	-------------

AT448135	Rear Counterweight - 4921 lbs. (2232 kg.)	\$15,220.00
----------	---	-------------

AT456104	Front Striker Bar Field Kit for Waste Handler	\$4,024.00
BYT10799	Waste Handler Rear Striker Field Kit for use with Ripper Single and Multi-Shank	\$3,586.00
BYT12726	Ripper Hose Retrofit Field Kit - 1050K Arctic Includes arctic hoses, fittings, brackets, and hardware to update ripper hose routings to current locations. For machines build prior to S/N: 309289. Requires code 8020.	\$1,350.00
BYT12725	Ripper Hose Retrofit Field Kit - 1050K Standard Includes hoses, fittings, brackets, and hardware to update ripper hose routings to current locations. For machines build prior to S/N: 309289. Requires code 8010.	\$1,350.00
Guards		Field Installed Attachments - Optional
AT414488	Final Drive Trash Guard Included in waste handling package codes 1076 (OSD WH) Trash guards are for dry conditions, like waste handling or demolition and NOT for water/muddy conditions.	\$1,487.00
Grade Control		Field Installed Attachments - Optional
AT419404	Leica Grade Control Interface Package, Paladin-Installed for Cab or Canopy	\$8,033.00
AT419403	Trimble Grade Control Interface Package, Paladin-Installed for Cab or Canopy	\$9,284.00
Overall Vehicle		Field Installed Attachments - Optional
AT446499	HVAC Box Field Kit HVAC Structure Repair Kit Rear structure of cab roof that holds HVAC components. Requires welding. Does not include HVAC or bolt on covers/screens.	\$2,652.00
AT429671	Quick Service Quick Service Bank for Transmission, Hydraulic, Engine Oil & Engine Coolant Fluid Changes	\$832.00

Remote Service Bank is inside engine compartment and includes Industry Standard Quick Disconnect Couplers.

AT446498 HVAC Powered Precleaner Field Kit \$986.00
 Improves in-cab air quality and extends cab air filter life.

Winches Field Installed Attachments - Optional

AT429657 Winch Pilot Plumbing \$164.00
 Required to add a winch on units built without code 9456.
 Also requires AT433254 Rear Screen Kit.
 If not built with codes 7735, 7765, 7780 or 7785, order AT429658 Aux Section Kit and AT429771 3rd Section Plumbing Kit.

AT450142 Winch Mounting Plate \$5,712.00

Powertrain Field Installed Attachments - Optional

AT429817 Fast Fuel Kit \$2,489.00
 Fast-fuel system compatible with Wiggins components

G.R.Mfg. Field Installed Attachments - Optional

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

AT433256 Full Enclosure, Cab \$16,144.00
 Includes screens for doors, front, rear and side windows, and limb risers

AT433257 Limb Riser, Cab \$9,682.00
 Includes limb risers, No screens

AT433253 Front Enclosure, Cab \$2,812.00
 Includes front window and door screens
 Cannot be ordered with SmartGrade

AT433255 Side Screens, Cab \$1,946.00
 Includes screens for side windows

AT433254 Rear Screen, Cab \$1,820.00
 Includes screen for rear window

PACCAR Winch Div Field Installed Attachments - Optional

Contact PACCAR for below Winch installation instructions
 (Carco Winch)
 800 E. Dallas, P.O. Box 547
 Broken Arrow, OK 74013-0547
 Phone: 918-251-8511
 www.paccarwinch.com

AT446947 H140 Hydraulic Winch \$57,272.00
 For production:
 For units equipped with Code 9456
 Hydraulic Winch Ready which includes Auxiliary Valve Section, Rear Aux Plumbing, Winch Pilot Plumbing, Rear Screen, and Winch Plate
 For field updates:
 If built with 7725, 7735, or 7765 will require purchase of AT477007 3-Spool Winch Valve (service part)
 If built with 7780 or 7785 requires purchase of service part AT477008 4-Spool Winch Valve (service part)
 If not built with Code 9456, then order AT429657 Winch Pilot Plumbing Field Kit and AT450142 Winch Mounting Plate Field Kit
 Complete installation requires:
 -Rear screen, AT433254 field kit.
 -Winch Mounting Plate, AT450142 field kit
 -Winch Pilot Plumbing, AT429657 field kit
 -Updated winch specific valve, AT477007 (3-spool) or AT477008 (4-spool) winch valve
 -AT438427 joystick from parts
 -T350434 (decal)
 -19M7868 (4 ea. capscrews)
 -Winch specifications, Consult with PACCAR for specific recommendations
 -Wire rope & hook assembly. Consult with PACCAR for wire rope recommendations
 -Winch Gear Oil. Consult winch Service Manual for winch gear oil requirements
 -Additional tractor hydraulic oil
 Average installation time 5 hours.

Blades Field Installed Attachments - Optional

BYT11431 Mechanical Angle Blade - 202 in. (5139 mm) \$75,720.00
 Deere Design and Manufacturing
 Requires code 8010.

BYT11575 Mechanical Angle Blade - 202 in. (5139 mm) - Arctic \$75,720.00
 Deere Design and Manufacturing with Cold weather hoses
 Requires code 8020.

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.