



Current Date 06Jan2021

160G LC FT4 EXCAVATOR

HYDRAULICS:

Open Center, Load Sensing with Variable Displacement

Pumps

Hydraulic Pilot Controls Axial Piston Swing Motor Multiple Wet Disk Swing

Brake

Auxiliary Valve Section Adjustable Flow for Attachments Through

Monitor

Boom and Arm Reduced Drift

Valves

Power Boost Auto Power Lift

Hydraulic Tank Site Gauge 5,000 Hour Hydraulic Oil

Change Interval

Hydraulic Oil Sampling Valve

Inline DEF Filter **UNDERCARRIAGE:**

Two Speed Propel with Auto-

Shift

Axial Piston Propel Motors Propel Motor Shields Planetary Final Drives Sealed Track Chain Front and Center Track

Guides

Provisions for Tie Downs X-Frame Car Body

Hydraulic Track Adjuster Seven Lower Rollers

Two Upper Rollers Spring Applied Hydraulic

Released Propel Brake **UPPER STRUCTURE:**

Right, Left Mirrors(2)

Toolbox

Vandal Locks for:

Cab Door Service Doors Fuel Cap Tool Box

Counterweight, 7,055 lbs.

(3,200 kg)

Debris Screening Side Panel Remote Mounted Engine Oil and Fuel Filters

FRONT ATTACHMENT: Oil Impregnated Bushings Reinforced Resin Thrust

Plates

Tungsten Carbide Thermal Coating on arm to Bucket

Joint

Centralized Lubrication

System

Dirt Seals on Bucket Pins

Less Boom Less Arm Less Bucket

OPERATOR'S STATION: Adjustable Control Positions (Levers to Seat, Seat to

Pedals)

4" Arm Rests Attached to

Side Consoles

Pilot Control Shut-Off Lever Short Stroke, Low Effort Pilot AM-FM Radio

Switches for Auxiliary Hydraulic Control on RH Pilot

Lever

Deluxe Adjustable Cloth Seat with Suspension, Reclining

Backrest,

Headrest, and Adjustable

Lumbar Support

Multifunction, Color LCD Monitor System with: Diagnostic Capability Systems Monitoring

Capability

Multiple Language Capability Maintenance Tracking Engine Coolant Temperature

Gauge

Engine Coolant Temperature Warning Indicator with

Audible Alarm

Fuel Gauge with Low Fuel Indicator

Diesel Exhaust Fluid Guage

Work Mode Indicator Auto Idle Indicator

Alternator Charge Indicator

Air Filter Restriction

Indicator

Fault Code Alert Indicator Check Engine Indicator Wiper Mode Indicator Work Lights On Indicator

Fuel Rate Display

Clock

Hour Meter Mode Selection: One Work Mode Three Power Modes Numerous Attachment

Modes

Auto-Climate Control/Air Conditioner, Heater with

Pressurizer

Control Pattern Changer

Rear View Camera

Machine Information Center

(MIC)

Windshield Wiper/Washer with Intermittent Speed 12V-60W, 5 Amp Cell Phone

Power Outlet

3 In. Retractable Seat Belt

Tinted Safety Glass

Hot/Cold Box Compartment

Horn

Two Cup Holders Interior Light Coat Hook Floor Mat

Motion Alarm with Cancel

Switch

Transparent Tinted Roof Hatch with Sunshade Four Fluid-Filled Elastic

Mounts

Work Lights: One Mounted on Frame One Mounted on Boom

Engine Oil Pressure Warning Indicator with Audible Alarm

Easy Access Air Conditioning Filter

Required - You must select one from each category

BASE MACHINE

F.O.B Kernersville, North Carolina for Complete Machine. See DEALER-INSTALLED ATTACHMENT section for additional source notes.

| Description | Code | Price |
|-----------------------|--------|--------------|
| 160G LC FT4 EXCAVATOR | 05Q1FF | \$186,587.00 |

ENGINE

Description Code **Price Engine Stage IV Emissions** 1095 \$18,645.00

John Deere PowerTech PWS 4.5L 121 Net Rated hp (ISO 9249) Turbocharger Charge Air Cooler Electronic Engine Control Unit

Auto-Idle System

Cool on Demand Hydraulic Driven Fan

Antifreeze Protection to -34F (-37C)

Enclosed Fan Guard

Dual Element Dry-type Air Filter with Restriction Indicator

Full Flow Oil Filter Double Fuel Filter

Water Separator

Automatic Belt Tension Device

Glow Plug Start Aid

Heavy Duty, Low Maintenance Batteries (180 Minute Reserve)

100-Amp Alternator - 24 Volt

500 Hour Engine Oil Change Interval

Engine Oil Sampling Valve

OPERATOR'S MANUAL AND DECALS

Non-English Operator's Manuals

Translated Customer Delivery Packets can be ordered using the John Deere Technical Information Bookstore at http://www.johndeeretechinfo.com at no charge. The Translated Delivery Packets include the Operator Manual, Decal Kit, Warranty Information Booklet, and Uptime Maintenance Planner. Search for and order the Translated Delivery Packets by model and language that meets your customer requirements. A listing of all Translated Delivery Packets available can be found by selecting Translated Delivery Packets from the Manual Type dropdown list. Technical support is available by calling 1-866-213-3373.

Price Description Code No Added Cost English Customer Delivery Packet 1600

English Decals and Customer Delivery Packet

MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink /ZXLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

| Description | Code | Price |
|---------------------------------------|------|---------------|
| JDLink Ultimate - 5 Year Subscription | 170C | No Added Cost |

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the

| W | TRACK | SHOES |
|---|--------|-------|
| | 110101 | |

| Description 600 mm (24 In.) Triple Semi-Grouser Shoes Recommended for rocky terrain, hard ground and stumps, | Code 3200 | Price No Added Cost |
|---|---------------------|-------------------------------|
| 700 mm (28 In.) Triple Semi-Grouser Shoes | 3250 | \$1,144.00 |
| Recommended for general conditions and soft terrain. SEAT | | |
| Description | Code | Price |
| Seat, Standard Mechanical | 4125 | No Added Cost |
| Seat, Heated Air-Suspension | 4130 | \$1,366.00 |

Seat, Premium Leather Thermal Heating and Active Cooling

Active heating and cooling
Air suspension
High seat back
3-way adjustability
High visability orange 3 inch seat belt

BOOM

DescriptionCode Price
6801 No Added Cost

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

\$2,731.00

4135

Less Boom

Excludes Arm Cylinder, Boom Cylinders and Plumbing on Boom. Includes Pin Connecting Boom to Mainframe and the Two Boom Cylinder

Requires code 7001, "Less Arm".

The "Hydraulic Filter Restriction Indicator" in DEALER-INSTALLED

| | ATTACHMENTS is recommended | | |
|------|---|--------------|-----------------------------|
| | One Piece Boom with Arm Cylinder and Plumbing | 6835 | \$16,263.00 |
| ~ | ARM | | |
| | Description | Code | Price |
| | Less Arm, Bucket Cylinder, Bucket Linkage and All Attaching Pins and Hoses | 7001 | No Added Cost |
| | Hydraulic Filter Indicator Recommended. Requires code 8001, Less Buckets. | | |
| | Arm with Bucket Cylinder and Linkage | 7115 | \$11,075.00 |
| | 2.6 M (8 ft. 6 in.) | | |
| | Arm with Bucket Cylinder and Linkage | 7180 | \$12,647.00 |
| | 3.1 M (10 ft. 2 in.) | | |
| AUXI | LIARY HYDRAULICS | | |
| | Description | Code | Price |
| | | Couc | 11166 |
| | Less Auxiliary Hydraulics | 7401 | No Added Cost |
| | - | | |
| | Less Auxiliary Hydraulics | 7401 | No Added Cost |
| | Less Auxiliary Hydraulics Auxiliary High-Flow Hydraulic w/ 2-Way Foot Controller Includes Combination piping | 7401 | No Added Cost |
| | Less Auxiliary Hydraulics Auxiliary High-Flow Hydraulic w/ 2-Way Foot Controller Includes Combination piping for 2.6 M Arm (8 ft. 2 in.) | 7401 7420 | No Added Cost \$7,608.00 |
| | Less Auxiliary Hydraulics Auxiliary High-Flow Hydraulic w/ 2-Way Foot Controller Includes Combination piping for 2.6 M Arm (8 ft. 2 in.) Auxiliary High-Flow Hydraulic w/ 2-Way Foot Controller Includes Combination piping | 7401 7420 | No Added Cost \$7,608.00 |

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

\$5,679.00

\$8,631.00

7450

7490

Auxiliary High-Flow Hydraulic Lines Only

Proportional Control, Pilot Level Mounted)

Requires a control circuit such as a foot controller or the standard righthand control handle with (2) switches. Also order a solenoid kit.

Auxiliary High-Flow Hydraulic Lines w/ AFL (Electronic

Includes Combination piping

Description

Grounds Equipment - Bid #ESCNJ 18/19-25

| Includes Combination piping for 2.6 M Arm | | |
|---|------|------------|
| Auxiliary High-Flow Hydraulic Lines w/ AFL (Electronic Proportional Control, Pilot Level Mounted) | 7495 | \$8,787.00 |
| Includes Combination piping for 3.1 M Arm | | |

BUCKETS

All Heavy-Duty and Severe-Duty Buckets come standard with TK-Series Fanggs Teeth.

| Description | Code | Price |
|--|-----------------------------|--------------------------------------|
| Less Bucket | 8001 | No Added Cos |
| Includes bucket mounting pins. | | |
| Heavy-Duty Bucket | 8432 | \$7,026.00 |
| 36 In. (914 mm), 0.81 Yd3 (0.62 M3) Includes Five (5) John Deere TK-Series Fanggs Teeth (TK350FD). | | |
| Heavy-Duty Bucket | 8442 | \$7,568.00 |
| 42 In. (1067 mm) 0.99 Yd3 (0.76 M3) Includes Five (5) John Deere TK-Series Fanggs Teeth (TK350FD). | | |
| Heavy Duty Bucket | 8462 | \$8,176.00 |
| 48 In. (1220 mm) 1.22 Yd3 (0.93 M3) Includes Six (6) TK350 Series Teeth | | |
| | | |
| - Select as desired | | |
| | | |
| - Select as desired | Code | Price |
| - Select as desired HEATER | Code 9015 | Price \$248.00 |
| I - Select as desired HEATER Description | | |
| I - Select as desired HEATER Description Engine Block Heater | | |
| I - Select as desired HEATER Description Engine Block Heater FILTER | 9015 | \$248.00 |
| I - Select as desired HEATER Description Engine Block Heater FILTER Description | 9015 Code | \$248.00 Price |
| I - Select as desired HEATER Description Engine Block Heater FILTER Description Fuel Filter, Severe-Duty | 9015 Code | \$248.00 Price |
| I - Select as desired HEATER Description Engine Block Heater FILTER Description Fuel Filter, Severe-Duty | 9015 Code 9060 | \$248.00 Price \$175.00 |
| I - Select as desired HEATER Description Engine Block Heater FILTER Description Fuel Filter, Severe-Duty NGINE FAN Description | 9015 Code 9060 Code | \$248.00 Price \$175.00 |

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

Price

Code

John Deere - 2021 Price List

Grounds Equipment - Bid #ESCNJ 18/19-25

| | Chrome Exhaust | 9700 | \$408.00 |
|-----|---|----------|---------------|
| SHI | PPING PREPARATION | | |
| | Description | Code | Price |
| | Special Export Preparation Do not install front for shipping | 9803 | No Added Cost |
| | For Export Containerization | | |
| LIC | GHT PACKAGE | | |
| | Description | Code | Price |
| | Light Package | 9150 | \$2,258.00 |
| | All exterior machine lights are LED 2 Front Cab lights, 1 Rear Cab light, 1 Toolbox Light, 1 Under Engine Hoo Light, 1 Left hand and 1 Right hand Boom Lights | od | |
| во | OM CYLINDERS | | |
| | Description | Code | Price |
| | Boom Cylinders with Plumbing to Main Frame | 9010 | \$6,093.00 |
| АТТ | ACHMENTS FOR FIELD CONVERSION | | |
| | Description | Code | Price |
| | Buckets, Heavy-Duty | | |
| | 24 In (610 mm), 0.47 yd3 (0.36 M3) Heavy-Duty Bucket | BYT11152 | \$4,328.00 |
| | Includes Four (4) John Deere TK-Series Fanggs Teeth (TK350FD). | | |
| | Not compatible with Progressive Hydraulic Thumb. | | |
| | 30 In (762 mm), 0.64 yd3 (0.49 M3) Heavy-Duty Bucket | BYT11153 | \$4,647.00 |
| | Includes Four (4) John Deere TK-Series Fanggs Teeth (TK350FD). | | |
| | Not compatible with Progressive Hydraulic Thumb. | | |
| | 36 In (914 mm), 0.81 yd3 (0.62 M3) Heavy-Duty Bucket | BYT11154 | \$5,070.00 |
| | Includes Five (5) John Deere TK-Series Fanggs Teeth (TK350FD). | | |
| | 42 In (1067 mm), 0.99 yd3 (0.76 M3) Heavy-Duty Bucket | BYT11155 | \$5,298.00 |
| | Includes Five (5) John Deere TK-Series Fanggs Teeth (TK350FD) | | |
| | 48 In (1220 mm), 1.17 yd3 (0.89 M3) Heavy-Duty Bucket | BYT11156 | 5 \$5,738.00 |
| | | | |
| | Includes Six (6) John Deere TK-Series Fanggs Teeth (TK350FD). | | |
| | Includes Six (6) John Deere TK-Series Fanggs Teeth (TK350FD). Buckets, Side Cutters | | |

| Side-Cutter Kit, 3 inch | AT342512 | \$647.00 |
|---|-----------|------------|
| G.R.Mfg. | | |
| Counterweight, Bottom Mount, 1500 lbs. | AT430878 | \$4,560.00 |
| Counterweights are painted yellow | | |
| Front Window Guard, Polycarbonate | ETN210311 | \$2,596.00 |
| Rear Work Lights Package | AT430784 | \$1,284.00 |
| Slant Top Rub Rails | AT430874 | \$1,783.00 |
| <u>Guards</u> | | |
| Cab FOPS Guard | AT390802 | \$3,104.00 |
| FOPS Level II, ISO 10262 Certified | | |
| <u>Hydraulic Couplers</u> | | |
| Hydraulic Quick Coupler (Non-Variable type) - Coupler and Controls Kit | AT452017 | \$8,072.00 |
| Includes non-variable hydraulic quick coupler with hydraulic and electrical control components | | |
| Hydraulic Quick Coupler (Variable-type Pin-Grabber) - Coupler Only | BYT11626 | \$8,627.00 |
| Coupler kit ONLY. Includes coupler, jumper hoses, and one set of dead | | |
| pins. Controls components NOT included. Also purchase Controls Kit BYT11627. | | |
| Not compatible with hydraulic thumb AT379644, AT379645, AT379646, or AT379647. | | |
| Hydraulic Quick Coupler Controls Kit, (Variable-type Pin-Grabber) - Controls Kit Only | BYT11627 | \$1,536.00 |
| Controls kit ONLY. Includes hydraulic control components, electrical control components and components to manifold on end of arm. Does not include hydraulic quick coupler - also purchase BYT11626. May not be required if replacing existing hydraulic quick coupler. | | |
| Installation Charge for Hydraulic Quick Coupler | AT345608 | \$1,401.00 |
| When ordering Hydraulic Quick Coupler (Variable-type Pin-Grabber) must order both Coupler and Controls attachment kits. Installation Charge Order also requires attachment part number, SHIP-TO address for Paladin Custom Works, AND reference related machine order number. The related machine order must reference the attachment order number. | | |
| Order code available only for Kernersville, North Carolina installations. | | |
| Hydraulic Thumb Kits | | |
| Deere/Hitachi Hydraulic Thumb Installation | AT339844 | \$1,987.00 |

| Labor for installation of Deere/Hitachi thumb at Paladin Customworks Kernersville, NC. | | |
|---|----------|-------------|
| Hydraulic Thumb Kit, Direct | AT379644 | \$8,551.00 |
| Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing. Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement. Not compatible with couplers. | | |
| Hydraulic Thumb Kit, Direct for Couplers | AT379645 | \$8,551.00 |
| Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing. Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement. Not compatible with Hydraulic Quick Coupler (Variable-type Pin-Grabber) BYT11626. | | |
| Hydraulic Thumb Kit, Progressive | AT379646 | \$10,637.00 |
| Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing. Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement. Only available for the following arm lengths: 160 3.1M (10'2") Not compatible with couplers. | | |
| Hydraulic Thumb Kit, Progressive for Couplers | AT379647 | \$10,637.00 |
| Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing. | | |
| Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement. | | |
| Only available for the following arm lengths: 160 3.1M (10'2") Not compatible with Hydraulic Quick Coupler (Variable-type Pin-Grabber) BYT11626. | | |
| Hydraulics | | |
| Auxiliary Hydraulic Lines for 3.1 M Arm for 160G | AT415228 | \$4,629.00 |
| Control Handle for Auxiliary Hydraulics, Left-Hand | AT327652 | \$530.00 |
| Requires control solenoid for either 1-way or 2-way auxiliary hydraulics. Recommended for use with auxiliary hydraulic lines. | | |
| Control Solenoid for 1-way Auxiliary Hydraulics with Foot Switch | AT446154 | \$960.00 |
| Does not use the monitor for flow control. Does not require solenoids for auxiliary hydraulics. Includes foot switch, solenoid, relays, wiring, and hoses. | | |
| Control Solenoids for 2-Way Auxiliary Hydraulics | AT445459 | \$808.00 |
| Monitor can be used to control hydraulic flow. | | |

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

Can be used with either right-hand or left-hand control handle.

| Foot Control, Two-Way Hydraulics | AT390739 | \$2,029.00 |
|--|----------|------------|
| Hydraulic Filter Restriction Indicator Kit | AT445803 | \$797.00 |
| Operator Environment | | |
| Exterior Work Lights Package | AT396663 | \$748.00 |
| Additional 2 Cab lights, with 1 Right hand Boom Light. | | |
| Full Length Front Guards | BYT11141 | \$1,547.00 |
| Overall Vehicle | | |
| Vandal Covers | BYT11005 | \$3,053.00 |
| After Serial # 57100 | | |

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |