

# 210G LC FT4 EXCAVATOR

10-Jan-2022



**JOHN DEERE**

Code	Description	QTY	List Price (USD)
------	-------------	-----	------------------

05R2FF	210G LC FT4 EXCAVATOR	1	\$235,281.00
--------	-----------------------	---	--------------

**HYDRAULICS:**

Open Center, Load Sensing with Variable Displacement Pumps  
 Hydraulic Pilot Controls  
 Axial Piston Swing Motor  
 Multiple Wet Disk Swing Brake  
 Auxiliary Valve Section  
 Adjustable Flow for Attachments Through Monitor  
 Boom and Arm Reduced Drift Valves  
 Power Boost  
 Auto Power Lift  
 Hydraulic Tank Site Gauge  
 5,000 Hour Hydraulic Oil Change Interval  
 Hydraulic Oil Sampling Valve  
 Inline DEF Filter

**UNDERCARRIAGE:**

Two Speed Propel with Auto-Shift  
 Axial Piston Propel Motors  
 Propel Motor Shields  
 Planetary Final Drives  
 Sealed Track Chain  
 Front and Center Track Guides  
 Provisions for Tie Downs  
 X-Frame Car Body  
 Hydraulic Track Adjuster  
 Eight Lower Rollers  
 Two Upper Rollers  
 Spring Applied Hydraulic Released Propel Brake

**UPPER STRUCTURE:**

Right, Left, and Counterweight Mirrors(3)  
 Toolbox  
 Vandal Locks for:  
 Cab Door  
 Service Doors  
 Fuel Cap  
 Tool Box  
 Counterweight, 9,370 lbs. (4,250 kg)  
 Work Lights:  
 One Mounted on Frame  
 One Mounted on Boom  
 Debris Screening Side Panel  
 Remote Mounted Engine Oil and Fuel Filters  
 Handrails

**FRONT ATTACHMENT:**

Oil Impregnated Bushings  
 Reinforced Resin Thrust Plates  
 Tungsten Carbide Thermal Coating on arm to Bucket Joint  
 Centralized Lubrication System  
 Dirt Seals on Bucket Pins

Less Boom  
 Less Arm  
 Less Bucket

OPERATOR'S STATION:

Adjustable Control Positions (Levers to Seat, Seat to Pedals)  
 4" Arm Rests Attached to Side Consoles  
 Pilot Control Shut-Off Lever  
 Short Stroke, Low Effort Pilot Levers  
 Switches for Auxiliary Hydraulic Control on RH Pilot Lever  
 Deluxe Adjustable Cloth Seat with Suspension, Reclining Backrest, Headrest, and Adjustable Lumbar Support  
 Multifunction, Color LCD Monitor System with:  
 Diagnostic Capability  
 Systems Monitoring Capability  
 Multiple Language Capability  
 Maintenance Tracking  
 Engine Coolant Temperature Gauge  
 Engine Coolant Temperature Warning Indicator with Audible Alarm  
 Engine Oil Pressure Warning Indicator with Audible Alarm  
 Fuel Gauge with Low Fuel Indicator  
 Diesel Exhaust Fluid Gauge  
 Work Mode Indicator  
 Auto Idle Indicator  
 Alternator Charge Indicator  
 Air Filter Restriction Indicator  
 Fault Code Alert Indicator  
 Check Engine Indicator  
 Wiper Mode Indicator  
 Work Lights On Indicator  
 Fuel Rate Display  
 Clock  
 Hour Meter  
 Mode Selection:  
 One Work Mode  
 Three Power Modes  
 Numerous Attachment Modes  
 Auto-Climate Control/Air Conditioner, Heater with Pressurizer  
 AM-FM Radio  
 Rear View Camera  
 Control Pattern Changer  
 Machine Information Center (MIC)  
 Windshield Wiper/Washer with Intermittent Speed  
 12V-60W, 5 Amp Cell Phone Power Outlet  
 2 In. Retractable Seat Belt  
 Tinted Safety Glass  
 Hot/Cold Box Compartment  
 Horn  
 Two Cup Holders  
 Interior Light  
 Coat Hook  
 Floor Mat  
 Motion Alarm with Cancel Switch  
 Transparent Tinted Roof Hatch with Sunshade  
 Four Fluid-Filled Elastic Mounts  
 Easy Access Air Conditioning Filter  
 Value Packages Available

05R2FF	210G LC FT4 EXCAVATOR	1	\$235,281.00
--------	-----------------------	---	--------------

ENGINE		
	Engine	Basic Factory Options - Required
1095	Engine Stage IV Emissions John Deere PowerTech PVS 6.8L 159 Net Rated hp (ISO 9249) Turbocharger Charge Air Cooler Electronic Engine Control Unit Auto-Idle System Cool on Demand Hydraulic Driven Fan Antifreeze Protection to -34F (-37C) Enclosed Fan Guard Dual Element Dry-type Air Filter with Restriction Indicator Full Flow Oil Filter Double Fuel Filter Water Separator Underhood Diesel Particulate Filter with Curved Exhaust Automatic Belt Tension Device Glow Plug Start Aid Heavy Duty, Low Maintenance Batteries 100-Amp Alternator - 24 Volt 500 Hour Engine Oil Change Interval 70% (35 degrees) Off Level Capability Engine Oil Sampling Valve	\$20,587.00
Heater		
		Field Installed Attachments - Optional
9015	Engine Block Heater	\$248.00
Filter		
		Field Installed Attachments - Optional
9060	Fuel Filter, Severe-Duty	\$175.00
9070	Engine Air Centrifugal Pre-Cleaner Recommended for harsh conditions	\$631.00
Engine Fan		
		Field Installed Attachments - Optional
9115	Automatic Reversing Cooling Fan	\$1,683.00

Features selectable intervals and manual override.  
 For use in environments with airborne debris.

9180 Single Pedal Propel \$2,259.00  
 Additional pedal for tracking both tracks simultaneously in the same direction

Exhaust Field Installed Attachments - Optional

9700 Chrome Exhaust \$416.00

PACKAGES

Optional Package Basic Factory Options - Required

080A PACKAGE 2 - Configured with Options for Multiple Applications (\$1,075.00)

- Package Includes:
- 800MM Triple Grouser Track Shoes (3350)
  - 5.68M (18 ft. 8 in.) Boom (6835)
  - 2.9M (9 ft. 7 in.) Arm (7160)
  - Air Suspension Heated Seat (4130)
  - Auxiliary Hydraulics w/AFL (7495)
  - Chrome Exhaust (9700)
  - Engine Block Heater (9015)
  - Automatic Reversing Cooling Fan (9115)
  - Severe Duty Fuel Filters (9060)
  - LED Light Package (9150)
  - JDLINK Ultimate Cellular - 5 Years (170C)
- Also choose from codes below:
- Grade Guidance / Grade Ready Options (7901, 7930, 7950, 7951, 7953, 7954)
  - Buckets (8001, 8321, 8331, 8341)

080B PACKAGE 1 - Configured with Minimal Options No Added Cost

- Package Includes:
- 800MM Triple Grouser Track Shoes (3350)
  - 5.68M (18 ft. 8 in.) Boom (6835)
  - 2.9M (9 ft. 7 in.) Arm (7160)
  - Air Suspension Heated Seat (4130)
  - Engine Block Heater (9015)
  - JDLINK Ultimate Cellular - 5 Years (170C)
- Also choose from codes below:
- Grade Guidance / Grade Ready Options (7901, 7930, 7950, 7951, 7953, 7954)
  - Buckets (8001, 8321, 8331, 8341)

080Z STANDARD EXCAVATOR No Added Cost  
 Includes Standard Equipment

DESTINATION AND LANGUAGE

Operator's Manual and Decals

Basic Factory Options - Required

1600 English Customer Delivery Packet No Added Cost  
English Decals and Customer Delivery Packet

Decals

Field Installed Attachments - Optional

JOHN DEERE WORKSIGHT™

Machine Connectivity

Basic Factory Options - Required

Machine connectivity functions require cellular coverage. Usage of JDLink /ZXLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1741 No JDLink/ZXLink Ultimate (\$1,320.00)

170K JDLink™ No Added Cost  
Includes integrated cab wiring harness, antenna, and JDLink™ Modem (MTG).  
JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.

UNDERCARRIAGE

Track Shoes

Basic Factory Options - Required

3300 Long Undercarriage with 600 mm (24 In.) Triple Semi-Grouser Shoes (\$1,599.00)  
Recommended for rocky terrain, hard ground and stumps.

3310 600 mm (24 In.) Triple Semi-Grouser Shoes (\$9,057.00)  
Recommended for rocky terrain, hard ground and stumps.  
Short Undercarriage

3325 700 mm (28 In.) Triple Semi-Grouser Shoes (\$899.00)

Recommended for general conditions and soft terrain.  
 Long Undercarriage

3330 Triple Semi-Grouser Shoes (\$8,332.00)

Recommended for general conditions and soft terrain.  
 Short Undercarriage 700 mm (28 In.)

3350 Triple Semi-Grouser Shoes No Added Cost

Recommended for extremely soft terrain.  
 Long Undercarriage with 800 mm (32 In.)

3360 800 mm (32 In.) Triple Semi-Grouser Shoes (\$7,455.00)

Recommended for extremely soft terrain.  
 Short Undercarriage

Undercarriage Field Installed Attachments - Optional

9160 Track Frame Undercover \$643.00

OPERATOR'S STATION AND CONTROLS

Seat Basic Factory Options - Required

4125 Seat, Standard Mechanical No Added Cost

4130 Seat, Heated Air-Suspension \$1,366.00

4135 Seat, Premium Leather – Thermal Heating and Active Cooling \$2,731.00

- Active heating and cooling
- Air suspension
- High seat back
- 3-way adjustability
- High visability orange 3 inch seat belt

Light Package Field Installed Attachments - Optional

9150 Light Package \$2,258.00

- All exterior machine lights are LED
- 2 Front Cab lights, 1 Rear Cab light, 1 Toolbox Light, 1 Under Engine Hood Light, 1 Left hand and 1 Right hand Boom Lights

**BOOM**

Boom

Basic Factory Options - Required

6801 Less Boom No Added Cost  
 Excludes Arm Cylinder, Boom Cylinders and Plumbing on Boom.  
 Includes Pin Connecting Boom to Mainframe and the Two Boom Cylinder Pins.  
 Requires code 7001, "Less Arm".  
 The "Hydraulic Filter Restriction Indicator" in DEALER-INSTALLED ATTACHMENTS is recommended

6835 One Piece Boom with Arm Cylinder and Plumbing \$22,824.00  
 6.4 M (21 Ft. 0 In. ) One Piece Boom with Arm Cylinder and Plumbing

Grade Ready/Grade Guidance

Basic Factory Options - Required

Grade Guidance

7950 TOPCON 2D Integrated Grade Guidance, Topcon - Less Laser Catcher \$18,607.00  
 2D Grade Guidance system fully integrated into the cab and structures. Intuitive functionality with built-in audible tones and light bars, matched with precise real-time bucket cutting edge position information of relative depth and slope, provide clear guidance to target grade. Consists of sensors, controllers and in-cab display for configuring, monitoring, and measuring grade.

7951 TOPCON 2D Integrated Grade Guidance, Topcon - with Laser \$20,022.00  
 2D Grade Guidance system fully integrated into the cab and structures. Intuitive functionality with built-in audible tones and light bars, matched with precise real-time bucket cutting edge position information of relative depth and slope, provide clear guidance to target grade. Consists of laser receiver, sensors, controllers and in-cab display for configuring, monitoring, and measuring grade. Laser receiver enables greater jobsite flexibility utilizing plane for references across larger jobsites. Laser receiver requires offboard laser transmitter for functionality.

7953 TOPCON 3D Integrated Grade Guidance, Topcon - 915 Mhz & 450 Mhz Radio - Less Laser Catcher \$55,444.00  
 3D Grade Guidance system fully integrated into the cab and structures. Intuitive functionality with built-in audible tones and light bars, matched with precise real-time bucket cutting edge position information, including relative depth and slope to 3 dimensional design plans. Consists of UHF transmitter/receiver, sensors, and in-cab display for configuring, monitoring, and measuring grade. Includes Topcon 3D-MC<sup>2</sup> software compatible with Topcon file formats.

7955 TOPCON 3D Integrated Grade Guidance, Topcon - 915 Mhz & 450 Mhz Radio -with Laser Catcher \$56,859.00  
 3D Grade Guidance system fully integrated into the cab and structures. Intuitive functionality with built-in audible tones and light bars, matched with precise real-time bucket cutting edge position information, including relative depth and slope to 3 dimensional design plans. Consists of UHF transmitter/receiver, laser reciever, sensors, and in-cab display for configuring,

monitoring, and measuring grade. Includes Topcon 3D-MC<sup>2</sup> software compatible with Topcon file formats. Laser receiver enables greater jobsite flexibility utilizing plane for references across larger jobsites. Laser receiver requires offboard laser transmitter for functionality.

Grade Control

7956 SmartGrade Ready 2D grade control- Less Laser Catcher \$33,357.00

SmartGrade ready 2D grade control system fully integrated into the cab and structures. Adaptively controls bucket relative to target grade to improve accuracy and efficiency. Includes Virtual alert features (Virtual Ceiling, Virtual Floor, Virtual Swing, Virtual Wall, Virtual Front & Over-Dig Protect). Upgradeable to SmartGrade 3D solution via upgrade kit. Consists of sensors, controllers, valves and in-cab display for configuring, monitoring, and controlling grade. Calibrated at factory using factory bucket.

7957 SmartGrade Ready 2D grade control - w/ Laser Catcher \$34,772.00

SmartGrade ready 2D grade control system fully integrated into the cab and structures. Adaptively controls bucket relative to target grade to improve accuracy and efficiency. Includes Virtual alert features (Virtual Ceiling, Virtual Floor, Virtual Swing, Virtual Wall, Virtual Front & Over-Dig Protect). Upgradeable to SmartGrade 3D solution via upgrade kit. Consists of laser receiver, sensors, controllers, valves and in-cab display for configuring, monitoring, and controlling grade. Laser receiver enables greater jobsite flexibility utilizing plane for references across larger jobsites. Laser receiver requires offboard laser transmitter for functionality. Calibrated at factory using factory bucket.

7958 3D SmartGrade(TM) – W/ 915MHz & 450MHz Radio - Less Laser Catcher \$77,857.00

SmartGrade 3D GNSS grade control system fully integrated into the cab and structures. Adaptively controls bucket relative to grade to improve accuracy and efficiency. Includes Virtual alert features (Virtual Ceiling, Virtual Floor, Virtual Swing, Virtual Wall, Virtual Front & Over-Dig Protect). Consists of sensors, valves, GNSS receivers, UHF receiver, and in-cab display for configuring, monitoring, measuring, and controlling grade. Includes Topcon 3DMC software compatible with Topcon file formats. Calibrated at factory using factory bucket.

7959 3D SmartGrade(TM) – W/ 915MHz & 450MHz Radio - with Laser Catcher \$79,272.00

SmartGrade 3D GNSS grade control system fully integrated into the cab and structures. Adaptively controls bucket relative to grade to improve accuracy and efficiency. Includes Virtual alert features (Virtual Ceiling, Virtual Floor, Virtual Swing, Virtual Wall, Virtual Front & Over-Dig Protect). Consists of sensors, valves, GNSS receivers, UHF receiver, and in-cab display for configuring, monitoring, measuring, and controlling grade. Includes Topcon 3DMC software compatible with Topcon file formats. Laser receiver enables greater jobsite flexibility utilizing plane for references across larger jobsites. Laser receiver requires offboard laser transmitter for functionality. Calibrated at factory using factory bucket.

7901 Less Grade Reference Ready Mounts No Added Cost

7930 Grade Reference Ready Mounts \$1,738.00

Includes mounting points on link, arm, boom, upperstructure, and counterweight for grade reference sensors. Sensors, manufacturing specific mounts, wiring harness, and monitor provided by OEM suppliers.  
4.0M Arm

Boom Cylinders

Field Installed Attachments - Optional



9010	Boom Cylinders with Plumbing to Main Frame Requires 6801, Less Boom, and Code 7001, Less Arm.	\$8,138.00
ARM		
	Arm	Basic Factory Options - Required
7001	Less Arm, Bucket Cylinder, Bucket Linkage and All Attaching Pins and Hoses Hydraulic Filter Indicator Recommended. Requires code 8001, Less Buckets.	No Added Cost
7140	Arm with Bucket Cylinder and Linkage 2.42 M (7 ft. 1 in.)	\$12,667.00
7160	Arm with Bucket Cylinder and Linkage 2.91 M (9 ft. 7 in.)	\$13,054.00
HYDRAULICS		
	Auxiliary Hydraulics	Basic Factory Options - Required
7401	Less Auxiliary Hydraulics	No Added Cost
7444	Auxiliary High-Flow Lines Includes combination auxiliary hydraulic piping with dedicated stop valves for each attachment.  Requires dealer installed 1-way solenoid kit, 2-way solenoid kit, AFL kit, or a foot pedal kit for auxiliary hydraulics functionality. For 2.9m Arm	\$6,832.00
7491	Auxiliary High-Flow Lines with AFL and Auxiliary Relief Pressure Adjustment Includes combination auxiliary hydraulic piping with dedicated stop valves for each attachment.  Includes Auxiliary Function Lever (AFL) right-hand joystick for electronic proportional auxiliary control. Ability to set, confirm, and adjust the auxiliary relief pressure for an attachment. For 2.9m Arm	\$12,083.00
7492	Auxiliary High-Flow Lines with AFL, Auxiliary Relief Pressure Adjustment and Two Pump Combine Ability to set internally combined pump flow for higher demand attachments. For 2.9 m Arm	\$14,119.00

Includes combination auxiliary hydraulic piping with dedicated stop valves for each attachment.

Includes Auxiliary Function Lever (AFL) right-hand joystick for electronic proportional auxiliary control. Ability to set, confirm, and adjust the auxiliary relief pressure for an attachment.

BUCKETS		
Buckets		Basic Factory Options - Required
All Heavy-Duty and Severe-Duty Buckets come standard with TK-Series Fanggs Teeth.		
8001	Less Bucket Includes bucket mounting pins.	No Added Cost
8321	Heavy-Duty Bucket 36 In. (900 mm) 0.94YD (0.72 M3) Includes Five (5) John Deere TK-Series Fanggs Teeth (TK350FD).	\$8,728.00
8331	Heavy-Duty Bucket 42 In. (1050 mm) 1.14 Yd3 (0.87M3) Includes Five (5) John Deere TK-Series Fanggs Teeth (TK350FD).	\$9,519.00
8341	Heavy-Duty Bucket 48 In. (1220 mm) 1.34 Yd3 (1.02 M3) Includes Six (6) John Deere TK-Series Fanggs Teeth (TK350FD).	\$10,270.00
Hydraulic Thumb Kits		Field Installed Attachments - Optional
AT379648	Hydraulic Thumb Kit, Direct Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing. Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement. Not compatible with couplers.	\$9,907.00
AT379649	Hydraulic Thumb Kit, Direct for Couplers Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing. Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement. Not compatible with Hydraulic Quick Coupler (Variable-type Pin-Grabber) BYT11628.	\$9,907.00
AT379650	Hydraulic Thumb Kit, Progressive Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing. Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement. Only available for the following arm lengths: 180 3.2M (10'6") 200 3.2M (10'6") 210 2.91M (9'7") 245 2.91M (9'7") Not compatible with couplers.	\$11,795.00

AT379651	Hydraulic Thumb Kit, Progressive for Couplers	\$11,795.00
	Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing. Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement. Only available for the following arm lengths: 180 3.2M (10'6") 200 3.2M (10'6") 210 2.91M (9'7") 245 2.91M (9'7") Not compatible with Hydraulic Quick Coupler (Variable-type Pin-Grabber) BYT11628.	

AT339844	Deere/Hitachi Hydraulic Thumb Installation	\$2,086.00
	Labor for installation of Deere/Hitachi thumb at Paladin Customworks Kernersville, NC.	

Buckets, Side Cutters Field Installed Attachments - Optional

AT342512	Side-Cutter Kit, 3 inch	\$679.00
----------	-------------------------	----------

AT342511	Edge Protector Kit	\$655.00
----------	--------------------	----------

AT342513	Side-Cutter Kit, 6 inch	\$679.00
----------	-------------------------	----------

Buckets, Heavy-Duty Field Installed Attachments - Optional

BYT11157	24 In (610 mm), 0.51 yd3 (0.39 M3) Heavy-Duty Bucket Includes Three (3) John Deere TK-Series Fanggs Teeth (TK350FD).	\$5,236.00
----------	---	------------

BYT11158	30 In (762 mm), 0.71 yd3 (0.54 M3) Heavy-Duty Bucket Includes Four (4) John Deere TK-Series Fanggs Teeth (TK350FD)	\$5,615.00
----------	---	------------

BYT11159	36 In (914 mm), 0.91 yd3 (0.69 M3) Heavy-Duty Bucket Includes Five (5) John Deere TK-Series Fanggs Teeth (TK350FD)	\$6,125.00
----------	---	------------

BYT11160	42 In (1067 mm), 1.11 yd3 (0.85 M3) Heavy-Duty Bucket Includes Five (5) John Deere TK-Series Fanggs Teeth (TK350FD).	\$6,539.00
----------	---	------------

BYT11161	48 In (1219 mm), 1.31 yd3 (1.00 M3) Heavy-Duty Bucket	\$7,077.00
----------	---	------------

Includes Six (6) John Deere TK-Series Fanggs Teeth (TK350FD)

MISCELLANEOUS

Miscellaneous

Field Installed Attachments - Optional

Hydraulics

Field Installed Attachments - Optional

AT340288 Boom Cylinder Anti-Drift Valve with Plumbing and Hardware \$3,136.00

AT327652 Control Handle for Auxiliary Hydraulics, Left-Hand \$530.00  
Requires control solenoid for either 1-way or 2-way auxiliary hydraulics.  
Recommended for use with auxiliary hydraulic lines.

AT390758 Auxiliary High Flow Lines for 2.9 M Arm for 210G \$5,405.00

AT446155 Control Solenoid for 1-way Auxiliary Hydraulics with Foot Switch \$960.00  
Does not use the monitor for flow control.  
Does not require solenoids for auxiliary hydraulics.  
Includes foot switch, solenoid, wiring, and hoses.

AT445467 Control Solenoids for 2-Way Auxiliary Hydraulics \$808.00  
Monitor can be used to control hydraulic flow.  
Can be used with either right-hand or left-hand control handle.

AT445803 Hydraulic Filter Restriction Indicator Kit \$797.00

AT327836 Two-Pump Combined Flow Piping \$1,691.00  
For attachments that require additional hydraulic flow.

AT390776 Single Pedal Propel Kit \$2,143.00

Hydraulic Couplers

Field Installed Attachments - Optional

AT345608	Installation Charge for Hydraulic Quick Coupler  When ordering Hydraulic Quick Coupler (Variable-type Pin-Grabber) must order both Coupler and Controls attachment kits. Installation Charge Order also requires attachment part number, SHIP-TO address for Paladin Custom Works, AND reference related machine order number. The related machine order must reference the attachment order number. Order code available only for Kernersville, North Carolina installations.	\$1,471.00
AT452018	Hydraulic Quick Coupler (Non-Variable type) - Coupler and Controls Kit  Includes non-variable hydraulic quick coupler with hydraulic and electrical control components	\$9,191.00
BYT11628	Hydraulic Quick Coupler (Variable-type Pin-Grabber) - Coupler Only  Coupler kit ONLY. Includes coupler, jumper hoses, and one set of dead pins. Controls components NOT included. Also purchase Controls Kit BYT11629. Not compatible with hydraulic thumb AT379648, AT379649, AT379650, or AT379651.	\$10,673.00
BYT11629	Hydraulic Quick Coupler Controls Kit, (Variable-type Pin-Grabber) - Controls Kit Only  Controls kit ONLY. Includes hydraulic control components, electrical control components and components to manifold on end of arm. Does not include hydraulic quick coupler - also purchase BYT11628. May not be required if replacing existing hydraulic quick coupler.	\$1,613.00
Guards <span style="float: right;">Field Installed Attachments - Optional</span>		
AT390802	Cab FOPS Guard  FOPS Level II, ISO 10262 Certified	\$3,259.00
Powertrain & Cooling <span style="float: right;">Field Installed Attachments - Optional</span>		
AT453858	Automatic Reversing Cooling Fan  Features selectable intervals and manual override. For use in environments with airborne debris. Installation time 2 hours.	\$2,153.00
G.R.Mfg. <span style="float: right;">Field Installed Attachments - Optional</span>		
AT430875	Slant Top Rub Rails	\$1,972.00
AT430880	Counterweight, Bottom Mount, 2100 lbs.  Counterweights are painted yellow	\$10,648.00

AT430784	Rear Work Lights Package	\$1,792.00
ETN210311	Front Window Guard, Polycarbonate	\$3,598.00
	Overall Vehicle	Field Installed Attachments - Optional
BYT11005	Vandal Covers After Serial # 26138	\$3,053.00
	Operator Environment	Field Installed Attachments - Optional
BYT11141	Full Length Front Guards For 210G (PIN:1FF210GX - F526134)	\$1,547.00
ETN93549	Stereo adapter for phone or music device. Applicable for machines before SN 1FF210GXJF526134	\$226.00
AT396663	Exterior Work Lights Package Additional 2 Cab lights, with 1 Right hand Boom Light.	\$748.00
BYT11977	Light Kit, 130-350 LED LIGHT KIT	\$1,700.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.