



JOHN DEERE

Current Date 06Jan2021

26G Compact Excavator

ENGINE:

Yanmar 3TNV80F 3-77.0 cu. in. (1.2 l)
20 ISO9249 Net HP (14.9 kW)
Certified to EPA Tier 4 Final
Antifreeze
Single Dry-Type Air Filter
Electric Fuel Shutoff
Fan Guard
Full Flow Oil Filter
Low Maintenance Battery
Fuel Filter & Water Separator
Isolation Mounted
Under Hood Muffler
40 Amp Alternator - 12 Volt
Glow Plugs Cold Start Aid

HYDRAULICS:

Open Center with Two Variable Displacement Pumps and One Fixed Gear Pump
Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, and Propel
Excavator to Backhoe Control Pattern Change Valve
Auxiliary Function Control and Right Hand Pilot Lever
Boom Swing Foot Control
Axial Piston Swing Motor

Wet Disk Swing Brake
Propel Brake
Auxiliary Valve Section
Auxiliary hydraulic lines with a selector valve to the arm
UNDERCARRIAGE:
12 in. (300 mm) Rubber Track
Backfill Blade
Propel Motor Shield
Planetary Final Drive
Two Speed Propel with Automatic Shifting
Axial Piston Propel Motor
UPPERSTRUCTURE:
360 Degree Upper Structure Rotation
Independent Boom Swing (70 degree left and 60 degree right rotation)
ROPS/OPG/FOPS Canopy
Work lights: One Mounted on Canopy (Cab) One Mounted on Boom
Canopy Counterweight: Canopy 582 lb. (264 kg.), Cab 509 lbs (231 kg.)
Vandal Locks for Service Doors
FRONT ATTACHMENTS:
Boom 6 ft. 10 in. (2.10 m)

Arm 3 ft. 10 in. (1.17 m)
Mechanical Quick Coupler
OPERATOR'S STATION:
Adjustable Vinyl Seat
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with: Alternator
Charge Warning Light
Engine Coolant Warning Light and Alarm
Engine Oil Pressure Warning Light
Travel Mode Indicator
Fuel Gauge and Warning Light
Engine Preheat Indicator
Light Switch with "On" Indicator
Two Travel Modes with Automatic Shifting and Speed Selection Switch
Motion Alarm with Cancel Switch
Cupholder
12 Volt Cell Phone Outlet
Operator manual storage in back of seat
Propel Levers and Foldable Pedals

Required - You must select one from each category



BASE MACHINE

Description

26G Compact Excavator

Code

0020FF

Price

\$39,972.00



CANOPY OR CAB

Description

ROPS / FOPS Canopy

Code

8150

Price

No Added Cost

ROPS / FOPS Cab

8185

\$4,266.00

Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting. With Heater.

Optional - Select as desired



ATTACHMENTS FOR FIELD CONVERSION

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

Buckets

12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included)	BYT10962	\$650.00
Does not work with Hydraulic coupler AT442164		
18 in. (457 mm) Heavy Duty Bucket Bundle	BYT10971	\$2,330.00
* Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		
18 in. (457 mm) Heavy Duty Bucket; 2.33 cu. ft. (0.066 cu. m) (4 Teeth Included)	BYT10963	\$678.00
24 in. (610 mm) Heavy Duty Bucket Bundle	BYT10972	\$2,521.00
Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices		
24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included)	BYT10964	\$729.00
30 in. (762 mm) Ditch Cleaning Bucket; 4.4 cu. ft. (0.12 cu. m) (No Teeth)	BYT10965	\$813.00

Clamps

Hydraulic Clamp - Factory Installation Fee	AT349584	\$552.00
Labor for installation of Deere/Hitachi Clamp at Paladin Customworks, Davenport, Iowa		
Must also order Hydraulic Clamp		
Cannot be ordered with Rubber Crawler Pads, (3130)		
Hydraulic Gray Clamp	BYT11919	\$1,811.00
Works with machines equipped with aux selector valve, JD26G / ZX26 SN 264782 or greater. For installation on JD26G / ZX26 SN 264781 or less, see DTAC solution 116315 for additional parts and details. If using with one-way flow attachment, also order valve DC206934 - See DTAC Solution 118369 for details. If For Paladin Customworks Installation, order AT349584 Installation Fee.		

G.R.Mfg.

Front Screen, Cab (GR#705753) (26-50 CE)	AT451135	\$660.00
*Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.		

Interface Adapters

Interface Adapter for 27-35 CE and 110 TLB	AT305753	\$645.00
--	----------	----------

Miscellaneous

Auxiliary Hydraulic Quick Disconnect Kit	BYT10142	\$104.00
Front Screen, Canopy (GR#706024) (26 CE)	AT495180	\$609.00

Required when a Hydraulic Breaker is equipped on a Deere G Series or Hitachi G Compact Excavator with a Canopy

Hydraulic Quick Disconnect Kit for Selector Valve

BYT11478

\$155.00

Serial No. Break - 264782