

# 26G Compact Excavator

Educational Services Commission of New Jersey  
NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25



**JOHN DEERE**

01-Mar-2022

Code	Description	QTY	List Price (USD)
0020FF	26G Compact Excavator	1	\$42,814.00
	<p>ENGINE:</p> <p>Yanmar 3TNV80F 3-77.0 cu. in. (1.2 l) 20 ISO9249 Net HP (14.9 kW) Certified to EPA Tier 4 Final Antifreeze Single Dry-Type Air Filter Electric Fuel Shutoff Fan Guard Full Flow Oil Filter Low Maintenance Battery Fuel Filter &amp; Water Separator Isolation Mounted Under Hood Muffler 40 Amp Alternator - 12 Volt Glow Plugs Cold Start Aid</p> <p>HYDRAULICS:</p> <p>Open Center with Two Variable Displacement Pumps and One Fixed Gear Pump Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, and Propel Excavator to Backhoe Control Pattern Change Valve Auxiliary Function Control and Right Hand Pilot Lever Boom Swing Foot Control Axial Piston Swing Motor Wet Disk Swing Brake Propel Brake Auxiliary Valve Section Auxiliary hydraulic lines with a selector valve to the arm</p> <p>UNDERCARRIAGE:</p> <p>12 in. (300 mm) Rubber Track Backfill Blade Propel Motor Shield Planetary Final Drive Two Speed Propel with Automatic Shifting Axial Piston Propel Motor</p> <p>UPPERSTRUCTURE:</p> <p>360 Degree Upper Structure Rotation Independent Boom Swing (70 degree left and 60 degree right rotation) ROPS/OPG/FOPS Canopy Work lights: One Mounted on Canopy (Cab) One Mounted on Boom Canopy Counterweight: Canopy 582 lb. ( 264 kg.), Cab 509 lbs (231 kg.) Vandal Locks for Service Doors</p> <p>FRONT ATTACHMENTS:</p> <p>Boom 6 ft. 10 in. (2.10 m) Arm 3 ft. 10 in. (1.17 m) Mechanical Quick Coupler</p> <p>OPERATOR'S STATION:</p> <p>Adjustable Vinyl Seat</p>		

- 2 in. Retractable Seat Belt
- Horn
- Hour Meter
- Instrumentation Lights
- Monitor System with: Alternator Charge Warning Light
- Engine Coolant Warning Light and Alarm
- Engine Oil Pressure Warning Light
- Travel Mode Indicator
- Fuel Gauge and Warning Light
- Engine Preheat Indicator
- Light Switch with "On" Indicator
- Two Travel Modes with Automatic Shifting and Speed Selection Switch
- Motion Alarm with Cancel Switch
- Cupholder
- 12 Volt Cell Phone Outlet
- Operator manual storage in back of seat
- Propel Levers and Foldable Pedals

0020FF	26G Compact Excavator	1		\$42,814.00
--------	-----------------------	---	--	-------------

FRAME

Arm	Field Installed Attachments - Optional
-----	--

OPERATOR'S STATION AND CONTROLS

Canopy or Cab	Basic Factory Options - Required
---------------	----------------------------------

8150	ROPS / FOPS Canopy			No Added Cost
------	--------------------	--	--	---------------

8185	ROPS / FOPS Cab			\$4,266.00
------	-----------------	--	--	------------

With Heater.  
Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting.

Seat	Field Installed Attachments - Optional
------	--

COLOR

Color	Field Installed Attachments - Optional
-------	--

BUCKETS

	Buckets			Field Installed Attachments - Optional
--	---------	--	--	--

BYT10972	24 in. (610 mm) Heavy Duty Bucket Bundle Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices			\$2,697.00
BYT10971	18 in. (457 mm) Heavy Duty Bucket Bundle * Bundle includes a quantity of 4 of the same size bucket * Price includes a 5% discount from individual buckets' prices			\$2,493.00
BYT10965	30 in. (762 mm) Ditch Cleaning Bucket; 4.4 cu. ft. (0.12 cu. m) (No Teeth)			\$1,036.00
BYT10963	18 in. (457 mm) Heavy Duty Bucket; 2.33 cu. ft. (0.066 cu. m) (4 Teeth Included)			\$823.00
BYT10964	24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included)			\$894.00
BYT10962	12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included) Does not work with Hydraulic coupler AT442164			\$787.00

MISCELLANEOUS

	Clamps			Field Installed Attachments - Optional
--	--------	--	--	--

BYT11919	Hydraulic Gray Clamp Works with machines equipped with aux selector valve, JD26G / ZX26 SN 264782 or greater. For installation on JD26G / ZX26 SN 264781 or less, see DTAC solution 116315 for additional parts and details. If using with one-way flow attachment, also order valve DC206934 - See DTAC Solution 118369 for details.			\$1,938.00
----------	--	--	--	------------

	Miscellaneous			Field Installed Attachments - Optional
--	---------------	--	--	--

BYT10142	Auxiliary Hydraulic Quick Disconnect Kit			\$111.00
AT495180	Front Screen, Canopy (GR#706024) (26 CE)			\$580.00

Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy

---

BYT11478	Hydraulic Quick Disconnect Kit for Selector Valve Serial No. Break - 264782	\$166.00
----------	--	----------

Interface Adapters	Field Installed Attachments - Optional
--------------------	--

---

AT305753	30/35 G/ZX Compact Excavator Quick Change Adapter	\$690.00
----------	---	----------

G.R.Mfg.	Field Installed Attachments - Optional
----------	--

---

AT451135	Front Screen, Cab (GR#705753) (26-50 CE) *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.	\$780.00
----------	--	----------

---

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.