

**JOHN DEERE**

Current Date 08Jan2021

310L BACKHOE LOADER**310L Standard Equipment****ENGINE:**

John Deere PowerTech EWL
4.5L Turbocharged
4-Cylinder Engine
Serpentine Belt with
Automatic Belt Tensioner
Vertical Spin-On Engine Oil
Filter
Primary and Secondary Spin-
on Fuel filter with Water
Separator
Dual Safety Element Dry-
Type Air Cleaner With
Evacuator Valve
Vertical Curved Exhaust
Stack

COOLING SYSTEM:

Engine Radiator
Engine Coolant -40 Degrees
F (-40C)
Coolant Recovery Tank with
Low Level Indicator
Cooling Fan with Fan Guard
Oil-to-Water Engine Oil
Cooler
Oil to Air Hydraulic Oil Cooler
Oil to Water Transmission Oil
Cooler
Fold-Out Hinged Cooling
System
High Ambient Temperature
Engine Coolant

POWERTRAIN:

Powershift Transmission with
Torque Converter
Vertical Spin-on
Transmission Filter
Single Electric Transmission
Control Lever
(Forward/Neutral/Reverse)
with integrated gear
selection & horn
Electronic Transmission
Controller with On-board
Diagnostics
Rigid Mounted Rear Axle

Dedicated Hydraulic
Reservoir
6 Micron Vertical Spin-On
Filter
"O" Ring Face Seal
Connectors
Circuit Relief Valve
Protection
Economy Mode
Auto Idle
BACKHOE:
14 Ft. 0 In. (4.27 m) Digging
Depth (Extendible
Dipperstick,
Retracted)
Backhoe Transport Lock
Lever
Swing Locking Pin Stored in
Op. Station
ISO (Deere) Two Lever
Mechanical Backhoe Controls
Reversible Pad Stabilizer
Feet with integrated lock
Stabilizer
Two-Direction Anti-Drift
Valves Less Bucket with
Bucket Pins
Backhoe boom includes
mounting hole for optional
boom protection
plate.

LOADER:

Return-To-Dig Feature
Bucket Level Indicator
Hydraulic Self-Leveling (anti-
spill)
Single Lever Control with
Electric Clutch Cut-off Switch
Less Bucket with Bucket Pins
Loader Boom Service Lock
High-Visibility Loader Arms
ELECTRICAL:
12 Volt System
145 Amp Alternator
(4) Front Drive/Work, (4)
Rear Work and (2) side

Suspension for
Weight/Height
Fore-Aft
Lumbar Adjustment
Flip-up Arm Rests
3 In. Orange Seat Belt with
Retractor
Fixed Steering Column
Engine Coolant Temperature
Gauge
Fuel Gauge
Transmission Oil
Temperature Gauge
Electric Monitor System with
Audible and Visual Warning:
Air Cleander restriction
Low Alternator Voltage
Engine Coolant Temperature
Engine Oil Pressure &
Temperature
Hydraulic Filter Restriction
Low Brake Pressure
Seat Belt Indicator
Transmission Oil
Temperature
Fuel
Hourmeter / Tachometer /
Voltmeter
Machine Diagnostics
Key Start Switch with
Electric Fuel Shut-Off
Horn (1-FNR, 1- Side
Console)
Interior Rearview Mirror
Rotary Hand Trottle
Suspended Foot Trottle
12 Volt Outlets (1)
Operator's Manual Storage
Compartment
Integrated Cup Holder with
form fitting rubber insert
Lockable Right Hand Storage
Coat Hook
OVERALL VEHICLE:
(2) Front and (2) Rear built-
In tie Downs

<p>with 3-Planet Final Drive Differential Lock, Foot Switch Activated, Protection On/Off Mechanical Front Wheel Drive Hydrostatic Power Steering with Emergency Manual Mode Power-Assisted Hydraulic Service Brakes Inboard, Wet Disc, Self- Adjusting and Self-Equalizing (Conforms to ISO 3450) Power-Assisted Hydraulic Service Brakes Inboard, Wet Disc, Self-Adjusting and Self- Equalizing (Conforms to ISO 3450) Parking/Emergency Brake: Independent of Service Brakes (Conforms to ISO 3450) Spring Applied, Hydraulically Released, Wet Multi-Disc HYDRAULICS: 28 GPM (106 L/m) Single Gear Pump - Open Center</p>	<p>docking halogen lights (32,500 Candlepower Each) (2) Front and (2) Rear Turn Signal/Flashing (4) turn signal/flashing/rear stop tail lights - 2 front and rear (2) rear reflectors Single Battery with 180 Minute reserve Capacity and 925 CCA Blade Type Multi-Fused Circuits By-Pass Start Safety Cover on Starter Positive Terminal Battery Cover OPERATOR STATION: Modular-design ROPS/FOPS (Level 2) canopy with molded roof (meets ISO 3449 and ISO 3471/SAE J1040): Isolation mounted Left and Right Side Access Slip Resistant Steps and Ergonomically Located Handholds (Conforms to SAE J185) Seat, Deluxe Deep Foam, Vinyl Cover, High Back with Adjustable:</p>	<p>One Piece Unitized Construction Mainframe Extended Grille Frame Front Cover Dent Resistant Rear Fenders Vandal Protection Locking for: Engine Hood Monitor Tool Box Hydraulic Reservoir 34 Gal. (128.7 L) Fuel Tank Reverse Warning Alarm 19.5L- 24 In. 12 PR (R4) Tubeless Rear Tires 12 - 16.5 In. 12 PR Traction Front Sure Grip Lug Tires Ground Level Fueling Remote Grease Bank for Front Axle Removable Tool Box with Padlock Hasp Tilt Hood with (2) Service Positions JDLink Ultimate in Approved Countries</p>
--	--	---

Required - You must select one from each category

BASE MACHINE

Description	Code	Price
310L BACKHOE LOADER	0A61T	\$119,333.00



OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Decals with English Operator and Safety Manuals	2401	No Added Cost

English decals installed and English operator's manual.
Requires engine code 1065.

English Decals with Spanish Decals and Manuals Separate	2403	No Added Cost
---	------	---------------

English decals installed with Spanish decal packet included with English
and Spanish operator's manual.
Requires engine code 1065.

English Decals with French Decals and Manuals Separate	2404	No Added Cost
--	------	---------------

English decals installed with French decal packet included with English and French operator's manual.
Requires engine code 1065.

No Text Labels with English Operator and Safety Manuals	2410	No Added Cost
--	-------------	----------------------

Requires engine code 1075, 1085 or 1087.

No Text Labels with Spanish Operator and Safety Manuals	2411	No Added Cost
--	-------------	----------------------

Requires engine code 1075, 1085 or 1087.

No Text Labels with French Operator and Safety Manuals	2412	No Added Cost
---	-------------	----------------------

Requires engine code 1075, 1085 or 1087.

No Text Labels with Thai and English Operator and Safety Manuals	2414	No Added Cost
---	-------------	----------------------

Requires engine code 1075, 1085 or 1087.

▼ MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
JDLink Ultimate 5 Year Subscription	170C	No Added Cost

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

JDLink Ultimate Dual 5 Year Subscription	170J	\$2,233.00
---	-------------	-------------------

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all cellular dependent Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate Dual now includes Limited

Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications when cellular signal is available. JD Link Ultimate Dual works with the 4G LTE MTG to automatically transmit compressed summary data over a satellite network when a cellular network is not available. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

▼ FRONT AXLE AND TRANSMISSION

Description	Code	Price
2 Wheel Drive Powershift Transmission	3035	(\$8,406.00)

With 4F/2R Powershift Transmission.
Includes torque converter with electrically actuated twist grip TCL in 1st through 4th gears.

Mechanical Front Wheel Drive (MFWD) with Open Differential	3075	No Added Cost
--	------	---------------

4F/2R Powershift Transmission.
Includes torque converter with electrically actuated twist grip TCL in 1st through 4th gears.

Mechanical Front Wheel Drive (MFWD) with Limited Slip Differential	3065	\$980.00
--	------	----------

4F/2R Powershift Transmission.
Includes torque converter with electrically actuated twist grip TCL in 1st through 4th gears.

▼ OPERATOR'S STATION

Description	Code	Price
Canopy (ROPS/FOPS)	2015	No Added Cost

Isolation mounted Modular design ROPS/FOPS Level 2 (meets ISO 3449 & ISO 3471 / SAE J1040) Molded roof.
Molded floor mats is optional.
Deluxe Mechanical Suspension Deluxe, Vinyl, Swivel Seat with Lumbar Adjustment and Arm Rests, Fully Adjustable.
3 In. Retractable Seat Belt.
(2) front driving/working halogen lights - 32,500 Candlepower Each
(2) rear working halogen lights - 32,500 Candlepower Each
(6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof
(4) turn signal/flashing/rear stop/tail lights - 2 front and rear
(2) rear reflectors

Quarter Cab (Window in Front)

2010

\$1,227.00

Isolation mounted Modular design ROPS/FOPS Level 2 (meets ISO 3449 & ISO 3471 / SAE J1040) Molded roof.
Deluxe Mechanical Suspension, Vinyl, Swivel Seat with Lumbar Adjustment and Arm Rests, Fully Adjustable.
3 inch Orange Seat Belt with retractor.
Molded floor mats optional.
Front wiper with windshield washer
(2) front driving/working halogen lights - 35,200 Candlepower Each
(2) rear working halogen lights - 35,200 Candlepower Each
(6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof
(4) turn signal/flashing/rear stop/tail lights - 2 front and rear
(2) rear reflectors

Cab

2035

\$11,983.00

Isolation mounted Modular design ROPS/FOPS Level 2 (meets ISO 3449 & ISO 3471 / SAE J1040) Molded roof.
Tinted safety glass.
Deluxe interior trim.
Headliner.
Molded floor mats.
Less radio (Cab includes power connector for radio and threaded bosses for mounting brackets - see radio kit installation instructions).
Air Conditioning 26,000 BTU.
CFC free R134a refrigerant.
Heater/defrosters/pressurizer, 40,000 BTU, 10 speed.
Deluxe Mechanical Suspension, Cloth, Swivel Seat with Lumbar Adjustment and Arm Rests, Fully Adjustable.
3 inch Orange Seat Belt with retractor.
Tilt Steering Wheel.
Interior Rearview Mirror.
Front 2-speed wiper with windshield washer and rear 1-speed wiper.
(2) front driving/working halogen lights - 32,500 Candlepower Each
(2) rear working halogen lights - 32,500 Candlepower Each
(6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof
(4) turn signal/flashing/rear stop/tail lights - 2 front and rear
(2) rear reflector

See Order As Desired codes for additional Cab options not included in standard Cab (i.e. Air Suspension Seat, Radio, Sun Visor).

WHEELS AND TIRES

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660. DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and field kit installations.

Description**Code****Price****For use with MFWD**

Galaxy 19.5L - 24 in. 12 PR Rear & 12-16.5 R4 12PR Front

4462

No Added Cost

Requires axle code 3075.
Rear tire chains require wheel spacers (AT347522).

Custom Code - Michelin XMCL 500/70R24 REAR RADIALS
w/ 305/70R16.5 BIBSTEEL AT

47G2

\$2,168.00

Requires axle code 3075.

Rear tire chains require wheel spacers (AT347522).

Custom Code - Goodyear 19.5L x 24 10 PR Softrac II R-3 TURF rear w/ 12 x 16.5 10PR R-3 TURF front	47J9	\$726.00
--	------	----------

Requires axle code 3075.

Rear tire chains require wheel spacers (AT347522).

Galaxy 580 Radial - 500/70R24 Rear & 340/80R18 Front	4484	\$2,246.00
--	------	------------

Requires axle code 3065.

Rear tire chains require wheel spacers (AT347522).

Tire designed for hard surface roading and snow.

Galaxy 21L 24 in. 12 PR Rear & 12.5/80-18 10PR Front	4466	\$1,827.00
--	------	------------

Requires axle code 3065.

Rear tire chains require wheel spacers (AT347522).

Galaxy 19.5L - 24 in. 12 PR Rear & 12.5/80-18 10PR Front	4464	\$440.00
--	------	----------

Requires axle code 3065.

Rear tire chains require wheel spacers (AT347522).

Firestone 21L - 24 12PR & 12.5/80-18 12PR Traction Sure Grip Lug, Front	4891	\$1,940.00
--	------	------------

92 Inches (2.33 M) overall width.

Requires axle code 3065.

Rear tire chains require wheel spacers (AT347522).

Michelin Radial - 500/70 R24 XMCL Rear & 340/80 R18 XMCL Front	4782	\$3,671.00
---	------	------------

85 in. (2.16 m) overall width.

Requires axle code 3065.

Rear tire chains require wheel spacers (AT347522).

Tire designed for hard surface roading and snow.

Firestone 19.5L - 24 In. 10 PR (R4) Tubeless Rear & 12.5/80 - 18 In. 12 PR Traction Front Sure Grip Lug Tires	4781	\$621.00
--	------	----------

86 in. (2.18 m) overall width.

Requires axle code 3065.

Rear tire chains require wheel spacers (AT347522).

Galaxy 16.9-28 12PR Rear & 12.5/80 10PR Front	4468	\$306.00
---	------	----------

Requires axle code 3065 or 3075.

Rear tire chains require wheel spacers (AT347522).

Galaxy 550 Radial - 500/70R24 Rear & 340/80R18 Front	4482	\$3,101.00
--	------	------------

Requires axle code 3065.

Rear tire chains require wheel spacers (AT347522).

Tire designed for hard surface roading and snow.

Custom Code - Galaxy 21L 24 in. 12 PR Rear on HD Rim & 12.5/80-18 10PR Front	44G6	\$1,434.00
---	------	------------

Requires axle code 3065 or 3075.
Rear tire chains require wheel spacers (AT347522).

For use with 2 Wheel Drive

Galaxy 19.5L - 24 in. 12 PR Rear & 12.5/80-18 12PR Front 4446 \$442.00

Requires axle code 3035.
Rear tire chains require wheel spacers (AT347522).

Galaxy 19.5L - 24 in. 12 PR Rear & 14.5/75-16.1 16PR Front 4450 \$442.00

Rear tire chains require wheel spacers (AT347522).
Requires axle code 3035.
Requires axle code 3055.

Custom Code - 19.5L X 24 10 PR Softrac II R-3 TURF (GY) w/ 12.5/80-18 12PR (Galaxy) 42C0 \$1,358.00

Rear tire chains require wheel spacers (AT347522).
Requires code 3035.

Custom Code - ALLIANCE 550 RADIAL 2WD - 550/70R24 REAR w/ 340/80R18 FRONT 44D2 \$3,712.00

Requires code 3035.
Rear tire chains require wheel spacers (AT347522).

Galaxy 16.9-28 12 PR Rear & 12.5/80-18 12PR Front 4440 \$380.00

Requires axle code 3035.
Rear tire chains require wheel spacers (AT347522).

Custom Code - Goodyear 16.9/28 10PR R-4 TL IT525 w/ 12.5/80 x 18 14PR I-3. 47D6 \$426.00

44 Lugs/rear tire.
Sure Grip Lug front tires.
This tire is for 2WD only.
Rear tire chains require wheel spacers (AT347522).



BATTERIES

Description	Code	Price
Single Maintenance Free Battery	8625	No Added Cost

175 Minute Reserve Capacity (950 CCA)
Recommended for use in ambient temperatures ABOVE 32 degrees F (0 degrees C).

Single Maintenance Free Battery With Disconnect and Jump Post	8635	\$257.00
---	------	----------

175 Minute Reserve Capacity (950 CCA)
Recommended for use in ambient temperatures ABOVE 32 degrees F (0 degrees C).

Dual Maintenance Free Batteries	8675	\$287.00
---------------------------------	------	----------

350 Minute Reserve Capacity (1900 CCA).
Recommended for temperatures below 32 degrees F (0 degrees C).

Dual Maintenance Free Batteries With Disconnect and Jump Post	8685	\$544.00
---	------	----------

350 Minute Reserve Capacity (1900 CCA).
Recommended for use in ambient temperatures BELOW 32 degrees F (0 degrees C).

▼ BACKHOE DIPPERSTICK

Description	Code	Price
Standard Dipperstick	6010	No Added Cost

Standard stabilizer legs.

Extendible Dipperstick	6020	\$9,695.00
------------------------	------	------------

Standard stabilizer legs.

▼ BACKHOE AUXILIARY HYDRAULICS

Description	Code	Price
No Auxiliary	6210	No Added Cost

Auxiliary Hydraulic with One Way Flow (Hammer)	6220	\$2,759.00
--	------	------------

Includes plumbing to end of dipperstick.

Auxiliary Hydraulic with One & Two Way Flow (Hammer & Thumb/Swinger)	6230	\$4,582.00
--	------	------------

Includes factory installed plumbing to end of dipperstick for one and two way flow valve.

▼ BACKHOE CONTROLS

Description	Code	Price
Mechanical Controls, Two Lever, ISO (DEERE)	5225	No Added Cost

Pilot Controls, Two Lever, with Pattern Selection	5285	\$2,665.00
---	------	------------

Horn button integrated into pilot control levers.

▼ BACKHOE QUICK COUPLERS

Description	Code	Price
Less Coupler - Less Thumb	5400	No Added Cost

If ordering with thumb, must order option code 5401.

Less Coupler - Thumb Ready	5401	No Added Cost
----------------------------	------	---------------

Includes factory installed thumb cylinder mounting ears installed onto dipper.
If factory installed thumb option required, order code 9230 - 37 inch tine.

	5410	\$1,465.00
--	------	------------

DEERE Standard Quick Coupler - Less Thumb

For use with 310E, G, J, K, L Series Backhoe Buckets. Not compatible with 310SE, SG, SJ, SK, SL; 410E, G, J, K, L buckets.
If ordering thumb, must order option 5411 or 5412.

DEERE Standard Quick Coupler - 37 Inch Thumb Ready	5411	\$1,465.00
---	-------------	-------------------

For use with 310E, G, J, K, L Series Backhoe Buckets. Not compatible with 310SE, SG, SJ, SK, SL; 410E, G, J, K, L buckets.
Includes factory installed thumb cylinder mounting ears installed onto dipper.
If factory installed thumb option required, order code 9230 - 37 inch tine.

DEERE Standard Quick Coupler - 42 Inch Thumb Ready	5412	\$1,465.00
---	-------------	-------------------

For use with 310E, G, J, K, L Series Backhoe Buckets. Not compatible with 310SE, SG, SJ, SK, SL; 410E, G, J, K, L buckets.
Includes factory installed thumb cylinder mounting ears installed onto dipper.
If factory installed thumb option required, order code 9235 - 42 inch tine.

Multi-Brand Quick Coupler - Less Thumb	5420	\$1,637.00
---	-------------	-------------------

For use with DEERE C, D, SE, SG, SJ, SK, SL & SL HL Series buckets and with Case K, L, M and CAT C Series Buckets.
Not for use with 710 Buckets.
Not compatible with Case N-Series.

Spacers are recommended for Cat and Case buckets, see bulletin 07BH08 for details.
If ordering coupler with thumb, requires option code 5421 or 5422.

Multi-Brand Quick Coupler - 37 Inch Thumb Ready	5421	\$1,637.00
--	-------------	-------------------

For use with DEERE C, D, SE, SG, SJ, SK, SL & SL HL Series buckets and with Case K, L, M and CAT C Series Buckets.
Not for use with 710 Buckets.
Not compatible with Case N-Series.

Spacers are recommended for Cat and Case buckets, see bulletin 07BH08 for details.
Includes factory installed thumb cylinder mounting ears installed onto dipper.
If factory installed thumb option required, order code 9230 - 37 inch tine.

Multi-Brand Quick Coupler - 42 Inch Thumb Ready	5422	\$1,637.00
--	-------------	-------------------

Includes factory installed thumb cylinder mounting ears installed onto dipper.
If factory installed thumb option required, order code 9235 - 42 inch tine.
For use with DEERE C, D, SE, SG, SJ, SK, SL & SL HL Series buckets and with Case K, L, M and CAT C Series Buckets.
Not for use with 710 Buckets.
Not compatible with Case N-Series.

Spacers are recommended for Cat and Case buckets, see bulletin 07BH08 for details.

Top Hook Quick Coupler - Less Thumb	5430	\$1,353.00
--	-------------	-------------------

For use with DEERE Top Hook Coupler bucket option codes 5630 or 5660 and CP or Pre-XLS Wain Roy Top Hook Bucket.
If ordering with thumb, requires option code 5432.

Top Hook Quick Coupler - 42 Inch Thumb Ready	5432	\$1,353.00
--	------	------------

Only Compatible with DEERE Top Hook Coupler bucket option code 5660 and CP or Pre-XLS Wain Roy Top Hook Bucket.
Includes factory installed thumb cylinder mounting ears installed onto dipper.
If factory installed thumb option required, order code 9235 - 42 inch tine.

BACKHOE BUCKETS

For Deere buckets:
All buckets include lift holes.

Description	Code	Price
Less Backhoe Bucket with Bucket Pins	5500	No Added Cost
12" (305 mm) Wide Bucket, 3.3 Cu. Ft. (0.09 Cu. M.) Capacity Buckets	5616	\$1,131.00
Bucket includes TK Teeth.		
24" (610mm) Wide - Regular - 6.5 Cu. Ft. (0.18 Cu. M.) Capacity Bucket	5554	\$1,345.00
Bucket includes TK Teeth.		
18" (457 mm) Wide, Heavy-Duty, 5.1 Cu. Ft. (0.14 Cu. M.) Capacity Bucket	5626	\$1,345.00
Bucket includes TK Teeth.		
Top Hook 18" (457 mm) Wide, Heavy-Duty, 5.1 Cu. Ft. (0.14 Cu. M.) Capacity Coupler Bucket	5630	\$1,313.00
Bucket includes TK Teeth. Requires Code 5430 Top Hook Coupler.		
24" (610 mm) Wide, Heavy-Duty, 7.5 Cu. Ft. (0.21 Cu. M.) Capacity Bucket	5656	\$1,370.00
Bucket includes TK Teeth.		
Top Hook 24" (610 mm) Wide, Heavy-Duty, 8.8 Cu. Ft. (0.25 Cu. M.) Capacity Coupler Bucket	5660	\$1,820.00
Bucket includes TK Teeth. Requires Code 5430 or 5432 Top Hook Coupler.		

LOADER BUCKETS

Loader Buckets include Skid Plates and Lift Hooks unless stated otherwise.

Description	Code	Price
Less Loader Bucket with Pins for Buckets or Front Attachments	7600	No Added Cost

Old Style pins will be necessary with older buckets and attachments.

Pin-On Loader Buckets

1.12 Cu. Yd. (0.86 Cu. M) Long-Lip Bucket with Bolt On Cutting Edge and no Skid Plates	7615	\$2,699.00
--	------	------------

1.12 Cu. Yd. (0.86 Cu. M.) Heavy-Duty 86 in. (2.18 m) wide Bucket with Bolt-On Cutting Edge and Skid Plates	7635	\$3,264.00
---	------	------------

1.25 Cu. Yd. (.96 Cu. M.) 86 in. (2.18 m) Wide Long Lip Bucket with Bolt On Cutting Edge and Skid Plates	7641	\$3,110.00
--	------	------------

Requires code 7025 or 7080.

1.25 Cu. Yd. (.96 Cu. M.), 86 in.(2.18 m) wide Multipurpose Bucket	7675	\$7,434.00
--	------	------------

Includes reversible bolt-on cutting edge and skid plates.
Includes reversible cutting edge for moldboard and back of clamshell.
Pre-drilled for seven teeth.
Order teeth from parts.
Includes two lift holes.
Includes reversible cutting edge for moldboard and back of clamshell.
Requires Code 7080 Aux. Loader Hydraulics

Coupler Loaders Buckets

Requires codes 7035 or 7085 Loader Coupler

Less Coupler Bucket	7605	No Added Cost
---------------------	------	---------------

1.3 Cu. Yd. (1.0 Cu. M.) 92 in. (2.34 m) wide Heavy-Duty Long-Lip Coupler Bucket with Cutting Edge and Skid Plates	7650	\$3,522.00
--	------	------------

LOADER CONTROLS

All selections come with Return to Dig feature.

Description	Code	Price
Two-Function Loader Hydraulics, Single Lever	7025	No Added Cost

Single lever loader control with electric clutch disconnect.

Loader Coupler, 2-Function Hydraulics, Single Lever	7035	\$6,829.00
---	------	------------

Includes Manual Ride Control, option 9110.
Single lever loader control with electric clutch disconnect.
Will accept G, J, K, and L-Series loader coupler buckets

Three-Function Loader Hydraulics, Single Lever	7080	\$3,268.00
--	------	------------

Single lever loader control with electric clutch disconnect, momentary MFWD, and electro-hydraulic auxiliary control.
For front attachments.
Includes valve with circuit relief and 5 in. (12.7 mm) hoses and steel lines to loader cross tube.

Loader Coupler, 3-Function Hydraulics, Single Lever	7085	\$9,974.00
---	------	------------

Includes Manual Ride Control, Option 9110.
Single lever loader control with electric clutch disconnect, momentary MFWD, and electro-hydraulic auxiliary control.
Will accept G, J, K, and L-Series loader coupler buckets.
Includes valve with circuit relief and .5 in. (12.7 mm) hoses and steel lines to loader cross tube.

COUNTERWEIGHT

310L & 310L EP COUNTERWEIGHT SELECTION CHART

Select the Proper Counterweight for the Machine and Optional Equipment.
Add/subtract the options front axle percent. Then add the counterweight that gives the desired weight distribution between 27-32% (Target = 30%) to select counterweight.

310L Base configuration*** has 29.9% weight on front axle.
310L EP Base configuration***has 29.7% weight on front axle.

- Base..... +29.9% (310L) or +29.7% (310L EP)
- Extendable..... -4.1%
- Backhoe Coupler..... -1.8%
- Backhoe Attachment over 600 lbs..... -2.0%
- Multi-Purpose Loader Bucket..... +7.3%
- Loader Coupler..... +5.0%
- Non-Powered Front Axle -1.4%
- Cab -1.0%

"Choose counterweight which results in the target front axle weight percent"

Counterweight Options

- Bumper 0.0%
- 450 lb. Counterweight +2.9%
- 750 lb. Counterweight +4.6%
- 1,000 lb. Counterweight +6.2%
- 1,250 lb. Counterweight +7.7%

*** Base calculated using an Standard dipper, Canopy, Mechanical Front Wheel Drive, Standard Loader bucket, and a Standard Backhoe bucket.

Description	Code	Price
Front Cover - For Machines Without a Front Counterweight	8410	No Added Cost
Heavy-Duty Bumper - For Machines Without a Front Counterweight	8415	\$223.00
450 Lb. (204 kg) Front Counterweight	8425	\$615.00
750 Lb. (340 kg) Front Counterweight	8455	\$998.00
1000 Lb. (454 kg) Front Counterweight	8475	\$1,374.00
1250 Lb. (567 kg) Front Counterweight	8485	\$1,758.00

ENGINE

Description	Code	Price
John Deere PowerTech EWL 4.5L (276 Cu. In.) Engine Meets Final Tier 4 and Stage IV Emissions	1065	\$7,231.00

Net Peak Power of 100 Hp.
For use only in areas where EPA Final Tier 4/EU Stage IV is required.

Turbocharged.
Wet Sleeve Cylinder Liners.
4 Valves / Cylinder.
Electronically Controlled HPCR Fuel Delivery System, B20 Biodiesel Compatible.
Serpentine Belt with Automatic Belt Tensioner.
Enclosed Safety Fan Guard.
Vertical Spin-On Engine Oil Filter.
Spin-On Fuel Filter with Water Separator.
Dual Safety Element Dry-Type Air Cleaner with Evacuator Valve.
Underhood Catalysts with Vertical Curved Exhaust Stack.
Passive flow-through Exhaust Aftertreatment system with Grid Heater.
Electronically controlled, variable-speed cooling fan.

Optional - Select as desired**OPERATOR'S STATION**

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660. DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and field kit installations.

Description	Code	Price
Front View Mirror	9060	\$82.00
Machine Security	9095	\$454.00
User-defined codes to enable start of machine.		
Headliner - Canopy	9117	\$149.00
Tilt Steering - Canopy	9118	\$561.00
Floor Mat - Canopy	9119	\$374.00
Left Side Console Storage with Cup Holders	9210	\$81.00
Custom Code - Less A/C	98C0	(\$992.00)
Radio, Bosch Premium Package	9916	\$1,356.00
AM/FM/Weather Radio, Bluetooth capable with microphone, 3.5mm auxiliary input, USB input, roof power port, roof storage compartment.		
Radio, Bosch Basic Package	9917	\$873.00
AM/FM/Weather Radio		
Sun Visor	9919	\$95.00
Exterior Rear View Mirrors (2)	9920	\$343.00
Seat, Cloth Air-Suspension	9965	\$503.00
For enclosed Cab.		
Seat, Cloth Air-Suspension - Heated	9970	\$994.00
For enclosed Cab.		

Seat, Vinyl Air-Suspension	9975	\$503.00
----------------------------	------	----------

For open ROPS or enclosed Cab.

▼ LIGHTING

Description	Code	Price
Strobe Light with Magnetic Mount	9905	\$588.00

Light is shipped loose in the cab.

LED Light Package	9116	\$1,053.00
-------------------	------	------------

Includes factory installed 2 LED spot lights and 8 LED flood lights in lieu of the standard halogen light package.

▼ BACKHOE AUXILIARY HYDRAULICS

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660. DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and field kit installations.

Description	Code	Price
Custom Code - ACCU-SWING	90A1	\$670.00

37 Inch Hydraulic Backhoe Thumb - 4 Tine	9230	\$5,697.00
--	------	------------

Reference Bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires Two-way Auxiliary Hydraulics, code 6230. It does include plumbing for two-way auxiliary valve.

42 Inch Hydraulic Backhoe Thumb - 4 Tine	9235	\$5,780.00
--	------	------------

Reference Bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires Two-way Auxiliary Hydraulics, code 6230. It does include plumbing for two-way auxiliary valve.

▼ STABILIZER LEGS

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660. DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and field kit installations.

Description	Code	Price
Heavy-Duty Stabilizer Pads	9947	\$462.00

Laminated and reinforced rubber, compressed on edge within the steel shoe for improved durability and wear performance.

Custom Code - Long (Extended) Stabilizer Legs	98A1	\$692.00
---	------	----------

▼ LOADER CONTROLS

Description	Code	Price
Manual Ride Control	9110	\$1,988.00

**ENGINE**

Description	Code	Price
Chrome Exhaust Extension	9045	\$178.00
Engine Coolant Heater	9080	\$172.00
110 Volt (1000 Watts). Requires Dual Batteries code 8675 or 8685.		
Electric Ether Start Aid without Ether Canister	9085	\$319.00
Not for use with 310L EP.		

**OIL SAMPLING PORTS**

Description	Code	Price
Diagnostic Oil Sampling Ports	9515	\$207.00
Requires code engine code 1085 or 1065. Includes 4 ports: Engine oil Engine coolant Transmission oil Hydraulic oil		

**HYDRAULIC OIL**

Description	Code	Price
Hydraulic Fluid - Hydrau XR Synthetic Oil	9088	\$608.00
Intended for colder climates with extreme cold ambient temperatures down to -40C (-40F). Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).		

**GUARDS**

Description	Code	Price
Backhoe Boom Protection Plate	9190	\$602.00
Full MFWD Driveshaft Guard	9505	\$428.00
Heavy-Duty Grille Frame	9120	\$555.00

**PAINT AND RUST PROTECTION**

Description	Code	Price
Finish Paint - Decals Not Installed	9800	\$165.00
Non-Export Rust Preventive Coating	9909	\$172.00
Coating protects exposed unpainted surfaces from road salt during shipment.		

**ATTACHMENTS FOR FIELD CONVERSION**

Description	Code	Price
<u>Attachments & Accessories</u>		

37 Inch Hydraulic Backhoe Thumb - 4 Tine	BYT10284	\$6,649.00
--	----------	------------

Reference Bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires Two-way Auxiliary Hydraulics, code 6230, 6240, or field installed 2-way auxiliary hydraulic kit.

42 Inch Hydraulic Backhoe Thumb - 4 Tine	BYT10286	\$6,732.00
--	----------	------------

Reference Bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires Two-way Auxiliary Hydraulics, code 6230, 6240, or field installed 2-way auxiliary hydraulic kit.

Forks, Pallet (2) 60 in.(1.52m) with 60 in. (1.52m) Coupler Fork Carriage	AT308139	\$3,737.00
--	----------	------------

Backhoe Buckets

BKH Pin-on 18 In. (457 mm) Heavy-Duty 5.1 Cu. Ft. (0.14 Cu. M.)	AT437349	\$1,358.00
---	----------	------------

BKH Pin-on 18 In. (457 mm) Standard Duty 4.6 Cu. Ft. (0.13 Cu. M.)	AT437348	\$1,085.00
--	----------	------------

BKH Pin-on 24 In. (610 mm) Standard Duty 6.5 Cu. Ft. (0.18 Cu. M.)	AT437350	\$1,275.00
--	----------	------------

BKH Pin-on Bucket 12 In. (305 mm) Heavy-Duty 3.3 Cu. Ft. (0.09 Cu. M.)	AT437347	\$1,129.00
--	----------	------------

BKH Pin-on Bucket 24 In. (610 mm) Heavy-Duty 7.5 Cu. Ft. (0.21 Cu. M.)	AT437351	\$1,480.00
--	----------	------------

BKH Pin-on Bucket 24 in (610 mm) Severe Duty 7.5 Cu. Ft. (0.21 Cu. M.)	AT437701	\$1,966.00
--	----------	------------

Requires multi-brand quick coupler (AT336313 or option codes 5420, 5421 or 5422).

BKH Pin-on Bucket 24 in (610 mm) Severe Duty 8.8 Cu. Ft. (0.25 Cu. M.)	AT437702	\$2,016.00
--	----------	------------

Requires multi-brand quick coupler (AT336313 or option codes 5420, 5421 or 5422).

BKH Pin-on Bucket 30 In. (762 mm) Heavy-Duty 10.0 Cu. Ft. (0.28 Cu. M.)	AT437353	\$1,866.00
---	----------	------------

BKH Pin-on Bucket 30 In. (762 mm) Severe-Duty 10.0 Cu. Ft. (0.28 Cu. M.)	AT437703	\$2,158.00
--	----------	------------

Requires multi-brand quick coupler (AT336313 or option codes 5420, 5421 or 5422).

BKH Top Hook Coupler Bucket 12 in. (305 mm) Heavy Duty 3.3 Cu. Ft. (.09 Cu. M.)	AT437361	\$1,099.00
---	----------	------------

BKH Top Hook Coupler Bucket 18 in. (457 mm) Heavy Duty 5.1 Cu. Ft. (0.14 Cu. M.)	AT437362	\$1,326.00
--	----------	------------

BKH Top Hook Coupler Bucket 24 in. (610 mm) Heavy Duty 7.5 Cu. Ft. (0.21 Cu. M.)	AT437363	\$1,487.00
--	----------	------------

Backhoe Controls

Case Three Lever Controls with Foot Swing	AT309739	\$1,407.00
Ford Four Lever Controls for Standard and Extendible Dipperstick	AT185628	\$3,088.00
ISO (Deere) Two Lever Mechanical Controls	AT185624	\$512.00
SAE Excavator Style Two Lever Controls	AT301434	\$260.00
<u>Backhoe Quick Couplers</u>		
Coupler, Deere Backhoe Bucket	AT336314	\$1,343.00
Coupler, Top Hook Backhoe Bucket Mechanical	AT315337	\$1,165.00
Coupler, Universal Backhoe Bucket	AT336313	\$1,373.00
<u>Counterweight</u>		
Counterweight, Front, 1,000 lbs (454 kg)	BYT10255	\$1,388.00
Counterweight, Front, 1,250 lbs (567 kg)	BYT10256	\$1,794.00
Counterweight, Front, 250 lbs (113 kg)	AT409592	\$544.00
Counterweight, Front, 450 lbs (204 kg)	BYT10251	\$621.00
Counterweight, Front, 750 lbs (340 kg)	BYT10254	\$1,008.00
<u>Engine</u>		
Environmental Drain Kit	AT393180	\$595.00
Fluid Sampling Ports	BYT11589	\$498.00
Pre-Cleaner, Engine Air Intake	BYT11568	\$1,064.00
Aspiration style pre-cleaner using engine exhaust to scavenge debris from air filter intake.		
<u>G.R.Mfg.</u>		
Guard, Transmission Bottom	AT441379	\$1,638.00
Kit is not compatible with the factory MWFD guard (option code 9505) or the MFWD field kit (BYT11208).		
<u>Guards</u>		
Backhoe Boom Protection Plate	AT407513	\$608.00
Heavy-Duty Grille Screen Kit	BYT11926	\$561.00
Compatible with L-Series Backhoe Loaders.		
KIT, FULL MFWD GUARD	AT438402	\$280.00
MFWD Wheel Fender Kit for 18 in. tires only	AT371257	\$723.00
Requires MFWD and 12.5/80-18 or 340/80R-18 front tires.		

Rubber Bumper for Grille Frame	AT434236	\$192.00
Stabilizer Cylinder Guards (Set of Two)	AT305073	\$314.00
Wheel Fender Kit for 16.5 in. tires only	AT388473	\$738.00
Requires MFWD and 305/70D16.5 or 12-16.5 front tires.		
Hydraulics		
1-Way (Select Flow) Auxiliary Hydraulics Bulkhead - Bucket Cylinder Mounted	BYT11079	\$216.00
This field kit provides an alternative connection point for 1-way (select) flow hydraulics. The bulkhead will accept existing factory sourced plumbing, normally attached to dipper side sheets. Kit consists of two clamps and bulkhead bracket.		
Accu-Swing Kit for Backhoe	AT431340	\$492.00
Includes two circuit reliefs, fittings, clamps and hardware. Installation instructions T210751.		
Auxiliary Hydraulic Selective Flow Control Kit	AT448429	\$1,259.00
For use on Backhoes with Serial Numbers through 390994. Selective Flow Control Valve (9,13,16,18,22 or 25GPM) - One Way Flow Includes control pedal and circuit relief 1000-3000 PSI Adjustable L-Series backhoes except the 310L and 310L EP must order applicable Software Part Number in JDPoint for Field Kit to function properly.		
Auxiliary Backhoe Hydraulic Plumbing Kit, Two-Way Proportional Flow - Extendable Dipperstick	BYT11016	\$597.00
For use with serial numbers after 338468. Includes plumbing to bulkhead at the end of the dipperstick. Average installation, 2 hours. Includes two circuit reliefs, fittings, clamps, hoses and hardware. For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.) Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions. 310L EP, 310L, 310SL controlled by foot pedal. Quick connect couplers and jumper hoses from bulkhead to attachment not included. If installing hydraulic Deere thumb, additional thumb plumbing kit is required (BYT11011). Please reference DTAC Solution 115211.		
Auxiliary Backhoe Hydraulic Plumbing Kit, Two-Way Proportional Flow - Standard Dipperstick	BYT11006	\$597.00
For use with serial numbers after 338468. Includes plumbing to bulkhead at the end of the dipperstick. Average installation, 2 hours. Includes two circuit reliefs, fittings, clamps, hoses and hardware. For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.) Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions. 310L EP, 310L, 310SL controlled by foot pedal. Quick connect couplers and jumper hoses from bulkhead to attachment not included. If installing hydraulic Deere thumb, additional thumb plumbing kit is required (BYT11010). Please reference DTAC Solution 115211.		

Auxiliary Backhoe Hydraulics for Auger, Extendible Dipperstick	AT450466	\$384.00
---	-----------------	-----------------

Includes fittings and hydraulic couplers for bucket cylinder.
Average installation, 1 hour.
Bucket cylinder hoses are disconnected; bucket function operates auger forward and reverse. No additional controls are required.
Dealer must supply 0.5 inch (12.7 mm) ID hoses from bucket cylinder hydraulic couplers to auger.

Auxiliary Loader Control Valve w/3 Function Hydraulics - 1 Lever for Multipurpose Bucket and Front Attachments	BYT11684	\$4,112.00
---	-----------------	-------------------

For use on 310L EP (0A51T) and 310L (0A61T) Backhoes.
Must order applicable Software Part Number in JDPoint for Field Kit to function properly.
If machine is not equipped with pilot controls and backhoe proportional auxiliary, also order:
AT431208 Auxiliary Valve Controller (AVC)
AT432173 Wiring Harness
14M7303 Nut (Qty 4)
19M7775 Cap Screw M6 x 16 (Qty 4)

Auxiliary Loader Control Valve w/3 Function Hydraulics - 1 Lever for Multipurpose Bucket and Front Attachments	AT455847	\$4,112.00
---	-----------------	-------------------

For use on Backhoes with a Serial Numbers below 292974.
Must order applicable Software Part Number in JDPoint for Field Kit to function properly.

Auxiliary Plumbing for Selective Flow - Extendible Dipperstick	AT431294	\$687.00
---	-----------------	-----------------

Average installation, 2 hours.
Requires Extendible Dipperstick.
Requires Five Function Valve Plus Selective Flow Valve OR Selective Flow Valve.
Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve section to end of Dipperstick.
Required for hammers, compactors, high or low flow motor attachments mounted on end of Dipperstick.

Auxiliary Plumbing for Selective Flow - Standard Dipperstick	AT431293	\$610.00
---	-----------------	-----------------

Average installation, 2 hours.
Requires Standard Dipperstick.
Requires Five Function Valve Plus Selective Flow Valve OR Selective Flow Valve.
Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve section to end of Dipperstick.
Required for hammers, compactors, high or low flow motor attachments mounted on end of Dipperstick.

Fifth Function Control Valve Section (Without Circuit Reliefs)	AT192247	\$1,461.00
---	-----------------	-------------------

Hand Held Hydraulics	AT448428	\$464.00
-----------------------------	-----------------	-----------------

Plumbing routed from the backhoe valve to above the battery box for hook up of hand held attachments.
Average installation, 4 hours.

Includes two circuit reliefs, fittings, clamps and hardware.
Requires Selective Flow Valve.
Installed in Battery Box.

Hydraulic Plumbing, Bulk Head to Deere Thumb Cylinder - Extendable Dipperstick	BYT11011	\$88.00
---	-----------------	----------------

For use with serial numbers after 338468.
Must be configured with 6230 or 6240 or BYT11016, BYT11694,
BYT11018, BYT11019.
Average installation, 2 hours.
For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.)
Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions.
310L EP and 310L controlled by foot pedal. 310SL, 310SL HL and 410L
controlled by thumb roller in pilot joystick.
For installation instructions, please reference DTAC Solution 115211.

Hydraulic Plumbing, Bulk Head to Deere Thumb Cylinder - Standard Dipperstick	BYT11010	\$88.00
---	-----------------	----------------

For use with serial numbers after 338468.
Must be configured with 6230 or 6240 or BYT11006, BYT11693,
BYT11014, BYT11015.
Average installation, 2 hours.
For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.)
Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions.
310L EP and 310L controlled by foot pedal. 310SL, 310SL HL and 410L
controlled by thumb roller in pilot joystick.
For installation instructions, please reference DTAC Solution 115211.

Loader Coupler, Hydraulic	BYT10277	\$5,748.00
----------------------------------	-----------------	-------------------

For use on Backhoes with a Serial Number 304845 and Higher.

Sixth Function Control Valve Section (Without Circuit Reliefs) for Manual Controls	AT192334	\$1,379.00
---	-----------------	-------------------

Average installation, 4 hours.
Can use with Four Function Control Valve, Five Function Control Valve, or
Five Function Control Valve Plus Selective Flow Valve.
Requires Left Pedal, (Deere, Cat or Ford Controls).
Cannot be used with Case Controls.
Requires Attachment Hydraulic Plumbing Kit, for cylinder operated
attachments. Requires longer tie bolts. (2) T161707, (1) T161708 when
used with Five Function Control Valve Plus Selective Flow Valve.

Sixth Function Control Valve Section (Without Circuit Reliefs) for Pilot Controls	AT320497	\$1,686.00
--	-----------------	-------------------

Average installation, 4 hours.
Can use with Four Function Control Valve, Five Function Control Valve, or
Five Function Control Valve Plus Selective Flow Valve.
Requires Left Pedal, (Deere, Cat or Ford Controls).
Cannot be used with Case Controls.
Requires Attachment Hydraulic Plumbing Kit, for cylinder operated
attachments. Requires longer tie bolts. (2) T161707, (1) T161708 when
used with Five Function Control Valve Plus Selective Flow Valve.

Lighting

6 inch Amber Warning Light with LED Beacon and Magnetic Roof Mounting Kit	AT313592	\$267.00
--	-----------------	-----------------

LED Flood Light Kit	AT445009	\$223.00
LED Spot Light Kit	AT445010	\$223.00
<u>Loader Buckets</u>		
LDR Coupler Bucket 1.32 Cu. Yd. (1.0 cu. m) Heavy Duty 92 in. (2.34 m) Long Lip	AT308966	\$3,644.00
LDR Pin-on Bucket 1.0 cu. yd. (.76 cu. m) Heavy Duty 86 in. (2.18 m) wide with Skid Plates	AT308040	\$2,581.00
LDR Pin-on Bucket 1.12 Cu. Yd. (.86 Cu. M.) Heavy Duty 86 in. (2.18 m) wide	AT308071	\$3,201.00
LDR Pin-on Bucket 1.2 Cu.Yd. (.90 Cu. M.) Narrow 82 in. (2.08 m) Heavy-Duty Long Lip Narrow and Skid Plates	AT308188	\$2,662.00
LDR Pin-on Bucket 1.3 Cu. Yd. (1.0 Cu. M.) Heavy Duty 86 in. (2.18 m) wide Long Lip	BYT12306	\$2,944.00
LDR Pin-on Multipurpose Bucket 1.00 Cu. Yd. (.76 Cu. M.) 82 in. (2.08 m)	BYT10700	\$5,783.00
LDR Pin-on Multipurpose Bucket 1.25 Cu. Yd. (.96 Cu. M.) 86 in. (2.18 m)	BYT10701	\$6,706.00
Loader Coupler Attachment Adapter Hook Plates (2) Standard	AT336927	\$1,842.00
<u>Loader Controls</u>		
Case Three Lever Controls 5th Function Lever Kit	AT309740	\$198.00
Manual Ride Control Valve Kit	AT431165	\$829.00
Ride Control Plumbing Kit	AT452094	\$708.00
Sixth Function Pedal for Lever Controls	AT185629	\$387.00
Sixth Function Pedal for Pilot Controls	AT301485	\$319.00
<u>Miscellaneous</u>		
BKH Power Link Grease Kit	AT194493	\$56.00
Jump Start and Battery Disconnect Kit	AT437905	\$247.00
Mounting kit for multi-purpose (ABC) Dry Chemical Fire Extinguisher	AT408903	\$100.00
Pivotable Beacon Bracket	AT451194	\$104.00
Stop Kit, Field Kit - Pilot Tower Stow	BYT10312	\$26.00
<u>Operator's Station</u>		
(2) External Rear View Mirrors	AT186155	\$293.00
Beacon/Strobe Ready Wiring Kit	AT313589	\$35.00
Canopy (ROPS/FOPS) to Quarter Cab Conversion Kit	BYT10250	\$405.00

Heated Seat Kit	BYT10673	\$270.00
License Plate Bracket	AT446496	\$59.00
License Plate Bracket and Light	AT187707	\$233.00
Machine Security	AT339526	\$431.00
Mechanical to Air Seat Conversion	BYT10670	\$816.00
Mechanical to Air Seat Suspension	BYT10672	\$816.00
Operator Manual Tether Cables for ROPS or Cab	AT192032	\$28.00
Radio Auxiliary kit	AT451676	\$291.00
Radio, Basic Package	BYT10718	\$882.00
Radio, Premium Package	BYT10717	\$1,370.00
Slow Moving Vehicle Emblem	AT186288	\$115.00
Sun Visor	AT186307	\$96.00
Universal XM-Tuner Installation Kit	BYT11328	\$358.00
Includes hardware and brackets to add XM capability to radio.		
<u>Stabilizer Legs</u>		
Heavy Duty Stabilizer Pads	AT376410	\$467.00
Standard Stabilizer Street Pads	AT376409	\$234.00
<u>Wheels and Tires</u>		
Rear Wheel Spacers for Rear Tire Chains	AT347522	\$989.00