

318G SKID STEER

01-Mar-2022



JOHN DEERE

Code	Description	QTY	List Price (USD)
OB72T	<p>318G SKID STEER</p> <p>318G SKID STEER Vertical Lift Boom Path Equipment for Base Machine</p> <p>Engine: Yanmar 4TNV86CHT Electronic Injection 4 Cylinder 48.5 kW (65hp) 2.1L (128 cu. in.) Displacement Auto Idle Glow Plugs (Automatically Activated) Engine/Hydraulic Systems Shutdown Protection 71.2 L (19 gal) fuel tank 750 CCA Battery 70 amp Alternator</p> <p>Operator Station: Roll Over Protective Structure (ROPS) Falling Object Protective Structure (FOPS) Top and rear windows Seat, retractable seatbelt, adjustable lapbar In-cab boom lockout system Headliner with Interior Dome lighting 12V power port Back-up Alarm Horn Rear View Mirror Operator selectable LCD Deluxe Instrumentation: Fuel Gauge Engine Coolant Temperature Hourmeter Engine RPM Battery Voltage Engine Coolant Temp. Hydraulic Oil Temp. Job Clock Diagnostic Codes Indicator Lights: Battery Not Charging Hydraulics Locked Out Park Brake Engaged Hydraulic Oil Over Temp Air Filter Restriction Engine Preheat Safety Interlocks Low Oil Pressure</p> <p>Quick Specs: Rated Operating Capacity - 883 kg (1945 lb) Tipping load - 1771 kg (3900 lb)</p>	1	\$48,716.00

Hydraulic pump flow - 59 L/m (16 gpm)
Travel speed - 11 km/h (6.9 mph)
Bucket Breakout force - 2920 kg (5526 lb)
Boom Breakout force - 2592 kg (5058 lb)
Width without attachment - 1.60 m (62.9 in.)
Length without attachment - 2.63 m (103 in.)
Height to top of ROPS - 1.96 m (77.2 in.)
Height to hinge pin - 2.92 m (120 in.)
10x16.5 10 PR Galaxy "Beefy Baby III" HD Tires

Warranty (US and Canada):
John Deere 2 years/2000 hours

OB72T	318G SKID STEER	1	\$48,716.00
-------	-----------------	---	-------------

PACKAGES

Packages	Basic Factory Options - Required
----------	----------------------------------

0700	Foot Contrl, Open ROPS, Manual QT, 1spd *Availability Limited to Existing Dealer Inventory Includes foot controls, canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics, and single speed transmission.		No Added Cost
------	--	--	---------------

0715	Foot Contrl, Cab/Heat/AC, Power QT, SL, 1spd *Availability Limited to Existing Dealer Inventory Includes foot controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, and single speed transmission.		\$5,877.00
------	--	--	------------

0740	EH, Open ROPS, Manual QT, SL, 2spd, Att Perf Includes EH (ISO) joystick controls, canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).		\$5,320.00
------	---	--	------------

0745	EH, Cab/Heat/AC, Power QT, SL, 2spd, Att Perf Includes EH (ISO) joystick controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux).		\$10,801.00
------	---	--	-------------

0765	EH Joystick Perf, Cab/Heat/AC, Power QT, SL & RC, 2spd, Att Perf, LED lights Includes EH (ISO - H pattern) joystick controls with performance package (see below), cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up with ride control, two speed transmission, EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux), and deluxe LED lighting. EH (ISO - H pattern) joystick controls with performance package includes: - Creeper Mode - Boom and bucket speed settings - Selectable propel - Switchable accelerator/decelerator		\$13,081.00
------	--	--	-------------

ENGINE

Engine	Basic Factory Options - Required
--------	----------------------------------

1301 Engine - Turbocharged \$1,304.00
 Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards.
 Yanmar 4TNV86CT 2.1L
 4 Cylinder Turbo-Charged
 65 Gross hp (48.5 kW)
 61 Net hp (45.6 kW)

Cold Start Packages Field Installed Attachments - Optional

8050 Cold Start Package \$310.00
 Includes Heavy Duty 925cca Battery and Block Heater. (110 volt)
 Includes Hydrau XR Cold Start Oil for Hydraulics.

8051 Cold Start Package \$310.00
 Includes Heavy Duty 925cca Battery and Block Heater. (220 volt)
 Includes Hydrau XR Cold Start Oil for Hydraulics.

DESTINATION AND LANGUAGE

Operator's Manual and Decals Basic Factory Options - Required

1501 English Operator's Manual and Decals No Added Cost
 For use with FT4 Engine.

1510 French Operator's Manual and Decals No Added Cost
 For use with FT4 Engine.

1515 Spanish Operator's Manual and Decals No Added Cost
 For use with FT4 Engine.

Export Codes Field Installed Attachments - Optional

JOHN DEERE WORKSIGHT™

JDLink Basic Factory Options - Required

1741 Less JDLINK No Added Cost

170K JDLINK™ \$1,777.00
 Includes integrated cab wiring harness, antenna, and JDLINK Modem (MTG).
 JDLINK connectivity is enabled separately through the JDLINK website. Connectivity service is subject to country availability.

WHEELS AND TIRES

Wheels and Tires Basic Factory Options - Required

2040 10x16.5 10 PR Galaxy "Beefy Baby III" HD No Added Cost
 For use primarily in medium duty applications.
 Provides 63 in. machine width.

2041 10x16.5 10 PR Galaxy "Beefy Baby III" HD \$150.00
 For use primarily in medium duty applications.
 Provides 60 in. machine width.

2285 10x16.5 NHS, CAMSO SKS (\$505.00)
 For use primarily in lighter duty dirt applications.
 Provides 63.3 in. machine width.

2400 10x16.5 Brawler Treaded SolidFlex \$1,774.00
 For use primarily in severe duty applications.
 Provides 67.25 in. machine width.
 Not compatible with steel tracks.

2430 10x16.5 10 PR Galaxy Hulk \$205.00
 For use primarily in medium duty/hard surface applications.
 Provides 63 in. machine width.

OPERATOR'S STATION AND CONTROLS

Seat Basic Factory Options - Required

6000 Seat (Vinyl) (\$410.00)

6001	Mechanical Suspension Seat (Vinyl)	No Added Cost
6003	Vinyl, Air-Ride Seat	\$462.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	\$639.00
Basic Factory Options - Required		
4000	2-Inch Seat Belt	No Added Cost
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	\$217.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	\$271.00
Field Installed Attachments - Optional		
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.	\$614.00
Field Installed Attachments - Optional		
8395	Keyless Start (Sealed Switch Module) Includes programmable machine security code system.	\$408.00
Field Installed Attachments - Optional		
BUCKETS		
Field Installed Attachments - Optional		

9020	60 in. Dirt Bucket (14.3 cu. Ft)	\$994.00
9021	60 in. Dirt Bucket (14.3 cu. Ft) with Edge	\$1,212.00
9025	60 in. Grading Heel Bucket (14.3 cu. Ft)	\$1,056.00
9027	60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	\$1,266.00
9028	66 in. Grading Heel Bucket (15.4 cu. Ft)	\$1,514.00
9030	66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	\$1,763.00
9031	66 in. Construction Bucket (16.2 cu. ft.)	\$1,600.00
9032	66 in. Construction Bucket (16.2 cu. ft.) with Edge	\$1,680.00
9033	66 in. Dirt Bucket (14.5 cu. ft.)	\$1,338.00
9034	66 in. Dirt Bucket (14.5 cu. ft.) with Edge	\$1,605.00
9035	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	\$1,507.00
9036	66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	\$1,749.00
9190	60 in. Dirt Bucket (14.3 cu. ft) with Teeth	\$1,296.00

9200	66 in. Tooth Bucket (16.2 cu. ft.)	\$1,662.00
9310	66 in. Utility Bucket (20.6 cu. ft.)	\$1,190.00
9311	66 in. Utility Bucket (20.6 cu. ft.) with Edge	\$1,737.00
9040	72 in. Construction Bucket (17.8 cu. ft.)	\$1,665.00
9041	72 in. Construction Bucket (17.8 cu. ft.) with Edge	\$1,915.00
9125	72 in. Grading Heel Bucket (16.8 cu. ft.)	\$2,132.00
9127	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	\$2,238.00
9210	72 in. Tooth Bucket (17.8 cu. ft.)	\$1,857.00
9320	72 in. Utility Bucket (22.6 cu. ft.)	\$1,692.00
9321	72 in. Utility Bucket (22.6 cu. ft.) with Edge	\$1,920.00
9322	72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	\$2,102.00
	Buckets	Field Installed Attachments - Optional
AT333697	60 in. Dirt Bucket (14.3 cu. ft.) with Edge	\$1,485.00

AT319177	72 in. Construction Bucket (17.8 cu. ft.)	\$1,665.00
KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge	\$1,680.00
KV22801	66 in. Utility Bucket (20.6 cu. ft.)	\$1,190.00
KV11636	66 in. Foundry Bucket (14.6 cu. ft.)	\$1,399.00
KV11630	66 in. Construction Bucket (16.2 cu. ft.)	\$1,600.00
KV12311	66 in. Tooth Bucket (16.2 cu. ft.)	\$1,662.00
KV11637	72 in. Foundry Bucket (16.0 cu. ft.)	\$1,502.00
KV21474	72 in. Utility Bucket (22.6 cu. ft.)	\$1,692.00
KV24756	72 in. Utility Bucket (22.6 cu. ft.) with Edge	\$1,920.00
KV24755	66 in. Utility Bucket (20.6 cu. ft.) with Edge	\$1,737.00
AT321177	72 in. Tooth Bucket (17.8 cu. ft.)	\$1,857.00
AT322309	72 in. Construction Bucket (17.8 cu. ft.) with Edge	\$1,915.00
AT331803	60 in. Dirt Bucket (14.3 cu. ft.)	\$1,257.00

AT336694	60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	\$1,559.00
AT354874	66 in. Dirt Bucket (14.5 cu. ft.) with Edge	\$1,605.00
AT354876	66 in. Dirt Bucket (14.5 cu. ft.)	\$1,338.00
AT354880	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	\$1,507.00
AT441038	60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth	\$1,266.00
AT419835	60 in. Grading Heel Bucket (14.0 cu. ft.)	\$1,056.00
AT440989	66 in. Grading Heel Bucket (15.4 cu. ft.)	\$1,514.00
AT441048	66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	\$1,763.00
BYT10086	72 in. Grading Heel Bucket (16.8 cu. ft.)	\$2,132.00
BYT10151	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	\$2,238.00
BYT10854	72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	\$2,102.00
BYT10855	66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	\$1,749.00

Tooth Bars

Field Installed Attachments - Optional

KV12294	66 in. Tooth Bar - 7 Teeth	\$524.00
KV11598	72 in. Tooth Bar - 7 Teeth	\$562.00
AT347128	72 in. Tooth Bar for BOCE - 8 Teeth	\$808.00
AT347126	66 in. Tooth Bar for BOCE - 6 Teeth	\$786.00

WEIGHTS AND BALLASTING

Counterweight Field Installed Attachments - Optional

8300	Counterweight, (Single Set) Provides 100 additional pounds of rated operating capacity.	\$383.00
8305	Counterweight, (Double Set) Provides 200 additional pounds of rated operating capacity.	\$765.00

MISCELLANEOUS

Miscellaneous Field Installed Attachments - Optional

8410	Connect Under Pressure (CUP) Replaces standard auxiliary hydraulic couplers.	\$351.00
8530	Power Quik-Tatch for Canopy Units	\$740.00

Kits & Accessories Field Installed Attachments - Optional

T394966	66 in. Bolt-on Serrated Cutting Edge	\$316.28
---------	--------------------------------------	----------

T385220	72 in. Bolt-on Serrated Cutting Edge	\$335.11
T394965	60 in. Bolt-on Cutting Edge, Serrated	\$305.95
KV26958	SMV Sign	\$80.00
KV21995	12 Volt Demonstration Kit 3-pin connector	\$323.00
AT417007	2-inch Seat Belt with Shoulder Harness for Standard Seat	\$323.00
AT417008	3-inch Seat Belt with Shoulder Harness for Standard Seat	\$491.00
AT464541	Fluid Sampling Field Kit	\$88.00
AT446202	Hazard Warning Lights	\$131.00
AT446201	Warning Beacon	\$222.00
BYT10069	Radio Field Kit	\$525.00
BYT10168	Boom Mounted Mirrors	\$78.00
BYT10454	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit BYT11419 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings	\$611.00

BYT10661	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	\$355.00
BYT10800	Single Point Lift System	\$1,377.00
BYT11283	Deluxe Lighting Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights. Only compatible with machines serial number 366357 and higher.	\$927.00
BYT10806	Attachment Control Field Kit - Vertical Machines - Manual 3 & 14 pin attachment control connector. For machines equipped with Connect Under Pressure (CUP) code 8410. If machine does not have CUP installed, order kit BYT11068. Only compatible with machines serial number 366357 and higher.	\$706.00
BYT10533	Rear Counterweight Kit, Stackable - Single Set Provides 100 lbs. of rated operating capacity.	\$387.00
BYT11419	Keyless Start - Sealed Switch Module (SSM) Includes programmable machine security code system. Only compatible with machines serial number 366357 and higher.	\$185.00
BYT11282	JDLink Field Kit Hardware for mounting JDLink MTG terminal (does not include MTG). Only compatible with machines serial number 366357 and higher.	\$51.00
BYT11415	Engine Air Pre-cleaner Kit Compatible with 316G, 317G, and 318G. Only compatible with machines serial number 366357 and higher.	\$471.00
BYT11199	Block Heater 110V Field Kit Only compatible with machines serial number 366357 and higher.	\$115.00
BYT11200	Block Heater 220V Field Kit Only compatible with machines serial number 366357 and higher.	\$115.00
BYT11494	Polycarbonate Cab Door Field Kit Only compatible with machines serial number 366357 and higher.	\$3,169.00
BYT11438	Fire Extinguisher Mounting Bracket Kit Only compatible with machines serial number 366357 and higher.	\$52.00
BYT11297	Radio AM/FM Bluetooth Field Kit	\$525.00

Bluetooth connection is for streaming only. Does not allow for hands-free calling.
Only compatible with machines serial number 366357 and higher.

BYT11443	Vinyl Cab Enclosure Kit	\$927.00
BYT10477	Boom Mounted Hose Guide Kit [G-series: 312GR - 318G]	\$108.00
BYT11068	Connect Under Pressure, CUP Replaces standard auxiliary hydraulic couplers. Only compatible with machines serial number 366357 and higher.	\$354.00
BYT12233	Glass Cab Door Field Kit Provides a glass front cab door assembly including hardware, hinges, decals, and wiper motor for machines previously configured with an open ROPS	\$729.00

G.R.Mfg. Field Installed Attachments - Optional

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.
G.R. Manufacturing, Inc.
4800 Commerce Drive
Trussville, Alabama 35173
Phone: (800)841-8001 Fax: (205)655-8005

BYT10500	Rear Bumper Guard (for Serial # upto 366358)	\$1,464.00
BYT12107	Rear Bumper Guard (for serial # after 366358)	\$1,464.00

RUST PROTECTION

Rust Protection Field Installed Attachments - Optional

9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.	\$163.00
------	--	----------

Manufacturer's Suggested Retail Price (MSRP) and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.