

**JOHN DEERE**

Current Date 15Jan2021

320G SKID STEER**320G SKID STEER**

Equipment for Base Machine
Engine:
4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown
with Alarm
V-Plenum Engine and
Hydraulic cooling package
Hydraulic Cool-on-Demand
Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II"
Extended Life Anti-Freeze
John Deere Plus 50 10w30
engine oil
5 Micron fuel filter with
Water Separator
100 Micron secondary fuel
filter
21 Gallon (79 L) Fuel Tank
Final Drive System and
Brakes:
2-speed transmission
Servo Axial Piston
Hydrostatic Pumps
Radial Piston Hydrostatic
Motors
Four Wheel Drive
Four 80 HD heavy duty
chain, continuous loop
Spring applied, hydraulically
released wet-disk park brake
Gauges and Instruments:
Keyless Start Sealed Switch
Module
Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD
Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.

Service Codes
Diagnostic Codes
Configuration Codes
Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Option Engaged
Air Filter Restriction
Hydraulic Oil Filter
Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat
Electrical:
12-Volt Electrical Battery
750 cca w/150 minute
reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front
and 1 Rear
Programmable courtesy
lighting shutoff system
Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket
Cylinders w/Cushioned Boom
Connect-under-pressure
auxiliary hydraulic couplers
Loader Arm, Bucket, &
Auxiliary Hydraulic Lockout
system
Auxiliary Hydraulics Lock-out
Override
Boom Float
Performance Characteristics:
Gross Horsepower 69 Hp
(51,7 Kw)
Rated Operating Capacity
2,190 lbs. (994 kg)

Hydraulic Pump Flow 20 gpm
(76 L/m)
Travel Speed-Low 6.9 mph
(11.1 km/h)
Construction Bucket
Breakout Force 4,200 lbs.
(1.907 kg)
Boom Breakout Force 3,500
lbs. (1,589 kg)
Width without Attachment
69.2 in. (1.76 m)
Length without Attachment
112 in. (2.85 m)
Height to Top of ROPS 78.8
in. (2.00 m)
Height to Hinge Pin 121.5 in.
(3.09 m)
Machine Operating Weight
7,150 lbs. (3,246 kg)
Operator
Protection/Comfort:
FOPS / ROPS Roll-Guard with
Side Screens
In-Cab Boom Lockout
System
Adjustable Interlocking
Operator Presence Lap Bar
System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy
Entry / Exit
Top and Rear Windows
Water Shedding Deluxe
Seating
Convenient Tie Downs
Attachment Coupler:
John Deere patented Quik-
Tatch system (no grease)

Hydraulic Oil Temp.
Job Clock

Tipping Load 4,380 lbs.
(1,989 kg)

required)
Warranty:
John Deere 2 years/2000
hours

Required - *You must select one from each category*



BASE MACHINE

Description	Code	Price
320G SKID STEER	00B2T	\$46,884.00



PACKAGES

Description	Code	Price
Open ROPS, Manual QT, SL, 2Spd	0722	\$588.00

Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with self level-up, and two speed transmission.

Cab/Heat/AC, Power QT, SL, 2Spd	0750	\$5,902.00
---------------------------------	------	------------

Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up, and two speed transmission.

Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan	0755	\$10,232.00
--	------	-------------

Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.



ENGINE

Description	Code	Price
Engine - Turbocharged	1301	\$2,665.00

Option for the United States for use at altitudes above 5,000 feet. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV98CT 3.3L
4 Cylinder Turbo-Charged
69 Gross hp (51.7 kW)
66 Net hp (49.4 kW)

Engine - Naturally Aspirated	1305	\$1,501.00
------------------------------	------	------------

Required for the United States. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV98C 3.3L
4 Cylinder Naturally Aspirated
69 Gross hp (51.7 kW)
66 Net hp (49.4 kW)



OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
For use with FT4 Engine.		
English Operator's Manual and No Text Decals	1503	No Added Cost
Not for Canada For use with IT4/Stage IIIB Engine.		
French Operator's Manual and Decals	1510	No Added Cost
For use with FT4 Engine.		
French Operator's Manual and No Text Decals	1512	No Added Cost
Not for Canada. For use with IT4/Stage IIIB Engine.		
Spanish Operator's Manual and Decals	1515	No Added Cost
For use with FT4 Engine.		
Spanish Operator's Manual and No Text Decals	1516	No Added Cost
Not for Canada. For use with IT4/Stage IIIB Engine.		
Russian Operator's Manual and Decals	1525	No Added Cost
JDLINK		
Description	Code	Price
JDLink Ultimate Cellular - 5 Years	170C	\$1,777.00
Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements . If these terms and conditions are not agreeable do not proceed and do not use the service.		
Less JDLink	1741	No Added Cost
WHEELS AND TIRES		
Description	Code	Price
10x16.5 10 PR Galaxy "Beefy Baby III" HD	2040	\$182.00
For use primarily in medium duty applications. Provides 63 in. machine width.		

12x16.5 10 PR Titan HD2000-II	2070	\$503.00
Provides 70 in. machine width.		
10x16.5 NHS, CAMSO SKS	2285	(\$323.00)
For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.		
12 X 16.5 NHS, CAMSO SKS	2315	No Added Cost
Provides 69.5 in. machine width.		
10x16.5 Brawler Treaded SolidFlex	2400	\$1,956.00
For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel tracks.		
12x16.5 Brawler Treaded SolidFlex	2410	\$2,656.00
Provides 69 in. machine width. Not compatible with steel tracks.		
10x16.5 10 PR Galaxy Hulk	2430	\$387.00
For use primarily in medium duty/hard surface applications. Provides 63 in. machine width.		
12x16.5 12 PR Galaxy Hulk	2440	\$826.00
Provides 69 in. machine width.		

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost
ISO-H Switchable Controls and EH Joystick Performance Package	0953	\$1,058.00
Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.		
Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.		
EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness		

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	\$462.00
	6006	\$639.00

Air Suspension Seat (Cloth with Heat)

Cloth seat only available with cab machines.

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness	4001	\$217.00
Shoulder harness required with a cab package.		
3-Inch Seat Belt with Shoulder Harness	4003	\$271.00
Shoulder harness required with a cab package.		

Optional - Select as desired

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	\$310.00
Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		
Cold Start Package	8051	\$310.00
Includes Heavy Duty 925cca Battery and Block Heater. (220 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	\$465.00

EXPORT CODES

Description	Code	Price
Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Added Cost

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	\$869.00
Includes 5" LCD monitor.		

RADIO

Description	Code	Price
Radio, AM/FM/WB with Aux Input	8340	\$552.00
Radio, AM/FM with Bluetooth	8342	\$614.00

Bluetooth connection is for streaming only - does not allow for hands-free calling.

▼ FLOOR MAT

Description	Code	Price
Footrest with Floormat	8380	\$147.00

▼ BUCKETS

Description	Code	Price
66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	\$1,108.00
66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	\$1,336.00
66 in. Construction Bucket (16.2 cu. ft.)	9031	\$1,139.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	\$1,162.00
66 in. Dirt Bucket (14.5 cu. ft.)	9033	\$993.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	\$1,236.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	\$1,197.00
66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	9036	\$1,337.00
66 in. Tooth Bucket (16.2 cu. ft.)	9200	\$1,256.00
66 in. Utility Bucket (20.6 cu. ft.)	9310	\$1,101.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	\$1,288.00
72 in. Construction Bucket (17.8 cu. ft.)	9040	\$1,177.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	\$1,407.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	9125	\$1,279.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	9127	\$1,565.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	\$1,407.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	\$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	\$1,430.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	9322	\$1,599.00
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	\$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	\$1,530.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	\$1,545.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.)	9325	\$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth	9327	\$1,788.00

78 in. HD Utility Bucket (24.5 cu. ft.)	9330	\$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	\$1,530.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge	9332	\$1,730.00

▼ COUNTERWEIGHT

Description	Code	Price
Counterweight, (Single Set)	8300	\$383.00
Includes 2 stackable 86 lb weights (39 Kg).		
Counterweight, (Double Set)	8305	\$765.00
Includes 4 stackable 86 lb weights (39 Kg).		
Counterweight, (Triple Set)	8310	\$1,148.00
Includes 6 stackable 86 lb weights (39 Kg).		

▼ MISCELLANEOUS

Description	Code	Price
HD Rear Grille	8370	\$497.00
Provides protection to cooling package.		
Cab Severe Duty Polycarbonate Door	8525	\$2,248.00
Power Quik-Tatch for Canopy Units	8530	\$740.00

▼ RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	\$163.00
Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		

▼ ATTACHMENTS FOR FIELD CONVERSION

Description	Code	Price
Buckets		
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	BYT10855	\$1,350.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	\$1,150.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	\$1,174.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	\$1,003.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	\$1,248.00

66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	\$1,209.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	\$1,026.00
66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	\$1,119.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	\$1,349.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	\$1,269.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	\$1,112.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	\$1,301.00
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	BYT10854	\$1,615.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	\$1,189.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	\$1,421.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	\$1,103.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	BYT10086	\$1,292.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	BYT10151	\$1,581.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	\$1,421.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	\$1,229.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	\$1,444.00
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	BYT10853	\$1,747.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	BYT10191	\$1,489.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	BYT10328	\$1,806.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	\$1,326.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	\$1,545.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	\$1,560.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	\$1,314.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	\$1,545.00
G.R.Mfg.		
Bottom Covers & Reinforcement Plates	BYT10945	\$406.00
Bucket Cylinder Rod Guard	BYT10947	\$465.00
Bumper, Rear w/o Deflectors	BYT10943	\$1,370.00
	BYT10263	\$122.00

Guard, Cab Roof Debris

Requires Level II FOPS Plate AT445276

Level II FOPS Plate	AT445276	\$688.00
---------------------	----------	----------

Required to meet ISO 8083 Level 2 Forestry Applications
For use on D, E and G Series.

Lift Cylinder Hose Guards	BYT10948	\$384.00
---------------------------	----------	----------

Light Guard Kit	BYT10946	\$273.00
-----------------	----------	----------

Toe Guard and Door Upgrade Kit	AT372950	\$571.00
--------------------------------	----------	----------

Required to meet ISO 8084 Forestry Applications

Kits & Accessories

12 Volt Demonstration Kit	KV21995	\$323.00
---------------------------	---------	----------

3-pin connector

Attachment Control	BYT10647	\$706.00
--------------------	----------	----------

3 & 14 pin attachment connector

Backhoe Attachment Mounting Kit	BYT10313	\$291.00
---------------------------------	----------	----------

Beacon Warning Light	BYT10048	\$329.00
----------------------	----------	----------

Block Heater Kit	AT427686	\$115.00
------------------	----------	----------

Bobcat Attachment Harness Adapter Kit	BYT10661	\$355.00
---------------------------------------	----------	----------

Must have the 14 pin attachment connector already installed.

Boom Mounted Hose Guide Kit	AT436025	\$102.00
-----------------------------	----------	----------

Boom Mounted Mirrors	BYT10168	\$78.00
----------------------	----------	---------

Counterweight, Stackable (Single Set)	AT348835	\$367.00
---------------------------------------	----------	----------

Includes 2 - 86 lb weights (39 Kg)

Deluxe Light Package	BYT10648	\$927.00
----------------------	----------	----------

Includes 2 additional side lights and LED light bulbs for all exterior
machine lights.

EH Joystick Performance Package	BYT10454	\$611.00
---------------------------------	----------	----------

Engine Air Pre-Cleaner Kit	BYT10681	\$471.00
----------------------------	----------	----------

Compatible with 320G with Naturally Aspirated Engines code 1305.

Engine Air Pre-Cleaner Kit	BYT10682	\$471.00
----------------------------	----------	----------

Compatible with 320G, 324G, & 325G machines with Turbocharged
engine code 1301.

Field Kit, Reversing Fan	BYT10356	\$860.00
Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).		
Fluid Sampling Field Kit	BYT10641	\$134.00
Foot Throttle Removal Kit	AT374642	\$54.00
HD Rear Grille	BYT10679	\$611.00
Provides protection to cooling package.		
Hazard Warning Lights	AT431921	\$131.00
Hydraulic Quick Coupler Adapter Kit	AT428072	\$335.00
Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		
Joystick Pod Mounted Throttle	AT419446	\$157.00
Radio Field Kit	BYT10062	\$525.00
Radio, AM/FM with Aux Input and Bluetooth	BYT10042	\$593.00
Streaming Bluetooth, no Hands-Free.		
Rear View Camera	BYT10651	\$876.00
Includes 5" LCD monitor.		
SMV Sign	BYT10680	\$80.00
SSM - Use with EH Controls	BYT10650	\$185.00
SSM - Use with Manual Controls	BYT11292	\$185.00
Severe Duty Door	BYT10226	\$3,169.00
Requires severe duty hardware kit BYT10085.		
Severe Duty Door Hardware Kit	BYT10085	\$175.00
Single Point Support Kit	BYT10843	\$2,623.00
Standard Door	BYT10227	\$1,062.00
<u>Tooth Bars</u>		
66 in. Tooth Bar - 7 Teeth	KV12294	\$490.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	\$735.00
72 in. Tooth Bar - 7 Teeth	KV11598	\$525.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	\$755.00
<u>Wheels & Tires, Four</u>		

12x16.5 10 PR Titan HD2000-III	KV14674	\$1,872.00
12x16.5 NHS CAMSO SKS	BYT10899	\$1,625.00
<u>Wheels & Tires, Single (Left H& Only)</u>		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	AT466910	\$382.00
For 63 In. machine width		
12x16.5 12PR Galaxy Hulk, Left	AT446726	\$616.00
<u>Wheels & Tires, Single (Right H& Only)</u>		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	AT466913	\$408.00
10x16.5 NHS CAMSO SKS	BYT10897	\$331.00
12x16.5 10 PR Titan HD2000-III	KV23689	\$482.00
12x16.5 12PR Galaxy Hulk, Right	AT446727	\$616.00
12x16.5 NHS CAMSO SKS	BYT10898	\$408.00