

325G COMPACT TRACK LOADER



JOHN DEERE

01-Mar-2022

Code	Description	QTY	List Price (USD)
00D2T	<p>325G COMPACT TRACK LOADER</p> <p>Equipment for Base Machine</p> <p>Engine: 4 Cylinder Turbo-Charged Electronic Injection System Auto Idle Glow Plugs Automatic Engine Shutdown with Alarm V-Plenum Engine and Hydraulic cooling package Hydraulic Cool-on-Demand Variable Speed Fan Dual Element Air Cleaner Auto Fan Belt Tensioner John Deere "Cool Gard II" Extended Life Anti-Freeze John Deere Plus 50 10w30 engine oil 5 Micron fuel filter with Water Separator 100 Micron secondary fuel filter 20 Gallon (76 L) Fuel Tank</p> <p>Final Drive System and Undercarriage: 2-speed transmission Servo Axial Piston Hydrostatic Pumps Radial Piston Hydrostatic Motors High Drive Planetary Reduction Gear Box Grease Cylinder Track Tensioner Patented Smooth Ride Undercarriage 2 duel flanged idlers & 5 triple flanged rollers Heavy Duty 12.6 in (320 mm) Rubber Tracks Spring applied, hydraulically released wet-disk park brake</p> <p>Gauges and Instruments: Keyless Start Sealed Switch Module Fuel Gauge Engine Coolant Temperature</p> <p>Operator Selectable LCD Digital Readout: Hourmeter Engine RPM Battery Voltage Engine Coolant Temp. Hydraulic Oil Temp. Job Clock Service Codes Diagnostic Codes Configuration Codes</p> <p>Indicator Warning Lights: Battery Not Charging Hydraulics Locked Out Park Brake Illumination Hydraulic Oil Over Temp 2-Speed Engaged</p>	1	\$71,542.00

Air Filter Restriction
Hydraulic Oil Filter
Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:

12-Volt Electrical Battery
750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:

3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:

Gross Horsepower 74 Hp (54.8 Kw)
Rated Operating Capacity 2,590 lbs. (1,176 kg)
Tipping Load 7,400 lbs. (3,357 kg)
Hydraulic Pump Flow 18 gpm (68 L/m)
Travel Speed-Low 6.2 mph (10 km/h)
Construction Bucket Breakout Force 6,000 lbs. (2,724 kg)
Boom Breakout Force 5,250 lbs. (2,384 kg)
Tractive Effort - 8,500 lbf (3,859 kgf)
Width without Attachment 71.8 in. (1.82 m)
Length without Attachment 112 in. (2.85 m)
Height to Top of ROPS 80.6 in. (2.05 m)
Height to Hinge Pin 125.5 in. (3.19 m)
Machine Operating Weight 9,440 lbs. (4,286 kg)

Operator Protection/Comfort:

FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating

Convenient Tie Downs

Attachment Coupler:
 John Deere patented Quik-Tatch system (no grease required)

Warranty:
 John Deere 2 years/2000 hours

00D2T 325G COMPACT TRACK LOADER 1 \$71,542.00

PACKAGES

Packages Basic Factory Options - Required

0722 Open ROPS, Manual QT, SL, 2Spd No Added Cost
 Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with self level-up, and two speed transmission.

0750 Cab/Heat/AC, Power QT, SL, 2Spd \$5,314.00
 Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up, and two speed transmission.

0755 Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan \$9,644.00
 Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.

0770 Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio \$10,593.00
 Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.

ENGINE

Engine Basic Factory Options - Required

1301 Engine - Turbocharged - FT4 \$2,718.00
 Required for the United States and Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.
 Yamnar 4TNV98CT 3.3L
 4 Cylinder Turbo-Charged
 74 Gross hp (54.8 kW)
 70 Net hp (52.5 kW)

Cold Start Packages Field Installed Attachments - Optional

8050 Cold Start Package \$310.00

Includes Heavy Duty 925cca Battery and Block Heater. (110 volt)
 Includes Hydrau XR Cold Start Oil for Hydraulics.

Air Pre-Cleaner

Field Installed Attachments - Optional

8060 Engine Air Precleaner \$465.00

DESTINATION AND LANGUAGE

Operator's Manual and Decals

Basic Factory Options - Required

1501 English Operator's Manual and Decals No Added Cost

1503 English Operator's Manual and No Text Decals No Added Cost

1510 French Operator's Manual and Decals No Added Cost

1512 French Operator's Manual and No Text Decals No Added Cost

1515 Spanish Operator's Manual and Decals No Added Cost

1516 Spanish Operator's Manual and No Text Decals No Added Cost

JOHN DEERE WORKSIGHT™

JDLink

Basic Factory Options - Required

1741 Less JDLink No Added Cost

170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.	\$1,777.00
------	---	------------

UNDERCARRIAGE

Track Basic Factory Options - Required

2500	Offset Block Lug Tread Pattern - 12.6 in. (320mm) Tracks Provides 71.5 in. machine width.	No Added Cost
------	--	---------------

2550	Zig-Zag Bar Tread Pattern - 12.6 in. (320 mm) Tracks Provides 71.5 in. machine width.	\$205.00
------	--	----------

2600	Offset Block Lug Tread Pattern - 15.8 in. (400mm) Tracks Provides 74.7 in. machine width.	\$1,462.00
------	--	------------

2645	Zig-Zag Bar Tread Pattern - 15.8 in. (400mm) Tracks Provides 74.7 in. machine width.	\$1,667.00
------	---	------------

OPERATOR'S STATION AND CONTROLS

Controls Basic Factory Options - Required

0950	E-H (ISO Pattern) Joystick Controls	No Added Cost
------	-------------------------------------	---------------

0953	ISO-H Switchable Controls and EH Joystick Performance Package Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes. Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode. EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness	\$1,058.00
------	---	------------

Seat Basic Factory Options - Required

6001	Mechanical Suspension Seat (Vinyl)	No Added Cost
6003	Vinyl, Air-Ride Seat	\$462.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	\$639.00

Seat Belt Basic Factory Options - Required

4000	2-Inch Seat Belt	No Added Cost
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	\$217.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	\$271.00

Radio Field Installed Attachments - Optional

8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.	\$614.00
------	--	----------

Floor Mat Field Installed Attachments - Optional

8380	Footrest with Floormat	\$147.00
------	------------------------	----------

BUCKETS

	Buckets	Field Installed Attachments - Optional
9040	72 in. Construction Bucket (17.8 cu. ft.)	\$1,665.00
9041	72 in. Construction Bucket (17.8 cu. ft.) with Edge	\$1,915.00
9125	72 in. Grading Heel Bucket (16.8 cu. ft.)	\$2,132.00
9127	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	\$2,238.00
9210	72 in. Tooth Bucket (17.8 cu. ft.)	\$1,857.00
9320	72 in. Utility Bucket (22.6 cu. ft.)	\$1,692.00
9321	72 in. Utility Bucket (22.6 cu. ft.) with Edge	\$1,920.00
9322	72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	\$2,102.00
9051	78 in. HD Construction Bucket (19.4 cu. ft.)	\$1,839.00
9052	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	\$2,069.00
9221	78 in. HD Tooth Bucket (19.4 cu. ft.)	\$2,031.00
9325	78 in. HD Grading Heel Bucket (18.2 cu. ft.)	\$2,019.00

9327	78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth	\$2,381.00
9330	78 in. HD Utility Bucket (24.5 cu. ft.)	\$1,760.00
9331	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	\$1,993.00
9332	78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge	\$2,266.00
	Buckets	Field Installed Attachments - Optional
BYT10086	72 in. Grading Heel Bucket (16.8 cu. ft.)	\$2,132.00
BYT10151	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	\$2,238.00
BYT10854	72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	\$2,102.00
BYT10191	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	\$2,019.00
BYT10328	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	\$2,381.00
BYT10853	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	\$2,266.00
AT321177	72 in. Tooth Bucket (17.8 cu. ft.)	\$1,857.00
AT322309	72 in. Construction Bucket (17.8 cu. ft.) with Edge	\$1,915.00

AT322310	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	\$2,069.00
KV24757	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	\$1,993.00
AT321180	78 in. HD Tooth Bucket (19.4 cu. ft.)	\$2,031.00
KV22802	78 in. HD Utility Bucket (24.5 cu. ft.)	\$1,760.00
AT319177	72 in. Construction Bucket (17.8 cu. ft.)	\$1,665.00
AT319180	78 in. HD Construction Bucket (19.4 cu. ft.)	\$1,839.00
KV11637	72 in. Foundry Bucket (16.0 cu. ft.)	\$1,502.00
KV24756	72 in. Utility Bucket (22.6 cu. ft.) with Edge	\$1,920.00
KV21474	72 in. Utility Bucket (22.6 cu. ft.)	\$1,692.00

Tooth Bars

Field Installed Attachments - Optional

KV11598	72 in. Tooth Bar - 7 Teeth	\$562.00
AT347128	72 in. Tooth Bar for BOCE - 8 Teeth	\$808.00

WEIGHTS AND BALLASTING

Counterweight Field Installed Attachments - Optional

8300	Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg).	\$383.00
8305	Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg).	\$765.00
8310	Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg).	\$1,148.00

MISCELLANEOUS

Miscellaneous Field Installed Attachments - Optional

8530	Power Quik-Tatch for Canopy Units	\$740.00
8370	HD Rear Grille Provides protection to cooling package.	\$497.00
8525	Cab Severe Duty Polycarbonate Door	\$2,248.00

G.R.Mfg. Field Installed Attachments - Optional

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.
 G.R. Manufacturing, Inc.
 4800 Commerce Drive
 Trussville, Alabama 35173
 Phone: (800)841-8001 Fax: (205)655-8005

BYT10946	Light Guard Kit	\$342.00
BYT10947	Bucket Cylinder Rod Guard	\$546.00

BYT10945	Bottom Covers & Reinforcement Plates	\$440.00
BYT10948	Lift Cylinder Hose Guards	\$424.00
BYT10943	Bumper, Rear w/o Deflectors	\$1,440.00
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	\$720.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276	\$142.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	\$884.00
	Kits & Accessories	Field Installed Attachments - Optional
BYT10679	HD Rear Grille Provides protection to cooling package.	\$611.00
BYT10682	Engine Air Pre-Cleaner Kit Compatible with 320G, 324G, & 325G machines with Turbocharged engine code 1301.	\$471.00
BYT10313	Backhoe Attachment Mounting Kit	\$291.00
BYT10647	Attachment Control 3 & 14 pin attachment connector	\$706.00
BYT10680	SMV Sign	\$80.00
BYT10648	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	\$927.00

BYT10661	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	\$355.00
BYT10641	Fluid Sampling Field Kit	\$134.00
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.	\$3,169.00
BYT10650	SSM - Use with EH Controls	\$185.00
BYT10227	Standard Door	\$1,062.00
BYT10843	Single Point Support Kit	\$2,623.00
BYT10048	Beacon Warning Light Magnetic Base	\$329.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	\$593.00
BYT10356	Field Kit, Reversing Fan	\$860.00
BYT10168	Boom Mounted Mirrors	\$78.00
BYT10062	Radio Field Kit	\$525.00
BYT10085	Canopy Severe Duty Door Hardware Kit	\$175.00
BYT10454	EH Joystick Performance Package	\$611.00

AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	\$367.00
AT374642	Foot Throttle Removal Kit	\$54.00
KV21995	12 Volt Demonstration Kit 3-pin connector	\$323.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	\$102.00
AT428072	Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.	\$335.00
AT419446	Joystick Pod Mounted Throttle	\$157.00
AT431921	Hazard Warning Lights	\$131.00
AT427686	Block Heater Kit	\$115.00
BYT12524	Ride Control Field Kit Field kit for units with self level less ride control	\$356.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.	\$789.00

RUST PROTECTION

Rust Protection

Field Installed Attachments - Optional

9909	Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.	\$163.00
------	--	----------