

**JOHN DEERE**

Current Date 06Jan2021

325G COMPACT TRACK LOADER

Equipment for Base Machine

Engine:

4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown with Alarm
V-Plenum Engine and Hydraulic cooling package
Hydraulic Cool-on-Demand
Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II"
Extended Life Anti-Freeze
John Deere Plus 50 10w30 engine oil
5 Micron fuel filter with Water Separator
100 Micron secondary fuel filter
20 Gallon (76 L) Fuel Tank
Final Drive System and Undercarriage:
2-speed transmission
Servo Axial Piston Hydrostatic Pumps
Radial Piston Hydrostatic Motors
High Drive Planetary Reduction Gear Box
Grease Cylinder Track Tensioner
Patented Smooth Ride Undercarriage
2 duel flanged idlers & 5 triple flanged rollers
Heavy Duty 12.6 in (320 mm) Rubber Tracks
Spring applied, hydraulically released wet-disk park brake
Gauges and Instruments:
Keyless Start Sealed Switch Module
Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD Digital Readout:
Hourmeter

Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.
Job Clock
Service Codes
Diagnostic Codes
Configuration Codes
Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat
Electrical:
12-Volt Electrical Battery
750 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system
Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float
Performance Characteristics:
Gross Horsepower 74 Hp (54.8 Kw)
Rated Operating Capacity 2,590 lbs. (1,176 kg)

Tipping Load 7,400 lbs. (3,357 kg)
Hydraulic Pump Flow 18 gpm (68 L/m)
Travel Speed-Low 6.2 mph (10 km/h)
Construction Bucket Breakout Force 6,000 lbs. (2,724 kg)
Boom Breakout Force 5,250 lbs. (2,384 kg)
Tractive Effort - 8,500 lbf (3,859 kgf)
Width without Attachment 71.8 in. (1.82 m)
Length without Attachment 112 in. (2.85 m)
Height to Top of ROPS 80.6 in. (2.05 m)
Height to Hinge Pin 125.5 in. (3.19 m)
Machine Operating Weight 9,440 lbs. (4,286 kg)
Operator Protection/Comfort:
FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs
Attachment Coupler:
John Deere patented Quik-Tatch system (no grease required)
Warranty:
John Deere 2 years/2000 hours

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

Required - You must select one from each category

BASE MACHINE

Description	Code	Price
325G COMPACT TRACK LOADER	00D2T	\$63,086.00

PACKAGES

Description	Code	Price
Open ROPS, Manual QT, SL, 2Spd	0722	\$588.00

Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with self level-up, and two speed transmission.

Cab/Heat/AC, Power QT, SL, 2Spd	0750	\$5,902.00
---------------------------------	------	------------

Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up, and two speed transmission.

Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan	0755	\$10,232.00
--	------	-------------

Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.

Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio	0770	\$11,181.00
--	------	-------------

Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.

ENGINE

Description	Code	Price
Engine - Turbocharged - FT4	1301	\$2,718.00

Required for the United States and Canada. Not available for export to markets without ultra-low sulfur fuel. This engine is certified to FT4 EPA emission standards.

Yanmar 4TNV98CT 3.3L
4 Cylinder Turbo-Charged
74 Gross hp (54.8 kW)
70 Net hp (52.5 kW)

OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
English Operator's Manual and No Text Decals	1503	No Added Cost
French Operator's Manual and Decals	1510	No Added Cost
French Operator's Manual and No Text Decals	1512	No Added Cost
Spanish Operator's Manual and Decals	1515	No Added Cost
Spanish Operator's Manual and No Text Decals	1516	No Added Cost

Description	Code	Price
JDLink Ultimate Cellular - 5 Years	170C	\$1,777.00

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Added Cost
-------------	------	---------------

TRACK

Description	Code	Price
Offset Block Lug Tread Pattern - 12.6 in. (320mm) Tracks	2500	No Added Cost

Provides 71.5 in. machine width.

Zig-Zag Bar Tread Pattern - 12.6 in. (320 mm) Tracks	2550	\$205.00
--	------	----------

Provides 71.5 in. machine width.

Offset Block Lug Tread Pattern - 15.8 in. (400mm) Tracks	2600	\$1,462.00
--	------	------------

Provides 74.7 in. machine width.

Zig-Zag Bar Tread Pattern - 15.8 in. (400mm) Tracks	2645	\$1,667.00
---	------	------------

Provides 74.7 in. machine width.

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost

ISO-H Switchable Controls and EH Joystick Performance Package	0953	\$1,058.00
---	------	------------

Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

EH Joystick Performance Package Features:
 Selectable propel speeds
 Creeper Mode
 Boom and Bucket speed settings
 12V 3 Pin and 14 Pin Attachment Control Harness

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost

Vinyl, Air-Ride Seat	6003	\$462.00
----------------------	------	----------

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

Cloth seat only available with cab machines.

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness	4001	\$217.00
Shoulder harness required with a cab package.		
3-Inch Seat Belt with Shoulder Harness	4003	\$271.00
Shoulder harness required with a cab package.		

Optional - Select as desired

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	\$310.00
Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		
Cold Start Package	8051	\$310.00
Includes Heavy Duty 925cca Battery and Block Heater. (220 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		

AIR PRE-CLEANER

Description	Code	Price
Engine Air Precleaner	8060	\$465.00

REAR CAMERA

Description	Code	Price
Rear View Camera	8042	\$869.00
Includes 5" LCD monitor.		

RADIO

Description	Code	Price
Radio, AM/FM with Bluetooth	8342	\$614.00
Bluetooth connection is for streaming only - does not allow for hands-free calling.		
Radio, AM/FM with Aux Input	8340	\$552.00

FLOOR MAT

Description	Code	Price
Footrest with Floormat	8380	\$147.00

BUCKETS

Description	Code	Price
-------------	------	-------

72 in. Construction Bucket (17.8 cu. ft.)	9040	\$1,177.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	9041	\$1,407.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	9125	\$1,279.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	9127	\$1,565.00
72 in. Tooth Bucket (17.8 cu. ft.)	9210	\$1,407.00
72 in. Utility Bucket (22.6 cu. ft.)	9320	\$1,217.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	9321	\$1,430.00
72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	9322	\$1,599.00
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	\$1,313.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	\$1,530.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	\$1,545.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.)	9325	\$1,474.00
78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth	9327	\$1,788.00
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	\$1,301.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	\$1,530.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge	9332	\$1,730.00

COUNTERWEIGHT

Description	Code	Price
Counterweight, (Single Set)	8300	\$383.00
Includes 2 stackable 86 lb weights (39 Kg).		
Counterweight, (Double Set)	8305	\$765.00
Includes 4 stackable 86 lb weights (39 Kg).		
Counterweight, (Triple Set)	8310	\$1,148.00
Includes 6 stackable 86 lb weights (39 Kg).		

MISCELLANEOUS

Description	Code	Price
Power Quik-Tatch for Canopy Units	8530	\$740.00
HD Rear Grille	8370	\$497.00
Provides protection to cooling package.		
Cab Severe Duty Polycarbonate Door	8525	\$2,248.00

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	\$163.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

ATTACHMENTS FOR FIELD CONVERSION

Description	Code	Price
<u>Buckets</u>		
72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	BYT10854	\$1,615.00
72 in. Construction Bucket (17.8 cu. ft.)	AT319177	\$1,189.00
72 in. Construction Bucket (17.8 cu. ft.) with Edge	AT322309	\$1,421.00
72 in. Foundry Bucket (16.0 cu. ft.)	KV11637	\$1,103.00
72 in. Grading Heel Bucket (16.8 cu. ft.)	BYT10086	\$1,292.00
72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	BYT10151	\$1,581.00
72 in. Tooth Bucket (17.8 cu. ft.)	AT321177	\$1,421.00
72 in. Utility Bucket (22.6 cu. ft.)	KV21474	\$1,229.00
72 in. Utility Bucket (22.6 cu. ft.) with Edge	KV24756	\$1,444.00
78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	BYT10853	\$1,747.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	BYT10191	\$1,489.00
78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	BYT10328	\$1,806.00
78 in. HD Construction Bucket (19.4 cu. ft.)	AT319180	\$1,326.00
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	AT322310	\$1,545.00
78 in. HD Tooth Bucket (19.4 cu. ft.)	AT321180	\$1,560.00
78 in. HD Utility Bucket (24.5 cu. ft.)	KV22802	\$1,314.00
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	KV24757	\$1,545.00
<u>G.R.Mfg.</u>		
Bottom Covers & Reinforcement Plates	BYT10945	\$406.00
Bucket Cylinder Rod Guard	BYT10947	\$465.00
Bumper, Rear w/o Deflectors	BYT10943	\$1,370.00
Guard, Cab Roof Debris	BYT10263	\$122.00
Requires Level II FOPS Plate AT445276		
Level II FOPS Plate	AT445276	\$688.00
Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		
Lift Cylinder Hose Guards	BYT10948	\$384.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

Toe Guard and Door Upgrade Kit	AT372950	\$571.00
Required to meet ISO 8084 Forestry Applications		
<u>Kits & Accessories</u>		
12 Volt Demonstration Kit	KV21995	\$323.00
3-pin connector		
Attachment Control	BYT10647	\$706.00
3 & 14 pin attachment connector		
Backhoe Attachment Mounting Kit	BYT10313	\$291.00
Beacon Warning Light	BYT10048	\$329.00
Block Heater Kit	AT427686	\$115.00
Bobcat Attachment Harness Adapter Kit	BYT10661	\$355.00
Must have the 14 pin attachment connector already installed.		
Boom Mounted Hose Guide Kit	AT436025	\$102.00
Boom Mounted Mirrors	BYT10168	\$78.00
Counterweight, Stackable (Single Set)	AT348835	\$367.00
Includes 2 - 86 lb weights (39 Kg)		
Deluxe Light Package	BYT10648	\$927.00
Includes 2 additional side lights and LED light bulbs for all exterior machine lights.		
EH Joystick Performance Package	BYT10454	\$611.00
Engine Air Pre-Cleaner Kit	BYT10682	\$471.00
Compatible with 320G, 324G, & 325G machines with Turbocharged engine code 1301.		
Field Kit, Reversing Fan	BYT10356	\$860.00
Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).		
Fluid Sampling Field Kit	BYT10641	\$134.00
Foot Throttle Removal Kit	AT374642	\$54.00
HD Rear Grille	BYT10679	\$611.00
Provides protection to cooling package.		
Hazard Warning Lights	AT431921	\$131.00
Hydraulic Quick Coupler Adapter Kit	AT428072	\$335.00
Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.		
Joystick Pod Mounted Throttle	AT419446	\$157.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

Radio, AM/FM with Aux Input and Bluetooth	BYT10042	\$593.00
Streaming Bluetooth, no Hands-Free.		
Rear View Camera	BYT10651	\$876.00
Includes 5" LCD monitor.		
SMV Sign	BYT10680	\$80.00
SSM - Use with EH Controls	BYT10650	\$185.00
Severe Duty Door	BYT10226	\$3,169.00
Requires severe duty hardware kit BYT10085.		
Severe Duty Door Hardware Kit	BYT10085	\$175.00
Single Point Support Kit	BYT10843	\$2,623.00
Standard Door	BYT10227	\$1,062.00
<u>Tooth Bars</u>		
72 in. Tooth Bar - 7 Teeth	KV11598	\$525.00
72 in. Tooth Bar for BOCE - 8 Teeth	AT347128	\$755.00