



JOHN DEERE

Current Date 15Jan2021

330G SKID STEER

330G Base Equipment

Engine:

4 Cylinder Turbo-Charged
Electronic Injection System
Auto Idle
Glow Plugs
Automatic Engine Shutdown
with Alarm
Tri-Cool Engine and
Hydraulic cooling package
Hydraulic Cool-on-Demand
Variable Speed Fan
Dual Element Air Cleaner
Auto Fan Belt Tensioner
John Deere "Cool Gard II"
Extended Life Anti-Freeze
John Deere Plus 50 10w30
engine oil
5 Micron fuel filter with
Water Separator
100 Micron secondary fuel
filter
26 Gallon (97 L) Fuel Tank
Final Drive System and
Undercarriage:
2-Speed Transmission
Servo Axial Piston
Hydrostatic Pumps
Radial Piston Hydrostatic
Motors
Four Wheel Drive
Four 100 HD continuous loop
chain drive
Spring applied, hydraulically
released wet-disk park brake
Gauges and Instruments:
Keyless Start Sealed Switch
Module
Fuel Gauge
Engine Coolant Temperature
Operator Selectable LCD
Digital Readout:
Hourmeter
Engine RPM
Battery Voltage
Engine Coolant Temp.
Hydraulic Oil Temp.

Configuration Codes

Indicator Warning Lights:
Battery Not Charging
Hydraulics Locked Out
Park Brake Illumination
Hydraulic Oil Over Temp
2-Speed Engaged
Air Filter Restriction
Hydraulic Oil Filter
Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat
Electrical:
12-Volt Electrical Battery
925 cca w/150 minute
reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front
and 1 Rear
Programmable courtesy
lighting shutoff system
Hydraulics:
3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket
Cylinders w/Cushioned Boom
Connect-under-pressure
auxiliary hydraulic couplers
Loader Arm, Bucket, &
Auxiliary Hydraulic Lockout
system
Auxiliary Hydraulics Lock-out
Override
Boom Float
Performance Characteristics:
Gross Horsepower 90 Hp (67
Kw)
Rated Operating Capacity
3,000 lbs. (1,362 kg)
Tipping Load 6,000 lbs.
(2,724 kg)

Machine Operating Weight

9,950 lbs. (4,517 kg)
Travel Speed Low 7 mph
(11.3 km/h)
Travel Speed High 12 mph
(19.3 km/h)
Construction Bucket
Breakout Force 7,600 lbs.
(3,450 kg)
Boom Breakout Force 6,000
lbs. (2,724 kg)
Width without Attachment
78 in. (1.98 m)
Length without Attachment
122 in. (3.10 m)
Height to Top of ROPS 86.3
in. (2.19 m)
Height to Hinge Pin 132 in.
(3.35 m)
Machine Operating Weight
9,950 lbs. (4,517 kg)
Operator
Protection/Comfort:
FOPS / ROPS Roll-Guard with
Side Screens
In-Cab Boom Lockout
System
Adjustable Interlocking
Operator Presence Lap Bar
System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy
Entry / Exit
Top and Rear Windows
Water Shedding Deluxe
Seating
Convenient Tie Downs
Attachment Coupler:

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

Job Clock
Service Codes
Diagnostic Codes

Hydraulic Pump Flow 24 gpm
(91 L/m)

John Deere patented Quik-Tatch system (no grease required)
Warranty:
John Deere 2 years/2000 hours

Required - You must select one from each category



BASE MACHINE

Description	Code	Price
330G SKID STEER	0BC2T	\$61,812.00



PACKAGES

Description	Code	Price
Open ROPS, Manual QT, No SL or RC, 2Spd	0720	No Added Cost

Includes canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics with no self level-up or ride control, and two speed transmission.

Cab/Heat/AC, Power QT, SL & RC, 2Spd	0752	\$6,592.00
--------------------------------------	------	------------

Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up and ride control, and two speed transmission.

Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan	0755	\$10,232.00
--	------	-------------

Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, and reversing fan drive.



OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Operator's Manual and Decals	1501	No Added Cost
English Operator's Manual and No Text Decals	1503	No Added Cost
French Operator's Manual and Decals	1510	No Added Cost
French Operator's Manual and No Text Decals	1512	No Added Cost
Spanish Operator's Manual and Decals	1515	No Added Cost



JDLINK

Description	Code	Price
JDLINK Ultimate Cellular - 5 Years	170C	\$1,777.00

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase

compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Less JDLink	1741	No Added Cost
-------------	------	---------------

WHEELS AND TIRES

Description	Code	Price
12x16.5 10 PR Titan HD2000-II	2070	(\$803.00)

Provides 73.2 in. machine width.

12 X 16.5 NHS, CAMSO SKS	2315	(\$1,306.00)
--------------------------	------	--------------

Provides 73.5 in. machine width.

14x17.5 14 PR Titan HD2000-II	2320	\$485.00
-------------------------------	------	----------

Provides 78.5 in. machine width. Not compatible with steel tracks.

14x17.5 NHS, CAMSO SKS	2335	No Added Cost
------------------------	------	---------------

Provides 77.5 in. machine width.

12x16.5 Brawler Treaded SolidFlex	2410	\$1,350.00
-----------------------------------	------	------------

Provides 73.3 in. machine width. Not compatible with steel tracks.

14x17.5 Treaded Brawler SolidFlex	2420	\$2,875.00
-----------------------------------	------	------------

Provides 73.5 in. machine width. Not compatible with steel tracks.

12x16.5 12 PR Galaxy Hulk	2440	(\$480.00)
---------------------------	------	------------

Provides 73.75 in. machine width.

14x17.5 14 PR Galaxy Hulk	2450	\$1,000.00
---------------------------	------	------------

Provides 77 in. machine width. Not compatible with steel tracks.

CONTROLS

Description	Code	Price
E-H (ISO Pattern) Joystick Controls	0950	No Added Cost

ISO-H Switchable Controls and EH Joystick Performance Package	0953	\$1,058.00
---	------	------------

Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal

when operating in ISO or H-Pattern Joystick Control mode.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package	0995	\$2,454.00
---	------	------------

Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration.

Includes Switchable Accelerator/Decelerator with right side foot pedal.

EH Joystick Performance Package Features:
Selectable propel speeds
Creeper Mode
Boom and Bucket speed settings
12V 3 Pin and 14 Pin Attachment Control Harness

EH Boom Performance Package Features:
EH Self-level up and down
Return-to-dig
Return-to-carry
Boom-height-kickout

SEAT

Description	Code	Price
Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
Vinyl, Air-Ride Seat	6003	\$462.00
Air Suspension Seat (Cloth with Heat)	6006	\$639.00

Cloth seat only available with cab machines.

SEAT BELT

Description	Code	Price
2-Inch Seat Belt	4000	No Added Cost
2-Inch Seat Belt with Shoulder Harness	4001	\$217.00
3-Inch Seat Belt with Shoulder Harness	4003	\$271.00

Shoulder harness required with a cab package.

Optional - Select as desired

COLD START PACKAGES

Description	Code	Price
Cold Start Package	8050	\$310.00

Includes Heavy Duty 925cca Battery and Block Heater. (110 volt)
Includes Hydrau XR Cold Start Oil for Hydraulics.

AIR PRE-CLEANER			
Description	Code	Price	
Engine Air Precleaner	8060	\$465.00	
REAR CAMERA			
Description	Code	Price	
Rear View Camera	8042	\$869.00	
Includes 5" LCD monitor.			
ONBOARD GRADE INDICATION			
Description	Code	Price	
On-board Grade Indication	8500	\$1,534.00	
Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)			
RADIO			
Description	Code	Price	
Radio, AM/FM with Bluetooth	8342	\$614.00	
Bluetooth connection is for streaming only - does not allow for hands-free calling.			
FLOOR MAT			
Description	Code	Price	
Footrest with Floormat	8380	\$147.00	
BUCKETS			
Description	Code	Price	
78 in. HD Construction Bucket (19.4 cu. ft.)	9051	\$1,313.00	
78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	9052	\$1,530.00	
78 in. HD Tooth Bucket (19.4 cu. ft.)	9221	\$1,545.00	
78 in. HD Grading Heel Bucket (18.2 cu. ft.)	9325	\$1,474.00	
78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth	9327	\$1,788.00	
78 in. HD Utility Bucket (24.5 cu. ft.)	9330	\$1,301.00	
78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	9331	\$1,530.00	
78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge	9332	\$1,730.00	
84 in. HD Construction Bucket (21.0 cu. ft.)	9061	\$1,469.00	

84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	9062	\$1,625.00
84 in. HD Tooth Bucket (21.0 cu. ft.)	9231	\$1,653.00
84 in. HD Utility Bucket (27.0 cu. ft.)	9340	\$1,377.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	9341	\$1,714.00
84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge	9342	\$1,835.00
90 in. Light Materials Bucket (53.9 cu. ft.)	9425	\$2,856.00

▼ COUNTERWEIGHT

Description	Code	Price
Counterweight, (Single Set)	8300	\$383.00
Includes 2 stackable 86 lb weights (39 Kg).		
Counterweight, (Double Set)	8305	\$765.00
Includes 4 stackable 86 lb weights (39 Kg).		
Counterweight, (Triple Set)	8310	\$1,148.00
Includes 6 stackable 86 lb weights (39 Kg).		

▼ MISCELLANEOUS

Description	Code	Price
HD Rear Grille	8370	\$497.00
Provides protection to cooling package.		
Cab Severe Duty Polycarbonate Door	8525	\$2,248.00
Power Quik-Tatch for Canopy Units	8530	\$740.00

▼ RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	\$163.00
Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention.		

▼ ATTACHMENTS FOR FIELD CONVERSION

Description	Code	Price
Buckets		
84 in. HD Construction Bucket (21.0 cu. ft.)	AT319181	\$1,484.00
84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	AT322311	\$1,641.00
	BYT10849	\$1,853.00

84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge

84 in. HD Tooth Bucket (21.0 cu. ft.)	AT321181	\$1,670.00
84 in. HD Utility Bucket (27.0 cu. ft.)	KV21470	\$1,391.00
84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	KV24758	\$1,731.00
90 in. Light Material Bucket with Edge (53.9 cu. ft.)	BYT10314	\$2,885.00

G.R.Mfg.

Bottom Covers & Reinforcement Plates	BYT10945	\$406.00
Bucket Cylinder Rod Guard	BYT10947	\$465.00
Bucket Cylinder Rod Guard	BYT10913	\$465.00
Bumper, Rear w/o Deflectors	BYT10943	\$1,370.00
Guard, Auxiliary Hydraulic Quick Coupler	BYT10260	\$345.00
Guard, Cab Roof Debris	BYT10263	\$122.00
Requires Level II FOPS Plate AT445276		
Guard, Chassis Bottom Cover Plates	BYT10262	\$382.00
Guard, Front Single and Dual Rear Worklights	BYT10259	\$220.00
Guard, Rear Bumper	BYT10261	\$1,416.00
Level II FOPS Plate	AT445276	\$688.00
Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.		
Light Guard Kit	BYT10946	\$273.00
Rear Winch Kit	BYT10912	\$11,874.00
Not compatible with S/N: 340405+ contact GR Mfg. Not compatible with machines equipped with self-level.		
Rear Window/Side Window Cab Guards	BYT10258	\$699.00
Severe Duty Forestry Package	BYT10264	\$4,890.00
Requires machine to be equipped with Cab, Severe Duty Door (8525), and HD Rear Grille (8370).		
Toe Guard and Door Upgrade Kit	AT372950	\$571.00

Required to meet ISO 8084 Forestry Applications

Kits & Accessories

4-Way Switchable Control Field Kit	BYT11997	\$1,049.00
------------------------------------	----------	------------

For G Series Large Frame SSL/CTL serial number 391835 & below
Machine must be equipped with ISO-H Switchable Controls and EH
Joystick Performance Package

For machine built without Joystick Performance Package, install
BYT10454 EH Joystick Performance Package field kit
Not compatible with EH Boom Performance Package (0995)

Provides two additional control patterns:

- Electrohydraulic (EH) hand and foot controls (H pattern)
- Electrohydraulic (EH) hand and foot controls (ISO pattern)

500K Four Way Switchable Control Kit, LF	BYT12110	\$1,049.00
---	-----------------	-------------------

For G Series Large Frame SSL/CTL serial number 391836 & above
Machine must be equipped with ISO-H Switchable Controls and EH
Joystick Performance Package

For machine built without Joystick Performance Package, install
BYT10454 EH Joystick Performance Package field kit
Not compatible with EH Boom Performance Package (0995)

Provides two additional control patterns:

- Electrohydraulic (EH) hand and foot controls (H pattern)
- Electrohydraulic (EH) hand and foot controls (ISO pattern)

Attachment Control	BYT10917	\$459.00
---------------------------	-----------------	-----------------

Installation instruction call out (S.N. - 391835)

Attachment Control Field Kit	BYT11607	\$459.00
-------------------------------------	-----------------	-----------------

Installation instructions call out (S.N. 391836 -)

Backhoe Attachment Mounting Kit	AT466358	\$122.00
--	-----------------	-----------------

Beacon Warning Light	BYT10048	\$329.00
-----------------------------	-----------------	-----------------

Block Heater Kit	AT439115	\$115.00
-------------------------	-----------------	-----------------

Bobcat Attachment Harness Adapter Kit	AT417736	\$355.00
--	-----------------	-----------------

Must have the 14 pin attachment connector already installed.

Boom Mounted Hose Guide Kit	AT436025	\$102.00
------------------------------------	-----------------	-----------------

Counterweight, Stackable (Single Set)	AT348835	\$367.00
--	-----------------	-----------------

Includes 2 - 86 lb weights (39 Kg)

Deluxe Light Package	BYT10041	\$927.00
-----------------------------	-----------------	-----------------

Includes 2 additional side lights and LED light bulbs for all exterior
machine lights.

EH Joystick Performance Package	BYT10454	\$611.00
--	-----------------	-----------------

Enables the following features: Switchable control patterns between ISO
and H Selectable propel aggressiveness Creeper Mode Boom and Bucket
speed settings
Not compatible with code 0900 Foot Controls.

Engine Air Pre-Cleaner Kit	AT439117	\$471.00
Field Kit, Reversing Fan	BYT10356	\$860.00
Kit is compatible with G series models (320G, 324G, 325G, 330G, 331G, 332G & 333G).		
Fluid Sampling Field Kit	BYT10039	\$175.00
Foot Throttle Removal Kit	AT410246	\$54.00
HD Rear Grille	BYT10058	\$611.00
Provides protection to cooling package.		
Hazard Warning Lights	BYT10050	\$131.00
High Debris Application Package	BYT11301	\$547.00
Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields.		
High Spring Effort Joysticks	AT433683	\$789.00
Joystick Pod Mounted Throttle	AT419446	\$157.00
LF G EH PERFORMANCE FIELD KIT	BYT11959	\$611.00
LF G Foot Throttle Removal	BYT11971	\$54.00
LF G JDLINK Field kit	BYT11955	\$202.00
LF G Reduced Function Inclinator Field Kit	BYT11958	\$1,545.00
LF G Reversing Fan Field Kit	BYT11957	\$860.00
LFG RETURN FILTER FIELD KIT	BYT11984	\$974.00
Provides additional filtration to protect the hydraulic system from debris. This kit is designed for Large G Series machines that did not originally include the return filter as Factory installed (SN: - 387880). Reference DTAC solution 118092 from more information.		
LFG RETURN FILTER FIELD KIT HEMA	BYT12015	\$281.00
Requires BYT11984 Additional parts for early production machines (- 340404). This kit provides additional parts required to add return filter kit (BYT11984) onto early production machines.		
On-Board Grade Indication	BYT10767	\$1,545.00
Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction).		
Radio, AM/FM with Aux Input and Bluetooth	BYT10042	\$593.00
Streaming Bluetooth, no Hands-Free.		

Rear View Camera	BYT10051	\$876.00
Includes 5" LCD monitor.		
SMV Sign	BYT10059	\$80.00
Severe Duty Door	BYT10226	\$3,169.00
Requires severe duty hardware kit BYT10085.		
Severe Duty Door Hardware Kit	BYT10085	\$175.00
Single Point Lift System	AT469520	\$2,571.00
Standard Door	BYT10227	\$1,062.00
<u>Tooth Bars</u>		
78 in. Tooth Bar - 8 Teeth	KV12296	\$576.00
78 in. Tooth Bar for BOCE - 7 Teeth	AT347132	\$827.00
84 in. Tooth Bar - 8 Teeth	KV12298	\$701.00
84 in. Tooth Bar for BOCE - 9 Teeth	AT347135	\$852.00
<u>Wheels & Tires, Four</u>		
12x16.5 10 PR Titan HD2000-III	KV14674	\$1,872.00
12x16.5 NHS CAMSO SKS	BYT10899	\$1,625.00
14x17.5 14 PR Titan HD2000-III	KV21892	\$3,048.00
14x17.5 NHS CAMSO SKS	BYT10901	\$2,491.00
<u>Wheels & Tires, Single (Left H& Only)</u>		
14x17.5 14PR Galaxy Hulk, Left	AT446729	\$950.00
<u>Wheels & Tires, Single (Right H& Only)</u>		
12x16.5 10 PR Titan HD2000-III	KV23689	\$482.00
12x16.5 NHS CAMSO SKS	BYT10898	\$408.00
14x17.5 12 PR SKS Extra-Wall	BYT10900	\$633.00
14x17.5 14 PR Titan HD2000-III	KV23691	\$776.00
14x17.5 14PR Galaxy Hulk, Right	AT446730	\$950.00