

John Deere -2022 Price List
332G SKID STEER



JOHN DEERE

01-Mar-2022

| Code | Description | QTY | List Price (USD) |
|-------|---|-----|------------------|
| OBD2T | 332G SKID STEER | 1 | \$82,471.00 |
| | 332G Base Equipment | | |
| | Engine: 4 Cylinder Turbo-Charged Electronic Injection System Auto Idle Glow Plugs Automatic Engine Shutdown with Alarm Tri-Cool Engine and Hydraulic cooling package Hydraulic Cool-on-Demand Variable Speed Fan Dual Element Air Cleaner Auto Fan Belt Tensioner John Deere "Cool Gard II" Extended Life Anti-Freeze John Deere Plus 50 10w30 engine oil 5 Micron fuel filter with Water Separator 100 Micron secondary fuel filter 26 Gallon (97 L) Fuel Tank | | |
| | Final Drive System and Undercarriage: 2-Speed Transmission Servo Axial Piston Hydrostatic Pumps Radial Piston Hydrostatic Motors Four Wheel Drive Four 100 HD continuous loop chain drive Spring applied, hydraulically released wet-disk park brake | | |
| | Gauges and Instruments: Keyless Start Sealed Switch Module Fuel Gauge Engine Coolant Temperature | | |
| | Operator Selectable LCD Digital Readout: Hourmeter Engine RPM Battery Voltage Engine Coolant Temp. Hydraulic Oil Temp. Job Clock Service Codes Diagnostic Codes Configuration Codes | | |
| | Indicator Warning Lights: Battery Not Charging Hydraulics Locked Out Park Brake Illumination Hydraulic Oil Over Temp 2-Speed Engaged Air Filter Restriction Hydraulic Oil Filter Restriction | | |

Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:

12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:

3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:

Gross Horsepower 100 Hp (75 Kw)
Rated Operating Capacity 3,600 lbs. (1,633 kg)
Tipping Load 7,200 lbs. (3,266 kg)
Hydraulic Pump Flow 25 gpm (95 L/m)
Travel Speed Low 7 mph (11.3 km/h)
Travel Speed High 12 mph (19.3 km/h)
Construction Bucket Breakout Force 9,250 lbs. (4,200 kg)
Boom Breakout Force 7,750 lbs. (3,519 kg)
Width without Attachment 78.4 in. (1.99 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.3 in. (2.19 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 10,000 lbs. (4,540 kg)

Operator Protection/Comfort:

FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit
Top and Rear Windows
Water Shedding Deluxe Seating
Convenient Tie Downs

Attachment Coupler:

John Deere patented Quik-Tatch system (no grease required)

Warranty:
 John Deere 2 years/2000 hours

OBD2T 332G SKID STEER 1 \$82,471.00

PACKAGES

Packages Basic Factory Options - Required

0752 Cab/Heat/AC, Power QT, SL & RC, 2Spd No Added Cost
 Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up and ride control, and two speed transmission.

0770 Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio \$4,589.00
 Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.

ENGINE

Cold Start Packages Field Installed Attachments - Optional

8050 Cold Start Package \$310.00
 Includes Heavy Duty 925cca Battery and Block Heater. (110 volt)
 Includes Hydrau XR Cold Start Oil for Hydraulics.

Air Pre-Cleaner Field Installed Attachments - Optional

8060 Engine Air Precleaner \$465.00

DESTINATION AND LANGUAGE

Operator's Manual and Decals Basic Factory Options - Required

1501 English Operator's Manual and Decals No Added Cost

1510 French Operator's Manual and Decals No Added Cost

| | | |
|------|--------------------------------------|---------------|
| 1515 | Spanish Operator's Manual and Decals | No Added Cost |
|------|--------------------------------------|---------------|

JOHN DEERE WORKSIGHT™

| | |
|--------|----------------------------------|
| JDLink | Basic Factory Options - Required |
|--------|----------------------------------|

| | | |
|------|-------------|---------------|
| 1741 | Less JDLink | No Added Cost |
|------|-------------|---------------|

| | | |
|------|---|------------|
| 170K | JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability. | \$1,777.00 |
|------|---|------------|

WHEELS AND TIRES

| | |
|------------------|----------------------------------|
| Wheels and Tires | Basic Factory Options - Required |
|------------------|----------------------------------|

| | | |
|------|---|---------------|
| 2320 | 14x17.5 14 PR Titan HD2000-II Provides 78.5 in. machine width. Not compatible with steel tracks. | No Added Cost |
|------|---|---------------|

| | | |
|------|--|------------|
| 2335 | 14x17.5 NHS, CAMSO SKS Provides 77.5 in. machine width. | (\$485.00) |
|------|--|------------|

| | | |
|------|---|------------|
| 2420 | 14x17.5 Treaded Brawler SolidFlex Provides 73.5 in. machine width. Not compatible with steel tracks. | \$2,390.00 |
|------|---|------------|

| | | |
|------|---|----------|
| 2450 | 14x17.5 14 PR Galaxy Hulk Provides 77 in. machine width. Not compatible with steel tracks. | \$515.00 |
|------|---|----------|

OPERATOR'S STATION AND CONTROLS

| | |
|----------|----------------------------------|
| Controls | Basic Factory Options - Required |
|----------|----------------------------------|

0950 E-H (ISO Pattern) Joystick Controls No Added Cost

0953 ISO-H Switchable Controls and EH Joystick Performance Package \$1,058.00

Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.

Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.

EH Joystick Performance Package Features:

- Selectable propel speeds
- Creeper Mode
- Boom and Bucket speed settings
- 12V 3 Pin and 14 Pin Attachment Control Harness

0995 ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package \$2,454.00

Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration.

Includes Switchable Accelerator/Decelerator with right side foot pedal.

EH Joystick Performance Package Features:

- Selectable propel speeds
- Creeper Mode
- Boom and Bucket speed settings
- 12V 3 Pin and 14 Pin Attachment Control Harness

EH Boom Performance Package Features:

- EH Self-level up and down
- Return-to-dig
- Return-to-carry
- Boom-height-kickout

Seat Basic Factory Options - Required

6001 Mechanical Suspension Seat (Vinyl) No Added Cost

6003 Vinyl, Air-Ride Seat \$462.00

6006 Air Suspension Seat (Cloth with Heat) \$639.00
Cloth seat only available with cab machines.

Seat Belt Basic Factory Options - Required

4001 2-Inch Seat Belt with Shoulder Harness \$217.00

Shoulder harness required with a cab package.

| | | |
|------|---|----------|
| 4003 | 3-Inch Seat Belt with Shoulder Harness | \$271.00 |
| | Shoulder harness required with a cab package. | |

ONBOARD GRADE INDICATION

Field Installed Attachments - Optional

| | | |
|------|--|------------|
| 8500 | On-board Grade Indication | \$1,534.00 |
| | Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction) | |

Radio

Field Installed Attachments - Optional

| | | |
|------|---|----------|
| 8342 | Radio, AM/FM with Bluetooth | \$614.00 |
| | Bluetooth connection is for streaming only - does not allow for hands-free calling. | |

Floor Mat

Field Installed Attachments - Optional

| | | |
|------|------------------------|----------|
| 8380 | Footrest with Floormat | \$147.00 |
|------|------------------------|----------|

BUCKETS

Buckets

Field Installed Attachments - Optional

| | | |
|------|--|------------|
| 9051 | 78 in. HD Construction Bucket (19.4 cu. ft.) | \$1,839.00 |
|------|--|------------|

| | | |
|------|--|------------|
| 9052 | 78 in. HD Construction Bucket (19.4 cu. ft.) with Edge | \$2,069.00 |
|------|--|------------|

| | | |
|------|---------------------------------------|------------|
| 9221 | 78 in. HD Tooth Bucket (19.4 cu. ft.) | \$2,031.00 |
|------|---------------------------------------|------------|

| | | |
|------|---|------------|
| 9325 | 78 in. HD Grading Heel Bucket (18.2 cu. ft.) | \$2,019.00 |
| 9327 | 78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth | \$2,381.00 |
| 9330 | 78 in. HD Utility Bucket (24.5 cu. ft.) | \$1,760.00 |
| 9331 | 78 in. HD Utility Bucket (24.5 cu. ft.) with Edge | \$1,993.00 |
| 9332 | 78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge | \$2,266.00 |
| 9061 | 84 in. HD Construction Bucket (21.0 cu. ft.) | \$2,048.00 |
| 9062 | 84 in. HD Construction Bucket (21.0 cu. ft.) with Edge | \$2,188.00 |
| 9231 | 84 in. HD Tooth Bucket (21.0 cu. ft.) | \$2,165.00 |
| 9340 | 84 in. HD Utility Bucket (27.0 cu. ft.) | \$1,847.00 |
| 9341 | 84 in. HD Utility Bucket (27.0 cu. ft.) with Edge | \$2,234.00 |
| 9342 | 84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge | \$2,394.00 |
| 9410 | 90 in. SD Construction Bucket with Serrated Edge (22.4 cu. ft.) | \$3,960.00 |
| 9415 | 90 in. SD Tooth Bucket (22.4 cu. ft.) | \$3,944.00 |

| | | |
|------------|---|--|
| 9425 | 90 in. Light Materials Bucket (53.9 cu. ft.) | \$3,087.00 |
| Buckets | | Field Installed Attachments - Optional |
| KV21470 | 84 in. HD Utility Bucket (27.0 cu. ft.) | \$1,847.00 |
| KV24758 | 84 in. HD Utility Bucket (27.0 cu. ft.) with Edge | \$2,234.00 |
| AT455408 | 90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.) | \$3,960.00 |
| AT450326 | 90 in. SD Tooth Bucket (22.4 cu. ft.) | \$3,944.00 |
| BYT10849 | 84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge | \$2,394.00 |
| BYT10314 | 90 in. Light Material Bucket with Edge (53.9 cu. ft.) | \$3,087.00 |
| AT319181 | 84 in. HD Construction Bucket (21.0 cu. ft.) | \$2,048.00 |
| AT322311 | 84 in. HD Construction Bucket (21.0 cu. ft.) with Edge | \$2,188.00 |
| AT321181 | 84 in. HD Tooth Bucket (21.0 cu. ft.) | \$2,165.00 |
| Tooth Bars | | Field Installed Attachments - Optional |
| AT347132 | 78 in. Tooth Bar for BOCE - 7 Teeth | \$885.00 |

| | | |
|----------|-------------------------------------|----------|
| AT347135 | 84 in. Tooth Bar for BOCE - 9 Teeth | \$912.00 |
| KV12298 | 84 in. Tooth Bar - 8 Teeth | \$750.00 |
| KV12296 | 78 in. Tooth Bar - 8 Teeth | \$616.00 |

WEIGHTS AND BALLASTING

Counterweight Field Installed Attachments - Optional

| | | |
|------|--|------------|
| 8300 | Counterweight, (Single Set) Includes 2 stackable 86 lb weights (39 Kg). | \$383.00 |
| 8305 | Counterweight, (Double Set) Includes 4 stackable 86 lb weights (39 Kg). | \$765.00 |
| 8310 | Counterweight, (Triple Set) Includes 6 stackable 86 lb weights (39 Kg). | \$1,148.00 |

MISCELLANEOUS

Miscellaneous Field Installed Attachments - Optional

| | | |
|------|---|------------|
| 8370 | HD Rear Grille Provides protection to cooling package. | \$497.00 |
| 8525 | Cab Severe Duty Polycarbonate Door | \$2,248.00 |

G.R.Mfg. Field Installed Attachments - Optional

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the

responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.
G.R. Manufacturing, Inc.
4800 Commerce Drive
Trussville, Alabama 35173
Phone: (800)841-8001 Fax: (205)655-8005

| | | |
|----------|---|------------|
| BYT10913 | Bucket Cylinder Rod Guard | \$496.00 |
| AT372950 | Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications | \$720.00 |
| BYT10261 | Guard, Rear Bumper | \$1,540.00 |
| BYT10260 | Guard, Auxiliary Hydraulic Quick Coupler | \$342.00 |
| BYT10263 | Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276 | \$142.00 |
| BYT10262 | Guard, Chassis Bottom Cover Plates Not compatible with S/N above 408779 | \$402.00 |
| AT445276 | Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series. | \$884.00 |
| BYT10259 | Guard, Front Single and Dual Rear Worklights | \$242.00 |
| BYT10258 | Rear Window/Side Window Cab Guards | \$860.00 |
| BYT12304 | Wiper Blade and Arm Guard | \$184.00 |
| BYT12664 | Severe Duty Forestry Package Requires machine to be equipped with cab, severe duty door (8525), and HD rear grille (8370). Includes: <ul style="list-style-type: none"> • Side and Rear Window Screens (BYT10258) • Bumper (BYT10261) | \$5,988.00 |

- Bottom Cover Plates (BYT12663)
- Wiper Guard (BYT12304)
- Aux Hydraulic Coupler Guard (BYT10260)
- Level II FOPS Guard (AT445276)
- Boom Arm Hose Guards (no Deere Part #-GR Part #705942)-order this kit directly from GR
- Door Upgrade Kit (AT372950)
- Cab Roof Debris Guard (BYT10263)
- Work Light Guards (BYT10259)

Not compatible with S/N below 408780. To obtain the Forestry Package for machines with serial numbers below 408779, please order BYT10262 and all kits listed in note above, except BYT12663.

| | | |
|----------|---|----------|
| BYT12663 | Guard, Chasis Bottom Cover Plates Not compatible with S/N below 408780 | \$614.00 |
|----------|---|----------|

Kits & Accessories

Field Installed Attachments - Optional

| | | |
|----------|---------------|------------|
| BYT10227 | Standard Door | \$1,062.00 |
|----------|---------------|------------|

| | | |
|----------|--------------------------|----------|
| BYT10039 | Fluid Sampling Field Kit | \$175.00 |
|----------|--------------------------|----------|

| | | |
|----------|---|----------|
| BYT11301 | High Debris Application Package Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields. Highly recommended kit. To help mitigate debris from entering the machine. Functional examples include mulching, shredding, recycling, and agricultural applications. Even with this kit installed, operators must follow information found in the operators manual concerning operating in high debris applications and cleaning the machine more frequently. | \$547.00 |
|----------|---|----------|

| | | |
|----------|---|----------|
| BYT10917 | Attachment Control Installation instruction call out (S.N. - 391835) | \$459.00 |
|----------|---|----------|

| | | |
|----------|---|------------|
| BYT10767 | On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower. | \$1,545.00 |
|----------|---|------------|

| | | |
|----------|---|------------|
| BYT10226 | Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine. | \$3,169.00 |
|----------|---|------------|

| | | |
|----------|---------------------------------------|----------|
| BYT10048 | Beacon Warning Light Magnetic Base | \$329.00 |
|----------|---------------------------------------|----------|

| | | |
|----------|-----------------------|----------|
| BYT10050 | Hazard Warning Lights | \$131.00 |
|----------|-----------------------|----------|

| Code | Description | Price |
|----------|--|------------|
| | Hardware Mounted | |
| BYT10059 | SMV Sign | \$80.00 |
| BYT10454 | EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls. Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower. | \$611.00 |
| BYT10058 | HD Rear Grille Provides protection to cooling package. | \$611.00 |
| AT439117 | Engine Air Pre-Cleaner Kit | \$471.00 |
| AT466358 | Backhoe Attachment Mounting Kit | \$122.00 |
| AT439115 | Block Heater Kit | \$115.00 |
| BYT10042 | Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free. | \$593.00 |
| AT469520 | Single Point Lift System | \$2,571.00 |
| BYT10041 | Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights. | \$927.00 |
| BYT10356 | Field Kit, Reversing Fan Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower. | \$860.00 |
| BYT10085 | Canopy Severe Duty Door Hardware Kit | \$175.00 |
| AT348835 | Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg) | \$367.00 |

| | | |
|----------|--|------------|
| AT436025 | Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G] | \$102.00 |
| AT410246 | Foot Throttle Removal Kit Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower. | \$54.00 |
| AT419446 | Joystick Pod Mounted Throttle | \$157.00 |
| AT417736 | Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed. | \$355.00 |
| AT433683 | High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower. | \$789.00 |
| BYT12015 | LFG RETURN FILTER FIELD KIT HEMA Requires BYT11984 Additional parts for early production machines (- 340404). This kit provides additional parts required to add return filter kit (BYT11984) onto early production machines. | \$281.00 |
| BYT11984 | LFG RETURN FILTER FIELD KIT Provides additional filtration to protect the hydraulic system from debris. This kit is designed for Large G Series machines that did not originally include the return filter as Factory installed (SN: - 387880). Reference DTAC solution 118092 from more information. | \$974.00 |
| BYT11997 | 4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 250K baud machines. Serial Numbers ending in 391835 and lower. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT10454 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: <ul style="list-style-type: none"> • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern) | \$1,049.00 |
| BYT11971 | LF G Foot Throttle Removal Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher. | \$54.00 |
| BYT11957 | LF G Reversing Fan Field Kit Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher. | \$860.00 |
| BYT11955 | LF G JDLINK Field kit Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher. | \$202.00 |

| | | |
|------------------------|---|--|
| BYT11959 | EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness, Creeper Mode Boom and Bucket speed settings. For G Series Large Frame SSL/CTL serial number 391836 & above. | \$611.00 |
| BYT11607 | Attachment Control Field Kit Installation instructions call out (S.N. 391836 -) | \$459.00 |
| BYT12110 | Four Way Switchable Control Kit For G Series Large Frame SSL/CTL serial number 391836 & above Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT11959 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: <ul style="list-style-type: none"> • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern) | \$1,049.00 |
| BYT11958 | On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher. | \$1,545.00 |
| BYT10798 | JDLink Hardware Kit Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower. | \$202.00 |
| RUST PROTECTION | | |
| | Rust Protection | Field Installed Attachments - Optional |
| 9909 | Rust Preventative Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL. Not for use with export shipments as export pricing includes rust prevention. | \$163.00 |

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.