

333G COMPACT TRACK LOADER



JOHN DEERE

01-Mar-2022

Code	Description	QTY	List Price (USD)
OBF2T	<p>333G COMPACT TRACK LOADER</p> <p>333G Base Equipment</p> <p>Engine: 4 Cylinder Turbo-Charged Electronic Injection System Auto Idle Glow Plugs Automatic Engine Shutdown with Alarm Tri-Cool Engine and Hydraulic cooling package Hydraulic Cool-on-Demand Variable Speed Fan Dual Element Air Cleaner Auto Fan Belt Tensioner John Deere "Cool Gard II" Extended Life Anti-Freeze John Deere Plus 50 10w30 engine oil 5 Micron fuel filter with Water Separator 100 Micron secondary fuel filter 30 Gallon (114 L) Fuel Tank</p> <p>Final Drive System and Undercarriage: 2-Speed Transmission Servo Axial Piston Hydrostatic Pumps Radial Piston Hydrostatic Motors High Drive Planetary Reduction Gear Box Grease Cylinder Track Tensioner Patented Smooth Ride Undercarriage 2 duel flanged idlers & 5 triple flanged rollers Heavy Duty 15.8 in (400 mm) Rubber Tracks Spring applied, hydraulically released wet-disk park brake</p> <p>Gauges and Instruments: Keyless Start Sealed Switch Module Fuel Gauge Engine Coolant Temperature</p> <p>Operator Selectable LCD Digital Readout: Hourmeter Engine RPM Battery Voltage Engine Coolant Temp. Hydraulic Oil Temp. Job Clock Service Codes Diagnostic Codes Configuration Codes</p> <p>Indicator Warning Lights: Battery Not Charging Hydraulics Locked Out Park Brake Illumination Hydraulic Oil Over Temp 2-Speed Engaged</p>	1	\$103,311.00

Air Filter Restriction
Hydraulic Oil Filter
Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:

12-Volt Electrical Battery
925 cca w/150 minute reserve capacity
Alternator 70 Amp
Halogen Work Lights, 2 Front and 1 Rear
Programmable courtesy lighting shutoff system

Hydraulics:

3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:

Gross Horsepower 100 Hp (75 Kw)
Rated Operating Capacity 3,700 lbs. (1,678 kg)
Tipping Load 10,566 lbs. (4,793 kg)
Hydraulic Pump Flow 25 gpm (95 L/m)
Travel Speed 6 mph (9.7 km/h)
Travel Speed 8 mph (12.9 km/h)
Construction Bucket Breakout Force 9,250 lbs. (4,196 kg)
Boom Breakout Force 7,750 lbs. (3,515 kg)
Tractive Effort - 11,500 lbf (5227 kgf)
Width without Attachment 80.7 in. (2.05 m)
Length without Attachment 122 in. (3.10 m)
Height to Top of ROPS 86.7 in. (2.20 m)
Height to Hinge Pin 132 in. (3.35 m)
Height to Hinge Pin 132 in. (3.35 m)
Machine Operating Weight 12,100 lbs. (5493 kg)

Operator Protection/Comfort:

FOPS / ROPS Roll-Guard with Side Screens
In-Cab Boom Lockout System
Adjustable Interlocking Operator Presence Lap Bar System
Retractable Seat Belt
Rearview Mirror
Back-up Alarm
Horn
Deluxe Headliner
12V power port
Cell Phone cargo net storage
Interior Dome Lighting
Cup Holder
Itrigal Grab Handles for Easy Entry / Exit

Top and Rear Windows
 Water Shedding Deluxe Seating
 Convenient Tie Downs

Attachment Coupler:
 John Deere patented Quik-Tatch system (no grease required)

Warranty:
 John Deere 2 years/2000 hours

OBF2T 333G COMPACT TRACK LOADER 1 \$103,311.00

PACKAGES

Packages Basic Factory Options - Required

0752 Cab/Heat/AC, Power QT, SL & RC, 2Spd No Added Cost
 Includes cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics with self level-up and ride control, and two speed transmission.

0770 Cab/Heat/AC, Power QT, Hi Flow, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, Heat Seat, Radio \$4,589.00
 Includes cab with air conditioning/heat and defrost, power quik-tatch, high flow hydraulics with self level-up and ride control, two speed transmission, deluxe LED lighting, reversing fan drive, chrome stack, heated seat, and radio.

ENGINE

Cold Start Packages Field Installed Attachments - Optional

8050 Cold Start Package \$310.00
 Includes Heavy Duty 925cca Battery and Block Heater. (110 volt)
 Includes Hydrau XR Cold Start Oil for Hydraulics.

Air Pre-Cleaner Field Installed Attachments - Optional

8060 Engine Air Precleaner \$465.00

DESTINATION AND LANGUAGE

Operator's Manual and Decals Basic Factory Options - Required

1501	English Operator's Manual and Decals	No Added Cost
1510	French Operator's Manual and Decals	No Added Cost
1515	Spanish Operator's Manual and Decals	No Added Cost

JOHN DEERE WORKSIGHT™

JDLink Basic Factory Options - Required

1741	Less JDLink	No Added Cost
------	-------------	---------------

170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.	\$1,777.00
------	---	------------

Grade Control Field Installed Attachments - Optional

8503	SmartGrade™ Ready including Slope Control and Blade SmartGrade Ready includes Dozer Blade, harnesses, sensors, and DozerMode controls with EasyGrade to enable smooth manual operation and a future upgrade to SmartGrade 3D Mastless Grade Control using a field kit. Slope Control automatically controls the cross slope and/or mainfall angle without the need for additional equipment (e.g. GNSS, laser reference, etc.). Grade information is displayed through an integrated 7" color LCD Display. Requires Boom Performance Package (0995), JDLink (170K), Counterweights (8310), Rear View Camera (8042), and Standard Undercarriage. Not for use with Anti-Vibration Undercarriage System (8325), Onboard Grade Indication (8500) or SmartGrade™ Mastless 3D Grade Control w/ Slope Control and Blade (8504).	\$19,737.00
------	---	-------------

8504	SmartGrade™ Mastless 3D Grade Control w/ Slope Control and Blade Slope Control automatically controls the cross slope and/or mainfall angle without the need for additional equipment (e.g. GNSS, laser reference, etc.). Grade information is displayed through an integrated 7" color LCD Display. Requires Boom Performance Package (0995), JDLink (170K), Counterweights (8310), Rear View Camera (8042), and Standard Undercarriage. Not for use with Anti-Vibration Undercarriage System (8325), Onboard Grade Indication (8500), or SmartGrade™ Ready including Slope Control and Blade (8503). SmartGrade includes 96" 6-Way Dozer Blade, fully integrated harnesses, sensors, and DozerMode controls with EasyGrade to enable smooth manual operation controls as well as 3D Mastless Grade Control. Consists of dual-band radio that is capable of receiving both UHF and 915 MHz, sensors, integrated display and Topcon software compatible with Topcon file formats. Also includes Remote Display Access (RDA) and Wireless Data Transfer (WDT) for integrated connectivity and support.	\$95,395.00
------	---	-------------

UNDERCARRIAGE

Track

Basic Factory Options - Required

2505 Offset Block Lug Tread Pattern - 15.8 in. (400 mm) Tracks (\$251.00)
 Provides 78.9 in. machine width.

2605 Offset Block Lug Tread Pattern - 17.7 in. (450 mm) Tracks No Added Cost
 Provides 81 in. machine width.

2650 Zig-Zag Bar Tread Pattern - 17.7 in. (450 mm) Tracks \$205.00
 Provides 81 in. machine width.

Undercarriage

Field Installed Attachments - Optional

8325 Anti-Vibration Undercarriage System \$6,950.00
 Provides undercarriage isolation from the machine mainframe for reduced track vibration, smooth ride, and more material retention. Also includes an integrated bogie roller system for smooth transitions over peaks.

OPERATOR'S STATION AND CONTROLS

Controls

Basic Factory Options - Required

0950 E-H (ISO Pattern) Joystick Controls No Added Cost

0953 ISO-H Switchable Controls and EH Joystick Performance Package \$1,058.00
 Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control modes.
 Includes Switchable Accelerator/Decelerator with right side foot pedal when operating in ISO or H-Pattern Joystick Control mode.
 EH Joystick Performance Package Features:
 Selectable propel speeds
 Creeper Mode
 Boom and Bucket speed settings
 12V 3 Pin and 14 Pin Attachment Control Harness

0995 ISO Joystick Controls with Integrated Detents & EH Joystick Performance Package & EH Boom Performance Package \$2,454.00
 Includes ISO Joystick Controls with integrated detents. Switchable control modes not available with this configuration.

Includes Switchable Accelerator/Decelerator with right side foot pedal.

EH Joystick Performance Package Features:

- Selectable propel speeds
- Creep Mode
- Boom and Bucket speed settings
- 12V 3 Pin and 14 Pin Attachment Control Harness

EH Boom Performance Package Features:

- EH Self-level up and down
- Return-to-dig
- Return-to-carry
- Boom-height-kickout

Seat		Basic Factory Options - Required
6001	Mechanical Suspension Seat (Vinyl)	No Added Cost
6003	Vinyl, Air-Ride Seat	\$462.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	\$639.00
Seat Belt		Basic Factory Options - Required
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	\$217.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	\$271.00
Rear Camera		Field Installed Attachments - Optional
ONBOARD GRADE INDICATION		Field Installed Attachments - Optional
8500	On-board Grade Indication	\$1,534.00

Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction)

Radio Field Installed Attachments - Optional

8342 Radio, AM/FM with Bluetooth \$614.00
 Bluetooth connection is for streaming only - does not allow for hands-free calling.

Floor Mat Field Installed Attachments - Optional

8380 Footrest with Floormat \$147.00

BUCKETS

Buckets Field Installed Attachments - Optional

9061 84 in. HD Construction Bucket (21.0 cu. ft.) \$2,048.00

9062 84 in. HD Construction Bucket (21.0 cu. ft.) with Edge \$2,188.00

9231 84 in. HD Tooth Bucket (21.0 cu. ft.) \$2,165.00

9340 84 in. HD Utility Bucket (27.0 cu. ft.) \$1,847.00

9341 84 in. HD Utility Bucket (27.0 cu. ft.) with Edge \$2,234.00

9342 84 in. Construction Bucket (21.0 cu. ft.) with Serrated Edge \$2,394.00

9410 90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.) \$3,960.00

9415	90 in. SD Tooth Bucket (22.4 cu. ft.)	\$3,944.00
9425	90 in. Light Materials Bucket (53.9 cu. ft.)	\$3,087.00
	Buckets	Field Installed Attachments - Optional
KV21470	84 in. HD Utility Bucket (27.0 cu. ft.)	\$1,847.00
KV24758	84 in. HD Utility Bucket (27.0 cu. ft.) with Edge	\$2,234.00
AT450326	90 in. SD Tooth Bucket (22.4 cu. ft.)	\$3,944.00
AT455408	90 in. SD Construction Bucket with Serrated Edge (22.4 cu.ft.)	\$3,960.00
BYT10849	84 in. HD Construction Bucket (21.0 cu. ft.) with Serrated Edge	\$2,394.00
BYT10314	90 in. Light Material Bucket with Edge (53.9 cu. ft.)	\$3,087.00
AT319181	84 in. HD Construction Bucket (21.0 cu. ft.)	\$2,048.00
AT322311	84 in. HD Construction Bucket (21.0 cu. ft.) with Edge	\$2,188.00
AT321181	84 in. HD Tooth Bucket (21.0 cu. ft.)	\$2,165.00
BYT10191	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	\$2,019.00

BYT10328	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	\$2,381.00
BYT10853	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	\$2,266.00
KV24757	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	\$1,993.00
AT321180	78 in. HD Tooth Bucket (19.4 cu. ft.)	\$2,031.00
AT322310	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	\$2,069.00
KV22802	78 in. HD Utility Bucket (24.5 cu. ft.)	\$1,760.00
AT319180	78 in. HD Construction Bucket (19.4 cu. ft.)	\$1,839.00
	Tooth Bars	Field Installed Attachments - Optional
AT347132	78 in. Tooth Bar for BOCE - 7 Teeth	\$885.00
AT347135	84 in. Tooth Bar for BOCE - 9 Teeth	\$912.00
KV12298	84 in. Tooth Bar - 8 Teeth	\$750.00
KV12296	78 in. Tooth Bar - 8 Teeth	\$616.00

WEIGHTS AND BALLASTING

Counterweight

Field Installed Attachments - Optional

8300 Counterweight, (Single Set) \$383.00
 Includes 2 stackable 86 lb weights (39 Kg).

8305 Counterweight, (Double Set) \$765.00
 Includes 4 stackable 86 lb weights (39 Kg).

8310 Counterweight, (Triple Set) \$1,148.00
 Includes 6 stackable 86 lb weights (39 Kg).

MISCELLANEOUS

Miscellaneous

Field Installed Attachments - Optional

8370 HD Rear Grille \$497.00
 Provides protection to cooling package.

8525 Cab Severe Duty Polycarbonate Door \$2,248.00

G.R.Mfg.

Field Installed Attachments - Optional

G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.
 G.R. Manufacturing, Inc.
 4800 Commerce Drive
 Trussville, Alabama 35173
 Phone: (800)841-8001 Fax: (205)655-8005

BYT10913 Bucket Cylinder Rod Guard \$496.00

AT372950 Toe Guard and Door Upgrade Kit \$720.00
 Required to meet ISO 8084 Forestry Applications

BYT10261 Guard, Rear Bumper \$1,540.00

BYT10260	Guard, Auxiliary Hydraulic Quick Coupler	\$342.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276	\$142.00
BYT10262	Guard, Chassis Bottom Cover Plates Not compatible with S/N above 408779	\$402.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	\$884.00
BYT10259	Guard, Front Single and Dual Rear Worklights	\$242.00
BYT10258	Rear Window/Side Window Cab Guards	\$860.00
BYT12304	Wiper Blade and Arm Guard	\$184.00
BYT12664	Severe Duty Forestry Package Requires machine to be equipped with cab, severe duty door (8525), and HD rear grille (8370). Includes: <ul style="list-style-type: none"> • Side and Rear Window Screens (BYT10258) • Bumper (BYT10261) • Bottom Cover Plates (BYT12663) • Wiper Guard (BYT12304) • Aux Hydraulic Coupler Guard (BYT10260) • Level II FOPS Guard (AT445276) • Boom Arm Hose Guards (no Deere Part #-GR Part #705942)-order this kit directly from GR • Door Upgrade Kit (AT372950) • Cab Roof Debris Guard (BYT10263) • Work Light Guards (BYT10259) Not compatible with S/N below 408780. To obtain the Forestry Package for machines with serial numbers below 408779, please order BYT10262 and all kits listed in note above, except BYT12663.	\$5,988.00
BYT12663	Guard, Chasis Bottom Cover Plates Not compatible with S/N below 408780	\$614.00

Kits & Accessories

Field Installed Attachments - Optional

BYT10227	Standard Door	\$1,062.00
BYT11301	High Debris Application Package Includes rear side panel and hood guarding, battery and def fluid-fill cover design and sealing enhancements, boom hydraulic line hose grommets, and engine manifold heat shields. Highly recommended kit. To help mitigate debris from entering the machine. Functional examples include mulching, shredding, recycling, and agricultural applications. Even with this kit installed, operators must follow information found in the operators manual concerning operating in high debris applications and cleaning the machine more frequently.	\$547.00
BYT10917	Attachment Control Installation instruction call out (S.N. - 391835)	\$459.00
BYT10039	Fluid Sampling Field Kit	\$175.00
BYT10767	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.	\$1,545.00
BYT10226	Severe Duty Door BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.	\$3,169.00
BYT10050	Hazard Warning Lights Hardware Mounted	\$131.00
BYT10048	Beacon Warning Light Magnetic Base	\$329.00
BYT10059	SMV Sign	\$80.00
BYT10058	HD Rear Grille Provides protection to cooling package.	\$611.00
AT466358	Backhoe Attachment Mounting Kit	\$122.00
AT469520	Single Point Lift System	\$2,571.00

AT439115	Block Heater Kit	\$115.00
AT439117	Engine Air Pre-Cleaner Kit	\$471.00
BYT10042	Radio, AM/FM with Aux Input and Bluetooth Streaming Bluetooth, no Hands-Free.	\$593.00
BYT10041	Deluxe Light Package Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	\$927.00
BYT10356	Field Kit, Reversing Fan Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.	\$860.00
BYT10085	Canopy Severe Duty Door Hardware Kit	\$175.00
BYT10454	EH Joystick Performance Package Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Factory Code 8395 or kit AT459848 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings Not compatible with code 0900 Foot Controls. Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.	\$611.00
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	\$367.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	\$102.00
AT410246	Foot Throttle Removal Kit Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.	\$54.00
AT417736	Bobcat Attachment Harness Adapter Kit Must have the 14 pin attachment connector already installed.	\$355.00
AT419446	Joystick Pod Mounted Throttle	\$157.00

AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.	\$789.00
BYT11984	LFG RETURN FILTER FIELD KIT Provides additional filtration to protect the hydraulic system from debris. This kit is designed for Large G Series machines that did not originally include the return filter as Factory installed (SN: - 387880). Reference DTAC solution 118092 from more information.	\$974.00
BYT12015	LFG RETURN FILTER FIELD KIT HEMA Requires BYT11984 Additional parts for early production machines (- 340404). This kit provides additional parts required to add return filter kit (BYT11984) onto early production machines.	\$281.00
BYT11997	4-Way Switchable Control Field Kit Compatible on G Series Large Frame SSL/CTL 250K baud machines. Serial Numbers ending in 391835 and lower. Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT10454 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: <ul style="list-style-type: none"> • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern) 	\$1,049.00
BYT11607	Attachment Control Field Kit Installation instructions call out (S.N. 391836 -)	\$459.00
BYT11958	On-Board Grade Indication Delivers an on-board readout within LCD monitor that provides the grade of the land in cross-slope direction and mainfall (fore/aft direction). Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.	\$1,545.00
BYT12110	Four Way Switchable Control Kit For G Series Large Frame SSL/CTL serial number 391836 & above Machine must be equipped with ISO-H Switchable Controls and EH Joystick Performance Package For machine built without Joystick Performance Package, install BYT11959 EH Joystick Performance Package field kit Not compatible with EH Boom Performance Package (0995) Provides two additional control patterns: <ul style="list-style-type: none"> • Electrohydraulic (EH) hand and foot controls (H pattern) • Electrohydraulic (EH) hand and foot controls (ISO pattern) 	\$1,049.00
BYT11955	LF G JDLINK Field kit Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.	\$202.00
BYT11957	LF G Reversing Fan Field Kit	\$860.00

Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.

BYT11971 LF G Foot Throttle Removal \$54.00
 Only compatible on 500K baud rate machines. Serial number ending in 391836 and higher.

BYT11959 EH Joystick Performance Package \$611.00
 Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness, Creeper Mode Boom and Bucket speed settings.
 For G Series Large Frame SSL/CTL serial number 391836 & above.

BYT11681 SG96 DOZER BLADE ATTACHMENT HOOKS \$230.00

BYT11682 SG96 DOZER BLADE BOX ENDS \$2,303.00
 Additional Box End Attachments
 Converts Dozer Blade into Box Blade
 Requires Dozer Blade Attachments Hooks for mounting (BYT11681)

BYT11683 SG96 DOZER BLADE SCARIFIER \$2,928.00
 Additional Scarifier/Ripper Attachment
 Converts Dozer Blade into Scarifier/Ripper
 Requires Dozer Blade Attachments Hooks for mounting (BYT11681)

BYT11620 SMARTGRADE JDLINK FIELD KIT \$694.00
 This Enables SmartGrade Remote support. Includes Integration harness and ethernet harness. Machine Must be equipped with JDLINK Option (170C or 170K) or will require the MTG field kit.

BYT11772 BOOM PERFORMANCE FIELD KIT \$1,396.00
 EH Boom Performance Package Features: EH Self-level up and down Return-to-dig Return-to-carry Boom-height-kickout
 Required for SmartGrade functionality

BYT10798 JDLink Hardware Kit \$202.00
 Only compatible on 250K baud machines. Serial Numbers ending in 391835 and lower.

BYT12332 Grade Control Laser Mast Field Kit for CTL \$2,000.00
 This field kit includes two masts, two top brackets, and all appropriate mounting bolts that enable installation of the laser receivers on the CTL blade.

RUST PROTECTION

Rust Protection

Field Installed Attachments - Optional

9909 Rust Preventative \$163.00

Coating protects exposed unpainted surfaces from road salt during shipment.
Applied at PSL.
Not for use with export shipments as export pricing includes rust prevention.

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.