

35G Compact Excavator

John Deere 3-11-2022 Price List

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25



JOHN DEERE

01-Mar-2022

| Code | Description | QTY | List Price (USD) |
|--------|---|-----|------------------|
| 0050FF | <p>35G Compact Excavator</p> <p>ENGINE: Yanmar 3TNV88 (1.64 l) 23.3 SAE Net HP Certified to EPA Final Tier 4 Emissions Antifreeze Single Dry-Type Air Filter Electric Fuel Shutoff Fan Guard Full Flow Oil Filter Low Maintenance Battery Fuel Filter & Water Separator Isolation Mounted Under Hood Muffler 55 Amp Alternator - 12 Volt</p> <p>HYDRAULICS: Open-Center, Load-Sensing With Two Variable Displacement Pumps and One Fixed Gear Pump Hydraulic Pilot Controls for Boom, Arm, Bucket, Swing, Boom Swing, Blade, and Auxiliary Excavator to Backhoe Control Pattern Change Valve Auxiliary Function Control and Right Hand Pilot Lever Boom Swing Foot Control Axial Piston Swing Motor Wet Disk Swing Brake Auxiliary Valve Section Auxiliary Hydraulic Lines with Release Under Pressure Auxiliary hydraulic lines with a selector valve to the arm</p> <p>UNDERCARRIAGE: 12 in. (300 mm) Rubber Track 5 ft. 8 in. (1.74 m) Backfill Blade Propel Motor Shield Planetary Final Drive Two Speed Propel with Automatic Shifting Axial Piston Propel Motor</p> <p>UPPERSTRUCTURE: Zero Tail Swing Configuration 360 Degree Upper Structure Rotation Independent Boom Swing (72 degree left and 62 degree right rotation) ROPS/FOPS Canopy Vandal Locks for: Service Doors Work lights: One Mounted on Canopy (Cab)</p> | 1 | \$58,627.00 |

One Mounted on Boom
Counterweight 1190 lb. (540 kg.)

FRONT ATTACHMENTS:
Boom 8 ft. (2.45 m)
Arm 4 ft. 4 in. (1.32 m)
Mechanical Quick Coupler

OPERATOR'S STATION:
Electronic Throttle Control with Auto Idle
Vinyl Seat with Fore/Aft
Adjustment
2 in. Retractable Seat Belt
Horn
Hour Meter
Instrumentation Lights
Monitor System with:
Engine Preheat Indicator
Engine Oil Pressure
Indicator
Alternator Voltage
Indicator
Fuel Gauge and
Level Indicator
Engine Coolant
Temperature Gauge
and Indicator
Hour Meter
Operating Lights Switch
Operating Lights
Indicator
Foldable Propel Pedals and
Levers
Two Travel Modes with
Automatic Shifting and Speed
Selection Switch
Motion Alarm with Cancel
Switch
Cupholder
12 Volt Cell Phone Outlet

| | | | |
|--------|-----------------------|---|-------------|
| 0050FF | 35G Compact Excavator | 1 | \$58,627.00 |
|--------|-----------------------|---|-------------|

WHEELS, TIRES AND TRACKS

| | |
|--------|----------------------------------|
| Tracks | Basic Factory Options - Required |
|--------|----------------------------------|

| | | | |
|------|---------------------------------------|--|---------------|
| 3125 | Rubber Track 300 mm (12 in.) Track | | No Added Cost |
|------|---------------------------------------|--|---------------|

| | | | |
|------|---|--|------------|
| 3128 | Steel Track with Triple Semi-Grouser Shoes 300 mm (12 in.) Track Long lead-time item; contact Order Fulfillment for availability. | | \$1,072.00 |
|------|---|--|------------|

FRAME

Arm

Basic Factory Options - Required

| | | |
|------|---------------------------------------|---------------|
| 7110 | Standard Arm 4 ft. 4 in. (1.32 m). | No Added Cost |
|------|---------------------------------------|---------------|

| | | |
|------|--|------------|
| 7120 | Long Arm and Extra Counterweight 5 ft. 8 in. (1.72 m) and Extra Counterweight 507 lbs (230 kg). Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side. | \$1,503.00 |
|------|--|------------|

Arm

Field Installed Attachments - Optional

OPERATOR'S STATION AND CONTROLS

Canopy or Cab

Basic Factory Options - Required

| | | |
|------|--------------------|---------------|
| 8150 | ROPS / FOPS Canopy | No Added Cost |
|------|--------------------|---------------|

| | | |
|------|--|------------|
| 8185 | ROPS / FOPS Cab With Heater & Air Conditioner. Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting. | \$6,243.00 |
|------|--|------------|

Seat

Basic Factory Options - Required

| | | |
|------|--|---------------|
| 4140 | Standard Seat - Vinyl Requires ROPS / FOPS Canopy (8150). | No Added Cost |
|------|--|---------------|

| | | |
|------|--|---------------|
| 4145 | Suspension Seat - Vinyl Requires ROPS / FOPS Canopy (8150). | No Added Cost |
|------|--|---------------|

| | | |
|------|---|---------|
| 4150 | Suspension Seat - Cloth Requires ROPS / FOPS Cab with Heater & Air Conditioner (8185). | \$29.00 |
|------|---|---------|

BLADE

Blade

Field Installed Attachments - Optional

| | | |
|------|-------------|------------|
| 9555 | Angle Blade | \$3,191.00 |
|------|-------------|------------|

COLOR

Color

Field Installed Attachments - Optional

DESTINATION AND LANGUAGE

Shipping Preparation

Field Installed Attachments - Optional

BUCKETS

Buckets

Field Installed Attachments - Optional

| | | |
|----------|--|------------|
| BYT10973 | 18 in. (457 mm) Heavy Duty Bucket Bundle | \$2,782.00 |
|----------|--|------------|

* Bundle includes a quantity of 4 of 18" Bucket BYT10966
 * Price includes a 5% discount from individual buckets' price

| | | |
|----------|--|------------|
| BYT10974 | 24 in. (610 mm) Heavy Duty Bucket Bundle | \$3,496.00 |
|----------|--|------------|

* Bundle includes a quantity of 4 of 24" Bucket BYT10967
 * Price includes a 5% discount from individual buckets' prices

| | | |
|----------|--|------------|
| BYT10968 | 30 in. (762 mm) Heavy Duty Bucket; 5.2 cu. ft. (0.14 cu. m) (5 Teeth Included) | \$1,036.00 |
|----------|--|------------|

| | | |
|----------|---|----------|
| BYT10966 | 18 in. (457 mm) Heavy Duty Bucket; 2.8 cu. ft. (0.080 cu. m) (4 Teeth Included) | \$906.00 |
|----------|---|----------|

| | | |
|----------|---|------------|
| BYT10969 | 36 In. (914 mm) Heavy Duty Bucket; 5.6 Cu. Ft. (.16 Cu. M) (6 Teeth Included) | \$1,268.00 |
|----------|---|------------|

| | | | | |
|----------|--|--|--|------------|
| BYT10967 | 24 in. (610 mm) Heavy Duty Bucket; 4.0 cu. ft. (0.11 cu. m) (4 Teeth Included) | | | \$1,038.00 |
| BYT10970 | 34 in. (863 mm) Ditch Cleaning Bucket; 5.9 cu. ft. (0.17 cu. m) (No Teeth) | | | \$1,333.00 |
| BYT10964 | 24 in. (610 mm) Heavy Duty Bucket; 3.29 cu. ft. (0.093 cu. m) (4 Teeth Included) | | | \$894.00 |
| BYT10962 | 12 in. (305 mm) Heavy Duty Bucket; 1.33 cu. ft. (0.038 cu. m) (3 Teeth Included) Does not work with Hydraulic coupler AT442164 | | | \$787.00 |
| BYT11907 | 12 in. (305 mm) Heavy Duty, 1.5 cu. ft. (0.04 cu. m), 35 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12376 - Pin Kit - Pin Grabber Coupler Attachments - 35 | | | \$1,033.00 |
| BYT11910 | 34 in. (863 mm) Ditching, 5.9 cu. ft. (0.17 cu. m), 35 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12376 - Pin Kit - Pin Grabber Coupler Attachments - 35 | | | \$1,287.00 |
| BYT11909 | 24 in. (610 mm) Heavy Duty, 4.0 cu. ft. (0.11 cu. m), 35 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12376 - Pin Kit - Pin Grabber Coupler Attachments - 35 | | | \$1,080.00 |
| BYT11908 | 18 in. (457 mm) Heavy Duty, 2.8 cu. ft. (0.08 cu. m), 35 Size Pin Grabber Coupler Bucket Pins not included, if needed order BYT12376 - Pin Kit - Pin Grabber Coupler Attachments - 35 | | | \$984.00 |

HYDRAULICS

Hydraulic Couplers

Field Installed Attachments - Optional

| | | | | |
|----------|--|--|--|------------|
| AT442164 | Hydraulic Quick Coupler Works with John Deere and Hitachi 35 quick coupler buckets only. | | | \$2,645.00 |
| BYT12093 | 35 Size Hydraulic Variable Pin Grab Coupler Dealer install field kit. Not compatible with standard wedge style buckets. Only compatible with pin-on style buckets. Not compatible with standard thumb. Only compatible with coupler length thumb. Only compatible with coupler length thumb - BYT11993. | | | \$5,103.00 |

MISCELLANEOUS

G.R.Mfg.

Field Installed Attachments - Optional

| | | |
|---|--|----------|
| AT435404 | Front Screen, Canopy (GR#705578) (30-50G CE) | \$598.00 |
| *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy. | | |

| | | |
|--|--|----------|
| AT451135 | Front Screen, Cab (GR#705753) (26-50 CE) | \$780.00 |
| *Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab. | | |

| | |
|--------------------|--|
| Interface Adapters | Field Installed Attachments - Optional |
|--------------------|--|

| | | |
|----------|---|----------|
| AT305753 | 30/35 G/ZX Compact Excavator Quick Change Adapter | \$690.00 |
|----------|---|----------|

| | |
|---------------|--|
| Miscellaneous | Field Installed Attachments - Optional |
|---------------|--|

| | | |
|--------------------------------------|---|----------|
| BYT11478 | Hydraulic Quick Disconnect Kit for Selector Valve | \$166.00 |
| Serial No. Break - Std Arm - 286115 | | |
| Serial No. Break - Long Arm - 285875 | | |

| | | |
|---|--|---------|
| BYT12376 | Pin Kit - Pin Grabber Coupler Attachments - 35 | \$95.00 |
| Non-Hardened Pin Kit intended for use with Pin-Grabber Coupler Attachments. Not for use to pin attachments or coupler to machine. | | |

| | |
|--------|--|
| Clamps | Field Installed Attachments - Optional |
|--------|--|

| | | |
|---|----------------------|------------|
| BYT11548 | Hydraulic Gray Clamp | \$2,345.00 |
| JD30G / ZX30: Works with machines equipped with aux selector valve, SN 266590 or greater. | | |
| For installation onto JD30G / ZX30 machines SN 266589 or less, see DTAC solution 116315 for additional parts and details. | | |
| JD35G / ZX35: Works with machines equipped with aux selector valve, Long Arm (7120) SN 285875 or greater, STND Arm (7110) SN 286100 or greater. | | |
| For installation onto JD35G / ZX35 Long arm (7120) SN 285874 or less, Standard Arm (7110) SN 286099 or less, see DTAC solution 116315 for additional parts and details. | | |
| If using with one-way flow attachment, also order valve DC206934 - see DTAC Solution 118369 for details. | | |
| If For Paladin Customworks Install, order AT349584 Installation Fee. | | |

| | | |
|----------|---|------------|
| BYT11993 | THUMB, 35G PIN GRABBER COMPACT EXCAVATOR, W/ SELECTOR VALVE | \$2,466.00 |
|----------|---|------------|