

544 P WHEEL LOADER

01-Mar-2022



JOHN DEERE

Code	Description	QTY	List Price (USD)
6030DW	544 P WHEEL LOADER	1	\$242,441.00
	544 P Standard Equipment		
	<p>POWER TRAIN:</p> <p>5 Speed Transmission with Lock-Up Torque Converter Electronically Controlled Fully Automated Shift System Quick Shift Button on Loader Control Lever with 2 Selectable Modes Automatic / Manual Shift Modes Programmable Maximum High Gear Adaptive Clutch-Cutoff Clutch Calibration Engaged from Monitor 100% Locking Front and Conventional Rear Differentials with Inboard Mounted Heavy Duty Planetary Gears Heavy Duty Self Adjusting Front and Rear Power Brakes Electrically Actuated Automatic Spring Applied, Hydraulically Released, Wet Multi-Disc Park Brake Transmission Fill Tube and Sight Gauge 2000 Hour Transmission Filter</p>		
	<p>COOLING:</p> <p>Quad-Cool System: Heavy Duty, Trash Resistant Radiator and High Ambient Cooling Package 2 Side access to all Coolers Cooling System isolated from Engine Compartment Engine Radiator Integral Engine Oil Cooler Hydraulic Oil Cooler (Oil to Air) Transmission Oil Cooler (Oil to Air) Charge Air Cooler (Air to Air) Coolant Recovery Tank Antifreeze, -34F (-37 C) Cool-on Demand Swing out Fan Enclosed Fan Safety Guard</p>		
	<p>HYDRAULICS:</p> <p>Pressure compensating Load Sensing Hydraulic System 2 Function Hydraulic Joystick with FNR Control</p>		

In Cab Adjustable Automatic Boom
Height Kickout / Return To Carry /Return
to Dig
Hydraulic Function Enable/ Disable
Hydraulic Reservoir with Sight
Gauge and Fill Strainer
Hydraulic Diagnostic Ports
4000 Hour In-Tank Filter

ELECTRICAL:

24 Volt Electrical System
Solid State Electrical Power
Distribution System
(2) Heavy Duty Batteries - each 950
Cold Cranking amps/190 minute
Reserve Capacity
Lockable Master Electrical
Disconnect Switch
Battery Terminal Safety Covers
Pre-wired for Beacon/Strobe Light
Lights:
(2) Halogen Driving Lights with
Guards
(4) Front and (2) Rear Work Lights
LED Turn Signals and Flashers
LED Stop and Tail Lights
Horn, Electric
Reverse Warning Alarm
Voltage Converter for 24V to 12V /
8 Amps
Multi-Function / Multi-Language LCD
Color Monitor includes:

DIGITAL INSTRUMENTS

ANALOG Display:
Hydraulic Oil Temperature
Engine Coolant Temperature
Transmission Oil Temperature
Engine Oil Pressure
DIGITAL Display:
Engine RPM
Transmission Gear / Direction
Indicator
Hour Meter
Fuel Level
DEF Level
Speedometer
Odometer
Outside Temperature
Indicator Lights for Standard and
Selected Options
Indicator Lights for Amber Caution
and Red Stop
Operator Warning Messages
BUILT-IN DIAGNOSTICS:
Diagnostic Code Details
Sensor Values
Calibrations

Individual Circuit Tester
MENU DISPLAY:
Codes
Machine Settings
Diagnostics
Monitor Settings

OPERATOR'S STATION:
ROPS Quiet Cab with Heater and Air
Conditioning
Defroster and Pressurizer
Front and Rear Intermittent
Windshield Wipers and Washers
(1) Inside and (2) Outside Rear
View Mirrors
Right Side Opening Windows
Sun Visor
Keyless Start with Multiple
Security Modes
Sealed Switch Module with Function
Indicators
Seat with Back Rest Extension, Deep
Foam, Fabric Cover, Adjustable Air
Suspension for Weight/Height with

Fore-Aft Adjustment, and Adjustable
Arm Rests
Hydraulic Controls Integrated to
Seat
3 Inch High Visibility Blaze Orange
Seat Belt with Retractor
(2) Cup Holders
Lunch box (Cooler) Holder
LED Dome and Reading Light
12 Volt Power Port
Rubber Floor Mat
Tilt Steering Column
Textured Steering Wheel with
Spinner Knob
Operator's Manual Storage
Compartment
(2) Outside and (1) Inside Rear
View Mirrors
Left Side Operator Station Access
Slip-Resistant Steps and
Ergonomically Located Handholds

Overall Vehicle:
NeverGrease Rear Axle Oscillation
Joints
Front and Rear Tie Downs
Front Fenders
Rear Hitch with Locking Pin
Articulation Locking Bar
Boom Locking Bar
40 Degree Steering Articulation to
Each Side with Rubber Cushion Stops
on Frame

Vandal Protection With Lockable
 Engine Enclosures, Right
 Counterweight Compartment, Battery
 Box, Filler Access for
 Radiator/Fuel/Hydraulic/Transmission
 Service Steps and Handholds
 Storage Compartment
 Fuel Tank Fill Strainer
 Heavy Duty Fuel Tank Guard
 Ground Level Fueling and DEF
 Less Tires and Wheels

6030DW 544 P WHEEL LOADER 1 \$242,441.00

DESTINATION AND LANGUAGE

Operator's Manual and Decals Basic Factory Options - Required

2605 English Decals and Manuals No Added Cost

2610 Spanish Decals and Manuals No Added Cost

2615 French Decals and Manuals No Added Cost

PACKAGES

Machine Configuration Basic Factory Options - Required

1010 Standard Wheel Loader No Added Cost

1030 Agriculture Material Handling Configuration (\$1,345.00)

Requires the following option codes in order to qualify for package group price:
 1430 Air Intake System with Centrifugal Precleaner Engine
 1520 Automatic Reversing Fan Drive
 9115 Cab Fresh Air Precleaner
 9065 Axle Oil Cooling and Filtration
 2360 Single Joystick Hydraulic Control
 2403 Three Function Hydraulics
 2510 Ride Control
 9043 Environmental Drain and Diagnostic Sample Ports
 3049 Hi-Traction - Front and Rear Locking Differentials

ENGINE

Engine

Basic Factory Options - Required

0924	John Deere PowerTech Engine John Deere PowerTech PVS 6.8L meets EPA FT4 and EU Stage IV Emissions (166 Net Peak hp) Turbocharged Wet Sleeve Cylinder Liners Automatic Glow Plugs Programmable Auto-Idle and Auto-Shutdown Selected Idle Adjustment from 900-1250 RPM Starter Protection 4 Valves/Cylinder Cooled Exhaust Gas Recirculation Automatic Derating for Exceeded System Temperatures Electronically Controlled HPCR Fuel Delivery System, B20 Biodiesel Compatible Electrical Fuel Priming System Serpentine Drive Belt with Automatic Tensioner Under Hood Dual Element Air Cleaner with Restriction Indicator Under Hood Exhaust Filter and Catalysts with Curved Exhaust Stack Automatic Exhaust Filter Regeneration Dual-Stage Fuel Filter and Water Separator 500 Hour Vertical Spin-on Oil Filter Cartridge Type Oil Crankcase Filter Automatic Engine Cool-down Timer Remote Start Battery Terminals	\$19,591.00
------	--	-------------

Fan Drive

Basic Factory Options - Required

1510	Standard Hydraulic Fan Hydraulically driven fan with proportional fan speed control based on cooling demands to save fuel and reduce noise.	No Added Cost
------	--	---------------

1520	Automatic Reversing Hydraulic Fan Hydraulically driven fan with proportional fan speed control based on cooling demands to save fuel and reduce noise. Automatic Reversing fan to purge debris and dust on cooling system inlet screens and coolers periodically to reduce cleaning. Reversing intervals can be set in the monitor. Requires code 1430 Engine Air Intake with Centrifugal Precleaner	\$1,650.00
------	---	------------

Air Intake

Basic Factory Options - Required

1410	Standard Engine Air Intake System Does not include centrifugal precleaner	No Added Cost
------	--	---------------

1430	Engine Air Intake System with Centrifugal Precleaner	\$667.00
------	--	----------

Exhaust Basic Factory Options - Required

1310	Flat Black Curved Stack	No Added Cost
1330	Chrome Curved Stack	\$443.00

Fuel Filtration Basic Factory Options - Required

1610	Standard Fuel Filter with Water Separator and Standard Fuel Fill	No Added Cost
------	--	---------------

Engine Field Installed Attachments - Optional

9015	Engine Block Heater Recommend for cold starts below -10 degrees F (-23 C)	\$243.00
9043	Environmental Drains and Sampling Ports	\$410.00
9055	Throttle Lock This feature adds the convenience of holding the engine at a constant engine speed for long travel distances or other constant engine speed needs without the operator having to hold the accelerator pedal position.	\$215.00
9240	Engine Compartment Light	\$180.00

ELECTRICAL

Alternator Basic Factory Options - Required

1210	100 amp Alternator For use with code 2708 8 Amp/12 V Power Converter. Not Available with Premium Cab code 1910	No Added Cost
1217	140 amp Alternator Required with code 1910 Premium Cab, code 2715 15 Amp/12V Power Converter, or code 2730 30 Amp/12V Power Converter.	\$347.00
Converter		Basic Factory Options - Required
2708	8 Amp Converter Not Available with Premium Cab code 1910	No Added Cost
2715	15 Amp Converter Requires code 1217 140 amp alternator	\$115.00
2730	30 Amp Converter Requires code 1217 140 amp alternator	\$265.00
Lighting		Basic Factory Options - Required
7120	Halogen Work and Drive Lights LED Front Turn/Marker & Rear Turn/Brake Lights	No Added Cost
7140	Premium LED Work and Drive Lights All exterior machine lights are LED LED Front Turn/Marker & Rear Turn/Brake Lights	\$1,449.00
DRIVETRAIN		
Transmission		Basic Factory Options - Required
1110	5-Speed Powershift Transmission	(\$3,900.00)
1120	5-Speed Powershift Transmission with Lock-up Torque Converter	No Added Cost

Recommend Ride Control with Lock-up Torque Converter for Load and Carry applications.

Axles Basic Factory Options - Required

3046 Front Hydraulically Locking Differential and Rear Conventional Differential Axles No Added Cost

3049 High Traction - Front & Rear Hydraulically Locking Differential Axles \$2,453.00

Differential Lock Basic Factory Options - Required

3110 Automatic Differential Lock \$1,429.00

Allows operator to switch on Automatic Diff Lock providing continual differential lock in all conditions, minimizing tire spin.
 Requires code 9410 Transmission and Bottom Guards.

3120 Manual Axle Differential Lock No Added Cost

DRIVETRAIN AND COOLING Field Installed Attachments - Optional

9050 Wheel Spin Control System \$490.00

Wheel spin control engages in 1st gear only.

9065 Axle Oil Cooling and Filtration \$2,175.00

Includes Filtration System
 Recommend Axle Coolers for long roading and or heavy braking with stockpile production applications.
 Strongly recommend bottom guards.

LINKAGE

Linkage Configuration Basic Factory Options - Required

2010 Standard Z-BAR No Added Cost

Parallel Lift Linkage

2020 High Lift Z-BAR \$4,357.00
 Parallel Lift Linkage
 Adds 11.4 inches (290 mm) height to bucket hinge pin, fully raised over standard linkage. Rated tipping load and lift capacity will be lower than unit equipped with the standard boom.

2026 High Lift Plus Z-BAR \$6,259.00
 Parallel Lift Linkage
 Adds 24.4 inches (620 mm) height to bucket hinge pin, fully raised over standard linkage. Rated tipping load and lift capacity will be lower than unit equipped with the standard boom or high lift boom.

HYDRAULICS

Hydraulic Controls Basic Factory Options - Required

2350 Single Axis Lever Controls \$202.00
 Provides an individual hydraulic function control lever for each function. Only available for 2 function and 3 function hydraulics.
 Includes steering column mounted FNR lever.

2360 Joystick Controls No Added Cost
 Provides a single lever (joystick) control for the boom and the bucket. Optional 3rd and 4th functions are controlled with proportional thumb rollers integrated in the joystick handle.
 Includes FNR switch integrated into the joystick control lever.

HYDRAULIC SYSTEM Basic Factory Options - Required

2402 Two Function Hydraulics No Added Cost
 Controls Boom and Bucket only.

2403 Three Function Hydraulics \$2,231.00
 Controls Boom and Bucket and adds an auxiliary function and boom lines.

2404 Four Function Hydraulics \$4,231.00
 Controls Boom and Bucket and adds two auxiliary functions and boom lines.
 Requires code 2360 Joystick Controls.

Hydraulic Fluid Basic Factory Options - Required

1970 Hydrau Hydraulic Fluid No Added Cost

1975 Hydrau XR Hydraulic Fluid \$190.00

Optional factory fill.

Required for colder climates with operation below -25C (-13F) and extreme cold ambient temperatures down to -40C (-40F).
 Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).

Ride Control Basic Factory Options - Required

2510 Ride Control \$4,015.00

Code 9410 Transmission and Botttom Guards are recommended in applications where underside is vulnerable.

2520 Less Ride Control No Added Cost

Hydraulics Field Installed Attachments - Optional

AT455552 High-Altitude Hydraulic Kit \$625.00

For use at high altitudes to improve hydraulic performance by pressurizing the hydraulic tank. For use above 10,000 feet.

For use with FT4 Loader Engines.

OPERATOR'S STATION AND CONTROLS

Cab / ROPS Basic Factory Options - Required

1905 Standard Cab No Added Cost

The following options are only available on the standard cab:

- 1210 100 amp Alternator
- 1934 5 inch (127mm) Display Monitor
- 2220 Deluxe Seat
- 2708 8 amp Voltage Converter
- 8310 Standard Exterior Mirrors OR 8320 Heated Exterior Mirrors
- 8360 Standard radio OR 8380 No radio

Allows lowest cost configuration.

The following options are NOT available in the standard cab configuration:

- 8370 Premium Radio
- 8350 Remote Powered and Heated Exterior Mirrors

1910 Premium Cab (\$512.00)
 Requires/Includes the following option codes in order to qualify for package group price:
 1217 140 Amp Alternator
 1940 7 inch (178mm) Display Monitor OR 1945 7 inch (178mm) Display Monitor with Dedicated 7 inch (178mm) Rear View Camera Display
 2240 Premium Seat
 2715 15 amp Voltage Converter OR 2730 30 amp Voltage Converter
 8350 Remote Powered and Heated Exterior Mirrors
 8370 Premium Radio
 Also includes Cab Automatic Temperature Control System.

A/C Charge Basic Factory Options - Required

8450 Cab with Air A/C Charge No Added Cost

Seat Basic Factory Options - Required

2220 Deluxe Seat, Cloth with Air Suspension No Added Cost
 Fabric Covered Seat with Back Rest Extension includes Lumbar Adjustment and Air Suspension with Full Damping Capability.
 Not Available with Premium Cab code 1910

2240 Premium Seat, Heated and Ventilated with Heavy Duty Air Suspension \$1,295.00
 Leather Accented Seat with Back Rest Extensions includes Pan Tilt, Pan Extend, Lumbar Adjustment and Air Suspension with Full Damping Capability.

MONITOR Basic Factory Options - Required

1940 7 inch Monitor No Added Cost

1945 7 inch Monitor with Dedicated Rear Camera Display \$1,645.00
 Provides a separate and dedicated 7 inch display monitor for displaying continuous rear view camera imagery and allowing standard monitor to display without interruption.

1934 5 inch Monitor (\$206.00)
 Not Available with Premium Cab code 1910

Mirrors Basic Factory Options - Required

8310	Standard Exterior Mirrors Not Available with Premium Cab code 1910	No Added Cost
8320	Heated Exterior Mirrors Not Available with Premium Cab code 1910	\$424.00
8350	Remote Powered and Heated Exterior Mirrors Not Available with Standard Cab code 1905	\$712.00

Radio Basic Factory Options - Required

8360	Standard Radio AM/FM/Weather Band (WB) Radio with Remote AUX Port Requires Standard Cab	\$576.00
8370	Premium AM/FM/Weather Band (WB) with Bluetooth, Remote Aux and Remote USB Port AM/FM/Weather Band (WB) Radio with Bluetooth, Remote Aux and Remote USB Port Requires Premium cab	\$850.00
8380	No Radio Requires Standard Cab	No Added Cost

REAR OBJECT DETECTION Basic Factory Options - Required

8235	Rear Camera and Rear Object Radar Detection Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled color monitor or dedicated color monitor.	\$3,304.00
8240	Rear Camera	No Added Cost

BEACONS Basic Factory Options - Required

8275 LED Strobe Beacon with Left Beacon Bracket \$275.00
 LED Strobe Beacon on hinged bracket mounted to the rear left side of the cab exterior.

8290 Left Beacon Bracket Only \$168.00
 Hinged bracket only mounted to the rear left side of the cab exterior.

8298 No Strobe Beacon or Left Beacon Bracket No Added Cost

CAB ENTRANCE STEPS Basic Factory Options - Required

5610 Left Side Steps Only No Added Cost

5620 Left And Right Side Steps \$920.00
 Not for use with code 5570 Less Fenders and Rear Platforms

5670 Close Mounted Left Side Steps Only No Added Cost
 Requires code 5570 Less Fenders and Rear Platforms

Operator's Station Field Installed Attachments - Optional

9115 Powered Cab Fresh Air Pre-Cleaner \$945.00
 Extends cab air filter change intervals.

9127 Seat Belt with Minder Switch and External Indicator Light \$360.00
 The seat belt Minder Switch sends a JDLink code alert if the park brake is released and seat belt not latched.. The external indicator light, is a green strobe beacon mounted on the right hand corner of the cab that flashes anytime the unit is running and the seat belt is latched.

9140 Fire Extinguisher \$149.00
 5.0 lbs. multi purpose (ABC) Dry Chemical Fire Extinguisher mounted inside the cab to the left front ROPS post.

STEERING

Steering Systems Basic Factory Options - Required

2120 Steering Wheel Only No Added Cost

2130 Steering Wheel Only with Secondary Steering \$2,851.00

Secondary Steering is NOT Joystick Steering Control. Secondary steering is used in the event of a failure of the normal steering power source(s), or if engine shuts down while the machine is in motion and allows temporary steering of the machine by using an electric motor powered steering pump or a ground driven steering pump (depending on loader model) to provide temporary hydraulic pressure and flow to the steering cylinders.

PAYLOAD SCALE

Payload Scale Basic Factory Options - Required

2870 No Payload Scale with Cycle Counter \$119.00

2890 No Payload Scale without Cycle Counter No Added Cost

Payload Scale Field Installed Attachments - Optional

BYT11767 Cycle Counter Switch Field Kit \$121.00

JOHN DEERE WORKSIGHT™

Machine Connectivity Basic Factory Options - Required

Machine connectivity functions require cellular coverage. Usage of JDLINK System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

170K JDLINK™ No Added Cost

Includes integrated cab wiring harness, antenna, and JDLINK™ Modem (MTG).

JDLINK™ connectivity is enabled separately through the JDLINK™ website. Connectivity service is subject to country

availability.

170R	JLink™ Satellite Includes integrated cab wiring harness, antenna, JLink™ Modem's (Cellular MTG & Satellite MTG). JLink™ connectivity is enabled separately through the JLink™ website. Connectivity service is subject to country availability.	\$3,215.00
------	---	------------

FENDER

Fenders Basic Factory Options - Required

5530	Standard Front Fenders Includes standard width front fenders, left side steps, as well as both left and right side platforms. Fender width is narrower than tire by design to be less susceptible to damage if tire brushes against objects from the side.	No Added Cost
------	--	---------------

5540	Full Width Front Fenders Includes full width front fenders, left side steps, as well as both left and right side platforms. Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes against objects from the side.	\$320.00
------	--	----------

5550	Full Width Front and Rear Fenders Includes full width front and rear fenders, left side steps, as well as both left and right side platforms. Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes against objects from the side. Mudflaps and wiper flap are NOT included.	\$2,310.00
------	---	------------

5560	Full Coverage Front and Rear Fenders with Mudflaps Includes full width front and rear fenders, left side steps, as well as both left and right side platforms. Also includes mudflaps and wiper flap on front fenders to reduce tire spray while traveling fast in wet conditions. Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes against objects from the side.	\$2,805.00
------	--	------------

5570	Less Fenders and Rear Platforms Not for use with Code 5620 Left and Right Side Steps	No Added Cost
------	---	---------------

WHEELS AND TIRES

Wheels and Tires Basic Factory Options - Required

All Tires are tubeless and include rims, axle stops when required, and come in sets of 4.
 Tire chain use requires Axle Stops.

NOTE: If a No Brand Preference code is selected a 9000 code in the Optional Equipment - Order as Desired section will automatically be selected as well. This is required to enable the factory to source this order.
Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660.

Less Wheels and Tires

4000	Less Wheels and Tires 8 Degree Axle Stops Installed If solid tires are installed it requires the Rear Access Platforms from GR Mfg listed in the Referral section of the Price Pages. Includes retaining hardware. This package is required for rear axle warranty. For warranty information refer to the SAM manual.	No Added Cost
4004	20.5x25 3pc.Rims Less Tires 8 Degree Axle Stops Installed	\$3,171.00
	20.5R25 L2 Single Star Radial Tires With 3 Piece Rims	
4932	No Brand Preference	\$14,275.00
4413	Titan TGD2, 20.5R25 L2 Single Star Radial Tires with 3pc Rims	\$15,000.00
4412	Bridgestone VUT, 20.5R25 L2 Single Star Radial Tires with 3pc Rims	\$16,930.00
4411	Michelin XTLA, 20.5R25 L2 Single Star Radial Tires with 3pc Rims	\$18,283.00
44A5	Custom Code - Bridgestone VKT, 20.5R25 L2 Single Star Radial Tires with 3pc Rims	\$25,532.00
44A3	Custom Code - Bridgestone VSW, 20.5R25 L2 Single Star Radial Tires with 3pc Rims	\$31,663.00

20.5-25 L2 16PR Bias Tires With 3 Piece Rims

4933	No Brand Preference	\$11,900.00
4323	Titan Loader, 20.5-25 L2 16PR Bias Tires with 3pc Rims	\$12,600.00
4322	Firestone SGG, 20.5-25 L2 16PR Bias Tires with 3pc Rims	\$13,107.00
	20.5R25 L3 Single Star Radial Tires With 3 Piece Rims	
4934	No Brand Preference	\$13,138.00
4423	Titan STL3, 20.5R25 L3 Single Star Radial Tires with 3pc Rims	\$13,900.00
4425	Bridgestone VJT, 20.5R25 L3 Single Star Radial Tires with 3pc Rims	\$16,640.00
4421	Michelin XHA2, 20.5R25 L3 Single Star Radial Tires with 3pc Rims	\$19,030.00
	Other Tire Options	
4313	Titan, 20.5-25 12PR L2 Bias Tires with 3pc Rims	\$10,500.00
4332	Firestone SRG, 20.5-25 16PR L3 Bias Tires with 3pc. Rims	\$14,080.00
4415	Michelin XSnoPlus, 20.5R25 L2 Radial Tires with 3pc Rims	\$19,950.00
5114	Michelin MegaXbib, 620/75R26 Agriculture Tires with 1pc Rims	\$19,320.00

8 degree axle stops installed.
 Requires Code 5570 Less Front Fenders and Rear Platforms and Code 5670 Close Mounted Left Side Steps.

5116	Michelin MegaXbib, 750/65R26 Agriculture Tires with 1pc Rims 8 degree axle stops installed. Requires Code 5570 Less Front Fenders and Rear Platforms and Code 5670 Close Mounted Left Side Steps.	\$19,850.00
------	---	-------------

52A3	Custom Code - Michelin XLD, 600/65R25 L3 Radial Tires with 3pc Rims 8 degree axle stops installed	\$26,978.00
------	--	-------------

45W8	Custom Code - Firestone SDT, 20.5X25 20PR L5 Bias Tires with 3pc Rims 8 Degree Axle Stops Installed	\$29,871.00
------	--	-------------

Tire Brand Preference Field Installed Attachments - Optional

No Tire Brand Preference

9707	20.5R25 1 STAR L2 NO BRAND PREFERRED RADIAL TIRES WITH 3 PC RIMS	No Added Cost
------	--	---------------

9708	20.5-25 L2 16PR BIAS NO BRAND PREFERRED WITH 3 PC RIMS	No Added Cost
------	--	---------------

9709	20.5R25 1 STAR L3 NO BRAND PREFERRED RADIAL TIRES WITH 3 PC RIMS	No Added Cost
------	--	---------------

WORK TOOLS

Hydraulic Couplers Basic Factory Options - Required

8560	Hydraulic Coupler - JRB 416 Pattern	\$5,794.00
------	-------------------------------------	------------

8561	Hydraulic Coupler - Hi-Vis/ISO Pattern	\$5,794.00
------	--	------------

8563	Field Coupler Ready: Pin Disconnect Plumbing For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube, electric switch, and solenoid valve. Pins NOT included – dealer will need to work with aftermarket supplier of coupler to procure proper size pins.	\$1,452.00
8565	Field Bucket Ready: Pins Only Pins are shipped with the machine. The pins provided are designed and intended for use in installing Deere designed field installed pin-on buckets. Use of the pins to attach any other buckets, couplers, or other attachments may or may not be acceptable, and must be reviewed on a case by case basis to determine if they provide adequate pin engagement and pin retention.	\$595.00
8567	Factory Pin-on Bucket Ready Required when ordering factory installed pin-on buckets - NOT coupler style hook-on buckets or field installed buckets.	No Added Cost
Buckets		Basic Factory Options - Required
Bucket options are orderable with either a coupler or a pin-on configuration, unless otherwise noted.		
8900	2.5 Cu. Yd. Bucket All 2.5 cu yd buckets are 100" (2540mm) wide coupler style hook-on Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. No pin-on bucket is offered in this size. Not for use with code 8567 Factory Pin-on Bucket.	\$7,867.00
8905	2.75 Cu. Yd. Bucket All 2.75 cu yd buckets are 100" (2540 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard.	\$8,507.00
8907	3.0 Cu. Yd. Bucket (Pin-On only) All 3.0 cu yd buckets are Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. This is a Pin-on bucket and is 100" (2540 mm) wide. Requires code 8567 for Factory Pin-on Bucket.	\$9,124.00
8910	3.0 Cu. Yd. Bucket (Coupler only) All 3.0 cu yd buckets are Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. This is a Coupler style hook-on bucket and is 106" (2692 mm) wide. Requires Coupler code 8560 or 8561.	\$9,124.00
8915	3.25 Cu. Yd. Bucket (Coupler only) All 3.25 cu yd buckets are 106" (2692 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. Requires Linkage code 2010 or 2020 and Coupler code 8560 or 8561.	\$9,429.00
8916	3.25 Cu. Yd. Bucket (Pin-On only) All 3.25 cu yd buckets are 106" (2692 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. Requires code 8567 for Factory Pin-on Bucket.	\$9,429.00

8920	3.5 Cu. Yd. Bucket (Coupler only) All 3.5 cu yd buckets are 106" (2692 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. 3.5 cu yd coupler style hook-on buckets are not available for the 544 P-tier High Lift or High Lift Plus. Not for use with 8567 Factory Pin-on Bucket. Requires Linkage code 2010 and Coupler code 8560 or 8561.	\$10,075.00
8930	4.0 Cu. Yd. Light Material Bucket (Coupler-only) 114" (2896 mm) wide Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits. Requires code 8860 Bolt-on Cutting Edge Not for use with code 8567 Factory Pin-on Bucket.	\$12,973.00
8940	4.5 Cu. Yd. Light Material Bucket (Coupler-only) 114" (2896 mm) wide Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits. Requires code 8860 Bolt-on Cutting Edge Not for use with code 8567 Factory Pin-on Bucket.	\$14,133.00
8950	5.25 Cu. Yd. Light Material Bucket (Coupler-only) 120" (3048 mm) wide Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits. Requires code 8860 Bolt-on Cutting Edge Not for use with code 8567 Factory Pin-on Bucket.	\$15,752.00
8960	No Bucket	No Added Cost

CUTTING EDGES AND TEETH

Basic Factory Options - Required

8850	Bolt-on Cutting Edge For use with 100 inch wide buckets.	\$919.00
8860	Bolt-on Cutting Edge For use with 106 inch wide and light material buckets.	\$1,054.00
8870	Bolt-on Teeth with Cutting Edge Segments For use with 100 inch wide buckets.	\$2,328.00

8880	Bolt-on Teeth with Cutting Edge Segments For use with 106 inch wide buckets.	\$2,738.00
------	---	------------

8890	No Bucket Edge or Teeth Required when ordering code 8960 No Bucket	No Added Cost
------	---	---------------

FORK FRAME	Basic Factory Options - Required
------------	----------------------------------

5760	60 in (1524mm) Wide Fork Frame Requires code 8560 Hydraulic Coupler - JRB 416 Pattern OR code 8561 Hydraulic Coupler - Hi-Vis/ISO Pattern	\$8,327.00
------	--	------------

5780	96 in (2438mm) Wide Fork Frame Requires code 8560 Hydraulic Coupler - JRB 416 Pattern OR code 8561 Hydraulic Coupler - Hi-Vis/ISO Pattern	\$11,057.00
------	--	-------------

5840	No Fork Frame	No Added Cost
------	---------------	---------------

TINES	Basic Factory Options - Required
-------	----------------------------------

5860	48 Inch (1219mm) Construction Tines Requires code 5760 60 in (1524mm) Wide Fork Frame OR code 5780 96 in (2438mm) Wide Fork Frame	\$1,571.00
------	--	------------

5870	60 Inch (1524mm) Construction Tines Requires code 5760 60 in (1524mm) Wide Fork Frame OR code 5780 96 in (2438mm) Wide Fork Frame	\$2,117.00
------	--	------------

5890	72 Inch (1829mm) Construction Tines Requires code 5760 60 in (1524mm) Wide Fork Frame OR code 5780 96 in (2438mm) Wide Fork Frame	\$3,003.00
------	--	------------

5940	No Tines Required when ordering code 5840 No Fork Frame	No Added Cost
------	--	---------------

FRAME AND CHASSIS

Rear Hitch and Counterweights	Basic Factory Options - Required
-------------------------------	----------------------------------

8220	Rear Hitch and Counterweight	No Added Cost
8230	Less Rear Hitch and Counterweight Right side rear counterweight is removed, left side rear counterweight is still in place due to DEF/fuel tank placement. For use with Standard or High Lift Linkage Codes 2010 or 2020 only This option is typically used in conjuncture with a waste handling package or any other special application where a GR Manufacturing rear guarding package is installed. The less counterweight code still includes the left side pod as it is needed to house the DEF tank. Please consult DMAC if you have any questions as this code will reduce FTTL. Right side rear counterweight is removed, left side rear counterweight is still in place due to DEF/fuel tank placement. For use with Standard or High Lift Linkage Codes 2010 or 2020 only	(\$1,053.00)
MISCELLANEOUS		
	Miscellaneous	Field Installed Attachments - Optional
9210	Electrical Corrosion Prevention Package Preventive corrosion treatment for use in corrosive environments. Preventive corrosion treatment includes dielectric grease for electrical connections and polyurethane-based sealant on exposed terminals.	\$1,425.00
9410	Transmission and Bottom Guards Recommended in applications where underside is vulnerable. Includes transmission side guards, bottom guards, and loader mast side covers.	\$2,034.00
9510	Lift Hooks	\$333.00
9520	License Plate Bracket Includes light for night time illumination.	\$177.00
9525	Slow Moving Vehicle (SMV) Emblem	\$157.00
9800	Finish Paint - Decals Not Installed For custom paint. Non-Paintable charcoal grey cab roof. Decals packaged with machine. Safety decals installed.	No Added Cost
9909	Shipping Rust Preventive Coating - Non Export	\$235.00

Coating protects exposed unpainted surfaces from road salt during shipment.

9675 Attachment Recognition \$980.00
 Enables Asset Tracking Beacons to allow hydraulic settings to change while swapping attachments for applicable machines.

Custom Codes Field Installed Attachments - Optional

Miscellaneous Field Installed Attachments - Optional

AT519021 Attachment Recognition \$1,087.80
 Enables Asset Tracking Beacons to allow hydraulic settings to change while swapping attachments for applicable machines.
 Software Only Kit to be ordered through Service Parts.

Couplers Field Installed Attachments - Optional

BYT10636 Hydraulic Coupler - JRB 416 Pattern \$4,974.00
 For use with Standard, High Lift, and High Lift Plus Z-Bar Linkages Linkage

BYT10635 Hydraulic Coupler - Hi-Vis/ISO Pattern \$4,974.00
 For use with Standard, High Lift, and High Lift Plus Z-Bar Linkages Linkage

Operator Environment Field Installed Attachments - Optional

BYT11249 Premium AM/FM/Weather Band (WB) with Bluetooth, Remote Aux and Remote USB Port \$789.00

BYT11255 Ride Control Kit \$3,724.00
 Transmission and Bottom Guards are recommended in applications where underside is vulnerable.

BYT11263 Rear Camera \$1,007.00
 Display shows view behind the machine. Rear view is displayed in video-enabled LCD Color Monitor.

BYT11265 Dedicated 7-inch Rear Camera Display \$1,527.00

Provides a separate and dedicated 7 inch display monitor for displaying continuous rear view camera imagery and allowing standard monitor to display without interruption.

BYT11259 24 Volt to 12 Volt - 30 Amp Converter \$341.00

BYT11857 Seat Belt with Minder Switch and External Indicator Light Kit \$530.00

The seat belt Minder System monitors seat belt status and reports through JDLink when enabled. The external indicator light is a green strobe beacon mounted on the right hand corner of the cab that flashes anytime the unit is running and the seat belt is latched.

BYT11256 Secondary Steering System \$2,645.00

BYT11300 CB Radio Antenna Kit \$152.00

Kit includes CB Radio Antenna, Antenna Cable, Mounting Brackets, and Hardware

BYT11988 Steering Column FNR Kit \$402.00

BYT11407 Satellite Radio Installation Kit \$382.00

Kit includes a Satellite Radio Antenna, Satellite Radio Receiver, Satellite Radio Harness, and mounting brackets to allow the existing radio to receive and play Satellite radio broadcast signals. The kit does not include a Satellite radio subscription and an existing radio is required.

BYT11264 Rear Camera and Rear Object Radar Detection \$4,072.00

Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled color monitor or dedicated color monitor.

Powertrain & Cooling

Field Installed Attachments - Optional

BYT11280 Axle Oil Cooling and Filtration \$2,018.00

Includes Filtration System
Recommend Axle Coolers for long roading and or heavy braking with stockpile production applications.
Strongly recommend bottom guards.

BYT11248 Automatic Reversing Hydraulic Fan \$1,531.00

Hydraulically driven fan with proportional fan speed control based on cooling demands to save fuel and reduce noise. Automatic Reversing fan to purge debris and dust on cooling system inlet screens and coolers periodically to reduce cleaning. Reversing intervals can be set in the monitor.

Requires Engine Air Intake with Centrifugal Precleaner

BYT11253 Powered Cab Air Pre-Cleaner \$878.00

	Extends cab air filter change intervals	
AT362998	Automatic Axle Differential Lock (Auto-Diff/Lock)	\$1,581.00
BYT11227	Environmental Drains and Sampling Ports Includes transmission drain valve, hoses to all drain valves and hardware to safely drain vehicle fluids.	\$381.00
	Overall Vehicle	Field Installed Attachments - Optional
BYT11547	Strobe Beacon with Mounting Brackets Kit includes one strobe beacon and two hinged mounting brackets, one for each side of the machine. Each side of the machine is pre-wired for the beacon so beacon can be installed on either side.	\$472.00
BYT11201	Full Coverage Front and Rear Fenders with Mudflaps Fender Kit contains all parts necessary to convert a machine from the base factory option of Standard Front Fenders to the equivalent of the factory option of Full Coverage Front and Rear Fenders with Mudflaps. Includes full width front and rear fenders, mudflaps on front and rear fenders, and wiper flaps on front fenders to reduce tire spray while traveling fast in wet conditions. Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes against objects from the side.	\$2,602.00
BYT11203	Right Side Steps and Handholds	\$854.00
AT453819	Wheel Spin Control Wheel spin control engages in 1st gear only. Software only kit. Order software kit AT453820 through JDPoint to enable functionality on the machine.	\$770.00
BYT11260	Engine Compartment Light	\$168.00
BYT11262	Throttle Lock Software This feature adds the convenience of holding the engine at a constant engine speed for long travel distances or other constant engine speed needs without the operator having to hold the accelerator pedal position.	\$200.00
BYT11266	License Plate Bracket Includes light for night time illumination.	\$165.00
BYT11267	24V Aux Electrical Output Kit	\$179.00

Provides 24V output to allow operation of electrical solenoid valves or other electrical components from the hydraulic controls through the multi-function button.

Hydraulics

Field Installed Attachments - Optional

BYT11230	<p>3rd Function Hydraulics</p> <p>Includes third function hydraulic valve section. Does not include in-cab control function.</p> <p>Kit does not include hoses and will require dealer to manufacture hoses per installation instructions.</p>	\$2,777.00
BYT11187	<p>Joystick Controls Conversion to Single Axis Controls (3-Function)</p> <p>To convert from single joystick hydraulic control lever with FNR and auxiliary function to 3-Lever single axis controls with steering column FNR lever.</p>	\$1,591.00
BYT11251	<p>Single Axis Controls Conversion to Joystick Controls (4, 5, or 6-Function)</p> <p>To convert from 2 or 3-Lever single axis controls with steering column FNR lever to single joystick hydraulic control lever with FNR and integrated auxiliary function rollers for 4, 5, or 6-functions.</p> <p>Kit only updates in-cab controls and does not include valve sections or plumbing.</p>	\$1,559.00
BYT11245	<p>Cable Reinforced Coupler Plumbing kit - Hi-Vis/ISO</p> <p>Provides plumbing from boom cross tube to the coupler.</p> <p>For use with Deere designed Hi-Vis/ISO style coupler added in the field.</p>	\$218.00
BYT11232	<p>4th Function Hydraulics</p> <p>Includes 4th function hydraulic valve section and plumbing from valve to boom cross tube. Not for use with single axis control levers. Requires joystick control lever. Does not include in-cab control function.</p> <p>Kit does not include hoses and will require dealer to manufacture hoses per installation instructions.</p>	\$2,777.00
BYT11271	<p>Attachment Coupler Plumbing Kit - High Lift Linkage</p> <p>For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube.</p>	\$449.00
BYT11246	<p>3rd Function Plumbing from Boom to Coupler</p> <p>For use on units with factory 3rd function hydraulics having a coupler added in the field.</p> <p>Kit does not include hoses and will require dealer to manufacture hoses per installation instructions.</p>	\$176.00
BYT11235	<p>5th/6th Function Hydraulics</p> <p>Includes hydraulic valve section and tie rods which allow for 5th and/or 6th auxiliary functions. A separate kit would need to be ordered to add both 5th and 6th functions to an existing 4-function valve. Does not include in-cab control function. Unit must be equipped with 4-function joystick control lever to operate 5th and 6th functions. If unit is equipped with 3-funtion joystick controller then a new 4-function joystick control lever will be required. 5th and 6th functions are not compatible with single axis controls.</p>	\$3,473.00

Kit does not include hoses and will require dealer to manufacture hoses per installation instructions.

BYT11250	<p>Joystick Controls Conversion to Single Axis Controls (2-Function)</p> <p>To convert from single joystick hydraulic control lever with FNR to 2-Lever single axis controls with steering column FNR lever.</p>	\$1,275.00
BYT11270	<p>Attachment Coupler Plumbing Kit - Standard Z-Bar Linkage</p> <p>For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube.</p>	\$449.00
BYT11272	<p>Attachment Coupler Plumbing Kit - High Lift Plus Linkage</p> <p>For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube.</p>	\$449.00
BYT11237	<p>Hydraulic Control Valve for Attachment Coupler Locking Pins</p> <p>For use with field installed Attachment couplers. Includes solenoid valve and software to program SSM switch to operate coupler. Both Attachment Coupler Plumbing and Cable Reinforced Coupler Plumbing kits are needed to provide plumbing from the valve to the coupler.</p>	\$899.00
BYT11268	<p>3rd Function Single Axis Lever</p> <p>In-cab control lever only for updating units equipped with two-function single axis controls to three-function single axis controls. Not for use with joystick control lever. Does not include hydraulic valve section or any associated plumbing.</p>	\$318.00
BYT11252	<p>Joystick Controls (2 or 3 function) Conversion to Joystick Controls (4, 5, or 6-Function)</p> <p>To convert from single joystick hydraulic control lever with FNR and one integrated auxiliary function roller (2 or 3 function) to single joystick hydraulic control lever with FNR and two integrated auxiliary function rollers for 4, 5, or 6-functions. Kit only updates in-cab controls and does not include valve sections or plumbing.</p>	\$1,212.00
BYT11186	<p>Single Axis Controls Conversion to Joystick Controls (2 or 3-Function)</p> <p>To convert from 2 or 3-Lever single axis controls with steering column FNR lever to single joystick hydraulic control lever with FNR and integrated auxiliary function roller.</p>	\$1,253.00
BYT11244	<p>Cable Reinforced Coupler Plumbing kit</p> <p>Provides plumbing from boom cross tube to the coupler. For use with Deere designed JRB 416 style coupler added in the field.</p>	\$218.00
Forks		Field Installed Attachments - Optional
BYT10662	<p>60 in. (1.52 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 48 in. (1.219 m) Tines</p> <p>Compatible with Hi-Vis/ISO pattern hook-on coupler</p>	\$7,507.00
BYT11128	<p>60 in. (1.52 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 72 in. (1.83 m) Tines</p>	\$9,063.00

	Compatible with Hi-Vis/ISO pattern hook-on coupler	
BYT10665	60 in. (1.52 m) Coupler Fork Frame Carriage w/ (2) 60 in. (1.52 m) Tines Compatible with JRB 416 pattern hook-on coupler.	\$7,903.00
BYT10841	96 in. (2.44 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 60 in. (1.52 m) Tines Compatible with Hi-Vis/ISO pattern hook-on coupler	\$9,406.00
BYT11130	96 in. (2.44 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 72 in. (1.83 m) Tines Compatible with Hi-Vis/ISO pattern hook-on coupler	\$11,572.00
BYT11127	60 in. (1.52 m) Coupler Fork Frame Carriage w/ (2) 72 in. (1.83 m) Tines Compatible with JRB 416 pattern hook-on coupler	\$9,063.00
BYT10840	96 in. (2.44 m) Coupler Fork Frame Carriage w/ (2) 60 in. (1.52 m) Tines Compatible with JRB 416 pattern hook-on coupler	\$9,406.00
BYT10664	60 in. (1.52 m) Coupler Fork Frame Carriage w/ (2) 48 in. (1.219 m) Tines Compatible with JRB 416 pattern hook-on coupler	\$7,507.00
BYT11129	96 in. (2.44 m) Coupler Fork Frame Carriage w/ (2) 72 in. (1.83 m) Tines Compatible with JRB 416 pattern hook-on coupler	\$11,572.00
BYT10663	60 in. (1.52 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 60 in. (1.52 m) Tines Compatible with Hi-Vis/ISO pattern hook-on coupler	\$7,903.00

G.R.Mfg.

Field Installed Attachments - Optional

G.R. Manufacturing, Inc.

* Kits listed below must be ordered through John Deere.

* F.O.B. Trussville, Alabama

* All kits include installation instructions

* All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.

G.R. Manufacturing, Inc.

4800 Commerce Drive

Trussville, Alabama 35173

Phone: (800)841-8001

Fax: (205)655-8005

BYT11090	Front Screen for Cab Front Screen will fully open to facilitate cleaning. ISO 8084 CERTIFIED	\$3,320.00
----------	--	------------

BYT11102	Rear Tire Deflector Kit Required when machine is equipped with solid or foam filled tires.	\$7,564.00
BYT11096	Hyd Operated Extreme Service Bottom Guards Cannot be used with code 3110 Axle Auto Diff Lock or 9410 Transmission & Bottom Guards.	\$7,120.00
BYT11098	Boom Cylinder Hydraulic Line & Cavity Guards	\$3,574.00
BYT11097	Heavy-Duty Service Cab Entry Step	\$1,132.00
BYT11091	Cab Side and Rear Screen Package	\$5,660.00
BYT11092	Heavy-Duty Rear Grille Guard Requires Rear Access Deflectors.	\$2,934.00
BYT11094	Articulation Joint Guards Protects center pivot area. Includes heavy duty transmission compartment side shields. Recommended for trash handling, brush clearing, & recycling.	\$2,380.00
BYT11095	Axle Seal Guards	\$1,380.00
Bucket Hardware & Accessories		Field Installed Attachments - Optional
AT208833	Auxiliary Cutting Edge for 100 in.(254cm)bucket widths Installation instructions T170401.	\$1,212.00
AT209155	Auxiliary Cutting Edge for 106 in.(2690mm) Bucket Width NOTE: * Installation instructions T170401. * Average installation, 4.5 hours.	\$1,561.00
AT315871	Coupler Attachment Adapter Hook Plates (2) Standard Installation instructions T211880	\$2,193.00

AT400165	Teeth with Segments for 106 in.(2690mm) Bucket Width	\$2,821.00
AT330639	Coupler Attachment Adapter Hook Plates, (2) Hi-Vis Installation instructions T211880	\$2,172.00
AT400163	Teeth with Segments for 100 in.(2540mm) Bucket Width	\$2,399.00
Buckets Pin-On		Field Installed Attachments - Optional
BYT10630	2.75 Cu. Yd. YD Pin-on Bucket w/ Cutting Edge 100" (2540mm) wide pin-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard	\$8,281.00
ADDITIONAL INFORMATION		
4WD Loader Simulator		Field Installed Attachments - Optional
4WD Loader Operator Training Simulator - JD Bookstore order code: SIM5700 - JD Bookstore Price: \$15,997 Includes software, replica joysticks, foot pedals, steering wheel and integrated seat. Item ordered through the JD Bookstore.		
BUCKETS		
Buckets Light Material		Field Installed Attachments - Optional
AT446204	Side Cutting Edge for Light Material Bucket Includes cutting edges and hardware for both sides of bucket	\$278.00
BYT10779	4.00 Cu. Yd. Std. Coupler Light Material w/ Cutting Edge 114" (2896 mm) wide JRB 416 Compatible coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.	\$12,259.00
BYT10778	4.00 Cu. Yd. Hi-Vis Coupler Light Material w/ Cutting Edge 114" (2896 mm) wide Hi-Vis coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.	\$12,259.00
BYT10776	5.25 Cu. Yd. Hi-Vis Coupler Light Material w/ Cutting Edge	\$14,646.00

120" (3048 mm) wide Hi-Vis coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.

BYT10780	4.50 Cu. Yd. Std. Coupler Light Material w/ Cutting Edge 114" (2896 mm) wide JRB 416 Compatible coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.	\$13,254.00
AT446162	Auxiliary Cutting Edge For 5.25 Cu. Yd. Light Material Bucket For use with 120 in. (3048 mm) bucket width	\$1,767.00
BYT10632	3.25 Cu. Yd. YD Pin-on Bucket w/ Cutting Edge 106" (2692mm) wide pin-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard	\$9,216.00
BYT10781	5.25 Cu. Yd. Std. Coupler Light Material w/ Cutting Edge 1120 (3048 mm) wide JRB 416 Compatible coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.	\$14,646.00
BYT10777	4.50 Cu. Yd. Hi-Vis Coupler Light Material w/ Cutting Edge 114" (2896 mm) wide Hi-Vis coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.	\$13,254.00
BYT10631	3.0 Cu. Yd. YD Pin-on Bucket w/ Cutting Edge 100" (2540mm) wide pin-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard	\$8,812.00
AT446161	Auxiliary Cutting Edge For 4.0 and 4.5 Cu. Yd. Light Material Bucket For use with 114 in. (2895.6 mm) bucket width	\$1,679.00
Buckets Coupler		Field Installed Attachments - Optional
BYT10604	3.0 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge 106" (2692mm) wide Hi-Vis coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard	\$8,812.00
BYT10597	2.75 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge 100" (2540mm) wide Hi-Vis coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard	\$8,281.00
BYT10608	3.25 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge 106" (2692mm) wide Hi-Vis coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard Not recommended for use with High Lift Plus Linkage	\$9,216.00
BYT10628	3.5 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge	\$9,773.00

	106" (2692mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard Not recommended for use with High Lift or High Lift Plus Linkages	
BYT10626	3.0 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge 106" (2692mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard	\$8,812.00
BYT10613	3.5 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge 106" (2692mm) wide Hi-Vis coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard Not recommended for use with High Lift or High Lift Plus Linkages	\$9,773.00
BYT10625	2.75 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge 100" (2540mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard	\$8,281.00
BYT10596	2.5 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge 100" (2540mm) wide Hi-Vis coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard	\$7,732.00
BYT10627	3.25 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge 106" (2692mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard Not recommended for use with High Lift Plus Linkage	\$9,216.00
BYT10623	2.5 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge 100" (2540mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard	\$7,732.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.