

**JOHN DEERE**

Current Date 05Feb2021

**60G Compact Excavator****ENGINE:**

Yanmar 4TNV98 (3.3 l)  
53 SAE Net HP  
Certified to EPA Final  
Tier 4 Emissions  
Antifreeze  
Single Dry-Type Air Filter  
Electric Fuel Shutoff  
Fan Guard  
Full Flow Oil Filter  
Low Maintenance Battery  
Fuel Filter & Water Separator  
Isolation Mounted  
Under Hood Muffler  
55 Amp Alternator - 12 Volt  
**HYDRAULICS:**  
Closed-Center, Load-Sensing  
with One Variable  
Displacement Pump and One  
Fixed Gear Pump  
Hydraulic Pilot Controls for  
Boom, Arm, Bucket, Swing,  
Boom Swing,  
Blade, and Auxiliary  
Excavator to Backhoe  
Control  
Pattern Change Valve  
Auxiliary Function Control  
and Right Hand Pilot Lever  
Boom Swing Foot Control  
Axial Piston Swing Motor  
Wet Disk Swing Brake  
Auxiliary Valve Section

Auxiliary Hydraulic Lines  
with  
Release Under Pressure  
Hydraulic Quick Couplers to  
End of Boom  
**UNDERCARRIAGE:**  
16 in. (400 mm) Rubber  
Track  
6 ft. 7 in. (2.0 m) Backfill  
Blade  
Propel Motor Shield  
Planetary Final Drive  
Two Speed Propel With  
Automatic Shifting  
Axial Piston Propel Motor  
**UPPERSTRUCTURE:**  
Reduced Tail Swing  
Configuration  
360 Degree Upper Structure  
Rotation  
Independent Boom Swing  
(80 degree left and 60  
degree right rotation)  
ROPS/FOPS/TOPS Cab  
Toolbox  
Vandal Locks for:  
Service Doors  
Work lights:  
One Mounted on Canopy  
(Cab)  
One Mounted on Boom  
Counterweight 1642 lb. (745  
kg.)  
**FRONT ATTACHMENTS:**  
Boom 9 ft. 9 in. (3.0 m)  
Arm 4 ft. 11 in. (1.5 m)  
Mechanical Quick Coupler

**OPERATOR'S STATION:**

Air Conditioning and Heat  
Electronic Throttle Control  
with Auto Idle  
Efficiency/Productivity Modes  
Cloth Suspension Seat with  
Fore/Aft Adjustment  
2 in. Retractable Seat Belt  
Horn  
Hour Meter  
Instrumentation Lights  
Monitor System with:  
Engine Preheat Indicator  
Engine Oil Pressure  
Indicator  
Alternator Voltage  
Indicator  
Fuel Gauge and  
Level Indicator  
Engine Coolant  
Temperature Gauge  
and Indicator  
Hour Meter  
Operating Lights Switch  
Operating Lights  
Indicator  
Foldable Propel Pedals and  
Levers  
Two Travel Modes with  
Automatic Shifting And  
Speed  
Selection Switch  
Motion Alarm with Cancel  
Switch  
Cupholder  
12 Volt Cell Phone Outlet

**Required** - You must select one from each category

BASE MACHINE

Description	Code	Price
60G Compact Excavator	0071FF	\$79,706.00



## TRACKS

Description	Code	Price
Rubber Track	3125	No Added Cost
16 in. (400 mm).		
Steel Track with Triple Semi-Grouser Shoes	3128	\$2,025.00
16 in. (400 mm). Long lead-time item; contact Order Fulfillment for availability.		
Rubber Crawler Pads	3130	\$5,990.00
Shipped from the nearest port. Factory Hydraulic Clamp installation is not available; dealer-installed only. Steel track shoes with vulcanized rubber pads bonded to top of shoes. Long lead-time item; contact Order Fulfillment for availability.		



## ARM

Description	Code	Price
Standard Arm	7110	No Added Cost
4 ft. 11 in. (1.50 m).		
Long Arm and Extra Counterweight	7120	\$1,781.00
Extra counterweight extends 5 in. (115 mm) beyond width of tracks when upper structure is rotated to the side. 6 ft. 1 in. (1.85 m) and Extra Counterweight 573 lbs (260 kg).		



## CANOPY OR CAB

Description	Code	Price
ROPS / FOPS Canopy	8150	No Added Cost
ROPS / FOPS Cab	8185	\$6,243.00
Cab is Radio Ready with Speakers, Antenna, Wiring and Mounting. With Heater & Air Conditioner.		

**Optional - Select as desired**

## BLADE

Description	Code	Price
Angle Blade	9555	\$4,694.00



## ATTACHMENTS FOR FIELD CONVERSION

Description	Code	Price
<b>Buckets</b>		
13 In. (330 mm) Heavy Duty 3 Tooth Bucket; 3.3 Cu. Ft. (0.09 Cu. M)	BYT10988	\$1,076.00
13 In. (330 mm) Heavy Duty Bucket; 3.3 Cu. Ft. (0.09 Cu. M) (3 TK Teeth Included)	BYT10987	\$1,076.00

18 in. (457 mm) Heavy Duty 4 Tooth Bucket; 5.1 cu. ft.	BYT10990	\$1,175.00
18 in. (457 mm) Heavy Duty Bucket; 3.6 cu. ft. (0.10 cu. m) (4 Teeth Included)	BYT10979	\$996.00
18 in. (457 mm) Heavy Duty Bucket; 5.1 Cu. Ft. (0.14 Cu. M) (4 TK Teeth Included)	BYT10989	\$1,175.00
24 in. (610 mm) Heavy Duty 5 Tooth Bucket; 7.5 cu. ft.	BYT10992	\$1,323.00
24 in. (610 mm) Heavy Duty Bucket; 7.5 Cu. Ft. (0.21 Cu. M) (5 TK Teeth Included)	BYT10991	\$1,323.00
30 in. (762 mm) Heavy Duty 5 Tooth Bucket; 10.0 cu. ft	BYT10994	\$1,472.00
36 in. (914 mm) Heavy Duty Bucket; 12.5 Cu. Ft. (0.35 Cu. M) (6 TK Teeth Included)	BYT10995	\$1,465.00
36 in. Heavy Duty 5 Tooth Bucket; 12.5 cu. ft.	BYT10996	\$1,531.00
42 in. (946 mm) Ditch Cleaning Bucket; 9.6 cu. ft. (0.26 cu. m) (No Teeth)	BYT10997	\$1,429.00
<b>Clamps</b>		
Hydraulic Clamp - Factory Installation Fee	AT349584	\$552.00
Labor for installation of Deere/Hitachi Clamp at Paladin Customworks, Davenport, Iowa		
Must also order Hydraulic Clamp		
Cannot be ordered with Rubber Crawler Pads, (3130)		
Hydraulic GREY Clamp	BYT11748	\$1,917.00
JD50G / ZX50: Works with machines equipped with aux selector valve, SN 291400 or greater. For installation on JD50G / ZX50 machines SN 291399 and lower, see DTAC solution 116315. JD60G / ZX60: Works with machines equipped with aux selector valve, SN 291500 or greater. For installation on JD60G / ZX60 machines SN 291499 and lower, see DTAC solution 116315. Not Compatible with 12" buckets. If using with one way flow attachment, also order valve DC206934 - See DTAC Solution 118369 for details. For Paladin Customworks Install, order AT349584 Installation Fee.		
<b>G.R.Mfg.</b>		
Front Screen, Cab (GR#705577) (60 CE)	ETN112936	\$660.00
*Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Cab.		
Front Screen, Cab (GR#705578) (30-50G CE)	AT435404	\$544.00
*Required when a Hydraulic Breaker is equipped on a Deere G-Series or Hitachi -5 Compact Excavator with a Canopy.		
<b>Hydraulic Couplers</b>		

**Hydraulic Quick Coupler**

AT452558 \$2,821.00

Works with John Deere and Hitachi 60 series quick coupler buckets only;  
AT461521G, AT460874, AT460878G, AT460879, AT460880G,  
AT460881, AT460882G, AT460887, AT460888G, AT460889,  
AT408385, AT408385G.

**Hydraulic Quick Coupler - Factory Installation Fee**

AT461031 \$1,790.00

Labor for installation of Deere/Hitachi Hydraulic Quick Coupler at Paladin  
Customworks, Davenport, Iowa.  
Must also order Hydraulic Quick Coupler.

**Interface Adapters****Interface Adapter for 50-60 CE**

AT306177 \$699.00

**Miscellaneous****Hydraulic Quick Disconnect Kit for Selector Valve**

BYT11478 \$155.00

Works with machines equipped with aux selector valve, Long Arm (7120)  
SN 291500 or greater, STND Arm (7110) SN 291500 or greater.