

#### Current Date 06Jan2021

### 624 P WHEEL LOADER

624 P Standard Equipment POWER TRAIN: 5 Speed Transmission with Lock-Up **Torque Converter Electronically Controlled** Fully Automated Shift System Quick Shift Button on Loader Control Lever with 2 Selectable Modes Automatic / Manual Shift Cold Cranking amps/190 Modes Programmable Maximum High Gear Adaptive Clutch-Cutoff Clutch Calibration Engaged from Monitor 100% Locking Front and Conventional Rear Differentials with Inboard Mounted Heavy Duty Planetary Gears Heavy Duty Self Adjusting Front and Rear Power Brakes **Electrically Actuated** Automatic Spring Applied, Hydraulically Released, Wet Multi-Disc Park Brake Transmission Fill Tube and Sight Gauge 2000 Hour Transmission Filter COOLING: Quad-Cool System:

Heavy Duty, Trash

Radiator and High

Resistant

Hydraulic Reservoir with Sight Gauge and Fill Strainer Hydraulic Diagnostic Ports 4000 Hour In-Tank Filter **ELECTRICAL:** 24 Volt Electrical System Solid State Electrical Power Distribution System (2) Heavy Duty Batteries - each 950 minute **Reserve Capacity** Reserve Capacity Lockable Master Electrical **Disconnect Switch Battery Terminal Safety** Covers Pre-wired for Beacon/Strobe Light (2) Halogen Driving Lights with Guards (4) Front and (2) Rear Work Lights LED Turn Signals and Flashers LED Stop and Tail Lights Horn, Electric Reverse Warning Alarm Voltage Converter for 24V to 12V / 8 Amps Multi-Function / Multi-Language LCD Color Monitor includes: DIGITAL INSTRUMENTS ANALOG Display: Hydraulic Oil Temperature **Engine Coolant** 

Front and Rear Intermittent Windshield Wipers and Washers (1) Inside and (2) Outside Rear View Mirrors Left and Right Rear Side Opening Windows Sun Visor Keyless Start with Multiple **Security Modes** Sealed Switch Module with Function **Indicators** Seat with Back Rest Extension, Deep Foam, Fabric Cover, Adjustable Air Suspension for Weight/Height with Fore-Aft Adjustment and Adjustable Arm Rests Hydraulic Controls Integrated to Seat 3 Inch High Visibility Blaze Orange Seat Belt with Retractor (2) Cup Holders Lunch box (Cooler) Holder LED Dome and Reading Light 12 Volt Power Port Radio Ready Rubber Floor Mat Tilt Steering Column Textured Steering Wheel with Spinner Knob Operator's Manual Storage Compartment Left Side Operator Station Access Slip-Resistant Steps and Ergonomically Located Handholds Overall Vehicle: NeverGrease Rear Axle Oscillation Joints Front and Rear Tie Downs Front Fenders Rear Hitch with Locking Pin Articulation Locking Bar Boom Locking Bar 40 Degree Steering Articulation to Each Side with Rubber Cushion Stops on Frame

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

Vandal Protection With Lockable

NJ State Approved Co-op #65MCESCCPS Grounds Equipment - Bid #ESCNJ 18/19-25

**Ambient Cooling** 

Package

2 Side access to all

Coolers

Cooling System isolated

from Engine Compartment **Engine Radiator** 

Integral Engine Oil Cooler

Hydraulic Oil Cooler (Oil

to Air)

Transmission Oil Cooler

(Oil to Air)

Front and Rear Axle Coolers with Axle Oil Filtration Charge Air Cooler (Air to

Coolant Recovery Tank Antifreeze, -34F (-37 C) Cool-on Demand Swing

out Fan

**Enclosed Fan Safety** 

Guard

**HYDRAULICS:** Pressure Compensating

Load Sensing

Hydraulic System

2 Function Hydraulic

Joystick with **FNR Control** 

Automatic Return to Dig

In Cab Adjustable Automatic Boom

Height Kickout / Return

to Carry **Hydraulic Function** 

Enable / Disable

Temperature Transmission Oil Temperature

**Engine Oil Pressure** 

DIGITAL Display: **Engine RPM** 

Transmission Gear /

Direction Indicator **Hour Meter** Fuel Level **DEF Level** 

Speedometer Odometer

**Outside Temperature** Indicator Lights for Standard and Selected Options **Indicator Lights For Amber Caution** and Red Stop **Operator Warning** 

Messages **BUILT-IN** 

**DIAGNOSTICS:** 

Diagnostic Code Details

Sensor Values Calibrations

**Individual Circuit Tester** 

MENU DISPLAY:

Codes

Machine Settings Diagnostics **Monitor Settings** 

**OPERATOR'S STATION:** ROPS Quiet Cab with

Heater and Air Conditioning Defroster and Pressurizer

Engine Enclosures, Right Counterweight Compartment,

**Battery** 

Box, Filler Access for

Radiator/Fuel/Hydraulic/Transmission

Service Steps and Handholds

Storage Compartment Fuel Tank Fill Strainer

Heavy Duty Fuel Tank Guard Ground Level Fueling and DEF

Less Tires and Wheels

## Required - You must select one from each category

**BASE MACHINE** 

FOB Davenport, la.

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order

Description Code **Price** 624 P WHEEL LOADER 6040DW \$231,148.00

OPERATOR'S MANUAL AND DECALS

	Description	Code	Price
	English Decals and Manuals	2605	No Added Cost
	Spanish Decals and Manuals	2610	No Added Cost
	French Decals and Manuals	2615	No Added Cost
M	MACHINE CONFIGURATION		
	Description	Code	Price
	Standard Wheel Loader	1010	No Added Cost
	Waste Handler Configuration	1021	No Added Cost
	Requires the following codes:  1110- Transmission without Lockup Torque Converter 1430 - Engine Air Intake with Centrifugal Precleaner 1520 - Automatic Reversing Fan Drive 2010 or 2020 - Z-BAR or High Lift Linkage 3120 - Manual Axle Differential Lock 5570 - Less Fenders 5670 - Close Mounted Left Side Steps Only 8450 - Cab w/ Air A/C Charge 8230 - Less Hitch and Counterweights 8298 - Less Beacon and Bracket 9410 - Transmission and Bottom Guards  Requires BYT11112 - 624 P-tier Waste Handler Package, Installed. (Requires loader to ship to GR Mfg).  The dealer is responsible for making arrangements to get the unit to GR Manufacturing for installation. Shipping cost is not included in the installation.		
-	Agriculture Material Handling Configuration	1030	(\$1,345.00)
	Requires the follwing option codes in order to qualify for package group price: 1430 Air Intake System with Centrifugal Precleaner Engine 1520 Reversing Fan Drive 9115 Cab Fresh Air Precleaner 2360 Single Joystick Hydraulic Control 2403 Three Function Hydraulics 2510 Ride Control 9043 Environmental Drain and Diagnostic Sample Ports 3049 Hi-Traction - Front and Rear Locking Differentials		

# ENGINE

4 Valves/Cylinder

DescriptionCodePriceJohn Deere PowerTech Engine0924\$24,858.00

John Deere PowerTech PVS 6.8L meets EPA FT4 and EU Stage IV Emissions (192 Net Peak hp)
Turbocharged
Wet Sleeve Cylinder Liners
Automatic Glow Plugs
Programmable Auto-Idle and Auto-Shutdown
Selected Idle Adjustment from 900-1250 RPM
Starter Protection

**FAN DRIVE** 

Cooled Exhaust Gas Recirculation

Automatic Derating for Exceeded System Temperatures

Electronically Controlled HPCR Fuel Delivery System, B20 Biodiesel

Compatible

**Electrical Fuel Priming System** 

Serpentine Drive Belt with Automatic Tensioner

Under Hood Dual Element Air Cleaner with Restriction Indicator

Under Hood Exhaust Filter and Catalysts with Curved Exhaust Stack

Requires code 1430 Engine Air Intake with Centrifugal Precleaner

Automatic Exhaust Filter Regeneration

Dual-Stage Fuel Filter and Water Separator

500 Hour Vertical Spin-on Oil Filter

Cartridge Type Oil Crankcase Filter

Automatic Engine Cool-down Timer

Remote Start Battery Terminals

.,		
Description	Code	Price
Standard Hydraulic Fan	1510	No Added Cost
Hydraulically driven fan with proportional fan speed control based on cooling demands to save fuel and reduce noise.		
Automatic Reversing Hydraulic Fan	1520	\$1,650.00
Hydraulically driven fan with proportional fan speed control based on cooling demands to save fuel and reduce noise. Automatic Reversing fan to purge debris and dust on cooling system inlet screens and coolers periodically to reduce cleaning. Reversing intervals can be set in the monitor.		

w	AIR INTAKE		
	Description	Code	Price
	Standard Engine Air Intake System	1410	No Added Cost
	Does not include centrifugal precleaner		
	Engine Air Intake System with Centrifugal Precleaner	1430	\$667.00
٧	EXHAUST		
	Description	Code	Price
	Flat Black Curved Stack	1310	No Added Cost
	Chrome Curved Stack	1330	\$443.00
v	FUEL FILTRATION		
	Description	Code	Price

2 00 0 1 p 0 0 1		
Standard Fuel Filter with Water Separator and Standard Fuel Fill	1610	No Added Cost

ALTERNATOR

3

DescriptionCodePrice100 amp Alternator1210No Added Cost

	For use with code 2708 8 Amp/12 V Power Converter.		
	Not Available with Premium Cab code 1910		
	140 amp Alternator	1217	\$347.00
	Required with code 1910 Premium Cab, code 2715 15 Amp/12V Power Converter, or code 2730 30 Amp/12V Power Converter.		
Y	CONVERTER		
	Description	Code	Price
	8 Amp Converter	2708	No Added Cost
	Not Available with Premium Cab code 1910		
	15 Amp Converter	2715	\$115.00
	Requires code 1217 140 amp alternator		
-	30 Amp Converter	2730	\$265.00
	Requires code 1217 140 amp alternator		
v	LIGHTING		
	Description	Code	Price
	Halogen Work and Drive Lights	7120	No Added Cost
	LED Front Turn/Marker & Rear Turn/Brake Lights		
	Premium LED Work and Drive Lights	7140	\$1,449.00
	All exterior machine lights are LED LED Front Turn/Marker & Rear Turn/Brake Lights		
V	TRANSMISSION		
	Description	Code	Price
	5-Speed Powershift Transmission	1110	(\$3,900.00)
-	5-Speed Powershift Transmission with Lock-up Torque Converter	1120	No Added Cost
	Recommend Ride Control with Lock-up Torque Converter for Load and Carry applications.		
w	AXLES		
	Description	Code	Price
	Front Hydraulically Locking Differential and Rear Conventional Differential Axles	3046	No Added Cost
	High Traction - Front & Rear Hydraulically Locking Differential Axles	3049	\$2,453.00
Y	DIFFERENTIAL LOCK		
	Description	Code	Price

	Automatic Differential Lock	3110	\$1,429.00
	Allows operator to switch on Automatic Diff Lock providing continual differential lock in all conditions, minimizing tire spin. Requires code 9410 Transmission and Bottom Guards.		
	Manual Axle Differential Lock	3120	No Added Cost
¥	LINKAGE CONFIGURATION		
	Description	Code	Price
	Standard Z-BAR	2010	No Added Cost
	Parallel Lift Linkage		
	High Lift Z-BAR	2020	\$4,477.00
	Parallel Lift Linkage		
	Adds 14.2 inches (360 mm) height to bucket hinge pin, fully raised over standard linkage. Rated tipping load and lift capacity will be lower than unit equipped with the standard boom.		
- 5	High Lift Plus Z-BAR	2026	\$6,370.00
	Parallel Lift Linkage		
	Adds 25.2 inches (640 mm) height to bucket hinge pin, fully raised over standard linkage. Rated tipping load and lift capacity will be lower than unit equipped with the standard boom or high lift boom.		
	Tool Carrier Linkage	2060	\$7,240.00
	Parallel lift inkage optimized for maximum centerline visibilty between the boom slabs to see the work tool. Also has a lower profile for reaching underneath obstructions when compared to z-bar linkages.		
	Requires Code 2403 Three Function Hydraulics or Code 2404 Four Function Hydraulics.		
	Requires Code 2510 Ride Control.		
	Requires Code 8560 Hydraulic Coupler - JRB 416 Pattern, Code 8561 Hydraulic Coupler - Hi-Vis/ISO Pattern, or Code 8563Field Coupler Ready: Pins Only and Pin Disconnect Plumbing.		
$\overline{}$	HYDRAULIC CONTROLS		
	Description	Code	Price
	Single Axis Lever Controls	2350	\$202.00
	Provides an individual hydraulic function control lever for each function. Only available for 2 function and 3 function hydraulics. Includes steering column mounted FNR lever.		
	Joystick Controls	2360	No Added Cost
	Provides a single lever (joystck) control for the boom and the bucket.  Optional 3rd and 4th functions are controlled with proportional thumb		

rollers integrated in the joystick handle.

Includes FNR switch integrated into the joystick control lever.

~	HYDRAULIC SYSTEM		
	Description	Code	Price
	Two Function Hydraulics	2402	No Added Cost
	Controls Boom and Bucket only.		
	Not for use with code 2060 Tool Carrier Linkage.		
	Three Function Hydraulics	2403	\$2,231.00
	Controls Boom and Bucket and adds an auxiliary function and boom lines.		
	Four Function Hydraulics	2404	\$4,231.00
	Controls Boom and Bucket and adds two auxiliary functions and boom lines.		
	Requires code 2360 Joystick Controls.		
~	HYDRAULIC FLUID		
	Description	Code	Price
	Hydrau Hydraulic Fluid	1970	No Added Cost
	Hydrau XR Hydraulic Fluid	1975	\$250.00
	Optional factory fill.		
	Required for colder climates with operation below -25C (-13F) and extreme cold ambient temperatures down to -40C (-40F).  Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).		
V	RIDE CONTROL		
	Description	Code	Price
	Ride Control	2510	\$4,015.00
	Code 9410 Transmission and Botttom Guards are recommended in applications where underside is vulnerable.		
	Less Ride Control	2520	No Added Cost
*	CAB / ROPS		
	Description	Code	Price
	Standard Cab	1905	No Added Cost
	The following options are only available on the standard cab: 1210 100 amp Alternator 1934 5 inch (127mm) Display Monitor 2220 Deluxe Seat		

Allows lowest cost configuration.

8360 Standard radio OR 8380 No radio

2708 8 amp Voltage Converter

8310 Standard Exterior Mirrors OR 8320 Heated Exterior Mirrors

\$1,295.00

The following options are NOT available in the standard cab configuration: 8370 Premium Radio

8350 Remote Powered and Heated Exterior Mirrors

Premium Cab 1910 (\$512.00)

Requires/Includes the following option codes in order to qualify for package group price:

1217 140 Amp Alternator

1940 7 inch (178mm) Display Monitor OR 1945 7 inch (178mm) Display Monitor with Dedicated 7 inch (178mm) Rear View Camera Display 2240 Premium Seat

2715 15 amp Voltage Converter OR 2730 30 amp Voltage Converter

8350 Remote Powered and Heated Exterior Mirrors

8370 Premium Radio

Also includes Cab Automatic Temperature Control System.

### A/C CHARGE

Description	Code	Price
Cab with Air A/C Charge	8450	No Added Cost

## SEAT

Description	Code	Price
Deluxe Seat, Cloth with Air Suspension	2220	No Added Cost

Fabric Covered Seat with Back Rest Extension includes Lumbar Adjustment and Air Suspension with Full Damping Capability.

Not Available with Premium Cab code 1910

Premium Seat, Heated and Ventilated with Heavy Duty Air 2240
Suspension

Leather Accented Seat with Back Rest Extensions includes Pan Tilt, Pan Extend, Lumbar Adjustment and Air Suspension with Full Damping Capability.

#### MONITOR

Description	Code	Price
7 inch Monitor	1940	No Added Cost
7 inch Monitor with Dedica	ted Rear Camera Display 1945	\$1,645.00
•	ed 7 inch display monitor for displaying gery and allowing standard monitor to	
5 inch Monitor	1934	(\$206.00)
Not Available with Premium Cab	code 1910	

### MIRRORS

**Description**Code Price

8310 No Added Cost

CAB ENTRANCE STEPS

	Standard Exterior Mirrors		
	Not Available with Premium Cab code 1910		
	Heated Exterior Mirrors	8320	\$424.00
	Not Available with Premium Cab code 1910		
	Remote Powered and Heated Exterior Mirrors	8350	\$712.00
	Not Available with Standard Cab code 1905		
¥	RADIO		
	Description	Code	Price
	Standard Radio	8360	\$576.00
	AM/FM/Weather Band (WB) Radio with Remote AUX Port		
	Requires Standard Cab		
	Premium AM/FM/Weather Band (WB) with Bluetooth, Remote Aux and Remote USB Port	8370	\$850.00
	AM/FM/Weather Band (WB) Radio with Bluetooth, Remote Aux and Remote USB Port		
	Requires Premium cab		
-	No Radio	8380	No Added Cost
	Requires Standard Cab		
	REAR OBJECT DETECTION		
	Description	Code	Price
	Rear Camera and Rear Object Radar Detection	8235	\$3,304.00
	Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled color monitor or dedicated color monitor.		
	Rear Camera	8240	No Added Cost
v	BEACONS		
	Description	Code	Price
	LED Strobe Beacon with Left Beacon Bracket	8275	\$275.00
	LED Strobe Beacon on hinged bracket mounted to the rear left side of the cab exterior.		
	Left Beacon Bracket Only	8290	\$168.00
	Hinged bracket only mounted to the rear left side of the cab exterior.		
	No Strobe Beacon or Left Beacon Bracket	8298	No Added Cost
	CAR ENTRANCE STERS		

<b>Description</b> Left Side Steps Only	<b>Code</b> 5610	<b>Price</b> No Added Cost
Left And Right Side Steps	5620	\$920.00
Not for use with code 5570 Less Fenders and Rear Platforms		
Close Mounted Left Side Steps Only	5670	No Added Cost
Requires code 5570 Less Fenders and Rear Platforms		
STEERING SYSTEMS		
Description	Code	Price
Steering Wheel Only	2120	No Added Cost
Steering Wheel Only with Secondary Steering	2130	\$2,851.00
Secondary Steering is NOT Joystick Steering Control. Secondary steering is used in the event of a failure of the normal steering power source(s), or if engine shuts down while the machine is in motion and allows temporary steering of the machine by using an electric motor powered steering pump or a ground driven steering pump (depending on loader model) to provide temporary hydraulic pressure and flow to the steering cylinders.		
PAYLOAD SCALE		
Description	Code	Price
No Payload Scale with Cycle Counter	2870	\$119.00
No Payload Scale without Cycle Counter	2890	No Added Cost
	Left Side Steps Only  Left And Right Side Steps  Not for use with code 5570 Less Fenders and Rear Platforms  Close Mounted Left Side Steps Only  Requires code 5570 Less Fenders and Rear Platforms  STEERING SYSTEMS  Description  Steering Wheel Only  Steering Wheel Only with Secondary Steering  Secondary Steering is NOT Joystick Steering Control. Secondary steering is used in the event of a failure of the normal steering power source(s), or if engine shuts down while the machine is in motion and allows temporary steering of the machine by using an electric motor powered steering pump or a ground driven steering pump (depending on loader model) to provide temporary hydraulic pressure and flow to the steering cylinders.  PAYLOAD SCALE  Description  No Payload Scale with Cycle Counter	Left Side Steps Only  Left And Right Side Steps  5620  Not for use with code 5570 Less Fenders and Rear Platforms  Close Mounted Left Side Steps Only  Requires code 5570 Less Fenders and Rear Platforms  STEERING SYSTEMS  Description  Steering Wheel Only  Steering Wheel Only with Secondary Steering Secondary Steering is NOT Joystick Steering Control. Secondary steering is used in the event of a failure of the normal steering power source(s), or if engine shuts down while the machine is in motion and allows temporary steering of the machine by using an electric motor powered steering pump or a ground driven steering pump (depending on loader model) to provide temporary hydraulic pressure and flow to the steering cylinders.  PAYLOAD SCALE  Description  Code No Payload Scale with Cycle Counter

#### MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
1DLink Ultimate 5 Year Subscription	170C	No Added Cost

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of

this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

#### JDLink Ultimate Dual 5 Year Subscription

170J

\$2,074.00

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all cellular dependent Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate Dual now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications when cellular signal is available. JD Link Ultimate Dual works with the 4G LTE MTG to automatically transmit compressed summary data over a satellite network when a cellular network is not available. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

#### \*

#### **FENDERS**

Description	Code	Price
Standard Front Fenders	5530	No Added Cost
Includes standard width front fenders, left side steps, as well as both left and right side platforms.		
Fender width is narrower than tire by design to be less susceptible to damage if tire brushes against objects from the side.		
Full Width Front Fenders	5540	\$320.00
Includes full width front fenders, left side steps, as well as both left and right side platforms.		
Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes against objects from the side.		
Full Width Front and Rear Fenders	5550	\$2,310.00
Includes full width front and rear fenders, left side steps, as well as both left and right side platforms.		
Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes againt objects from the side.		
Mudflaps and wiper flap are NOT included.		

Full Coverage Front and Rear Fenders with Mudflaps	5560	\$2,805.00
Includes full width front and rear fenders, left side steps, as well as both left and right side platforms.		
Also includes mudflaps and wiper flap on front fenders to reduce tire spray while traveling fast in wet conditions.		
Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes againt objects from the side.		
Less Fenders and Rear Platforms	5570	No Added Cost
Not for use with Code 5620 Left and Right Side Steps		



#### WHEELS AND TIRES

All Tires are tubeless and include rims, axle stops when required, and come in sets of 4. Tire chain use requires Axle Stops.

NOTE: If a No Brand Preference code is selected a 9000 code in the Optional Equipment - Order as Desired section will automatically be selected as well. This is required to enable the factory to source this order.

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660.

Description	Code	Price
Less Wheels and Tires		
Less Wheels and Tires	4000	No Added Cost
8 Degree Axle Stops Installed If solid tires are installed it requires the Rear Access Platforms from GR Mfg listed in the Referral section of the Price Pages. Includes retaining hardware. This package is required for rear axle warranty. For warranty information refer to the SAM manual.		
20.5x25 3pc. Rims Less Tires	4007	\$3,171.00
8 Degree Axle Stops Installed		
600/65R25 3pc. Rims Less Tires	4008	\$3,185.00
8 Degree Axle Stops Installed		
20.5R25 L2 Single Star Radial Tires With 3 Piece Rims		
No Brand Preference	4932	\$14,275.00
Titan TGD2, 20.5R25 L2 Single Star Radial Tires with 3pc Rims	4413	\$15,000.00
Bridgestone VUT, 20.5R25 L2 Single Star Radial Tires with 3pc Rims	4412	\$16,930.00
Michelin XTLA, 20.5R25 L2 Single Star Radial Tires with 3pc Rims	4411	\$18,283.00
Custom Code - Bridgestone VKT, 20.5R25 L2 Single Star Radial Tires with 3pc Rims	44A5	\$25,532.00
20 E-25 L2 16DD Pipe Tires With 2 Diese Pime		

20.5-25 L2 16PR Bias Tires With 3 Piece Rims

No Brand Preference	4933	\$11,900.00
Titan Loader, 20.5-25 L2 16PR Bias Tires with 3pc Rims	4323	\$12,600.00
Firestone SGG, 20.5-25 L2 16PR Bias Tires with 3pc Rims	4322	\$13,107.00
20.5R25 L3 Single Star Radial Tires With 3 Piece Rims		
No Brand Preference	4934	\$13,138.00
Titan STL3, 20.5R25 L3 Single Star Radial Tires with 3pc Rims	4423	\$13,900.00
Bridgestone VJT, 20.5R25 L3 Single Star Radial Tires with 3pc Rims	4425	\$16,640.00
Michelin XHA2, 20.5R25 L3 Single Star Radial Tires with 3pc Rims	4421	\$19,030.00
Other Tire Options		
Firestone SRG, 20.5-25 16PR L3 Bias Tires with 3pc. Rims	4332	\$14,080.00
Michelin XSnoPlus, 20.5R25 L2 Radial Tires with 3pc Rims	4415	\$19,950.00
Michelin MegaXbib, 620/75R26 Agriculture Tires with 1pc Rims	5114	\$19,320.00
8 degree axle stops installed. Requires Code 5570 Less Front Fenders and Rear Platforms.		
Michelin MegaXbib, 750/65R26 Agriculture Tires with 1pc Rims	5116	\$19,850.00
8 degree axle stops installed. Requires Code 5570 Less Front Fenders and Rear Platforms and Code 5670 Close Mounted Left Side Steps.		
Custom Code - Michelin XLD, 600/65R25 L3 Radial Tires with 3pc Rims	52A4	\$27,353.00
8 degree axle stops installed		
		\$30,026.00
Custom Code - Firestone SDT, 20.5X25 20PR L5 Bias Tires with 3pc Rims	43B6	<b>\$30,020.00</b>
	43B6	<b>\$30,020.00</b>
with 3pc Rims	43B6 46A5	
with 3pc Rims  8 degree axle stops installed  Custom Code - Michelin XHA2, 23.5R25 L3 Single Star		\$27,273.00
with 3pc Rims  8 degree axle stops installed  Custom Code - Michelin XHA2, 23.5R25 L3 Single Star Radial Tires with 3pc Rims		

HYDRAULIC COUPLERS

	Description	Code	Price
	Hydraulic Coupler - JRB 416 Pattern	8560	\$5,709.00
	Hydraulic Coupler - Hi-Vis/ISO Pattern	8561	\$5,709.00
	Field Coupler Ready: Pin Disconnect Plumbing	8563	\$1,452.00
	For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube, electric switch, and solenoid valve. Pins NOT included - dealer will need to work with aftermarket supplier of coupler to procure proper size pins.		
-	Field Bucket Ready: Pins Only	8565	\$595.00
	Pins are shipped with the machine.  The pins provided are designed and intended for use in installing Deere designed field installed pin-on buckets. Use of the pins to attach any other buckets, couplers, or other attachments may or may not be acceptable, and must be reviewed on a case by case basis to determine if they provide adequate pin engagement and pin retention.		
<del>-</del>	Factory Pin-on Bucket Ready	8567	No Added Cost
	Required when ordering factory installed pin-on buckets - NOT coupler style hook-on buckets or field installed buckets.		

# V

### **BUCKETS**

Bucket options are orderable with either a coupler or a pin-on configuration, unless otherwise noted.

Description	Code	Price
2.5 Cu. Yd. Bucket	8900	\$6,041.00
All 2.5 cu yd buckets are 100" (2540mm) wide coupler style hook-on Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard.		
No pin-on bucket is offered in this size.		
Not for use with code 8567 Factory Pin-on Bucket.		
2.75 Cu. Yd. Bucket	8905	\$6,533.00
All 2.75 cu yd buckets are 100" (2540 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard.  2.75 cu yd pin-on bucket is not available for this size.		
Not for use with code 8567 Factory Pin-on Bucket.		
3.0 Cu. Yd. Bucket (Coupler only)	8910	\$7,007.00
All 3.0 cu yd buckets are Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. This is a Coupler style hook-on bucket and is 106" (2692 mm) wide.  Requires Coupler code 8560 or 8561.		
3.25 Cu. Yd. Bucket (Coupler only)	8915	\$7,241.00

All 3.25 cu yd buckets are 106" (2692 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. Requires Coupler code 8560 or 8561.		
3.5 Cu. Yd. Bucket (Coupler only)	8920	\$7,738.00
All 3.5 cu yd buckets are 106" (2692 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. 3.5 cu yd coupler style hook-on buckets are not available for the 624 P-tier High Lift Plus. Requires Linkage code 2010 or 2020 or 2060 and Coupler code 8560 or 8561.		
3.5 Cu. Yd. Bucket (Pin-On only)	8921	\$7,738.00
All 3.5 cu yd buckets are 106" (2692 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. Requires Linkage code 2010 or 2020 or 2026 and code 8567 for Factory Pin-on Bucket.		
3.75 Cu. Yd. Bucket (Coupler only)	8925	\$8,501.00
All 3.75 cu yd buckets are 106" (2692 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. 3.75 cu yd coupler style hook-on buckets are not available for the 624 P-tier High Lift or High Lift Plus. Requires Linkage code 2010 or 2060 and Coupler code 8560 or 8561.		
3.75 Cu. Yd. Bucket (Pin-On only)	8926	\$8,501.00
All 3.75 cu yd buckets are 106" (2692 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. Requires Linkage code 2010 or 2020 or 2026 and code 8567 for Factory Pin-On Bucket.		
4.0 Cu. Yd. Light Material Bucket (Coupler-only)	8930	\$9,963.00
114" (2896 mm) wide Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.		
Requires code 8860 Bolt-on Cutting Edge		
Not for use with code 8567 Factory Pin-on Bucket.		
4.5 Cu. Yd. Light Material Bucket (Coupler-only)	8940	\$10,854.00
114" (2896 mm) wide Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.		
Requires code 8860 Bolt-on Cutting Edge		
Not for use with code 8567 Factory Pin-on Bucket.		
5.25 Cu. Yd. Light Material Bucket (Coupler-only)	8950	\$12,098.00
120" (3048 mm) wide Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.		

Requires code 8860 Bolt-on Cutting Edge

	Not for use with code 8567 Factory Pin-on Bucket.		
-	No Bucket	8960	No Added Cost
V	CUTTING EDGES AND TEETH		
	Description	Code	Price
	Bolt-on Cutting Edge	8850	\$875.00
	For use with 100 inch wide buckets.		
	Bolt-on Cutting Edge	8860	\$1,003.00
	For use with 106 inch wide and light material buckets.		
-	Bolt-on Teeth with Cutting Edge Segments	8870	\$2,328.00
	For use with 100 inch wide buckets.		
- 5	Bolt-on Teeth with Cutting Edge Segments	8880	\$2,738.00
	For use with 106 inch wide buckets.		
	No Bucket Edge or Teeth	8890	No Added Cost
	Required when ordering code 8960 No Bucket		
¥	FORK FRAME		
	Description	Code	Price
	60 in (1524mm) Wide Fork Frame	5760	\$6,100.00
	Requires code 8560 Hydraulic Coupler - JRB 416 Pattern OR code 8561 Hydraulic Coupler - Hi-Vis/ISO Pattern		
	96 in (2438mm) Wide Fork Frame	5780	\$8,100.00
	Requires code 8560 Hydraulic Coupler - JRB 416 Pattern OR code 8561 Hydraulic Coupler - Hi-Vis/ISO Pattern		
	No Fork Frame	5840	No Added Cost
V	TINES		
	Description	Code	Price
	48 Inch (1219mm) Construction Tines	5860	\$1,150.00
	Requires code 5760 60 in (1524mm) Wide Fork Frame OR code 5780 96 in (2438mm) Wide Fork Frame		
	60 Inch (1524mm) Construction Tines	5870	\$1,550.00
	Requires code 5760 60 in (1524mm) Wide Fork Frame OR code 5780 96 in (2438mm) Wide Fork Frame		
	72 Inch (1829mm) Construction Tines	5890	\$2,200.00

Requires code 5760 60 in (1524mm) Wide Fork Frame OR code 5780 96
in (2438mm) Wide Fork Frame

No Tines 5940 No Added Cost

Required when ordering code 5840 No Fork Frame

side pod as it is needed to house the DEF tank.

Powered Cab Fresh Air Pre-Cleaner

# REAR HITCH AND COUNTERWEIGHTS

Description	Code	Price
Rear Hitch and Counterweight	8220	No Added Cost
Less Rear Hitch and Counterweight	8230	(\$1,275,00)

Right side rear counterweight is removed, left side rear counterweight is still in place due to DEF/fuel tank placement.

For use with Standard or High Lift Linkage Codes 2010 or 2020 only This option is typically used in conjuncture with a waste handling package or any other special application where a GR Manufacturing rear guarding package is installed. The less counterweight code still includes the left

Please consult DMAC if you have any questions as this code will reduce FTTL.

Right side rear counterweight is removed, left side rear counterweight is still in place due to DEF/fuel tank placement.
For use with Standard or High Lift Linkage Codes 2010 or 2020 only

# Optional - Select as desired

7607		ICI	NIE.

Description	Code	Price
Engine Block Heater	9015	\$243.00
Recommend for cold starts below -10 degrees F (-23 C)		
Environmental Drains and Sampling Ports	9043	\$410.00
Throttle Lock	9055	\$215.00
This feature adds the convenience of holding the engine at a constant engine speed for long travel distances or other constant engine speed needs without the operator having to hold the accelerator pedal position.		
Engine Compartment Light	9240	\$180.00
DRIVETRAIN AND COOLING		
Description	Code	Price
Wheel Spin Control System	9050	\$490.00
Wheel spin control engages in 1st gear only.		
OPERATOR'S STATION		
Description	Code	Price

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

9115

\$945.00

Extends cab air filter change interv	als.		
Seat Belt with Minder Switc	h and External Indicator Light	9127	\$360.00
released and seat belt not latched.	a JDLink code alert if the park brake is The external indicator light, is a green it hand corner of the cab that flashes seat belt is latched.		
Fire Extinguisher		9140	\$149.00
5.0 lbs. multi purpose (ABC) Dry C the cab to the left front ROPS post	hemical Fire Extinguisher mounted inside		
TIRE BRAND PREFERENCE			
Description		Code	Price
<b>No Tire Brand Preference</b>	<u>2</u>		
20.5R25 1 STAR L2 NO BR WITH 3 PC RIMS	AND PREFERRED RADIAL TIRES	9707	No Added Cost
20.5-25 L2 16PR BIAS NO RIMS	BRAND PREFERRED WITH 3 PC	9708	No Added Cost
20.5R25 1 STAR L3 NO BR WITH 3 PC RIMS	AND PREFERRED RADIAL TIRES	9709	No Added Cost
MISCELLANEOUS			
Description		Code	Price
Electrical Corrosion Prevent	ion Package	9210	\$1,425.00
Preventive corrosion treatment for Preventive corrosion treatment inc connections and polyurethane-bas	udes dielectric grease for electrical		
Transmission and Bottom G	uards	9410	\$1,937.00
Recommended in applications who	ere underside is vulnerable.		
Includes transmission side guards, covers.	bottom guards, and loader mast side		
Lift Hooks		9510	\$317.00
License Plate Bracket		9520	\$177.00
Includes light for night time illumina	ation.		
Slow Moving Vehicle (SMV)	Emblem	9525	\$157.00
Finish Paint - Decals Not In	stalled	9800	No Added Cost
For custom paint. Non-Paintable charcoal grey cab re Decals packaged with machine. Safety decals installed.	pof.		
Shipping Rust Preventive C	oating - Non Export	9909	\$235.00

Coating protects exposed unpainted surfaces from road salt during shipment.

# $\overline{\phantom{a}}$

### **4WD LOADER SIMULATOR**

**4WD Loader Operator Training Simulator** 

- JD Bookstore order code: SIM5700
- JD Bookstore Price: \$15,997

Includes software, replica joysticks, foot petals, steering wheel and integrated seat. Item ordered through the JD Bookstore.

# $\nabla$

### ATTACHMENTS FOR FIELD CONVERSION

Description <u>Bucket Hardware &amp; Accessories</u>	Code	Price
Auxiliary Cutting Edge for 106 in.(2690mm) Bucket Width	AT209155	\$1,486.00
NOTE: * Installation instructions T170401. * Average installation, 4.5 hours.		
Coupler Attachment Adapter Hook Plates (2) Standard	AT315871	\$2,088.00
Installation instructions T211880		
Coupler Attachment Adapter Hook Plates, (2) Hi-Vis	AT330639	\$2,068.00
Installation instructions T211880		
Teeth with Segments for 106 in.(2690mm) Bucket Width	AT400165	\$2,821.00
Buckets Coupler		
2.5 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge	BYT10596	\$5,938.00
100" (2540mm) wide Hi-Vis coupler hook-on Enhanced Production bucke with weld-on Skid Shoes and integrated spill guard	t	
2.5 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge	BYT10623	\$5,938.00
100" (2540mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard		
2.75 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge	BYT10597	\$6,360.00
100" (2540mm) wide Hi-Vis coupler hook-on Enhanced Production bucke with weld-on Skid Shoes and integrated spill guard	t	
2.75 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge	BYT10625	\$6,360.00
100" (2540mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard		
3.0 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge	BYT10604	\$6,767.00
106" (2692mm) wide Hi-Vis coupler hook-on Enhanced Production bucke with weld-on Skid Shoes and integrated spill guard	t	
	BYT10626	\$6,767.00

3.0 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge		
106" (2692mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard		
3.25 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge	BYT10608	\$7,078.00
106" (2692mm) wide Hi-Vis coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard		
3.25 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge	BYT10627	\$7,078.00
106" (2692mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard		
3.5 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge	BYT10613	\$7,505.00
Not recommended for use with High Lift Plus Linkage 106" (2692mm) wide Hi-Vis coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard		
3.5 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge	BYT10628	\$7,505.00
Not recommended for use with High Lift Plus Linkage 106" (2692mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard		
3.75 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge	BYT10616	\$8,160.00
Not recommended for use with High Lift or High Lift Plus Linkages 106" (2692mm) wide Hi-Vis coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard		
3.75 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge	BYT10629	\$8,160.00
Not recommended for use with High Lift or High Lift Plus Linkages 106" (2692mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard		
Buckets Light Material		
3.5 Cu. Yd. YD Pin-on Bucket w/ Cutting Edge	BYT10633	\$7,505.00
106" (2692mm) wide pin-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard. Not for use with Tool Carrier Linkage		
3.75 Cu. Yd. YD Pin-on Bucket w/ Cutting Edge	BYT10634	\$8,160.00
106" (2692mm) wide pin-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard. Not for use with Tool Carrier Linkage		
4.00 Cu. Yd. Hi-Vis Coupler Light Material w/ Cutting Edge	BYT10778	\$9,415.00
114" (2896 mm) wide Hi-Vis coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.		
4.00 Cu. Yd. Std. Coupler Light Material w/ Cutting Edge	BYT10779	\$9,415.00

114" (2896 mm) wide JRB 416 Compatible coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.		
4.50 Cu. Yd. Hi-Vis Coupler Light Material w/ Cutting Edge	BYT10777	\$10,179.00
114" (2896 mm) wide Hi-Vis coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.		
4.50 Cu. Yd. Std. Coupler Light Material w/ Cutting Edge	BYT10780	\$10,179.00
114" (2896 mm) wide JRB 416 Compatible coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.		
5.25 Cu. Yd. Hi-Vis Coupler Light Material w/ Cutting Edge	BYT10776	\$11,248.00
120" (3048 mm) wide Hi-Vis coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.		
5.25 Cu. Yd. Std. Coupler Light Material w/ Cutting Edge	BYT10781	\$11,248.00
1120 (3048 mm) wide JRB 416 Compatible coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.		
Auxiliary Cutting Edge For 4.0 and 4.5 Cu. Yd. Light Material Bucket	AT446161	\$1,599.00
For use with 114 in. (2895.6 mm) bucket width		
Auxiliary Cutting Edge For 5.25 Cu. Yd. Light Material Bucket	AT446162	\$1,682.00
For use with 120 in. (3048 mm) bucket width		
Side Cutting Edge for Light Material Bucket	AT446204	\$264.00
Includes cutting edges and hardware for both sides of bucket		
Couplers		
Hydraulic Coupler - Hi-Vis/ISO Pattern	BYT11134	\$4,902.00
For use with Tool Carrier Linkage		
Hydraulic Coupler - Hi-Vis/ISO Pattern	BYT10637	\$4,902.00
For use with Standard, High Lift, and High Lift Plus Z-Bar Linkages Linkage		
Hydraulic Coupler - JRB 416 Pattern	BYT10638	\$4,902.00
For use with Standard, High Lift, and High Lift Plus Z-Bar Linkages Linkage		
	BYT11133	\$4,902.00

# Hydraulic Coupler - JRB 416 Pattern

For use with Tool Carrier Linkage		
Forks		
60 in. (1.52 m) Coupler Fork Frame Carriage w/ (2) 48 in. (1.219 m) Tines	BYT10664	\$5,499.00
Compatible with JRB 416 pattern hook-on coupler		
60 in. (1.52 m) Coupler Fork Frame Carriage w/ (2) 60 in. (1.52 m) Tines	BYT10665	\$5,789.00
Compatible with JRB 416 pattern hook-on coupler.		
60 in. (1.52 m) Coupler Fork Frame Carriage w/ (2) 72 in. (1.83 m) Tines	BYT11127	\$6,639.00
Compatible with JRB 416 pattern hook-on coupler		
60 in. (1.52 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 48 in. (1.219 m) Tines	BYT10662	\$5,499.00
Compatible with Hi-Vis/ISO pattern hook-on coupler		
60 in. (1.52 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 60 in. (1.52 m) Tines	BYT10663	\$5,789.00
Compatible with Hi-Vis/ISO pattern hook-on coupler		
60 in. (1.52 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 72 in. (1.83 m) Tines	BYT11128	\$6,639.00
Compatible with Hi-Vis/ISO pattern hook-on coupler		
96 in. (2.44 m) Coupler Fork Frame Carriage w/ (2) 60 in. (1.52 m) Tines	BYT10840	\$6,890.00
Compatible with JRB 416 pattern hook-on coupler		
96 in. (2.44 m) Coupler Fork Frame Carriage w/ (2) 72 in. (1.83 m) Tines	BYT11129	\$8,477.00
Compatible with JRB 416 pattern hook-on coupler		
96 in. (2.44 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 60 in. (1.52 m) Tines	BYT10841	\$6,890.00
Compatible with Hi-Vis/ISO pattern hook-on coupler		
96 in. (2.44 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 72 in. (1.83 m) Tines	BYT11130	\$8,477.00
Compatible with Hi-Vis/ISO pattern hook-on coupler		
G.R.Mfg.		
624L Waste Handler Package, Installed	BYT11112	\$27,109.00

Requires code 1021, Waste Handler Configuration

Installed package includes the following:

Axle Seal Guards

Boom Cylinder Hydraulic Line & Cavity Guards

Bucket Cylinder Hydraulic Line/Rod/Sensor Guard

**Articulation Joint Guards** 

Hydraulic Tank and Cab Entry Step Guard

**Extreme Service Transmission Side Guards** 

Extreme Service Loader Frame Front Cover

Extreme Service Guards for Loader Drive, Work, & Turn Lights

Full Frontal Cab Window Guard (does not meet SAE J1084 Forestry

Standard)

Rear Loader Frame Guard

4th Gear Disabled

Strobe Light Right Rear Cab Roof Mounted, Fold Down

Lower Boom & Bucket Grease Fitting Guards

Rear Access Platforms with Flexible Step, Hand Holds & Tie Downs

**Battery Disconnect Switch Compartment Guard** 

Precleaner Prescreen Kit

Precleaner Prescreen Kit		
Articulation Joint Guards	BYT11085	\$2,396.00
Protects center pivot area. Includes heavy duty transmission compartment side shields. Recommended for trash handling, brush clearing, & recycling.		
Axle Seal Guards	BYT11086	\$1,416.00
Boom Cylinder Hydraulic Line & Cavity Guards	BYT11089	\$2,643.00
Cab Side and Rear Screen Package	BYT11091	\$4,101.00
Front Screen for Cab	BYT11090	\$2,559.00
Front Screen will fully open to facilitate cleaning. ISO 8084 CERTIFIED		
Heavy-Duty Rear Grille Guard	BYT11092	\$2,954.00
Requires Rear Access Deflectors.		
Heavy-Duty Service Cab Entry Step	BYT11088	\$1,132.00
Hyd Operated Extreme Service Bottom Guards	BYT11087	\$6,182.00
Cannot be used with code 3110 Axle Auto Diff Lock or 9410 Transmission & Bottom Guards.		
Rear Tire Deflector Kit	BYT11093	\$6,671.00
Required when machine is equipped with solid or foam filled tires.		
Hydraulics		
High-Altitude Hydraulic Kit	AT455552	\$625.00
For use at high altitudes to improve hydraulic performance by pressurizing the hydraulic tank. For use above 10,000 feet.		
For use with FT4 Loader Engines.		
<u>Hydraulics</u>		

3rd Function Hydraulics		BYT11231	\$4,199.00
Includes third function hydraulic valve section Does not include in-cab control function.	1.		
Kit does not include hoses and will require do per installation instructions.	ealer to manufacture hoses		
3rd Function Plumbing from Boom	to Coupler	BYT11246	\$176.00
For use on units with factory 3rd function hydadded in the field.	Iraulics having a coupler		
Kit does not include hoses and will require do per installation instructions.	ealer to manufacture hoses		
3rd Function Single Axis Lever		BYT11268	\$318.00
In-cab control lever only for updating units ed single axis controls to three-function single a joystick control lever.  Does not include hydraulic valve section or a	xis controls. Not for use with		
4th Function Hydraulics		BYT11233	\$4,199.00
Includes 4th function hydraulic valve section. Not for use with single axis control levers. Re Does not include in-cab control function.			
Kit does not include hoses and will require deper installation instructions.	ealer to manufacture hoses		
For use with Standard Z-bar (code 2010), H Lift Plus (code 2026) linkages.	igh Lift (code 2020), and High		
4th Function Hydraulics - Tool Carr	ier	BYT11234	\$2,937.00
Includes 4th function hydraulic valve section. Not for use with single axis control levers. Re Does not include in-cab control function.			
Kit does not include hoses and will require do per installation instructions.	ealer to manufacture hoses		
For use with Tool Carrier (code 2060) linkage	9.		
5th/6th Function Hydraulics		BYT11236	\$3,915.00
Includes hydraulic valve section and tie rods auxiliary functions. A separate kit would need 5th and 6th functions to an existing 4-function Does not include in-cab control function. Unit 4-function joystick control lever to operate 5th equipped with 3-funtion joystick controller the control lever will be required. 5th and 6th funsingle axis controls.	d to be ordered to add both n valve. t must be equipped with h and 6th functions. If unit is en a new 4-function joystick		
Kit does not include hoses and will require do per installation instructions.	ealer to manufacture hoses		
For use with Standard Z-bar (code 2010), Hi Lift Plus (code 2026) linkages. Not compatib 2060) Linkage.			

Attachment Coupler Plumbing Kit - High Lift Linkage	BYT11242	\$449.00
For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube.		
Attachment Coupler Plumbing Kit - High Lift Plus Linkage	BYT11243	\$449.00
For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube.		
Attachment Coupler Plumbing Kit - Standard Z-Bar Linkage	BYT11241	\$449.00
For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube.		
Cable Reinforced Coupler Plumbing kit	BYT11244	\$218.00
Provides plumbing from boom cross tube to the coupler.		
For use with Deere designed JRB 416 style coupler added in the field.		
Cable Reinforced Coupler Plumbing kit - Hi-Vis/ISO	BYT11245	\$218.00
Provides plumbing from boom cross tube to the coupler.		
For use with Deere designed Hi-Vis/ISO style coupler added in the field.		
Hydraulic Control Valve for Attachment Coupler Locking Pins	BYT11237	\$899.00
For use with field installed Attachment couplers. Includes solenoid valve and and software to program SSM switch to operate coupler. Both Attachment Coupler Plumbing and Cable Reinforced Coupler Plumbing kits are needed to provide plumbing from the valve to the coupler.		
Joystick Controls (2 or 3 function) Conversion to Joystick Controls (4, 5, or 6-Function)	BYT11252	\$1,212.00
To convert from single joystick hydraulic control lever with FNR and one integrated auxiliary function roller (2 or 3 function) to single joystick hydraulic control lever with FNR and two integrated auxiliary function rollers for 4, 5, or 6-functions.		
Kit only updates in-cab controls and does not include valve sections or plumbing.		
Joystick Controls Conversion to Single Axis Controls (2-Function)	BYT11250	\$1,275.00
To convert from single joystick hydraulic control lever with FNR to 2-Lever single axis controls with steering column FNR lever.		
Joystick Controls Conversion to Single Axis Controls (3-Function)	BYT11187	\$1,591.00
To convert from single joystick hydraulic control lever with FNR and auxiliary function to 3-Lever single axis controls with steering column FNR lever.		

Single Axis Controls Conversion to Joystick Controls (2 or 3-Function)	BYT11186	\$1,253.00
To convert from 2 or 3-Lever single axis controls with steering column FNR lever to single joystick hydraulic control lever with FNR and integrated auxiliary function roller.		
Single Axis Controls Conversion to Joystick Controls (4, 5, or 6-Function)	BYT11251	\$1,559.00
To convert from 2 or 3-Lever single axis controls with steering column FNR lever to single joystick hydraulic control lever with FNR and integrated auxiliary function rollers for 4, 5, or 6-functions.		
Kit only updates in-cab controls and does not include valve sections or plumbing.		
Operator Environment		
24 Volt to 12 Volt - 30 Amp Converter	BYT11259	\$341.00
CB Radio Antenna Kit	BYT11300	\$152.00
Kit includes CB Radio Antenna, Antenna Cable, Mounting Brackets, and Hardware		
Dedicated 7-inch Rear Camera Display	BYT11265	\$1,527.00
Provides a separate and dedicated 7 inch display monitor for displaying continuous rear view camera imagery and allowing standard monitor to display without interruption.		
Premium AM/FM/Weather Band (WB) with Bluetooth, Remote Aux and Remote USB Port	BYT11249	\$789.00
Rear Camera	BYT11263	\$1,007.00
Display shows view behind the machine. Rear view is displayed in video- enabled LCD Color Monitor.		
Rear Camera and Rear Object Radar Detection	BYT11264	\$4,072.00
Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled color monitor or dedicated color monitor.		
Ride Control Kit	BYT11255	\$3,724.00
Transmission and Botttom Guards are recommended in applications where underside is vulnerable.		
Satellite Radio Installation Kit	BYT11407	\$382.00
Kit includes a Satellite Radio Antenna, Satellite Radio Receiver, Satellite Radio Harness, and mounting brackets to allow the existing radio to receive and play Satellite radio braodcast signals. The kit does not include a Satellite radio subscription and an existing radio is required.		
Seat Belt with Minder Switch and External Indicator Light Kit	BYT11857	\$530.00

	unit is running and the seat belt is latched.		
Sec	condary Steering System	BYT11257	\$2,645.00
Ste	eering Column FNR Kit	BYT11988	\$402.00
Ov	verall Vehicle		
24\	V Aux Electrical Output Kit	BYT11267	\$179.00
elec	vides 24V output to allow opertion of electrical solenoid valves or other ctrical components from the hydraulic controls through the multiction button.		
Eng	gine Compartment Light	BYT11260	\$168.00
Ful	ll Coverage Front and Rear Fenders with Mudflaps	BYT11202	\$2,602.00
base facte Inclu fend	nder Kit contains all parts necessary to convert a machine from the se factory option of Standard Front Fenders to the equivalent of the tory option of Full Coverage Front and Rear Fenders with Mudflaps. Studes full width front and rear fenders, mudflaps on front and rear ders, and wiper flaps on front fenders to reduce tire spray while reling fast in wet conditions.		
	nder width is wider than tire by design to capture more tire spray but is ceptible to damage if tire brushes againt objects from the side.		
Lice	ense Plate Bracket	BYT11266	\$165.00
Incl	ludes light for night time illumination.		
Rig	ght Side Steps and Handholds	BYT11204	\$854.00
Str	obe Beacon with Mounting Brackets	BYT11547	\$472.00
eacl	includes one strobe beacon and two hinged mounting brackets, one for the side of the machine. Each side of the machine is pre-wired for the acon so beacon can be installed on either side.		
Thr	rottle Lock Software	BYT11262	\$200.00
eng	s feature adds the convenience of holding the engine at a constant gine speed for long travel distances or other constant engine speed eds without the operator having to hold the accelerator pedal position.		
Wh	neel Spin Control	AT453819	\$770.00
Soft Ord	eel spin control engages in 1st gear only. tware only kit. Ier software kit AT453820 through JDPoint to enable functionality on machine.		
Pa	yload Scale		
Сус	cle Counter Switch Field Kit	BYT11767	\$121.00
Po	wertrain & Cooling		
Aut	tomatic Axle Differential Lock (Auto-Diff/Lock)	AT362998	\$1,581.00

The seat belt Minder System monitors seat belt status and reports through JDLink when enabled. The external indicator light is a green strobe beacon mounted on the right hand corner of the cab that flashes anytime

Automatic Reversing Hydraulic Fan	BYT11254	\$1,531.00
Hydraulically driven fan with proportional fan speed control based on cooling demands to save fuel and reduce noise. Automatic Reversing fan to purge debris and dust on cooling system inlet screens and coolers periodically to reduce cleaning. Reversing intervals can be set in the monitor.		
Requires Engine Air Intake with Centrifugal Precleaner		
Environmental Drains and Sampling Ports	BYT11228	\$381.00
Includes transmission drain valve, hoses to all drain valves and hardware to safely drain vehicle fluids.		
De la al Cala A' Dia Glassa	DVT112F2	\$878.00
Powered Cab Air Pre-Cleaner	BYT11253	\$676.UC

Copyright © Deere & Company. All Rights Reserved.

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |

About Our Site | Privacy and Data | Legal | |