

624 P WHEEL LOADER

01-Mar-2022



JOHN DEERE

Code	Description	QTY	List Price (USD)
6040DW	<p>624 P WHEEL LOADER</p> <p>624 P Standard Equipment</p> <p>POWER TRAIN:</p> <p>5 Speed Transmission with Lock-Up Torque Converter Electronically Controlled Fully Automated Shift System Quick Shift Button on Loader Control Lever with 2 Selectable Modes Automatic / Manual Shift Modes Programmable Maximum High Gear Adaptive Clutch-Cutoff Clutch Calibration Engaged from Monitor 100% Locking Front and Conventional Rear Differentials with Inboard Mounted Heavy Duty Planetary Gears Heavy Duty Self Adjusting Front and Rear Power Brakes Electrically Actuated Automatic Spring Applied, Hydraulically Released, Wet Multi-Disc Park Brake Transmission Fill Tube and Sight Gauge 2000 Hour Transmission Filter</p> <p>COOLING:</p> <p>Quad-Cool System: Heavy Duty, Trash Resistant Radiator and High Ambient Cooling Package 2 Side access to all Coolers Cooling System isolated from Engine Compartment Engine Radiator Integral Engine Oil Cooler Hydraulic Oil Cooler (Oil to Air) Transmission Oil Cooler (Oil to Air) Front and Rear Axle Coolers with Axle Oil Filtration Charge Air Cooler (Air to Air) Coolant Recovery Tank Antifreeze, -34F (-37 C) Cool-on Demand Swing out Fan Enclosed Fan Safety Guard</p> <p>HYDRAULICS:</p> <p>Pressure Compensating Load Sensing Hydraulic System 2 Function Hydraulic Joystick with FNR Control</p>	1	\$270,214.00

Automatic Return to Dig
In Cab Adjustable Automatic Boom
Height Kickout / Return to Carry
Hydraulic Function Enable / Disable
Hydraulic Reservoir with Sight
Gauge and Fill Strainer
Hydraulic Diagnostic Ports
4000 Hour In-Tank Filter

ELECTRICAL:

24 Volt Electrical System
Solid State Electrical Power
Distribution System
(2) Heavy Duty Batteries - each 950
Cold Cranking amps/190 minute
Reserve Capacity
Reserve Capacity
Lockable Master Electrical
Disconnect Switch
Battery Terminal Safety Covers
Pre-wired for Beacon/Strobe Light
Lights:
(2) Halogen Driving Lights with
Guards
(4) Front and (2) Rear Work Lights
LED Turn Signals and Flashers
LED Stop and Tail Lights
Horn, Electric
Reverse Warning Alarm
Voltage Converter for 24V to 12V /
8 Amps
Multi-Function / Multi-Language LCD
Color Monitor includes:
DIGITAL INSTRUMENTS
ANALOG Display:

Hydraulic Oil Temperature
Engine Coolant Temperature
Transmission Oil Temperature
Engine Oil Pressure
DIGITAL Display:
Engine RPM
Transmission Gear / Direction
Indicator
Hour Meter
Fuel Level
DEF Level
Speedometer
Odometer
Outside Temperature
Indicator Lights for Standard and
Selected Options
Indicator Lights For Amber Caution
and Red Stop
Operator Warning Messages
BUILT-IN DIAGNOSTICS:
Diagnostic Code Details
Sensor Values

Calibrations
Individual Circuit Tester
MENU DISPLAY:
Codes
Machine Settings
Diagnostics
Monitor Settings

OPERATOR'S STATION:
ROPS Quiet Cab with Heater and Air
Conditioning
Defroster and Pressurizer
Front and Rear Intermittent
Windshield Wipers and Washers
(1) Inside and (2) Outside Rear
View Mirrors
Left and Right Rear Side Opening
Windows
Sun Visor
Keyless Start with Multiple
Security Modes
Sealed Switch Module with Function
Indicators
Seat with Back Rest Extension, Deep
Foam, Fabric Cover, Adjustable Air
Suspension for Weight/Height with
Fore-Aft Adjustment and Adjustable
Arm Rests
Hydraulic Controls Integrated to
Seat
3 Inch High Visibility Blaze Orange
Seat Belt with Retractor
(2) Cup Holders
Lunch box (Cooler) Holder
LED Dome and Reading Light
12 Volt Power Port
Radio Ready
Rubber Floor Mat
Tilt Steering Column
Textured Steering Wheel with
Spinner Knob
Operator's Manual Storage
Compartment
Left Side Operator Station Access
Slip-Resistant Steps and
Ergonomically Located Handholds

Overall Vehicle:
NeverGrease Rear Axle Oscillation
Joints
Front and Rear Tie Downs
Front Fenders
Rear Hitch with Locking Pin
Articulation Locking Bar
Boom Locking Bar
40 Degree Steering Articulation to
Each Side with Rubber Cushion Stops
on Frame

Vandal Protection With Lockable
 Engine Enclosures, Right
 Counterweight Compartment, Battery
 Box, Filler Access for
 Radiator/Fuel/Hydraulic/Transmission
 Service Steps and Handholds
 Storage Compartment
 Fuel Tank Fill Strainer
 Heavy Duty Fuel Tank Guard
 Ground Level Fueling and DEF
 Less Tires and Wheels

6040DW 624 P WHEEL LOADER 1 \$270,214.00

DESTINATION AND LANGUAGE

Operator's Manual and Decals Basic Factory Options - Required

2605 English Decals and Manuals No Added Cost

2610 Spanish Decals and Manuals No Added Cost

2615 French Decals and Manuals No Added Cost

PACKAGES

Machine Configuration Basic Factory Options - Required

1010 Standard Wheel Loader No Added Cost

1021 Waste Handler Configuration No Added Cost

Requires the following codes:
 1110- Transmission without Lockup Torque Converter
 1430 - Engine Air Intake with Centrifugal Precleaner
 1520 - Automatic Reversing Fan Drive
 2010 or 2020 - Z-BAR or High Lift Linkage
 3120 - Manual Axle Differential Lock
 5570 - Less Fenders
 5670 - Close Mounted Left Side Steps Only
 8450 - Cab w/ Air A/C Charge
 8230 - Less Hitch and Counterweights
 8298 - Less Beacon and Bracket
 9410 - Transmission and Bottom Guards

Requires BYT11112 - 624 P-tier Waste Handler Package, Installed. (Requires loader to ship to GR Mfg).

The dealer is responsible for making arrangements to get the unit to GR Manufacturing for installation. Shipping cost is not included in the installation.

1030	Agriculture Material Handling Configuration	(\$1,345.00)
	Requires the following option codes in order to qualify for package group price:	
	1430 Air Intake System with Centrifugal Precleaner Engine	
	1520 Reversing Fan Drive	
	9115 Cab Fresh Air Precleaner	
	2360 Single Joystick Hydraulic Control	
	2403 Three Function Hydraulics	
	2510 Ride Control	
	9043 Environmental Drain and Diagnostic Sample Ports	
	3049 Hi-Traction - Front and Rear Locking Differentials	

ENGINE

Engine Basic Factory Options - Required

0924	John Deere PowerTech Engine	\$24,858.00
	John Deere PowerTech PVS 6.8L meets EPA FT4 and EU Stage IV Emissions (192 Net Peak hp)	
	Turbocharged	
	Wet Sleeve Cylinder Liners	
	Automatic Glow Plugs	
	Programmable Auto-Idle and Auto-Shutdown	
	Selected Idle Adjustment from 900-1250 RPM	
	Starter Protection	
	4 Valves/Cylinder	
	Cooled Exhaust Gas Recirculation	
	Automatic Derating for Exceeded System Temperatures	
	Electronically Controlled HPCR Fuel Delivery System, B20 Biodiesel Compatible	
	Electrical Fuel Priming System	
	Serpentine Drive Belt with Automatic Tensioner	
	Under Hood Dual Element Air Cleaner with Restriction Indicator	
	Under Hood Exhaust Filter and Catalysts with Curved Exhaust Stack	
	Automatic Exhaust Filter Regeneration	
	Dual-Stage Fuel Filter and Water Separator	
	500 Hour Vertical Spin-on Oil Filter	
	Cartridge Type Oil Crankcase Filter	
	Automatic Engine Cool-down Timer	
	Remote Start Battery Terminals	

Fan Drive Basic Factory Options - Required

1510	Standard Hydraulic Fan	No Added Cost
	Hydraulically driven fan with proportional fan speed control based on cooling demands to save fuel and reduce noise.	

1520	Automatic Reversing Hydraulic Fan	\$1,650.00
------	-----------------------------------	------------

Hydraulically driven fan with proportional fan speed control based on cooling demands to save fuel and reduce noise.
Automatic Reversing fan to purge debris and dust on cooling system inlet screens and coolers periodically to reduce cleaning. Reversing intervals can be set in the monitor.

Requires code 1430 Engine Air Intake with Centrifugal Precleaner

Air Intake Basic Factory Options - Required

1410 Standard Engine Air Intake System No Added Cost
Does not include centrifugal precleaner

1430 Engine Air Intake System with Centrifugal Precleaner \$667.00

Exhaust Basic Factory Options - Required

1310 Flat Black Curved Stack No Added Cost

1330 Chrome Curved Stack \$443.00

Fuel Filtration Basic Factory Options - Required

1610 Standard Fuel Filter with Water Separator and Standard Fuel Fill No Added Cost

Engine Field Installed Attachments - Optional

9015 Engine Block Heater \$243.00
Recommend for cold starts below -10 degrees F (-23 C)

9043 Environmental Drains and Sampling Ports \$410.00

9055	Throttle Lock	\$215.00
	This feature adds the convenience of holding the engine at a constant engine speed for long travel distances or other constant engine speed needs without the operator having to hold the accelerator pedal position.	
9240	Engine Compartment Light	\$180.00
ELECTRICAL		
	Alternator	Basic Factory Options - Required
1210	100 amp Alternator	No Added Cost
	For use with code 2708 8 Amp/12 V Power Converter.	
	Not Available with Premium Cab code 1910	
1217	140 amp Alternator	\$347.00
	Required with code 1910 Premium Cab, code 2715 15 Amp/12V Power Converter, or code 2730 30 Amp/12V Power Converter.	
	Converter	Basic Factory Options - Required
2708	8 Amp Converter	No Added Cost
	Not Available with Premium Cab code 1910	
2715	15 Amp Converter	\$115.00
	Requires code 1217 140 amp alternator	
2730	30 Amp Converter	\$265.00
	Requires code 1217 140 amp alternator	
	Lighting	Basic Factory Options - Required
7120	Halogen Work and Drive Lights	No Added Cost
	LED Front Turn/Marker & Rear Turn/Brake Lights	
7140	Premium LED Work and Drive Lights	\$1,449.00

All exterior machine lights are LED
 LED Front Turn/Marker & Rear Turn/Brake Lights

DRIVETRAIN

Transmission Basic Factory Options - Required

1110 5-Speed Powershift Transmission (\$3,900.00)

1120 5-Speed Powershift Transmission with Lock-up Torque Converter No Added Cost
 Recommend Ride Control with Lock-up Torque Converter for Load and Carry applications.

Axles Basic Factory Options - Required

3046 Front Hydraulically Locking Differential and Rear Conventional Differential Axles No Added Cost

3049 High Traction - Front & Rear Hydraulically Locking Differential Axles \$2,453.00

Differential Lock Basic Factory Options - Required

3110 Automatic Differential Lock \$1,429.00
 Allows operator to switch on Automatic Diff Lock providing continual differential lock in all conditions, minimizing tire spin.
 Requires code 9410 Transmission and Bottom Guards.

3120 Manual Axle Differential Lock No Added Cost

DRIVETRAIN AND COOLING Field Installed Attachments - Optional

9050 Wheel Spin Control System \$490.00
 Wheel spin control engages in 1st gear only.

LINKAGE

Linkage Configuration

Basic Factory Options - Required

2010	Standard Z-BAR Parallel Lift Linkage	No Added Cost
2020	High Lift Z-BAR Parallel Lift Linkage Adds 14.2 inches (360 mm) height to bucket hinge pin, fully raised over standard linkage. Rated tipping load and lift capacity will be lower than unit equipped with the standard boom.	\$4,477.00
2026	High Lift Plus Z-BAR Parallel Lift Linkage Adds 25.2 inches (640 mm) height to bucket hinge pin, fully raised over standard linkage. Rated tipping load and lift capacity will be lower than unit equipped with the standard boom or high lift boom.	\$6,370.00
2060	Tool Carrier Linkage Parallel lift linkage optimized for maximum centerline visibility between the boom slabs to see the work tool. Also has a lower profile for reaching underneath obstructions when compared to z-bar linkages. Requires Code 2403 Three Function Hydraulics or Code 2404 Four Function Hydraulics. Requires Code 2510 Ride Control. Requires Code 8560 Hydraulic Coupler - JRB 416 Pattern, Code 8561 Hydraulic Coupler - Hi-Vis/ISO Pattern, or Code 8563 Field Coupler Ready: Pins Only and Pin Disconnect Plumbing.	\$7,240.00

HYDRAULICS

Hydraulic Controls

Basic Factory Options - Required

2350	Single Axis Lever Controls Provides an individual hydraulic function control lever for each function. Only available for 2 function and 3 function hydraulics. Includes steering column mounted FNR lever.	\$202.00
2360	Joystick Controls Provides a single lever (joystick) control for the boom and the bucket. Optional 3rd and 4th functions are controlled with proportional thumb rollers integrated in the joystick handle. Includes FNR switch integrated into the joystick control lever.	No Added Cost

HYDRAULIC SYSTEM

Basic Factory Options - Required

2402	Two Function Hydraulics Controls Boom and Bucket only. Not for use with code 2060 Tool Carrier Linkage.	No Added Cost
------	---	---------------

2403	Three Function Hydraulics Controls Boom and Bucket and adds an auxiliary function and boom lines.	\$2,231.00
------	--	------------

2404	Four Function Hydraulics Controls Boom and Bucket and adds two auxiliary functions and boom lines. Requires code 2360 Joystick Controls.	\$4,231.00
------	--	------------

Hydraulic Fluid

Basic Factory Options - Required

1970	Hydrau Hydraulic Fluid	No Added Cost
------	------------------------	---------------

1975	Hydrau XR Hydraulic Fluid Optional factory fill. Required for colder climates with operation below -25C (-13F) and extreme cold ambient temperatures down to -40C (-40F). Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).	\$250.00
------	--	----------

Ride Control

Basic Factory Options - Required

2510	Ride Control Code 9410 Transmission and Botttom Guards are recommended in applications where underside is vulnerable.	\$4,015.00
------	--	------------

2520	Less Ride Control	No Added Cost
------	-------------------	---------------

Hydraulics

Field Installed Attachments - Optional

AT455552	High-Altitude Hydraulic Kit For use at high altitudes to improve hydraulic performance by pressurizing the hydraulic tank. For use above 10,000 feet.	\$625.00
----------	--	----------

For use with FT4 Loader Engines.

OPERATOR'S STATION AND CONTROLS

Cab / ROPS

Basic Factory Options - Required

1905 Standard Cab No Added Cost

The following options are only available on the standard cab:
 1210 100 amp Alternator
 1934 5 inch (127mm) Display Monitor
 2220 Deluxe Seat
 2708 8 amp Voltage Converter
 8310 Standard Exterior Mirrors OR 8320 Heated Exterior Mirrors
 8360 Standard radio OR 8380 No radio

Allows lowest cost configuration.

The following options are NOT available in the standard cab configuration:
 8370 Premium Radio
 8350 Remote Powered and Heated Exterior Mirrors

1910 Premium Cab (\$512.00)

Requires/Includes the following option codes in order to qualify for package group price:

1217 140 Amp Alternator
 1940 7 inch (178mm) Display Monitor OR 1945 7 inch (178mm) Display Monitor with Dedicated 7 inch (178mm) Rear View Camera Display
 2240 Premium Seat
 2715 15 amp Voltage Converter OR 2730 30 amp Voltage Converter
 8350 Remote Powered and Heated Exterior Mirrors
 8370 Premium Radio

Also includes Cab Automatic Temperature Control System.

A/C Charge

Basic Factory Options - Required

8450 Cab with Air A/C Charge No Added Cost

Seat

Basic Factory Options - Required

2220 Deluxe Seat, Cloth with Air Suspension No Added Cost

Fabric Covered Seat with Back Rest Extension includes Lumbar Adjustment and Air Suspension with Full Damping Capability.

Not Available with Premium Cab code 1910

2240	Premium Seat, Heated and Ventilated with Heavy Duty Air Suspension Leather Accented Seat with Back Rest Extensions includes Pan Tilt, Pan Extend, Lumbar Adjustment and Air Suspension with Full Damping Capability.	\$1,295.00
MONITOR		Basic Factory Options - Required
1940	7 inch Monitor	No Added Cost
1945	7 inch Monitor with Dedicated Rear Camera Display Provides a separate and dedicated 7 inch display monitor for displaying continuous rear view camera imagery and allowing standard monitor to display without interruption.	\$1,645.00
1934	5 inch Monitor Not Available with Premium Cab code 1910	(\$206.00)
Mirrors		Basic Factory Options - Required
8310	Standard Exterior Mirrors Not Available with Premium Cab code 1910	No Added Cost
8320	Heated Exterior Mirrors Not Available with Premium Cab code 1910	\$424.00
8350	Remote Powered and Heated Exterior Mirrors Not Available with Standard Cab code 1905	\$712.00
Radio		Basic Factory Options - Required
8360	Standard Radio AM/FM/Weather Band (WB) Radio with Remote AUX Port Requires Standard Cab	\$576.00
8370	Premium AM/FM/Weather Band (WB) with Bluetooth, Remote Aux and Remote USB Port AM/FM/Weather Band (WB) Radio with Bluetooth, Remote Aux and Remote USB Port	\$850.00

Requires Premium cab

8380	No Radio Requires Standard Cab	No Added Cost
------	-----------------------------------	---------------

REAR OBJECT DETECTION

Basic Factory Options - Required

8235	Rear Camera and Rear Object Radar Detection Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled color monitor or dedicated color monitor.	\$3,304.00
------	--	------------

8240	Rear Camera	No Added Cost
------	-------------	---------------

BEACONS

Basic Factory Options - Required

8275	LED Strobe Beacon with Left Beacon Bracket LED Strobe Beacon on hinged bracket mounted to the rear left side of the cab exterior.	\$275.00
------	--	----------

8290	Left Beacon Bracket Only Hinged bracket only mounted to the rear left side of the cab exterior.	\$168.00
------	--	----------

8298	No Strobe Beacon or Left Beacon Bracket	No Added Cost
------	---	---------------

CAB ENTRANCE STEPS

Basic Factory Options - Required

5610	Left Side Steps Only	No Added Cost
------	----------------------	---------------

5620	Left And Right Side Steps Not for use with code 5570 Less Fenders and Rear Platforms	\$920.00
------	---	----------

5670	Close Mounted Left Side Steps Only Requires code 5570 Less Fenders and Rear Platforms	No Added Cost
------	--	---------------

Operator's Station Field Installed Attachments - Optional

9115 Powered Cab Fresh Air Pre-Cleaner \$945.00
 Extends cab air filter change intervals.

9127 Seat Belt with Minder Switch and External Indicator Light \$360.00
 The seat belt Minder Switch sends a JDLink code alert if the park brake is released and seat belt not latched.. The external indicator light, is a green strobe beacon mounted on the right hand corner of the cab that flashes anytime the unit is running and the seat belt is latched.

9140 Fire Extinguisher \$149.00
 5.0 lbs. multi purpose (ABC) Dry Chemical Fire Extinguisher mounted inside the cab to the left front ROPS post.

STEERING

Steering Systems Basic Factory Options - Required

2120 Steering Wheel Only No Added Cost

2130 Steering Wheel Only with Secondary Steering \$2,851.00
 Secondary Steering is NOT Joystick Steering Control. Secondary steering is used in the event of a failure of the normal steering power source(s), or if engine shuts down while the machine is in motion and allows temporary steering of the machine by using an electric motor powered steering pump or a ground driven steering pump (depending on loader model) to provide temporary hydraulic pressure and flow to the steering cylinders.

PAYLOAD SCALE

Payload Scale Basic Factory Options - Required

2870 No Payload Scale with Cycle Counter \$119.00

2890 No Payload Scale without Cycle Counter No Added Cost

Payload Scale Field Installed Attachments - Optional

BYT11767 Cycle Counter Switch Field Kit \$121.00

JOHN DEERE WORKSIGHT™

Machine Connectivity Basic Factory Options - Required

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

170K JDLink™ No Added Cost

Includes integrated cab wiring harness, antenna, and JDLink™ Modem (MTG).

JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.

170R JDLink™ Satellite \$3,215.00

Includes integrated cab wiring harness, antenna, JDLink™ Modem's (Cellular MTG & Satellite MTG).

JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.

FENDER

Fenders Basic Factory Options - Required

5530 Standard Front Fenders No Added Cost

Includes standard width front fenders, left side steps, as well as both left and right side platforms.

Fender width is narrower than tire by design to be less susceptible to damage if tire brushes against objects from the side.

5540 Full Width Front Fenders \$320.00

Includes full width front fenders, left side steps, as well as both left and right side platforms.

Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes against objects from the side.

5550 Full Width Front and Rear Fenders \$2,310.00

Includes full width front and rear fenders, left side steps, as well as both left and right side platforms.

Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes against objects from the side.

Mudflaps and wiper flap are NOT included.

5560 Full Coverage Front and Rear Fenders with Mudflaps \$2,805.00
Includes full width front and rear fenders, left side steps, as well as both left and right side platforms.
Also includes mudflaps and wiper flap on front fenders to reduce tire spray while traveling fast in wet conditions.
Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes against objects from the side.

5570 Less Fenders and Rear Platforms No Added Cost
Not for use with Code 5620 Left and Right Side Steps

WHEELS AND TIRES

Wheels and Tires

Basic Factory Options - Required

All Tires are tubeless and include rims, axle stops when required, and come in sets of 4.

Tire chain use requires Axle Stops.

NOTE: If a No Brand Preference code is selected a 9000 code in the Optional Equipment - Order as Desired section will automatically be selected as well. This is required to enable the factory to source this order.

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660.

Less Wheels and Tires

4000 Less Wheels and Tires No Added Cost
8 Degree Axle Stops Installed
If solid tires are installed it requires the Rear Access Platforms from GR Mfg listed in the Referral section of the Price Pages.
Includes retaining hardware. This package is required for rear axle warranty. For warranty information refer to the SAM manual.

4007 20.5x25 3pc. Rims Less Tires \$3,171.00
8 Degree Axle Stops Installed

4008 600/65R25 3pc. Rims Less Tires \$3,185.00
8 Degree Axle Stops Installed

20.5R25 L2 Single Star Radial Tires With 3 Piece Rims

4932 No Brand Preference \$14,275.00

4413	Titan TGD2, 20.5R25 L2 Single Star Radial Tires with 3pc Rims	\$15,000.00
4412	Bridgestone VUT, 20.5R25 L2 Single Star Radial Tires with 3pc Rims	\$16,930.00
4411	Michelin XTLA, 20.5R25 L2 Single Star Radial Tires with 3pc Rims	\$18,283.00
44A5	Custom Code - Bridgestone VKT, 20.5R25 L2 Single Star Radial Tires with 3pc Rims	\$25,532.00
	20.5-25 L2 16PR Bias Tires With 3 Piece Rims	
4933	No Brand Preference	\$11,900.00
4323	Titan Loader, 20.5-25 L2 16PR Bias Tires with 3pc Rims	\$12,600.00
4322	Firestone SGG, 20.5-25 L2 16PR Bias Tires with 3pc Rims	\$13,107.00
	20.5R25 L3 Single Star Radial Tires With 3 Piece Rims	
4934	No Brand Preference	\$13,138.00
4423	Titan STL3, 20.5R25 L3 Single Star Radial Tires with 3pc Rims	\$13,900.00
4425	Bridgestone VJT, 20.5R25 L3 Single Star Radial Tires with 3pc Rims	\$16,640.00
4421	Michelin XHA2, 20.5R25 L3 Single Star Radial Tires with 3pc Rims	\$19,030.00

Other Tire Options

4332	Firestone SRG, 20.5-25 16PR L3 Bias Tires with 3pc. Rims	\$14,080.00
4415	Michelin XSnoPlus, 20.5R25 L2 Radial Tires with 3pc Rims	\$19,950.00
5114	Michelin MegaXbib, 620/75R26 Agriculture Tires with 1pc Rims 8 degree axle stops installed. Requires Code 5570 Less Front Fenders and Rear Platforms.	\$19,320.00
5116	Michelin MegaXbib, 750/65R26 Agriculture Tires with 1pc Rims 8 degree axle stops installed. Requires Code 5570 Less Front Fenders and Rear Platforms and Code 5670 Close Mounted Left Side Steps.	\$19,850.00
52A4	Custom Code - Michelin XLD, 600/65R25 L3 Radial Tires with 3pc Rims 8 degree axle stops installed	\$27,353.00
43B6	Custom Code - Firestone SDT, 20.5X25 20PR L5 Bias Tires with 3pc Rims 8 degree axle stops installed	\$30,026.00
46A5	Custom Code - Michelin XHA2, 23.5R25 L3 Single Star Radial Tires with 3pc Rims 8 degree axle stops installed	\$27,273.00
44A7	Custom Code - Michelin XLD, 20.5R25 D2 L5 Radial Tires with 3pc Rims 8 degree axle stops installed	\$35,873.00

Tire Brand Preference

Field Installed Attachments - Optional

No Tire Brand Preference

9707	20.5R25 1 STAR L2 NO BRAND PREFERRED RADIAL TIRES WITH 3 PC RIMS	No Added Cost
------	--	---------------

9708	20.5-25 L2 16PR BIAS NO BRAND PREFERRED WITH 3 PC RIMS	No Added Cost
------	--	---------------

9709	20.5R25 1 STAR L3 NO BRAND PREFERRED RADIAL TIRES WITH 3 PC RIMS	No Added Cost
------	--	---------------

WORK TOOLS

Hydraulic Couplers	Basic Factory Options - Required
--------------------	----------------------------------

8560	Hydraulic Coupler - JRB 416 Pattern	\$5,995.00
------	-------------------------------------	------------

8561	Hydraulic Coupler - Hi-Vis/ISO Pattern	\$5,995.00
------	--	------------

8563	Field Coupler Ready: Pin Disconnect Plumbing For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube, electric switch, and solenoid valve. Pins NOT included – dealer will need to work with aftermarket supplier of coupler to procure proper size pins.	\$1,452.00
------	--	------------

8565	Field Bucket Ready: Pins Only Pins are shipped with the machine. The pins provided are designed and intended for use in installing Deere designed field installed pin-on buckets. Use of the pins to attach any other buckets, couplers, or other attachments may or may not be acceptable, and must be reviewed on a case by case basis to determine if they provide adequate pin engagement and pin retention.	\$595.00
------	--	----------

8567	Factory Pin-on Bucket Ready Required when ordering factory installed pin-on buckets - NOT coupler style hook-on buckets or field installed buckets.	No Added Cost
------	--	---------------

Buckets	Basic Factory Options - Required
---------	----------------------------------

Bucket options are orderable with either a coupler or a pin-on configuration, unless otherwise noted.

8900	2.5 Cu. Yd. Bucket All 2.5 cu yd buckets are 100" (2540mm) wide coupler style hook-on Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. No pin-on bucket is offered in this size.	\$7,867.00
------	---	------------

Not for use with code 8567 Factory Pin-on Bucket.

8905	2.75 Cu. Yd. Bucket All 2.75 cu yd buckets are 100" (2540 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. 2.75 cu yd pin-on bucket is not available for this size. Not for use with code 8567 Factory Pin-on Bucket.	\$8,507.00
8910	3.0 Cu. Yd. Bucket (Coupler only) All 3.0 cu yd buckets are Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. This is a Coupler style hook-on bucket and is 106" (2692 mm) wide. Requires Coupler code 8560 or 8561.	\$9,124.00
8915	3.25 Cu. Yd. Bucket (Coupler only) All 3.25 cu yd buckets are 106" (2692 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. Requires Coupler code 8560 or 8561.	\$9,429.00
8920	3.5 Cu. Yd. Bucket (Coupler only) All 3.5 cu yd buckets are 106" (2692 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. 3.5 cu yd coupler style hook-on buckets are not available for the 624 P-tier High Lift Plus. Requires Linkage code 2010 or 2020 or 2060 and Coupler code 8560 or 8561.	\$10,075.00
8921	3.5 Cu. Yd. Bucket (Pin-On only) All 3.5 cu yd buckets are 106" (2692 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. Requires Linkage code 2010 or 2020 or 2026 and code 8567 for Factory Pin-on Bucket.	\$10,075.00
8925	3.75 Cu. Yd. Bucket (Coupler only) All 3.75 cu yd buckets are 106" (2692 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. 3.75 cu yd coupler style hook-on buckets are not available for the 624 P-tier High Lift or High Lift Plus. Requires Linkage code 2010 or 2060 and Coupler code 8560 or 8561.	\$11,070.00
8926	3.75 Cu. Yd. Bucket (Pin-On only) All 3.75 cu yd buckets are 106" (2692 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. Requires Linkage code 2010 or 2020 or 2026 and code 8567 for Factory Pin-On Bucket.	\$11,070.00
8930	4.0 Cu. Yd. Light Material Bucket (Coupler-only) 114" (2896 mm) wide Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits. Requires code 8860 Bolt-on Cutting Edge Not for use with code 8567 Factory Pin-on Bucket.	\$12,973.00
8940	4.5 Cu. Yd. Light Material Bucket (Coupler-only)	\$14,133.00

114" (2896 mm) wide Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.

Requires code 8860 Bolt-on Cutting Edge

Not for use with code 8567 Factory Pin-on Bucket.

8950	5.25 Cu. Yd. Light Material Bucket (Coupler-only)	\$15,752.00
------	---	-------------

120" (3048 mm) wide Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.

Requires code 8860 Bolt-on Cutting Edge

Not for use with code 8567 Factory Pin-on Bucket.

8960	No Bucket	No Added Cost
------	-----------	---------------

CUTTING EDGES AND TEETH

Basic Factory Options - Required

8850	Bolt-on Cutting Edge	\$919.00
------	----------------------	----------

For use with 100 inch wide buckets.

8860	Bolt-on Cutting Edge	\$1,054.00
------	----------------------	------------

For use with 106 inch wide and light material buckets.

8870	Bolt-on Teeth with Cutting Edge Segments	\$2,328.00
------	--	------------

For use with 100 inch wide buckets.

8880	Bolt-on Teeth with Cutting Edge Segments	\$2,738.00
------	--	------------

For use with 106 inch wide buckets.

8890	No Bucket Edge or Teeth	No Added Cost
------	-------------------------	---------------

Required when ordering code 8960 No Bucket

FORK FRAME

Basic Factory Options - Required

5760	60 in (1524mm) Wide Fork Frame	\$8,327.00
------	--------------------------------	------------

Requires code 8560 Hydraulic Coupler - JRB 416 Pattern OR code 8561 Hydraulic Coupler - Hi-Vis/ISO Pattern

5780	96 in (2438mm) Wide Fork Frame	\$11,057.00
------	--------------------------------	-------------

Requires code 8560 Hydraulic Coupler - JRB 416 Pattern OR code 8561 Hydraulic Coupler - Hi-Vis/ISO Pattern

5840 No Fork Frame No Added Cost

TINES Basic Factory Options - Required

5860 48 Inch (1219mm) Construction Tines \$1,571.00
 Requires code 5760 60 in (1524mm) Wide Fork Frame OR code 5780 96 in (2438mm) Wide Fork Frame

5870 60 Inch (1524mm) Construction Tines \$2,117.00
 Requires code 5760 60 in (1524mm) Wide Fork Frame OR code 5780 96 in (2438mm) Wide Fork Frame

5890 72 Inch (1829mm) Construction Tines \$3,003.00
 Requires code 5760 60 in (1524mm) Wide Fork Frame OR code 5780 96 in (2438mm) Wide Fork Frame

5940 No Tines No Added Cost
 Required when ordering code 5840 No Fork Frame

FRAME AND CHASSIS

Rear Hitch and Counterweights Basic Factory Options - Required

8220 Rear Hitch and Counterweight No Added Cost

8230 Less Rear Hitch and Counterweight (\$1,275.00)
 Right side rear counterweight is removed, left side rear counterweight is still in place due to DEF/fuel tank placement.
 For use with Standard or High Lift Linkage Codes 2010 or 2020 only
 This option is typically used in conjuncture with a waste handling package or any other special application where a GR Manufacturing rear guarding package is installed. The less counterweight code still includes the left side pod as it is needed to house the DEF tank.

Please consult DMAC if you have any questions as this code will reduce FTTL.

Right side rear counterweight is removed, left side rear counterweight is still in place due to DEF/fuel tank placement.
 For use with Standard or High Lift Linkage Codes 2010 or 2020 only

MISCELLANEOUS

Miscellaneous Field Installed Attachments - Optional

9210	Electrical Corrosion Prevention Package Preventive corrosion treatment for use in corrosive environments. Preventive corrosion treatment includes dielectric grease for electrical connections and polyurethane-based sealant on exposed terminals.	\$1,425.00
9410	Transmission and Bottom Guards Recommended in applications where underside is vulnerable. Includes transmission side guards, bottom guards, and loader mast side covers.	\$2,034.00
9510	Lift Hooks	\$333.00
9520	License Plate Bracket Includes light for night time illumination.	\$177.00
9525	Slow Moving Vehicle (SMV) Emblem	\$157.00
9800	Finish Paint - Decals Not Installed For custom paint. Non-Paintable charcoal grey cab roof. Decals packaged with machine. Safety decals installed.	No Added Cost
9909	Shipping Rust Preventive Coating - Non Export Coating protects exposed unpainted surfaces from road salt during shipment.	\$235.00
9675	Attachment Recognition Enables Asset Tracking Beacons to allow hydraulic settings to change while swapping attachments for applicable machines.	\$980.00

Custom Codes Field Installed Attachments - Optional

Miscellaneous Field Installed Attachments - Optional

AT519021	Attachment Recognition Enables Asset Tracking Beacons to allow hydraulic settings to change while swapping attachments for applicable machines.	\$1,087.80
----------	--	------------

Software Only Kit to be ordered through Service Parts.

Forks		Field Installed Attachments - Optional
BYT11127	60 in. (1.52 m) Coupler Fork Frame Carriage w/ (2) 72 in. (1.83 m) Tines Compatible with JRB 416 pattern hook-on coupler	\$9,063.00
BYT11130	96 in. (2.44 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 72 in. (1.83 m) Tines Compatible with Hi-Vis/ISO pattern hook-on coupler	\$11,572.00
BYT10840	96 in. (2.44 m) Coupler Fork Frame Carriage w/ (2) 60 in. (1.52 m) Tines Compatible with JRB 416 pattern hook-on coupler	\$9,406.00
BYT10841	96 in. (2.44 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 60 in. (1.52 m) Tines Compatible with Hi-Vis/ISO pattern hook-on coupler	\$9,406.00
BYT10662	60 in. (1.52 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 48 in. (1.219 m) Tines Compatible with Hi-Vis/ISO pattern hook-on coupler	\$7,507.00
BYT11128	60 in. (1.52 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 72 in. (1.83 m) Tines Compatible with Hi-Vis/ISO pattern hook-on coupler	\$9,063.00
BYT10665	60 in. (1.52 m) Coupler Fork Frame Carriage w/ (2) 60 in. (1.52 m) Tines Compatible with JRB 416 pattern hook-on coupler.	\$7,903.00
BYT10664	60 in. (1.52 m) Coupler Fork Frame Carriage w/ (2) 48 in. (1.219 m) Tines Compatible with JRB 416 pattern hook-on coupler	\$7,507.00
BYT10663	60 in. (1.52 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 60 in. (1.52 m) Tines Compatible with Hi-Vis/ISO pattern hook-on coupler	\$7,903.00
BYT11129	96 in. (2.44 m) Coupler Fork Frame Carriage w/ (2) 72 in. (1.83 m) Tines Compatible with JRB 416 pattern hook-on coupler	\$11,572.00
Operator Environment		Field Installed Attachments - Optional

BYT11264	Rear Camera and Rear Object Radar Detection Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled color monitor or dedicated color monitor.	\$4,072.00
BYT11265	Dedicated 7-inch Rear Camera Display Provides a separate and dedicated 7 inch display monitor for displaying continuous rear view camera imagery and allowing standard monitor to display without interruption.	\$1,527.00
BYT11259	24 Volt to 12 Volt - 30 Amp Converter	\$341.00
BYT11857	Seat Belt with Minder Switch and External Indicator Light Kit The seat belt Minder System monitors seat belt status and reports through JDLink when enabled. The external indicator light is a green strobe beacon mounted on the right hand corner of the cab that flashes anytime the unit is running and the seat belt is latched.	\$530.00
BYT11249	Premium AM/FM/Weather Band (WB) with Bluetooth, Remote Aux and Remote USB Port	\$789.00
BYT11255	Ride Control Kit Transmission and Botttom Guards are recommended in applications where underside is vulnerable.	\$3,724.00
BYT11263	Rear Camera Display shows view behind the machine. Rear view is displayed in video-enabled LCD Color Monitor.	\$1,007.00
BYT11988	Steering Column FNR Kit	\$402.00
BYT11300	CB Radio Antenna Kit Kit includes CB Radio Antenna, Antenna Cable, Mounting Brackets, and Hardware	\$152.00
BYT11257	Secondary Steering System	\$2,645.00
BYT11407	Satellite Radio Installation Kit Kit includes a Satellite Radio Antenna, Satellite Radio Receiver, Satellite Radio Harness, and mounting brackets to allow the existing radio to receive and play Satellite radio braodcast signals. The kit does not include a Satellite radio subscription and an existing radio is required.	\$382.00

G.R.Mfg.

Field Installed Attachments - Optional

G.R. Manufacturing, Inc.

* Kits listed below must be ordered through John Deere.

* F.O.B. Trussville, Alabama

* All kits include installation instructions

* All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.

G.R. Manufacturing, Inc.
4800 Commerce Drive
Trussville, Alabama 35173
Phone: (800)841-8001
Fax: (205)655-8005

BYT11092	Heavy-Duty Rear Grille Guard Requires Rear Access Deflectors.	\$2,934.00
BYT11091	Cab Side and Rear Screen Package	\$5,660.00
BYT11089	Boom Cylinder Hydraulic Line & Cavity Guards	\$3,574.00
BYT11086	Axle Seal Guards	\$1,420.00
BYT11090	Front Screen for Cab Front Screen will fully open to facilitate cleaning. ISO 8084 CERTIFIED Not compatible with tool carrier linkage configuration	\$3,320.00
BYT11085	Articulation Joint Guards Protects center pivot area. Includes heavy duty transmission compartment side shields. Recommended for trash handling, brush clearing, & recycling.	\$2,640.00
BYT11087	Hyd Operated Extreme Service Bottom Guards Cannot be used with code 3110 Axle Auto Diff Lock or 9410 Transmission & Bottom Guards.	\$7,120.00
BYT11088	Heavy-Duty Service Cab Entry Step	\$1,132.00
BYT11112	624L Waste Handler Package, Installed Requires code 1021, Waste Handler Configuration Installed package includes the following: Axle Seal Guards Boom Cylinder Hydraulic Line & Cavity Guards Bucket Cylinder Hydraulic Line/Rod/Sensor Guard Articulation Joint Guards Hydraulic Tank and Cab Entry Step Guard Extreme Service Transmission Side Guards	\$34,680.00

Extreme Service Loader Frame Front Cover
 Extreme Service Guards for Loader Drive, Work, & Turn Lights
 Full Frontal Cab Window Guard (does not meet SAE J1084 Forestry Standard)
 Rear Loader Frame Guard
 4th Gear Disabled
 Strobe Light Right Rear Cab Roof Mounted, Fold Down
 Lower Boom & Bucket Grease Fitting Guards
 Rear Access Platforms with Flexible Step, Hand Holds & Tie Downs
 Battery Disconnect Switch Compartment Guard
 Precleaner Prescreen Kit

BYT11093	Rear Tire Deflector Kit	\$7,564.00
	Required when machine is equipped with solid or foam filled tires.	

Bucket Hardware & Accessories	Field Installed Attachments - Optional
-------------------------------	--

AT209155	Auxiliary Cutting Edge for 106 in.(2690mm) Bucket Width	\$1,561.00
	NOTE: * Installation instructions T170401. * Average installation, 4.5 hours.	

AT315871	Coupler Attachment Adapter Hook Plates (2) Standard	\$2,193.00
	Installation instructions T211880	

AT400165	Teeth with Segments for 106 in.(2690mm) Bucket Width	\$2,821.00
----------	--	------------

AT330639	Coupler Attachment Adapter Hook Plates, (2) Hi-Vis	\$2,172.00
	Installation instructions T211880	

Overall Vehicle	Field Installed Attachments - Optional
-----------------	--

BYT11204	Right Side Steps and Handholds	\$854.00
----------	--------------------------------	----------

BYT11262	Throttle Lock Software	\$200.00
	This feature adds the convenience of holding the engine at a constant engine speed for long travel distances or other constant engine speed needs without the operator having to hold the accelerator pedal position.	

BYT11202	Full Coverage Front and Rear Fenders with Mudflaps	\$2,602.00
	Fender Kit contains all parts necessary to convert a machine from the base factory option of Standard Front Fenders to the equivalent of the factory option of Full Coverage Front and Rear Fenders with Mudflaps. Includes full width front and rear fenders, mudflaps on front and rear fenders, and wiper flaps on front fenders to reduce tire spray while traveling fast in wet conditions.	

Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes against objects from the side.

AT453819	Wheel Spin Control Wheel spin control engages in 1st gear only. Software only kit. Order software kit AT453820 through JDPoint to enable functionality on the machine.	\$770.00
BYT11547	Strobe Beacon with Mounting Brackets Kit includes one strobe beacon and two hinged mounting brackets, one for each side of the machine. Each side of the machine is pre-wired for the beacon so beacon can be installed on either side.	\$472.00
BYT11267	24V Aux Electrical Output Kit Provides 24V output to allow operation of electrical solenoid valves or other electrical components from the hydraulic controls through the multi-function button.	\$179.00
BYT11260	Engine Compartment Light	\$168.00
BYT11266	License Plate Bracket Includes light for night time illumination.	\$165.00
	Hydraulics	Field Installed Attachments - Optional
BYT11231	3rd Function Hydraulics Includes third function hydraulic valve section. Does not include in-cab control function. Kit does not include hoses and will require dealer to manufacture hoses per installation instructions.	\$4,199.00
BYT11237	Hydraulic Control Valve for Attachment Coupler Locking Pins For use with field installed Attachment couplers. Includes solenoid valve and software to program SSM switch to operate coupler. Both Attachment Coupler Plumbing and Cable Reinforced Coupler Plumbing kits are needed to provide plumbing from the valve to the coupler.	\$899.00
BYT11233	4th Function Hydraulics Includes 4th function hydraulic valve section. Not for use with single axis control levers. Requires joystick control lever. Does not include in-cab control function. Kit does not include hoses and will require dealer to manufacture hoses per installation instructions. For use with Standard Z-bar (code 2010), High Lift (code 2020), and High Lift Plus (code 2026) linkages.	\$4,199.00
BYT11246	3rd Function Plumbing from Boom to Coupler	\$176.00

	For use on units with factory 3rd function hydraulics having a coupler added in the field. Kit does not include hoses and will require dealer to manufacture hoses per installation instructions.	
BYT11245	Cable Reinforced Coupler Plumbing kit - Hi-Vis/ISO Provides plumbing from boom cross tube to the coupler. For use with Deere designed Hi-Vis/ISO style coupler added in the field.	\$218.00
BYT11242	Attachment Coupler Plumbing Kit - High Lift Linkage For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube.	\$449.00
BYT11250	Joystick Controls Conversion to Single Axis Controls (2-Function) To convert from single joystick hydraulic control lever with FNR to 2-Lever single axis controls with steering column FNR lever.	\$1,275.00
BYT11243	Attachment Coupler Plumbing Kit - High Lift Plus Linkage For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube.	\$449.00
BYT11186	Single Axis Controls Conversion to Joystick Controls (2 or 3-Function) To convert from 2 or 3-Lever single axis controls with steering column FNR lever to single joystick hydraulic control lever with FNR and integrated auxiliary function roller.	\$1,253.00
BYT11251	Single Axis Controls Conversion to Joystick Controls (4, 5, or 6-Function) To convert from 2 or 3-Lever single axis controls with steering column FNR lever to single joystick hydraulic control lever with FNR and integrated auxiliary function rollers for 4, 5, or 6-functions. Kit only updates in-cab controls and does not include valve sections or plumbing.	\$1,559.00
BYT11236	5th/6th Function Hydraulics Includes hydraulic valve section and tie rods which allow for 5th and/or 6th auxiliary functions. A separate kit would need to be ordered to add both 5th and 6th functions to an existing 4-function valve. Does not include in-cab control function. Unit must be equipped with 4-function joystick control lever to operate 5th and 6th functions. If unit is equipped with 3-function joystick controller then a new 4-function joystick control lever will be required. 5th and 6th functions are not compatible with single axis controls. Kit does not include hoses and will require dealer to manufacture hoses per installation instructions. For use with Standard Z-bar (code 2010), High Lift (code 2020), and High Lift Plus (code 2026) linkages. Not compatible with Tool Carrier (code 2060) Linkage.	\$3,915.00
BYT11241	Attachment Coupler Plumbing Kit - Standard Z-Bar Linkage For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube.	\$449.00
BYT11187	Joystick Controls Conversion to Single Axis Controls (3-Function) To convert from single joystick hydraulic control lever with FNR and auxiliary function to 3-Lever single axis controls with steering column FNR lever.	\$1,591.00

BYT11244 Cable Reinforced Coupler Plumbing kit \$218.00
Provides plumbing from boom cross tube to the coupler.
For use with Deere designed JRB 416 style coupler added in the field.

BYT11252 Joystick Controls (2 or 3 function) Conversion to Joystick Controls (4, 5, or 6-Function) \$1,212.00
To convert from single joystick hydraulic control lever with FNR and one integrated auxiliary function roller (2 or 3 function) to single joystick hydraulic control lever with FNR and two integrated auxiliary function rollers for 4, 5, or 6-functions.
Kit only updates in-cab controls and does not include valve sections or plumbing.

BYT11234 4th Function Hydraulics - Tool Carrier \$2,937.00
Includes 4th function hydraulic valve section.
Not for use with single axis control levers. Requires joystick control lever.
Does not include in-cab control function.
Kit does not include hoses and will require dealer to manufacture hoses per installation instructions.
For use with Tool Carrier (code 2060) linkage.

BYT11268 3rd Function Single Axis Lever \$318.00
In-cab control lever only for updating units equipped with two-function single axis controls to three-function single axis controls. Not for use with joystick control lever.
Does not include hydraulic valve section or any associated plumbing.

Powertrain & Cooling

Field Installed Attachments - Optional

BYT11254 Automatic Reversing Hydraulic Fan \$1,531.00
Hydraulically driven fan with proportional fan speed control based on cooling demands to save fuel and reduce noise. Automatic Reversing fan to purge debris and dust on cooling system inlet screens and coolers periodically to reduce cleaning. Reversing intervals can be set in the monitor.
Requires Engine Air Intake with Centrifugal Precleaner

AT362998 Automatic Axle Differential Lock (Auto-Diff/Lock) \$1,581.00

BYT11228 Environmental Drains and Sampling Ports \$381.00
Includes transmission drain valve, hoses to all drain valves and hardware to safely drain vehicle fluids.

BYT11253 Powered Cab Air Pre-Cleaner \$878.00
Extends cab air filter change intervals

Couplers

Field Installed Attachments - Optional

BYT11134	Hydraulic Coupler - Hi-Vis/ISO Pattern For use with Tool Carrier Linkage	\$5,148.00
BYT10638	Hydraulic Coupler - JRB 416 Pattern For use with Standard, High Lift, and High Lift Plus Z-Bar Linkages Linkage	\$5,148.00
BYT11133	Hydraulic Coupler - JRB 416 Pattern For use with Tool Carrier Linkage	\$5,148.00
BYT10637	Hydraulic Coupler - Hi-Vis/ISO Pattern For use with Standard, High Lift, and High Lift Plus Z-Bar Linkages Linkage	\$5,148.00

ADDITIONAL INFORMATION

4WD Loader Simulator Field Installed Attachments - Optional

4WD Loader Operator Training Simulator
 - JD Bookstore order code: SIM5700
 - JD Bookstore Price: \$15,997

Includes software, replica joysticks, foot pedals, steering wheel and integrated seat. Item ordered through the JD Bookstore.

BUCKETS

Buckets Coupler Field Installed Attachments - Optional

BYT10596	2.5 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge 100" (2540mm) wide Hi-Vis coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard	\$7,732.00
BYT10625	2.75 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge 100" (2540mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard	\$8,281.00
BYT10629	3.75 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge 106" (2692mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard Not recommended for use with High Lift or High Lift Plus Linkages	\$10,625.00
BYT10626	3.0 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge 106" (2692mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard	\$8,812.00

BYT10613	3.5 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge 106" (2692mm) wide Hi-Vis coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard Not recommended for use with High Lift Plus Linkage	\$9,773.00
BYT10604	3.0 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge 106" (2692mm) wide Hi-Vis coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard	\$8,812.00
BYT10628	3.5 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge 106" (2692mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard Not recommended for use with High Lift Plus Linkage	\$9,773.00
BYT10623	2.5 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge 100" (2540mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard	\$7,732.00
BYT10597	2.75 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge 100" (2540mm) wide Hi-Vis coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard	\$8,281.00
BYT10627	3.25 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge 106" (2692mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard	\$9,216.00
BYT10608	3.25 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge 106" (2692mm) wide Hi-Vis coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard	\$9,216.00
BYT10616	3.75 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge 106" (2692mm) wide Hi-Vis coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard Not recommended for use with High Lift or High Lift Plus Linkages	\$10,625.00

Buckets Light Material

Field Installed Attachments - Optional

AT446162	Auxiliary Cutting Edge For 5.25 Cu. Yd. Light Material Bucket For use with 120 in. (3048 mm) bucket width	\$1,767.00
BYT10780	4.50 Cu. Yd. Std. Coupler Light Material w/ Cutting Edge 114" (2896 mm) wide JRB 416 Compatible coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.	\$13,254.00
BYT10776	5.25 Cu. Yd. Hi-Vis Coupler Light Material w/ Cutting Edge	\$14,646.00

120" (3048 mm) wide Hi-Vis coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.

AT446204	Side Cutting Edge for Light Material Bucket Includes cutting edges and hardware for both sides of bucket	\$278.00
BYT10633	3.5 Cu. Yd. YD Pin-on Bucket w/ Cutting Edge 106" (2692mm) wide pin-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard. Not for use with Tool Carrier Linkage	\$9,773.00
BYT10778	4.00 Cu. Yd. Hi-Vis Coupler Light Material w/ Cutting Edge 114" (2896 mm) wide Hi-Vis coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.	\$12,259.00
BYT10777	4.50 Cu. Yd. Hi-Vis Coupler Light Material w/ Cutting Edge 114" (2896 mm) wide Hi-Vis coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.	\$13,254.00
BYT10634	3.75 Cu. Yd. YD Pin-on Bucket w/ Cutting Edge 106" (2692mm) wide pin-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard. Not for use with Tool Carrier Linkage	\$10,625.00
BYT10781	5.25 Cu. Yd. Std. Coupler Light Material w/ Cutting Edge 1120 (3048 mm) wide JRB 416 Compatible coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.	\$14,646.00
BYT10779	4.00 Cu. Yd. Std. Coupler Light Material w/ Cutting Edge 114" (2896 mm) wide JRB 416 Compatible coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.	\$12,259.00
AT446161	Auxiliary Cutting Edge For 4.0 and 4.5 Cu. Yd. Light Material Bucket For use with 114 in. (2895.6 mm) bucket width	\$1,679.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.